

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT ID CODE	PAGE	OF	PAGES
---------------------	------	----	-------

2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. (If applicable)
-------------------------------	-------------------	----------------------------------	--------------------------------

6. ISSUED BY CODE	7. ADMINISTERED BY (If other than Item 6) CODE
---	--

8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)	(X)	9A. AMENDMENT OF SOLICITATION NO.
		9B. DATED (SEE ITEM 11)
		10A. MODIFICATION OF CONTRACT/ORDER NO.
		10B. DATED (SEE ITEM 11)

CODE	FACILITY CODE
------	---------------

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment your desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)
15B. CONTRACTOR/OFFEROR	16B. UNITED STATES OF AMERICA
(Signature of person authorized to sign)	(Signature of Contracting Officer)
15C. DATE SIGNED	16C. DATE SIGNED

1. The specifications and drawings for Invitation No. DACW64-02-B-0025, Dredging and Marsh Creation, Channel to Liberty at Smith Point in Chambers County, Texas, Trinity River and Tributaries, Texas, advertised 16 May 2002 and for which bids are rescheduled to be opened on 18 July 2002 are amended as follows:

Specifications

Page 02379-6, Subparagraph 2.2.1 (Issued By Amendment No. 0001), - Delete TABLES 1, 2, and 3 and substitute the enclosed new TABLES 1, 2, and 3 therefor:

“TABLE 1 - GEOTEXTILE, TYPE I (GEOTUBE) PHYSICAL PROPERTIES (WOVEN)”

<u>PROPERTY</u>	<u>TEST METHOD</u>	<u>UNIT</u>	<u>MINIMUM TEST VALUE</u>
Apparent Opening Size (U.S. Sieve)	ASTM D 4751	U.S Sieve	#60
Puncture Strength	ASTM D 4833	lbs.	400
Wide Width Tensile -In any principal direction	ASTM D 4595	lbs./in	1,000
Wide Width Tensile Elongation-In any principal direction	ASTM D 4595	%	15
Mullen Burst Strength	ASTM D 3786	psi	1,200
Trapezoid Tear Strength	ASTM D 4533	lbs.	550
Seam Strength	ASTM D 4884	lbs./in	500

**“TABLE 2 – GEOTEXTILE, TYPE II (SCOUR APRON) PHYSICAL PROPERTIES
(WOVEN)”**

<u>PROPERTY</u>	<u>TEST METHOD</u>	<u>UNIT</u>	<u>MINIMUM TEST VALUE</u>
Grab Tensile Strength	ASTM D 4632	lbs	300
Grab Tensile Elongation	ASTM D 4632	%	15
Apparent Opening Size (U.S. Sieve)	ASTM D 4751	U.S Sieve	#50
Puncture Strength	ASTM D 4833	lbs	120
Mullen Burst Strength	ASTM D 3786	psi	500
Trapezoid Tear Strength	ASTM D 4533	lbs.	120

**“TABLE 3 - GEOTEXTILE, TYPE III (UV SHROUD) PHYSICAL PROPERTIES
(WOVEN)”**

<u>PROPERTY</u>	<u>TEST METHOD</u>	<u>UNIT</u>	<u>MINIMUM TEST VALUE</u>
Apparent Opening Size (U.S. Sieve)	ASTM D 4751	U.S Sieve	#30
Permittivity	ASTM D 4491	sec ⁻¹	0.7
Puncture Strength	ASTM D 4833	lbs.	250
Wide Width Tensile Strength (MD/CD)	ASTM D 4595	lbs/in.	600
Wide Width Tensile Elongation (MD/CD)	ASTM D 4595	%	15 Max.
Trapezoid Tear Strength	ASTM D 4533	lbs.	180
Ultra-violet Degradation (Percent strength retained at 500 hrs.)”	ASTM D 4355	%	70

2. This amendment shall be attached to and become a part of this Invitation.