

# AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT ID CODE	PAGE	OF	PAGES
---------------------	------	----	-------

2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. (If applicable)
-------------------------------	-------------------	----------------------------------	--------------------------------

6. ISSUED BY <span style="float: right;">CODE</span>	7. ADMINISTERED BY (If other than Item 6) <span style="float: right;">CODE</span>
---	--

8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)	(X)	9A. AMENDMENT OF SOLICITATION NO.
		9B. DATED (SEE ITEM 11)
		10A. MODIFICATION OF CONTRACT/ORDER NO.
		10B. DATED (SEE ITEM 11)
CODE	FACILITY CODE	

### 11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers  is extended,  is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing items 8 and 15, and returning \_\_\_\_\_ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment your desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

### 13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor  is not,  is required to sign this document and return \_\_\_\_\_ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)
15B. CONTRACTOR/OFFEROR  <span style="float: right;">(Signature of person authorized to sign)</span>	15C. DATE SIGNED
16B. UNITED STATES OF AMERICA  <span style="float: right;">(Signature of Contracting Officer)</span>	16C. DATE SIGNED

1. The specifications and drawings for Invitation No. DACW64-02-B-0029, Water Control Structures, Channel to Victoria, Alligator Slide Lake and Placement Area No. 4, Gulf Intracoastal Waterway, Texas, advertised 26 July 2002, and for which bids are to be opened on 27 August 2002, are hereby modified as follows:

**BID OPENING DATE IS HEREBY RESCHEDULED FOR 2:30 PM LOCAL TIME, ROOM 175 JADWIN BUILDING, 3 SEPTEMBER 2002.**

(a) Specifications.

(1) BIDDING SCHEDULE, Pages 00010-1 Through 00010-4. - The enclosed Bidding Schedule, Pages 00010-1 through 00010-3 supersedes that issued with this Invitation.

(2) Page 00700-14 of 85, CLAUSE 52.214-28. - At the end of this Clause, insert the following new Clause:

**“52.217-7 OPTION FOR INCREASED QUANTITY-SEPARATELY PRICED LINE ITEM (MAR 1989).** The Government may require the delivery of the numbered line item, identified in the Schedule as an option item in the quantity and at the price stated in the Schedule. The Contracting Officer may exercise the option by written notice to the Contractor by 31 May 2003 or earlier. The Government will review access to Alligator Slide Lake and determine if the option of this contract will be executed. Delivery of added items shall continue at the same rate that like items are called for under the contract, unless the parties otherwise agree.”

(3) Page 00800-2, Paragraph 2(c). - In the first line, delete “public highways” and substitute “Highway 35.”

(4) SECTION 01010, SUMMARY OF WORK. - At the end of this Section, insert the enclosed Attachments Nos. A-1 and A-2.

(5) Page 01010-1, Subparagraph 1.2.2. - At the end of this Subparagraph, insert the following new Subparagraph

“1.2.3 Site Conditions. The Contractor shall refer to Attachments Nos. A-1 and A-2 at the end of this Section for photographs of the Alligator Slide Lake construction site.”

(6) Page 01010-1, Paragraph 1.4. - Delete this Paragraph and substitute the following Paragraphs:

**“1.4 OPTION.** This contract includes an Option, which covers the construction work at Alligator Slide Lake. The Contracting Officer will monitor field conditions at Alligator Slide Lake and will notify the Contractor by 31 May 2003 or earlier to determine if the Option of this contract will be executed.

**“1.5 SEQUENCE OF WORK.** The Contractor shall commence work with the construction of the Water Control Structure and levee repair at Placement Area No. 4. The Contractor shall prosecute the work diligently to complete the work within the time specified. Upon completion of the work at Placement Area No. 4 the Government will review access to Alligator Slide Lake and determine if the Option may be executed. If Alligator Slide Lake is inaccessible, the Contractor will be required to demobilize until the site becomes accessible which will be no later than 31 May 2003.”

(7) Page 01010-1, Paragraph 1.5. - Renumber this Paragraph to read “1.6.”

(8) Page 01100-1, Paragraph 1. - Delete this Paragraph in its entirety and substitute the following therefor:

**“1. COMMENCEMENT, PROSECUTION AND COMPLETION OF WORK. (CESWG).** The Contractor shall be required to (a) commence work under this contract within 10 calendar days after the date the Contractor receives the Notice to Proceed (b) prosecute the work diligently and except for as-built drawings and turfing, (c) complete the entire work not later than 120 calendar days after the date of receipt of Notice to Proceed for Schedule No. 1. An additional time of 122 calendar days after the date of receipt of Notice to Proceed for executing the Option will be added to the contract. The time stated for completion shall include final clean-up of the premises.

“1.1 Turfing. The Contractor shall complete turfing within the time limits specified in SECTION entitled TURFING, with completion not later than the first planting season following completion of the work as specified above.”

(9) Page 02222-1, Paragraph 3.2. - Delete the first sentence and substitute the following: “Unsuitable soft materials shall be disposed within Placement Area No. 4 or an approved location.”

(10) Page 02231-1, Paragraphs 1.2 and 1.3. - Delete these Paragraphs. Renumber Paragraphs 1.4 and 1.5 as Paragraphs 1.2 and 1.3, respectively.

(11) Page 02321-2, Subparagraph 1.4.6. - At the end of this Subparagraph add the following new Subparagraph:

“1.4.7 Mobilization and Demobilization shall not be measured for payment.”

(12) Page 02321-2, Subparagraph 1.5.3. - Delete this Subparagraph and substitute the following:

“1.5.3 Compacted Fill will be paid for at the contract unit price for “Water Control Structure Embankment, P.A. No. 4” and the contract unit price for the Option for “Water Control Structure Embankment, Alligator Slide Lake.”

(12) Page 02321-2, Subparagraph 1.5.5. - In the first line, after the word, “for” insert “as an option.”

(13) Page 02321-2, Subparagraph 1.5.6. - At the end of this Subparagraph, insert the following new Subparagraphs:

“1.5.7 Mobilization and Demobilization will be paid for at the contract lump sum price for “Mobilization and Demobilization,” which includes the cost of mobilizing and demobilizing plant and equipment from Placement Area No. 4 and Alligator Slide Lake construction sites.

“1.5.7.1 The Government will pay all costs for mobilization and demobilization of the Contractor’s plant and equipment at the following rate:

- (1) Sixty (60) percent of the lump sum price upon completion of the Contractor’s mobilization at the construction sites.
- (2) The remaining 40 percent upon completion of demobilization from the construction sites.”

(14) Page 02321-5, Subparagraph 3.3.1. - In the fifth line, delete the phrase, “on the Victoria Barge Canal near Placement Area No. 4.” and substitute “at Hog Bayou and Highway 35.”

(15) Page 02378-2, Subparagraph 1.6.1. -In the first line, change “linear foot” to “square foot.”

(16) Page 02381-2, Subparagraph 1.4.1. - In the first sentence, place a period after the word “Contractor” and delete the remainder of this sentence.

(17) Page 03301-7, Subparagraph 1.3.1. - In the Table for COMPRESSIVE STRENGTH (PSI) STRUCTURE OR PORTION OF STRUCTURE, delete the requirements for “14” x 14” piles” and “16” x 16” piles.”

(18) Page 03301, Paragraph 2.4. - Delete this Paragraph in its entirety.

(19) Page 09965-20, Paragraph 3.4. - Delete SYSTEMS NOS. 6-A-Z and 12 and substitute the following new PAINT SYSTEMS NOS. 5-E-Z, 6-A-Z, 12, 14, and EXTERIOR WOOD SYSTEM:

<b><u>SYSTEM NO. 5-E-Z</u></b>				
Items or surfaces to be coated: Cast-Iron Slide Gate parts designated.				
<u>Paint Formulas to be Applied</u>				
<u>Surface Preparation</u>	<u>1st Coat</u>	<u>2nd Coat</u>	<u>3rd Coat</u>	<u>4th Coat</u>
Approaching White metal Blast cleaning	Vinyl zinc-rich VZ-108d (double spray coat)	Gray Vinyl V-766e (double spray coat)	White Vinyl V-766e (double spray coat)	Gray Vinyl V-766e (double spray coat)

<b><u>SYSTEM NO. 6-A-Z</u></b>				
Items or surfaces to be coated: Slide Gate wall thimble, slide and frame; Flap Gate wall thimble, seat and cover.				
<u>Paint Formulas to be Applied</u>				
<u>Surface Preparation</u>	<u>1st Coat</u>	<u>2nd Coat</u>	<u>3rd Coat</u>	<u>4th Coat</u>
Approaching White metal Blast cleaning	Epoxy Zinc rich paint E-303d	Epoxy Zinc rich paint E-303d	Coal tar epoxy (black) C-200 or C-200a (Contractor's Option)	Coal tar epoxy (black) C-200 or C-200a (Contractor's Option)

<b><u>SYSTEM NO. 12</u></b>	
Items or surfaces to be coated: Items designated..	
<u>Surface Preparation</u>	<u>Paint Formulas to be Applied</u>
Suitable for galvanizing	Clean and galvanize in accordance with ASTM Specification A 123 or other applicable specification. Touch up cut edges and damaged areas of galvanizing in the field with two coats of TT-P-1046, DOD-P-21035, MIL-P-26915 or other approved zinc-rich paint.

<b><u>SYSTEM NO. 14</u></b>		
Items or surfaces to be coated: All galvanized surfaces.		
<u>Paint Formulas to be Applied</u>		
<u>Surface Preparation</u>	<u>1st Coat</u>	<u>2nd Coat</u>
Solvent clean And apply Mil. Spec. DOD-P- 15328 Pretreatment	Fed. Spec. TT-E-489 (Class A)	Fed. Spec. TT-E-489 (Class A)

<b><u>EXTERIOR WOOD SYSTEM</u></b>			
Items or surfaces to be coated: Warning Sign.			
<u>Paint Formulas to be Applied</u>			
<u>Surface Preparation</u>	<u>1st Coat</u>	<u>2nd Coat</u>	<u>3rd Coat</u>
Clean of Foreign matter	MIL-P-28582	Exterior Oil Paint (TT-P-37) or TT-P-19	Exterior Oil Paint (TT-P-37) or TT-P-19

An approved commercially available paint may be used in lieu of the above paint system.”

(20) Page 09965-21, Paragraph 3.5. - Delete this Paragraph in its entirety and substitute the following therefor:

**“3.5 SUPPLEMENTARY APPLICATION INSTRUCTIONS.** Surfaces shall be coated with the system indicated in the schedule or as shown in accordance with the instructions specified below.

“3.5.1 System No. 5-E-Z. This vinyl system shall be spray applied to an average dry film thickness of at least 7.0 mils for the completed system and the thickness at any point shall be not less than 5.5 mils. The dry film thickness of the zinc-rich coat shall be approximately 2.5 mils. The specified film thickness shall be attained in any event and any extra coats needed to do so shall be applied at no additional cost to the Government. Attainment of the specified

total film thickness by applying fewer than the prescribed number of coats or spray passes will be acceptable provided heavier applications do not cause an increase in pinholes, bubbles, blisters or voids in the dried film and provided that not more than 2.0 mils (dry film thickness) per double spray coat nor more than 1.0 mil per single pass of non-zinc paint shall be applied in any event. See safety provisions and special directions for applying vinyl-type paints.

“3.5.2 System No. 6-A-Z. The epoxy zinc-rich paint shall be applied in not less than 2 single, half-lapped spray coats to an average dry film thickness of not less than 3.0 mils and a thickness of not less than 2.5 mils at any point. After a drying period of not less than 6 hours nor more than 96 hours for the second zinc-rich coat at least two coats of coal tar epoxy paint shall be applied to provide a minimum thickness at any point of 16 mils for the completed system. If the second coat of epoxy zinc-rich paint has been applied in the shop or otherwise has been permitted to cure for longer than 96 hours, it shall be completely recoated with an additional thin tack coat of the zinc-rich paint which in turn shall be overcoated within 96 hours with the first coat of coal tar epoxy. The specified film thickness above shall be attained in any event and any additional coats needed to do so shall be applied at no additional cost to the Government. See safety provisions and special directions for mixing and applying C-200 coal tar epoxy and E-303d zinc-rich paint.

“3.5.3 System No. 12. Clean and galvanize after fabrication. Touch up marks and breaks in galvanized coating with two (2) coats of TT-P-1046, Mil Spec. DOD-P-21035, MIL-P-26915 or other approved zinc-rich paint.

“3.5.4 System No. 14. See specific directions for applying Mil. Spec. DOD-P-15328 pretreatment.”

(b) Drawings.

(1) Drawing Nos. S-1 through S-7. - The enclosed Drawings Nos. S-1 through S-7 shall supersede those issued with this Invitation.

(2) Drawings Nos. S-8 through S-16. - The enclosed new Drawings Nos. S-8 through S-16 shall be added and become a part of this Invitation.

2. This Amendment shall be attached to and become a part of the specifications.

3 Encls:

1. Bd Sched, Pgs 00010-1 thru 00010-3
1. Attachments Nos. 1 and 2
2. Dwgs Nos. S-1 thru S-16

File 7755S

INVITATION NO. DACW64-02-B-0029

**GULF INTRACOASTAL WATERWAY,  
TEXAS, CHANNEL TO VICTORIA,  
ALLIGATOR SLIDE LAKE AND PLACEMENT  
AREA NO. 4 IN CALHOUN COUNTY, TEXAS,  
WATER CONTROL STRUCTURES**

**BIDDING SCHEDULE  
(TO BE ATTACHED TO STANDARD FORM 1442)**

Item No.	Description	Estimated Quantity	Unit	Unit Price	Estimated Amount
<b><u>SCHEDULE NO. 1</u></b>					
0001	EPA Storm Water Pollution Prevention Plan	1	L.S.	\$ _____	\$ _____
0002	Clearing, Grubbing, Stripping, and Removal of Debris	1	L.S.	\$ _____	\$ _____
0003	Levee Repair	200	C.Y.	\$ _____	\$ _____
0004	Water Control Structure Embankment, P.A. No. 4	150	C.Y.	\$ _____	\$ _____
0005	Mobilization and Demobilization	1	L.S.	\$ _____	\$ _____
0006	Geotextile	65	S.Y.	\$ _____	\$ _____
0007	Blanket Stone (1/4" - 4")	17	TON	\$ _____	\$ _____
0008	Riprap (15-265 lbs)	50	TON	\$ _____	\$ _____
0009	Water Control Structure Placement Area No. 4	1	L.S.	\$ _____	\$ _____
0010	Turfing	1	L.S.	\$ _____	\$ _____
<b>TOTAL SCHEDULE NO. 1</b>					\$ _____

00010-1

(To Accompany Amendment No. 0001 to Invitation No. DACW64-02-B-0029)

**INVITATION NO. DACW64-02-B-0029**

**BIDDING SCHEDULE (Cont'd)  
(TO BE ATTACHED TO STANDARD FORM 1442)**

Item No.	Description	Estimated Quantity	Unit	Unit Price	Estimated Amount
<b><u>OPTION</u></b>					
0011	EPA Storm Water Pollution Prevention Plan	1	L.S.	\$ _____	\$ _____
0012	Removal of Existing Drainage Structure	1	L.S.	\$ _____	\$ _____
0013	Clearing, Grubbing, Stripping, and Removal of Debris	1	L.S.	\$ _____	\$ _____
0014	Water Control Structure Embankment, Alligator Slide Lake	750	C.Y.	\$ _____	\$ _____
0015	Care of Water	1	L.S.	\$ _____	\$ _____
0016	Mobilization and Demobilization	1	L.S.	\$ _____	\$ _____
0017	Geotextile	65	S.Y.	\$ _____	\$ _____
0018	Blanket Stone (1/4" - 4")	3,500	TON	\$ _____	\$ _____
0019	Riprap (15-265 lbs)	400	TON	\$ _____	\$ _____
0020	Water Control Structure Alligator Slide Lake	1	L.S.	\$ _____	\$ _____
0021	Turfing	1	L.S.	\$ _____	\$ _____
<b>TOTAL OPTION</b>					\$ _____
<b>TOTAL SCHEDULE NO. 1 AND OPTION</b>					\$ _____

**BIDDING SCHEDULE (Cont'd)**  
**(TO BE ATTACHED TO STANDARD FORM 1442)**

**1. ARITHMETIC DISCREPANCIES (EFARS 52.214-5000).**

(a) For the purpose of initial evaluation of bids, the following will be utilized in resolving arithmetic discrepancies found on the face of bidding schedule as submitted by the bidder:

- (1) Obviously misplaced decimal points will be corrected;
- (2) Discrepancy between unit price and extended price, the unit price will govern;
- (3) Apparent errors in extension of unit prices will be corrected;
- (4) Apparent errors in addition of lump-sum and extended prices will be corrected.

(b) For the purpose of bid evaluation, the Government will proceed on the assumption that the bidder intends his bid to be evaluated on the basis of the unit prices, the totals arrived at by resolution of arithmetic discrepancies as provided above and the bid will be so reflected on the abstract of bids.

(c) These correction procedures shall not be used to resolve any ambiguity concerning which bid is low.

**2. MODIFICATIONS (CESWG).** If a modification to a bid based on unit prices is submitted, which provides for a lump sum adjustment to the total estimated cost, the application of the lump sum adjustment of each unit price in the bid schedule must be stated. If it is not stated, the bidder agrees that the lump sum adjustment shall be applied on a pro rata basis to every unit price in the bid schedule.

**3. EVALUATION OF OPTIONS (JUL 1990) (FAR 32.217-5).** Except when it is determined in accordance with FAR 17.2006(b) not to be in the Government's best interests, the Government will evaluate offers for award purposes by adding the total price for all options to the total price for the basic requirement. Evaluation of options will not obligate the Government to exercise the options.

**4. SALES TAX EXEMPTION.** If you intend seeking a sales tax exemption on this contract, please contact the Comptroller of Public Accounts at 1 800-252-5555.



Downstream end of Alligator Slide Lake

A-1

“THIS ATTACHMENT ACCOMPANIES AMENDMENT  
NO. 0001 TO INVITATION NO. DACW64-02-B-0029”

ATTACHMENT NO. 1




Downstream end of existing 48" CMP

A-2

"THIS ATTACHMENT ACCOMPANIES AMENDMENT  
NO. 0001 TO INVITATION NO. DACW64-02-B-0029"

ATTACHMENT NO. 2





NO.	DATE	BY	CHKD.	APP.	DESCRIPTION
1	08/23/02	...	...	...	...
2	...	...	...	...	...
3	...	...	...	...	...
4	...	...	...	...	...
5	...	...	...	...	...
6	...	...	...	...	...
7	...	...	...	...	...
8	...	...	...	...	...
9	...	...	...	...	...
10	...	...	...	...	...

NO.	DATE	BY	CHKD.	APP.	DESCRIPTION
1	...	...	...	...	...
2	...	...	...	...	...
3	...	...	...	...	...
4	...	...	...	...	...
5	...	...	...	...	...
6	...	...	...	...	...
7	...	...	...	...	...
8	...	...	...	...	...
9	...	...	...	...	...
10	...	...	...	...	...


U.S. ARMY ENGINEER DISTRICT GALVESTON  
CORPS OF ENGINEERS  
GALVESTON, TEXAS

PREPARED UNDER THE DIRECTION OF  
LEONARD D. WATERBOTHAM, CEC  
DISTRICT ENGINEER

GULF INTRACASTAL WATERWAY, TEXAS  
ALLIGATOR CHANNEL TO VICTORIA  
WATER CONTROL STRUCTURES  
DETAILS - ALLIGATOR SLIDE LAKE  
WATER CONTROL STRUCTURE

















**ELEVATION**  
**HAND RAIL DETAILS**

N.T.S.




**SIDE VIEW**




**FRONT VIEW**

**WINCH & PULLY DETAILS**

N.T.S.





**SECTION "A-A"**



**SECTION "B-B"**

"THIS DRAWING ACCOMPANIES  
AMENDMENT NO. 0001 TO  
INVITATION NO. DACW64-02-B-0029."



**NOTE:**  
CONTRACTOR SHALL FURNISH,  
FABRICATE, & INSTALL.  
(ALUMINUM STOPLOGS TO BE  
PRODUCED FROM 1/8" TUBE  
LENGTH OF STOPLOGS AND  
SHALL BE 1" LESS THAN  
DIST. BETWEEN CHANNELS).

**ALUMINUM  
STOP LOG  
DETAIL**

N.T.S.



Rev.	Date	By	Description
1	8/24/02	DAV	NET DRAWING

Drawn by	Checked by	Submitted by	Approved by	Rev.
SHU JYU, P.E.	DAVID B. CAMPBELL, P.E.	DAVID B. CAMPBELL, P.E.	DAVID B. CAMPBELL, P.E.	1

U.S. ARMY ENGINEER DISTRICT, GALVESTON  
CORPS OF ENGINEERS  
GALVESTON, TEXAS  
PREPARED UNDER THE DIRECTION OF  
LEONARD W. WATSON, C.E.,  
DISTRICT ENGINEER

GULF INTRACOASTAL WATERWAY, TEXAS  
CHANNEL TO VICTORIA, TEXAS, NO. 4  
WATER CONTROL STRUCTURES  
STANDARD DETAILS  
ALLIGATOR SLIDE LAKE & P.A. NO. 4

Drawing No.:  
**S-8**  
Sheet 8 of 23  
File No. IWW 150-1059




Rev.	Date	Description
1	8/24/02	NEW DRAWING


Drawn by: JJK	Checked by: JJK	Designed by: JJK	Submitted by: ELLIOT GARZA, JR., P.E.	Approved by: MARY G. KOHLER, P.E.
Scale: AS SHOWN	Scale: AS SHOWN	Scale: AS SHOWN	Chief Engineer	Chief, Engineering and Construction Division
U.S. ARMY ENGINEER DISTRICT, GALVESTON CORPS OF ENGINEERS GALVESTON, TEXAS				
PREPARED UNDER THE DIRECTION OF LEONARD D. WATERWORTH, COL., C.E., DISTRICT ENGINEER				

GULF INTRACOASTAL WATERWAY, TEXAS  
CHANNEL TO VICTORIA  
ALLIGATOR SLIDE LAKE AND P.A. NO. 4  
WATER CONTROL STRUCTURES  
STAIR DETAILS OUTLET  
STRUCTURE-ALLIGATOR SLIDE LAKE


Drawing No.:  
**S-10**  
Sheet of X  
File No.



**PARTIAL PLAN @ OUTLET**  
N.T.S.




**A ELEVATION**  
N.T.S.



**B ELEVATION**  
N.T.S.

**NOTES:**

- SIGN SHALL BE MADE OF 3/4" MARINE GRADE PLYWOOD.
  - SIGN BACKGROUND SHALL BE WHITE WITH REVERSE SCREEN RED "WARNING" HEADER, BORDER, & LOGOS. THE BALANCE OF THE COPY SHALL BE BLACK.
  - COPY FOR "WARNING" SHALL BE \*D WIDTH STANDARD FOR 4" LETTERS & THE BALANCE OF THE COPY SHALL BE \*C WIDTH STANDARD FOR 3" & 2" LETTERS.
  - SIGN SHALL BE FASTENED TO WALL WITH STAINLESS STEEL 1/2"Ø EXPANSION ANCHORS (8 REQ'D.).
- \*C & D WIDTH STANDARD REFERS TO THE AMERICAN STANDARD STYLE OF LETTERING.



**C ELEVATION WARNING SIGN**  
N.T.S.

"THIS DRAWING ACCOMPANIES AMENDMENT NO. 0001 TO INVITATION NO. DACW64-02-B-0029."

INVITATION NO.  
DACW64-02-B-00











