

DEPARTMENT OF THE ARMY
GALVESTON DISTRICT, CORPS OF ENGINEERS
P.O. BOX 1229
GALVESTON, TEXAS 77553-1229

APRIL 2013
HYDROGRAPHIC BULLETIN

CHANNELS WITH PROJECT DEPTHS UNDER 25 FEET

A report of the depths available for navigation in the Federal Project Waterways of the Galveston District

★ Indicates changes from previous report

● Indicates dredging under contract

★ Indicates changes from previous report and dredging under contract

Distances are in statute miles

Depths are based on Corps of Engineers mean low tide datum

APRIL 2013	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●★
Gulf Intracoastal Waterway Main Channel								
Port Arthur - High Island (GIWW continues thru Sabine River)	20-May-12	125	53.1	12	10.1	10.1	10.2	☐
High Island - Galveston Bay	12-Apr-12	125	30.0	12	9.1	12.5	12.5	☐
Across Galveston Bay	12-Apr-12	125	7.2	12	16.0	16.0	14.8	☐
Alternate Route via Galv. Ch. (Reopened)	15-Jun-12	125	10.3	12	8.0	9.0	8.0	☐
Galveston Bay - Chocolate Bayou	12-Apr-12	125	19.0	12	13.4	14.6	13.5	☐
Chocolate Bayou - Freeport Harbor	12-Apr-12	125	19.0	12	9.9	11.8	9.6	☐
Freeport Harbor - Brazos River	12-Apr-12	125	5.9	12	0.1	5.4	8.2	☐
Brazos River Crossing	12-Apr-12	125	0.7	12	9.7	8.8	5.8	☐
Brazos River - San Bernard River	12-Apr-12	125	4.0	12	9.4	11.7	9.1	☐
San Bernard to Colorado River	12-Apr-12	125	35.6	12	8.0	9.3	7.1	☐
Colorado River Crossing	12-Apr-12	125	1.0	12	9.4	13.4	9.9	☐
Colorado River - Matagorda Bay (Mile 461.6 WHL)	12-Apr-12	125	20.1	12	7.0	10.2	9.9	☐
Mile 461.6 - Port O'Connor	27-Mar-12	125	11.1	12	1.0	0.8	0.9	☐
Natural Bay Bottom	14-Feb-13	125	0.0	12	9.7	12.0	12.0	●
Port O'Connor - San Antonio Bay	21-Mar-13	125	19.0	12	13.3	13.2	4.0	★
Across San Antonio Bay	23-Mar-13	125-235	8.6	12	8.5	10.8	7.0	★
San Antonio Bay - Aransas Bay (Light 1)	2-Apr-12	125	10.4	12	2.0	13.3	12.0	☐
Across Aransas Bay	2-Apr-13	125	13.8	12	8.8	12.7	10.2	★
Aransas Bay to Corpus Christi Ship Channel	22-Jun-12	125	14.4	12	10.4	13.0	11.3	☐
Alternate Route via Lydia Ann Channel:								
Aransas Bay 49 to Light 83	10-Apr-12	125	7.9	12	14.0	14.0	14.0	☐
Light 83 to Corpus Christi Ship Channel	10-Apr-12	125	3.8	12	14.0	13.8	11.6	☐
Corpus Christi Ship Channel to S. Bird Island	12-Apr-13	125	25.2	12	2.5	12.5	4.0	★
S. Bird Island to Light 175	10-Apr-13	125	22.5	12	7.5	12.4	10.9	★
Light 175 - Banderia Island	10-Apr-13	125	21.6	12	9.5	13.5	12.5	★
Banderia Island - Channel to Port Mansfield	29-Mar-13	125	23.2	12	8.7	10.0	5.4	★
Channel to Port Mansfield - Arroyo Colorado	28-Mar-13	125	14.5	12	7.5	9.0	5.7	★
Arroyo Colorado - Port Brownsville	22-Mar-13	125	37.6	12	4.6	6.5	5.9	★

APRIL 2013	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●★
Gulf Intracoastal Waterway Tributary Channels								
Adams Bayou Channel								
Channel	12-May-12	100	1.6	12	4.6	3.8	6.6	☐
Double Bayou								
4.1 Miles in Bay to Mouth of Bayou	26-May-10	125	4.1	7	0.0	1.0	4.0	☐
Mouth of Bayou to 2 Miles above Mouth	26-May-10	100	2.0	7	1.0	3.0	3.0	☐
Cow Bayou Channel								
Channel	12-May-12	100	7.1	13	7.3	7.3	7.3	☐
Orangefield Turning Basin	12-May-12	300	0.1	13	6.7	6.7	6.4	☐
Offatts Bayou Channel								
Channel	12-Apr-13	125	2.2	12	5.6	7.3	6.1	★
Chocolate Bayou Channel								
Bay Channel	11-Apr-12	125	5.6	12	11.0	12.0	11.0	☐
Land Cut	11-Apr-12	125	2.9	12	11.0	12.0	11.0	☐
San Benard River Channel								
Mile 0 to Milw 0.5	2-May-12	1032-100	0.5	9	4.0	7.0	4.0	☐
Mile 0.5 to Mile 3.75	3-May-12	100	3.3	9	9.0	9.0	6.0	☐
Mile 3.75 to Mile 8.0	4-May-12	100	4.3	9	7.0	9.0	5.0	☐
Mile 8.0 to Milw 20.5	5-May-12	100	12.5	9	9.0	9.0	6.0	☐
Mile 20.5 to Mile 25.2	6-May-12	100	4.7	9	10.0	10.0	5.0	☐
Mile 25.2 to Mile 26.0	5/7/2012	100	0.0	9	5.0	5.0	3.0	☐
Mouth Of The Colorado River								
Mile 0 (Gulf) to Mile 0.8	5/1/2012	200	0.8	15	10.0	14.0	12.0	☐
Mile 0.8 to Mile 2.5	5/1/2012	100	1.7	12	10.0	10.0	8.0	☐
Mile 2.5 to Mile 7.11 (GIWW)	5/2/2012	100	4.6	12	8.0	8.0	8.0	☐

APRIL 2013	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●☆
Colorado River Channel								
By-Pass Channel	5/17/2011	100	0.9	9	13.4	6.5	0.5	☐
Mile 0 (GIWW) to Mile 2	4/27/2012	100	2.0	9	14.0	14.0	10.0	☐
Mile 2 to Mile 8	4/27/2012	100	6.0	9	7.0	10.0	8.0	☐
Mile 8 to Mile 13.5	5/2/2012	100	5.5	9	6.0	6.0	4.0	☐
Mile 13.5 to Mile 15.5	5/2/2012	100	2.0	9	5.0	7.0	5.0	☐
Turning Basin	5/2/2012	100	0.1	9	6.0	6.0	7.0	☐
Channel To Palacios								
Mile (GIWW) to Light 40	19-Apr-12	125	10.0	12	9.8	9.8	9.5	☐
Light 40 to City Basin	19-Apr-12	125	6.2	12	10.0	10.4	4.0	☐
City Basin	19-Apr-12	150	0.1	12	11.0	12.0	12.0	☐
Entrance Channel to Municipal Basin	19-Apr-12	400-130	0.1	12	9.8	11.0	11.8	☐
Municipal Basin	19-Apr-12	240	0.2	12	11.7	11.8	11.8	☐
Channel To Port Lavaca And Red Bluff								
Port Lavaca Channel	10-Apr-12	125	4.1	12	5.5	4.5	3.5	☐
Lynn Bayou Turning Basin	28-Jun-09	30-300	0.1	12	7.9	7.9	7.7	☐
Port Lavaca Harbor of Refuge:								
Approach Channel	31-Mar-12	125	2.1	12	8.2	9.5	7.6	☐
North-South Basin	31-Mar-12	300	0.3	12	10.8	12.8	12.1	☐
East-West Basin	31-Mar-12	250	0.3	12	13.0	13.7	13.6	☐
Extension to Red Bluff via Lavaca and Navidad River								
Mile 0 to Mile 6.5	1-May-07	100	6.5	6	1.5	1.5	1.4	☐
Mile 6.5 to F.M. Rd. 616	15-Jun-99	100	13.7	6	4.0	4.0	4.0	☐

APRIL 2013	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●☆
Channel to Victoria								
Mile 0 (GIWW) to Mile 11	17-Aug-12	125	11.0	12	14.2	14.8	13.2	☐
Easterly Connecting "Y" Channel	16-Jun-12	125	0.8	12	15.4	15.4	15.7	☐
Westerly connecting 'Y' Channel	16-Jun-12	125	0.8	12	14.2	14.8	14.8	☐
Mile 11 to Mile 14	25-Aug-12	125	3.0	12	14.9	15.2	15.0	☐
Mile 14 to Mile 29	24-Mar-12	125	15.0	12	2.0	12.0	2.0	☐
Mile 29 to Mile 34.7	24-Mar-12	125	5.7	12	11.0	12.0	3.9	☐
Turning Basin	11-May-10	125-818	0.2	12	11.9	13.9	11.0	☐
Connecting Channel to Seadrift	25-Mar-12	100	2.0	9	7.8	8.2	6.0	☐
Seadrift Turning Basin	25-Mar-12	230	0.0	9	10.8	12.0	12.0	☐
Channel to Fulton								
Channel	18-May-12	100	0.5	12	7.7	8.2	7.1	☐
Turning Basin	18-May-12	200	0.2	12	6.0	7.5	5.2	☐
Channel to Rockport								
Channel	18-May-12	100	6.8	9	2.5	9.7	3.6	☐
Harbor Basin	18-May-12	350	0.2	9	0.5	8.7	8.7	☐
Channel to Aransas Pass								
Channel	7-Apr-12	125-175	6.1	14	12.5	11.2	10.0	☐
Turning Basin	7-Apr-12	300	0.4	14	15.5	14.9	14.6	☐
Connecting Channel	7-Apr-12	125	0.1	14	16.3	16.4	16.4	☐
Connecting Brown Harbor	7-Apr-12	50-510	0.4	14	13.9	13.9	15.2	☐
Channel to Port Aransas								
Channel	17-May-10	100	0.2	12	9.5	9.7	9.7	☐
Turning Basin	17-May-10	200-400	0.2	12	7.5	9.5	8.2	☐

APRIL 2013	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols
								★●★
Channel to Port Mansfield								
Entrance Channel	14-May-12	250	0.7	16	13.6	14.8	13.9	☐
Mile 0.7 to Mile 1.3	14-May-12	100-300	0.6	14	15.5	16.3	14.9	☐
Mile 1.3 to Mile 3	14-May-12	100	1.7	14	11.8	12.1	12.2	☐
Mile 3 to Mile 6	14-May-12	100	3.0	14	13.4	13.5	13.2	☐
Mile 6 to Main Channel (GIWW)	12-May-12	100	2.9	14	5.5	5.8	6.1	☐
Entrance Curves	12-May-12	200	0.6	12	5.8	5.9	5.8	☐
Main Channel to Turning Basin	12-May-12	125-200	0.9	14	6.3	6.4	6.5	☐
Turning Basin	12-May-12	200-400	0.7	14	14.5	14.2	14.2	☐
Shrimp Basin	12-May-12	350	0.3	12	12.2	12.9	12.4	☐
Channel to Port Harlingen								
North Wye	13-May-12		x	12	10.7	10.4	9.5	☐
South Wye	17-May-12		x	12	7.7	8.8	9.6	☐
Mile 0 to Mile 8	19-May-12	200-125	8.0	12	9.0	10.6	11.0	☐
Mile 8 to Mile 20	19-May-12	125	12.0	12	12.1	13.1	12.9	☐
Mile 20 to Mile 25.9	2-Apr-12	125	5.9	12	10.2	11.7	11.4	☐
Turning Basin	2-Apr-12	400	0.1	12	14.9	16.0	15.6	☐
Side Channels at Port Isabel								
60-foot channel	7-May-12	60	0.2	12	13.0	12.1	10.6	☐
125-foot channel	1-May-12	125	1.1	12	9.5	10.2	6.6	☐
125-foot channel - South Leg	7-May-12	125	1.1	12	10.2	10.6	10.4	☐
Port Isabel Small Boat Harbor								
Entrance Channel	7-May-12	75	1.5	9	4.7	4.9	4.2	☐
Harbor Channel	7-May-12	50	0.3	7	3.1	5.3	3.8	☐
Basin	25-Apr-12	50-500	0.3	6	3.3	3.0	2.7	☐

APRIL 2013	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●★
Usable Depths in Other Small Active Channels								
Channel to Port Bolivar		200	0.1	14				
Dickinson Bayou								
Light 2 to Light 27	23-Apr-13	60	9.9	6	6.5	5.8	5.2	★
Light 27 to Highway 146 Bridge	23-Apr-13	60	1.5	6	0.3	0.7	2.6	★
Channel to Liberty								
Houston Ship Channel to Smith Point	23-Apr-13	150	6.4	9	1.4	2.3	2.3	★
Anahauc	22-May-12	100	6.4	6	3.7	3.9	3.5	☐
Anahauc Channel to Texas Gulf Sulphur Slip	22-May-12	100	11.3	6	-0.3	1.0	3.2	☐
Texas Gulf Sulphur Slip to Devers Canal	2/94	100	9.5	6		4.0 ft at CL.		☐
Devers Canal to South Liberty Oil Field	7/01	100	12.2	6	+0.4	+0.4	+0.4	☐
South Liberty Oil Field to Cut Off Channel	7/01	100	2.2	6	+0.1	+2.6	+1.5	☐
Cut Off Channel to Liberty	7/01	100	3.1	6	3.2	+1.6	+2.6	☐
Clear Creek And Clear Lake								
Entrance Channel	28-Mar-13	75	3.3	9	6.2	6.5	6.2	☐
North Fork Channel	28-Mar-13	60	0.7	7	2.0	2.0	2.0	☐
Clear Lake Channel	28-Mar-13	60	2.8	7	12.0	11.0	10.0	☐
Clear Creek Channel	5/98		3.8		0.0	7.0 ft by 60 ft	0.0	☐
File Mile Cut	18-May-10	125	1.9	12	6.0	7.0	5.0	☐
Jewel Fulton Canal								
Canal	6-Apr-12	100	0.9	16	9.1	16.3	16.4	☐
Basin	6-Apr-12		0.1	16	9.1	16.3	16.4	☐
Rincon Canal								
Approach Channel	18-Apr-12	100-567	2.9	10	2.0	6.0	8.0	☐
Connecting Channel	13-Apr-12	275	0.4	10	7.5	7.8	6.1	☐
Canal "A"	13-Apr-12	100-125	0.9	10	8.5	8.5	8.5	☐
Turning Basin	13-Apr-12	275	0.1	10	10.3	10.7	11.0	☐

APRIL 2013	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●★
Brownsville Fishing Boat Harbor								
Entrance Channel	1-May-12	100	0.2	15	17.6	17.2	16.5	☐
Connecting Channel	1-May-12	265	0.2	15	14.3	14.4	14.0	☐
West Connecting Channel	1-May-12	265	0.2	15	14.4	15.5	14.3	☐
West Basin	1-May-12	305-370	0.3	15	14.7	14.6	14.5	☐
Middle Basin	1-May-12	305-370	0.2	15	14.9	15.1	13.4	☐
East Basin	1-May-12	305-370	0.1	15	12.3	13.7	13.7	☐

Notes:

1
2
3
4
5
6
7
8
9
10