

DEPARTMENT OF THE ARMY
GALVESTON DISTRICT, CORPS OF ENGINEERS
P.O. BOX 1229
GALVESTON, TEXAS 77553-1229

SEPTEMBER 2014
HYDROGRAPHIC BULLETIN

CHANNELS WITH PROJECT DEPTHS UNDER 25 FEET

A report of the depths available for navigation in the Federal Project Waterways of the Galveston District

★ Indicates changes from previous report

● Indicates dredging under contract

★ Indicates changes from previous report and dredging under contract

Distances are in statute miles

Depths are based on Corps of Engineers mean low tide datum

SEPTEMBER 2014	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●★
Gulf Intracoastal Waterway Main Channel								
Port Arthur - High Island (GIWW continues thru Sabine River)	2-Apr-14	125	53.1	12	8.7	11.5	10.5	☐
High Island - Galveston Bay	21-Mar-14	125	30.0	12	8.2	11.3	5.0	☐
Across Galveston Bay	21-Mar-14	125	7.2	12	7.9	11.6	9.4	☐
Alternate Route via Galv. Ch. (Reopened)	4-Mar-14	125	10.3	12	8.0	7.0	8.0	☐
Galveston Bay - Chocolate Bayou	21-Mar-14	125	19.0	12	11.7	13.5	12.0	☐
Chocolate Bayou - Freeport Harbor	14-May-14	125	19.0	12	10.0	12.0	10.0	☐
Freeport Harbor - Brazos River	14-May-14	125	5.9	12	10.0	12.0	10.0	☐
Brazos River Crossing	14-May-14	125	0.7	12	13.0	12.0	11.0	☐
Brazos River - San Bernard River	14-May-14	125	4.0	12	13.0	16.0	16.0	☐
San Bernard to Colorado River	21-Apr-14	125	35.6	12	8.0	10.0	7.0	☐
Colorado River Crossing	21-Apr-14	125	1.0	12	13.0	15.0	15.0	☐
Colorado River - Matagorda Bay (Mile 461.6 WHL)	21-Apr-14	125	20.1	12	7.0	10.0	9.0	☐
Mile 461.6 - Port O'Connor	16-Apr-13	125	11.1	12	10.6	11.3	10.9	☐
Natural Bay Bottom	1-Jul-14	125	0.0	12	9.4	10.0	10.0	★
Port O'Connor - San Antonio Bay	1-Mar-14	125	19.0	12	8.7	12.6	8.7	☐
Across San Antonio Bay	25-Sep-14	125-235	8.6	12	15.8	15.7	15.6	★
San Antonio Bay - Aransas Bay (Light 1)	5-Mar-14	125	10.4	12	6.8	11.7	10.2	☐
Across Aransas Bay	6-Mar-14	125	13.8	12	8.6	12.9	11.1	☐
Aransas Bay to Corpus Christi Ship Channel	7-Mar-14	125	14.4	12	8.0	10.7	11.0	☐
Alternate Route via Lydia Ann Channel:								
Aransas Bay 49 to Light 83	18-Mar-14	125	7.9	12	10.7	13.0	13.9	☐
Light 83 to Corpus Christi Ship Channel	17-Mar-14	125	3.8	12	11.1	9.5	7.8	☐
Corpus Christi Ship Channel to S. Bird Island	8-Mar-14	125	25.2	12	4.0	7.3	4.6	☐
S. Bird Island to Light 175	21-Apr-14	125	22.5	12	9.5	12.1	11.9	☐
Light 175 - Banderia Island	25-Apr-14	125	21.6	12	5.2	9.8	7.6	☐
Banderia Island - Channel to Port Mansfield	2-May-14	125	23.2	12	8.5	9.5	5.4	☐
Channel to Port Mansfield - Arroyo Colorado	26-Mar-14	125	14.5	12	8.1	9.2	4.1	☐
Arroyo Colorado - Port Brownsville	19-Mar-14	125	37.6	12	9.8	9.0	4.5	☐

SEPTEMBER 2014	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●★
Gulf Intracoastal Waterway Tributary Channels								
Adams Bayou Channel								
Channel	2-Apr-14	100	1.6	12	7.1	7.4	7.2	☐
Double Bayou								
4.1 Miles in Bay to Mouth of Bayou	2-May-14	125	4.1	7	0.9	0.9	3.1	☐
Mouth of Bayou to 2 Miles above Mouth	2-May-14	100	2.0	7	0.7	1.4	2.0	☐
Cow Bayou Channel								
Channel	21-Mar-14	100	7.1	13	7.2	8.0	8.0	☐
Orangefield Turning Basin	23-Oct-13	300	0.1	13	8.2	6.1	9.6	☐
Offatts Bayou Channel								
Channel	25-Feb-14	125	2.2	12	11.0	12.0	11.0	☐
Chocolate Bayou Channel								
Bay Channel	20-Mar-14	125	5.6	12	9.0	10.0	9.0	☐
Land Cut	20-Mar-14	125	2.9	12	8.0	9.0	9.0	☐
San Benard River Channel								
Mile 0 to Milw 0.5	20-May-14	1032-100	0.5	9	4.0	7.0	4.0	☐
Mile 0.5 to Mile 3.75	20-May-14	100	3.3	9	9.0	9.0	6.0	☐
Mile 3.75 to Mile 8.0	20-May-14	100	4.3	9	7.0	9.0	5.0	☐
Mile 8.0 to Milw 20.5	20-May-14	100	12.5	9	9.0	9.0	6.0	☐
Mile 20.5 to Mile 25.2	20-May-14	100	4.7	9	10.0	10.0	5.0	☐
Mile 25.2 to Mile 26.0	20-May-14	100	0.0	9	5.0	5.0	3.0	☐
Mouth Of The Colorado River								
Mile 0 (Gulf) to Mile 0.8	22-May-14	200	0.8	15	6.0	8.0	6.0	☐
Mile 0.8 to Mile 2.5	22-May-14	100	1.7	12	7.0	8.0	9.0	☐
Mile 2.5 to Mile 7.11 (GIWW)	22-May-14	100	4.6	12	9.0	10.0	9.0	☐

SEPTEMBER 2014	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●☆
Colorado River Channel								
By-Pass Channel	17-May-11	100	0.9	9	13.4	6.5	0.5	☐
Mile 0 (GIWW) to Mile 2	22-May-14	100	2.0	9	12.0	12.0	9.0	☐
Mile 2 to Mile 8	22-May-14	100	6.0	9	3.0	8.0	4.0	☐
Mile 8 to Mile 13.5	22-May-14	100	5.5	9	3.0	4.0	3.0	☐
Mile 13.5 to Mile 15.5	22-May-14	100	2.0	9	3.0	5.0	3.0	☐
Turning Basin	22-May-14	100	0.1	9	5.0	8.0	10.0	☐
Channel To Palacios								
Mile (GIWW) to Light 40	29-Mar-14	125	10.0	12	10.3	10.2	10.4	☐
Light 40 to City Basin	30-Mar-14	125	6.2	12	9.1	10.7	8.4	☐
City Basin	3-Apr-14	150	0.1	12	12.3	12.9	12.8	☐
Entrance Channel to Municipal Basin	3-Apr-14	400-130	0.1	12	9.7	10.5	11.4	☐
Municipal Basin	3-Apr-14	240	0.2	12	11.1	10.8	11.0	☐
Channel To Port Lavaca And Red Bluff								
Port Lavaca Channel	19-Mar-14	125	4.1	12	4.4	5.5	3.7	☐
Lynn Bayou Turning Basin	19-Mar-14	30-300	0.1	12	7.7	7.5	6.6	☐
Port Lavaca Harbor of Refuge:								
Approach Channel	19-Mar-14	125	2.1	12	5.2	6.4	1.5	☐
North-South Basin	19-Mar-14	300	0.3	12	9.6	11.2	8.2	☐
East-West Basin	19-Mar-14	250	0.3	12	10.7	11.6	11.0	☐
Extension to Red Bluff via Lavaca and Navidad River								
Mile 0 to Mile 6.5	1-May-07	100	6.5	6	1.5	1.5	1.4	☐
Mile 6.5 to F.M. Rd. 616	15-Jun-99	100	13.7	6	4.0	4.0	4.0	☐

SEPTEMBER 2014	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●☐
Channel to Victoria								
Mile 0 (GIWW) to Mile 11	3-May-14	125	11.0	12	11.6	13.3	10.2	●
Easterly Connecting "Y" Channel	3-May-14	125	0.8	12	12.3	12.2	10.3	●
Westerly connecting 'Y' Channel	3-May-14	125	0.8	12	10.1	11.0	10.8	●
Mile 11 to Mile 14	7-Apr-14	125	3.0	12	10.3	14.3	11.3	☐
Mile 14 to Mile 29	4-Apr-14	125	15.0	12	6.4	12.1	8.0	☐
Mile 29 to Mile 34.7	5-Apr-14	125	5.7	12	9.2	13.2	5.7	☐
Turning Basin	11-May-10	125-818	0.2	12	11.9	13.9	11.0	☐
Connecting Channel to Seadrift	7-Apr-14	100	2.0	9	5.5	6.0	6.1	☐
Seadrift Turning Basin	7-Apr-14	230	0.0	9	9.6	11.2	10.5	☐
Channel to Fulton								
Channel	22-Apr-14	100	0.5	12	7.6	8.0	4.9	☐
Turning Basin	22-Apr-14	200	0.2	12	5.0	7.5	7.3	☐
Channel to Rockport								
Channel	22-Apr-14	100	6.8	9	2.4	10.1	4.6	☐
Harbor Basin	22-Apr-14	350	0.2	9	2.4	9.0	7.4	☐
Channel to Aransas Pass								
Channel	10-Mar-14	125-175	6.1	14	12.1	12.2	12.0	☐
Turning Basin	10-Mar-14	300	0.4	14	15.8	15.4	15.4	☐
Connecting Channel	10-Mar-14	125	0.1	14	16.5	16.9	16.4	☐
Connecting Brown Harbor	10-Mar-14	50-510	0.4	14	15.9	16.0	15.9	☐
Channel to Port Aransas								
Channel	13-Mar-14	100	0.2	12	9.9	9.7	8.6	☐
Turning Basin	13-Mar-14	200-400	0.2	12	7.9	9.9	10.9	☐

SEPTEMBER 2014	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4	Middle 1/2	Right 1/4	Symbols ★●★
					Channel (Feet)	Channel (Feet)	Channel (Feet)	
Channel to Port Mansfield								
Entrance Channel	22-Apr-14	250	0.7	16	7.0	8.0	11.0	☐
Mile 0.7 to Mile 1.3	22-Apr-14	100-300	0.6	14	7.8	13.5	12.8	☐
Mile 1.3 to Mile 3	22-Apr-14	100	1.7	14	10.8	10.8	11.7	☐
Mile 3 to Mile 6	22-Apr-14	100	3.0	14	12.8	13.0	12.5	☐
Mile 6 to Main Channel (GIWW)	22-Apr-14	100	2.9	14	3.9	4.0	4.3	☐
Entrance Curves	23-Apr-14	200	0.6	12	4.8	5.6	5.0	☐
Main Channel to Turning Basin	23-Apr-14	125-200	0.9	14	3.8	4.0	3.8	☐
Turning Basin	23-Apr-14	200-400	0.7	14	7.8	6.2	6.0	☐
Shrimp Basin	23-Apr-14	350	0.3	12	9.4	12.3	11.4	☐
Channel to Port Harlingen								
North Wye	8-May-14		x	12	4.5	5.2	4.1	☐
South Wye	8-May-14		x	12	3.3	5.1	5.3	☐
Mile 0 to Mile 8	8-May-14	200-125	8.0	12	6.2	8.6	8.2	☐
Mile 8 to Mile 20	7-May-14	125	12.0	12	10.1	11.2	8.7	☐
Mile 20 to Mile 25.9	5-May-14	125	5.9	12	6.9	9.8	7.1	☐
Turning Basin	5-May-14	400	0.1	12	9.2	11.1	9.3	☐
Side Channels at Port Isabel								
60-foot channel	17-Mar-14	60	0.2	12	12.0	9.0	6.0	☐
125-foot channel	17-Mar-14	125	1.1	12	7.9	10.0	5.0	☐
125-foot channel - South Leg	17-Mar-14	125	1.1	12	7.9	11.0	9.0	☐
Port Isabel Small Boat Harbor								
Entrance Channel	18-Mar-14	75	1.5	9	4.9	4.0	3.3	☐
Harbor Channel	18-Mar-14	50	0.3	7	3.6	3.6	3.6	☐
Basin	18-Mar-14	50-500	0.3	6	4.2	4.2	3.8	☐

SEPTEMBER 2014	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●☆
Houston Ship Channel, Tributary Channels								
Cedar Bayou								
Houston Ship Channel to U.S. Steel Dock	25-Mar-14	100	5.5	11	6.8	5.5	2.9	☐
Atkinson Island								
Barge Mooring Basin	15-Jan-02	100-150	1.8	12	9.4	9.5	9.3	☐
Greens Bayou Channel								
First Bend to Parker Brothers Slip	28-Apr-14	150-100	1.3	15	7.6	9.9	8.0	☐
Brady Island Channel								
Upstream from Cypress Str. Bridge	29-Apr-14	50	0.3	10	13.6	14.0	12.5	☐
Downstream from Cypress Str. Bridge	29-Apr-14	50	0.5	10	2.4	2.7	4.1	☐
Channel in Buffalo Bayou								
Houston Turning Basin to 69th Street Bridge	17-Apr-14	60	0.8	10	11.0	11.0	11.0	☐
69th Street Bridge to Lockwood Drive Bridge	17-Apr-14	60	1.5	10	10.0	10.0	6.0	☐
Lockwood Drive Bridge to Jensen St. Bridge	17-Apr-14	60	1.7	10	7.0	7.0	6.0	☐
Turkey Bend Channel	17-Apr-14	60	0.8	10	7.0	9.0	9.0	☐
Jensen Street Bridge to Southern Pacific Dock	0-Jan-00	60	0.6	9	8.0	5.0	6.0	☐

SEPTEMBER 2014	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●★
Usable Depths in Other Small Active Channels								
Channel to Port Bolivar		200	0.1	14				
Dickinson Bayou								
Light 2 to Light 27	29-Apr-14	60	9.9	6	7.2	6.5	6.2	☐
Light 27 to Highway 146 Bridge	29-Apr-14	60	1.5	6	0.8	1.1	1.9	☐
Channel to Liberty								
Houston Ship Channel to Smith Point	24-Apr-14	150	6.4	9	1.2	1.6	1.9	☐
Anahauc	1-May-14	100	6.4	6	1.9	2.2	2.5	☐
Anahauc Channel to Texas Gulf Sulphur Slip	1-May-14	100	11.3	6	0.5	0.7	1.8	☐
Texas Gulf Sulphur Slip to Devers Canal	2/94	100	9.5	6		4.0 ft at CL.		☐
Devers Canal to South Liberty Oil Field	7/01	100	12.2	6	+0.4	+0.4	+0.4	☐
South Liberty Oil Field to Cut Off Channel	7/01	100	2.2	6	+0.1	+2.6	+1.5	☐
Cut Off Channel to Liberty	7/01	100	3.1	6	3.2	+1.6	+2.6	☐
Clear Creek And Clear Lake								
Entrance Channel	29-Apr-14	75	3.3	9	6.5	6.5	6.6	☐
North Fork Channel	28-Mar-13	60	0.7	7	2.0	2.0	2.0	☐
Clear Lake Channel	29-Apr-14	60	2.8	7	2.5	3.2	2.7	☐
Clear Creek Channel	5/98		3.8		0.0	7.0 ft by 60 ft	0.0	☐
File Mile Cut	13-Feb-14	125	1.9	12	5.9	5.9	4.6	☐
Jewel Fulton Canal								
Canal	17-Mar-14	100	0.9	16	5.6	15.1	14.9	☐
Basin	17-May-13		0.1	16	7.1	14.9	14.7	☐
Rincon Canal								
Approach Channel	1-Apr-14	100-567	2.9	10	8.9	11.0	9.3	☐
Connecting Channel	1-Apr-14	275	0.4	10	11.0	10.8	10.8	☐
Canal "A"	1-Apr-14	100-125	0.9	10	11.8	11.9	11.4	☐
Turning Basin	1-Apr-14	275	0.1	10	12.8	13.1	12.7	☐

SEPTEMBER 2014	PROJECT DIMENSIONS				PROJECT CONDITIONS			
Shallow Draft Channels	Date of Survey	Feet Width	Miles Length	Feet Depth	Left 1/4 Channel (Feet)	Middle 1/2 Channel (Feet)	Right 1/4 Channel (Feet)	Symbols ★●★
Brownsville Fishing Boat Harbor								
Entrance Channel	5-Mar-14	100	0.2	15	15.9	17.0	11.6	☐
Connecting Channel	5-Mar-14	265	0.2	15	15.0	14.0	14.2	☐
West Connecting Channel	5-Mar-14	265	0.2	15	12.9	15.0	15.5	☐
West Basin	5-Mar-14	305-370	0.3	15	14.7	15.0	12.2	☐
Middle Basin	5-Mar-14	305-370	0.2	15	13.1	15.0	14.6	☐
East Basin	5-Mar-14	305-370	0.1	15	14.5	14.0	13.7	☐

Notes:

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	