Colorado River: Mile 2 to Mile 8 COLORADO RIVER

MOUTH OF THE COLORADO







HYDROGRAPHIC
U.S. ARMY ENGINEER

Channel Features Channel Toe – – Channel Center Line Channel Station Lines

← Channel Dimensions

Aids to Navigation

NOAA Bathymetry (DREDGING REACH EXTENT)


- DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
- 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE
- 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT:

28°43'0"N

SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION.

Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS

Esri, Garmin, GEBCO, NOAA NGDC, and other contributors



28°42'30"N Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Projection: Lambert Conformal Conic /Datum: North American 1983 Dredging Reach Extent

Hydrographic Survey Extent

Colorado River: Mile 2 to Mile 8 COLORADO







HYDROGRAPI U.S. ARIMY ENGIN

28°44'0"N

Channel Features Channel Toe – – Channel Center Line

—— Channel Station Lines

← Channel Dimensions

Aids to Navigation | MLLW

NOAA Bathymetry (DREDGING REACH EXTENT)

. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET.

RIVER


MOUTH OF THE COLORADO

CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.

- 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
- 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT:
- 6. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC) O. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC)
 SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM
 THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY,
 ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY
 AND TYPE OF INSTRUMENTATION.

Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS

Esri, Garmin, GEBCO, NOAA NGDC, and other contributors



28°43'30"N

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Projection: Lambert Conformal Conic /Datum: North American 1983 Dredging Reach Extent Hydrographic Survey Extent

Colorado River: Mile 2 to Mile 8 COLORADO MOUTH OF THE COLORADO TEXAS HYDROGRAPI U.S. ARMY ENGIN 95°58'30"W 95°59'0"W 28°44'0"N Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Aids to Navigation | MLLW 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS **Channel Features** Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, Projection: Lambert Conformal Conic /Datum: North American 1983 MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community I. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE Dredging Reach Extent —— Channel Toe NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325 2. ELEVATIONS ARE REFERENCED TO MEAN LOWER LOW TIDE (MLLW) DATUM. Esri China (Hong Kong), swisstopo, @ OpenStreetMap contributors, and the GIS 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: – – Channel Center Line User Community B. THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY HTTP://WWW.SWG.USACE.ARMY.MIL/MISSIONS/NAVIGATION/HYDROGRAPHICSURVEYS/ CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION Esri, Garmin, GEBCO, NOAA NGDC, and other contributors Hydrographic Survey Extent DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN 6. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC) SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION. —— Channel Station Lines THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152. NOAA Bathymetry (DREDGING REACH EXTENT) ← Channel Dimensions

Colorado River: Mile 2 to Mile 8 COLORADO RIVER MOUTH OF THE COLORADO TEXAS HYDROGRAPHIC U.S. ARMY ENGINEER D 96°0'0"W 28°44'30"N 95°59**'**30"W Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Aids to Navigation 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community **Channel Features** Projection: Lambert Conformal Conic /Datum: North American 1983 MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL I. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, Channel Toe Dredging Reach Extent DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: – – Channel Center Line CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION Esri, Garmin, GEBCO, NOAA NGDC, and other contributors Hydrographic Survey Extent DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN Channel Station Lines THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152. SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION. NOAA Bathymetry (DREDGING REACH EXTENT) **←** Channel Dimensions

Colorado River: Mile 2 to Mile 8 COLORADO RIVER MOUTH OF THE COLORADO TEXA HYDROGRAPHIC U.S. ARMY ENGINEER I 28°45'30"N 28°45'0"N Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Aids to Navigation 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS **Channel Features** Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community Projection: Lambert Conformal Conic /Datum: North American 1983 MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL I. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET. Channel Toe DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE Dredging Reach Extent INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325 2. ELEVATIONS ARE REFERENCED TO MEAN LOWER LOW TIDE (MLLW) DATUM. 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: – – Channel Center Line B. THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION Esri, Garmin, GEBCO, NOAA NGDC, and other contributors Hydrographic Survey Extent DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN 6. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC) Channel Station Lines SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION. THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152. NOAA Bathymetry (DREDGING REACH EXTENT) ← Channel Dimensions

Colorado River: Mile 2 to Mile 8 COLORADO RIVER MOUTH OF THE COLORADO TEXA HYDROGRAPHIC U.S. ARMY ENGINEER D CORPS OF ENGINEI 28°46'30"N 28°46'0"N 28°45'30"N Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Aids to Navigation | MLLW 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community **Channel Features** Projection: Lambert Conformal Conic /Datum: North American 1983 MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL . HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS Dredging Reach Extent —— Channel Toe DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE – – Channel Center Line User Community CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION Esri, Garmin, GEBCO, NOAA NGDC, and other contributors Hydrographic Survey Extent DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN Channel Station Lines SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION. THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152. NOAA Bathymetry (DREDGING REACH EXTENT) ← Channel Dimensions