

# Bolivar Roads to Turning Basin



US Army Corps of Engineers  
Galveston District




Survey Date(s): 13 July 2015	Authorized Depth: -45ft.
Page: 1 of 12	Map: 1
Scale: 1:2,000	Side Slope Ratio: 1:2.0 (Rise : Run)
Mapped by: m3odmrvk	
Imagery Date: October 27, 2013 © DigitalGlobe Inc.	

**HYDROGRAPHIC SURVEY**  
U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS

**Bolivar Roads to Turning Basin**

Station: 0+000 to 36+200.7  
Texas City Harbor Channel  
TEXAS CITY, TEXAS



**Aids to Navigation**

- ★ Lights
- ▲ Red Side Aids
- Green Side Aids
- ◆ Mooring Buoy

**Depth**


30 and Shallower  
30 - 34  
34 - 36  
36 - 38  
38 - 40  
40 - 42  
42 - 45  
45 - 47  
47 and Deeper

NOTES:

- HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET.
- ELEVATIONS ARE REFERENCED TO MEAN LOW TIDE (MLT) DATUM.
- THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
- THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
- FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SWG.USACE.ARMY.MIL



Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet  
Projection: Lambert Conformal Conic  
Datum: North American 1983  
False Easting: 1,969,500.0000  
False Northing: 13,123,333.3333  
Central Meridian: -99.0000  
Standard Parallel 1: 28.3833  
Standard Parallel 2: 30.2833  
Latitude Of Origin: 27.8333  
Units: Foot US



# Bolivar Roads to Turning Basin



US Army Corps  
of Engineers®  
Galveston District




Survey Date(s): 13 July 2015	Authorized Depth: -45ft.
Page: 2 of 12	Side Slope Ratio: 1:2.0 (Rise : Run)
Map: 2	
Scale: 1:2,000	
Mapped by: m3odmrvk	
Imagery Date: October 27, 2013 © DigitalGlobe Inc.	

**HYDROGRAPHIC SURVEY**  
U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS

**Bolivar Roads to Turning Basin**

Station: 0+000 to 36+200.7  
Texas City Harbor Channel  
TEXAS CITY, TEXAS



**Aids to Navigation**


- ★ Lights
- ▲ Red Side Aids
- Green Side Aids
- ◆ Mooring Buoy

**Depth**

30 and Shallower  
30 - 34  
34 - 36  
36 - 38  
38 - 40  
40 - 42  
42 - 45  
45 - 47  
47 and Deeper

**NOTES:**

- HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET.
- ELEVATIONS ARE REFERENCED TO MEAN LOW TIDE (MLT) DATUM.
- THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
- THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
- FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SWG.USACE.ARMY.MIL



Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet  
Projection: Lambert Conformal Conic  
Datum: North American 1983  
False Easting: 1,969,500.0000  
False Northing: 13,123,333.3333  
Central Meridian: -99.0000  
Standard Parallel 1: 28.3833  
Standard Parallel 2: 30.2833  
Latitude Of Origin: 27.8333  
Units: Foot US

Service Layer Credits: Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User

# Bolivar Roads to Turning Basin



US Army Corps of Engineers  
Galveston District




Survey Date(s): 13 July 2015	Authorized Depth: -45ft.
Page: 3 of 12	Map: 3
Scale: 1:2,000	Side Slope Ratio: 1:2.0 (Rise : Run)
Mapped by: m3odmrvk	
Imagery Date: October 27, 2013 © DigitalGlobe Inc.	

**HYDROGRAPHIC SURVEY**  
U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS

**Bolivar Roads to Turning Basin**

Station: 0+000 to 36+200.7  
Texas City Harbor Channel  
TEXAS CITY, TEXAS



**Aids to Navigation**

- ★ Lights
- ▲ Red Side Aids
- Green Side Aids
- ◆ Mooring Buoy

**Depth**

30 and Shallower  
30 - 34  
34 - 36  
36 - 38  
38 - 40  
40 - 42  
42 - 45  
45 - 47  
47 and Deeper

NOTES:

- HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET.
- ELEVATIONS ARE REFERENCED TO MEAN LOW TIDE (MLT) DATUM.
- THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
- THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
- FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SWG.USACE.ARMY.MIL



Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet  
Projection: Lambert Conformal Conic  
Datum: North American 1983  
False Easting: 1,969,500.0000  
False Northing: 13,123,333.3333  
Central Meridian: -99.0000  
Standard Parallel 1: 28.3833  
Standard Parallel 2: 30.2833  
Latitude Of Origin: 27.8333  
Units: Foot US

Service Layer Credits: Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User

# Bolivar Roads to Turning Basin



US Army Corps  
of Engineers®  
Galveston District



Survey Date(s): 13 July 2015	Authorized Depth: -45ft.
Page: 4 of 12	Map: 4
Scale: 1:2,000	Side Slope Ratio: 1:2.0 (Rise : Run)
Mapped by: m3odmrvk	
Imagery Date: October 27, 2013 © DigitalGlobe Inc.	

**HYDROGRAPHIC SURVEY**  
U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS

**Bolivar Roads to Turning Basin**

**Station: 0+000 to 36+200.7**  
Texas City Harbor Channel  
TEXAS CITY, TEXAS

94°49'30"W


29°22'0"N

94°50'0"W

29°22'0"N

94°50'0"W

94°49'30"W



**Aids to Navigation**

- ★ Lights
- ▲ Red Side Aids
- Green Side Aids
- ◆ Mooring Buoy


**Depth**

30 and Shallower  
30 - 34  
34 - 36  
36 - 38  
38 - 40  
40 - 42  
42 - 45  
45 - 47  
47 and Deeper

- NOTES:
- HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET.
  - ELEVATIONS ARE REFERENCED TO MEAN LOW TIDE (MLT) DATUM.
  - THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
  - THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
  - FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SWG.USACE.ARMY.MIL




Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet  
Projection: Lambert Conformal Conic  
Datum: North American 1983  
False Easting: 1,969,500.0000  
False Northing: 13,123,333.3333  
Central Meridian: -99.0000  
Standard Parallel 1: 28.3833  
Standard Parallel 2: 30.2833  
Latitude Of Origin: 27.8333  
Units: Foot US



# Bolivar Roads to Turning Basin



US Army Corps of Engineers  
Galveston District




Survey Date(s): 13 July 2015	Authorized Depth: -45ft.
Page: 5 of 12	Side Slope Ratio: 1:2.0 (Rise : Run)
Map: 5	
Scale: 1:2,000	
Mapped by: m3odmrvk	
Imagery Date: October 27, 2013 © DigitalGlobe Inc.	

**HYDROGRAPHIC SURVEY**  
U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS

**Bolivar Roads to Turning Basin**

Station: 0+000 to 36+200.7  
Texas City Harbor Channel  
TEXAS CITY, TEXAS



**Aids to Navigation**

- ★ Lights
- ▲ Red Side Aids
- Green Side Aids
- ◆ Mooring Buoy

**Depth**


30 and Shallower  
30 - 34  
34 - 36  
36 - 38  
38 - 40  
40 - 42  
42 - 45  
45 - 47  
47 and Deeper

NOTES:

- HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET.
- ELEVATIONS ARE REFERENCED TO MEAN LOW TIDE (MLT) DATUM.
- THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
- THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
- FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SWG.USACE.ARMY.MIL



Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet  
Projection: Lambert Conformal Conic  
Datum: North American 1983  
False Easting: 1,969,500.0000  
False Northing: 13,123,333.3333  
Central Meridian: -99.0000  
Standard Parallel 1: 28.3833  
Standard Parallel 2: 30.2833  
Latitude Of Origin: 27.8333  
Units: Foot US



# Bolivar Roads to Turning Basin




US Army Corps of Engineers  
Galveston District



28°22'30"N

94°51'0"W



**Aids to Navigation**

- ★ Lights
- ▲ Red Side Aids
- Green Side Aids
- ◆ Mooring Buoy

**Depth**

30 and Shallower, 30 - 34, 34 - 36, 36 - 38, 38 - 40, 40 - 42, 42 - 45, 45 - 47, 47 and Deeper

NOTES:

- HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET.
- ELEVATIONS ARE REFERENCED TO MEAN LOW TIDE (MLT) DATUM.
- THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
- THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
- FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: [WWW.SWG.USACE.ARMY.MIL](http://WWW.SWG.USACE.ARMY.MIL)



Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet  
Projection: Lambert Conformal Conic  
Datum: North American 1983  
False Easting: 1,969,500.0000  
False Northing: 13,123,333.3333  
Central Meridian: -99.0000  
Standard Parallel 1: 28.3833  
Standard Parallel 2: 30.2833  
Latitude Of Origin: 27.8333  
Units: Foot US


Service Layer Credits: Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User

Survey Date(s): 13 July 2015	Authorized Depth: -45ft.
Page: 6 of 12	Map: 6
Scale: 1:2,000	Side Slope Ratio: 1:2.0 (Rise : Run)
Mapped by: m3odmrvk	
Imagery Date: October 27, 2013 © DigitalGlobe Inc.	

**HYDROGRAPHIC SURVEY**  
U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS

**Bolivar Roads to Turning Basin**

**Station: 0+000 to 36+200.7**  
Texas City Harbor Channel  
TEXAS CITY, TEXAS



# Bolivar Roads to Turning Basin



US Army Corps of Engineers  
Galveston District



Survey Date(s): 13 July 2015	Authorized Depth: -45ft.
Page: 7 of 12	Side Slope Ratio: 1:2.0 (Rise : Run)
Map: 7	
Scale: 1:2,000	
Mapped by: m3odmrvk	
Imagery Date: October 27, 2013 © DigitalGlobe Inc.	

**HYDROGRAPHIC SURVEY**  
U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS

**Bolivar Roads to Turning Basin**

**Station: 0+000 to 36+200.7**  
Texas City Harbor Channel  
TEXAS CITY, TEXAS

94°52'0"W


94°51'30"W

29°23'0"N

29°22'30"N

94°52'30"W

94°52'0"W



**Aids to Navigation**

- Station Line
- Channel Center Line
- Navigation Channel
- Dimensions
- Lights
- Red Side Aids
- Green Side Aids
- Mooring Buoy

**Depth**


30 and Shallower  
30 - 34  
34 - 36  
36 - 38  
38 - 40  
40 - 42  
42 - 45  
45 - 47  
47 and Deeper

NOTES:

- HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET.
- ELEVATIONS ARE REFERENCED TO MEAN LOW TIDE (MLT) DATUM.
- THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
- THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
- FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SWG.USACE.ARMY.MIL



Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet  
Projection: Lambert Conformal Conic  
Datum: North American 1983  
False Easting: 1,969,500.0000  
False Northing: 13,123,333.3333  
Central Meridian: -99.0000  
Standard Parallel 1: 28.3833  
Standard Parallel 2: 30.2833  
Latitude Of Origin: 27.8333  
Units: Foot US



# Bolivar Roads to Turning Basin



US Army Corps of Engineers  
Galveston District




Survey Date(s): 13 July 2015	Authorized Depth: -45ft.
Page: 8 of 12	Side Slope Ratio: 1:2.0 (Rise : Run)
Map: 8	
Scale: 1:2,000	
Mapped by: m3odnrvk	
Imagery Date: October 27, 2013 © DigitalGlobe Inc.	

**HYDROGRAPHIC SURVEY**  
U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS

**Bolivar Roads to Turning Basin**

Station: 0+000 to 36+200.7  
Texas City Harbor Channel  
TEXAS CITY, TEXAS



— Station Line

- - - Channel Center Line

Navigation Channel

Dimensions

**Aids to Navigation**

- ★ Lights
- ▲ Red Side Aids
- Green Side Aids
- ◆ Mooring Buoy

**Depth**

30 and Shallower

30 - 34

34 - 36

36 - 38

38 - 40

40 - 42

42 - 45

45 - 47

47 and Deeper

NOTES:

- HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET.
- ELEVATIONS ARE REFERENCED TO MEAN LOW TIDE (MLT) DATUM.
- THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
- THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
- FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SWG.USACE.ARMY.MIL



Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet  
Projection: Lambert Conformal Conic  
Datum: North American 1983  
False Easting: 1,969,500.0000  
False Northing: 13,123,333.3333  
Central Meridian: -99.0000  
Standard Parallel 1: 28.3833  
Standard Parallel 2: 30.2833  
Latitude Of Origin: 27.8333  
Units: Foot US

