



Sabine Neches Waterway: Mouth to Smith Bluff Cut-Off



U.S. Army Corps of Engineers
Galveston District





Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 25	25 - 30	30 - 34	34 - 36	36 - 38	38 - 40	40 - 42	42 - 44	< 44
Red	Orange	Yellow	Light Green	Green	Dark Green	Blue	Dark Blue	Black

NOTES:
1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
2. Elevations are referenced to mean lower low tide (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47 USC 1110-1-4112.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
5. For the most up to date information please check our website at: <http://www.usace.army.mil/Missions/Navigation/HydrographicSurveys/>
Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
World Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combined survey dates 20250316_PR_0P00_180P00; 20250320_PR_180P00_460P00;
20250321_PR_460P00_505P00; 20250604_BD_01_0P00_50P00

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic


Dredging Reach Extent

0 0.42 0.85 1.7 Miles

Hydrographic Survey Extent

0 345 690 1,380 Feet




Latest Survey Collection Date: 04 June 2025		Authorized Depth: -40ft.
Document Page: 1 of 5	Website Index Number: 44	Width Range: 400ft to 400ft
Scale: 1:4,000		Side Slope Ratio: (Rise : Run)
Mapped by: M3AOXPAC		PDF Print Date: 6/12/2025
Additional Imagery info:		




HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+00 to 505+00
SABINE NECHES
Mouth to Smith Bluff Cut-Off

Sabine Neches Waterway: Mouth to Smith Bluff Cut-Off




































Latest Survey Collection Date: 04 June 2025		Authorized Depth: -40ft.
Document Page: 2 of 5	Website Index Number: 45	Width Range: 400ft to 400ft
Scale: 1:4,000		Side Slope Ratio: (Rise : Run)
Mapped by: M3AOXPAC		PDF Print Date: 6/12/2025
Additional Imagery info:		



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+00 to 505+00
SABINE NECHES
Mouth to Smith Bluff Cut-Off

Channel Features	Aids to Navigation																			
 Channel Center Line	 Green Side Aids	<div>MLLW</div> <table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>0 - 25</td><td>25 - 30</td><td>30 - 34</td><td>34 - 36</td><td>36 - 38</td><td>38 - 40</td><td>40 - 42</td><td>42 - 44</td><td>< 44</td></tr></table>										0 - 25	25 - 30	30 - 34	34 - 36	36 - 38	38 - 40	40 - 42	42 - 44	< 44
																				
0 - 25	25 - 30		30 - 34	34 - 36	36 - 38	38 - 40	40 - 42	42 - 44	< 44											
 Channel Toe	 Red Side Aids																			
 Channel Dimensions	 Lights																			

NOTES:

1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
2. Elevations are referenced to mean lower low tide (MLLW) datum.
3. This project was designed by the Calveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er110-1-8152.
4. The information displayed on this survey map represents the results of surveys made on the date indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.323.
5. For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/Hydrographic/Surveys/>


Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
World Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Combined survey dates 20250318_PR_0P00_180P00; 20250320_PR_180P00_460P00;
20250321_PR_460P00_505P00; 20250604_BD_01_0P00_50P00


Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent




0 0.42 0.85 1.7 Miles

Hydrographic Survey Extent



0 345 690 1,380 Feet

Sabine Neches Waterway: Mouth to Smith Bluff Cut-Off





U.S. Army Corps of Engineers
Galveston District



Regional Extent



Dredging Reach Extent



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights


MLLW



NOTES:
1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
2. Elevations are referenced to mean lower low tide (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 111.1-41.02.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
5. For the most up to date information please check our website at: <http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>
Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
World Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue


Additional Combined Survey Dates and Stationing:
Combined survey dates 20250316_PR_0P00_180P00; 20250320_PR_180P00_460P00;
20250321_PR_460P00_505P00; 20250604_BD_01_0P00_50P00

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS
Station: 0+00 to 505+00
SABINE NECHES
Mouth to Smith Bluff Cut-Off



Latest Survey Collection Date: 04 June 2025		Authorized Depth: -40ft.	
Document Page: 3 of 5	Website Index Number: 46		
Scale: 1:4,000		Width Range: 400ft to 400ft	
Mapped by: M3AOXPAC		Side Slope Ratio: (Rise : Run)	
Additional Imagery info:		PDF Print Date: 6/12/2025	

Sabine Neches Waterway: Mouth to Smith Bluff Cut-Off





U.S. Army Corps of Engineers
Galveston District



Regional Extent



Dredging Reach Extent




Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights


MLLW



NOTES:
1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 survey feet.
2. Elevations are referenced to mean lower low tide (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47 CFR 111.1-41.12.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325.
5. For the most up to date information please check our website at: <http://www.usace.army.mil/Missions/Navigation/HydrographicSurveys/>
Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NOAA, EPA, USDA, NPS
World Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combined survey dates 20250316_PR_0P00_180P00; 20250320_PR_180P00_460P00;
20250321_PR_460P00_505P00; 20250604_BD_01_0P00_50P00


Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic



HYDROGRAPHIC SURVEY

U.S. ARMY CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+00 to 505+00
SABINE NECHES
Mouth to Smith Bluff Cut-Off



Latest Survey Collection Date: 04 June 2025
Document Page: 4 of 5
Scale: 1:4,000
Mapped by: M3AOXPAC
Additional Imagery info:

Authorized Depth: -40ft.

Width Range: 400ft to 400ft

Side Slope Ratio: (Rise : Run)



PDF Print Date: 6/12/2025

Sabine Neches Waterway: Mouth to Smith Bluff Cut-Off



U.S. Army Corps of Engineers
Galveston District





Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 25	25 - 30	30 - 34	34 - 36	36 - 38	38 - 40	40 - 42	42 - 44	< 44
Red	Orange	Yellow	Light Green	Green	Dark Green	Blue	Dark Blue	Black

NOTES:
1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
2. Elevations are referenced to mean lower low tide (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 110.1-4102.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
5. For the most up to date information please check our website at: <http://www.sag.usace.army.mil/Missions/Navigation/HydrographicSurveys/>
Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NOAA, EPA, USDA, NPS
World Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue


Additional Combined Survey Dates and Stationing:
Combined survey dates 20250316_PR_0P00_180P00; 20250320_PR_180P00_460P00;
20250321_PR_460P00_505P00; 20250604_BD_01_0P00_50P00

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.42 0.85 1.7 Miles

Hydrographic Survey Extent
0 345 690 1,380 Feet

Latest Survey Collection Date: 04 June 2025		Authorized Depth: -40ft.
Document Page: 5 of 5	Website Index Number: 48	Width Range: 400ft to 400ft
Scale: 1:4,000		Side Slope Ratio: (Rise : Run)
Mapped by: M3AOXPAC		PDF Print Date: 6/12/2025
Additional Imagery info:		



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+00 to 505+00
SABINE NECHES
Mouth to Smith Bluff Cut-Off