





HYDROGRAPHIC S U.S. ARMY ENGINEER DIS CORPS OF ENGINEER GALVESTON, TEXAS

Channel Features - - - · Channel Center Line —— Channel Toe

← Channel Dimensions


Aids to Navigation

Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
 Elevations are referenced to Mean Lower Low Water (MLLW) datum.

8. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/ Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA


Additional Combined Survey Dates and Stationing: COMB_SURV_INFO_HERE







			13 8 11	W SE
				Authorized Depth: -13ft. Width Range: 125ft to 125ft Side Slope Ratio: (Rise: Run) PDF Print Date: 4/24/2025
				tion Date: 13 March 2025 14 Website Index Number: 67
15 13 14 16 15 15 16 16 17 16 17 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18	12 11 0 11 0 9 15 13 14 10 0 12 14 15 13 14 14 14 14 14 14 17 11 12 7 12 12 12 12	11 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	10 9 13 11 10 4 13 12 10 0 9 14 13 12 10 0 9 15 14 13 0 17 11 14 13 0 11 14 14 13 0 11 14 14 13 0 11 14 14 13 0 11 14 14 13 0 11 14 14 13 0 11 14 14 14 13 0 11 14 14 14 14 14 14 14 14 14 14 14 14 1	Latest Survey Collect Document Page: 2 or Scale: 1:3,000 Mapped by: m3odnm





Aids to Navigation **Channel Features** - - - · Channel Center Line Channel Toe

Additional Combined Survey Dates and Stationing: COMB_SURV_INFO_HERE

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Projection: Lambert Conformal Conic Dredging Reach Extent Hydrographic Survey Extent

← Channel Dimensions

NOTES:

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.

2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.

3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.


4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/ Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
















HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS
GALVESTON, TEXAS
GALVESTON, TEXAS
GIWW
Chocolate Rayou to Freehort Harbor

Channel Features

Aids to the second of the

← Channel Dimensions

GIWW

NOTES:

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.

2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.

3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.

4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:


COMB_SURV_INFO_HERE

CHOCOLATE BAYOU CHANNEL


GIWW











HYDROGRAPHIC U.S. ARMY ENGINEER

Aids to Navigation **Channel Features** - - - · Channel Center Line

—— Channel Toe

← Channel Dimensions

NOTES:

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.

2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.

3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.

4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325


5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing: COMB_SURV_INFO_HERE


Dredging Reach Extent Hydrographic Survey Extent

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Projection: Lambert Conformal Conic













CHOCOLATE BAYOU CHANNEL





HYDROGRAPHIC U.S. ARMY ENGINEER

Channel Features - - - · Channel Center Line

—— Channel Toe

← Channel Dimensions

Aids to Navigation

NOTES:

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.

2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.


3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.

4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/


Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing: COMB_SURV_INFO_HERE












CHOCOLATE BAYOU CHANNEL





HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT

Channel Features - - - · Channel Center Line —— Channel Toe


← Channel Dimensions

Aids to Navigation

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum. 2. Elevations are related to water Low Water (WLEW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA


Additional Combined Survey Dates and Stationing: COMB_SURV_INFO_HERE











HYDROGRAPHIC U.S. ARMY ENGINEER

Channel Features - - - · Channel Center Line

—— Channel Toe

← Channel Dimensions

Aids to Navigation

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.

required by er1110-1-8152.

4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/ Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA


Additional Combined Survey Dates and Stationing: COMB_SURV_INFO_HERE



















HYDROGRAPHIC U.S. ARMY ENGINEER D



Channel Features - - - · Channel Center Line —— Channel Toe

← Channel Dimensions

Aids to Navigation

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum. required by er1110-1-8152.

4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

COMB_SURV_INFO_HERE

Additional Combined Survey Dates and Stationing:

Dredging Reach Extent Hydrographic Survey Extent

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Projection: Lambert Conformal Conic

















HYDROGRAPHIC :

U.S. ARMY ENGINEER DIS

CORPS OF ENGINEER

GALVESTON, TEXA

Channel Features - - - · Channel Center Line —— Channel Toe

← Channel Dimensions

FREEPORT

Aids to Navigation

NOTES:

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.

2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.

3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.

4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Additional Combined Survey Dates and Stationing: COMB_SURV_INFO_HERE

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Projection: Lambert Conformal Conic Dredging Reach Extent Hydrographic Survey Extent

Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA














Channel Features - - - · Channel Center Line —— Channel Toe

← Channel Dimensions

Aids to Navigation

NOTES:

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.

2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.

3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.


4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Additional Combined Survey Dates and Stationing: COMB_SURV_INFO_HERE

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Projection: Lambert Conformal Conic Dredging Reach Extent Hydrographic Survey Extent

HYDROGRAPHIC U.S. ARMY ENGINEER












Latest Survey Collection Date:	13 March 2025	Authorized Depth: -13ft.
Document Page: 11 of 14	Website Index Number: 76	Width Range: 125ft to 125ft
Scale: 1:3,000		Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg		PDF Print Date: 4/24/2025
 Additional Imagery info:		



ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS
On: 465+000 to 564+000
GIWW
colate Bayou to Freeport Harbor

Channel Features

Aids to

Gr

--- Channel Center Line

—— Channel Toe

← Channel Dimensions

Aids to Navigation

Green Side Aids

Red Side Aids

Lights

MLLW

String String

NOTES:

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.

2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.

3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.


4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325


5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/
Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:

COMB_SURV_INFO_HERE













HYDROGRAPHIC U.S. ARMY ENGINEER I

Aids to Navigation **Channel Features** - - - · Channel Center Line

—— Channel Toe

← Channel Dimensions

NOTES:

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.

2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.

3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.

4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325


5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing: COMB_SURV_INFO_HERE











Latest Survey Collection Date:13 March 2025Authorized Depth: -13ft.Document Page:13 of 14Website Index Number:78Width Range:125ft to 125ftScale:1:3,200Side Slope Ratio:(Rise: Run)Mapped by:m3odnmhgPDF Print Date:4/24/2025Additional Imagery info:Additional Imagery info:



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS
GALVESTON, TEXAS
GALVESTON, TEXAS
GIWW
Chocolate Rayou to Freehort Harbor

- - - Channel Center Line

Channel Toe

← Channel Dimensions

Aids to Navigation

Green Side Aids

Red Side Aids

Lights

NOTES: 1. Horizonta 2. Elevation 3. This proje required by 4. The infort

NOTES:

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.

2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.

3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.

4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:

COMB_SURV_INFO_HERE

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Projection: Lambert Conformal Conic

Dredging Reach Extent

0 0.33 0.65 1.3

Miles


Hydrographic Survey Extent

0 275 550 1,100

Feet










Latest Survey Collection Date:	te: 13 March 2025	Authorized Depth: -13ft.
Document Page: 14 of 14	Website Index Number: 79	Width Range: 125ft to 125
Scale: 1:3,200		Side Slope Ratio: (Rise :
Mapped by: m3odnmhg		PDF Print Date: 4/24/202
Additional Imagery info:		



HYDROGRAPHIC (
U.S. ARMY ENGINEER DIS
CORPS OF ENGINEER
GALVESTON, TEXA

1,100

Channel Features - - - · Channel Center Line

—— Channel Toe

← Channel Dimensions

Aids to Navigation

1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.

Service Layer Credits: World_Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community World Topographic Map: Brazoria County, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

2. Elevations are related to water Low Water (WLEW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Additional Combined Survey Dates and Stationing: COMB_SURV_INFO_HERE