


# Gulf Intracoastal Waterway: Corpus Christi Ship Channel to Mile 547




U.S. Army Corps of Engineers  
Galveston District



Regional Extent



Dredging Reach Extent




## Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

## Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights



## MLLW



NOTES:  
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.  
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.  
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures of individuals appear on these project documents within the scope of their employment as required by 47CFR 110.1-4102.  
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325.  
5. For the most up to date information please check our website at: <http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>  
Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METINASA, NGA, EPA, USDA  
World Imagery: Maxar, Microsoft  
World Imagery: Maxar


Additional Combined Survey Dates and Stationing:  
COMB\_SURV\_INFO\_HERE

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet  
Projection: Lambert Conformal Conic



## HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS  
  
Station: 1325+800 to 1368+860.93  
GULF INTRACOASTAL WATERWAY  
Corpus Christi Ship Channel to Mile 547



Latest Survey Collection Date: 29 May 2025

Document Page: 1 of 10

Scale: 1:2,400

Mapped by: M3AOXPAC

Additional Imagery info:

Authorized Depth: -13ft.

Width Range: 125ft to 125ft

Side Slope Ratio: (Rise : Run)


PDF Print Date: 5/30/2025



# Gulf Intracoastal Waterway: Corpus Christi Ship Channel to Mile 547





U.S. Army Corps of Engineers  
Galveston District



Regional Extent



Dredging Reach Extent




Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights



MLLW



NOTES:  
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.  
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.  
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8102.  
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325  
5. For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>  
Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METINASA, NGA, EPA, USDA  
World Imagery: Maxar, Microsoft  
World Imagery: Maxar

Additional Combined Survey Dates and Stationing:  
COMB\_SURV\_INFO\_HERE

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet  
Projection: Lambert Conformal Conic



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS  
Station: 1325+800 to 1368+860.93  
GULF INTRACOASTAL WATERWAY  
Corpus Christi Ship Channel to Mile 547



Latest Survey Collection Date: 29 May 2025  
Document Page: 2 of 10  
Scale: 1:2,400  
Mapped by: M3AOXPAC  
Additional Imagery info:

Authorized Depth: -13ft.

Width Range: 125ft to 125ft

Side Slope Ratio: (Rise : Run)

PDF Print Date: 5/30/2025



# Gulf Intracoastal Waterway: Corpus Christi Ship Channel to Mile 547





U.S. Army Corps of Engineers  
Galveston District



Regional Extent



Dredging Reach Extent




Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights



MLLW



NOTES:  
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.  
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.  
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8102.  
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325  
5. For the most up to date information please check our website at: <http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>  
Service Layer Credits: World Topographic Map; Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METINASA, NGA, EPA, USDA  
World Imagery: Maxar, Microsoft  
World Imagery: Maxar


Additional Combined Survey Dates and Stationing:  
COMB\_SURV\_INFO\_HERE

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet  
Projection: Lambert Conformal Conic



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS  
  
Station: 1325+800 to 1368+860.93  
GULF INTRACOASTAL WATERWAY  
Corpus Christi Ship Channel to Mile 547



Latest Survey Collection Date: 29 May 2025

Document Page: 3 of 10 Website Index Number: 197

Scale: 1:2,400

Mapped by: M3AOXPAC

Additional Imagery info:

Authorized Depth: -13ft.

Width Range: 125ft to 125ft

Side Slope Ratio: (Rise : Run)

PDF Print Date: 5/30/2025



# Gulf Intracoastal Waterway: Corpus Christi Ship Channel to Mile 547





U.S. Army Corps of Engineers  
Galveston District



Regional Extent



Dredging Reach Extent



## Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

## Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights



## MLLW



NOTES:  
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.  
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.  
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8102.  
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325  
5. For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>  
Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METINASA, NGA, EPA, USDA  
World Imagery: Maxar, Microsoft  
World Imagery: Maxar


Additional Combined Survey Dates and Stationing:  
COMB\_SURV\_INFO\_HERE

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet  
Projection: Lambert Conformal Conic



## HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS  
  
Station: 1325+800 to 1368+860.93  
GULF INTRACOASTAL WATERWAY  
Corpus Christi Ship Channel to Mile 547



Latest Survey Collection Date: 29 May 2025

Document Page: 4 of 10

Authorized Depth: -13ft.

Width Range: 125ft to 125ft

Side Slope Ratio: (Rise : Run)

PDF Print Date: 5/30/2025

Website Index Number: 198


Scale: 1:2,400

Mapped by: M3AOXPAC


Additional Imagery info:






# Gulf Intracoastal Waterway: Corpus Christi Ship Channel to Mile 547



U.S. Army Corps of Engineers  
Galveston District



T E X A S



**Channel Features**

- Channel Center Line
- Channel Toe
- Channel Dimensions

**Aids to Navigation**

- Green Side Aids
- Red Side Aids
- Lights

**MLLW**

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17
Dark Red	Red	Orange	Yellow	Light Green	Green	Light Blue	Blue	Dark Blue

**NOTES:**

- Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
- Elevations are referenced to Mean Lower Low Water (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8102.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
- For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METINASA, NGA, EPA, USDA  
World Imagery: Maxar, Microsoft  
World Imagery: Maxar


Additional Combined Survey Dates and Stationing:  
COMB\_SURV\_INFO\_HERE

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet  
Projection: Lambert Conformal Conic

Dredging Reach Extent  
0 0.25 0.5 1 Miles

Hydrographic Survey Extent  
0 205 410 820 Feet

Latest Survey Collection Date: 29 May 2025	Authorized Depth: -13ft.
	Width Range: 125ft to 125ft
Document Page: 5 of 10	Side Slope Ratio: (Rise : Run)
Scale: 1:2,400	PDF Print Date: 5/30/2025
Mapped by: M3AOXPAC	
Additional Imagery info:	



**HYDROGRAPHIC SURVEY**

U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS

**Station: 1325+800 to 1368+860.93**

**GULF INTRACOASTAL WATERWAY**

Corpus Christi Ship Channel to Mile 547




# Gulf Intracoastal Waterway: Corpus Christi Ship Channel to Mile 547





U.S. Army Corps of Engineers  
Galveston District



Regional Extent



Dredging Reach Extent




Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW





NOTES:

- Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
  - Elevations are referenced to Mean Lower Low Water (MLLW) datum.
  - This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110.1-8102.
  - The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
  - For the most up to date information please check our website at: <http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>
- Service Layer Credits: World Topographic Map, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NOAA, EPA, USDA  
World Imagery: Maxar, Microsoft  
World Imagery: Maxar


Additional Combined Survey Dates and Stationing:  
COMB\_SURV\_INFO\_HERE

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet  
Projection: Lambert Conformal Conic



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS  
  
Station: 1325+800 to 1368+860.93  
GULF INTRACOASTAL WATERWAY  
Corpus Christi Ship Channel to Mile 547



Latest Survey Collection Date: 29 May 2025

Document Page: 6 of 10

Website Index Number: 200

Scale: 1:2,400

Mapped by: M3AOXPAC

Additional Imagery info:

Authorized Depth: -13ft.

Width Range: 125ft to 125ft

Side Slope Ratio: (Rise : Run)

PDF Print Date: 5/30/2025




# Gulf Intracoastal Waterway: Corpus Christi Ship Channel to Mile 547





U.S. Army Corps of Engineers  
Galveston District



Regional Extent



Dredging Reach Extent




Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights



MLLW



NOTES:  
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.  
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.  
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8102.  
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325  
5. For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>  
Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NOAA, EPA, USDA  
World Imagery: Maxar, Microsoft  
World Imagery: Maxar


Additional Combined Survey Dates and Stationing:  
COMB\_SURV\_INFO\_HERE

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet  
Projection: Lambert Conformal Conic



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS  
Station: 1325+800 to 1368+860.93  
GULF INTRACOASTAL WATERWAY  
Corpus Christi Ship Channel to Mile 547



Latest Survey Collection Date: 29 May 2025  
Document Page: 7 of 10  
Scale: 1:2,400  
Mapped by: M3AOXPAC  
Additional Imagery info:

Authorized Depth: -13ft.

Width Range: 125ft to 125ft

Side Slope Ratio: (Rise : Run)

PDF Print Date: 5/30/2025




# Gulf Intracoastal Waterway: Corpus Christi Ship Channel to Mile 547





U.S. Army Corps of Engineers  
Galveston District



Regional Extent



Dredging Reach Extent




Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights



MLLW



NOTES:  
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.  
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.  
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8102.  
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325  
5. For the most up to date information please check our website at: <http://www.saw.usace.army.mil/Missions/Navigation/HydrographicSurveys/>  
Service Layer Credits: World Topographic Map; Texas Parks & Wildlife; Esri; HERE, Garmin, INCREMENT P; USGS, METINASA, NOAA, EPA, USDA  
World Imagery: Maxar, Microsoft  
World Imagery: Maxar


Additional Combined Survey Dates and Stationing:  
COMB\_SURV\_INFO\_HERE

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet  
Projection: Lambert Conformal Conic



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS  
  
Station: 1325+800 to 1368+860.93  
GULF INTRACOASTAL WATERWAY  
Corpus Christi Ship Channel to Mile 547



Latest Survey Collection Date: 29 May 2025

Document Page: 8 of 10

Website Index Number: 202

Scale: 1:2,400

Mapped by: M3AOXPAC

Additional Imagery info:

Authorized Depth: -13ft.

Width Range: 125ft to 125ft

Side Slope Ratio: (Rise : Run)

PDF Print Date: 5/30/2025




# Gulf Intracoastal Waterway: Corpus Christi Ship Channel to Mile 547





U.S. Army Corps of Engineers  
Galveston District



Regional Extent



Dredging Reach Extent




## Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

## Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights



## MLLW



NOTES:  
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.  
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.  
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 110.1-41.02.  
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325.  
5. For the most up to date information please check our website at: <http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>  
Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METINASA, NGA, EPA, USDA  
World Imagery: Maxar, Microsoft  
World Imagery: Maxar


Additional Combined Survey Dates and Stationing:  
COMB\_SURV\_INFO\_HERE

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet  
Projection: Lambert Conformal Conic



## HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS  
  
Station: 1325+800 to 1368+860.93  
GULF INTRACOASTAL WATERWAY  
Corpus Christi Ship Channel to Mile 547



Latest Survey Collection Date: 29 May 2025

Document Page: 9 of 10

Website Index Number: 203

Scale: 1:2,400

Mapped by: M3AOXPAC

Additional Imagery info:

Authorized Depth: -13ft.


Width Range: 125ft to 125ft

Side Slope Ratio: (Rise : Run)

PDF Print Date: 5/30/2025




# Gulf Intracoastal Waterway: Corpus Christi Ship Channel to Mile 547





U.S. Army Corps of Engineers  
Galveston District



Regional Extent



Dredging Reach Extent



## Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

## Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights



## MLLW



NOTES:  
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.  
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.  
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 110.1-41.02.  
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325.  
5. For the most up to date information please check our website at: <http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>  
Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METINASA, NGA, EPA, USDA  
World Imagery: Maxar, Microsoft  
World Imagery: Maxar


Additional Combined Survey Dates and Stationing:  
COMB\_SURV\_INFO\_HERE

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet  
Projection: Lambert Conformal Conic



## HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
GALVESTON, TEXAS  
  
Station: 1325+800 to 1368+860.93  
GULF INTRACOASTAL WATERWAY  
Corpus Christi Ship Channel to Mile 547



Latest Survey Collection Date: 29 May 2025  
Document Page: 10 of 10  
Scale: 1:2,400  
Mapped by: M3AOXPAC  
Additional Imagery info:

Authorized Depth: -13ft.

Width Range: 125ft to 125ft

Side Slope Ratio: (Rise : Run)

PDF Print Date: 5/30/2025