
Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date: 15 January 2025	Authorized Depth: -14ft.
Document Page: 1 of 14	Website Index Number: 181
Scale: 1:3,000	Side Slope Ratio: (Rise : Run)
Mapped by: M3AOXPAC	PDF Print Date: 1/17/2025
Additional Imagery info:	

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date: 15 January 2025
Document Page: 2 of 14
Website Index Number: 182
Scale: 1:3,000
Mapped by: M3AOXPAC
Additional Imagery info:
Authorized Depth: -14ft.
Side Slope Ratio: (Rise : Run)
PDF Print Date: 1/17/2025



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District









Latest Survey Collection Date:	15 January 2025
Document Page: 3 of 14	Website Index Number: 183
Scale: 1:3,000	
Mapped by: M3AOXPAC	
Additional Imagery info:	
Authorized Depth: -14ft.	
Side Slope Ratio: (Rise : Run)	
PDF Print Date: 1/17/2025	

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District

Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	15 January 2025
Document Page:	4 of 14
Scale:	1:3,000
Mapped by:	M3AOXPAC
Additional Imagery info:	
Authorized Depth:	-14ft.
Side Slope Ratio:	(Rise : Run)
Website Index Number:	184
PDF Print Date:	1/17/2025

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - -4	4 - -6	6 - -8	8 - -10	10 - -12	12 - -14	14 - -16	16 - -18	< -18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District

Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	15 January 2025
Document Page:	5 of 14
Scale:	1:3,000
Mapped by:	M3AOXPAC
Additional Imagery info:	
Authorized Depth:	-14ft.
Side Slope Ratio:	(Rise : Run)
Website Index Number:	185
PDF Print Date:	1/17/2025

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel

Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District










Latest Survey Collection Date: 15 January 2025
Document Page: 6 of 14
Scale: 1:3,000
Mapped by: M3AOXPAC
Additional Imagery info:

Authorized Depth: -14ft.
Side Slope Ratio: (Rise : Run)
Website Index Number: 186
PDF Print Date: 1/17/2025



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	15 January 2025
Document Page:	7 of 14
Scale:	1:3,000
Mapped by:	M3AOXPAC
Additional Imagery info:	
Authorized Depth:	-14ft.
Side Slope Ratio:	(Rise : Run)
Website Index Number:	187
PDF Print Date:	1/17/2025

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel





U.S. Army Corps of Engineers
Galveston District





Authorized Depth: -14ft.
Latest Survey Collection Date: 15 January 2025
Side Slope Ratio: (Rise : Run)
Website Index Number: 188
Document Page: 8 of 14
PDF Print Date: 1/17/2025
Scale: 1:3,000
Mapped by: M3AOXPAC
Additional Imagery info:

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW
0 - 4 | 4 - 6 | 6 - 8 | 8 - 10 | 10 - 12 | 12 - 14 | 14 - 16 | 16 - 18 | < 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District









Latest Survey Collection Date: 15 January 2025	Authorized Depth: -14ft.
Document Page: 9 of 14	Website Index Number: 189
Scale: 1:3,000	Side Slope Ratio: (Rise : Run)
Mapped by: M3AOXPAC	PDF Print Date: 1/17/2025
Additional Imagery info:	

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel

Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel







U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 15 January 2025	Authorized Depth: -14ft.
Document Page: 10 of 14	Website Index Number: 190
Scale: 1:3,000	Side Slope Ratio: (Rise : Run)
Mapped by: M3AOXPAC	PDF Print Date: 1/17/2025
Additional Imagery info:	

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date: 15 January 2025	Authorized Depth: -14ft.
Document Page: 11 of 14	Website Index Number: 191
Scale: 1:3,000	Side Slope Ratio: (Rise : Run)
Mapped by: M3AOXPAC	PDF Print Date: 1/17/2025
Additional Imagery info:	

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Authorized Depth:	-14ft.
Latest Survey Collection Date:	15 January 2025
Side Slope Ratio:	(Rise : Run)
Website Index Number:	192
Document Page:	12 of 14
PDF Print Date:	1/17/2025
Scale:	1:3,000
Mapped by:	M3AOXPAC
Additional Imagery info:	

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel

Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District









Latest Survey Collection Date:	15 January 2025
Authorized Depth:	-14ft.
Document Page:	13 of 14
Website Index Number:	193
Scale:	1:3,000
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	1/17/2025
Mapped by:	M3AOXPAC
Additional Imagery info:	

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel

Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date: 15 January 2025
Document Page: 14 of 14
Scale: 1:3,000
Mapped by: M3AOXPAC
Additional Imagery info:

Authorized Depth: -14ft.
Side Slope Ratio: (Rise : Run)
Website Index Number: 194
PDF Print Date: 1/17/2025

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - -4	4 - -6	6 - -8	8 - -10	10 - -12	12 - -14	14 - -16	16 - -18	< -18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combinded survey dates 20240427_CS; 20250115_CS_1240P400_1246P000_&_1258P000_1265P00

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel