





Houston Ship Channel: Beacon 76 to Lower End Morgans Point Cut CEDAR CHANNEL TO LIBERTY BARBOURS HOUSTON BAYPORT TEXAS GALVESTON DICKINSON **CLEAR BAYOU** LAKE **TEXAS** 29°40'0"N HYDROGRAPHIC U.S. ARMY ENGINEER D 29°40'0"N 29°39'30"N 94°58[']30"W Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Aids to Navigation | MLLW 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS **Channel Features** Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, Projection: Lambert Conformal Conic /Datum: North American 1983 MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community I. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, Dredging Reach Extent DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE Channel Toe INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325 NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, 2. ELEVATIONS ARE REFERENCED TO MEAN LOWER LOW TIDE (MLLW) DATUM. Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: – – Channel Center Line User Community B. THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY HTTP://WWW.SWG.USACE.ARMY.MIL/MISSIONS/NAVIGATION/HYDROGRAPHICSURVEYS/ CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION Esri, Garmin, GEBCO, NOAA NGDC, and other contributors Hydrographic Survey Extent DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN 6. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC) Channel Station Lines THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152. SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, NOAA Bathymetry (DREDGING REACH EXTENT) ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION. ← Channel Dimensions

