





HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

– – Channel Center Line —— Channel Toe

← Channel Dimensions

Channel Features

Red Side Aids

PORT LAVACA

MATAGORDA


1. Horizontal coordinates are referenced to texas state plane coordinate system, south central zone nad83 us survey feet. 2. Elevations are referenced to mean lower low tide (MLLW) datum.

3. This project was designed by the galveston district of the u.s. army corps of engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due o shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325 5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA World_Imagery: Maxar World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Combinded survey dates 20230830_CS; 20231025_AD_19_100P000_105P000; 20231025_AD_18_95P000_100P000; 20231215_AD_20_105P000_110P000; 20240209_PR_75P000







5-4 	52
38	



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Channel Features – – Channel Center Line

—— Channel Toe

← Channel Dimensions


Horizontal coordinates are referenced to texas state plane coordinate system, south central zone nad83 us survey feet.
 Elevations are referenced to mean lower low tide (MLLW) datum.


2. Elevations are reterited to mean low tide (MELVY) datum.
3. This project was designed by the galveston district of the u.s. army corps of engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/


Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA World_Imagery: Maxar World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:


Combinded survey dates 20230830_CS; 20231025_AD_19_100P000_105P000; 20231025_AD_18_95P000_100P000; 20231215_AD_20_105P000_110P000; 20240209_PR_75P000













HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS

Aids to Navigation Channel Features

—— Channel Toe

– – Channel Center Line Red Side Aids **←** Channel Dimensions


1. Horizontal coordinates are referenced to texas state plane coordinate system, south central zone nad83 us survey feet. 2. Elevations are referenced to mean lower low tide (MLLW) datum.

3. This project was designed by the galveston district of the u.s. army corps of engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325 5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/


Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA World_Imagery: Maxar, Microsoft World_Imagery: Maxar World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:


Combinded survey dates 20230830_CS; 20231025_AD_19_100P000_105P000; 20231025_AD_18_95P000_100P000; 20231215_AD_20_105P000_110P000; 20240209_PR_75P000











HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT

Channel Features – – Channel Center Line

—— Channel Toe

← Channel Dimensions

Aids to Navigation


1. Horizontal coordinates are referenced to texas state plane coordinate system, south central zone nad83 us survey feet. 2. Elevations are referenced to mean lower low tide (MLLW) datum.

3. This project was designed by the galveston district of the u.s. army corps of engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325 5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA World_Imagery: Maxar, Microsoft World_Imagery: Maxar World Ocean Base: Esri, GEBCO, Garmin, NaturalVue


Additional Combined Survey Dates and Stationing:

Combinded survey dates 20230830_CS; 20231025_AD_19_100P000_105P000; 20231025_AD_18_95P000_100P000; 20231215_AD_20_105P000_110P000; 20240209_PR_75P000









Latest Survey Collection Date: 09 February 2024	09 February 2024	Authorized Depth: -38ft.
Document Page: 5 of 8	Website Index Number: 19	Side Slope Ratio: (Rise : Run)
Scale: 1:2,400		PDF Print Date: 2/16/2024
Mapped by: M3AOXPAC		
Additional Imagery info:		



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT

Channel Features

Aids to Navigation – – Channel Center Line —— Channel Toe **←** Channel Dimensions

1. Horizontal coordinates are referenced to texas state plane coordinate system, south central zone nad83 us survey feet. 2. Elevations are referenced to mean lower low tide (MLLW) datum.


3. This project was designed by the galveston district of the u.s. army corps of engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325 5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA World_Imagery: Maxar, Microsoft World_Imagery: Maxar World Ocean Base: Esri, GEBCO, Garmin, NaturalVue


Additional Combined Survey Dates and Stationing:


Combinded survey dates 20230830 CS; 20231025 AD 19 100P000 105P000; 20231025_AD_18_95P000_100P000; 20231215_AD_20_105P000_110P000; 20240209_PR_75P000











HYDROGRAPHIC U.S. ARMY ENGINEER D

Channel Features

– – Channel Center Line —— Channel Toe

← Channel Dimensions

Aids to Navigation

1. Horizontal coordinates are referenced to texas state plane coordinate system, south central zone nad83 us survey feet.

2. Elevations are referenced to mean lower low tide (MLLW) datum.

HARBOR OF REFUGE

3. This project was designed by the galveston district of the u.s. army corps of engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152. 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA World_Imagery: Maxar, Microsoft
World_Imagery: Maxar
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Combinded survey dates 20230830_CS; 20231025_AD_19_100P000_105P000; 20231025_AD_18_95P000_100P000; 20231215_AD_20_105P000_110P000; 20240209_PR_75P000







72	6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	41 42 41 41 42 42 42 43 43 41 42 41 41 42 42 42 46 43 42 42 42 42 42 41 42 44 43 42 40 42 42 43 41 42 44 43 40 37 41 40 41 42 42 43 43 36 30 39 39 40 41 42 43 43 36 30 39 39 40 41 42 43 43 25 73 35 36 40 39 42 43 43 25 73 35 36 40 39 40 43 43 25 73 35 36 40 39 40 43 43 32 15 21 20 25 24 34 27 0 39 13 12 17 16 15 19 16 20 25 9 9 16 15 19 16 20

3 <mark>8</mark> 43	17 24			
		Latest Survey Collection Date: 09 February 2024	09 February 2024	Authorized Depth: -38ft.
		Document Page: 7 of 8	Website Index Number: 21	Side Slope Ratio: (Rise : Run)
		Scale: 1:2,400		PDF Print Date: 2/16/2024
		Mapped by: M3AOXPAC		
		Additional Imagery info:		



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Aids to Navigation Channel Features

– – Channel Center Line Red Side Aids —— Channel Toe ← Channel Dimensions

1. Horizontal coordinates are referenced to texas state plane coordinate system, south central zone nad83 us survey feet.

2. Elevations are referenced to mean lower low tide (MLLW) datum.

3. This project was designed by the galveston district of the u.s. army corps of engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325 5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA World_Imagery: Maxar, Microsoft World_Imagery: Maxar World Ocean Base: Esri, GEBCO, Garmin, NaturalVue


Additional Combined Survey Dates and Stationing:


Combinded survey dates 20230830_CS; 20231025_AD_19_100P000_105P000; 20231025_AD_18_95P000_100P000; 20231215_AD_20_105P000_110P000; 20240209_PR_75P000











HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS

Channel Features

– – Channel Center Line —— Channel Toe

← Channel Dimensions

Aids to Navigation

1. Horizontal coordinates are referenced to texas state plane coordinate system, south central zone nad83 us survey feet.

2. Elevations are referenced to mean lower low tide (MLLW) datum. 3. This project was designed by the galveston district of the u.s. army corps of engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152. 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325

5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA World_Imagery: Maxar, Microsoft World_Imagery: Maxar World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Combinded survey dates 20230830_CS; 20231025_AD_19_100P000_105P000; 20231025_AD_18_95P000_100P000; 20231215_AD_20_105P000_110P000; 20240209_PR_75P000