



Sabine Neches Waterway: Smiths Bluff to Beaumont Turning Basin



Authorized Depth: -40ft.	Latest Survey Collection Date: 24 March 2025
Width Range: 400ft to 435ft	Document Page: 1 of 5
Side Slope Ratio: (Rise : Run)	Website Index Number: 49
PDF Print Date: 4/15/2025	Scale: 1:4,000
	Mapped by: m3odnmhg
	Additional Imagery info:



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 25	25 - 30	30 - 34	34 - 36	36 - 38	38 - 40	40 - 42	42 - 44	< 44
--------	---------	---------	---------	---------	---------	---------	---------	------

NOTES:

- Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
- Elevations are referenced to mean lower low tide (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 117.1-18132.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
- For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
 World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, EPA, USDA, NPS
 World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
 Combined surveys: 20250321_PR_505P00_720P00; 20250324_PR_720P00_950P00.

Dredging Reach Extent

0 0.42 0.85 1.7 Miles

Hydrographic Survey Extent


0 345 690 1,380 Feet

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
 Projection: Lambert Conformal Conic



HYDROGRAPHIC SURVEY
 U.S. ARMY ENGINEER DISTRICT
 CORPS OF ENGINEERS
 GALVESTON, TEXAS

Station: 505+00 to 950+15.47
 SABINE NECHES
 Smiths Bluff to Beaumont Turning Basin


Sabine Neches Waterway: Smiths Bluff to Beaumont Turning Basin



U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 24 March 2025	Authorized Depth: -40ft.
Document Page: 2 of 5	Width Range: 400ft to 435ft
Scale: 1:4,000	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 4/15/2025
Website Index Number: 50	Additional Imagery info:



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 -25	25 -30	30 -34	34 -36	36 -38	38 -40	40 -42	42 -44	<math>< -44 </math>
-------	--------	--------	--------	--------	--------	--------	--------	---------------------

NOTES:

- Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
- Elevations are referenced to mean lower low tide (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-6132.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
- For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, EPA, USDA, NPS
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Combined surveys: 20250321_PR_505P00_720P00; 20250324_PR_720P00_950P00.

Dredging Reach Extent

Hydrographic Survey Extent

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

HYDROGRAPHIC SURVEY


U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 505+00 to 950+15.47



SABINE NECHES

Smiths Bluff to Beaumont Turning Basin


Sabine Neches Waterway: Smiths Bluff to Beaumont Turning Basin



U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 24 March 2025	Authorized Depth: -40ft.
Document Page: 3 of 5	Width Range: 400ft to 435ft
Scale: 1:4,200	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 4/15/2025
Additional Imagery info:	
Website Index Number: 51	



Channel Features	Aids to Navigation	MLLW
<ul style="list-style-type: none"> Channel Center Line Channel Toe Channel Dimensions 	<ul style="list-style-type: none"> Green Side Aids Red Side Aids Lights 	<ul style="list-style-type: none"> 0 - 25 25 - 30 30 - 34 34 - 36 36 - 38 38 - 40 40 - 42 42 - 44 < 44

NOTES:

- Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
- Elevations are referenced to mean lower low tide (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 117.11-18.132.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
- For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, EPA, USDA, NPS
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combined surveys: 20250321_PR_505P00_720P00; 20250324_PR_720P00_950P00.

Dredging Reach Extent
0 0.42 0.85 1.7 Miles


Hydrographic Survey Extent
0 360 720 1,440 Feet

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 505+00 to 950+15.47
SABINE NECHES
Smiths Bluff to Beaumont Turning Basin


Sabine Neches Waterway: Smiths Bluff to Beaumont Turning Basin



U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 24 March 2025	Authorized Depth: -40ft.
Document Page: 4 of 5	Width Range: 400ft to 435ft
Scale: 1:4,000	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 4/15/2025
Additional Imagery info:	
Website Index Number: 52	



Channel Features	Aids to Navigation
<ul style="list-style-type: none"> Channel Center Line Channel Toe Channel Dimensions 	<ul style="list-style-type: none"> Green Side Aids Red Side Aids Lights

NOTES:

- Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
- Elevations are referenced to mean lower low tide (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 117.11-18132.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
- For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Combined surveys: 20250321_PR_505P00_720P00; 20250324_PR_720P00_950P00.


Dredging Reach Extent		
0	0.42	0.85
1.7 Miles		
Hydrographic Survey Extent		
0	345	690
1,380 Feet		

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic




HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 505+00 to 950+15.47
SABINE NECHES
Smiths Bluff to Beaumont Turning Basin


Sabine Neches Waterway: Smiths Bluff to Beaumont Turning Basin



U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 24 March 2025	Authorized Depth: -40ft.
Document Page: 5 of 5	Width Range: 400ft to 435ft
Scale: 1:4,000	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 4/15/2025
Website Index Number: 53	Additional Imagery info:



Channel Features	Aids to Navigation	MLLW
--- Channel Center Line	Green Side Aids	0 - 25
— Channel Toe	Red Side Aids	25 - 30
↔ Channel Dimensions	Lights	30 - 34
		34 - 36
		36 - 38
		38 - 40
		40 - 42
		42 - 44
		< 44

NOTES:
 1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
 2. Elevations are referenced to mean lower low tide (MLLW) datum.
 3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 117.1-41.132.
 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325.
 5. For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>
 Service Layer Credits: World Imagery, Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
 World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, EPA, USDA, NPS
 World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
 Combined surveys: 20250321_PR_505P00_720P00; 20250324_PR_720P00_950P00.

Dredging Reach Extent	Hydrographic Survey Extent
0 0.42 0.85 1.7 Miles	0 345 690 1,380 Feet

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
 Projection: Lambert Conformal Conic

HYDROGRAPHIC SURVEY
 U.S. ARMY ENGINEER DISTRICT
 CORPS OF ENGINEERS
 GALVESTON, TEXAS
Station: 505+00 to 950+15.47
SABINE NECHES
 Smiths Bluff to Beaumont Turning Basin