




Sabine Neches Waterway: Junction with Port Arthur Canal to Neches River



U.S. Army Corps of Engineers
Galveston District



Authorized Depth: -40ft.	Latest Survey Collection Date: 10 April 2025
Width Range: 400ft to 400ft	Document Page: 1 of 7
Side Slope Ratio: (Rise : Run)	Scale: 1:3,500
PDF Print Date: 4/17/2025	Mapped by: m3odnmhg
	Additional Imagery info:
	Website Index Number: 24



Channel Features	Aids to Navigation
--- Channel Center Line	Green Side Aids
— Channel Toe	Red Side Aids
↔ Channel Dimensions	Lights

MLLW
0 - 25
25 - 30
30 - 34
34 - 36
36 - 38
38 - 40
40 - 42
42 - 44
< 44

NOTES:
 1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
 2. Elevations are referenced to mean lower low tide (MLLW) datum.
 3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47 CFR 111.11-18.132.
 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.225.
 5. For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
 World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
 World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
 Combined survey dates 20250314_PR_40P00_140P00; 20250328_PR_140P00_164P00;
 20240317_PR_164P00_335P00; 20250310_AD_05_335P00_380P00;
 20250410_AD_6_380P00_430P00; 20250403_BD_07_430P00_480P00;
 20250318_BD_08_480P00_530P00; 20250325_BD_09_530P00_593P59.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
 Projection: Lambert Conformal Conic


Dredging Reach Extent
 0 0.35 0.7 1.4 Miles

Hydrographic Survey Extent
 0 300 600 1,200 Feet




HYDROGRAPHIC SURVEY
 U.S. ARMY ENGINEER DISTRICT
 CORPS OF ENGINEERS
 GALVESTON, TEXAS

Station: 40+00 to 593+68.50
SABINE NECHES
 Junction with Port Arthur Canal to Neches River


Sabine Neches Waterway: Junction with Port Arthur Canal to Neches River



U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 10 April 2025	Authorized Depth: -40ft.
Document Page: 2 of 7	Width Range: 400ft to 400ft
Scale: 1:3,500	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 4/17/2025
Additional Imagery info:	



Channel Features	Aids to Navigation	MLLW
<ul style="list-style-type: none"> Channel Center Line Channel Toe Channel Dimensions 	<ul style="list-style-type: none"> Green Side Aids Red Side Aids Lights 	<ul style="list-style-type: none"> 0 - 25 25 - 30 30 - 34 34 - 36 36 - 38 38 - 40 40 - 42 42 - 44 < 44

NOTES:
 1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
 2. Elevations are referenced to mean lower low tide (MLLW) datum.
 3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-18132.
 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
 5. For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
 World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
 World Ocean Base: Esri, GEBCO, Garmin, NaturalVue


Additional Combined Survey Dates and Stationing:
 Combined survey dates 20250314_PR_40P00_140P00; 20250328_PR_140P00_164P00;
 20240317_PR_164P00_335P00; 20250310_AD_05_335P00_380P00;
 20250410_AD_6_380P00_430P00; 20250403_BD_07_430P00_480P00;
 20250318_BD_08_480P00_530P00; 20250325_BD_09_530P00_593P59.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Projection: Lambert Conformal Conic
Dredging Reach Extent 0 0.35 0.7 1.4 Miles
Hydrographic Survey Extent 0 300 600 1,200 Feet


HYDROGRAPHIC SURVEY
 U.S. ARMY ENGINEER DISTRICT
 CORPS OF ENGINEERS
 GALVESTON, TEXAS

Station: 40+00 to 593+68.50
SABINE NECHES
 Junction with Port Arthur Canal to Neches River


Sabine Neches Waterway: Junction with Port Arthur Canal to Neches River




U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 10 April 2025	Authorized Depth: -40ft.
Document Page: 3 of 7	Width Range: 400ft to 400ft
Scale: 1:3,500	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 4/17/2025
Additional Imagery info:	
Website Index Number: 26	




Channel Features	Aids to Navigation
--- Channel Center Line	Green Side Aids
— Channel Toe	Red Side Aids
↔ Channel Dimensions	Lights




NOTES:
 1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
 2. Elevations are referenced to mean lower low tide (MLLW) datum.
 3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 117.11-18.152.
 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.225.
 5. For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>
 Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
 World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
 World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
 Combined survey dates 20250314_PR_40P00_140P00; 20250328_PR_140P00_164P00;
 20240317_PR_164P00_335P00; 20250310_AD_05_335P00_380P00;
 20250410_AD_6_380P00_430P00; 20250403_BD_07_430P00_480P00;
 20250318_BD_08_480P00_530P00; 20250325_BD_09_530P00_593P59.





HYDROGRAPHIC SURVEY
 U.S. ARMY ENGINEER DISTRICT
 CORPS OF ENGINEERS
 GALVESTON, TEXAS
Station: 40+00 to 593+68.50
SABINE NECHES
 Junction with Port Arthur Canal to Neches River


Sabine Neches Waterway: Junction with Port Arthur Canal to Neches River



U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 10 April 2025	Authorized Depth: -40ft.
Document Page: 4 of 7	Width Range: 400ft to 400ft
Scale: 1:3,500	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 4/17/2025
Additional Imagery info:	



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 25	25 - 30	30 - 34	34 - 36	36 - 38	38 - 40	40 - 42	42 - 44	< 44
--------	---------	---------	---------	---------	---------	---------	---------	------

NOTES:

- Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
- Elevations are referenced to mean lower low tide (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47 CFR 111.101-111.102.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
- For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Combined survey dates 20250314_PR_40P00_140P00; 20250328_PR_140P00_164P00;
20240317_PR_164P00_335P00; 20250310_AD_05_335P00_380P00;
20250410_AD_6_380P00_430P00; 20250403_BD_07_430P00_480P00;
20250318_BD_08_480P00_530P00; 20250325_BD_09_530P00_593P59.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent

0 0.35 0.7 1.4 Miles


Hydrographic Survey Extent

0 300 600 1,200 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 40+00 to 593+68.50
SABINE NECHES
Junction with Port Arthur Canal to Neches River

Sabine Neches Waterway: Junction with Port Arthur Canal to Neches River



U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 10 April 2025	Authorized Depth: -40ft.
Document Page: 5 of 7	Width Range: 400ft to 400ft
Scale: 1:3,500	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 4/17/2025
Additional Imagery info:	
Website Index Number: 28	



Channel Features

- Channel Center Line
- Channel Toe
- ↔ Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 25	25 - 30	30 - 34	34 - 36	36 - 38	38 - 40	40 - 42	42 - 44	< 44
--------	---------	---------	---------	---------	---------	---------	---------	------

NOTES:

- Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
- Elevations are referenced to mean lower low tide (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8132.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 of 209.325
- For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Combined survey dates 20250314_PR_40P00_140P00; 20250328_PR_140P00_164P00;
20240317_PR_164P00_335P00; 20250310_AD_05_335P00_380P00;
20250410_AD_6_380P00_430P00; 20250403_BD_07_430P00_480P00;
20250318_BD_08_480P00_530P00; 20250325_BD_09_530P00_593P59.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent

0 0.35 0.7 1.4 Miles


Hydrographic Survey Extent

0 300 600 1,200 Feet




HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 40+00 to 593+68.50
SABINE NECHES
Junction with Port Arthur Canal to Neches River


Sabine Neches Waterway: Junction with Port Arthur Canal to Neches River



U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 10 April 2025	Authorized Depth: -40ft.
Document Page: 6 of 7	Width Range: 400ft to 400ft
Scale: 1:3,500	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 4/17/2025
Additional Imagery info:	
Website Index Number: 29	



Channel Features	Aids to Navigation
--- Channel Center Line	Green Side Aids
— Channel Toe	Red Side Aids
↔ Channel Dimensions	Lights

MLLW
0 - 25
25 - 30
30 - 34
34 - 36
36 - 38
38 - 40
40 - 42
42 - 44
< 44

NOTES:
 1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
 2. Elevations are referenced to mean lower low tide (MLLW) datum.
 3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 117.1-18.152.
 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325.
 5. For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
 World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
 World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
 Combined survey dates 20250314_PR_40P00_140P00; 20250328_PR_140P00_164P00;
 20240317_PR_164P00_335P00; 20250310_AD_05_335P00_380P00;
 20250410_AD_6_380P00_430P00; 20250403_BD_07_430P00_480P00;
 20250318_BD_08_480P00_530P00; 20250325_BD_09_530P00_593P59.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
 Projection: Lambert Conformal Conic


Dredging Reach Extent
 0 0.35 0.7 1.4 Miles

Hydrographic Survey Extent
 0 300 600 1,200 Feet



HYDROGRAPHIC SURVEY
 U.S. ARMY ENGINEER DISTRICT
 CORPS OF ENGINEERS
 GALVESTON, TEXAS

Station: 40+00 to 593+68.50
SABINE NECHES
 Junction with Port Arthur Canal to Neches River

Sabine Neches Waterway: Junction with Port Arthur Canal to Neches River




U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 10 April 2025	Authorized Depth: -40ft.
Document Page: 7 of 7	Width Range: 400ft to 400ft
Scale: 1:3,500	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 4/17/2025
Additional Imagery info:	




Channel Features	Aids to Navigation
- - - Channel Center Line	Green Side Aids
— Channel Toe	Red Side Aids
↔ Channel Dimensions	Lights



NOTES:
 1. Horizontal coordinates are referenced to Texas state plane coordinate system, south central zone nad83 us survey feet.
 2. Elevations are referenced to mean lower low tide (MLLW) datum.
 3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110.1-8132.
 4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325.
 5. For the most up to date information please check our website at: <http://www.svg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>
 Service Layer Credits: World Imagery: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
 World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS
 World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
 Combined survey dates 20250314_PR_40P00_140P00; 20250328_PR_140P00_164P00;
 20240317_PR_164P00_335P00; 20250310_AD_05_335P00_380P00;
 20250410_AD_6_380P00_430P00; 20250403_BD_07_430P00_480P00;
 20250318_BD_08_480P00_530P00; 20250325_BD_09_530P00_593P59.



HYDROGRAPHIC SURVEY
 U.S. ARMY ENGINEER DISTRICT
 CORPS OF ENGINEERS
 GALVESTON, TEXAS

Station: 40+00 to 593+68.50
SABINE NECHES
 Junction with Port Arthur Canal to Neches River