

Texas City Harbor Channel: Bolivar Roads to Turning Basin GALVESTON HOUSTON TEXAS CITY TEXAS 94°47**'**0"W HYDROGRAPHIC U.S. ARMY ENGINEER D 94°47[']30"W 29°21'0"N 94°47'0"W Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Aids to Navigation | MLLW 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS **Channel Features** Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, Projection: Lambert Conformal Conic /Datum: North American 1983 MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community I. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, Dredging Reach Extent Channel Toe DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325 NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, 2. ELEVATIONS ARE REFERENCED TO MEAN LOWER LOW TIDE (MLLW) DATUM. Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: **- - -** Channel Center Line User Community B. THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY HTTP://WWW.SWG.USACE.ARMY.MIL/MISSIONS/NAVIGATION/HYDROGRAPHICSURVEYS/ CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION Esri, Garmin, GEBCO, NOAA NGDC, and other contributors Hydrographic Survey Extent DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN 6. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC) Channel Station Lines THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152. SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION. NOAA Bathymetry (DREDGING REACH EXTENT) ← Channel Dimensions



Texas City Harbor Channel: Bolivar Roads to Turning Basin GALVESTON **TEXAS CITY** TEXAS HYDROGRAPHIC U.S. ARMY ENGINEER D 94°49'0"W 94°48**'**30"W Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Aids to Navigation | MLLW 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS **Channel Features** Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, Projection: Lambert Conformal Conic /Datum: North American 1983 MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community I. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, Dredging Reach Extent Channel Toe DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325 NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, 2. ELEVATIONS ARE REFERENCED TO MEAN LOWER LOW TIDE (MLLW) DATUM. Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: – – Channel Center Line B. THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY User Community HTTP://WWW.SWG.USACE.ARMY.MIL/MISSIONS/NAVIGATION/HYDROGRAPHICSURVEYS/ CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION Esri, Garmin, GEBCO, NOAA NGDC, and other contributors Hydrographic Survey Extent DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN 6. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC) Channel Station Lines THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152. SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION. NOAA Bathymetry (DREDGING REACH EXTENT) ← Channel Dimensions

Texas City Harbor Channel: Bolivar Roads to Turning Basin Bolivar Roads to Red Fish Light 1 GALVESTON TEXAS CITY HYDROGRAPHIC U.S. ARMY ENGINEER I 94°49**'**30"W 94°50'0"W 29°22'0"N Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Aids to Navigation | MLLW 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS **Channel Features** Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, Projection: Lambert Conformal Conic /Datum: North American 1983 MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community I. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, Dredging Reach Extent Channel Toe DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325 NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, 2. ELEVATIONS ARE REFERENCED TO MEAN LOWER LOW TIDE (MLLW) DATUM. Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: – – Channel Center Line B. THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY User Community HTTP://WWW.SWG.USACE.ARMY.MIL/MISSIONS/NAVIGATION/HYDROGRAPHICSURVEYS/ CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION Esri, Garmin, GEBCO, NOAA NGDC, and other contributors Hydrographic Survey Extent DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN 6. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC) Channel Station Lines THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152. SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION. NOAA Bathymetry (DREDGING REACH EXTENT) ← Channel Dimensions


Texas City Harbor Channel: Bolivar Roads to Turning Basin HOUSTON GALVESTON TEXAS CITY TEXAS HYDROGRAPHIC (U.S. ARMY ENGINEER DISCORPS OF ENGINE 94°50<mark>'</mark>30"W Aids to Navigation | MLLW Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS **Channel Features** Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, Projection: Lambert Conformal Conic /Datum: North American 1983 MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community I. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, Dredging Reach Extent Channel Toe DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325 NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, 2. ELEVATIONS ARE REFERENCED TO MEAN LOWER LOW TIDE (MLLW) DATUM. Esri China (Hong Kong), swisstopo, @ OpenStreetMap contributors, and the GIS 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: – – Channel Center Line B. THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY User Community HTTP://WWW.SWG.USACE.ARMY.MIL/MISSIONS/NAVIGATION/HYDROGRAPHICSURVEYS/ CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION Esri, Garmin, GEBCO, NOAA NGDC, and other contributors Hydrographic Survey Extent DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN 6. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC) Channel Station Lines THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152. SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION. NOAA Bathymetry (DREDGING REACH EXTENT) ← Channel Dimensions




Texas City Harbor Channel: Bolivar Roads to Turning Basin









Channel Features Channel Toe – – Channel Center Line

← Channel Dimensions

Aids to Navigation | MLLW Channel Station Lines

94°52[']30"W NOAA Bathymetry (DREDGING REACH EXTENT)

I. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET.

TEXAS CITY

2. ELEVATIONS ARE REFERENCED TO MEAN LOWER LOW TIDE (MLLW) DATUM. B. THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN

THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.


4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325

94°52'0"W

- 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: HTTP://WWW.SWG.USACE.ARMY.MIL/MISSIONS/NAVIGATION/HYDROGRAPHICSURVEYS/
- 6. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC) SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION.

Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community

Esri, Garmin, GEBCO, NOAA NGDC, and other contributors



94°51[']30"W Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Projection: Lambert Conformal Conic /Datum: North American 1983 Dredging Reach Extent Hydrographic Survey Extent

HYDROGRAPHIC U.S. ARMY ENGINEER D

Texas City Harbor Channel: Bolivar Roads to Turning Basin HOUSTON **TEXAS CITY** Eastman Chemical BRG 4 & 5 Eastman Chemical BRG 3 HYDROGR/ U.S. ARMY EI 94°52**'**30"W 94°53'0"W Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet Aids to Navigation | MLLW 4. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS **Channel Features** Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community Projection: Lambert Conformal Conic /Datum: North American 1983 MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL 1. HORIZONTAL COORDINATES ARE REFERENCED TO TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE NAD83 US SURVEY FEET. CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, Dredging Reach Extent Channel Toe DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325 2. ELEVATIONS ARE REFERENCED TO MEAN LOWER LOW TIDE (MLLW) DATUM. 5. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: – – Channel Center Line B. THIS PROJECT WAS DESIGNED BY THE GALVESTON DISTRICT OF THE U.S. ARMY User Community HTTP://WWW.SWG.USACE.ARMY.MIL/MISSIONS/NAVIGATION/HYDROGRAPHICSURVEYS/ CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION Esri, Garmin, GEBCO, NOAA NGDC, and other contributors Hydrographic Survey Extent DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN 6. NOAA BATHYMETRY CONTOURS PRODUCED FROM HISTORIC BATHYMETRIC (HYDROGRAPHIC) —— Channel Station Lines SURVEYS CONDUCTED BY THE NOAA NATIONAL OCEAN SERVICE/COAST SURVEY, AVAILABLE FROM THE NATIONAL GEOPHYSICAL DATA CENTER. SURVEYS VARY AS TO SOUNDING DENSITY, ACCURACY OF DEPTH, ACCURACY OF NAVIGATION, ZERO DATUM, DATE OF SURVEY AND TYPE OF INSTRUMENTATION. THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152. NOAA Bathymetry (DREDGING REACH EXTENT) **←** Channel Dimensions