



Public Notice

**U.S. Army Corps
Of Engineers**

Galveston District

Permit Application No: SWG-2006-01614

Date Issued: 9 April 2024

Comments

Due: 9 May 2024

U.S. ARMY CORPS OF ENGINEERS, GALVESTON DISTRICT

PURPOSE OF PUBLIC NOTICE: To inform you of a proposal for work in which you might be interested. It is also to solicit your comments and information to better enable us to make a reasonable decision on factors affecting the public interest. The U.S. Army Corps of Engineers (Corps) is not the entity proposing or performing the proposed work, nor has the Corps taken a position, in favor or against the proposed work.

AUTHORITY: This application will be reviewed pursuant to Section 10 of the Rivers and Harbors Act of 1899 and Section 404 of the Clean Water Act (CWA).

APPLICANT: San Jac Marine, LLC
17112 Market Street
Channelview, Texas 77530
POC: Mitch Jones

Telephone: 281-862-2266
Email: mitch.jones@sanjacmarine.com

AGENT: Lloyd Engineering, Inc.
6565 West Loop South, Suite 708
Bellaire, Texas 77401
POC: Justin Wiedeman
Telephone: 832-426-4656
Email: justin@lloydeng.com

LOCATION: The project site is located within the San Jacinto Waste Pit Area of Concern, in Old River, at 17124 Market Street, in Channelview, Harris County, Texas.

LATITUDE & LONGITUDE (NAD 83):

Latitude: 29.785848° North; **Longitude:** 095.092171° West

PROJECT DESCRIPTION: The applicant proposes to modify a previously authorized permit by discharging approximately 14,460 cubic yards of fill material below the Mean High Water (MHW) line of an approximate 1.1-acre man-made inlet and to install a 594-linear-foot sheet pile bulkhead wall to retain the fill. Additionally, 254 cubic yards of concrete will be placed behind the bulkhead wall at a 4:1 slope to create a ramp from the top of the bulkhead wall to the MHW line. In addition, three 42-inch dolphins will be installed in front of the bulkhead wall. The applicant's plans are enclosed in 6 sheets.

AVOIDANCE AND MINIMIZATION: The applicant has stated that they have avoided and minimized the environmental impacts by returning an area that was cut out from upland back to its previous contours of uplands. No wetlands or special aquatic sites are located within the project area.

MITIGATION: The applicant is not impacting special aquatic sites, including wetlands, and is not proposing mitigation.

CURRENT SITE CONDITIONS: The site is currently an open water slip that was cut from land between 1978 and 1985. The slip is located within an industrial area.

A preliminary review of this application indicates that an Environmental Impact Statement (EIS) is not required. Since permit assessment is a continuing process, this preliminary determination of EIS requirement will be changed if data or information brought forth in the coordination process is of a significant nature.

Our evaluation will also follow the guidelines published by the U.S. Environmental Protection Agency pursuant to Section 404 (b)(1) of the CWA.

OTHER AGENCY AUTHORIZATIONS:

Consistency with the State of Texas Coastal Management Plan is required. The applicant has stated that the proposed activity complies with Texas' approved Coastal Management Program goals and policies and will be conducted in a manner consistent with said program.

The proposed project will trigger review under Section 401 of the Clean Water Act (CWA). The Texas Commission on Environmental Quality (TCEQ) will review this application under Section 401 of the CWA and in accordance with Title 30, Texas Administrative Code Section 279.1-13 to determine if the work would comply with State water quality standards. The applicant has not yet reached out to the TCEQ to initiate the Section 401 CWA process. If you have comments or questions on this proposed project's State water quality certification, please contact 401certs@tceq.texas.gov. You may also find information on the Section 401 process here: <https://www.epa.gov/cwa-401/basic-information-cwa-section-401-certification>.

NATIONAL REGISTER OF HISTORIC PLACES: The staff archaeologist has reviewed the latest published version of the National Register of Historic Places, lists of properties determined eligible, and other sources of information. The following is current knowledge of the presence or absence of historic properties and the effects of the undertaking upon these properties:

The permit area has been so extensively impacted by industrial development that there is no potential for historic properties to exist within the permit area. Therefore, the proposed project has no potential to effect historic properties.

THREATENED AND ENDANGERED SPECIES: Preliminary indications are that no known threatened and/or endangered species or their critical habitat will be affected by the proposed work.

ESSENTIAL FISH HABITAT: This notice initiates the Essential Fish Habitat consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. Our initial determination is that the proposed action would not have a substantial adverse impact on Essential Fish Habitat or federally managed fisheries in the Gulf of Mexico. Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the National Marine Fisheries Service.

PUBLIC INTEREST REVIEW FACTORS: This application will be reviewed in accordance with 33 CFR 320-332, the Regulatory Programs of the Corps, and other pertinent laws, regulations and executive orders. The decision whether to issue a permit will be based on an evaluation of the probable impacts, including cumulative impacts, of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefits, which reasonably may be expected to accrue from the proposal, must be balanced against its reasonably foreseeable detriments. All factors, which may be relevant to the proposal, will be considered: among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, floodplain values, land use, navigation, shore erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs and, in general, the needs and welfare of the people.

SOLICITATION OF COMMENTS: The Corps is soliciting comments from the public, Federal, State, and local agencies and officials, Indian tribes, and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the Corps to determine whether to issue, modify, condition or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Impact Assessment and/or an EIS pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

This public notice is being distributed to all known interested persons in order to assist in developing facts upon which a decision by the Corps may be based. For accuracy and completeness of the record, all data in support of or in opposition to the proposed work should be submitted in writing setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

PUBLIC HEARING: The purpose of a public hearing is to solicit additional information to assist in the evaluation of the proposed project. Prior to the close of the comment period, any person may make a written request for a public hearing, setting forth the particular reasons for the request. The District Engineer will determine if the reasons identified for holding a public hearing are sufficient to warrant that a public hearing be held. If a public hearing is warranted, all known interested persons will be notified of the time, date, and location.

CLOSE OF COMMENT PERIOD: All comments pertaining to this public notice must reach this office on or before **9 May 2024**. Extensions of the comment period may be granted for valid reasons provided a written request is received by the limiting date. **If no comments are received by that date, it will be considered that there are no objections.** Comments and requests for additional information should reference our file number, **SWG-2006-01614**, and should be submitted to:

North Unit
Regulatory Division, CESWG-RDE
U.S. Army Corps of Engineers
Galveston District
2000 Fort Point Road
Galveston, Texas 77550
409-766-3869 Phone
409-766-3931 Fax
swg_public_notice@usace.army.mil

DISTRICT ENGINEER
GALVESTON DISTRICT
CORPS OF ENGINEERS