APPENDIX C

PHYSICAL LAB REPORT

April 1, 2022

Ms. Monica Martin

Re: North Water District Laboratory Services, Inc. (NWDLS)
NWDLS Geosciences Lab Testing – Task Order #01
Project #22A3944

The Taylor Engineering Coastal & Marine Geosciences Laboratory is pleased to submit the following sediment data for NWDLS project #22A3944. Taylor Engineering received 13 samples for analysis in Jacksonville, Florida on March 9th, 2022. Laboratory testing included sieve and hydrometer analysis according to ASTM D-422. Attached to this letter are the individual test results for each sample.


If any additional information is needed or if you have any questions, please contact me at (904) 731-7040 or wwarren@taylorengineering.com.

Sincerely,



William Warren, P.G.
Project Geologist
Coastal & Marine Geosciences Lab Manager

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.3	1.2	28.6	40.1	29.8

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.7		
#20	99.1		
#40	98.5		
#50	98.2		
#70	97.7		
#100	94.1		
#140	82.8		
#200	69.9		
0.0406 mm.	50.2		
0.0298 mm.	43.8		
0.0217 mm.	38.8		
0.0115 mm.	33.1		
0.0082 mm.	31.7		
0.0058 mm.	30.3		
0.0029 mm.	28.8		
0.0012 mm.	22.9		

* (no specification provided)

Soil Description

Silt, some fine-grianed quartz sand, some clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1293 D_{85}= 0.1123 D_{60}= 0.0566
D_{50}= 0.0403 D_{30}= 0.0054 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 36

Date: 3/22/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.3	2.8	22.3	21.1	53.5

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.7		
#20	98.3		
#40	96.9		
#50	96.2		
#70	95.5		
#100	91.8		
#140	83.0		
#200	74.6		
0.0380 mm.	60.7		
0.0273 mm.	58.6		
0.0195 mm.	57.1		
0.0102 mm.	54.3		
0.0073 mm.	53.9		
0.0052 mm.	53.5		
0.0026 mm.	53.4		
0.0011 mm.	53.4		

* (no specification provided)

Soil Description

Fat clay, little fine-grained quartz sand, little silt, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1382 D_{85}= 0.1144 D_{60}= 0.0353
D_{50}= D_{30}= D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= CH AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 38

Date: 3/23/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: NEL **Checked By:** WFW

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	41.6	22.4	35.9

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.9		
#50	99.8		
#70	99.0		
#100	86.1		
#140	68.6		
#200	58.3		
0.0423 mm.	45.6		
0.0301 mm.	44.1		
0.0215 mm.	42.5		
0.0112 mm.	40.2		
0.0080 mm.	37.8		
0.0057 mm.	36.3		
0.0029 mm.	34.3		
0.0012 mm.	25.8		

* (no specification provided)

Soil Description

Lean clay, some fine-grained quartz sand, little silt, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1623 D_{85}= 0.1469 D_{60}= 0.0802
D_{50}= 0.0541 D_{30}= 0.0018 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= CL AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 40

Date: 3/22/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.0	61.3	15.4	23.3

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	100.0		
#50	100.0		
#70	99.6		
#100	88.6		
#140	60.7		
#200	38.7		
0.0445 mm.	33.6		
0.0320 mm.	30.0		
0.0229 mm.	27.8		
0.0120 mm.	24.9		
0.0085 mm.	23.4		
0.0060 mm.	23.4		
0.0030 mm.	22.6		
0.0013 mm.	20.3		

* (no specification provided)

Soil Description

Clayey sand, mostly fine-grained quartz sand, little clay, little silt, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1536 D_{85}= 0.1420 D_{60}= 0.1052
D_{50}= 0.0923 D_{30}= 0.0322 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= SC AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 41

Date: 3/24/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	63.6	18.2	18.1

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	99.9		
#50	99.9		
#70	99.6		
#100	86.9		
#140	57.1		
#200	36.3		
0.0468 mm.	27.1		
0.0336 mm.	23.0		
0.0240 mm.	20.6		
0.0125 mm.	19.0		
0.0088 mm.	18.2		
0.0063 mm.	18.2		
0.0031 mm.	17.8		
0.0013 mm.	15.7		

* (no specification provided)

Soil Description

Silty sand, mostly fine-grained quartz sand, little silt, little clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1574 D_{85}= 0.1460 D_{60}= 0.1097
D_{50}= 0.0966 D_{30}= 0.0588 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 42

Date: 3/23/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.2	49.9	30.8	19.1

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.8		
#50	99.7		
#70	99.6		
#100	99.0		
#140	92.8		
#200	49.9		
0.0444 mm.	33.9		
0.0321 mm.	29.5		
0.0230 mm.	26.6		
0.0121 mm.	23.3		
0.0086 mm.	21.9		
0.0061 mm.	20.0		
0.0031 mm.	17.4		
0.0013 mm.	13.2		

* (no specification provided)

Soil Description

Silty sand, mostly fine-grained quartz sand, some silt, little clay, light brown

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1028 D_{85}= 0.0982 D_{60}= 0.0815
D_{50}= 0.0750 D_{30}= 0.0331 D_{15}= 0.0018
D_{10}= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 43

Date: 3/24/2022

Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: NEL **Checked By:** WFW

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	2.4	4.7	5.9	79.7	1.4	5.9

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	97.6		
#10	92.9		
#20	88.5		
#40	87.0		
#50	85.7		
#70	74.8		
#100	44.2		
#140	18.2		
#200	7.3		
0.0490 mm.	7.1		
0.0347 mm.	6.9		
0.0246 mm.	6.7		
0.0127 mm.	6.7		
0.0090 mm.	6.7		
0.0064 mm.	6.0		
0.0032 mm.	5.7		
0.0013 mm.	5.6		

* (no specification provided)

Soil Description

Sand, poorly graded, mostly fine-grained quartz sand, trace clay, trace fine gravel-size shell fragments, brown

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 1.2044 D_{85}= 0.2809 D_{60}= 0.1762
D_{50}= 0.1593 D_{30}= 0.1271 D_{15}= 0.0992
D_{10}= 0.0861 C_u= 2.05 C_c= 1.06

Classification

USCS= SP AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 44

Date: 3/24/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: NEL **Checked By:** WFW

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.2	1.0	22.3	30.7	45.8

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.8		
#20	99.3		
#40	98.8		
#50	98.6		
#70	98.2		
#100	94.7		
#140	85.4		
#200	76.5		
0.0388 mm.	60.4		
0.0281 mm.	56.6		
0.0202 mm.	53.5		
0.0107 mm.	49.7		
0.0076 mm.	48.0		
0.0055 mm.	46.4		
0.0029 mm.	36.9		
0.0013 mm.	7.0		

* (no specification provided)

Soil Description

Fat clay, some silt, little fine-grained quartz sand, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1243 D_{85}= 0.1043 D_{60}= 0.0379
D_{50}= 0.0114 D_{30}= 0.0023 D_{15}= 0.0016
D_{10}= 0.0014 C_u= 26.52 C_c= 0.10

Classification

USCS= CH AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 45

Date: 3/24/2022

Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

March 6, 2023

Ms. Monica Martin

Re: North Water District Laboratory Services, Inc. (NWDLS)
NWDLS Geosciences Lab Testing – Task Order #13
Project #23A1459

The Taylor Engineering Coastal & Marine Geosciences Laboratory is pleased to submit the following sediment data for NWDLS project #23A1459. Taylor Engineering received 33 samples for analysis in Jacksonville, Florida on February 1st, 2023. Laboratory testing for project #23A1459 included sieve and hydrometer analysis according to ASTM D-422. Attached to this letter are the individual test results for each sample.


If any additional information is needed or if you have any questions, please contact me at (904) 731-7040 or nlamb@taylorengineering.com.

Sincerely,

Natalie Lamb

Natalie Lamb, G.I.T.
Staff Geologist
Coastal & Marine Geosciences Lab Assistant Manager

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	59.7	39.1	1.1

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	99.9		
#50	99.9		
#70	99.8		
#100	98.9		
#140	89.9		
#200	40.2		
0.0496 mm.	15.4		
0.0355 mm.	11.8		
0.0254 mm.	9.1		
0.0132 mm.	6.7		
0.0094 mm.	3.9		
0.0067 mm.	2.0		
0.0033 mm.	0.5		
0.0014 mm.	0.4		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1063 D_{85}= 0.1014 D_{60}= 0.0857
D_{50}= 0.0804 D_{30}= 0.0683 D_{15}= 0.0484
D_{10}= 0.0288 C_u= 2.98 C_c= 1.89

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459 Reference
Sample Number: 47

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	6.2	43.5	50.2

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.9		
#50	99.9		
#70	99.8		
#100	99.2		
#140	97.2		
#200	93.7		
0.0409 mm.	74.3		
0.0293 mm.	71.2		
0.0209 mm.	69.7		
0.0111 mm.	63.0		
0.0079 mm.	61.0		
0.0056 mm.	59.0		
0.0033 mm.	2.7		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Clay, lean, some silt, few fine-grained sand-sized quartz, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.0656 D_{85}= 0.0570 D_{60}= 0.0067
D_{50}= 0.0050 D_{30}= 0.0042 D_{15}= 0.0037
D_{10}= 0.0036 C_u= 1.88 C_c= 0.74

Classification

USCS= CL AASHTO=

Remarks

Source of Sample: 23A1459 CDP-06-6A
Sample Number: 54

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	26.7	48.7	24.5

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	99.9		
#50	99.9		
#70	99.6		
#100	95.1		
#140	83.9		
#200	73.2		
0.0447 mm.	51.2		
0.0321 mm.	46.6		
0.0230 mm.	43.0		
0.0121 mm.	38.4		
0.0086 mm.	34.8		
0.0061 mm.	33.3		
0.0033 mm.	0.7		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Silt, little fine-grained sand-sized quartz, little clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1270 D_{85}= 0.1096 D_{60}= 0.0561
D_{50}= 0.0425 D_{30}= 0.0056 D_{15}= 0.0043
D_{10}= 0.0040 C_u= 14.18 C_c= 0.14

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 23A1459 CDP-06-6B
Sample Number: 55

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.5	41.2	56.2	2.1

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.5		
#50	99.3		
#70	97.9		
#100	85.2		
#140	68.5		
#200	58.3		
0.0472 mm.	35.9		
0.0340 mm.	30.1		
0.0243 mm.	26.5		
0.0127 mm.	21.8		
0.0091 mm.	19.7		
0.0067 mm.	3.6		
0.0033 mm.	0.7		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Silt, some fine-grained sand-sized quartz, trace clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1658 D_{85}= 0.1493 D_{60}= 0.0787
D_{50}= 0.0631 D_{30}= 0.0335 D_{15}= 0.0082
D_{10}= 0.0075 C_u= 10.46 C_c= 1.90

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 23A1459 CDP-06-6C
Sample Number: 56

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.4	50.8	33.6	15.2

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.8		
#40	99.6		
#50	99.5		
#70	99.2		
#100	91.2		
#140	63.8		
#200	48.8		
0.0479 mm.	31.4		
0.0343 mm.	27.2		
0.0245 mm.	24.6		
0.0127 mm.	23.1		
0.0090 mm.	21.1		
0.0064 mm.	19.1		
0.0033 mm.	6.9		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, little clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1472 D_{85}= 0.1373 D_{60}= 0.0995
D_{50}= 0.0776 D_{30}= 0.0451 D_{15}= 0.0050
D_{10}= 0.0039 C_u= 25.66 C_c= 5.26

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459 CDP-07-7A
Sample Number: 58

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.2	18.4	72.0	9.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.8		
#50	99.7		
#70	99.4		
#100	97.0		
#140	89.8		
#200	81.4		
0.0450 mm.	52.5		
0.0326 mm.	44.9		
0.0234 mm.	40.0		
0.0124 mm.	30.8		
0.0088 mm.	28.7		
0.0064 mm.	17.9		
0.0033 mm.	0.7		
0.0014 mm.	0.6		

* (no specification provided)

Soil Description

Silt, little fine-grained sand-sized quartz, few clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1071 D_{85}= 0.0834 D_{60}= 0.0519
D_{50}= 0.0420 D_{30}= 0.0097 D_{15}= 0.0059
D_{10}= 0.0051 C_u= 10.18 C_c= 0.36

Classification

USCS= ML AASHTO=

Remarks


Source of Sample: 23A1459 CDP-07-7C **Date:** 3/6/2023
Sample Number: 59

Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459
Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.0	56.3	42.2	1.5

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	100.0		
#50	100.0		
#70	99.8		
#100	98.2		
#140	83.9		
#200	43.7		
0.0499 mm.	18.1		
0.0357 mm.	13.3		
0.0254 mm.	11.2		
0.0133 mm.	5.8		
0.0095 mm.	2.1		
0.0067 mm.	1.6		
0.0033 mm.	1.3		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1151 D_{85}= 0.1073 D_{60}= 0.0860
D_{50}= 0.0793 D_{30}= 0.0642 D_{15}= 0.0428
D_{10}= 0.0212 C_u= 4.05 C_c= 2.26

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459 **Sample Number:** 60 CDP-DUP


Date: 3/6/2023

Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459
Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	1.0	2.3	73.0	23.3	0.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.0		
#20	97.6		
#40	96.7		
#50	96.0		
#70	90.9		
#100	68.7		
#140	42.9		
#200	23.7		
0.0510 mm.	6.6		
0.0367 mm.	2.4		
0.0261 mm.	0.3		
0.0135 mm.	0.3		
0.0095 mm.	0.3		
0.0067 mm.	0.4		
0.0033 mm.	0.5		
0.0014 mm.	0.4		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.2058 D_{85}= 0.1875 D_{60}= 0.1342
D_{50}= 0.1175 D_{30}= 0.0847 D_{15}= 0.0632
D_{10}= 0.0564 C_u= 2.38 C_c= 0.95

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459 ODMDS
Sample Number: 66

Date: 3/6/2023

Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

APPENDIX D

CHEMICAL QUALITY ASSURANCE REPORT

EPA Region 6
Data Review and Validation Requirements
Dredged Material Disposal Evaluation

Project: PCCA CDP Inner Harbor Section 103

Project Initiation Date: November 16, 2021

Project Sampling Dates:

Begin: February 11, 2022

End: March 3, 2022

Final Report Date:

Final Review Date: October 5, 2022

Data acceptable (Y/N):

If data unacceptable summarize issues to be addressed:

I certify the review in this document conforms to all applicable regulatory and project-specific requirements.



QA Officer

Laboratory Information

Use one sheet for each laboratory that will perform analytical work for this project.

Laboratory Name/Identification: North Water District Laboratory Services

Is lab NELAC certified? Yes/No If Yes, please supply certification number TCEQ T104704238-21-33

Can lab meet the QC requirements below as specified in the SAP/QAPP?

Yes/No	
Yes	Analytical requirement
Yes	Instrumentation
Yes	MDL's meet project TDL requirements
Yes	Precision and accuracy
Yes	Required turnaround time

Note below any requirements the laboratory is unable to meet.

List of Acronyms

CCV	continuing calibration verification
IC	initial calibration
ICB	initial calibration blank
ICV	initial calibration verification
IS	internal standard
LCS/DLCS	laboratory control sample/duplicate laboratory control sample
LDR	linear dynamic range
LFB	laboratory fortified blank
MB	method blank
MDL	method detection limit
MN	*Macoma nasuta*
MS/MSD	matrix spike/matrix spike duplicate
NV	*Neanthes virens*
RL	reporting limit
SAP/QAPP	Sampling and Analysis Plan/Quality Assurance Project Plan
RIA	EPA Region 6 - Regional Implementation Manual
SRM	standard reference material

Sample Custody

Was all required information on the chain-of-custody form:

(Yes/No)	
Yes	Did chain of custody forms accompany samples to subcontract lab?
Yes	Is the project identification on the chain of custody?
No	Are the analyses requested printed on the sample containers?
Yes	Were all samples correctly identified?
Yes	Were the analyses correctly identified on the chain of custody or an attached document listed on the chain of custody?
Yes	Were sample dates and times listed on the chain of custody?
Yes	Were the chains of custody signed by both the relinquisher and receiver of the samples?
See note	Was the carrier identified on the chain of custody?
Yes	If more than one chain of custody was needed for samples, are the chains of custody clearly numbered?
See note	Were samples packed on wet ice, with an expected receipt temperature of 4 ± 2°C?
NA	Were any sample conditions or irregularities (broken bottles, improper temperature) noted on the chain of custody or accompanying paperwork?
Yes	Was the chain of custody submitted as part of the report to the primary contractor?
Yes	Were all requested analyses performed?
Yes	Was adequate sample volume provided to the contractor lab?
NA	If any anomalous behavior of the samples was found, was it noted in the lab case narrative?

Additional sample custody issues or deficiencies:

Samples were logged in prior to field sampling. The login printout acted as the chain of custody for the samples.

Samples were delivered directly to lab from field team.

Samples were stored in a refrigerated trailer with a temperature of 4 ± 2°C, no wet ice was used.

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: Metals (e.g. Silver, Arsenic)

List Metals Analyzed: Sb, As, Be, Cd, Cr, Cu, Pb, Hg, Ni, Se, Ag, Tl, Zn, Cr(III), Cr(VI)

Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: 6020, 7471

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	See note	Several blanks had exceedances above the lab reporting limit for zinc. The exeedances are below the target detection limit in the SAP.	
MS/MSD	1 set per 20 samples or per batch	Method-specifc spike recovery and RSD precision limits	N	Zinc and lead had exceedances for one spike, indicating a potential matrix interferent in the sample.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Sample/supplier-specific recovery limits	NA	See LCS	
LCS/LFB	1 per 20 samples or 1 per batch up to 20 samples	Method-specific spike recovery limits	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	Minimum - check calibration at middle and end of each batch or 1 per 10 analyses, whichever is greater	Method-specific recovery limits	Y		
LDR	Verify LDR once per quarter for ICP analyses and one time for mercury analysis		NA	Not provided by lab	
IC	Verify initial calibration for AA and mercury analysis performed daily	Method-specific calibration requirements	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: Metals (e.g. Silver, Arsenic)

List Metals Analyzed: Sb, As, Be, Cd, Cr, Cu, Pb, Hg, Ni, Se, Ag, Tl, Zn, Cr(III), Cr(VI)

Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: 6020, 7470

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Sample/supplier-specific recovery limits	NA	See LCS	
LCS/LFB	1 per 20 samples or 1 per batch up to 20 samples	Method-specific spike recovery limits	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	Minimum - check calibration at middle and end of each batch or 1 per 10 analyses, whichever is greater	Method-specific recovery limits	Y		
LDR	Verify LDR once per quarter for ICP analyses and one time for mercury analysis		NA	Not provided by lab	
IC	Verify initial calibration for AA and mercury analysis performed daily	Method-specific calibration requirements	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: Metals (e.g. Silver, Arsenic)

List Metals Analyzed: Sb, As, Be, Cd, Cr, Cu, Pb, Hg, Ni, Se, Ag, Tl, Zn, Cr(III), Cr(VI)

Matrix: ☐ Sediment ☐ Water/Elutriate ☑ Tissue

Analytical Method Used: 6020, 7471

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N	Several spike recoveries were slightly outside the lab acceptance criteria. This indicates a potential matrix inteference from the tissue. The exceedances were small and the overall impact is low. Additional information may be found in the report risk assessment.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Sample/supplier-specific recovery limits	NA	See LCS	
LCS/LFB	1 per 20 samples or 1 per batch up to 20 samples	Method-specific spike recovery limits	Y		
ICV	Immediately following calibration curve	Method-specific spike recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	Minimum - check calibration at middle and end of each batch or 1 per 10 analyses, whichever is greater	Method-specific spike recovery limits	Y		
LDR	Verify LDR once per quarter for ICP analyses and one time for mercury analysis		NA	Not provided by lab	
IC	Verify initial calibration for AA and mercury analysis performed daily	Method-specific calibration requirements	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: ☐ PAHs ☑ Pesticides ☐ PCBs
Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: 8081

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N	Several spikes were outside the lab acceptance criteria, indicating a potential matrix inteference in the samples. Most of the spikes and spike duplicates were within the laboratory acceptance criteria.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	Y		
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: ☐ PAHs ☑ Pesticides ☐ PCBs
Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: 8081

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N	Several spikes were outside the lab acceptance criteria, indicating a potential matrix inteference in the samples.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	N	Several surrogates were outside the standard acceptance criteria, primarily in the QC samples. The exceedances were generally small and should have low impact on the overall sample results.	
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: ☐ PAHs ☐ Pesticides ☑ PCBs
Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: 8082

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	Y		
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: ☐ PAHs ☐ Pesticides ☑ PCBs
Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: 8082

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	Y		
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: ☑ PAHs ☐ Pesticides ☐ PCBs
Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	See note	Several blanks had slight exceedances above the reporting limit. The compounds do not have screening criteria, and the overall impact on the sample results is low to none.	
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N	Several spikes were outside the lab acceptance criteria, indicating a potential matrix inteference in the samples.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	N	Use LCS for SRM. Several compounds had exceedances outside the laboratory acceptance criteria. The exceedances were generally small, indicating the impact on the project samples is low.	
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	Y		
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: ☑ PAHs ☐ Pesticides ☐ PCBs
Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N	Several spikes were outside the lab acceptance criteria, indicating a potential matrix inteference in the samples.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y	Use LCS for SRM.	
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	N	Several surrogates were outside the standard acceptance criteria, primarily in the QC samples. The exceedances were generally small and should have low impact on the overall sample results.	
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: ☑ PAHs ☐ Pesticides ☐ PCBs
Matrix: ☐ Sediment ☐ Water/Elutriate ☑ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	N	Due to the use of a tissue for the generation of lab QC, many of the recoveries were outside laboratory acceptance protocols. This is a requirement from TCEQ and the results should be usable for evaluation. The risk assessment section of the evaluation report also provides information about the final results.	
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	N		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	See note	Numerous surrogates were outside the acceptance criteria, likely due to matrix interferences from the tissue. A discussion of the tissue results may be found in section 3 of the sediment testing report which includes a risk assessment.	
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: ☐ PAHs ☐ Pesticides ☐ PCBs ☑ SVOCs
Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	See note	Several blanks had slight exceedances above the reporting limit. The compounds do not have screening criteria, and the overall impact on the sample results is low to none, given that nearly all sample results were below the reporting limit.	
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N	Several spikes were outside the lab acceptance criteria, indicating a potential matrix inteference in the samples.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	N	Use LCS for SRM. Several compounds had exceedances outside the laboratory acceptance criteria. The exceedances were generally small, indicating the impact on the project samples is low.	
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes except n-Nitrosodiphenylamine were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	Y		
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: ☐ PAHs ☐ Pesticides ☐ PCBs ☑ SVOCs
Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)		Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	See note	Several blanks had slight exceedances above the reporting limit. The compounds do not have screening criteria, and the overall impact on the sample results is low to none, given that nearly all sample results were below the reporting limit.	
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N	Several spikes were outside the lab acceptance criteria, indicating a potential matrix inteference in the samples.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	N	Use LCS for SRM. Several compounds had exceedances outside the laboratory acceptance criteria. The exceedances were generally small, indicating the impact on the project samples is low.	
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	N	Several surrogates were outside the standard acceptance criteria, primarily in the QC samples. The exceedances were generally small and should have low impact on the overall sample results.	
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/28/22

Parameter: ☐ PAHs ☐ Pesticides ☐ PCBs ☑ SVOCs
Matrix: ☐ Sediment ☐ Water/Elutriate ☑ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	N	Due to the use of a tissue for the generation of lab QC, many of the recoveries were outside laboratory acceptance protocols. This is a requirement from TCEQ and the results should be usable for evaluation. The risk assessment section of the evaluation report also provides information about the final results.	
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	N		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	See note	Numerous surrogates were outside the acceptance criteria, likely due to matrix interferences from the tissue. A discussion of the tissue results may be found in section 3 of the sediment testing report which includes a risk assessment.	
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor
Reviewed by: PLB
Review Date: 9/28/22

Parameter: Tributyltins
Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: Krone

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y	
MS/MSD/MST	1 set per 20 samples or per batch	40%	N	Several spikes had exceedances outside the lab acceptance criteria, indicating a likely matrix interference in the samples.
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y	
ICV	Immediately following calibration curve	75-125%	Y	Verification standards not provided, but lab case narrative indicates that all analytes were acceptable.
CCV	At the beginning of every 12 hours of analysis	75-125%	Y	
Surrogates	Every sample	20-150%	Y	
IC	Verify after each initial calibration	<20% RSD	Y	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab

Project Identification: PCCA CDP Inner Harbor
Reviewed by: PLB
Review Date: 9/28/22

Parameter: Tributyltins
Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: Krone

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y	
MS/MSD/MST	1 set per 20 samples or per batch	40%	Y	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y	
ICV	Immediately following calibration curve	75-125%	Y	Verification standards not provided, but lab case narrative indicates that all analytes were acceptable.
CCV	At the beginning of every 12 hours of analysis	75-125%	Y	
Surrogates	Every sample	20-150%	Y	
IC	Verify after each initial calibration	<20% RSD	Y	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 9/16/22

Parameter: TOC

Matrix: Sediment

Analytical Method Used: 9060

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y		
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 10/5/22

Part I	General Data Reporting Requirements	Included (Y/N)	Comments
SUMMARY TABULAR DATA AND PROJECT NARRATIVE			
Each of the following elements should be present as described.			
	A summary table listing the percent survival in all control, reference, and test samples	Y	
	A summary table containing the LC_{50}/EC_{50} values for the suspended particulate phase (SPP) tests and statistical tests from the solid phase tests	Y	
	A narrative which summarizes all of the deviations from the Green Book/Inland Testing Manual, Regional Implementation Agreement and SAP/QAPP protocols. Deviations of sample handling, test conditions, ammonia purging procedures, control performance, reference toxicant test performance, organism handling/acclimation, and water quality parameters should be provided in this section.	Y	
	A summary table which documents collection dates and holding times for the test, control, and reference sediment samples. Holding times for site water, SPP, and lab saltwater for all tests should be included in this table.	N	
	The data narrative should describe the major biological project activities and results. Computerized tables of results, water quality, and other pertinent information should be placed in this portion of the biological data package.	Y	
RAW BIOLOGICAL AND WATER QUALITY DATA FROM TESTS			
	Survival Data	Y	
	Water Quality Parameters	Y	
	Feeding Schedule and Amount (if applicable)	Y	
	Organism Observations	Y	
	Summary of Test Conditions	Y	
TEST ORGANISM HOLDING, HANDLING AND ACCLIMATION			
	Organism Shipping Data Sheet (or equivalent) if Provided by Supplier	Y	
	Copy of Overnight Shipping Airbill or Courier Tracking Information (if applicable)	NA	
	Holding/Acclimation Records (including any required water quality, renewals, and feeding)	N	
	Mortality During Holding and Acclimation	N	
	Taxonomic Identification for Each Species (where available from vendor)	Y	
REFERENCE TOXICANT DATA (where applicable)			
	Raw Bench Sheets For Reference Toxicant Tests	Y	
	Reference Toxicant Stock & Test Solution Preparation Sheet	Y	
	LC_{50}/EC_{50} Statistical Calculations	Y	
	Updated Reference Toxicant Control Charts with Acceptability Limits	Y	
STATISTICAL DATA FROM DREDGE MATERIAL TESTS			
	Provide all computer-generated statistical output information for the SPP and solid phase tests.	Y	
INVALID TEST DATA			
	If a test was repeated for any reason, the data from the original test must be included in the final report. If a serious deviation occurs which has the potential to affect test acceptability, USACE and EPA must be contacted immediately to determine if a retest is needed.	NA	

Part II	Test-Specific Information (additional to items specified in Part I)	Included (Y/N)	Comments
AMPHIPOD SOLID PHASE TEST			
	Pretest Overlying Water Renewal Log and Total Porewater Ammonia Data	Y	
	Total/Unionized Porewater Ammonia Measured in Dummy Jars During Testing	Y	
MYSID SOLID PHASE TEST			
	Pretest Overlying Water Renewal Log and Total Porewater Ammonia Data	Y	
	Total/Unionized Overlying Unionized Ammonia Measured During Testing	Y	
SUSPENDED PARTICULATE PHASE TESTS (SPP)			
	SPP Preparation Log (All volumes, Mixing Times, Centrifuge Information etc.)	Y	
BIOACCUMULATION TESTING			
	Daily Flow Calibration or Static Renewal Log	N	
	Preparation Logs for All Artificial Saltwater (if applicable)	N	
	If Control Survival <90%, Provide Detailed Narrative	NA	
	Statistical Data Output Information Comparing Test and Reference Tissue Chemistry	Y	
	Time 0 tissue samples collected and archived frozen	Y	
SAMPLING / SAMPLE HANDLING			
	Chain of Custody Forms for All Test, Control, and Reference Samples	Y	
	Field Data Sheets and/or Sampling Logs (Including Photos If Available)	Y	
	Log of Test Sediment Composite Preparation	Y	
	Sieving – Size of Mesh Used for Samples Used in Toxicity Tests/Bioaccumulation specified	Y	

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 10/5/22

Laboratory:	Suspended Particulate Phase Tests								
	Minnow	Review Comments	Data Acceptable (Y/N)	Mysid	Review Comments	Data Acceptable (Y/N)	Zooplankton	Review Comments	Data Acceptable (Y/N)
Test Species: Identify each species used for toxicology in the cells to the right	***Menidia beryllina* 9-14 days old**			***Americamysis bahia* 1-5 days old**			***Americamysis bahia* or *Copepod* ≤ 1 day old**		
Correct species used as stated in the SAP/QAPP? (Y/N)	Y	Although the salinity did not meet the criteria in the Sampling and Analysis Plan, they did meet the requirements for testing provided in Appendix E of the Inland Testing Manual. Since there were no exceedances in the test results, the salinity did not have an impact on testing.		Y	Although the salinity did not meet the criteria in the Sampling and Analysis Plan, they did meet the requirements for testing provided in Appendix E of the Inland Testing Manual. Since there were no exceedances in the test results, the salinity did not have an impact on testing.		Y	Although the salinity did not meet the criteria in the Sampling and Analysis Plan, they did meet the requirements for testing provided in Appendix E of the Inland Testing Manual. Since there were no exceedances in the test results, the salinity did not have an impact on testing.	
Control Survival Criterion Met (where applicable)? (Y/N)	Y			Y			Y		
Reference Toxicant Response within 2 standard deviations of long term mean (where applicable)? (Y/N)	Y			Y			Y		
Temperature within acceptable limits? (Y/N)	Y			Y			Y		
Dissolved Oxygen within acceptable limits? (Y/N)	Y			Y			Y		
pH within acceptable limits? (Y/N)	Y			Y			Y		
Salinity within acceptable limits? (Y/N)	N			N			N		
Acclimation Procedures followed (where required)? (Y/N)	NA			NA			NA		
Sediment Holding Time <8 wks? (Y/N)	Y			Y			Y		
Statistical Analyses Appropriate? (Y/N)	Y			Y			Y		
Ammonia Management conducted (where required)? (Y/N)	NA			NA			NA		

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 10/5/22

Laboratory:	Solid Phase Tests					
	Amphipod	Review Comments	Data Acceptable (Y/N)	Crustacean	Review Comments	Data Acceptable (Y/N)
Test Species: Identify each species used for toxicology in the cells to the right	***Leptocheirus plumulosus***			***Americamysis bahia (1 - 5 days old)***		
Correct species used as stated in the SAP/QAPP? (Y/N)	Y	Holding time for toxicology was based on the date of sample compositing at the laboratory. Although the salinity did not meet the criteria in the Sampling and Analysis Plan, they did meet the requirements for testing provided in Appendix E of the Inland Testing Manual. Since there were no exceedances in the test results, the salinity did not have an impact on testing.		Y	Holding time for toxicology was based on the date of sample compositing at the laboratory. Although the salinity did not meet the criteria in the Sampling and Analysis Plan, they did meet the requirements for testing provided in Appendix E of the Inland Testing Manual. Since there were no exceedances in the test results, the salinity did not have an impact on testing.	
Control Survival Criterion Met (where applicable)? (Y/N)	Y			Y		
Reference Toxicant Response within 2 standard deviations of long term mean (where applicable)? (Y/N)	Y			Y		
Temperature within acceptable limits? (Y/N)	Y			Y		
Dissolved Oxygen within acceptable limits? (Y/N)	Y			Y		
pH within acceptable limits? (Y/N)	Y			Y		
Salinity within acceptable limits? (Y/N)	N			N		
Acclimation Procedures followed (where required)? (Y/N)	NA			NA		
Sediment Holding Time <8 wks? (Y/N)	See note			See note		
Statistical Analyses Appropriate? (Y/N)	Y			Y		
Ammonia Management conducted (where required)? (Y/N)	NA			NA		

Project Identification: PCCA CDP Inner Harbor

Reviewed by: PLB

Review Date: 10/5/22

Laboratory:	Bioaccumulation Potential Tests					
	Sand Worm *Alitta virens*	**Review Comments**	**Data Acceptable (Y/N)**	**Clam *Mercenaria mercenaria***	**Review Comments**	**Data Acceptable (Y/N)**
Test Species: Identify each species used for toxicology in the cells to the right	***Neanthes (Nereis) virens***			***Merenaria mercenaria***		
Correct species used as stated in the SAP/QAPP? (Y/N)	Y	Although the salinity did not meet the criteria in the Sampling and Analysis Plan, they did meet the requirements for testing provided in Appendix E of the Inland Testing Manual. Since there were no exceedances in the test results, the salinity did not have an impact on testing.		Y	Although the salinity did not meet the criteria in the Sampling and Analysis Plan, they did meet the requirements for testing provided in Appendix E of the Inland Testing Manual. Since there were no exceedances in the test results, the salinity did not have an impact on testing.	
Control Survival Criterion Met (where applicable)? (Y/N)						
Reference Toxicant Response within 2 standard deviations of long term mean (where applicable)? (Y/N)						
Temperature within acceptable limits? (Y/N)	Y			Y		
Dissolved Oxygen within acceptable limits? (Y/N)	Y			Y		
pH within acceptable limits? (Y/N)	Y			Y		
Salinity within acceptable limits? (Y/N)	N			N		
Acclimation Procedures followed (where required)? (Y/N)	NA			NA		
Sediment Holding Time <8 wks? (Y/N)	Y			Y		
Statistical Analyses Appropriate? (Y/N)	Y			Y		
Ammonia Management conducted (where required)? (Y/N)	NA			NA		

EPA Region 6
Data Review and Validation Requirements
Dredged Material Disposal Evaluation

Project: PCCA CDP Resample - Inner Harbor MPRSA Section 103

Project Initiation Date: November 16, 2021

Project Sampling Dates:

Begin: January 21, 2023

End: January 27, 2023

Final Report Date:

Final Review Date: June 20, 2023

Data acceptable (Y/N):

If data unacceptable summarize issues to be addressed:

I certify the review in this document conforms to all applicable regulatory and project-specific requirements.



QA Officer

Laboratory Information

Use one sheet for each laboratory that will perform analytical work for this project.

Laboratory Name/Identification: North Water District Laboratory Services

Is lab NELAC certified? Yes/No If Yes, please supply certification number TCEQ T104704238-21-33

Can lab meet the QC requirements below as specified in the SAP/QAPP?

Yes/No	
Yes	Analytical requirement
Yes	Instrumentation
Yes	MDL's meet project TDL requirements
Yes	Precision and accuracy
Yes	Required turnaround time

Note below any requirements the laboratory is unable to meet.

Sediment, elutriate/site water, and tissue chemistry samples were also subcontracted from NWDLS to two other labs listed below:

A&B Labs NELAC accreditation number T104704213

ALS Laboratory in Kelso, WA accreditation number Texas CEQ T104704427

Grain size was subcontracted to Taylor Engineering. No NELAC accreditation is available for grain size.

Sample Custody

Was all required information on the chain-of-custody form:

(Yes/No)	
Yes	Did chain of custody forms accompany samples to subcontract lab?
Yes	Is the project identification on the chain of custody?
No, see note 1.	Are the analyses requested printed on the sample containers?
Yes	Were all samples correctly identified?
Yes	Were the analyses correctly identified on the chain of custody or an attached document listed on the chain of custody?
Yes	Were sample dates and times listed on the chain of custody?
Yes	Were the chains of custody signed by both the relinquisher and receiver of the samples?
Yes	Was the carrier identified on the chain of custody?
Yes	If more than one chain of custody was needed for samples, are the chains of custody clearly numbered?
Yes, see note 2.	Were samples packed on wet ice, with an expected receipt temperature of 4 ± 2°C?
No, see note 3.	Were any sample conditions or irregularities (broken bottles, improper temperature) noted on the chain of custody or accompanying paperwork?
Yes	Was the chain of custody submitted as part of the report to the primary contractor?
Yes	Were all requested analyses performed?
Yes	Was adequate sample volume provided to the contractor lab?
No, see note 3.	If any anomalous behavior of the samples was found, was it noted in the lab case narrative?

Additional sample custody issues or deficiencies:

Note 1. Samples were logged in prior to field sampling. The login printout with analyses acted as the chain of custody for the samples.

Note 2. Samples were stored in the refrigerated trailer or iced in coolers for storage and shipment to NWDLS.

Note 3. No irregularities or anomalous behavior was noted on the report or COCs.

List of Acronyms

CCV	continuing calibration verification
IC	initial calibration
ICB	initial calibration blank
ICV	initial calibration verification
IS	internal standard
LCS/DLCS	laboratory control sample/duplicate laboratory control sample
LDR	linear dynamic range
LFB	laboratory fortified blank
MB	method blank
MDL	method detection limit
MN	*Macoma nasuta*
MS/MSD	matrix spike/matrix spike duplicate
NV	*Neanthes virens*
RL	reporting limit
SAP/QAPP	Sampling and Analysis Plan/Quality Assurance Project Plan
RIA	EPA Region 6 - Regional Implementation Manual
SRM	standard reference material

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 5/22/23

Parameter: Metals (e.g. Silver, Arsenic)

List Metals Analyzed: Sb, As, Be, Cd, Cr, Cu, Pb, Hg, Ni, Se, Ag, Tl, Zn, Cr(III), Cr(VI)

Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: 6020, 7471

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specifc spike recovery and RSD precision limits	See note	Several spikes, primarily for antimony, were outside acceptance criteria, indicating a potential matrix interference in the samples.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Sample/supplier-specific recovery limits	NA	See LCS	
LCS/LFB	1 per 20 samples or 1 per batch up to 20 samples	Method-specific spike recovery limits	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	Minimum - check calibration at middle and end of each batch or 1 per 10 analyses, whichever is greater	Method-specific recovery limits	Y		
LDR	Verify LDR once per quarter for ICP analyses and one time for mercury analysis		NA	Not provided by lab	
IC	Verify initial calibration for AA and mercury analysis performed daily	Method-specific calibration requirements	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 5/22/23

Parameter: Metals (e.g. Silver, Arsenic)

List Metals Analyzed: Sb, As, Be, Cd, Cr, Cu, Pb, Hg, Ni, Se, Ag, Tl, Zn, Cr(III), Cr(VI)

Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: 6020, 7470

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	See note	Lead had one spike recovery below the acceptance criteria. All other spikes were acceptable.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Sample/supplier-specific recovery limits	NA	See LCS	
LCS/LFB	1 per 20 samples or 1 per batch up to 20 samples	Method-specific spike recovery limits	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	ICV and CCV recoveries are not provided, but the lab report indicates there were no exceedances.	
CCV	Minimum - check calibration at middle and end of each batch or 1 per 10 analyses, whichever is greater	Method-specific recovery limits	Y		
LDR	Verify LDR once per quarter for ICP analyses and one time for mercury analysis		NA	Not provided by lab	
IC	Verify initial calibration for AA and mercury analysis performed daily	Method-specific calibration requirements	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 6/20/23

Parameter: Metals (e.g. Silver, Arsenic)

List Metals Analyzed: Sb, As, Be, Cd, Cr, Cu, Pb, Hg, Ni, Se, Ag, Tl, Zn

Matrix: ☐ Sediment ☐ Water/Elutriate ☑ Tissue

Analytical Method Used: 6020, 7471

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	See note	All spikes were acceptable with the exception of silver. The exceedance for silver is likely due to matrix interference.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Sample/supplier-specific recovery limits	NA	See LCS	
LCS/LFB	1 per 20 samples or 1 per batch up to 20 samples	Method-specific spike recovery limits	See note	All LCS recoveries were acceptable with the exception of silver. The exceedance for silver is likely due to matrix interference.	
ICV	Immediately following calibration curve	Method-specific spike recovery limits	Y	ICV and CCV recoveries are not provided, but the lab report indicates there were no exceedances.	
CCV	Minimum - check calibration at middle and end of each batch or 1 per 10 analyses, whichever is greater	Method-specific spike recovery limits	Y		
LDR	Verify LDR once per quarter for ICP analyses and one time for mercury analysis		NA	Not provided by lab	
IC	Verify initial calibration for AA and mercury analysis performed daily	Method-specific calibration requirements	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 5/22/23

Parameter: ☐ PAHs ☑ Pesticides ☐ PCBs
Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: 8081

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	See note	Use LCS as SRM. 4,4' DDT had one small exceedance outside the lab acceptance criteria for one LCS. All other compounds were acceptable.	
ICV	Immediately following calibration curve	Method-specific recovery limits	See note	Several calibration verification standards were above the acceptance criteria. Since all sample results for the affected compounds were below detection, there is no impact to the results.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits			
Surrogates	Every sample	Method-specific recovery limits	Y		
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 5/22/23

Parameter: ☐ PAHs ☑ Pesticides ☐ PCBs
Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: 8081

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y	Use LCS as SRM	
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	ICV and CCV recoveries are not provided, but the lab report indicates there were no exceedances.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	Y		
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 5/22/23

Parameter: ☐ PAHs ☐ Pesticides ☑ PCBs
Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: 8082

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	ICV and CCV recoveries are not provided, but the lab report indicates there were no exceedances.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	See note	Several surrogates were above the acceptance criteria. All sample results were below detection, so the overall impact is low to none.	
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 5/22/23

Parameter: ☐ PAHs ☐ Pesticides ☑ PCBs
Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: 8082

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N	Aroclor 1016 had results below the MDL. All results are below the lab detection limit, so the impact is likely low.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	N	Spikes had recoveries slightly below the lab acceptance limit. All results are below the lab detection limit, so the impact is likely low.	
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	ICV and CCV recoveries are not provided, but the lab report indicates there were no exceedances.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	See note	Several surrogates were above the acceptance criteria. All sample results were below detection, so the overall impact is low to none.	
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 5/22/23

Parameter: ☑ PAHs ☐ Pesticides ☐ PCBs
Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	See note	Use blank spike/LCS as SRM. Benzo(b)fluoranthene had one exceedance for the blank spike. Since the results are below detection, the overall impact is low.	
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	ICV and CCV recoveries are not provided, but the lab report indicates there were no exceedances.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	See note	Several surrogates were outside the acceptance criteria. The exceedances were generally above the limit, indicating a potential high bias in the sample results. For any results which exceeded the reporting limit, tissue analysis was performed.	
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 5/22/23

Parameter: ☑ PAHs ☐ Pesticides ☐ PCBs
Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	ICV and CCV recoveries are not provided, but the lab report indicates there were no exceedances.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	Y		
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 5/22/23

Parameter: ☐ PAHs ☐ Pesticides ☐ PCBs ☑ SVOCs
Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	N	Several compounds across all the batches tested had exceedances above the reporting limit.	
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N	The matrix spikes had exceedances outside the acceptance criteria. The sample with the most exceedances also had high levels of SVOC contaminants, and also indicates a likely matrix interference in the sample. The sample was rerun several times to address the spike recovery exceedances.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	See note	Used Blank Spike/LCS for SRM. Several compounds had exceedances outside the acceptance criteria. Since the exceedances are generally small, the overall impact is low.	
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	ICV and CCV recoveries are not provided, but the lab report indicates there were no exceedances.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	See note	Several surrogates were outside the acceptance criteria. The exceedances were generally above the limit, indicating a potential high bias in the sample results. For any results which exceeded the reporting limit, tissue analysis was performed.	
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 5/22/23

Parameter: ☐ PAHs ☐ Pesticides ☐ PCBs ☑ SVOCs
Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)		Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	N	Several compounds had exceedances above the reporting limit.	
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	N	Use blank spike as SRM. Several compounds had slight exceedances outside the lab acceptance criteria. All other compounds tested were within acceptance criteria.	
ICV	Immediately following calibration curve	Method-specific recovery limits	See note	Several calibration verification standards were above the acceptance criteria. Since all sample results for the affected compounds were below detection, there is no impact to the results.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits			
Surrogates	Every sample	Method-specific recovery limits	Y		
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 6/20/23

Parameter: ☐ PAHs ☐ Pesticides ☐ PCBs ☑ SVOCs
Matrix: ☐ Sediment ☐ Water/Elutriate ☑ Tissue

Analytical Method Used: 8270

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	N	Several blanks had hits above the MRL, likely due to the use of tissue in the blank.	
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	N	Several spikes were outside the lab acceptance criteria, likely due to matrix interference.	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	N	Several blank spikes were outside the lab acceptance criteria, likely due to the use of tissue in the blank spike. The exceedances were generally small, and the results were compared using the 8 factors where the sample results exceeded the reference.	
ICV	Immediately following calibration curve	Method-specific recovery limits	Y	ICV and CCV recoveries are not provided, but the lab report indicates there were no exceedances.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits	Y		
Surrogates	Every sample	Method-specific recovery limits	Y		
Internal Standard	Every sample	Method-specific recovery limits	NA	Not provided by lab	
IC	Verify after each initial calibration	Method-specific acceptibility limits	Y	Maintained at lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	
ICB	Immediately after initial calibration	No analyte should be detected > RL	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample
Reviewed by: PLB
Review Date: 6/19/23

Parameter: Organotins
Matrix: ☑ Sediment ☐ Water/Elutriate ☐ Tissue

Analytical Method Used: Krone

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y	
MS/MSD/MST	1 set per 20 samples or per batch	40%	Y	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y	LCS used as SRM.
ICV	Immediately following calibration curve	75-125%	See note	CCV/ICV data not provided, but case narrative does not indicate any exceedances for sediment.
CCV	At the beginning of every 12 hours of analysis	75-125%		
Surrogates	Every sample	20-150%	Y	Met lab acceptance criteria
IC	Verify after each initial calibration	<20% RSD	NA	Not provided by lab
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab

Project Identification: PCCA CDP Inner Harbor Re-Sample
Reviewed by: PLB
Review Date: 6/19/23

Parameter: Organotins
Matrix: ☐ Sediment ☑ Water/Elutriate ☐ Tissue

Analytical Method Used: Krone

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y	
MS/MSD/MST	1 set per 20 samples or per batch	40%	Y	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y	LCS used as SRM.
ICV	Immediately following calibration curve	75-125%	See note	CCV/ICV data not provided. Case narrative from ALS indicates that samples had to be reanalyzed due to a CCV failure.
CCV	At the beginning of every 12 hours of analysis	75-125%		
Surrogates	Every sample	20-150%	See note	One sample had exceedances in the surrogate. All corresponding sample results were below the corresponding reporting limit from the lab.
IC	Verify after each initial calibration	<20% RSD	NA	Not provided by lab
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab

Project Identification: PCCA CDP Inner Harbor Re-Sample
Reviewed by: PLB
Review Date: 6/19/23

Parameter: Organotins (monobutyltin only)
Matrix: ☐ Sediment ☐ Water/Elutriate ☑ Tissue

Analytical Method Used: Krone

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y	
MS/MSD/MST	1 set per 20 samples or per batch	40%	Y	
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y	LCS used as SRM.
ICV	Immediately following calibration curve	75-125%	See note	CCV/ICV data not provided.
CCV	At the beginning of every 12 hours of analysis	75-125%		
Surrogates	Every sample	20-150%	See note	The laboratory indicated that several surrogates were outside the lab acceptance criteria. For surrogates above the acceptance criteria, the sample results were above detection limit and no further action was necessary. For surrogate below the acceptance criteria, the lab indicates that the results showed matrix interference and was not run. Since the sample results were below detection, the overall impact is low.
IC	Verify after each initial calibration	<20% RSD	NA	Not provided by lab

MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab

Note: Although the laboratory reported the data with an H qualifier, indicating the result was analyzed past holding time, the tissues were frozen during storage and the holding time is suspended, so the results were not impacted by the standard laboratory holding times for solid material.

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 6/19/23

Parameter: TOC

Matrix: Sediment

Analytical Method Used: 9060

QC Measurement	Frequency	Acceptance Criteria	Criteria Met (Y/N)	Review Comments	Data Acceptable (Y/N)
MB	1 per 20 samples or 1 per batch up to 20 samples	No analyte should be detected > RL	Y		
MS/MSD	1 set per 20 samples or per batch	Method-specific spike recovery and RSD precision limits	Y		
SRM	1 per 20 samples or 1 per batch up to 20 samples	Within limits specified by provider	Y		
ICV	Immediately following calibration curve	Method-specific recovery limits	See note	Verification standards not provided, but lab indicates that all analytes were acceptable.	
CCV	At the beginning of every 12 hours of analysis	Method-specific recovery limits			
IC	Verify after each initial calibration	Method-specific acceptibility limits	NA	Not provided by lab	
MDL	Verify MDL study once per year for each analyte of interest	Updated annually	Y	Maintained at lab	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 6/19/23

Part I	General Data Reporting Requirements	Included (Y/N)	Comments
SUMMARY TABULAR DATA AND PROJECT NARRATIVE			
Each of the following elements should be present as described.			
	A summary table listing the percent survival in all control, reference, and test samples	Y	
	A summary table containing the LC_{50}/EC_{50} values for the suspended particulate phase (SPP) tests and statistical tests from the solid phase tests	Y	
	A narrative which summarizes all of the deviations from the Green Book/Inland Testing Manual, Regional Implementation Agreement and SAP/QAPP protocols. Deviations of sample handling, test conditions, ammonia purging procedures, control performance, reference toxicant test performance, organism handling/acclimation, and water quality parameters should be provided in this section.	Y	
	A summary table which documents collection dates and holding times for the test, control, and reference sediment samples. Holding times for site water, SPP, and lab saltwater for all tests should be included in this table.	Y	
	The data narrative should describe the major biological project activities and results. Computerized tables of results, water quality, and other pertinent information should be placed in this portion of the biological data package.	Y	
RAW BIOLOGICAL AND WATER QUALITY DATA FROM TESTS			
	Survival Data	Y	
	Water Quality Parameters	Y	
	Feeding Schedule and Amount (if applicable)	Y	
	Organism Observations	Y	
	Summary of Test Conditions	Y	
TEST ORGANISM HOLDING, HANDLING AND ACCLIMATION			
	Organism Shipping Data Sheet (or equivalent) if Provided by Supplier	Y	For species not laboratory grown.
	Copy of Overnight Shipping Airbill or Courier Tracking Information (if applicable)	NA	
	Holding/Acclimation Records (including any required water quality, renewals, and feeding)	Y	For samples not cultured at the laboratory
	Mortality During Holding and Acclimation	N	Mortality not provided, samples held for less than 2 days after receipt for test setup.
	Taxonomic Identification for Each Species (where available from vendor)	Y	Provided by supplier
REFERENCE TOXICANT DATA (where applicable)			
	Raw Bench Sheets For Reference Toxicant Tests	Y	
	Reference Toxicant Stock & Test Solution Preparation Sheet	Y	
	LC_{50}/EC_{50} Statistical Calculations	Y	
	Updated Reference Toxicant Control Charts with Acceptability Limits	Y	
STATISTICAL DATA FROM DREDGE MATERIAL TESTS			
	Provide all computer-generated statistical output information for the SPP and solid phase tests.	Y	
INVALID TEST DATA			
	If a test was repeated for any reason, the data from the original test must be included in the final report. If a serious deviation occurs which has the potential to affect test acceptability, USACE and EPA must be contacted immediately to determine if a retest is needed.	NA	

Part II	Test-Specific Information (additional to items specified in Part I)	Included (Y/N)	Comments
AMPHIPOD SOLID PHASE TEST			
	Pretest Overlying Water Renewal Log and Total Porewater Ammonia Data	Y	
	Total/Unionized Porewater Ammonia Measured in Dummy Jars During Testing	Y	
MYSID SOLID PHASE TEST			
	Pretest Overlying Water Renewal Log and Total Porewater Ammonia Data	Y	
	Total/Unionized Overlying Unionized Ammonia Measured During Testing	Y	
SUSPENDED PARTICULATE PHASE TESTS (SPP)			This information is spread across several different tables, but is present in the report.
	SPP Preparation Log (All volumes, Mixing Times, Centrifuge Information etc.)	Y	
BIOACCUMULATION TESTING			
	Daily Flow Calibration or Static Renewal Log	N	
	Preparation Logs for All Artificial Saltwater (if applicable)	Y	
	If Control Survival <90%, Provide Detailed Narrative	NA	
	Statistical Data Output Information Comparing Test and Reference Tissue Chemistry	Y	
	Time 0 tissue samples collected and archived frozen	Y	
SAMPLING / SAMPLE HANDLING			
	Chain of Custody Forms for All Test, Control, and Reference Samples	Y	The lab report indicates the sediment was sieved for the benthic and bioaccumulation, but the sieve size is not specified.
	Field Data Sheets and/or Sampling Logs (Including Photos If Available)	Y	
	Log of Test Sediment Composite Preparation	Y	
	Sieving – Size of Mesh Used for Samples Used in Toxicity Tests/Bioaccumulation specified	N	

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 6/19/23

Laboratory:	Suspended Particulate Phase Tests								
	Minnow	Review Comments	Data Acceptable (Y/N)	Mysid	Review Comments	Data Acceptable (Y/N)	Zooplankton	Review Comments	Data Acceptable (Y/N)
Test Species: Identify each species used for toxicology in the cells to the right	***Menidia beryllina* 9-14 days old**			***Americamysis bahia* 1-5 days old**			***Americamysis bahia* or *Copepod* ≤ 1 day old**		
Correct species used as stated in the SAP/QAPP? (Y/N)	Y			Y			Y		
Control Survival Criterion Met (where applicable)? (Y/N)	Y			Y			Y		
Reference Toxicant Response within 2 standard deviations of long term mean (where applicable)? (Y/N)	Y			Y			Y		
Temperature within acceptable limits? (Y/N)	Y			Y			Y		
Dissolved Oxygen within acceptable limits? (Y/N)	Y			Y			Y		
pH within acceptable limits? (Y/N)	Y			Y			Y		
Salinity within acceptable limits? (Y/N)	Y			Y			Y		
Acclimation Procedures followed (where required)? (Y/N)	NA			NA			NA		
Sediment Holding Time <8 wks? (Y/N)	Y			Y			Y		
Statistical Analyses Appropriate? (Y/N)	Y			Y			Y		
Ammonia Management conducted (where required)? (Y/N)	NA			NA			NA		

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 6/19/23

Laboratory:	Solid Phase Tests					
	Amphipod	Review Comments	Data Acceptable (Y/N)	Crustacean	Review Comments	Data Acceptable (Y/N)
Test Species: Identify each species used for toxicology in the cells to the right	***Leptocheirus plumulosus***			***Americamysis bahia (1 - 5 days old)***		
Correct species used as stated in the SAP/QAPP? (Y/N)	Y	The temperature deviated from the value specified in the SAP. This was due to the CDP and Harbor Island projects being analyzed together, and the value in the Harbor Island SAP being used. Based on the temperature used from Harbor Island being acceptable and the overall test results, the deviation does not appear to have had an impact on the test.		Y		
Control Survival Criterion Met (where applicable)? (Y/N)	Y			Y		
Reference Toxicant Response within 2 standard deviations of long term mean (where applicable)? (Y/N)	Y			Y		
Temperature within acceptable limits? (Y/N)	N			Y		
Dissolved Oxygen within acceptable limits? (Y/N)	Y			Y		
pH within acceptable limits? (Y/N)	Y			Y		
Salinity within acceptable limits? (Y/N)	Y			Y		
Acclimation Procedures followed (where required)? (Y/N)	NA			NA		
Sediment Holding Time <8 wks? (Y/N)	Y			Y		
Statistical Analyses Appropriate? (Y/N)	Y			Y		
Ammonia Management conducted (where required)? (Y/N)	NA			NA		

Project Identification: PCCA CDP Inner Harbor Re-Sample

Reviewed by: PLB

Review Date: 6/19/23

Laboratory:	Bioaccumulation Potential Tests					
	Sand Worm *Alitta virens*	**Review Comments**	**Data Acceptable (Y/N)**	**Clam *Mercenaria mercenaria***	**Review Comments**	**Data Acceptable (Y/N)**
Test Species: Identify each species used for toxicology in the cells to the right	***Neanthes (Nereis) virens***			***Merenaria mercenaria***		
Correct species used as stated in the SAP/QAPP? (Y/N)	Y			Y	*Mercenaria mercenaria* used as alternate species to *Macoma nasuta* due to availability. This was approved by USACE on 2/3/23 by Jayson Hudson.	
Control Survival Criterion Met (where applicable)? (Y/N)						
Reference Toxicant Response within 2 standard deviations of long term mean (where applicable)? (Y/N)						
Temperature within acceptable limits? (Y/N)	Y			Y		
Dissolved Oxygen within acceptable limits? (Y/N)	Y			Y		
pH within acceptable limits? (Y/N)	Y			Y		
Salinity within acceptable limits? (Y/N)	Y			Y		
Acclimation Procedures followed (where required)? (Y/N)	NA			NA		
Sediment Holding Time <8 wks? (Y/N)	Y			Y		
Statistical Analyses Appropriate? (Y/N)	Y			Y		
Ammonia Management conducted (where required)? (Y/N)	NA			NA		

APPENDIX E

CHEMISTRY LAB REPORTS

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

June 06, 2022

LAB REPORT

Gregg Pawlak
Terracon_Houston
11555 Clay Road
Houston, TX 77043


Report ID: 20220606143726MM

RE: PCCA CDP 2022

The following test results meet all NELAP requirements for analytes for which certification is available. Any deviations from our quality system will be noted in the case narrative. All analyses performed by North Water District Laboratory Services, Inc. unless noted.

For questions regarding this report, contact Monica Martin at 936-321-6060.

Sincerely,



Monica O. Martin
Director of Laboratory Services

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Work Order Case Narrative

A total of 30 samples were collected on:

Laboratory ID	Sample Name	Sample Date
22A3944-01	CDP-EQ BLANK	02/06/2022 14:30
22A3944-07	CDP-06-W	02/14/2022 17:25
22A3944-08	CDP-07-W	02/22/2022 16:00
22A3944-09	CDP-08-W	02/24/2022 12:25
22A3944-10	CDP-09-W	02/20/2022 17:25
22A3944-11	CDP-REF-W	03/03/2022 10:25
22A3944-12	CDP-ODMDS-W	03/03/2022 12:02
22A3944-18	CDP-06-E	02/27/2022 12:24
22A3944-19	CDP-07-E	02/16/2022 18:47
22A3944-20	CDP-08-E	02/24/2022 17:50
22A3944-21	CDP-09-E	02/20/2022 15:30
22A3944-27	CDP-06-S	02/27/2022 12:24
22A3944-28	CDP-06-6A-S	02/11/2022 15:30
22A3944-29	CDP-06-6B-S	02/26/2022 09:45
22A3944-30	CDP-06-6C-S	02/27/2022 12:24
22A3944-31	CDP-07-S	02/16/2022 18:47
22A3944-32	CDP-07-7A-S	02/15/2022 15:10
22A3944-34	CDP-07-7C-S	02/16/2022 18:47
22A3944-35	CDP-08-S	02/24/2022 17:50
22A3944-36	CDP-08-8A-S	02/22/2022 13:20
22A3944-38	CDP-08-8C-S	02/24/2022 17:50
22A3944-39	CDP-09-S	02/20/2022 15:30
22A3944-40	CDP-09-9A-S	02/18/2022 17:31
22A3944-41	CDP-09-9C-S-CORE 1	02/19/2022 09:15
22A3944-42	CDP-09-9C-S-CORE 2	02/20/2022 15:30
22A3944-43	CDP-REF-S	03/03/2022 09:40
22A3944-44	CDP-ODMDS-S	03/03/2022 11:38
22A3944-45	CDP-DUP-S	02/11/2022 13:10
22A3944-46	CDP-DUP-W	02/26/2022 16:28
22A3944-47	CDP-DUP-E	02/28/2022 14:00

Samples were received and accepted at NWDLS on 02/15/2022 17:00 through 03/04/2022. Any receiving discrepancies are recorded and stored in NWDLS' database. The samples received a Work Order of 22A3944. The lab sample IDs, client sample IDs, and dates of collection can be found at the top of each result page.

NWDLS provided their lowest detection limit for all requested analyses. Note that detection and reporting limits are adjusted to account for sample specific parameters.

Any QC that did not meet the laboratory specified control limits was flagged and reported with qualifiers. This includes any calibration QC and specific qualifiers include "CB" for any calibration blanks exceeding limits and "C" for any calibration verifications not meeting control limits. For additional information, please refer to the included quality control data pages.

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results

Client Sample ID: CDP-EQ BLANK
Lab Sample ID: 22A3944-01
Sample Alias:

Sample Matrix: 18 MOhm DI Water
Date Collected: 02/06/2022 14:30
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BFB2807	02/22/2022 12:33	KEV
EPA 200.8	Selenium	A	<0.330	U	ug/L	1	0.330	5.00	BFB2766	02/21/2022 13:22	DAL
Metals, Dissolved											
EPA 200.8	Antimony	A	<0.200	U	ug/L	1	0.200	1.00	BFB2773	02/21/2022 14:44	DAL
EPA 200.8	Arsenic	A	<0.100	U	ug/L	1	0.100	0.500	BFB2773	02/21/2022 14:44	DAL
EPA 200.8	Beryllium	A	<0.0100	U	ug/L	1	0.0100	0.200	BFB2773	02/22/2022 09:34	DAL
EPA 200.8	Cadmium	A	<0.0500	U	ug/L	1	0.0500	1.00	BFB2773	02/21/2022 14:44	DAL
EPA 200.8	Chromium	A	0.186	J	ug/L	1	0.0800	3.00	BFB2773	02/21/2022 14:44	DAL
EPA 200.8	Copper	A	0.243	J	ug/L	1	0.200	1.00	BFB2773	02/21/2022 14:44	DAL
Calc	Chromium (III)		<1.58	U	ug/L	1	1.58	6.00	[CALC]	02/21/2022 14:44	SAB
SM 3500-Cr B	Chromium (VI)	A	<1.50	U	ug/L	1	1.50	3.00	BFB1206	02/09/2022 18:17	SAB
EPA 200.8	Lead	A	<0.100	U	ug/L	1	0.100	0.500	BFB2773	02/21/2022 14:44	DAL
EPA 200.8	Nickel	A	0.0790	J	ug/L	1	0.0500	1.00	BFB2773	02/21/2022 14:44	DAL
EPA 200.8	Silver	A	<0.0300	U	ug/L	1	0.0300	0.500	BFB2773	02/21/2022 14:44	DAL
EPA 200.8	Thallium	A	<0.0300	U	ug/L	1	0.0300	0.500	BFB2773	02/21/2022 14:44	DAL
EPA 200.8	Zinc	A	1.26	J	ug/L	1	0.200	2.00	BFB2773	02/22/2022 09:34	DAL

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-W
Lab Sample ID: 22A3944-07
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/14/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	1,2-Diphenylhydrazine	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	2,4,6-Trichlorophenol	A	<0.553	U	ug/L	1	0.553	1.11	BFB2791	03/04/2022 00:53	KRB
SW-8270	2,4-Dichlorophenol	A	<0.553	U	ug/L	1	0.553	1.11	BFB2791	03/04/2022 00:53	KRB
SW-8270	2,4-Dimethylphenol	A	<0.553	U	ug/L	1	0.553	1.11	BFB2791	03/04/2022 00:53	KRB
SW-8270	2,4-Dinitrophenol	A	<4.44	U	ug/L	1	4.44	4.44	BFB2791	03/04/2022 00:53	KRB
SW-8270	2-Chloronaphthalene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	2-Chlorophenol	A	<0.553	U	ug/L	1	0.553	1.11	BFB2791	03/04/2022 00:53	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<0.553	U	ug/L	1	0.553	1.11	BFB2791	03/04/2022 00:53	KRB
SW-8270	2-Nitrophenol	A	<0.553	U	ug/L	1	0.553	1.11	BFB2791	03/04/2022 00:53	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	4-Chloro-3-methylphenol	A	<0.553	U	ug/L	1	0.553	1.11	BFB2791	03/04/2022 00:53	KRB
SW-8270	4-Chlorophenyl phenylether	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	4-Nitrophenol	A	<4.44	U	ug/L	1	4.44	4.44	BFB2791	03/04/2022 00:53	KRB
SW-8270	Acenaphthene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Acenaphthylene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Anthracene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Benzo(a)anthracene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Benzo(a)pyrene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	benzo(b&k)fluoranthene	A	0.412	J	ug/L	1	0.277	1.11	BFB2791	03/04/2022 00:53	KRB
SW-8270	Benzo(g,h,i)perylene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Butyl benzyl phthalate	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Chrysene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Diethyl phthalate	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Dimethyl phthalate	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Di-n-butyl phthalate	A	<0.277	B, U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Di-n-octyl phthalate	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Fluoranthene	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-W (Continued)
Lab Sample ID: 22A3944-07
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/14/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)										
SW-8270	Fluorene	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Hexachlorobenzene	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Hexachlorocyclopentadiene	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Hexachloroethane	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Isophorone	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Naphthalene	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Nitrobenzene	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	n-Nitrosodimethylamine	A	<0.277U	ug/L	1	0.277	2.22	BFB2791	03/04/2022 00:53	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	n-Nitrosodiphenylamine	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Pentachlorophenol	A	<0.553U	ug/L	1	0.553	1.11	BFB2791	03/04/2022 00:53	KRB
SW-8270	Phenanthrene	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	Phenol, Total	A	<0.553U	ug/L	1	0.553	1.11	BFB2791	03/04/2022 00:53	KRB
SW-8270	Pyrene	A	<0.277U	ug/L	1	0.277	0.555	BFB2791	03/04/2022 00:53	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*98.2%*	*54.6-148*					*03/04/2022 00:53*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*104%*	*55-152*					*03/04/2022 00:53*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*102%*	*52.4-136*					*03/04/2022 00:53*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*99.6%*	*52-162*					*03/04/2022 00:53*	
SW-8270	*Surrogate: Phenol-d5-surr*		*104%*	*58.7-152*					*03/04/2022 00:53*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*122%*	*51.9-147*					*03/04/2022 00:53*	
Organics by GC										
SW-8081	4,4'-DDD	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	4,4'-DDE	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	4,4'-DDT	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Aldrin	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Chlordane (tech.)	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	delta-BHC	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Dieldrin	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Endosulfan I	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Endosulfan II	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Endosulfan sulfate	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-W (Continued)
Lab Sample ID: 22A3944-07
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/14/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)										
SW-8081	Endrin	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Endrin aldehyde	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Endrin ketone	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	gamma-Chlordane	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Heptachlor	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Heptachlor epoxide	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Methoxychlor	A	<0.00599U	ug/L	1	0.00599	0.00599	BFB2812	03/05/2022 06:07	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.299U	ug/L	1	0.299	0.299	BFB2812	03/05/2022 06:07	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*124%*	*60-140*					*03/05/2022 06:07*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*116%*	*60-140*					*03/05/2022 06:07*	
SW-8082	PCBs, Total	A	<0.00600U	ug/L	1	0.00600	0.120	BFB2975	03/01/2022 12:01	SO
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*106%*	*60-140*					*03/01/2022 12:01*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*84.3%*	*60-140*					*03/01/2022 12:01*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<0.459U	mg/L	1	0.459	4.59	BFB3481	02/25/2022 21:19	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*68.0% S*	*70-130*					*02/25/2022 21:19*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*83.9%*	*70-130*					*02/25/2022 21:19*	
Metals, Total										
EPA 245.1	Mercury	A	<0.150U	ug/L	1	0.150	0.200	BFB2807	02/22/2022 12:23	KEV
EPA 200.8	Selenium	A	<1.65U	ug/L	5	1.65	25.0	BFB2766	02/21/2022 13:29	DAL
Metals, Dissolved										
EPA 200.8	Antimony	A	<2.00A, U	ug/L	10	2.00	10.0	BFB2773	02/21/2022 14:51	DAL
EPA 200.8	Arsenic	A	8.68	ug/L	10	1.00	5.00	BFB2773	02/21/2022 14:51	DAL
EPA 200.8	Beryllium	A	<0.100A, U	ug/L	10	0.100	2.00	BFB2773	02/22/2022 09:41	DAL
EPA 200.8	Cadmium	A	<0.500A, U	ug/L	10	0.500	10.0	BFB2773	02/21/2022 14:51	DAL
EPA 200.8	Chromium	A	<0.800A, U	ug/L	10	0.800	30.0	BFB2773	02/21/2022 14:51	DAL
EPA 200.8	Copper	A	<2.00A, U	ug/L	10	2.00	10.0	BFB2773	02/21/2022 14:51	DAL
Calc	Chromium (III)		<2.30U	ug/L	10	2.30	33.0	[CALC]	03/01/2022 21:01	EM
SM 3500-Cr B	Chromium (VI)	A	5.61	ug/L	1	1.50	3.00	BFC0122	03/01/2022 21:01	EM
EPA 200.8	Lead	A	<1.00A, U	ug/L	10	1.00	5.00	BFB2773	02/21/2022 14:51	DAL
EPA 200.8	Nickel	A	<0.500A, U	ug/L	10	0.500	10.0	BFB2773	02/21/2022 14:51	DAL
EPA 200.8	Silver	A	<0.300A, U	ug/L	10	0.300	5.00	BFB2773	02/21/2022 14:51	DAL
EPA 200.8	Thallium	A	<0.300A, U	ug/L	10	0.300	5.00	BFB2773	02/21/2022 14:51	DAL
EPA 200.8	Zinc	A	<2.00A, U	ug/L	10	2.00	20.0	BFB2773	02/22/2022 09:41	DAL

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-W (Continued)
Lab Sample ID: 22A3944-07
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/14/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
EPA 350.1	Ammonia as N	A	0.375		mg/L	2	0.0400	0.100	BFB2941	02/24/2022 12:21	JLK
SM 2520 B	Salinity	N	27.1		Salinity units	1	1.00	1.00	BFC1379	03/10/2022 13:20	CST
SM 2540 D	Residue-nonfilterable (TSS)	A	7.89		mg/L	1	1.00	1.00	BFB2790	02/22/2022 10:19	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-W
Lab Sample ID: 22A3944-07RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/14/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/22/2022 15:04	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/22/2022 15:04	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/22/2022 15:04	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/22/2022 15:04	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*94.4%*		*54.6-148*					*03/22/2022 15:04*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*116%*		*55-152*					*03/22/2022 15:04*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*90.6%*		*52.4-136*					*03/22/2022 15:04*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*114%*		*52-162*					*03/22/2022 15:04*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*140%*		*58.7-152*					*03/22/2022 15:04*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*92.8%*		*51.9-147*					*03/22/2022 15:04*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-W
Lab Sample ID: 22A3944-07RE2
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/14/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/25/2022 09:53	KRB
SW-8270	Benzidine (Rerun)	A	<0.277	U	ug/L	1	0.277	0.555	BFB2791	03/25/2022 09:53	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*83.4%*		*54.6-148*					*03/25/2022 09:53*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*86.7%*		*55-152*					*03/25/2022 09:53*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*56.0%*		*52.4-136*					*03/25/2022 09:53*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.8%*		*52-162*					*03/25/2022 09:53*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*77.3%*		*58.7-152*					*03/25/2022 09:53*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*73.7%*		*51.9-147*					*03/25/2022 09:53*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-W
Lab Sample ID: 22A3944-08
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/22/2022 16:00
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	1,2-Diphenylhydrazine	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	2,4,6-Trichlorophenol	A	<0.546	U	ug/L	1	0.546	1.10	BFB3690	03/04/2022 18:39	KRB
SW-8270	2,4-Dichlorophenol	A	<0.546	U	ug/L	1	0.546	1.10	BFB3690	03/04/2022 18:39	KRB
SW-8270	2,4-Dimethylphenol	A	<0.546	U	ug/L	1	0.546	1.10	BFB3690	03/04/2022 18:39	KRB
SW-8270	2,4-Dinitrophenol	A	<4.39	U	ug/L	1	4.39	4.39	BFB3690	03/04/2022 18:39	KRB
SW-8270	2-Chloronaphthalene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	2-Chlorophenol	A	<0.546	U	ug/L	1	0.546	1.10	BFB3690	03/04/2022 18:39	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<0.546	U	ug/L	1	0.546	1.10	BFB3690	03/04/2022 18:39	KRB
SW-8270	2-Nitrophenol	A	<0.546	U	ug/L	1	0.546	1.10	BFB3690	03/04/2022 18:39	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	4-Chloro-3-methylphenol	A	<0.546	U	ug/L	1	0.546	1.10	BFB3690	03/04/2022 18:39	KRB
SW-8270	4-Chlorophenyl phenylether	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	4-Nitrophenol	A	<4.39	U	ug/L	1	4.39	4.39	BFB3690	03/04/2022 18:39	KRB
SW-8270	Acenaphthene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Acenaphthylene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Anthracene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Benzo(a)anthracene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Benzo(a)pyrene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	benzo(b&k)fluoranthene	A	<0.274	U	ug/L	1	0.274	1.10	BFB3690	03/04/2022 18:39	KRB
SW-8270	Benzo(g,h,i)perylene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Butyl benzyl phthalate	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Chrysene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Diethyl phthalate	A	<0.274	B, U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Dimethyl phthalate	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Di-n-octyl phthalate	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Fluoranthene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Fluorene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-W (Continued)
Lab Sample ID: 22A3944-08
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/22/2022 16:00
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	Hexachlorobenzene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Hexachlorocyclopentadiene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Hexachloroethane	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Isophorone	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Naphthalene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Nitrobenzene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	n-Nitrosodimethylamine	A	<0.274	U	ug/L	1	0.274	2.19	BFB3690	03/04/2022 18:39	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	n-Nitrosodiphenylamine	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Pentachlorophenol	A	<0.546	U	ug/L	1	0.546	1.10	BFB3690	03/04/2022 18:39	KRB
SW-8270	Phenanthrene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	Phenol, Total	A	1.19		ug/L	1	0.546	1.10	BFB3690	03/04/2022 18:39	KRB
SW-8270	Pyrene	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/04/2022 18:39	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*127%*		*54.6-148*					*03/04/2022 18:39*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*116%*		*55-152*					*03/04/2022 18:39*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*105%*		*52.4-136*					*03/04/2022 18:39*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*119%*		*52-162*					*03/04/2022 18:39*	
SW-8270	*Surrogate: Phenol-d5-surr*		*107%*		*58.7-152*					*03/04/2022 18:39*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*162%*	*S*	*51.9-147*					*03/04/2022 18:39*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	4,4'-DDE	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	4,4'-DDT	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Aldrin	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Chlordane (tech.)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	delta-BHC	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Dieldrin	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Endosulfan I	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Endosulfan II	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Endosulfan sulfate	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Endrin	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-W (Continued)
Lab Sample ID: 22A3944-08
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/22/2022 16:00
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)										
SW-8081	Endrin aldehyde	A	<0.00598U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Endrin ketone	A	<0.00598U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	A	<0.00598U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	gamma-Chlordane	A	<0.00598U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Heptachlor	A	<0.00598U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Heptachlor epoxide	A	<0.00598U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Methoxychlor	A	<0.00598U	ug/L	1	0.00598	0.00598	BFB3715	03/08/2022 10:09	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.299U	ug/L	1	0.299	0.299	BFB3715	03/08/2022 10:09	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*156% S*	*60-140*					*03/08/2022 10:09*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*119%*	*60-140*					*03/08/2022 10:09*	
SW-8082	PCBs, Total	A	<0.00600U	ug/L	1	0.00600	0.120	BFC0779	03/09/2022 01:01	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*89.7%*	*60-140*					*03/09/2022 01:01*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*70.9%*	*60-140*					*03/09/2022 01:01*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<0.448U	mg/L	1	0.448	4.48	BFC1098	03/11/2022 12:01	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*60.4% S*	*70-130*					*03/11/2022 12:01*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*85.3%*	*70-130*					*03/11/2022 12:01*	
Metals, Total										
EPA 245.1	Mercury	A	<0.150U	ug/L	1	0.150	0.200	BFC0003	03/08/2022 12:06	KEV
EPA 200.8	Selenium	A	3.45J	ug/L	10	3.30	50.0	BFC0427	03/03/2022 13:41	DAL
Metals, Dissolved										
EPA 200.8	Antimony	A	<2.00A, U	ug/L	10	2.00	10.0	BFC0228	03/02/2022 14:40	DAL
EPA 200.8	Arsenic	A	7.21	ug/L	10	1.00	5.00	BFC0228	03/02/2022 14:40	DAL
EPA 200.8	Beryllium	A	<0.100A, U	ug/L	10	0.100	2.00	BFC0228	03/02/2022 16:03	DAL
EPA 200.8	Cadmium	A	<0.500A, U	ug/L	10	0.500	10.0	BFC0228	03/02/2022 14:40	DAL
EPA 200.8	Chromium	A	<0.800A, U	ug/L	10	0.800	30.0	BFC0228	03/02/2022 14:40	DAL
EPA 200.8	Copper	A	4.90J	ug/L	10	2.00	10.0	BFC0228	03/02/2022 14:40	DAL
Calc	Chromium (III)		<2.30U	ug/L	10	2.30	33.0	[CALC]	03/14/2022 13:50	CTC
SM 3500-Cr B	Chromium (VI)	A	9.92	ug/L	1	1.50	3.00	BFC1943	03/14/2022 13:50	CTC
EPA 200.8	Lead	A	<1.00A, U	ug/L	10	1.00	5.00	BFC0228	03/02/2022 14:40	DAL
EPA 200.8	Nickel	A	0.893J	ug/L	10	0.500	10.0	BFC0228	03/02/2022 14:40	DAL
EPA 200.8	Silver	A	<0.300A, U	ug/L	10	0.300	5.00	BFC0228	03/02/2022 14:40	DAL
EPA 200.8	Thallium	A	<0.300A, U	ug/L	10	0.300	5.00	BFC0228	03/02/2022 14:40	DAL
EPA 200.8	Zinc	A	<2.00A, U	ug/L	10	2.00	20.0	BFC0228	03/02/2022 14:40	DAL
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-W (Continued)
Lab Sample ID: 22A3944-08
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/22/2022 16:00
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
EPA 350.1	Ammonia as N	A	0.558		mg/L	1	0.0200	0.0500	BFC2785	03/21/2022 12:27	CST
SM 2520 B	Salinity	N	27.6		Salinity units	1	1.00	1.00	BFC1379	03/10/2022 13:22	CST
SM 2540 D	Residue-nonfilterable (TSS)	A	16.1		mg/L	1	1.00	1.00	BFB3688	03/01/2022 15:05	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-W
Lab Sample ID: 22A3944-08RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/22/2022 16:00
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/23/2022 06:13	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/23/2022 06:13	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/23/2022 06:13	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.74	V	ug/L	1	0.274	0.549	BFB3690	03/23/2022 06:13	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/23/2022 06:13	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*116%*		*54.6-148*					*03/23/2022 06:13*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*127%*		*55-152*					*03/23/2022 06:13*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*102%*		*52.4-136*					*03/23/2022 06:13*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*139%*		*52-162*					*03/23/2022 06:13*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*148%*		*58.7-152*					*03/23/2022 06:13*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*111%*		*51.9-147*					*03/23/2022 06:13*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-W
Lab Sample ID: 22A3944-08RE2
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/22/2022 16:00
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/25/2022 14:32	KRB
SW-8270	Benzidine (Rerun)	A	<0.274	U	ug/L	1	0.274	0.549	BFB3690	03/25/2022 14:32	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*103%*		*54.6-148*					*03/25/2022 14:32*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*83.1%*		*55-152*					*03/25/2022 14:32*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*53.9%*		*52.4-136*					*03/25/2022 14:32*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*111%*		*52-162*					*03/25/2022 14:32*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*84.0%*		*58.7-152*					*03/25/2022 14:32*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*99.9%*		*51.9-147*					*03/25/2022 14:32*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-W
Lab Sample ID: 22A3944-09
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/24/2022 12:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	1,2-Diphenylhydrazine	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	2,4,6-Trichlorophenol	A	<0.555	U	ug/L	1	0.555	1.12	BFC0542	03/04/2022 19:31	KRB
SW-8270	2,4-Dichlorophenol	A	<0.555	U	ug/L	1	0.555	1.12	BFC0542	03/04/2022 19:31	KRB
SW-8270	2,4-Dimethylphenol	A	<0.555	U	ug/L	1	0.555	1.12	BFC0542	03/04/2022 19:31	KRB
SW-8270	2,4-Dinitrophenol	A	<4.46	U	ug/L	1	4.46	4.46	BFC0542	03/04/2022 19:31	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT)	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT)	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	2-Chlorophenol	A	<0.555	U	ug/L	1	0.555	1.12	BFC0542	03/04/2022 19:31	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	0.653	J	ug/L	1	0.555	1.12	BFC0542	03/04/2022 19:31	KRB
SW-8270	2-Nitrophenol	A	<0.555	U	ug/L	1	0.555	1.12	BFC0542	03/04/2022 19:31	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	4-Chloro-3-methylphenol	A	<0.555	U	ug/L	1	0.555	1.12	BFC0542	03/04/2022 19:31	KRB
SW-8270	4-Chlorophenyl phenylether	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	4-Nitrophenol	A	<4.46	U	ug/L	1	4.46	4.46	BFC0542	03/04/2022 19:31	KRB
SW-8270	Acenaphthene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Acenaphthylene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Anthracene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Benzo(a)anthracene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Benzo(a)pyrene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	benzo(b&k)fluoranthene	A	<0.279	U	ug/L	1	0.279	1.12	BFC0542	03/04/2022 19:31	KRB
SW-8270	Benzo(g,h,i)perylene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	bis(2-Chloroethyl) ether	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Butyl benzyl phthalate	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Chrysene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Diethyl phthalate	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Dimethyl phthalate	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Di-n-octyl phthalate	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-W (Continued)
Lab Sample ID: 22A3944-09
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/24/2022 12:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	Fluoranthene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Fluorene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Hexachlorobenzene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Hexachlorobutadiene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Hexachlorocyclopentadiene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Hexachloroethane	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Isophorone	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Naphthalene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Nitrobenzene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	n-Nitrosodimethylamine	A	<0.279	U	ug/L	1	0.279	2.23	BFC0542	03/04/2022 19:31	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	n-Nitrosodiphenylamine	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Pentachlorophenol	A	<0.555	U	ug/L	1	0.555	1.12	BFC0542	03/04/2022 19:31	KRB
SW-8270	Phenanthrene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	Phenol, Total	A	<0.555	U	ug/L	1	0.555	1.12	BFC0542	03/04/2022 19:31	KRB
SW-8270	Pyrene	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/04/2022 19:31	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*92.7%*		*54.6-148*					*03/04/2022 19:31*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*110%*		*55-152*					*03/04/2022 19:31*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*106%*		*52.4-136*					*03/04/2022 19:31*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*127%*		*52-162*					*03/04/2022 19:31*	
SW-8270	*Surrogate: Phenol-d5-surr*		*87.4%*		*58.7-152*					*03/04/2022 19:31*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*80.2%*		*51.9-147*					*03/04/2022 19:31*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	4,4'-DDE	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	4,4'-DDT	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Aldrin	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Chlordane (tech.)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	delta-BHC	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Dieldrin	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Endosulfan I	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-W (Continued)
Lab Sample ID: 22A3944-09
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/24/2022 12:25
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)										
SW-8081	Endosulfan II	A	<0.00598U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Endosulfan sulfate	A	<0.00598U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Endrin	A	<0.00598U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Endrin aldehyde	A	<0.00598U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Endrin ketone	A	<0.00598U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	A	<0.00598U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	gamma-Chlordane	A	<0.00598U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Heptachlor	A	<0.00598U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Heptachlor epoxide	A	<0.00598U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Methoxychlor	A	<0.00598U	ug/L	1	0.00598	0.00598	BFC0541	03/10/2022 05:37	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.299U	ug/L	1	0.299	0.299	BFC0541	03/10/2022 05:37	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*173% S*	*60-140*					*03/10/2022 05:37*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*123%*	*60-140*					*03/10/2022 05:37*	
SW-8082	PCBs, Total	A	<0.00600U	ug/L	1	0.00600	0.120	BFC0779	03/09/2022 01:25	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*78.3%*	*60-140*					*03/09/2022 01:25*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*62.3%*	*60-140*					*03/09/2022 01:25*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<0.436U	mg/L	1	0.436	4.36	BFC1098	03/11/2022 12:25	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*67.0% S*	*70-130*					*03/11/2022 12:25*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*85.7%*	*70-130*					*03/11/2022 12:25*	
Metals, Total										
EPA 245.1	Mercury	A	<0.150U	ug/L	1	0.150	0.200	BFC0003	03/08/2022 12:36	KEV
EPA 200.8	Selenium	A	<3.30A, U	ug/L	10	3.30	50.0	BFC0427	03/03/2022 14:05	DAL
Metals, Dissolved										
EPA 200.8	Antimony	A	<2.00A, U	ug/L	10	2.00	10.0	BFC0429	03/03/2022 13:48	DAL
EPA 200.8	Arsenic	A	6.70	ug/L	10	1.00	5.00	BFC0429	03/03/2022 14:05	DAL
EPA 200.8	Beryllium	A	<0.100A, U	ug/L	10	0.100	2.00	BFC0429	03/03/2022 14:05	DAL
EPA 200.8	Cadmium	A	<0.500A, U	ug/L	10	0.500	10.0	BFC0429	03/03/2022 14:05	DAL
EPA 200.8	Chromium	A	<0.800A, U	ug/L	10	0.800	30.0	BFC0429	03/03/2022 14:05	DAL
EPA 200.8	Copper	A	<2.00A, U	ug/L	10	2.00	10.0	BFC0429	03/03/2022 14:05	DAL
Calc	Chromium (III)		<2.30U	ug/L	10	2.30	33.0	[CALC]	03/14/2022 13:51	CTC
SM 3500-Cr B	Chromium (VI)	A	6.12	ug/L	1	1.50	3.00	BFC1943	03/14/2022 13:51	CTC
EPA 200.8	Lead	A	<1.00A, U	ug/L	10	1.00	5.00	BFC0429	03/03/2022 13:48	DAL
EPA 200.8	Nickel	A	<0.500A, U	ug/L	10	0.500	10.0	BFC0429	03/03/2022 14:05	DAL
EPA 200.8	Silver	A	<0.300A, U	ug/L	10	0.300	5.00	BFC0429	03/03/2022 14:05	DAL

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-W (Continued)
Lab Sample ID: 22A3944-09
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/24/2022 12:25
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Dissolved (Continued)										
EPA 200.8	Thallium	A	<0.300A, U	ug/L	10	0.300	5.00	BFC0429	03/03/2022 13:48	DAL
EPA 200.8	Zinc	A	<2.00A, U	ug/L	10	2.00	20.0	BFC0429	03/03/2022 14:05	DAL
General Chemistry										
EPA 350.1	Ammonia as N	A	<0.0200U	mg/L	1	0.0200	0.0500	BFC2072	03/16/2022 08:44	JLK
SM 2520 B	Salinity	N	27.6	Salinity units	1	1.00	1.00	BFC1379	03/10/2022 13:24	CST
SM 2540 D	Residue-nonfilterable (TSS)	A	99.2	mg/L	1	1.00	1.00	BFC0540	03/04/2022 13:32	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-W
Lab Sample ID: 22A3944-09RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/24/2022 12:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/22/2022 23:48	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.51	V	ug/L	1	0.279	0.558	BFC0542	03/22/2022 23:48	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*92.2%*		*54.6-148*					*03/22/2022 23:48*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*104%*		*55-152*					*03/22/2022 23:48*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*88.2%*		*52.4-136*					*03/22/2022 23:48*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*115%*		*52-162*					*03/22/2022 23:48*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*114%*		*58.7-152*					*03/22/2022 23:48*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*81.9%*		*51.9-147*					*03/22/2022 23:48*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-W
Lab Sample ID: 22A3944-09RE2
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/24/2022 12:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/25/2022 05:49	KRB
SW-8270	Benzidine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.558	BFC0542	03/25/2022 05:49	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*90.9%*		*54.6-148*					*03/25/2022 05:49*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*88.5%*		*55-152*					*03/25/2022 05:49*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*97.0%*		*52.4-136*					*03/25/2022 05:49*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*111%*		*52-162*					*03/25/2022 05:49*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*112%*		*58.7-152*					*03/25/2022 05:49*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*66.5%*		*51.9-147*					*03/25/2022 05:49*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-09-W	Sample Matrix:	Marine Water
Lab Sample ID:	22A3944-10	Date Collected:	02/20/2022 17:25
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	1,2-Diphenylhydrazine	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	2,4,6-Trichlorophenol	A	<0.555	U	ug/L	1	0.555	1.12	BFB3255	03/03/2022 01:24	KRB
SW-8270	2,4-Dichlorophenol	A	<0.555	U	ug/L	1	0.555	1.12	BFB3255	03/03/2022 01:24	KRB
SW-8270	2,4-Dimethylphenol	A	<0.555	U	ug/L	1	0.555	1.12	BFB3255	03/03/2022 01:24	KRB
SW-8270	2,4-Dinitrophenol	A	<4.46	U	ug/L	1	4.46	4.46	BFB3255	03/03/2022 01:24	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT)	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	2-Chloronaphthalene	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	2-Chlorophenol	A	<0.555	U	ug/L	1	0.555	1.12	BFB3255	03/03/2022 01:24	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<0.555	U	ug/L	1	0.555	1.12	BFB3255	03/03/2022 01:24	KRB
SW-8270	2-Nitrophenol	A	<0.555	U	ug/L	1	0.555	1.12	BFB3255	03/03/2022 01:24	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	4-Chloro-3-methylphenol	A	<0.555	U	ug/L	1	0.555	1.12	BFB3255	03/03/2022 01:24	KRB
SW-8270	4-Chlorophenyl phenylether	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	4-Nitrophenol	A	<4.46	U	ug/L	1	4.46	4.46	BFB3255	03/03/2022 01:24	KRB
SW-8270	Acenaphthene	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Acenaphthylene	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Anthracene	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Benzo(a)anthracene	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Benzo(a)pyrene	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	benzo(b&k)fluoranthene	A	<0.279	U	ug/L	1	0.279	1.12	BFB3255	03/03/2022 01:24	KRB
SW-8270	Benzo(g,h,i)perylene	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Butyl benzyl phthalate	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Chrysene	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Diethyl phthalate	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Dimethyl phthalate	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Di-n-butyl phthalate	A	<0.279	B, U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Di-n-octyl phthalate	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-W (Continued)
Lab Sample ID: 22A3944-10
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/20/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	Fluoranthene	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Fluorene	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Hexachlorobenzene	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Hexachlorobutadiene	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Hexachlorocyclopentadiene	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Hexachloroethane	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Isophorone	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Naphthalene	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Nitrobenzene	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	n-Nitrosodimethylamine	A	<0.279U		ug/L	1	0.279	2.23	BFB3255	03/03/2022 01:24	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	n-Nitrosodiphenylamine	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Pentachlorophenol	A	<0.555U		ug/L	1	0.555	1.12	BFB3255	03/03/2022 01:24	KRB
SW-8270	Phenanthrene	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	Phenol, Total	A	<0.555U		ug/L	1	0.555	1.12	BFB3255	03/03/2022 01:24	KRB
SW-8270	Pyrene	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/03/2022 01:24	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*101%*		*54.6-148*					*03/03/2022 01:24*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*99.9%*		*55-152*					*03/03/2022 01:24*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*93.1%*		*52.4-136*					*03/03/2022 01:24*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*90.8%*		*52-162*					*03/03/2022 01:24*	
SW-8270	*Surrogate: Phenol-d5-surr*		*91.2%*		*58.7-152*					*03/03/2022 01:24*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*76.0%*		*51.9-147*					*03/03/2022 01:24*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	4,4'-DDE	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	4,4'-DDT	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Aldrin	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Chlordane (tech.)	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	delta-BHC	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Dieldrin	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Endosulfan I	A	<0.00599U		ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-W (Continued)
Lab Sample ID: 22A3944-10
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/20/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	Endosulfan II	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Endosulfan sulfate	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Endrin	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Endrin aldehyde	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Endrin ketone	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	gamma-Chlordane	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Heptachlor	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Heptachlor epoxide	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Methoxychlor	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFB3080	03/03/2022 04:27	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.300	U	ug/L	1	0.300	0.300	BFB3080	03/03/2022 04:27	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*158%*	*S*	*60-140*					*03/03/2022 04:27*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*115%*		*60-140*					*03/03/2022 04:27*	
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BFC0779	03/09/2022 01:49	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*72.0%*		*60-140*					*03/09/2022 01:49*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*76.6%*		*60-140*					*03/09/2022 01:49*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<0.453	U	mg/L	1	0.453	4.53	BFB3481	02/25/2022 21:42	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*68.4%*	*S*	*70-130*					*02/25/2022 21:42*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*88.2%*		*70-130*					*02/25/2022 21:42*	
Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BFB3096	02/28/2022 13:15	KEV
EPA 200.8	Selenium	A	3.07	J	ug/L	5	1.65	25.0	BFB3630	02/28/2022 16:03	DAL
Metals, Dissolved											
EPA 200.8	Antimony	A	<2.00	A, U	ug/L	10	2.00	10.0	BFC0228	03/02/2022 14:47	DAL
EPA 200.8	Arsenic	A	8.88		ug/L	10	1.00	5.00	BFC0228	03/02/2022 14:47	DAL
EPA 200.8	Beryllium	A	<0.100	A, U	ug/L	10	0.100	2.00	BFC0228	03/02/2022 16:10	DAL
EPA 200.8	Cadmium	A	<0.500	A, U	ug/L	10	0.500	10.0	BFC0228	03/02/2022 14:47	DAL
EPA 200.8	Chromium	A	<0.800	A, U	ug/L	10	0.800	30.0	BFC0228	03/02/2022 14:47	DAL
EPA 200.8	Copper	A	<2.00	A, U	ug/L	10	2.00	10.0	BFC0228	03/02/2022 14:47	DAL
Calc	Chromium (III)		<2.30	U	ug/L	10	2.30	33.0	[CALC]	03/14/2022 13:52	CTC
SM 3500-Cr B	Chromium (VI)	A	5.46		ug/L	1	1.50	3.00	BFC1943	03/14/2022 13:52	CTC
EPA 200.8	Lead	A	<1.00	A, U	ug/L	10	1.00	5.00	BFC0228	03/02/2022 14:47	DAL
EPA 200.8	Nickel	A	0.820	J	ug/L	10	0.500	10.0	BFC0228	03/02/2022 14:47	DAL
EPA 200.8	Silver	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC0228	03/02/2022 14:47	DAL

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-W (Continued)
Lab Sample ID: 22A3944-10
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/20/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Dissolved (Continued)										
EPA 200.8	Thallium	A	<0.300A, U	ug/L	10	0.300	5.00	BFC0228	03/02/2022 14:47	DAL
EPA 200.8	Zinc	A	<2.00A, U	ug/L	10	2.00	20.0	BFC0228	03/02/2022 14:47	DAL
General Chemistry										
EPA 350.1	Ammonia as N	A	0.479H	mg/L	1	0.0200	0.0500	BFC2785	03/21/2022 12:28	CST
SM 2520 B	Salinity	N	27.6	Salinity units	1	1.00	1.00	BFC1379	03/10/2022 13:26	CST
SM 2540 D	Residue-nonfilterable (TSS)	A	33.8	mg/L	1	1.00	1.00	BFB3065	02/24/2022 11:00	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-W
Lab Sample ID: 22A3944-10RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/20/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/22/2022 19:44	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.279U		ug/L	1	0.279	0.558	BFB3255	03/22/2022 19:44	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*89.1%*		*54.6-148*					*03/22/2022 19:44*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*103%*		*55-152*					*03/22/2022 19:44*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*78.5%*		*52.4-136*					*03/22/2022 19:44*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*110%*		*52-162*					*03/22/2022 19:44*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*129%*		*58.7-152*					*03/22/2022 19:44*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*67.8%*		*51.9-147*					*03/22/2022 19:44*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-W
Lab Sample ID: 22A3944-10RE2
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 02/20/2022 17:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/24/2022 05:35	KRB
SW-8270	Benzidine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.558	BFB3255	03/24/2022 05:35	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*89.9%*		*54.6-148*					*03/24/2022 05:35*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*99.7%*		*55-152*					*03/24/2022 05:35*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*74.7%*		*52.4-136*					*03/24/2022 05:35*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*91.6%*		*52-162*					*03/24/2022 05:35*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*99.5%*		*58.7-152*					*03/24/2022 05:35*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*60.5%*		*51.9-147*					*03/24/2022 05:35*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-REF-W
Lab Sample ID: 22A3944-11
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 03/03/2022 10:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.275	U	ug/L	1	0.275	0.551	BFC1100	04/01/2022 01:05	KRB
SW-8270	Benzidine	A	<0.275	U	ug/L	1	0.275	0.551	BFC1100	04/01/2022 01:05	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*118%*		*54.6-148*					*04/01/2022 01:05*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*77.6%*		*55-152*					*04/01/2022 01:05*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*35.2%*	*S*	*52.4-136*					*04/01/2022 01:05*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*97.9%*		*52-162*					*04/01/2022 01:05*	
SW-8270	*Surrogate: Phenol-d5-surr*		*72.5%*		*58.7-152*					*04/01/2022 01:05*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*80.0%*		*51.9-147*					*04/01/2022 01:05*	
Organics by GC											
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BFC2320	03/18/2022 04:09	SO
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*114%*		*60-140*					*03/18/2022 04:09*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*82.8%*		*60-140*					*03/18/2022 04:09*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<0.448	U	mg/L	1	0.448	4.48	BFC1098	03/11/2022 13:12	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*62.8%*	*S*	*70-130*					*03/11/2022 13:12*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*88.8%*		*70-130*					*03/11/2022 13:12*	
Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BFC0003	03/08/2022 12:49	KEV
EPA 200.8	Selenium	A	<3.30	A, U	ug/L	10	3.30	50.0	BFC1059	03/08/2022 13:05	DAL
Metals, Dissolved											
EPA 200.8	Antimony	A	<2.00	A, U	ug/L	10	2.00	10.0	BFC1109	03/09/2022 12:20	DAL
EPA 200.8	Arsenic	A	6.70		ug/L	10	1.00	5.00	BFC1109	03/09/2022 12:20	DAL
EPA 200.8	Beryllium	A	<0.100	A, U	ug/L	10	0.100	2.00	BFC1109	03/10/2022 13:06	DAL
EPA 200.8	Cadmium	A	<0.500	A, U	ug/L	10	0.500	10.0	BFC1109	03/09/2022 12:20	DAL
EPA 200.8	Chromium	A	<0.800	A, U	ug/L	10	0.800	30.0	BFC1109	03/09/2022 12:20	DAL
EPA 200.8	Copper	A	<2.00	A, B, U	ug/L	10	2.00	10.0	BFC1109	03/09/2022 12:20	DAL
Calc	Chromium (III)		<2.30	U	ug/L	10	2.30	33.0	[CALC]	03/09/2022 19:13	EM
SM 3500-Cr B	Chromium (VI)	A	6.14		ug/L	1	1.50	3.00	BFC1350	03/09/2022 19:13	EM
EPA 200.8	Lead	A	<1.00	A, U	ug/L	10	1.00	5.00	BFC1109	03/09/2022 12:20	DAL
EPA 200.8	Nickel	A	0.655	V, J	ug/L	10	0.500	10.0	BFC1109	03/09/2022 12:20	DAL
EPA 200.8	Silver	A	<0.300	U	ug/L	10	0.300	5.00	BFC1109	03/09/2022 12:20	DAL
EPA 200.8	Thallium	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC1109	03/09/2022 12:20	DAL
EPA 200.8	Zinc	A	<2.00	A, U	ug/L	10	2.00	20.0	BFC1109	03/09/2022 15:45	DAL
General Chemistry											
EPA 350.1	Ammonia as N	A	0.438		mg/L	1	0.0200	0.0500	BFC2072	03/16/2022 08:46	JLK
SM 2520 B	Salinity	N	27.8		Salinity units	1	1.00	1.00	BFC1379	03/10/2022 13:28	CST

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-REF-W (Continued)
Lab Sample ID: 22A3944-11
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 03/03/2022 10:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 D	Residue-nonfilterable (TSS)	A	2.00		mg/L	1	1.00	1.00	BFC1141	03/09/2022 13:16	AKA

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-REF-W
Lab Sample ID: 22A3944-11RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 03/03/2022 10:25
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<0.549U	ug/L	1	0.549	1.10	BFC1100	04/12/2022 03:27	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.549U	ug/L	1	0.549	1.10	BFC1100	04/12/2022 03:27	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.549U	ug/L	1	0.549	1.10	BFC1100	04/12/2022 03:27	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.41U	ug/L	1	4.41	4.41	BFC1100	04/12/2022 03:27	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.549U	ug/L	1	0.549	1.10	BFC1100	04/12/2022 03:27	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.549U	ug/L	1	0.549	1.10	BFC1100	04/12/2022 03:27	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.549U	ug/L	1	0.549	1.10	BFC1100	04/12/2022 03:27	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.549U	ug/L	1	0.549	1.10	BFC1100	04/12/2022 03:27	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.41U	ug/L	1	4.41	4.41	BFC1100	04/12/2022 03:27	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Anthracene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.275U	ug/L	1	0.275	1.10	BFC1100	04/12/2022 03:27	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-REF-W (Continued)
Lab Sample ID: 22A3944-11RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 03/03/2022 10:25
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)										
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Chrysene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<0.275B, U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	0.527V, J	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Fluorene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Isophorone (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Naphthalene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.275U	ug/L	1	0.275	2.20	BFC1100	04/12/2022 03:27	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.549U	ug/L	1	0.549	1.10	BFC1100	04/12/2022 03:27	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	Phenol, Total (Rerun)	A	0.709J	ug/L	1	0.549	1.10	BFC1100	04/12/2022 03:27	KRB
SW-8270	Pyrene (Rerun)	A	<0.275U	ug/L	1	0.275	0.551	BFC1100	04/12/2022 03:27	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*97.8%*	*54.6-148*					*04/12/2022 03:27*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*117%*	*55-152*					*04/12/2022 03:27*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*94.2%*	*52.4-136*					*04/12/2022 03:27*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*105%*	*52-162*					*04/12/2022 03:27*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*123%*	*58.7-152*					*04/12/2022 03:27*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*105%*	*51.9-147*					*04/12/2022 03:27*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-REF-W (Continued)
Lab Sample ID: 22A3944-11RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 03/03/2022 10:25
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC											
SW-8081	4,4'-DDD (Rerun)	A	<0.00596	CQ, U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	4,4'-DDE (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	4,4'-DDT (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Aldrin (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane) (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane) (Rerun)	A	<0.00596	CQ, U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Chlordane (tech.) (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	cis-Chlordane (alpha-Chlordane) (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	delta-BHC (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Dieldrin (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Endosulfan I (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Endosulfan II (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Endosulfan sulfate (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Endrin (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Endrin aldehyde (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Endrin ketone (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE) (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	gamma-Chlordane (Rerun)	A	<0.00596	CQ, U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Heptachlor (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Heptachlor epoxide (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Methoxychlor (Rerun)	A	<0.00596	U	ug/L	1	0.00596	0.00596	BFC1112	03/22/2022 01:37	SO
SW-8081	Toxaphene (Chlorinated Camphene) (Rerun)	A	<0.298	U	ug/L	1	0.298	0.298	BFC1112	03/22/2022 01:37	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*135%*		*60-140*					*03/22/2022 01:37*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*114%*		*60-140*					*03/22/2022 01:37*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-ODMDS-W
Lab Sample ID: 22A3944-12
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 03/03/2022 12:02
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/01/2022 01:40	KRB
SW-8270	Benzidine	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/01/2022 01:40	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*111%*		*54.6-148*					*04/01/2022 01:40*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.7%*		*55-152*					*04/01/2022 01:40*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*41.0%*	*S*	*52.4-136*					*04/01/2022 01:40*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*117%*		*52-162*					*04/01/2022 01:40*	
SW-8270	*Surrogate: Phenol-d5-surr*		*85.9%*		*58.7-152*					*04/01/2022 01:40*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*78.1%*		*51.9-147*					*04/01/2022 01:40*	
Organics by GC											
SW-8082	PCBs, Total	A	<0.00599	U	ug/L	1	0.00599	0.120	BFC2320	03/18/2022 04:57	SO
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*113%*		*60-140*					*03/18/2022 04:57*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*80.4%*		*60-140*					*03/18/2022 04:57*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<0.442	U	mg/L	1	0.442	4.42	BFC1098	03/11/2022 13:36	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*66.3%*	*S*	*70-130*					*03/11/2022 13:36*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*84.4%*		*70-130*					*03/11/2022 13:36*	
Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BFC0003	03/08/2022 12:52	KEV
EPA 200.8	Selenium	A	<3.30	A, U	ug/L	10	3.30	50.0	BFC1059	03/08/2022 13:08	DAL
Metals, Dissolved											
EPA 200.8	Antimony	A	<2.00	A, U	ug/L	10	2.00	10.0	BFC1109	03/09/2022 12:23	DAL
EPA 200.8	Arsenic	A	6.65		ug/L	10	1.00	5.00	BFC1109	03/09/2022 12:23	DAL
EPA 200.8	Beryllium	A	<0.100	A, U	ug/L	10	0.100	2.00	BFC1109	03/10/2022 13:08	DAL
EPA 200.8	Cadmium	A	<0.500	A, U	ug/L	10	0.500	10.0	BFC1109	03/09/2022 12:23	DAL
EPA 200.8	Chromium	A	<0.800	A, U	ug/L	10	0.800	30.0	BFC1109	03/09/2022 12:23	DAL
EPA 200.8	Copper	A	<2.00	A, B, U	ug/L	10	2.00	10.0	BFC1109	03/09/2022 12:23	DAL
Calc	Chromium (III)		<2.30	U	ug/L	10	2.30	33.0	[CALC]	03/09/2022 19:14	EM
SM 3500-Cr B	Chromium (VI)	A	6.34		ug/L	1	1.50	3.00	BFC1350	03/09/2022 19:14	EM
EPA 200.8	Lead	A	<1.00	A, U	ug/L	10	1.00	5.00	BFC1109	03/09/2022 12:23	DAL
EPA 200.8	Nickel	A	1.20	V, J	ug/L	10	0.500	10.0	BFC1109	03/09/2022 12:23	DAL
EPA 200.8	Silver	A	<0.300	U	ug/L	10	0.300	5.00	BFC1109	03/09/2022 12:23	DAL
EPA 200.8	Thallium	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC1109	03/09/2022 12:23	DAL
EPA 200.8	Zinc	A	<2.00	A, U	ug/L	10	2.00	20.0	BFC1109	03/09/2022 15:48	DAL
General Chemistry											
EPA 350.1	Ammonia as N	A	0.480		mg/L	1	0.0200	0.0500	BFC2072	03/16/2022 08:50	JLK
SM 2520 B	Salinity	N	27.8		Salinity units	1	1.00	1.00	BFC1379	03/10/2022 13:30	CST

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-ODMDS-W (Continued)
Lab Sample ID: 22A3944-12
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 03/03/2022 12:02
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 D	Residue-nonfilterable (TSS)	A	3.05		mg/L	1	1.00	1.00	BFC1141	03/09/2022 13:16	AKA

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-ODMDS-W
Lab Sample ID: 22A3944-12RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 03/03/2022 12:02
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<0.555	U	ug/L	1	0.555	1.11	BFC1100	04/12/2022 04:02	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.555	U	ug/L	1	0.555	1.11	BFC1100	04/12/2022 04:02	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.555	U	ug/L	1	0.555	1.11	BFC1100	04/12/2022 04:02	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.46	U	ug/L	1	4.46	4.46	BFC1100	04/12/2022 04:02	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.555	U	ug/L	1	0.555	1.11	BFC1100	04/12/2022 04:02	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.555	U	ug/L	1	0.555	1.11	BFC1100	04/12/2022 04:02	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.555	U	ug/L	1	0.555	1.11	BFC1100	04/12/2022 04:02	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.555	U	ug/L	1	0.555	1.11	BFC1100	04/12/2022 04:02	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.46	U	ug/L	1	4.46	4.46	BFC1100	04/12/2022 04:02	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Anthracene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.278	U	ug/L	1	0.278	1.11	BFC1100	04/12/2022 04:02	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-ODMDS-W (Continued)
Lab Sample ID: 22A3944-12RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 03/03/2022 12:02
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Chrysene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<0.278	B, U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	0.523	V, J	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Fluorene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Isophorone (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Naphthalene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.278	U	ug/L	1	0.278	2.23	BFC1100	04/12/2022 04:02	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.555	U	ug/L	1	0.555	1.11	BFC1100	04/12/2022 04:02	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	Phenol, Total (Rerun)	A	0.814	J	ug/L	1	0.555	1.11	BFC1100	04/12/2022 04:02	KRB
SW-8270	Pyrene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BFC1100	04/12/2022 04:02	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*102%*		*54.6-148*					*04/12/2022 04:02*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*126%*		*55-152*					*04/12/2022 04:02*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*103%*		*52.4-136*					*04/12/2022 04:02*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*120%*		*52-162*					*04/12/2022 04:02*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*137%*		*58.7-152*					*04/12/2022 04:02*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*114%*		*51.9-147*					*04/12/2022 04:02*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-ODMDS-W (Continued)
Lab Sample ID: 22A3944-12RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 03/03/2022 12:02
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC											
SW-8081	4,4'-DDD (Rerun)	A	<0.00597	CQ, U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	4,4'-DDE (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	4,4'-DDT (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Aldrin (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane) (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane) (Rerun)	A	<0.00597	CQ, U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Chlordane (tech.) (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	cis-Chlordane (alpha-Chlordane) (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	delta-BHC (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Dieldrin (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Endosulfan I (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Endosulfan II (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Endosulfan sulfate (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Endrin (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Endrin aldehyde (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Endrin ketone (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE) (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	gamma-Chlordane (Rerun)	A	<0.00597	CQ, U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Heptachlor (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Heptachlor epoxide (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Methoxychlor (Rerun)	A	<0.00597	U	ug/L	1	0.00597	0.00597	BFC1112	03/22/2022 02:01	SO
SW-8081	Toxaphene (Chlorinated Camphene) (Rerun)	A	<0.298	U	ug/L	1	0.298	0.298	BFC1112	03/22/2022 02:01	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*130%*		*60-140*					*03/22/2022 02:01*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*112%*		*60-140*					*03/22/2022 02:01*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-E
Lab Sample ID: 22A3944-18
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/27/2022 12:24
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	03/31/2022 23:20	KRB
SW-8270	Benzidine	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	03/31/2022 23:20	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*112%*		*54.6-148*					*03/31/2022 23:20*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*106%*		*55-152*					*03/31/2022 23:20*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*94.7%*		*52.4-136*					*03/31/2022 23:20*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*129%*		*52-162*					*03/31/2022 23:20*	
SW-8270	*Surrogate: Phenol-d5-surr*		*94.5%*		*58.7-152*					*03/31/2022 23:20*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*79.9%*		*51.9-147*					*03/31/2022 23:20*	
Elutriate Organics by GC											
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BFC0779	03/09/2022 02:36	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*87.8%*		*60-140*					*03/09/2022 02:36*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*74.7%*		*60-140*					*03/09/2022 02:36*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<0.442	U	mg/L	1	0.442	4.42	BFC1098	03/11/2022 11:15	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*64.1%*	*S*	*70-130*					*03/11/2022 11:15*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*86.7%*		*70-130*					*03/11/2022 11:15*	
Elutriate Metals, Dissolved											
EPA 200.8	Antimony	A	<2.00	A, U	ug/L	10	2.00	10.0	BFC0948	03/07/2022 16:03	DAL
EPA 200.8	Arsenic	A	7.84		ug/L	10	1.00	5.00	BFC0948	03/07/2022 16:03	DAL
EPA 200.8	Beryllium	A	<0.100	A, U	ug/L	10	0.100	2.00	BFC0948	03/08/2022 10:42	DAL
EPA 200.8	Cadmium	A	<0.500	A, U	ug/L	10	0.500	10.0	BFC0948	03/07/2022 16:03	DAL
EPA 200.8	Chromium	A	<0.800	A, U	ug/L	10	0.800	30.0	BFC0948	03/07/2022 16:03	DAL
EPA 200.8	Copper	A	<2.00	A, B, U	ug/L	10	2.00	10.0	BFC0948	03/07/2022 16:03	DAL
Calc	Chromium (III)		<2.30	U	ug/L	10	2.30	33.0	[CALC]	03/09/2022 19:14	EM
SM 3500-Cr B	Chromium (VI)	A	0.0266	V	mg/L	1	0.00150	0.00300	BFC1350	03/09/2022 19:14	EM
EPA 200.8	Lead	A	<1.00	A, U	ug/L	10	1.00	5.00	BFC0948	03/07/2022 16:03	DAL
EPA 200.8	Nickel	A	2.60	V, J	ug/L	10	0.500	10.0	BFC0948	03/07/2022 16:03	DAL
EPA 200.8	Silver	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC0948	03/07/2022 16:03	DAL
EPA 200.8	Thallium	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC0948	03/07/2022 16:03	DAL
EPA 200.8	Zinc	A	<2.00	A, B, U	ug/L	10	2.00	20.0	BFC0948	03/08/2022 10:42	DAL
Elutriate Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BFC0003	03/08/2022 12:39	KEV
EPA 200.8	Selenium	A	<3.30	A, U	ug/L	10	3.30	50.0	BFC0947	03/07/2022 15:37	DAL
Elutriate General Chemistry											
EPA 350.1	Ammonia as N	A	0.600		mg/L	5	0.100	0.250	BFC2072	03/16/2022 10:37	JLK
SM 2540 D	Residue-nonfilterable (TSS)	A	2.79	B1, V	mg/L	1	1.00	1.00	BFC0770	03/04/2022 14:47	TEJ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-06-E	Sample Matrix:	Elutriate
Lab Sample ID:	22A3944-18RE1	Date Collected:	02/27/2022 12:24
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<0.556	U	ug/L	1	0.556	1.12	BFC1100	04/12/2022 01:42	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.556	U	ug/L	1	0.556	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.556	U	ug/L	1	0.556	1.12	BFC1100	04/12/2022 01:42	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.47	U	ug/L	1	4.47	4.47	BFC1100	04/12/2022 01:42	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.556	U	ug/L	1	0.556	1.12	BFC1100	04/12/2022 01:42	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.556	U	ug/L	1	0.556	1.12	BFC1100	04/12/2022 01:42	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.556	U	ug/L	1	0.556	1.12	BFC1100	04/12/2022 01:42	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.556	U	ug/L	1	0.556	1.12	BFC1100	04/12/2022 01:42	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.47	U	ug/L	1	4.47	4.47	BFC1100	04/12/2022 01:42	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Anthracene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.559	U	ug/L	1	0.559	1.12	BFC1100	04/12/2022 01:42	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-E (Continued)
Lab Sample ID: 22A3944-18RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/27/2022 12:24
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Chrysene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Diethyl phthalate (Rerun)	A	0.973	CQd, V	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.26	CQd, V	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Fluorene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Isophorone (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Naphthalene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.279	U	ug/L	1	0.279	2.23	BFC1100	04/12/2022 01:42	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.556	U	ug/L	1	0.556	1.12	BFC1100	04/12/2022 01:42	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	Phenol, Total (Rerun)	A	0.921	J	ug/L	1	0.556	1.12	BFC1100	04/12/2022 01:42	KRB
SW-8270	Pyrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 01:42	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*103%*		*54.6-148*					*04/12/2022 01:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*123%*		*55-152*					*04/12/2022 01:42*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*99.2%*		*52.4-136*					*04/12/2022 01:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*119%*		*52-162*					*04/12/2022 01:42*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*115%*		*58.7-152*					*04/12/2022 01:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*102%*		*51.9-147*					*04/12/2022 01:42*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-E (Continued)
Lab Sample ID: 22A3944-18RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/27/2022 12:24
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Organics by GC											
SW-8081	4,4'-DDD (Rerun)	A	<0.00600	CQ, U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	4,4'-DDE (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	4,4'-DDT (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Aldrin (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane) (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane) (Rerun)	A	<0.00600	CQ, U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Chlordane (tech.) (Rerun)	A	<0.00600	CQe, U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	cis-Chlordane (alpha-Chlordane) (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	delta-BHC (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Dieldrin (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Endosulfan I (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Endosulfan II (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Endosulfan sulfate (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Endrin (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Endrin aldehyde (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Endrin ketone (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE) (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	gamma-Chlordane (Rerun)	A	<0.00600	CQ, U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Heptachlor (Rerun)	A	<0.00600	CQe, U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Heptachlor epoxide (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Methoxychlor (Rerun)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BFC1112	03/22/2022 01:12	SO
SW-8081	Toxaphene (Chlorinated Camphene) (Rerun)	A	<0.300	U	ug/L	1	0.300	0.300	BFC1112	03/22/2022 01:12	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*146%*	*S*	*60-140*					*03/22/2022 01:12*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*108%*		*60-140*					*03/22/2022 01:12*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-E
Lab Sample ID: 22A3944-19
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/16/2022 18:47
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/02/2022 04:45	KRB
SW-8270	Benzidine	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/02/2022 04:45	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*94.5%*		*54.6-148*					*04/02/2022 04:45*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*98.0%*		*55-152*					*04/02/2022 04:45*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*102%*		*52.4-136*					*04/02/2022 04:45*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*129%*		*52-162*					*04/02/2022 04:45*	
SW-8270	*Surrogate: Phenol-d5-surr*		*87.1%*		*58.7-152*					*04/02/2022 04:45*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*76.3%*		*51.9-147*					*04/02/2022 04:45*	
Elutriate Organics by GC											
SW-8081	4,4'-DDD	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	4,4'-DDE	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	4,4'-DDT	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Aldrin	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Chlordane (tech.)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	delta-BHC	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Dieldrin	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Endosulfan I	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Endosulfan II	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Endosulfan sulfate	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Endrin	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Endrin aldehyde	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Endrin ketone	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	gamma-Chlordane	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Heptachlor	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Heptachlor epoxide	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Methoxychlor	A	<0.00598	U	ug/L	1	0.00598	0.00598	BFC2100	03/19/2022 14:35	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.299	U	ug/L	1	0.299	0.299	BFC2100	03/19/2022 14:35	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*97.2%*		*60-140*					*03/19/2022 14:35*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-E (Continued)
Lab Sample ID: 22A3944-19
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/16/2022 18:47
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*80.2%*		*60-140*					*03/19/2022 14:35*	
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BFC2320	03/18/2022 05:22	SO
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*112%*		*60-140*					*03/18/2022 05:22*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*80.2%*		*60-140*					*03/18/2022 05:22*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	0.481	A, V, J	mg/L	1	0.452	9.05	BFC2789	03/22/2022 21:56	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*82.5%*		*70-130*					*03/22/2022 21:56*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*79.5%*		*70-130*					*03/22/2022 21:56*	
Elutriate Metals, Dissolved											
EPA 200.8	Antimony	A	<2.00	A, U	ug/L	10	2.00	10.0	BFC1435	03/14/2022 09:26	DAL
EPA 200.8	Arsenic	A	8.37		ug/L	10	1.00	5.00	BFC1435	03/14/2022 09:26	DAL
EPA 200.8	Beryllium	A	<0.100	A, U	ug/L	10	0.100	2.00	BFC1435	03/14/2022 12:21	DAL
EPA 200.8	Cadmium	A	<0.500	A, U	ug/L	10	0.500	10.0	BFC1435	03/14/2022 09:26	DAL
EPA 200.8	Chromium	A	<0.800	A, U	ug/L	10	0.800	30.0	BFC1435	03/14/2022 09:26	DAL
EPA 200.8	Copper	A	<2.00	A, U	ug/L	10	2.00	10.0	BFC1435	03/14/2022 09:26	DAL
Calc	Chromium (III)		<2.30	U	ug/L	10	2.30	33.0	[CALC]	03/14/2022 09:26	EM
SM 3500-Cr B	Chromium (VI)	A	0.0120	V	mg/L	1	0.00150	0.00300	BFC1350	03/09/2022 19:15	EM
EPA 200.8	Lead	A	<1.00	A, U	ug/L	10	1.00	5.00	BFC1435	03/14/2022 09:26	DAL
EPA 200.8	Nickel	A	4.07	J	ug/L	10	0.500	10.0	BFC1435	03/14/2022 09:26	DAL
EPA 200.8	Silver	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC1435	03/14/2022 09:26	DAL
EPA 200.8	Thallium	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC1435	03/14/2022 09:26	DAL
EPA 200.8	Zinc	A	<2.00	A, U	ug/L	10	2.00	20.0	BFC1435	03/14/2022 12:21	DAL
Elutriate Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BFC1270	03/16/2022 16:12	KEV
EPA 200.8	Selenium	A	<3.30	A, U	ug/L	10	3.30	50.0	BFC1393	03/11/2022 12:53	DAL
Elutriate General Chemistry											
EPA 350.1	Ammonia as N	A	0.0552		mg/L	1	0.0200	0.0500	BFC2072	03/16/2022 08:40	CST
SM 2540 D	Residue-nonfilterable (TSS)	A	5.78	V	mg/L	1	1.00	1.00	BFC1312	03/09/2022 15:05	AKA

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-07-E	Sample Matrix:	Elutriate
Lab Sample ID:	22A3944-19RE1	Date Collected:	02/16/2022 18:47
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1759	04/12/2022 18:13	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1759	04/12/2022 18:13	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.48	U	ug/L	1	4.48	4.48	BFC1759	04/12/2022 18:13	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1759	04/12/2022 18:13	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1759	04/12/2022 18:13	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1759	04/12/2022 18:13	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1759	04/12/2022 18:13	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.48	U	ug/L	1	4.48	4.48	BFC1759	04/12/2022 18:13	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Anthracene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BFC1759	04/12/2022 18:13	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-E (Continued)
Lab Sample ID: 22A3944-19RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/16/2022 18:47
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Chrysene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.14	V	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Fluorene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Isophorone (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Naphthalene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.280	U	ug/L	1	0.280	2.24	BFC1759	04/12/2022 18:13	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1759	04/12/2022 18:13	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	Phenol, Total (Rerun)	A	0.870	CQd, V, J	ug/L	1	0.557	1.12	BFC1759	04/12/2022 18:13	KRB
SW-8270	Pyrene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BFC1759	04/12/2022 18:13	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*105%*		*54.6-148*					*04/12/2022 18:13*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*132%*		*55-152*					*04/12/2022 18:13*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*98.0%*		*52.4-136*					*04/12/2022 18:13*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*112%*		*52-162*					*04/12/2022 18:13*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*173%*	*S*	*58.7-152*					*04/12/2022 18:13*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*94.6%*		*51.9-147*					*04/12/2022 18:13*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results

(Continued)

Client Sample ID:	CDP-08-E	Sample Matrix:	Elutriate
Lab Sample ID:	22A3944-20	Date Collected:	02/24/2022 17:50
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	03/31/2022 23:55	KRB
SW-8270	Benzidine	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	03/31/2022 23:55	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*126%*		*54.6-148*					*03/31/2022 23:55*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*82.2%*		*55-152*					*03/31/2022 23:55*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*101%*		*52.4-136*					*03/31/2022 23:55*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*116%*		*52-162*					*03/31/2022 23:55*	
SW-8270	*Surrogate: Phenol-d5-surr*		*75.9%*		*58.7-152*					*03/31/2022 23:55*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*97.8%*		*51.9-147*					*03/31/2022 23:55*	
Elutriate Organics by GC											
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BFC0779	03/09/2022 03:00	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*87.1%*		*60-140*					*03/09/2022 03:00*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*83.1%*		*60-140*					*03/09/2022 03:00*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<0.438	U	mg/L	1	0.438	4.38	BFC1098	03/11/2022 10:51	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*68.5%*	*S*	*70-130*					*03/11/2022 10:51*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*90.0%*		*70-130*					*03/11/2022 10:51*	
Elutriate Metals, Dissolved											
EPA 200.8	Antimony	A	<2.00	A, U	ug/L	10	2.00	10.0	BFC0948	03/07/2022 16:11	DAL
EPA 200.8	Arsenic	A	5.59		ug/L	10	1.00	5.00	BFC0948	03/07/2022 16:11	DAL
EPA 200.8	Beryllium	A	<0.100	A, U	ug/L	10	0.100	2.00	BFC0948	03/08/2022 10:49	DAL
EPA 200.8	Cadmium	A	<0.500	A, U	ug/L	10	0.500	10.0	BFC0948	03/07/2022 16:11	DAL
EPA 200.8	Chromium	A	<0.800	A, U	ug/L	10	0.800	30.0	BFC0948	03/07/2022 16:11	DAL
EPA 200.8	Copper	A	<2.00	A, B, U	ug/L	10	2.00	10.0	BFC0948	03/07/2022 16:11	DAL
Calc	Chromium (III)		<2.30	U	ug/L	10	2.30	33.0	[CALC]	03/09/2022 19:15	EM
SM 3500-Cr B	Chromium (VI)	A	0.0270	V	mg/L	1	0.00150	0.00300	BFC1350	03/09/2022 19:15	EM
EPA 200.8	Lead	A	<1.00	A, U	ug/L	10	1.00	5.00	BFC0948	03/07/2022 16:11	DAL
EPA 200.8	Nickel	A	3.17	V, J	ug/L	10	0.500	10.0	BFC0948	03/07/2022 16:11	DAL
EPA 200.8	Silver	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC0948	03/07/2022 16:11	DAL
EPA 200.8	Thallium	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC0948	03/07/2022 16:11	DAL
EPA 200.8	Zinc	A	2.16	V, J	ug/L	10	2.00	20.0	BFC0948	03/08/2022 10:49	DAL
Elutriate Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BFC0003	03/08/2022 12:42	KEV
EPA 200.8	Selenium	A	<3.30	A, U	ug/L	10	3.30	50.0	BFC0947	03/07/2022 15:45	DAL
Elutriate General Chemistry											
EPA 350.1	Ammonia as N	A	0.630		mg/L	5	0.100	0.250	BFC2072	03/16/2022 10:36	JLK
SM 2540 D	Residue-nonfilterable (TSS)	A	2.42	B1, V	mg/L	1	1.00	1.00	BFC0770	03/04/2022 14:47	TEJ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-E
Lab Sample ID: 22A3944-20RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/24/2022 17:50
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1100	04/12/2022 02:17	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1100	04/12/2022 02:17	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.47	U	ug/L	1	4.47	4.47	BFC1100	04/12/2022 02:17	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1100	04/12/2022 02:17	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1100	04/12/2022 02:17	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1100	04/12/2022 02:17	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1100	04/12/2022 02:17	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.47	U	ug/L	1	4.47	4.47	BFC1100	04/12/2022 02:17	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Anthracene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.559	U	ug/L	1	0.559	1.12	BFC1100	04/12/2022 02:17	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-E (Continued)
Lab Sample ID: 22A3944-20RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/24/2022 17:50
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Chrysene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Diethyl phthalate (Rerun)	A	0.384	CQd, V, J	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.48	CQd, V	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Fluorene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Isophorone (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Naphthalene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.279	U	ug/L	1	0.279	2.24	BFC1100	04/12/2022 02:17	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BFC1100	04/12/2022 02:17	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	Phenol, Total (Rerun)	A	0.820	J	ug/L	1	0.557	1.12	BFC1100	04/12/2022 02:17	KRB
SW-8270	Pyrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BFC1100	04/12/2022 02:17	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*97.5%*		*54.6-148*					*04/12/2022 02:17*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*119%*		*55-152*					*04/12/2022 02:17*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*96.6%*		*52.4-136*					*04/12/2022 02:17*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*113%*		*52-162*					*04/12/2022 02:17*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*125%*		*58.7-152*					*04/12/2022 02:17*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*107%*		*51.9-147*					*04/12/2022 02:17*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-08-E (Continued)	Sample Matrix:	Elutriate
Lab Sample ID:	22A3944-20RE1	Date Collected:	02/24/2022 17:50
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Organics by GC											
SW-8081	4,4'-DDD (Rerun)	A	<0.00599	CQ, U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	4,4'-DDE (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	4,4'-DDT (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Aldrin (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane) (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane) (Rerun)	A	<0.00599	CQ, U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Chlordane (tech.) (Rerun)	A	<0.00599	CQe, U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	cis-Chlordane (alpha-Chlordane) (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	delta-BHC (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Dieldrin (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Endosulfan I (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Endosulfan II (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Endosulfan sulfate (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Endrin (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Endrin aldehyde (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Endrin ketone (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE) (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	gamma-Chlordane (Rerun)	A	<0.00599	CQ, U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Heptachlor (Rerun)	A	<0.00599	CQe, U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Heptachlor epoxide (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Methoxychlor (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:25	SO
SW-8081	Toxaphene (Chlorinated Camphene) (Rerun)	A	<0.299	U	ug/L	1	0.299	0.299	BFC1112	03/22/2022 02:25	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*137%*		*60-140*					*03/22/2022 02:25*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*107%*		*60-140*					*03/22/2022 02:25*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35 (Rerun)	A	<0.438	U	mg/L	1	0.438	4.38	BFC1098	03/22/2022 00:02	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr (Rerun)*		*84.0%*		*70-130*					*03/22/2022 00:02*	
TX 1005	*Surrogate: 1-Chlorooctane-surr (Rerun)*		*93.5%*		*70-130*					*03/22/2022 00:02*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-09-E	Sample Matrix:	Elutriate
Lab Sample ID:	22A3944-21	Date Collected:	02/20/2022 15:30
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	1,2-Diphenylhydrazine	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	2,4,6-Trichlorophenol	A	<0.558	U	ug/L	1	0.558	1.12	BFB3690	03/04/2022 16:55	KRB
SW-8270	2,4-Dichlorophenol	A	<0.558	U	ug/L	1	0.558	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	2,4-Dimethylphenol	A	<0.558	U	ug/L	1	0.558	1.12	BFB3690	03/04/2022 16:55	KRB
SW-8270	2,4-Dinitrophenol	A	<4.49	U	ug/L	1	4.49	4.49	BFB3690	03/04/2022 16:55	KRB
SW-8270	2-Chloronaphthalene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	2-Chlorophenol	A	<0.558	U	ug/L	1	0.558	1.12	BFB3690	03/04/2022 16:55	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<0.558	U	ug/L	1	0.558	1.12	BFB3690	03/04/2022 16:55	KRB
SW-8270	2-Nitrophenol	A	<0.558	U	ug/L	1	0.558	1.12	BFB3690	03/04/2022 16:55	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	4-Chloro-3-methylphenol	A	<0.558	U	ug/L	1	0.558	1.12	BFB3690	03/04/2022 16:55	KRB
SW-8270	4-Chlorophenyl phenylether	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	4-Nitrophenol	A	<4.49	U	ug/L	1	4.49	4.49	BFB3690	03/04/2022 16:55	KRB
SW-8270	Acenaphthene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Acenaphthylene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Anthracene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Benzo(a)anthracene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Benzo(a)pyrene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	benzo(b&k)fluoranthene	A	<0.561	U	ug/L	1	0.561	1.12	BFB3690	03/04/2022 16:55	KRB
SW-8270	Benzo(g,h,i)perylene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Butyl benzyl phthalate	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Chrysene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Diethyl phthalate	A	<0.280	B, U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Dimethyl phthalate	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Di-n-octyl phthalate	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Fluoranthene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Fluorene	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-E (Continued)
Lab Sample ID: 22A3944-21
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/20/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)										
SW-8270	Hexachlorobenzene	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Hexachlorocyclopentadiene	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Hexachloroethane	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Isophorone	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Naphthalene	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Nitrobenzene	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	n-Nitrosodimethylamine	A	<0.280U	ug/L	1	0.280	2.24	BFB3690	03/04/2022 16:55	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	n-Nitrosodiphenylamine	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Pentachlorophenol	A	<0.558U	ug/L	1	0.558	1.12	BFB3690	03/04/2022 16:55	KRB
SW-8270	Phenanthrene	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	Phenol, Total	A	0.851V, J	ug/L	1	0.558	1.12	BFB3690	03/04/2022 16:55	KRB
SW-8270	Pyrene	A	<0.280U	ug/L	1	0.280	0.561	BFB3690	03/04/2022 16:55	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*113%*	*54.6-148*					*03/04/2022 16:55*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*130%*	*55-152*					*03/04/2022 16:55*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*111%*	*52.4-136*					*03/04/2022 16:55*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*112%*	*52-162*					*03/04/2022 16:55*	
SW-8270	*Surrogate: Phenol-d5-surr*		*107%*	*58.7-152*					*03/04/2022 16:55*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*124%*	*51.9-147*					*03/04/2022 16:55*	
Elutriate Organics by GC										
SW-8081	4,4'-DDD	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	4,4'-DDE	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	4,4'-DDT	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Aldrin	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Chlordane (tech.)	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	delta-BHC	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Dieldrin	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Endosulfan I	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Endosulfan II	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Endosulfan sulfate	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Endrin	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-E (Continued)
Lab Sample ID: 22A3944-21
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/20/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Organics by GC (Continued)										
SW-8081	Endrin aldehyde	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Endrin ketone	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	gamma-BHC (Lindane, gamma-Hexachlorocyclohexa nE)	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	gamma-Chlordane	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Heptachlor	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Heptachlor epoxide	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Methoxychlor	A	<0.00595U	ug/L	1	0.00595	0.00595	BFB3715	03/08/2022 10:33	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.297U	ug/L	1	0.297	0.297	BFB3715	03/08/2022 10:33	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*126%*	*60-140*					*03/08/2022 10:33*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*113%*	*60-140*					*03/08/2022 10:33*	
SW-8082	PCBs, Total	A	<0.00600U	ug/L	1	0.00600	0.120	BFC0779	03/09/2022 00:37	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*107%*	*60-140*					*03/09/2022 00:37*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*88.4%*	*60-140*					*03/09/2022 00:37*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<0.453U	mg/L	1	0.453	4.53	BFB3481	02/25/2022 22:05	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*68.7% S*	*70-130*					*02/25/2022 22:05*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*90.9%*	*70-130*					*02/25/2022 22:05*	
Elutriate Metals, Dissolved										
EPA 200.8	Antimony	A	<2.00A, U	ug/L	10	2.00	10.0	BFC0228	03/02/2022 14:50	DAL
EPA 200.8	Arsenic	A	8.85	ug/L	10	1.00	5.00	BFC0228	03/02/2022 14:50	DAL
EPA 200.8	Beryllium	A	<0.100A, U	ug/L	10	0.100	2.00	BFC0228	03/02/2022 16:12	DAL
EPA 200.8	Cadmium	A	<0.500A, U	ug/L	10	0.500	10.0	BFC0228	03/02/2022 14:50	DAL
EPA 200.8	Chromium	A	<0.800A, U	ug/L	10	0.800	30.0	BFC0228	03/02/2022 14:50	DAL
EPA 200.8	Copper	A	2.76J	ug/L	10	2.00	10.0	BFC0228	03/02/2022 14:50	DAL
Calc	Chromium (III)		<2.30U	ug/L	10	2.30	33.0	[CALC]	03/14/2022 13:58	CTC
SM 3500-Cr B	Chromium (VI)	A	0.0175V	mg/L	1	0.00150	0.00300	BFC1943	03/14/2022 13:58	CTC
EPA 200.8	Lead	A	<1.00A, U	ug/L	10	1.00	5.00	BFC0228	03/02/2022 14:50	DAL
EPA 200.8	Nickel	A	4.49J	ug/L	10	0.500	10.0	BFC0228	03/02/2022 14:50	DAL
EPA 200.8	Silver	A	<0.300A, U	ug/L	10	0.300	5.00	BFC0228	03/02/2022 14:50	DAL
EPA 200.8	Thallium	A	<0.300A, U	ug/L	10	0.300	5.00	BFC0228	03/02/2022 14:50	DAL
EPA 200.8	Zinc	A	<2.00A, U	ug/L	10	2.00	20.0	BFC0228	03/02/2022 14:50	DAL
Elutriate Metals, Total										
EPA 245.1	Mercury	A	<0.150U	ug/L	1	0.150	0.200	BFB3096	02/28/2022 13:48	KEV
EPA 200.8	Selenium	A	3.53J	ug/L	10	3.30	50.0	BFB3630	02/28/2022 16:10	DAL
Elutriate General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-E (Continued)
Lab Sample ID: 22A3944-21
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/20/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate General Chemistry (Continued)											
EPA 350.1	Ammonia as N	A	0.553		mg/L	10	0.200	0.500	BFB3631	02/28/2022 13:43	JLK
SM 2540 D	Residue-nonfilterable (TSS)	A	4.17	V	mg/L	1	1.00	1.00	BFC0108	03/02/2022 16:05	TEJ / BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-E
Lab Sample ID: 22A3944-21RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/20/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/23/2022 05:38	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/23/2022 05:38	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/23/2022 05:38	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	5.25	V	ug/L	1	0.280	0.561	BFB3690	03/23/2022 05:38	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/23/2022 05:38	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*101%*		*54.6-148*					*03/23/2022 05:38*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*119%*		*55-152*					*03/23/2022 05:38*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*92.4%*		*52.4-136*					*03/23/2022 05:38*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*134%*		*52-162*					*03/23/2022 05:38*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*138%*		*58.7-152*					*03/23/2022 05:38*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*94.7%*		*51.9-147*					*03/23/2022 05:38*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-09-E	Sample Matrix:	Elutriate
Lab Sample ID:	22A3944-21RE2	Date Collected:	02/20/2022 15:30
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/25/2022 13:57	KRB
SW-8270	Benzidine (Rerun)	A	<0.280	U	ug/L	1	0.280	0.561	BFB3690	03/25/2022 13:57	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*92.7%*		*54.6-148*					*03/25/2022 13:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*56.4%*		*55-152*					*03/25/2022 13:57*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*29.0%*	*S*	*52.4-136*					*03/25/2022 13:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*109%*		*52-162*					*03/25/2022 13:57*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*60.3%*		*58.7-152*					*03/25/2022 13:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*80.7%*		*51.9-147*					*03/25/2022 13:57*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-06-6A-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-28	Date Collected:	02/11/2022 15:30
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	1,2-Diphenylhydrazine	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	2,4,6-Trichlorophenol	A	<2.70	U	ug/kg dry	1	2.70	5.41	BFB3398	03/05/2022 01:27	KRB
SW-8270	2,4-Dimethylphenol	A	<2.70	U	ug/kg dry	1	2.70	5.41	BFB3398	03/05/2022 01:27	KRB
SW-8270	2,4-Dinitrophenol	A	<2.70	U	ug/kg dry	1	2.70	5.41	BFB3398	03/05/2022 01:27	KRB
SW-8270	2-Chloronaphthalene	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<10.8	U	ug/kg dry	1	10.8	21.6	BFB3398	03/05/2022 01:27	KRB
SW-8270	2-Nitrophenol	A	<2.70	U	ug/kg dry	1	2.70	5.41	BFB3398	03/05/2022 01:27	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	4-Chloro-3-methylphenol	A	<2.70	U	ug/kg dry	1	2.70	5.41	BFB3398	03/05/2022 01:27	KRB
SW-8270	4-Chlorophenyl phenylether	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	4-Nitrophenol	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Benzo(a)anthracene	A	2.92		ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Butyl benzyl phthalate	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Diethyl phthalate	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Dimethyl phthalate	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Di-n-butyl phthalate	A	<1.35	B, U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Hexachlorobenzene	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Hexachlorobutadiene	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Hexachlorocyclopentadiene	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Hexachloroethane	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Isophorone	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Nitrobenzene	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	n-Nitrosodimethylamine	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/05/2022 01:27	KRB
SW-8270	Pentachlorophenol	A	<2.70	U	ug/kg dry	1	2.70	5.41	BFB3398	03/05/2022 01:27	KRB
SW-8270	Phenol, Total	A	2.99	J	ug/kg dry	1	2.70	5.41	BFB3398	03/05/2022 01:27	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6A-S (Continued)
Lab Sample ID: 22A3944-28
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/11/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*94.3%*		*60-140*					*03/05/2022 01:27*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*69.5%*		*60-140*					*03/05/2022 01:27*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*92.1%*		*60-140*					*03/05/2022 01:27*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*79.1%*		*60-140*					*03/05/2022 01:27*	
SW-8270	*Surrogate: Phenol-d5-surr*		*78.8%*		*60-140*					*03/05/2022 01:27*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*77.7%*		*60-140*					*03/05/2022 01:27*	
Organics by GC											
SW-8082	PCBs, Total	A	<1.12	U	ug/kg dry	1	1.12	2.24	BFC0070	03/05/2022 22:28	SO
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*108%*		*60-140*					*03/05/2022 22:28*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*108%*		*60-140*					*03/05/2022 22:28*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<3.45	B, U	mg/kg dry	1	3.45	10.3	BFB3309	02/28/2022 18:48	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*76.6%*		*70-130*					*02/28/2022 18:48*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*100%*		*70-130*					*02/28/2022 18:48*	
Metals, Total											
EPA 200.8	Antimony	A	<0.314	A, U	mg/kg dry	10	0.314	0.629	BFB2873	02/22/2022 12:38	DAL
EPA 200.8	Arsenic	A	3.91		mg/kg dry	10	0.0314	0.314	BFB2873	02/22/2022 12:38	DAL
EPA 200.8	Beryllium	A	0.247		mg/kg dry	10	0.00629	0.125	BFB2873	02/22/2022 14:08	DAL
EPA 200.8	Cadmium	A	0.107	J	mg/kg dry	10	0.0314	0.629	BFB2873	02/22/2022 12:38	DAL
EPA 200.8	Chromium	A	4.76		mg/kg dry	10	0.0942	1.88	BFB2873	02/22/2022 12:38	DAL
EPA 200.8	Copper	A	6.15		mg/kg dry	10	0.125	0.629	BFB2873	02/22/2022 12:38	DAL
Calc	Chromium (III)		4.76	J	mg/kg (dry wt) dry	10	2.12	7.61	[CALC]	03/09/2022 20:20	CTC
SW-7196	Chromium (VI)	A	<2.03	U	mg/kg dry	1	2.03	5.72	BFB3694	03/09/2022 20:20	CTC
SW-7471B	Mercury	A	0.00663	J	mg/kg dry	1	0.00508	0.0102	BFB2900	02/23/2022 13:29	KEV
EPA 200.8	Lead	A	7.04		mg/kg dry	10	0.0314	0.314	BFB2873	02/22/2022 12:38	DAL
EPA 200.8	Nickel	A	5.00		mg/kg dry	10	0.629	0.629	BFB2873	02/22/2022 12:38	DAL
EPA 200.8	Selenium	A	0.959	J	mg/kg dry	10	0.629	3.14	BFB2873	02/22/2022 12:38	DAL
EPA 200.8	Silver	A	0.0174	V, J	mg/kg dry	10	0.0157	0.314	BFB2873	02/22/2022 12:38	DAL
EPA 200.8	Thallium	A	0.0872	J	mg/kg dry	10	0.0157	0.314	BFB2873	02/22/2022 12:38	DAL
EPA 200.8	Zinc	A	15.3	B	mg/kg dry	10	0.629	1.25	BFB2873	02/22/2022 12:38	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0282	U	mg/kg dry	1	0.0282	0.0563	BFB3287	02/25/2022 17:50	CTC
EPA 350.2	Ammonia as N	A	<11.3	U	mg/kg dry	1	11.3	22.7	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.74	H	pH Units @ 25 °C	1		0.100	BFB3066	02/23/2022 12:25	EM
SM 2540 G	% Solids	A	87.0		%	1	0.100	0.100	BFB2600	02/21/2022 10:45	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6A-S
Lab Sample ID: 22A3944-28RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/11/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.70	U	ug/kg dry	1	2.70	5.41	BFB3398	03/11/2022 22:47	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.70	U	ug/kg dry	1	2.70	5.41	BFB3398	03/11/2022 22:47	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Anthracene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	2.01	J	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	3.77		ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.35	CQb, U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Chrysene (Rerun)	A	1.74	J	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Fluoranthene (Rerun)	A	4.82		ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Fluorene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Naphthalene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Phenanthrene (Rerun)	A	2.15	J	ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	Pyrene (Rerun)	A	4.33		ug/kg dry	1	1.35	2.70	BFB3398	03/11/2022 22:47	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*70.5%*		*60-140*					*03/11/2022 22:47*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*83.7%*		*60-140*					*03/11/2022 22:47*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*71.7%*		*60-140*					*03/11/2022 22:47*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*88.5%*		*60-140*					*03/11/2022 22:47*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*80.0%*		*60-140*					*03/11/2022 22:47*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*67.8%*		*60-140*					*03/11/2022 22:47*	
Organics by GC											
SW-8081	4,4'-DDD (Rerun)	A	<0.340	H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	4,4'-DDE (Rerun)	A	<0.340	H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	4,4'-DDT (Rerun)	A	<0.340	H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Aldrin (Rerun)	A	<0.340	H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane) (Rerun)	A	<0.340	H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6A-S (Continued)
Lab Sample ID: 22A3944-28RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/11/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)										
SW-8081	beta-BHC (beta-Hexachlorocyclohexane) (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Chlordane (tech.) (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	cis-Chlordane (alpha-Chlordane) (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	delta-BHC (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Dieldrin (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Endosulfan I (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Endosulfan II (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Endosulfan sulfate (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Endrin (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Endrin aldehyde (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Endrin ketone (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	gamma-BHC (Lindane, gamma-Hexachlorocyclohexa nE) (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	gamma-Chlordane (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Heptachlor (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Heptachlor epoxide (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Methoxychlor (Rerun)	A	<0.340 H, U	ug/kg dry	10	0.340	1.13	BFC3613	03/29/2022 11:20	SO
SW-8081	Toxaphene (Chlorinated Camphene) (Rerun)	A	<17.0 H, U	ug/kg dry	10	17.0	17.0	BFC3613	03/29/2022 11:20	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*65.8% H*	*60-140*					*03/29/2022 11:20*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*94.4% H*	*60-140*					*03/29/2022 11:20*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-06-6A-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-28RE2	Date Collected:	02/11/2022 15:30
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/31/2022 05:21	KRB
SW-8270	Benzidine (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.70	BFB3398	03/31/2022 05:21	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*61.9%*		*60-140*					*03/31/2022 05:21*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*79.8%*		*60-140*					*03/31/2022 05:21*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*76.2%*		*60-140*					*03/31/2022 05:21*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*105%*		*60-140*					*03/31/2022 05:21*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*87.8%*		*60-140*					*03/31/2022 05:21*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*63.6%*		*60-140*					*03/31/2022 05:21*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6B-S
Lab Sample ID: 22A3944-29
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/26/2022 9:45
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/02/2022 01:16	KRB
SW-8270	Benzidine	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/02/2022 01:16	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*63.9%*		*60-140*					*04/02/2022 01:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*65.6%*		*60-140*					*04/02/2022 01:16*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*134%*		*60-140*					*04/02/2022 01:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*104%*		*60-140*					*04/02/2022 01:16*	
SW-8270	*Surrogate: Phenol-d5-surr*		*95.5%*		*60-140*					*04/02/2022 01:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*64.8%*		*60-140*					*04/02/2022 01:16*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	4,4'-DDE	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	4,4'-DDT	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Aldrin	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Chlordane (tech.)	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	delta-BHC	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Dieldrin	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Endosulfan I	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Endosulfan II	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Endosulfan sulfate	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Endrin	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Endrin aldehyde	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Endrin ketone	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	gamma-Chlordane	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Heptachlor	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Heptachlor epoxide	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Methoxychlor	A	<0.352	U	ug/kg dry	10	0.352	1.17	BFC0961	03/10/2022 10:48	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<17.6	U	ug/kg dry	10	17.6	17.6	BFC0961	03/10/2022 10:48	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*102%*		*60-140*					*03/10/2022 10:48*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6B-S (Continued)
Lab Sample ID: 22A3944-29
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/26/2022 9:45
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*105%*		*60-140*					*03/10/2022 10:48*	
SW-8082	PCBs, Total	A	<1.20	U	ug/kg dry	1	1.20	2.40	BFC1955	04/02/2022 04:22	CRO
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*88.9%*		*60-140*					*04/02/2022 04:22*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*92.0%*		*60-140*					*04/02/2022 04:22*	
Metals, Total											
Calc	Chromium (III)		4.47	J	mg/kg (dry wt) dry	5	2.20	7.03	[CALC]	04/29/2022 11:43	DAL
SW-7196	Chromium (VI)	A	<2.15	U	mg/kg dry	1	2.15	6.07	BFC3544	03/28/2022 17:47	EM
General Chemistry											
SW-9014	Total Cyanide	A	<0.0296	U	mg/kg dry	1	0.0296	0.0593	BFC1476	03/11/2022 18:20	CTC
EPA 350.2	Ammonia as N	A	<11.9	U	mg/kg dry	1	11.9	23.8	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.25	H	pH Units @ 25 °C	1		0.100	BFC0778	03/04/2022 16:24	AKA

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6B-S
Lab Sample ID: 22A3944-29RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/26/2022 9:45
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.87	BFC0958	04/12/2022 17:08	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.87	BFC0958	04/12/2022 17:08	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.87	BFC0958	04/12/2022 17:08	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.87	BFC0958	04/12/2022 17:08	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.87	BFC0958	04/12/2022 17:08	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<11.7	U	ug/kg dry	1	11.7	23.5	BFC0958	04/12/2022 17:08	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.87	BFC0958	04/12/2022 17:08	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.87	BFC0958	04/12/2022 17:08	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Anthracene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	1.62	J	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6B-S (Continued)
Lab Sample ID: 22A3944-29RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/26/2022 9:45
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	5.60		ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Chrysene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	3.03		ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Fluorene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Isophorone (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Naphthalene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<7.34	U	ug/kg dry	1	7.34	14.7	BFC0958	04/12/2022 17:08	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.87	BFC0958	04/12/2022 17:08	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	Phenol, Total (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.87	BFC0958	04/12/2022 17:08	KRB
SW-8270	Pyrene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFC0958	04/12/2022 17:08	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*88.6%*		*60-140*					*04/12/2022 17:08*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*101%*		*60-140*					*04/12/2022 17:08*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*105%*		*60-140*					*04/12/2022 17:08*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*90.7%*		*60-140*					*04/12/2022 17:08*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*106%*		*60-140*					*04/12/2022 17:08*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*65.2%*		*60-140*					*04/12/2022 17:08*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6B-S (Continued)
Lab Sample ID: 22A3944-29RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/26/2022 9:45
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC											
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35 (Rerun)	A	3.81	V, J	mg/kg dry	1	3.63	10.9	BFC0727	03/18/2022 16:19	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr (Rerun)*		*84.3%*		*70-130*					*03/18/2022 16:19*	
TX 1005	*Surrogate: 1-Chlorooctane-surr (Rerun)*		*90.1%*		*70-130*					*03/18/2022 16:19*	
Metals, Total											
EPA 200.8	Arsenic (Rerun)	A	1.13		mg/kg dry	5	0.0160	0.160	BFD3610	05/02/2022 14:27	SEE
EPA 200.8	Beryllium (Rerun)	A	0.0769		mg/kg dry	5	0.00321	0.0641	BFD3610	04/29/2022 11:43	DAL
EPA 200.8	Cadmium (Rerun)	A	0.0221	J	mg/kg dry	5	0.0160	0.321	BFD3610	04/29/2022 11:43	DAL
EPA 200.8	Chromium (Rerun)	A	4.47		mg/kg dry	5	0.0481	0.962	BFD3610	04/29/2022 11:43	DAL
EPA 200.8	Copper (Rerun)	A	1.18		mg/kg dry	5	0.0641	0.321	BFD3610	05/02/2022 14:27	DAL
SW-7471B	Mercury (Rerun)	A	0.00524	H, J	mg/kg dry	1	0.00485	0.00971	BFD3145	04/28/2022 08:29	KEV
EPA 200.8	Lead (Rerun)	A	2.12		mg/kg dry	5	0.0160	0.160	BFD3610	04/29/2022 11:43	DAL
EPA 200.8	Nickel (Rerun)	A	1.71		mg/kg dry	5	0.321	0.321	BFD3610	04/29/2022 11:43	DAL
EPA 200.8	Selenium (Rerun)	A	<0.321	U	mg/kg dry	5	0.321	1.60	BFD3610	04/29/2022 11:43	DAL
EPA 200.8	Silver (Rerun)	A	0.0108	J	mg/kg dry	5	0.00803	0.160	BFD3610	04/29/2022 11:43	DAL
EPA 200.8	Thallium (Rerun)	A	0.0395	J	mg/kg dry	5	0.00803	0.160	BFD3610	04/29/2022 11:43	DAL
EPA 200.8	Zinc (Rerun)	A	7.38		mg/kg dry	5	0.321	0.641	BFD3610	04/29/2022 11:43	DAL
General Chemistry											
SM 2540 G	% Solids (Rerun)	A	82.9		%	1	0.100	0.100	BFC0646	03/07/2022 13:15	SSM / BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6C-S
Lab Sample ID: 22A3944-30
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/27/2022 12:24
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/02/2022 01:51	KRB
SW-8270	Benzidine	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/02/2022 01:51	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*55.5%*	*S*	*60-140*					*04/02/2022 01:51*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*90.8%*		*60-140*					*04/02/2022 01:51*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*103%*		*60-140*					*04/02/2022 01:51*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*106%*		*60-140*					*04/02/2022 01:51*	
SW-8270	*Surrogate: Phenol-d5-surr*		*85.8%*		*60-140*					*04/02/2022 01:51*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*74.4%*		*60-140*					*04/02/2022 01:51*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	4,4'-DDE	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	4,4'-DDT	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Aldrin	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Chlordane (tech.)	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	delta-BHC	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Dieldrin	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Endosulfan I	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Endosulfan II	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Endosulfan sulfate	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Endrin	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Endrin aldehyde	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Endrin ketone	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	gamma-Chlordane	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Heptachlor	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Heptachlor epoxide	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Methoxychlor	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFC0961	03/10/2022 11:12	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<16.6	U	ug/kg dry	10	16.6	16.6	BFC0961	03/10/2022 11:12	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*97.3%*		*60-140*					*03/10/2022 11:12*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6C-S (Continued)
Lab Sample ID: 22A3944-30
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/27/2022 12:24
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*108%*		*60-140*					*03/10/2022 11:12*	
SW-8082	PCBs, Total	A	<1.11	U	ug/kg dry	1	1.11	2.23	BFC1955	04/02/2022 04:46	CRO
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*83.7%*		*60-140*					*04/02/2022 04:46*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*97.5%*		*60-140*					*04/02/2022 04:46*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<3.36	U	mg/kg dry	1	3.36	10.1	BFC0727	03/11/2022 06:33	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*67.9%*	*S*	*70-130*					*03/11/2022 06:33*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*91.2%*		*70-130*					*03/11/2022 06:33*	
Metals, Total											
EPA 200.8	Antimony	A	<0.415	A, U	mg/kg dry	10	0.415	0.831	BFC0620	03/04/2022 11:22	DAL
EPA 200.8	Arsenic	A	0.343	J	mg/kg dry	10	0.0415	0.415	BFC0620	03/04/2022 11:22	DAL
EPA 200.8	Beryllium	A	0.0518	J	mg/kg dry	10	0.00831	0.166	BFC0620	03/07/2022 08:59	DAL
EPA 200.8	Cadmium	A	<0.0415	A, U	mg/kg dry	10	0.0415	0.831	BFC0620	03/04/2022 11:22	DAL
EPA 200.8	Chromium	A	1.51	J	mg/kg dry	10	0.124	2.49	BFC0620	03/04/2022 11:22	DAL
EPA 200.8	Copper	A	0.549	V, J	mg/kg dry	10	0.166	0.831	BFC0620	03/04/2022 11:22	DAL
Calc	Chromium (III)		<2.28	U	mg/kg (dry wt) dry	10	2.28	8.57	[CALC]	03/28/2022 17:44	EM
SW-7196	Chromium (VI)	A	<2.15	U	mg/kg dry	1	2.15	6.08	BFC3544	03/28/2022 17:44	EM
SW-7471B	Mercury	A	<0.00484	U	mg/kg dry	1	0.00484	0.00968	BFC0177	03/04/2022 12:26	KEV
EPA 200.8	Lead	A	1.58		mg/kg dry	10	0.0415	0.415	BFC0620	03/04/2022 11:22	DAL
EPA 200.8	Nickel	A	<0.831	A, U	mg/kg dry	10	0.831	0.831	BFC0620	03/07/2022 08:59	DAL
EPA 200.8	Selenium	A	<0.831	A, U	mg/kg dry	10	0.831	4.15	BFC0620	03/04/2022 11:22	DAL
EPA 200.8	Silver	A	<0.0208	A, U	mg/kg dry	10	0.0208	0.415	BFC0620	03/04/2022 11:22	DAL
EPA 200.8	Thallium	A	<0.0208	A, U	mg/kg dry	10	0.0208	0.415	BFC0620	03/04/2022 11:22	DAL
EPA 200.8	Zinc	A	4.76	V	mg/kg dry	10	0.831	1.66	BFC0620	03/04/2022 11:22	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0273	U	mg/kg dry	1	0.0273	0.0545	BFC1476	03/11/2022 18:20	CTC
EPA 350.2	Ammonia as N	A	<11.2	U	mg/kg dry	1	11.2	22.4	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.25	H	pH Units @ 25 °C	1		0.100	BFC0778	03/04/2022 16:24	AKA
SM 2540 G	% Solids	A	89.0		%	1	0.100	0.100	BFC0534	03/04/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6C-S
Lab Sample ID: 22A3944-30RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/27/2022 12:24
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<2.71	U	ug/kg dry	1	2.71	5.42	BFC0958	04/12/2022 17:43	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.71	U	ug/kg dry	1	2.71	5.42	BFC0958	04/12/2022 17:43	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<2.71	U	ug/kg dry	1	2.71	5.42	BFC0958	04/12/2022 17:43	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<2.71	U	ug/kg dry	1	2.71	5.42	BFC0958	04/12/2022 17:43	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.71	U	ug/kg dry	1	2.71	5.42	BFC0958	04/12/2022 17:43	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<10.8	U	ug/kg dry	1	10.8	21.7	BFC0958	04/12/2022 17:43	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<2.71	U	ug/kg dry	1	2.71	5.42	BFC0958	04/12/2022 17:43	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<2.71	U	ug/kg dry	1	2.71	5.42	BFC0958	04/12/2022 17:43	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Anthracene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-06-6C-S (Continued)
Lab Sample ID: 22A3944-30RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/27/2022 12:24
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	2.20	J	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Chrysene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Fluorene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Isophorone (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Naphthalene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<6.77	U	ug/kg dry	1	6.77	13.5	BFC0958	04/12/2022 17:43	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<2.71	U	ug/kg dry	1	2.71	5.42	BFC0958	04/12/2022 17:43	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	Phenol, Total (Rerun)	A	<2.71	U	ug/kg dry	1	2.71	5.42	BFC0958	04/12/2022 17:43	KRB
SW-8270	Pyrene (Rerun)	A	<1.35	U	ug/kg dry	1	1.35	2.71	BFC0958	04/12/2022 17:43	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*81.4%*		*60-140*					*04/12/2022 17:43*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*104%*		*60-140*					*04/12/2022 17:43*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*88.0%*		*60-140*					*04/12/2022 17:43*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*107%*		*60-140*					*04/12/2022 17:43*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*119%*		*60-140*					*04/12/2022 17:43*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*88.1%*		*60-140*					*04/12/2022 17:43*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-7A-S
Lab Sample ID: 22A3944-32
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/15/2022 15:10
Collected by: Collected by Client

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	1,2,4-Trichlorobenzene	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	1,2-Diphenylhydrazine	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	2,4,6-Trichlorophenol	A	<2.94U	ug/kg dry	1	2.94	5.88	BFB3398	03/05/2022 02:01	KRB
SW-8270	2,4-Dimethylphenol	A	<2.94U	ug/kg dry	1	2.94	5.88	BFB3398	03/05/2022 02:01	KRB
SW-8270	2,4-Dinitrophenol	A	<2.94U	ug/kg dry	1	2.94	5.88	BFB3398	03/05/2022 02:01	KRB
SW-8270	2-Chloronaphthalene	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<11.8U	ug/kg dry	1	11.8	23.5	BFB3398	03/05/2022 02:01	KRB
SW-8270	2-Nitrophenol	A	<2.94U	ug/kg dry	1	2.94	5.88	BFB3398	03/05/2022 02:01	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	4-Chloro-3-methylphenol	A	<2.94U	ug/kg dry	1	2.94	5.88	BFB3398	03/05/2022 02:01	KRB
SW-8270	4-Chlorophenyl phenylether	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	4-Nitrophenol	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Benzo(a)anthracene	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Butyl benzyl phthalate	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Diethyl phthalate	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Dimethyl phthalate	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Di-n-butyl phthalate	A	<1.47B, U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Hexachlorobenzene	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Hexachlorobutadiene	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Hexachlorocyclopentadiene	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Hexachloroethane	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Isophorone	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Nitrobenzene	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	n-Nitrosodimethylamine	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<1.47U	ug/kg dry	1	1.47	2.94	BFB3398	03/05/2022 02:01	KRB
SW-8270	Pentachlorophenol	A	<2.94U	ug/kg dry	1	2.94	5.88	BFB3398	03/05/2022 02:01	KRB
SW-8270	Phenol, Total	A	3.38J	ug/kg dry	1	2.94	5.88	BFB3398	03/05/2022 02:01	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-7A-S (Continued)
Lab Sample ID: 22A3944-32
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/15/2022 15:10
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*94.1%*		*60-140*					*03/05/2022 02:01*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*68.0%*		*60-140*					*03/05/2022 02:01*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*68.7%*		*60-140*					*03/05/2022 02:01*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*95.7%*		*60-140*					*03/05/2022 02:01*	
SW-8270	*Surrogate: Phenol-d5-surr*		*75.8%*		*60-140*					*03/05/2022 02:01*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*67.7%*		*60-140*					*03/05/2022 02:01*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	4,4'-DDE	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	4,4'-DDT	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Aldrin	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Chlordane (tech.)	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	delta-BHC	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Dieldrin	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Endosulfan I	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Endosulfan II	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Endosulfan sulfate	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Endrin	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Endrin aldehyde	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Endrin ketone	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	gamma-Chlordane	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Heptachlor	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Heptachlor epoxide	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Methoxychlor	A	<0.349	U	ug/kg dry	10	0.349	1.16	BFB3474	03/05/2022 13:42	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<17.4	U	ug/kg dry	10	17.4	17.4	BFB3474	03/05/2022 13:42	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*110%*		*60-140*					*03/05/2022 13:42*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*114%*		*60-140*					*03/05/2022 13:42*	
SW-8082	PCBs, Total	A	<1.16	U	ug/kg dry	1	1.16	2.33	BFC0070	03/05/2022 22:52	SO

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-7A-S (Continued)
Lab Sample ID: 22A3944-32
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/15/2022 15:10
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*81.8%*		*60-140*					*03/05/2022 22:52*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*69.9%*		*60-140*					*03/05/2022 22:52*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<3.53	U	mg/kg dry	1	3.53	10.6	BFC0009	03/11/2022 01:49	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*74.5%*		*70-130*					*03/11/2022 01:49*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*95.0%*		*70-130*					*03/11/2022 01:49*	
Metals, Total											
EPA 200.8	Antimony	A	<0.278	A, U	mg/kg dry	10	0.278	0.557	BFB2873	02/22/2022 12:47	DAL
EPA 200.8	Arsenic	A	0.294		mg/kg dry	10	0.0278	0.278	BFB2873	02/22/2022 12:47	DAL
EPA 200.8	Beryllium	A	0.177		mg/kg dry	10	0.00557	0.111	BFB2873	02/22/2022 14:16	DAL
EPA 200.8	Cadmium	A	<0.0278	A, U	mg/kg dry	10	0.0278	0.557	BFB2873	02/22/2022 12:47	DAL
EPA 200.8	Chromium	A	3.24		mg/kg dry	10	0.0834	1.67	BFB2873	02/22/2022 12:47	DAL
EPA 200.8	Copper	A	1.21		mg/kg dry	10	0.111	0.557	BFB2873	02/22/2022 12:47	DAL
Calc	Chromium (III)		3.24	J	mg/kg (dry wt) dry	10	2.16	7.53	[CALC]	03/09/2022 20:23	CTC
SW-7196	Chromium (VI)	A	<2.08	U	mg/kg dry	1	2.08	5.86	BFB3694	03/09/2022 20:23	CTC
SW-7471B	Mercury	A	0.0397		mg/kg dry	1	0.00493	0.00986	BFB2900	02/23/2022 13:42	KEV
EPA 200.8	Lead	A	2.84		mg/kg dry	10	0.0278	0.278	BFB2873	02/22/2022 12:47	DAL
EPA 200.8	Nickel	A	1.96		mg/kg dry	10	0.557	0.557	BFB2873	02/22/2022 12:47	DAL
EPA 200.8	Selenium	A	0.605	J	mg/kg dry	10	0.557	2.78	BFB2873	02/22/2022 12:47	DAL
EPA 200.8	Silver	A	<0.0139	B, A, U	mg/kg dry	10	0.0139	0.278	BFB2873	02/22/2022 12:47	DAL
EPA 200.8	Thallium	A	0.0363	J	mg/kg dry	10	0.0139	0.278	BFB2873	02/22/2022 12:47	DAL
EPA 200.8	Zinc	A	6.23	B	mg/kg dry	10	0.557	1.11	BFB2873	02/22/2022 12:47	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0295	U	mg/kg dry	1	0.0295	0.0590	BFB3287	02/25/2022 17:51	CTC
EPA 350.2	Ammonia as N	A	<11.9	U	mg/kg dry	1	11.9	23.7	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.13	H	pH Units @ 25 °C	1		0.100	BFB3066	02/23/2022 12:25	EM
SM 2540 G	% Solids	A	83.9		%	1	0.100	0.100	BFB2875	02/23/2022 09:54	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-7A-S
Lab Sample ID: 22A3944-32RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/15/2022 15:10
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.88	BFB3398	03/11/2022 23:22	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.94	U	ug/kg dry	1	2.94	5.88	BFB3398	03/11/2022 23:22	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Anthracene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.47	CQb, U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Chrysene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Fluorene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Naphthalene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	Pyrene (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/11/2022 23:22	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*71.3%*		*60-140*					*03/11/2022 23:22*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*86.6%*		*60-140*					*03/11/2022 23:22*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*55.0%*	*S*	*60-140*					*03/11/2022 23:22*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*77.9%*		*60-140*					*03/11/2022 23:22*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*69.1%*		*60-140*					*03/11/2022 23:22*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*58.8%*	*S*	*60-140*					*03/11/2022 23:22*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-07-7A-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-32RE2	Date Collected:	02/15/2022 15:10
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/31/2022 05:57	KRB
SW-8270	Benzidine (Rerun)	A	<1.47	U	ug/kg dry	1	1.47	2.94	BFB3398	03/31/2022 05:57	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*91.5%*		*60-140*					*03/31/2022 05:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*71.8%*		*60-140*					*03/31/2022 05:57*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*69.7%*		*60-140*					*03/31/2022 05:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*90.9%*		*60-140*					*03/31/2022 05:57*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*80.0%*		*60-140*					*03/31/2022 05:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*63.4%*		*60-140*					*03/31/2022 05:57*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-7C-S
Lab Sample ID: 22A3944-34
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/16/2022 18:47
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	1,2-Diphenylhydrazine	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	2,4,6-Trichlorophenol	A	<2.82	U	ug/kg dry	1	2.82	5.64	BFB3398	03/05/2022 02:36	KRB
SW-8270	2,4-Dimethylphenol	A	<2.82	U	ug/kg dry	1	2.82	5.64	BFB3398	03/05/2022 02:36	KRB
SW-8270	2,4-Dinitrophenol	A	<2.82	U	ug/kg dry	1	2.82	5.64	BFB3398	03/05/2022 02:36	KRB
SW-8270	2-Chloronaphthalene	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<11.3	U	ug/kg dry	1	11.3	22.6	BFB3398	03/05/2022 02:36	KRB
SW-8270	2-Nitrophenol	A	<2.82	U	ug/kg dry	1	2.82	5.64	BFB3398	03/05/2022 02:36	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	4-Chloro-3-methylphenol	A	<2.82	U	ug/kg dry	1	2.82	5.64	BFB3398	03/05/2022 02:36	KRB
SW-8270	4-Chlorophenyl phenylether	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	4-Nitrophenol	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Benzo(a)anthracene	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	1.87	J	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Butyl benzyl phthalate	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Diethyl phthalate	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Dimethyl phthalate	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Di-n-butyl phthalate	A	<1.41	B, U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Hexachlorobenzene	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Hexachlorobutadiene	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Hexachlorocyclopentadiene	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Hexachloroethane	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Isophorone	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Nitrobenzene	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	n-Nitrosodimethylamine	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/05/2022 02:36	KRB
SW-8270	Pentachlorophenol	A	<2.82	U	ug/kg dry	1	2.82	5.64	BFB3398	03/05/2022 02:36	KRB
SW-8270	Phenol, Total	A	4.91	J	ug/kg dry	1	2.82	5.64	BFB3398	03/05/2022 02:36	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-7C-S (Continued)
Lab Sample ID: 22A3944-34
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/16/2022 18:47
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*101%*		*60-140*					*03/05/2022 02:36*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*78.1%*		*60-140*					*03/05/2022 02:36*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*85.9%*		*60-140*					*03/05/2022 02:36*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*74.8%*		*60-140*					*03/05/2022 02:36*	
SW-8270	*Surrogate: Phenol-d5-surr*		*102%*		*60-140*					*03/05/2022 02:36*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*63.7%*		*60-140*					*03/05/2022 02:36*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	4,4'-DDE	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	4,4'-DDT	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Aldrin	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Chlordane (tech.)	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	delta-BHC	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Dieldrin	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Endosulfan I	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Endosulfan II	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Endosulfan sulfate	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Endrin	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Endrin aldehyde	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Endrin ketone	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	gamma-Chlordane	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Heptachlor	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Heptachlor epoxide	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Methoxychlor	A	<0.329	U	ug/kg dry	10	0.329	1.10	BFB3474	03/05/2022 14:06	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<16.5	U	ug/kg dry	10	16.5	16.5	BFB3474	03/05/2022 14:06	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*104%*		*60-140*					*03/05/2022 14:06*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*111%*		*60-140*					*03/05/2022 14:06*	
SW-8082	PCBs, Total	A	<1.14	U	ug/kg dry	1	1.14	2.28	BFC0070	03/05/2022 23:15	SO

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-7C-S (Continued)
Lab Sample ID: 22A3944-34
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/16/2022 18:47
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*88.8%*		*60-140*					*03/05/2022 23:15*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*80.0%*		*60-140*					*03/05/2022 23:15*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<3.45	U	mg/kg dry	1	3.45	10.4	BFC0009	03/11/2022 02:13	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*73.5%*		*70-130*					*03/11/2022 02:13*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*94.9%*		*70-130*					*03/11/2022 02:13*	
Metals, Total											
EPA 200.8	Antimony	A	<0.319	A, U	mg/kg dry	10	0.319	0.640	BFB2873	02/22/2022 12:50	DAL
EPA 200.8	Arsenic	A	0.595		mg/kg dry	10	0.0319	0.319	BFB2873	02/22/2022 12:50	DAL
EPA 200.8	Beryllium	A	0.162		mg/kg dry	10	0.00640	0.128	BFB2873	02/22/2022 14:18	DAL
EPA 200.8	Cadmium	A	<0.0319	A, U	mg/kg dry	10	0.0319	0.640	BFB2873	02/22/2022 12:50	DAL
EPA 200.8	Chromium	A	1.95		mg/kg dry	10	0.0957	1.91	BFB2873	02/22/2022 12:50	DAL
EPA 200.8	Copper	A	0.807		mg/kg dry	10	0.128	0.640	BFB2873	02/22/2022 12:50	DAL
Calc	Chromium (III)		<2.06	U	mg/kg (dry wt) dry	10	2.06	7.47	[CALC]	03/09/2022 20:24	CTC
SW-7196	Chromium (VI)	A	<1.97	U	mg/kg dry	1	1.97	5.55	BFB3694	03/09/2022 20:24	CTC
SW-7471B	Mercury	A	0.0139		mg/kg dry	1	0.00505	0.0101	BFB2900	02/23/2022 13:45	KEV
EPA 200.8	Lead	A	3.42		mg/kg dry	10	0.0319	0.319	BFB2873	02/22/2022 12:50	DAL
EPA 200.8	Nickel	A	1.88		mg/kg dry	10	0.640	0.640	BFB2873	02/22/2022 12:50	DAL
EPA 200.8	Selenium	A	<0.640	A, U	mg/kg dry	10	0.640	3.19	BFB2873	02/22/2022 12:50	DAL
EPA 200.8	Silver	A	<0.0160	A, B, U	mg/kg dry	10	0.0160	0.319	BFB2873	02/22/2022 12:50	DAL
EPA 200.8	Thallium	A	0.0308	J	mg/kg dry	10	0.0160	0.319	BFB2873	02/22/2022 12:50	DAL
EPA 200.8	Zinc	A	4.75	B	mg/kg dry	10	0.640	1.28	BFB2873	02/22/2022 12:50	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0305	U	mg/kg dry	1	0.0305	0.0610	BFB3287	02/25/2022 17:52	CTC
EPA 350.2	Ammonia as N	A	<11.9	U	mg/kg dry	1	11.9	23.9	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.36	H	pH Units @ 25 °C	1		0.100	BFB3066	02/23/2022 12:25	EM
SM 2540 G	% Solids	A	83.7		%	1	0.100	0.100	BFB2875	02/23/2022 09:54	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-07-7C-S
Lab Sample ID: 22A3944-34RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/16/2022 18:47
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.82	U	ug/kg dry	1	2.82	5.64	BFB3398	03/11/2022 23:56	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.82	U	ug/kg dry	1	2.82	5.64	BFB3398	03/11/2022 23:56	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Anthracene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.41	CQb, U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Chrysene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Fluorene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Naphthalene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	Pyrene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/11/2022 23:56	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*61.8%*		*60-140*					*03/11/2022 23:56*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*75.9%*		*60-140*					*03/11/2022 23:56*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*69.8%*		*60-140*					*03/11/2022 23:56*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*86.6%*		*60-140*					*03/11/2022 23:56*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*62.8%*		*60-140*					*03/11/2022 23:56*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*51.4%*	*S*	*60-140*					*03/11/2022 23:56*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-07-7C-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-34RE2	Date Collected:	02/16/2022 18:47
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/31/2022 06:31	KRB
SW-8270	Benzidine (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.82	BFB3398	03/31/2022 06:31	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*82.3%*		*60-140*					*03/31/2022 06:31*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*75.9%*		*60-140*					*03/31/2022 06:31*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*76.1%*		*60-140*					*03/31/2022 06:31*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*103%*		*60-140*					*03/31/2022 06:31*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*89.1%*		*60-140*					*03/31/2022 06:31*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*53.8%*	*S*	*60-140*					*03/31/2022 06:31*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-8A-S
Lab Sample ID: 22A3944-36
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/22/2022 13:20
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/02/2022 02:26	KRB
SW-8270	Benzidine	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/02/2022 02:26	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*74.1%*		*60-140*					*04/02/2022 02:26*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.1%*		*60-140*					*04/02/2022 02:26*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*123%*		*60-140*					*04/02/2022 02:26*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*104%*		*60-140*					*04/02/2022 02:26*	
SW-8270	*Surrogate: Phenol-d5-surr*		*86.9%*		*60-140*					*04/02/2022 02:26*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*74.3%*		*60-140*					*04/02/2022 02:26*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	4,4'-DDE	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	4,4'-DDT	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Aldrin	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Chlordane (tech.)	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	delta-BHC	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Dieldrin	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Endosulfan I	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Endosulfan II	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Endosulfan sulfate	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Endrin	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Endrin aldehyde	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Endrin ketone	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	gamma-Chlordane	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Heptachlor	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Heptachlor epoxide	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Methoxychlor	A	<0.345	U	ug/kg dry	10	0.345	1.15	BFC0961	03/10/2022 11:36	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<17.2	U	ug/kg dry	10	17.2	17.2	BFC0961	03/10/2022 11:36	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*111%*		*60-140*					*03/10/2022 11:36*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-8A-S (Continued)
Lab Sample ID: 22A3944-36
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/22/2022 13:20
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*117%*		*60-140*					*03/10/2022 11:36*	
SW-8082	PCBs, Total	A	<1.19	U	ug/kg dry	1	1.19	2.38	BFC0070	03/05/2022 23:39	SO
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*72.1%*		*60-140*					*03/05/2022 23:39*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*63.4%*		*60-140*					*03/05/2022 23:39*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<3.53	U	mg/kg dry	1	3.53	10.6	BFC0009	03/11/2022 02:37	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*77.2%*		*70-130*					*03/11/2022 02:37*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*93.1%*		*70-130*					*03/11/2022 02:37*	
Metals, Total											
EPA 200.8	Antimony	A	<0.274	A, U	mg/kg dry	10	0.274	0.550	BFC0620	03/04/2022 11:30	DAL
EPA 200.8	Arsenic	A	0.396		mg/kg dry	10	0.0274	0.274	BFC0620	03/04/2022 11:30	DAL
EPA 200.8	Beryllium	A	0.0688	J	mg/kg dry	10	0.00550	0.110	BFC0620	03/07/2022 09:06	DAL
EPA 200.8	Cadmium	A	<0.0274	A, U	mg/kg dry	10	0.0274	0.550	BFC0620	03/04/2022 11:30	DAL
EPA 200.8	Chromium	A	1.94		mg/kg dry	10	0.0823	1.65	BFC0620	03/04/2022 11:30	DAL
EPA 200.8	Copper	A	1.42	V	mg/kg dry	10	0.110	0.550	BFC0620	03/04/2022 11:30	DAL
Calc	Chromium (III)		<2.05	U	mg/kg (dry wt) dry	10	2.05	7.21	[CALC]	03/09/2022 20:24	CTC
SW-7196	Chromium (VI)	A	<1.97	U	mg/kg dry	1	1.97	5.57	BFB3694	03/09/2022 20:24	CTC
SW-7471B	Mercury	A	0.00737	J	mg/kg dry	1	0.00482	0.00963	BFB3136	03/01/2022 16:45	KEV
EPA 200.8	Lead	A	1.91		mg/kg dry	10	0.0274	0.274	BFC0620	03/04/2022 11:30	DAL
EPA 200.8	Nickel	A	0.968		mg/kg dry	10	0.550	0.550	BFC0620	03/07/2022 09:06	DAL
EPA 200.8	Selenium	A	<0.550	A, U	mg/kg dry	10	0.550	2.74	BFC0620	03/04/2022 11:30	DAL
EPA 200.8	Silver	A	<0.0137	A, U	mg/kg dry	10	0.0137	0.274	BFC0620	03/04/2022 11:30	DAL
EPA 200.8	Thallium	A	0.0229	J	mg/kg dry	10	0.0137	0.274	BFC0620	03/04/2022 11:30	DAL
EPA 200.8	Zinc	A	5.43	V	mg/kg dry	10	0.550	1.10	BFC0620	03/04/2022 11:30	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0303	U	mg/kg dry	1	0.0303	0.0607	BFC0271	03/04/2022 17:10	CTC
EPA 350.2	Ammonia as N	A	12.0	J	mg/kg dry	1	11.9	23.8	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.34	H	pH Units @ 25 °C	1		0.100	BFC0103	03/01/2022 16:03	EM
SM 2540 G	% Solids	A	84.1		%	1	0.100	0.100	BFB3351	02/28/2022 10:49	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-8A-S
Lab Sample ID: 22A3944-36RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/22/2022 13:20
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<2.88	U	ug/kg dry	1	2.88	5.76	BFC0958	04/12/2022 18:18	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.88	U	ug/kg dry	1	2.88	5.76	BFC0958	04/12/2022 18:18	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<2.88	U	ug/kg dry	1	2.88	5.76	BFC0958	04/12/2022 18:18	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<2.88	U	ug/kg dry	1	2.88	5.76	BFC0958	04/12/2022 18:18	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.88	U	ug/kg dry	1	2.88	5.76	BFC0958	04/12/2022 18:18	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<11.5	U	ug/kg dry	1	11.5	23.1	BFC0958	04/12/2022 18:18	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<2.88	U	ug/kg dry	1	2.88	5.76	BFC0958	04/12/2022 18:18	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<2.88	U	ug/kg dry	1	2.88	5.76	BFC0958	04/12/2022 18:18	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Anthracene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-8A-S (Continued)
Lab Sample ID: 22A3944-36RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/22/2022 13:20
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	11.8		ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Chrysene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.87	J	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Fluorene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Isophorone (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Naphthalene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<7.20	U	ug/kg dry	1	7.20	14.4	BFC0958	04/12/2022 18:18	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<2.88	U	ug/kg dry	1	2.88	5.76	BFC0958	04/12/2022 18:18	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	Phenol, Total (Rerun)	A	<2.88	U	ug/kg dry	1	2.88	5.76	BFC0958	04/12/2022 18:18	KRB
SW-8270	Pyrene (Rerun)	A	<1.44	U	ug/kg dry	1	1.44	2.88	BFC0958	04/12/2022 18:18	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*88.0%*		*60-140*					*04/12/2022 18:18*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*93.7%*		*60-140*					*04/12/2022 18:18*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*92.5%*		*60-140*					*04/12/2022 18:18*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*94.7%*		*60-140*					*04/12/2022 18:18*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*118%*		*60-140*					*04/12/2022 18:18*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*74.0%*		*60-140*					*04/12/2022 18:18*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-8C-S
Lab Sample ID: 22A3944-38
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/24/2022 17:50
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/02/2022 03:01	KRB
SW-8270	Benzidine	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/02/2022 03:01	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*93.6%*		*60-140*					*04/02/2022 03:01*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*78.5%*		*60-140*					*04/02/2022 03:01*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*146%*	*S*	*60-140*					*04/02/2022 03:01*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*108%*		*60-140*					*04/02/2022 03:01*	
SW-8270	*Surrogate: Phenol-d5-surr*		*88.7%*		*60-140*					*04/02/2022 03:01*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*84.6%*		*60-140*					*04/02/2022 03:01*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	4,4'-DDE	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	4,4'-DDT	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Aldrin	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Chlordane (tech.)	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	delta-BHC	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Dieldrin	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Endosulfan I	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Endosulfan II	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Endosulfan sulfate	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Endrin	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Endrin aldehyde	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Endrin ketone	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	gamma-Chlordane	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Heptachlor	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Heptachlor epoxide	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Methoxychlor	A	<0.336	U	ug/kg dry	10	0.336	1.12	BFC0961	03/10/2022 12:00	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<16.8	U	ug/kg dry	10	16.8	16.8	BFC0961	03/10/2022 12:00	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*106%*		*60-140*					*03/10/2022 12:00*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-8C-S (Continued)
Lab Sample ID: 22A3944-38
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/24/2022 17:50
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*108%*		*60-140*					*03/10/2022 12:00*	
SW-8082	PCBs, Total	A	<1.15	U	ug/kg dry	1	1.15	2.31	BFC1955	04/02/2022 05:10	CRO
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*89.2%*		*60-140*					*04/02/2022 05:10*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*89.0%*		*60-140*					*04/02/2022 05:10*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<3.55	U	mg/kg dry	1	3.55	10.7	BFC0727	03/11/2022 06:57	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*69.0%*	*S*	*70-130*					*03/11/2022 06:57*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*91.8%*		*70-130*					*03/11/2022 06:57*	
Metals, Total											
EPA 200.8	Antimony	A	<0.392	A, U	mg/kg dry	10	0.392	0.786	BFC0620	03/04/2022 11:32	DAL
EPA 200.8	Arsenic	A	2.68		mg/kg dry	10	0.0392	0.392	BFC0620	03/04/2022 11:32	DAL
EPA 200.8	Beryllium	A	0.0414	J	mg/kg dry	10	0.00786	0.157	BFC0620	03/07/2022 09:08	DAL
EPA 200.8	Cadmium	A	<0.0392	A, U	mg/kg dry	10	0.0392	0.786	BFC0620	03/04/2022 11:32	DAL
EPA 200.8	Chromium	A	3.76		mg/kg dry	10	0.118	2.35	BFC0620	03/04/2022 11:32	DAL
EPA 200.8	Copper	A	0.979	V	mg/kg dry	10	0.157	0.786	BFC0620	03/04/2022 11:32	DAL
Calc	Chromium (III)		3.76	J	mg/kg (dry wt) dry	10	2.30	8.53	[CALC]	03/28/2022 17:45	EM
SW-7196	Chromium (VI)	A	<2.19	U	mg/kg dry	1	2.19	6.18	BFC3544	03/28/2022 17:45	EM
SW-7471B	Mercury	A	0.00759	J	mg/kg dry	1	0.00493	0.00986	BFC0177	03/04/2022 12:36	KEV
EPA 200.8	Lead	A	2.61		mg/kg dry	10	0.0392	0.392	BFC0620	03/04/2022 11:32	DAL
EPA 200.8	Nickel	A	1.34		mg/kg dry	10	0.786	0.786	BFC0620	03/07/2022 09:08	DAL
EPA 200.8	Selenium	A	<0.786	A, U	mg/kg dry	10	0.786	3.92	BFC0620	03/04/2022 11:32	DAL
EPA 200.8	Silver	A	<0.0196	A, U	mg/kg dry	10	0.0196	0.392	BFC0620	03/04/2022 11:32	DAL
EPA 200.8	Thallium	A	<0.0196	A, U	mg/kg dry	10	0.0196	0.392	BFC0620	03/04/2022 11:32	DAL
EPA 200.8	Zinc	A	4.87	V	mg/kg dry	10	0.786	1.57	BFC0620	03/04/2022 11:32	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0280	U	mg/kg dry	1	0.0280	0.0559	BFC0271	03/04/2022 17:11	CTC
EPA 350.2	Ammonia as N	A	<11.8	U	mg/kg dry	1	11.8	23.5	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.17	H	pH Units @ 25 °C	1		0.100	BFC0778	03/04/2022 16:24	AKA
SM 2540 G	% Solids	A	84.3		%	1	0.100	0.100	BFC0534	03/04/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-08-8C-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-38RE1	Date Collected:	02/24/2022 17:50
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<2.75	U	ug/kg dry	1	2.75	5.50	BFC0958	04/12/2022 18:53	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.75	U	ug/kg dry	1	2.75	5.50	BFC0958	04/12/2022 18:53	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<2.75	U	ug/kg dry	1	2.75	5.50	BFC0958	04/12/2022 18:53	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<2.75	U	ug/kg dry	1	2.75	5.50	BFC0958	04/12/2022 18:53	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.75	U	ug/kg dry	1	2.75	5.50	BFC0958	04/12/2022 18:53	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<11.0	U	ug/kg dry	1	11.0	22.0	BFC0958	04/12/2022 18:53	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<2.75	U	ug/kg dry	1	2.75	5.50	BFC0958	04/12/2022 18:53	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<2.75	U	ug/kg dry	1	2.75	5.50	BFC0958	04/12/2022 18:53	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Anthracene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-08-8C-S (Continued)
Lab Sample ID: 22A3944-38RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/24/2022 17:50
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	19.8		ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Chrysene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Fluorene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Isophorone (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Naphthalene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<6.88	U	ug/kg dry	1	6.88	13.8	BFC0958	04/12/2022 18:53	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<2.75	U	ug/kg dry	1	2.75	5.50	BFC0958	04/12/2022 18:53	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	Phenol, Total (Rerun)	A	<2.75	U	ug/kg dry	1	2.75	5.50	BFC0958	04/12/2022 18:53	KRB
SW-8270	Pyrene (Rerun)	A	<1.38	U	ug/kg dry	1	1.38	2.75	BFC0958	04/12/2022 18:53	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*103%*		*60-140*					*04/12/2022 18:53*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*102%*		*60-140*					*04/12/2022 18:53*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*93.6%*		*60-140*					*04/12/2022 18:53*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*95.1%*		*60-140*					*04/12/2022 18:53*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*108%*		*60-140*					*04/12/2022 18:53*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*80.4%*		*60-140*					*04/12/2022 18:53*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9A-S
Lab Sample ID: 22A3944-40
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/18/2022 17:31
Collected by: Collected by Client

Semivolatile Organic Compounds by GCMS

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
SW-8270	1,2,4-Trichlorobenzene	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	1,2-Diphenylhydrazine	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	2,4,6-Trichlorophenol	A	<3.01	U	ug/kg dry	1	3.01	6.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	2,4-Dimethylphenol	A	<3.01	U	ug/kg dry	1	3.01	6.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	2,4-Dinitrophenol	A	<3.01	U	ug/kg dry	1	3.01	6.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	2-Chloronaphthalene	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<12.0	U	ug/kg dry	1	12.0	24.1	BFB3398	03/05/2022 03:10	KRB
SW-8270	2-Nitrophenol	A	<3.01	U	ug/kg dry	1	3.01	6.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	4-Chloro-3-methylphenol	A	<3.01	U	ug/kg dry	1	3.01	6.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	4-Chlorophenyl phenylether	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	4-Nitrophenol	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Benzo(a)anthracene	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Butyl benzyl phthalate	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Diethyl phthalate	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Dimethyl phthalate	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Di-n-butyl phthalate	A	<1.50	B, U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Hexachlorobenzene	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Hexachlorobutadiene	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Hexachlorocyclopentadiene	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Hexachloroethane	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Isophorone	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Nitrobenzene	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	n-Nitrosodimethylamine	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Pentachlorophenol	A	<3.01	U	ug/kg dry	1	3.01	6.01	BFB3398	03/05/2022 03:10	KRB
SW-8270	Phenol, Total	A	<3.01	U	ug/kg dry	1	3.01	6.01	BFB3398	03/05/2022 03:10	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9A-S (Continued)
Lab Sample ID: 22A3944-40
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/18/2022 17:31
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*102%*		*60-140*					*03/05/2022 03:10*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*78.2%*		*60-140*					*03/05/2022 03:10*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*69.8%*		*60-140*					*03/05/2022 03:10*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*71.8%*		*60-140*					*03/05/2022 03:10*	
SW-8270	*Surrogate: Phenol-d5-surr*		*97.2%*		*60-140*					*03/05/2022 03:10*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*75.1%*		*60-140*					*03/05/2022 03:10*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	4,4'-DDE	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	4,4'-DDT	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Aldrin	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Chlordane (tech.)	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	delta-BHC	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Dieldrin	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Endosulfan I	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Endosulfan II	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Endosulfan sulfate	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Endrin	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Endrin aldehyde	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Endrin ketone	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	gamma-Chlordane	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Heptachlor	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Heptachlor epoxide	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Methoxychlor	A	<0.366	U	ug/kg dry	10	0.366	1.22	BFB3474	03/05/2022 14:30	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<18.3	U	ug/kg dry	10	18.3	18.3	BFB3474	03/05/2022 14:30	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*111%*		*60-140*					*03/05/2022 14:30*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*112%*		*60-140*					*03/05/2022 14:30*	
SW-8082	PCBs, Total	A	<1.23	U	ug/kg dry	1	1.23	2.46	BFC0070	03/06/2022 00:03	SO

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9A-S (Continued)
Lab Sample ID: 22A3944-40
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/18/2022 17:31
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*83.5%*		*60-140*					*03/06/2022 00:03*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*74.4%*		*60-140*					*03/06/2022 00:03*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<3.72	B, U	mg/kg dry	1	3.72	11.2	BFB3309	02/28/2022 20:22	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*76.7%*		*70-130*					*02/28/2022 20:22*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*100%*		*70-130*					*02/28/2022 20:22*	
Metals, Total											
EPA 200.8	Antimony	A	<0.222	A, U	mg/kg dry	10	0.222	0.445	BFC2626	03/18/2022 11:10	DAL
EPA 200.8	Arsenic	A	0.986		mg/kg dry	10	0.0222	0.222	BFC2626	03/18/2022 11:10	DAL
EPA 200.8	Beryllium	A	0.111		mg/kg dry	10	0.00445	0.0887	BFC2626	03/18/2022 11:10	DAL
EPA 200.8	Cadmium	A	0.0460	J	mg/kg dry	10	0.0222	0.445	BFC2626	03/18/2022 11:10	DAL
EPA 200.8	Chromium	A	2.46	V	mg/kg dry	10	0.0666	1.33	BFC2626	03/18/2022 11:10	DAL
EPA 200.8	Copper	A	1.65		mg/kg dry	10	0.0887	0.445	BFC2626	03/18/2022 11:10	DAL
Calc	Chromium (III)		2.46	J	mg/kg (dry wt) dry	10	2.15	7.21	[CALC]	03/18/2022 11:10	CTC
SW-7196	Chromium (VI)	A	<2.08	U	mg/kg dry	1	2.08	5.88	BFB3694	03/09/2022 20:24	CTC
SW-7471B	Mercury	A	0.0127		mg/kg dry	1	0.00511	0.0102	BFB3136	03/01/2022 16:29	KEV
EPA 200.8	Lead	A	2.43		mg/kg dry	10	0.0222	0.222	BFC2626	03/18/2022 11:10	DAL
EPA 200.8	Nickel	A	2.07		mg/kg dry	10	0.445	0.445	BFC2626	03/18/2022 11:10	DAL
EPA 200.8	Selenium	A	0.847	J	mg/kg dry	10	0.445	2.22	BFC2626	03/18/2022 11:10	DAL
EPA 200.8	Silver	A	<0.0111	A, U	mg/kg dry	10	0.0111	0.222	BFC2626	03/18/2022 11:10	DAL
EPA 200.8	Thallium	A	0.0346	J	mg/kg dry	10	0.0111	0.222	BFC2626	03/18/2022 11:10	DAL
EPA 200.8	Zinc	A	7.27		mg/kg dry	10	0.445	0.887	BFC2626	03/18/2022 11:10	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0295	U	mg/kg dry	1	0.0295	0.0591	BFB3287	02/25/2022 17:52	CTC
EPA 350.2	Ammonia as N	A	<12.4	U	mg/kg dry	1	12.4	24.8	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.45	H	pH Units @ 25 °C	1		0.100	BFB3066	02/23/2022 12:25	EM
SM 2540 G	% Solids	A	80.6		%	1	0.100	0.100	BFB2981	02/24/2022 12:42	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9A-S
Lab Sample ID: 22A3944-40RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/18/2022 17:31
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dichlorophenol (Rerun)	A	<3.01	U	ug/kg dry	1	3.01	6.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<3.01	U	ug/kg dry	1	3.01	6.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Anthracene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.50	CQb, U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Chrysene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Fluorene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Naphthalene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	Pyrene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/12/2022 00:31	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*75.8%*		*60-140*					*03/12/2022 00:31*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*92.5%*		*60-140*					*03/12/2022 00:31*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*56.6%*	*S*	*60-140*					*03/12/2022 00:31*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*79.8%*		*60-140*					*03/12/2022 00:31*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*84.1%*		*60-140*					*03/12/2022 00:31*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*66.2%*		*60-140*					*03/12/2022 00:31*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-09-9A-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-40RE2	Date Collected:	02/18/2022 17:31
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/31/2022 07:06	KRB
SW-8270	Benzidine (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.01	BFB3398	03/31/2022 07:06	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*98.6%*		*60-140*					*03/31/2022 07:06*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*73.2%*		*60-140*					*03/31/2022 07:06*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*75.9%*		*60-140*					*03/31/2022 07:06*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*93.6%*		*60-140*					*03/31/2022 07:06*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*92.4%*		*60-140*					*03/31/2022 07:06*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*73.5%*		*60-140*					*03/31/2022 07:06*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9C-S-CORE 1
Lab Sample ID: 22A3944-41
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/19/2022 9:15
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	1,2-Diphenylhydrazine	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	2,4,6-Trichlorophenol	A	<2.81	U	ug/kg dry	1	2.81	5.62	BFB3398	03/05/2022 03:45	KRB
SW-8270	2,4-Dimethylphenol	A	<2.81	U	ug/kg dry	1	2.81	5.62	BFB3398	03/05/2022 03:45	KRB
SW-8270	2,4-Dinitrophenol	A	<2.81	U	ug/kg dry	1	2.81	5.62	BFB3398	03/05/2022 03:45	KRB
SW-8270	2-Chloronaphthalene	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<11.2	U	ug/kg dry	1	11.2	22.5	BFB3398	03/05/2022 03:45	KRB
SW-8270	2-Nitrophenol	A	<2.81	U	ug/kg dry	1	2.81	5.62	BFB3398	03/05/2022 03:45	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	4-Chloro-3-methylphenol	A	<2.81	U	ug/kg dry	1	2.81	5.62	BFB3398	03/05/2022 03:45	KRB
SW-8270	4-Chlorophenyl phenylether	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	4-Nitrophenol	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Benzo(a)anthracene	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	3.46		ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Butyl benzyl phthalate	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Diethyl phthalate	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Dimethyl phthalate	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Di-n-butyl phthalate	A	<1.41	B, U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Hexachlorobenzene	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Hexachlorobutadiene	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Hexachlorocyclopentadiene	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Hexachloroethane	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Isophorone	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Nitrobenzene	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	n-Nitrosodimethylamine	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/05/2022 03:45	KRB
SW-8270	Pentachlorophenol	A	<2.81	U	ug/kg dry	1	2.81	5.62	BFB3398	03/05/2022 03:45	KRB
SW-8270	Phenol, Total	A	<2.81	U	ug/kg dry	1	2.81	5.62	BFB3398	03/05/2022 03:45	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9C-S-CORE 1 (Continued)
Lab Sample ID: 22A3944-41
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/19/2022 9:15
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*89.3%*		*60-140*					*03/05/2022 03:45*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*79.5%*		*60-140*					*03/05/2022 03:45*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*72.2%*		*60-140*					*03/05/2022 03:45*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*77.8%*		*60-140*					*03/05/2022 03:45*	
SW-8270	*Surrogate: Phenol-d5-surr*		*90.8%*		*60-140*					*03/05/2022 03:45*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*75.1%*		*60-140*					*03/05/2022 03:45*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	4,4'-DDE	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	4,4'-DDT	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Aldrin	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Chlordane (tech.)	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	delta-BHC	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Dieldrin	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Endosulfan I	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Endosulfan II	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Endosulfan sulfate	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Endrin	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Endrin aldehyde	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Endrin ketone	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	gamma-Chlordane	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Heptachlor	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Heptachlor epoxide	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Methoxychlor	A	<0.340	U	ug/kg dry	10	0.340	1.13	BFB3474	03/05/2022 14:54	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<17.0	U	ug/kg dry	10	17.0	17.0	BFB3474	03/05/2022 14:54	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*116%*		*60-140*					*03/05/2022 14:54*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*113%*		*60-140*					*03/05/2022 14:54*	
SW-8082	PCBs, Total	A	<1.12	U	ug/kg dry	1	1.12	2.24	BFC0070	03/06/2022 00:27	SO

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9C-S-CORE 1 (Continued)
Lab Sample ID: 22A3944-41
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/19/2022 9:15
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*91.2%*		*60-140*					*03/06/2022 00:27*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*73.7%*		*60-140*					*03/06/2022 00:27*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<3.55	B, U	mg/kg dry	1	3.55	10.7	BFB3309	02/28/2022 19:58	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*73.4%*		*70-130*					*02/28/2022 19:58*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*99.8%*		*70-130*					*02/28/2022 19:58*	
Metals, Total											
EPA 200.8	Antimony	A	<0.385	A, U	mg/kg dry	10	0.385	0.772	BFC2626	03/18/2022 11:17	DAL
EPA 200.8	Arsenic	A	0.439		mg/kg dry	10	0.0385	0.385	BFC2626	03/18/2022 11:17	DAL
EPA 200.8	Beryllium	A	0.137	J	mg/kg dry	10	0.00772	0.154	BFC2626	03/18/2022 11:17	DAL
EPA 200.8	Cadmium	A	<0.0385	A, U	mg/kg dry	10	0.0385	0.772	BFC2626	03/18/2022 11:17	DAL
EPA 200.8	Chromium	A	2.50	V	mg/kg dry	10	0.116	2.31	BFC2626	03/18/2022 11:17	DAL
EPA 200.8	Copper	A	3.57		mg/kg dry	10	0.154	0.772	BFC2626	03/18/2022 11:17	DAL
Calc	Chromium (III)		2.50	J	mg/kg (dry wt) dry	10	2.44	8.86	[CALC]	03/18/2022 11:17	CTC
SW-7196	Chromium (VI)	A	<2.32	U	mg/kg dry	1	2.32	6.55	BFB3694	03/09/2022 20:25	CTC
SW-7471B	Mercury	A	0.0136		mg/kg dry	1	0.00514	0.0103	BFB3136	03/01/2022 16:39	KEV
EPA 200.8	Lead	A	3.60		mg/kg dry	10	0.0385	0.385	BFC2626	03/18/2022 11:17	DAL
EPA 200.8	Nickel	A	1.72		mg/kg dry	10	0.772	0.772	BFC2626	03/18/2022 11:17	DAL
EPA 200.8	Selenium	A	<0.772	A, U	mg/kg dry	10	0.772	3.85	BFC2626	03/18/2022 11:17	DAL
EPA 200.8	Silver	A	<0.0193	A, U	mg/kg dry	10	0.0193	0.385	BFC2626	03/18/2022 11:17	DAL
EPA 200.8	Thallium	A	0.0343	J	mg/kg dry	10	0.0193	0.385	BFC2626	03/18/2022 11:17	DAL
EPA 200.8	Zinc	A	8.24		mg/kg dry	10	0.772	1.54	BFC2626	03/18/2022 11:17	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0269	U	mg/kg dry	1	0.0269	0.0539	BFB3287	02/25/2022 17:52	CTC
EPA 350.2	Ammonia as N	A	<11.8	U	mg/kg dry	1	11.8	23.6	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.63	H	pH Units @ 25 °C	1		0.100	BFB3066	02/23/2022 12:25	EM
SM 2540 G	% Solids	A	84.4		%	1	0.100	0.100	BFB2981	02/24/2022 12:42	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9C-S-CORE 1
Lab Sample ID: 22A3944-41RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/19/2022 9:15
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.81	U	ug/kg dry	1	2.81	5.62	BFB3398	03/12/2022 01:06	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.81	U	ug/kg dry	1	2.81	5.62	BFB3398	03/12/2022 01:06	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Anthracene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.41	CQb, U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Chrysene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Fluorene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Naphthalene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	Pyrene (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/12/2022 01:06	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*75.6%*		*60-140*					*03/12/2022 01:06*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*86.3%*		*60-140*					*03/12/2022 01:06*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*62.7%*		*60-140*					*03/12/2022 01:06*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*80.1%*		*60-140*					*03/12/2022 01:06*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*78.8%*		*60-140*					*03/12/2022 01:06*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*53.9%*	*S*	*60-140*					*03/12/2022 01:06*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9C-S-CORE 1
Lab Sample ID: 22A3944-41RE2
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/19/2022 9:15
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/31/2022 07:41	KRB
SW-8270	Benzidine (Rerun)	A	<1.41	U	ug/kg dry	1	1.41	2.81	BFB3398	03/31/2022 07:41	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*126%*		*60-140*					*03/31/2022 07:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*70.0%*		*60-140*					*03/31/2022 07:41*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*76.2%*		*60-140*					*03/31/2022 07:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*93.1%*		*60-140*					*03/31/2022 07:41*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*89.6%*		*60-140*					*03/31/2022 07:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*74.2%*		*60-140*					*03/31/2022 07:41*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9C-S-CORE 2
Lab Sample ID: 22A3944-42
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/20/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	1,2-Diphenylhydrazine	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	2,4,6-Trichlorophenol	A	<2.87	U	ug/kg dry	1	2.87	5.74	BFB3398	03/05/2022 04:19	KRB
SW-8270	2,4-Dimethylphenol	A	<2.87	U	ug/kg dry	1	2.87	5.74	BFB3398	03/05/2022 04:19	KRB
SW-8270	2,4-Dinitrophenol	A	<2.87	U	ug/kg dry	1	2.87	5.74	BFB3398	03/05/2022 04:19	KRB
SW-8270	2-Chloronaphthalene	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<11.5	U	ug/kg dry	1	11.5	22.9	BFB3398	03/05/2022 04:19	KRB
SW-8270	2-Nitrophenol	A	<2.87	U	ug/kg dry	1	2.87	5.74	BFB3398	03/05/2022 04:19	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	4-Chloro-3-methylphenol	A	<2.87	U	ug/kg dry	1	2.87	5.74	BFB3398	03/05/2022 04:19	KRB
SW-8270	4-Chlorophenyl phenylether	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	4-Nitrophenol	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Benzo(a)anthracene	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Butyl benzyl phthalate	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Diethyl phthalate	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Dimethyl phthalate	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Di-n-butyl phthalate	A	<1.43	B, U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Hexachlorobenzene	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Hexachlorobutadiene	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Hexachlorocyclopentadiene	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Hexachloroethane	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Isophorone	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Nitrobenzene	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	n-Nitrosodimethylamine	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/05/2022 04:19	KRB
SW-8270	Pentachlorophenol	A	<2.87	U	ug/kg dry	1	2.87	5.74	BFB3398	03/05/2022 04:19	KRB
SW-8270	Phenol, Total	A	8.54		ug/kg dry	1	2.87	5.74	BFB3398	03/05/2022 04:19	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9C-S-CORE 2 (Continued)
Lab Sample ID: 22A3944-42
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/20/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*96.8%*		*60-140*					*03/05/2022 04:19*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*77.4%*		*60-140*					*03/05/2022 04:19*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*76.4%*		*60-140*					*03/05/2022 04:19*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*88.6%*		*60-140*					*03/05/2022 04:19*	
SW-8270	*Surrogate: Phenol-d5-surr*		*87.9%*		*60-140*					*03/05/2022 04:19*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*55.1%*	*S*	*60-140*					*03/05/2022 04:19*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	4,4'-DDE	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	4,4'-DDT	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Aldrin	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Chlordane (tech.)	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	delta-BHC	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Dieldrin	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Endosulfan I	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Endosulfan II	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Endosulfan sulfate	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Endrin	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Endrin aldehyde	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Endrin ketone	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	gamma-Chlordane	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Heptachlor	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Heptachlor epoxide	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Methoxychlor	A	<0.347	U	ug/kg dry	10	0.347	1.16	BFB3474	03/05/2022 15:18	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<17.4	U	ug/kg dry	10	17.4	17.4	BFB3474	03/05/2022 15:18	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*103%*		*60-140*					*03/05/2022 15:18*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*112%*		*60-140*					*03/05/2022 15:18*	
SW-8082	PCBs, Total	A	<1.18	U	ug/kg dry	1	1.18	2.36	BFC0070	03/06/2022 00:51	SO

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9C-S-CORE 2 (Continued)
Lab Sample ID: 22A3944-42
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/20/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*103%*		*60-140*					*03/06/2022 00:51*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*97.7%*		*60-140*					*03/06/2022 00:51*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<3.60	B, U	mg/kg dry	1	3.60	10.8	BFB3309	02/28/2022 19:35	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*77.9%*		*70-130*					*02/28/2022 19:35*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*103%*		*70-130*					*02/28/2022 19:35*	
Metals, Total											
EPA 200.8	Antimony	A	<0.421	A, U	mg/kg dry	10	0.421	0.845	BFC2626	03/18/2022 11:19	DAL
EPA 200.8	Arsenic	A	0.942		mg/kg dry	10	0.0421	0.421	BFC2626	03/18/2022 11:19	DAL
EPA 200.8	Beryllium	A	0.168		mg/kg dry	10	0.00845	0.168	BFC2626	03/18/2022 11:19	DAL
EPA 200.8	Cadmium	A	<0.0421	A, U	mg/kg dry	10	0.0421	0.845	BFC2626	03/18/2022 11:19	DAL
EPA 200.8	Chromium	A	2.28	V, J	mg/kg dry	10	0.126	2.53	BFC2626	03/18/2022 11:19	DAL
EPA 200.8	Copper	A	1.25		mg/kg dry	10	0.168	0.845	BFC2626	03/18/2022 11:19	DAL
Calc	Chromium (III)		2.28	J	mg/kg (dry wt) dry	10	2.20	8.38	[CALC]	03/18/2022 11:19	CTC
SW-7196	Chromium (VI)	A	<2.07	U	mg/kg dry	1	2.07	5.85	BFB3694	03/09/2022 20:26	CTC
SW-7471B	Mercury	A	0.0148		mg/kg dry	1	0.00518	0.0104	BFB3136	03/01/2022 16:42	KEV
EPA 200.8	Lead	A	2.89		mg/kg dry	10	0.0421	0.421	BFC2626	03/18/2022 11:19	DAL
EPA 200.8	Nickel	A	2.17		mg/kg dry	10	0.845	0.845	BFC2626	03/18/2022 11:19	DAL
EPA 200.8	Selenium	A	<0.845	A, U	mg/kg dry	10	0.845	4.21	BFC2626	03/18/2022 11:19	DAL
EPA 200.8	Silver	A	<0.0211	A, U	mg/kg dry	10	0.0211	0.421	BFC2626	03/18/2022 11:19	DAL
EPA 200.8	Thallium	A	0.0347	J	mg/kg dry	10	0.0211	0.421	BFC2626	03/18/2022 11:19	DAL
EPA 200.8	Zinc	A	6.46		mg/kg dry	10	0.845	1.68	BFC2626	03/18/2022 11:19	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0278	U	mg/kg dry	1	0.0278	0.0555	BFB3287	02/25/2022 17:53	CTC
EPA 350.2	Ammonia as N	A	<11.9	U	mg/kg dry	1	11.9	23.8	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.59	H	pH Units @ 25 °C	1		0.100	BFB3066	02/23/2022 12:25	EM
SM 2540 G	% Solids	A	83.4		%	1	0.100	0.100	BFB2981	02/24/2022 12:42	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-09-9C-S-CORE 2
Lab Sample ID: 22A3944-42RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/20/2022 15:30
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.87	U	ug/kg dry	1	2.87	5.74	BFB3398	03/12/2022 01:41	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.87	U	ug/kg dry	1	2.87	5.74	BFB3398	03/12/2022 01:41	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Anthracene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.43	CQb, U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Chrysene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Fluorene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Naphthalene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	Pyrene (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/12/2022 01:41	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*66.3%*		*60-140*					*03/12/2022 01:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*87.4%*		*60-140*					*03/12/2022 01:41*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*60.7%*		*60-140*					*03/12/2022 01:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*80.7%*		*60-140*					*03/12/2022 01:41*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*69.6%*		*60-140*					*03/12/2022 01:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*48.8%*	*S*	*60-140*					*03/12/2022 01:41*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-09-9C-S-CORE 2	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-42RE2	Date Collected:	02/20/2022 15:30
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/31/2022 08:16	KRB
SW-8270	Benzidine (Rerun)	A	<1.43	U	ug/kg dry	1	1.43	2.87	BFB3398	03/31/2022 08:16	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*90.6%*		*60-140*					*03/31/2022 08:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*76.1%*		*60-140*					*03/31/2022 08:16*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*77.3%*		*60-140*					*03/31/2022 08:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*108%*		*60-140*					*03/31/2022 08:16*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*89.7%*		*60-140*					*03/31/2022 08:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*51.4%*	*S*	*60-140*					*03/31/2022 08:16*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-REF-S
Lab Sample ID: 22A3944-43
Sample Alias:

Sample Matrix: Sediment
Date Collected: 03/03/2022 9:40
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/06/2022 01:53	KRB
SW-8270	Benzidine	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/06/2022 01:53	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*73.6%*		*60-140*					*04/06/2022 01:53*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*83.1%*		*60-140*					*04/06/2022 01:53*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*123%*		*60-140*					*04/06/2022 01:53*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*105%*		*60-140*					*04/06/2022 01:53*	
SW-8270	*Surrogate: Phenol-d5-surr*		*96.0%*		*60-140*					*04/06/2022 01:53*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*43.1%*	*S*	*60-140*					*04/06/2022 01:53*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	4,4'-DDE	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	4,4'-DDT	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Aldrin	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	delta-BHC	A	0.585	J	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Dieldrin	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Endosulfan I	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Endosulfan II	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Endosulfan sulfate	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Endrin	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Endrin aldehyde	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Endrin ketone	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Heptachlor	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Heptachlor epoxide	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Methoxychlor	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	03/29/2022 06:57	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<25.3	U	ug/kg dry	10	25.3	25.3	BFC1952	03/29/2022 06:57	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*67.5%*		*60-140*					*03/29/2022 06:57*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*98.7%*		*60-140*					*03/29/2022 06:57*	
SW-8082	PCBs, Total	A	<1.70	U	ug/kg dry	1	1.70	3.39	BFC1955	04/02/2022 03:59	CRO

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-REF-S (Continued)
Lab Sample ID: 22A3944-43
Sample Alias:

Sample Matrix: Sediment
Date Collected: 03/03/2022 9:40
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*85.1%*		*60-140*					*04/02/2022 03:59*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*81.0%*		*60-140*					*04/02/2022 03:59*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	6.44	J	mg/kg dry	1	5.14	15.4	BFC1339	03/11/2022 21:25	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*61.5%*	*S*	*70-130*					*03/11/2022 21:25*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*81.5%*		*70-130*					*03/11/2022 21:25*	
Metals, Total											
EPA 200.8	Antimony	A	<0.263	A, U	mg/kg dry	10	0.263	0.526	BFC2626	03/18/2022 11:22	DAL
EPA 200.8	Arsenic	A	<0.0263	A, U	mg/kg dry	10	0.0263	0.263	BFC2626	03/18/2022 11:22	DAL
EPA 200.8	Beryllium	A	<0.00526	A, U	mg/kg dry	10	0.00526	0.105	BFC2626	03/18/2022 11:22	DAL
EPA 200.8	Cadmium	A	<0.0263	A, U	mg/kg dry	10	0.0263	0.526	BFC2626	03/18/2022 11:22	DAL
EPA 200.8	Chromium	A	<0.0788	A, B, U	mg/kg dry	10	0.0788	1.58	BFC2626	03/18/2022 11:22	DAL
EPA 200.8	Copper	A	<0.105	A, U	mg/kg dry	10	0.105	0.526	BFC2626	03/18/2022 11:22	DAL
Calc	Chromium (III)		<3.28	U	mg/kg (dry wt) dry	10	3.28	10.6	[CALC]	03/28/2022 17:48	EM
SW-7196	Chromium (VI)	A	<3.20	U	mg/kg dry	1	3.20	9.04	BFC3544	03/28/2022 17:48	EM
SW-7471B	Mercury	A	0.0189		mg/kg dry	1	0.00780	0.0156	BFC1656	03/17/2022 16:07	KEV
EPA 200.8	Lead	A	<0.0263	A, U	mg/kg dry	10	0.0263	0.263	BFC2626	03/18/2022 11:22	DAL
EPA 200.8	Nickel	A	<0.526	A, U	mg/kg dry	10	0.526	0.526	BFC2626	03/18/2022 11:22	DAL
EPA 200.8	Selenium	A	<0.526	A, U	mg/kg dry	10	0.526	2.63	BFC2626	03/18/2022 11:22	DAL
EPA 200.8	Silver	A	<0.0131	A, U	mg/kg dry	10	0.0131	0.263	BFC2626	03/18/2022 11:22	DAL
EPA 200.8	Thallium	A	<0.0131	A, U	mg/kg dry	10	0.0131	0.263	BFC2626	03/18/2022 11:22	DAL
EPA 200.8	Zinc	A	<0.526	U	mg/kg dry	10	0.526	1.05	BFC2626	03/18/2022 11:22	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0433	U	mg/kg dry	1	0.0433	0.0866	BFC1476	03/11/2022 18:41	CTC
EPA 350.2	Ammonia as N	A	42.2		mg/kg dry	1	17.1	34.3	BFC3789	03/29/2022 00:00	NAZ
SW-9045C	pH	A	8.58	H	pH Units @ 25 °C	1		0.100	BFC1138	03/08/2022 16:41	EM
SM 2540 G	% Solids	A	58.3		%	1	0.100	0.100	BFC1054	03/08/2022 11:55	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-REF-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-43RE1	Date Collected:	03/03/2022 9:40
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<4.16	U	ug/kg dry	1	4.16	8.33	BFC1525	04/13/2022 02:28	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<4.16	U	ug/kg dry	1	4.16	8.33	BFC1525	04/13/2022 02:28	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.16	U	ug/kg dry	1	4.16	8.33	BFC1525	04/13/2022 02:28	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<16.7	U	ug/kg dry	1	16.7	33.3	BFC1525	04/13/2022 02:28	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<4.16	U	ug/kg dry	1	4.16	8.33	BFC1525	04/13/2022 02:28	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<4.16	U	ug/kg dry	1	4.16	8.33	BFC1525	04/13/2022 02:28	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Acenaphthene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Acenaphthylene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Anthracene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	3.69	J	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	3.09	V, J	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-REF-S (Continued)
Lab Sample ID: 22A3944-43RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 03/03/2022 9:40
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	Chrysene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	14.1	V	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Fluoranthene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Fluorene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Hexachloroethane (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Isophorone (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Naphthalene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Nitrobenzene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<4.16	U	ug/kg dry	1	4.16	8.33	BFC1525	04/13/2022 02:28	KRB
SW-8270	Phenanthrene (Rerun)	A	2.49	J	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	Phenol, Total (Rerun)	A	8.12	J	ug/kg dry	1	4.16	8.33	BFC1525	04/13/2022 02:28	KRB
SW-8270	Pyrene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/13/2022 02:28	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*81.8%*		*60-140*					*04/13/2022 02:28*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*89.0%*		*60-140*					*04/13/2022 02:28*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*79.7%*		*60-140*					*04/13/2022 02:28*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*121%*		*60-140*					*04/13/2022 02:28*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*119%*		*60-140*					*04/13/2022 02:28*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*41.2%*	*S*	*60-140*					*04/13/2022 02:28*	
Organics by GC											
SW-8081	Chlordane (tech.) (Rerun)	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	04/08/2022 07:46	CRO
SW-8081	gamma-Chlordane (Rerun)	A	<0.506	U	ug/kg dry	10	0.506	1.69	BFC1952	04/08/2022 07:46	CRO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*70.0%*		*60-140*					*04/08/2022 07:46*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*103%*		*60-140*					*04/08/2022 07:46*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-REF-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-43RE2	Date Collected:	03/03/2022 9:40
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<4.16	U	ug/kg dry	1	4.16	8.33	BFC1525	04/19/2022 03:15	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/19/2022 03:15	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<4.16	U	ug/kg dry	1	4.16	8.33	BFC1525	04/19/2022 03:15	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/19/2022 03:15	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/19/2022 03:15	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/19/2022 03:15	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<2.08	U	ug/kg dry	1	2.08	4.16	BFC1525	04/19/2022 03:15	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*83.5%*		*60-140*					*04/19/2022 03:15*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*101%*		*60-140*					*04/19/2022 03:15*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*104%*		*60-140*					*04/19/2022 03:15*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*93.1%*		*60-140*					*04/19/2022 03:15*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*96.3%*		*60-140*					*04/19/2022 03:15*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*51.4%*	*S*	*60-140*					*04/19/2022 03:15*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-ODMDS-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-44	Date Collected:	03/03/2022 11:38
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/06/2022 02:28	KRB
SW-8270	Benzidine	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/06/2022 02:28	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*74.8%*		*60-140*					*04/06/2022 02:28*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*99.2%*		*60-140*					*04/06/2022 02:28*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*108%*		*60-140*					*04/06/2022 02:28*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*107%*		*60-140*					*04/06/2022 02:28*	
SW-8270	*Surrogate: Phenol-d5-surr*		*91.1%*		*60-140*					*04/06/2022 02:28*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*65.8%*		*60-140*					*04/06/2022 02:28*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	4,4'-DDE	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	4,4'-DDT	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Aldrin	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	delta-BHC	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Dieldrin	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Endosulfan I	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Endosulfan II	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Endosulfan sulfate	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Endrin	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Endrin aldehyde	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Endrin ketone	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Heptachlor	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Heptachlor epoxide	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Methoxychlor	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	03/29/2022 07:21	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<18.5	U	ug/kg dry	10	18.5	18.5	BFC1952	03/29/2022 07:21	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*83.7%*		*60-140*					*03/29/2022 07:21*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*97.4%*		*60-140*					*03/29/2022 07:21*	
SW-8082	PCBs, Total	A	<1.24	U	ug/kg dry	1	1.24	2.47	BFC1955	04/02/2022 05:34	CRO

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-ODMDS-S (Continued)
Lab Sample ID: 22A3944-44
Sample Alias:

Sample Matrix: Sediment
Date Collected: 03/03/2022 11:38
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*95.7%*		*60-140*					*04/02/2022 05:34*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*101%*		*60-140*					*04/02/2022 05:34*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<3.74	U	mg/kg dry	1	3.74	11.2	BFC1339	03/11/2022 21:49	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*60.2%*	*S*	*70-130*					*03/11/2022 21:49*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*77.9%*		*70-130*					*03/11/2022 21:49*	
Metals, Total											
EPA 200.8	Antimony	A	<0.268	A, U	mg/kg dry	10	0.268	0.538	BFC2626	03/18/2022 11:24	DAL
EPA 200.8	Arsenic	A	<0.0268	A, U	mg/kg dry	10	0.0268	0.268	BFC2626	03/18/2022 11:24	DAL
EPA 200.8	Beryllium	A	<0.00538	A, U	mg/kg dry	10	0.00538	0.107	BFC2626	03/18/2022 11:24	DAL
EPA 200.8	Cadmium	A	<0.0268	A, U	mg/kg dry	10	0.0268	0.538	BFC2626	03/18/2022 11:24	DAL
EPA 200.8	Chromium	A	<0.0805	A, B, U	mg/kg dry	10	0.0805	1.61	BFC2626	03/18/2022 11:24	DAL
EPA 200.8	Copper	A	<0.107	A, U	mg/kg dry	10	0.107	0.538	BFC2626	03/18/2022 11:24	DAL
Calc	Chromium (III)		<2.22	U	mg/kg (dry wt) dry	10	2.22	7.66	[CALC]	03/28/2022 17:48	EM
SW-7196	Chromium (VI)	A	<2.14	U	mg/kg dry	1	2.14	6.05	BFC3544	03/28/2022 17:48	EM
SW-7471B	Mercury	A	0.00526	J	mg/kg dry	1	0.00506	0.0101	BFC1656	03/17/2022 16:10	KEV
EPA 200.8	Lead	A	<0.0268	A, U	mg/kg dry	10	0.0268	0.268	BFC2626	03/18/2022 11:24	DAL
EPA 200.8	Nickel	A	<0.538	A, U	mg/kg dry	10	0.538	0.538	BFC2626	03/18/2022 11:24	DAL
EPA 200.8	Selenium	A	<0.538	A, U	mg/kg dry	10	0.538	2.68	BFC2626	03/18/2022 11:24	DAL
EPA 200.8	Silver	A	<0.0134	A, U	mg/kg dry	10	0.0134	0.268	BFC2626	03/18/2022 11:24	DAL
EPA 200.8	Thallium	A	<0.0134	A, U	mg/kg dry	10	0.0134	0.268	BFC2626	03/18/2022 11:24	DAL
EPA 200.8	Zinc	A	<0.538	U	mg/kg dry	10	0.538	1.07	BFC2626	03/18/2022 11:24	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0347	U	mg/kg dry	1	0.0347	0.0694	BFC1476	03/11/2022 18:42	CTC
EPA 350.2	Ammonia as N	A	<12.6	U	mg/kg dry	1	12.6	25.2	BFC3789	03/29/2022 00:00	NAZ
SW-9045C	pH	A	8.43	H	pH Units @ 25 °C	1		0.100	BFC1138	03/08/2022 16:41	EM
SM 2540 G	% Solids	A	79.2	HR	%	1	0.100	0.100	BFE3293	05/27/2022 10:58	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-ODMDS-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-44RE1	Date Collected:	03/03/2022 11:38
Sample Alias:		Collected by:	Collected by Client

Semivolatile Organic Compounds by GCMS

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<3.12	U	ug/kg dry	1	3.12	6.24	BFC1525	04/13/2022 03:03	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<3.12	U	ug/kg dry	1	3.12	6.24	BFC1525	04/13/2022 03:03	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<3.12	U	ug/kg dry	1	3.12	6.24	BFC1525	04/13/2022 03:03	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<12.5	U	ug/kg dry	1	12.5	25.0	BFC1525	04/13/2022 03:03	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<3.12	U	ug/kg dry	1	3.12	6.24	BFC1525	04/13/2022 03:03	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<3.12	U	ug/kg dry	1	3.12	6.24	BFC1525	04/13/2022 03:03	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Anthracene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	2.49	V, J	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-ODMDS-S (Continued)
Lab Sample ID: 22A3944-44RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 03/03/2022 11:38
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	Chrysene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	5.69	V	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Fluorene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Isophorone (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Naphthalene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<3.12	U	ug/kg dry	1	3.12	6.24	BFC1525	04/13/2022 03:03	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	Phenol, Total (Rerun)	A	3.20	J	ug/kg dry	1	3.12	6.24	BFC1525	04/13/2022 03:03	KRB
SW-8270	Pyrene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/13/2022 03:03	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*87.4%*		*60-140*					*04/13/2022 03:03*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*92.6%*		*60-140*					*04/13/2022 03:03*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*79.7%*		*60-140*					*04/13/2022 03:03*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.8%*		*60-140*					*04/13/2022 03:03*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*136%*		*60-140*					*04/13/2022 03:03*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*69.8%*		*60-140*					*04/13/2022 03:03*	
Organics by GC											
SW-8081	Chlordane (tech.) (Rerun)	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	04/08/2022 08:10	CRO
SW-8081	gamma-Chlordane (Rerun)	A	<0.369	U	ug/kg dry	10	0.369	1.23	BFC1952	04/08/2022 08:10	CRO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*85.5%*		*60-140*					*04/08/2022 08:10*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*98.8%*		*60-140*					*04/08/2022 08:10*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-ODMDS-S
Lab Sample ID: 22A3944-44RE2
Sample Alias:

Sample Matrix: Sediment
Date Collected: 03/03/2022 11:38
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<3.12	U	ug/kg dry	1	3.12	6.24	BFC1525	04/19/2022 03:50	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/19/2022 03:50	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<3.12	U	ug/kg dry	1	3.12	6.24	BFC1525	04/19/2022 03:50	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/19/2022 03:50	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/19/2022 03:50	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/19/2022 03:50	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BFC1525	04/19/2022 03:50	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*82.6%*		*60-140*					*04/19/2022 03:50*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*97.5%*		*60-140*					*04/19/2022 03:50*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*99.2%*		*60-140*					*04/19/2022 03:50*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*94.2%*		*60-140*					*04/19/2022 03:50*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*94.5%*		*60-140*					*04/19/2022 03:50*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*79.8%*		*60-140*					*04/19/2022 03:50*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-DUP-S
Lab Sample ID: 22A3944-45
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/11/2022 13:10
Collected by: Collected by Client

Semivolatile Organic Compounds by GCMS

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
SW-8270	1,2,4-Trichlorobenzene	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	1,2-Diphenylhydrazine	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	2,4,6-Trichlorophenol	A	<2.84	U	ug/kg dry	1	2.84	5.68	BFB3398	03/05/2022 04:54	KRB
SW-8270	2,4-Dimethylphenol	A	<2.84	U	ug/kg dry	1	2.84	5.68	BFB3398	03/05/2022 04:54	KRB
SW-8270	2,4-Dinitrophenol	A	<2.84	U	ug/kg dry	1	2.84	5.68	BFB3398	03/05/2022 04:54	KRB
SW-8270	2-Chloronaphthalene	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	A	<11.4	U	ug/kg dry	1	11.4	22.7	BFB3398	03/05/2022 04:54	KRB
SW-8270	2-Nitrophenol	A	<2.84	U	ug/kg dry	1	2.84	5.68	BFB3398	03/05/2022 04:54	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	4-Chloro-3-methylphenol	A	<2.84	U	ug/kg dry	1	2.84	5.68	BFB3398	03/05/2022 04:54	KRB
SW-8270	4-Chlorophenyl phenylether	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	4-Nitrophenol	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Benzo(a)anthracene	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	bis(2-Chloroethoxy)methane	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Butyl benzyl phthalate	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Diethyl phthalate	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Dimethyl phthalate	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Di-n-butyl phthalate	A	<1.42	B, U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Hexachlorobenzene	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Hexachlorobutadiene	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Hexachlorocyclopentadiene	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Hexachloroethane	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Isophorone	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Nitrobenzene	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	n-Nitrosodimethylamine	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	n-Nitrosodi-n-propylamine	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/05/2022 04:54	KRB
SW-8270	Pentachlorophenol	A	<2.84	U	ug/kg dry	1	2.84	5.68	BFB3398	03/05/2022 04:54	KRB
SW-8270	Phenol, Total	A	7.66		ug/kg dry	1	2.84	5.68	BFB3398	03/05/2022 04:54	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-DUP-S (Continued)
Lab Sample ID: 22A3944-45
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/11/2022 13:10
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*104%*		*60-140*					*03/05/2022 04:54*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.5%*		*60-140*					*03/05/2022 04:54*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*78.6%*		*60-140*					*03/05/2022 04:54*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*63.6%*		*60-140*					*03/05/2022 04:54*	
SW-8270	*Surrogate: Phenol-d5-surr*		*92.1%*		*60-140*					*03/05/2022 04:54*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*73.1%*		*60-140*					*03/05/2022 04:54*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	4,4'-DDE	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	4,4'-DDT	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Aldrin	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Chlordane (tech.)	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	delta-BHC	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Dieldrin	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Endosulfan I	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Endosulfan II	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Endosulfan sulfate	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Endrin	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Endrin aldehyde	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Endrin ketone	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	gamma-Chlordane	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Heptachlor	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Heptachlor epoxide	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Methoxychlor	A	<0.332	U	ug/kg dry	10	0.332	1.11	BFB3474	03/05/2022 15:42	SO
SW-8081	Toxaphene (Chlorinated Camphene)	A	<16.6	U	ug/kg dry	10	16.6	16.6	BFB3474	03/05/2022 15:42	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*111%*		*60-140*					*03/05/2022 15:42*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*115%*		*60-140*					*03/05/2022 15:42*	
SW-8082	PCBs, Total	A	<1.10	U	ug/kg dry	1	1.10	2.20	BFC0070	03/06/2022 01:15	SO

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-DUP-S (Continued)
Lab Sample ID: 22A3944-45
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/11/2022 13:10
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*80.6%*		*60-140*					*03/06/2022 01:15*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*76.7%*		*60-140*					*03/06/2022 01:15*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	3.61	V, J	mg/kg dry	1	3.50	10.5	BFB3309	02/28/2022 19:11	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*76.5%*		*70-130*					*02/28/2022 19:11*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*101%*		*70-130*					*02/28/2022 19:11*	
Metals, Total											
EPA 200.8	Antimony	A	<0.341	A, U	mg/kg dry	10	0.341	0.684	BFB2873	02/22/2022 12:52	DAL
EPA 200.8	Arsenic	A	1.21		mg/kg dry	10	0.0341	0.341	BFB2873	02/22/2022 12:52	DAL
EPA 200.8	Beryllium	A	0.190		mg/kg dry	10	0.00684	0.136	BFB2873	02/22/2022 14:20	DAL
EPA 200.8	Cadmium	A	0.0720	J	mg/kg dry	10	0.0341	0.684	BFB2873	02/22/2022 12:52	DAL
EPA 200.8	Chromium	A	5.47		mg/kg dry	10	0.102	2.05	BFB2873	02/22/2022 12:52	DAL
EPA 200.8	Copper	A	3.72		mg/kg dry	10	0.136	0.684	BFB2873	02/22/2022 12:52	DAL
Calc	Chromium (III)		5.47	J	mg/kg (dry wt) dry	10	2.22	8.03	[CALC]	03/09/2022 20:27	CTC
SW-7196	Chromium (VI)	A	<2.12	U	mg/kg dry	1	2.12	5.98	BFB3694	03/09/2022 20:27	CTC
SW-7471B	Mercury	A	<0.00500	U	mg/kg dry	1	0.00500	0.0100	BFB2900	02/23/2022 13:49	KEV
EPA 200.8	Lead	A	4.38		mg/kg dry	10	0.0341	0.341	BFB2873	02/22/2022 12:52	DAL
EPA 200.8	Nickel	A	3.47		mg/kg dry	10	0.684	0.684	BFB2873	02/22/2022 12:52	DAL
EPA 200.8	Selenium	A	<0.684	A, U	mg/kg dry	10	0.684	3.41	BFB2873	02/22/2022 12:52	DAL
EPA 200.8	Silver	A	<0.0171	A, B, U	mg/kg dry	10	0.0171	0.341	BFB2873	02/22/2022 12:52	DAL
EPA 200.8	Thallium	A	0.0595	J	mg/kg dry	10	0.0171	0.341	BFB2873	02/22/2022 12:52	DAL
EPA 200.8	Zinc	A	16.8	B	mg/kg dry	10	0.684	1.36	BFB2873	02/22/2022 12:52	DAL
General Chemistry											
SW-9014	Total Cyanide	A	<0.0298	U	mg/kg dry	1	0.0298	0.0596	BFB3287	02/25/2022 17:53	CTC
EPA 350.2	Ammonia as N	A	<11.5	U	mg/kg dry	1	11.5	23.1	BFC0772	03/08/2022 10:46	NAZ
SW-9045C	pH	A	8.67	H	pH Units @ 25 °C	1		0.100	BFB3066	02/23/2022 12:25	EM
SM 2540 G	% Solids	A	85.7		%	1	0.100	0.100	BFB2600	02/21/2022 10:45	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-DUP-S
Lab Sample ID: 22A3944-45RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 02/11/2022 13:10
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.84	U	ug/kg dry	1	2.84	5.68	BFB3398	03/12/2022 02:16	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.84	U	ug/kg dry	1	2.84	5.68	BFB3398	03/12/2022 02:16	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Anthracene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	1.99	J	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.42	CQb, U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Chrysene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Fluorene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Naphthalene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	Pyrene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/12/2022 02:16	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*69.3%*		*60-140*					*03/12/2022 02:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*81.8%*		*60-140*					*03/12/2022 02:16*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*66.9%*		*60-140*					*03/12/2022 02:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*83.3%*		*60-140*					*03/12/2022 02:16*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*88.5%*		*60-140*					*03/12/2022 02:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*62.4%*		*60-140*					*03/12/2022 02:16*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-DUP-S	Sample Matrix:	Sediment
Lab Sample ID:	22A3944-45RE2	Date Collected:	02/11/2022 13:10
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/31/2022 08:51	KRB
SW-8270	Benzidine (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BFB3398	03/31/2022 08:51	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*82.6%*		*60-140*					*03/31/2022 08:51*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*80.6%*		*60-140*					*03/31/2022 08:51*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*79.5%*		*60-140*					*03/31/2022 08:51*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*108%*		*60-140*					*03/31/2022 08:51*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*88.6%*		*60-140*					*03/31/2022 08:51*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*66.3%*		*60-140*					*03/31/2022 08:51*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-DUP-E	Sample Matrix:	Elutriate
Lab Sample ID:	22A3944-47	Date Collected:	02/28/2022 14:00
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/01/2022 00:30	KRB
SW-8270	Benzidine	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/01/2022 00:30	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*73.3%*		*54.6-148*					*04/01/2022 00:30*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*77.4%*		*55-152*					*04/01/2022 00:30*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*38.9%*	*S*	*52.4-136*					*04/01/2022 00:30*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*80.2%*		*52-162*					*04/01/2022 00:30*	
SW-8270	*Surrogate: Phenol-d5-surr*		*67.0%*		*58.7-152*					*04/01/2022 00:30*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*55.6%*		*51.9-147*					*04/01/2022 00:30*	
Elutriate Organics by GC											
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BFC0779	03/09/2022 03:24	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*85.0%*		*60-140*					*03/09/2022 03:24*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*75.1%*		*60-140*					*03/09/2022 03:24*	
TX 1005	Total Petroleum Hydrocarbons (TPH), C6-C35	A	<0.453	U	mg/L	1	0.453	4.53	BFC1098	03/11/2022 11:38	CRO
TX 1005	*Surrogate: 1-Chlorooctadecane-surr*		*65.1%*	*S*	*70-130*					*03/11/2022 11:38*	
TX 1005	*Surrogate: 1-Chlorooctane-surr*		*87.7%*		*70-130*					*03/11/2022 11:38*	
Elutriate Metals, Dissolved											
EPA 200.8	Antimony	A	<2.00	A, U	ug/L	10	2.00	10.0	BFC0948	03/07/2022 16:13	DAL
EPA 200.8	Arsenic	A	5.49		ug/L	10	1.00	5.00	BFC0948	03/07/2022 16:13	DAL
EPA 200.8	Beryllium	A	<0.100	A, U	ug/L	10	0.100	2.00	BFC0948	03/08/2022 10:52	DAL
EPA 200.8	Cadmium	A	<0.500	A, U	ug/L	10	0.500	10.0	BFC0948	03/07/2022 16:13	DAL
EPA 200.8	Chromium	A	<0.800	A, U	ug/L	10	0.800	30.0	BFC0948	03/07/2022 16:13	DAL
EPA 200.8	Copper	A	<2.00	A, B, U	ug/L	10	2.00	10.0	BFC0948	03/07/2022 16:13	DAL
Calc	Chromium (III)		<2.30	U	ug/L	10	2.30	33.0	[CALC]	03/09/2022 19:16	EM
SM 3500-Cr B	Chromium (VI)	A	0.0245	V	mg/L	1	0.00150	0.00300	BFC1350	03/09/2022 19:16	EM
EPA 200.8	Lead	A	<1.00	A, U	ug/L	10	1.00	5.00	BFC0948	03/07/2022 16:13	DAL
EPA 200.8	Nickel	A	2.09	V, J	ug/L	10	0.500	10.0	BFC0948	03/07/2022 16:13	DAL
EPA 200.8	Silver	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC0948	03/07/2022 16:13	DAL
EPA 200.8	Thallium	A	<0.300	A, U	ug/L	10	0.300	5.00	BFC0948	03/07/2022 16:13	DAL
EPA 200.8	Zinc	A	<2.00	A, B, U	ug/L	10	2.00	20.0	BFC0948	03/08/2022 10:52	DAL
Elutriate Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BFC0003	03/08/2022 12:46	KEV
EPA 200.8	Selenium	A	<3.30	A, U	ug/L	10	3.30	50.0	BFC0947	03/07/2022 15:47	DAL
Elutriate General Chemistry											
EPA 350.1	Ammonia as N	A	0.915		mg/L	1	0.0200	0.0500	BFC2072	03/16/2022 09:05	JLK
SM 2540 D	Residue-nonfilterable (TSS)	A	2.00	B1, V	mg/L	1	1.00	1.00	BFC0770	03/04/2022 14:47	TEJ

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID:	CDP-DUP-E	Sample Matrix:	Elutriate
Lab Sample ID:	22A3944-47RE1	Date Collected:	02/28/2022 14:00
Sample Alias:		Collected by:	Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<0.551	U	ug/L	1	0.551	1.11	BFC1100	04/12/2022 02:52	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.551	U	ug/L	1	0.551	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.551	U	ug/L	1	0.551	1.11	BFC1100	04/12/2022 02:52	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.43	U	ug/L	1	4.43	4.43	BFC1100	04/12/2022 02:52	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.551	U	ug/L	1	0.551	1.11	BFC1100	04/12/2022 02:52	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.551	U	ug/L	1	0.551	1.11	BFC1100	04/12/2022 02:52	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.551	U	ug/L	1	0.551	1.11	BFC1100	04/12/2022 02:52	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.551	U	ug/L	1	0.551	1.11	BFC1100	04/12/2022 02:52	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.43	U	ug/L	1	4.43	4.43	BFC1100	04/12/2022 02:52	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Anthracene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.553	U	ug/L	1	0.553	1.11	BFC1100	04/12/2022 02:52	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-DUP-E (Continued)
Lab Sample ID: 22A3944-47RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/28/2022 14:00
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Chrysene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Diethyl phthalate (Rerun)	A	0.385	CQd, V, J	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.61	CQd, V	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Fluorene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Isophorone (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Naphthalene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.276	U	ug/L	1	0.276	2.21	BFC1100	04/12/2022 02:52	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.551	U	ug/L	1	0.551	1.11	BFC1100	04/12/2022 02:52	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	Phenol, Total (Rerun)	A	0.889	J	ug/L	1	0.551	1.11	BFC1100	04/12/2022 02:52	KRB
SW-8270	Pyrene (Rerun)	A	<0.276	U	ug/L	1	0.276	0.553	BFC1100	04/12/2022 02:52	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*73.5%*		*54.6-148*					*04/12/2022 02:52*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*91.1%*		*55-152*					*04/12/2022 02:52*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*74.9%*		*52.4-136*					*04/12/2022 02:52*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*85.8%*		*52-162*					*04/12/2022 02:52*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*107%*		*58.7-152*					*04/12/2022 02:52*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*81.2%*		*51.9-147*					*04/12/2022 02:52*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Results
(Continued)

Client Sample ID: CDP-DUP-E (Continued)
Lab Sample ID: 22A3944-47RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 02/28/2022 14:00
Collected by: Collected by Client

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Organics by GC											
SW-8081	4,4'-DDD (Rerun)	A	<0.00599	CQ, U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	4,4'-DDE (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	4,4'-DDT (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Aldrin (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane) (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	beta-BHC (beta-Hexachlorocyclohexane) (Rerun)	A	<0.00599	CQ, U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Chlordane (tech.) (Rerun)	A	<0.00599	CQe, U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	cis-Chlordane (alpha-Chlordane) (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	delta-BHC (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Dieldrin (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Endosulfan I (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Endosulfan II (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Endosulfan sulfate (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Endrin (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Endrin aldehyde (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Endrin ketone (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE) (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	gamma-Chlordane (Rerun)	A	<0.00599	CQ, U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Heptachlor (Rerun)	A	<0.00599	CQe, U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Heptachlor epoxide (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Methoxychlor (Rerun)	A	<0.00599	U	ug/L	1	0.00599	0.00599	BFC1112	03/22/2022 02:49	SO
SW-8081	Toxaphene (Chlorinated Camphene) (Rerun)	A	<0.300	U	ug/L	1	0.300	0.300	BFC1112	03/22/2022 02:49	SO
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*135%*		*60-140*					*03/22/2022 02:49*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*107%*		*60-140*					*03/22/2022 02:49*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control

Semivolatile Organic Compounds by GCMS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511										
Blank (BFB2791-BLK1)					Prepared: 2/21/2022 Analyzed: 3/3/2022					
1,2,4-Trichlorobenzene	<0.561	U	0.561	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.561	U	0.561	ug/L						
1,2-Diphenylhydrazine	<0.561	U	0.561	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.561	U	0.561	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.561	U	0.561	ug/L						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<0.561	U	0.561	ug/L						
2,4,6-Trichlorophenol	<1.12	U	1.12	ug/L						
2,4-Dichlorophenol	<0.561	U	0.561	ug/L						
2,4-Dimethylphenol	<1.12	U	1.12	ug/L						
2,4-Dinitrophenol	<4.48	U	4.48	ug/L						
2-Chloronaphthalene	<0.561	U	0.561	ug/L						
2-Chlorophenol	<1.12	U	1.12	ug/L						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<1.12	U	1.12	ug/L						
2-Nitrophenol	<1.12	U	1.12	ug/L						
4-Bromophenyl phenyl ether (BDE-3)	<0.561	U	0.561	ug/L						
4-Chloro-3-methylphenol	<1.12	U	1.12	ug/L						
4-Chlorophenyl phenylether	<0.561	U	0.561	ug/L						
4-Nitrophenol	<4.48	U	4.48	ug/L						
Acenaphthene	<0.561	U	0.561	ug/L						
Acenaphthylene	<0.561	U	0.561	ug/L						
Anthracene	<0.561	U	0.561	ug/L						
Benzo(a)anthracene	<0.561	U	0.561	ug/L						
Benzo(a)pyrene	<0.561	U	0.561	ug/L						
benzo(b&k)fluoranthene	<0.561	U	0.561	ug/L						
Benzo(g,h,i)perylene	<0.561	U	0.561	ug/L						
bis(2-Chloroethoxy)methane	<0.561	U	0.561	ug/L						
Bis(2-ethylhexyl)phthalate	<0.561	U	0.561	ug/L						
Butyl benzyl phthalate	<0.561	U	0.561	ug/L						
Chrysene	<0.561	U	0.561	ug/L						
Dibenzo(a,h)anthracene	<0.561	U	0.561	ug/L						
Diethyl phthalate	<0.561	U	0.561	ug/L						
Dimethyl phthalate	<0.561	U	0.561	ug/L						
Di-n-butyl phthalate	2.26		0.561	ug/L						
Di-n-octyl phthalate	<0.561	U	0.561	ug/L						
Fluoranthene	<0.561	U	0.561	ug/L						
Fluorene	<0.561	U	0.561	ug/L						
Hexachlorobenzene	<0.561	U	0.561	ug/L						
Hexachlorobutadiene	<0.561	U	0.561	ug/L						
Hexachlorocyclopentadiene	<0.561	U	0.561	ug/L						
Hexachloroethane	<0.561	U	0.561	ug/L						
Indeno(1,2,3-cd) pyrene	<0.561	U	0.561	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
Blank (BFB2791-BLK1)					Prepared: 2/21/2022 Analyzed: 3/3/2022					
Isophorone	<0.561	U	0.561	ug/L						
Naphthalene	<0.561	U	0.561	ug/L						
Nitrobenzene	<0.561	U	0.561	ug/L						
n-Nitrosodimethylamine	<2.24	U	2.24	ug/L						
n-Nitrosodi-n-propylamine	<0.561	U	0.561	ug/L						
n-Nitrosodiphenylamine	<0.561	U	0.561	ug/L						
Pentachlorophenol	<1.12	U	1.12	ug/L						
Phenanthrene	<0.561	U	0.561	ug/L						
Phenol, Total	<1.12	U	1.12	ug/L						
Pyrene	<0.561	U	0.561	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*10.5*	*ug/L*	*9.97*		*105*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.1*	*ug/L*	*19.9*		*111*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.1*	*ug/L*	*19.9*		*101*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.89*	*ug/L*	*9.97*		*99.2*	*52-162*		
Surrogate: Phenol-d5-surr			*20.9*	*ug/L*	*19.9*		*105*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*12.1*	*ug/L*	*9.97*		*122*	*51.9-147*		
Blank (BFB2791-BLK2)					Prepared: 2/21/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	<0.561	U	0.561	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.561	U	0.561	ug/L						
bis(2-Chloroethyl) ether	<0.561	U	0.561	ug/L						
Hexachlorobutadiene	<0.561	U	0.561	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.40*	*ug/L*	*9.97*		*94.3*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.8*	*ug/L*	*19.9*		*110*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.6*	*ug/L*	*19.9*		*93.3*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.9*	*ug/L*	*9.97*		*120*	*52-162*		
Surrogate: Phenol-d5-surr			*27.5*	*ug/L*	*19.9*		*138*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.0*	*ug/L*	*9.97*		*100*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
Blank (BFB2791-BLK3)					Prepared: 2/21/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	<0.561	U	0.561	ug/L						
Benzidine	<0.561	U	0.561	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*8.91*	*ug/L*	*9.97*		*89.4*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.0*	*ug/L*	*19.9*		*100*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.4*	*ug/L*	*19.9*		*87.5*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.2*	*ug/L*	*9.97*		*102*	*52-162*		
Surrogate: Phenol-d5-surr			*22.2*	*ug/L*	*19.9*		*112*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.46*	*ug/L*	*9.97*		*94.9*	*51.9-147*		
LCS (BFB2791-BS1)					Prepared: 2/21/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	8.36		0.560	ug/L	9.96		84.0	22.3-156		
Benzidine	6.48		0.560	ug/L	9.96		65.1	9.32-162		
Surrogate: 2-Fluorobiphenyl-surr			*8.54*	*ug/L*	*9.96*		*85.7*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*18.8*	*ug/L*	*19.9*		*94.4*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*13.2*	*ug/L*	*19.9*		*66.5*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.97*	*ug/L*	*9.96*		*100*	*52-162*		
Surrogate: Phenol-d5-surr			*21.1*	*ug/L*	*19.9*		*106*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.83*	*ug/L*	*9.96*		*88.7*	*51.9-147*		
LCS (BFB2791-BS2)					Prepared: 2/21/2022 Analyzed: 3/3/2022					
1,2,4-Trichlorobenzene	8.40		0.558	ug/L	9.92		84.6	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	7.58		0.558	ug/L	9.92		76.4	60-140		
1,2-Diphenylhydrazine	7.17		0.558	ug/L	9.92		72.3	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	9.52		0.558	ug/L	9.92		95.9	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	9.81		0.558	ug/L	9.92		98.9	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	9.84		0.558	ug/L	9.92		99.1	60-140		
2,4,6-Trichlorophenol	14.0		1.12	ug/L	19.8		70.7	60-140		
2,4-Dichlorophenol	25.6		0.558	ug/L	19.8		129	60-140		
2,4-Dimethylphenol	20.5		1.12	ug/L	19.8		103	35.9-153		
2,4-Dinitrophenol	42.5		4.46	ug/L	49.6		85.7	60-140		
2-Chloronaphthalene	8.37		0.558	ug/L	9.92		84.3	60-140		
2-Chlorophenol	22.1		1.12	ug/L	19.8		112	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	14.8		1.12	ug/L	19.8		74.5	60-140		
2-Nitrophenol	19.1		1.12	ug/L	19.8		96.0	60-140		
4-Bromophenyl phenyl ether (BDE-3)	7.38		0.558	ug/L	9.92		74.4	60-140		
4-Chloro-3-methylphenol	21.8		1.12	ug/L	19.8		110	60-140		
4-Chlorophenyl phenylether	8.00		0.558	ug/L	9.92		80.7	60-140		
4-Nitrophenol	40.6		4.46	ug/L	49.6		81.8	60-140		
Acenaphthene	7.77		0.558	ug/L	9.92		78.3	60-140		
Acenaphthylene	8.07		0.558	ug/L	9.92		81.3	60-140		
Anthracene	9.81		0.558	ug/L	9.92		98.9	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
LCS (BFB2791-BS2)					Prepared: 2/21/2022 Analyzed: 3/3/2022					
Benzo(a)anthracene	6.46		0.558	ug/L	9.92		65.1	60-140		
Benzo(a)pyrene	8.24		0.558	ug/L	9.92		83.0	60-140		
benzo(b&k)fluoranthene	16.2		0.558	ug/L	19.8		81.8	60-140		
Benzo(g,h,i)perylene	9.02		0.558	ug/L	9.92		91.0	60-140		
bis(2-Chloroethoxy)methane	9.33		0.558	ug/L	9.92		94.1	60-140		
Bis(2-ethylhexyl)phthalate	10.6		0.558	ug/L	9.92		107	60-140		
Butyl benzyl phthalate	10.1		0.558	ug/L	9.92		102	60-140		
Chrysene	9.87		0.558	ug/L	9.92		99.5	60-140		
Dibenzo(a,h)anthracene	8.14		0.558	ug/L	9.92		82.0	60-140		
Diethyl phthalate	10.9		0.558	ug/L	9.92		110	60-140		
Dimethyl phthalate	7.91		0.558	ug/L	9.92		79.8	60-140		
Di-n-butyl phthalate	12.4		0.558	ug/L	9.92		125	60-140		
Di-n-octyl phthalate	9.48		0.558	ug/L	9.92		95.6	60-140		
Fluoranthene	9.34		0.558	ug/L	9.92		94.1	60-140		
Fluorene	9.11		0.558	ug/L	9.92		91.8	60-140		
Hexachlorobenzene	8.58		0.558	ug/L	9.92		86.4	60-140		
Hexachlorobutadiene	5.66	J1	0.558	ug/L	9.92		57.1	60-140		
Hexachlorocyclopentadiene	6.64		0.558	ug/L	9.92		66.9	60-140		
Hexachloroethane	6.96		0.558	ug/L	9.92		70.2	60-140		
Indeno(1,2,3-cd) pyrene	8.57		0.558	ug/L	9.92		86.3	60-140		
Isophorone	10.4		0.558	ug/L	9.92		105	60-140		
Naphthalene	9.61		0.558	ug/L	9.92		96.8	60-140		
Nitrobenzene	9.49		0.558	ug/L	9.92		95.6	60-140		
n-Nitrosodimethylamine	1.46	J	2.23	ug/L	49.6		2.95	2.5-65.7		
n-Nitrosodi-n-propylamine	9.95		0.558	ug/L	9.92		100	60-140		
n-Nitrosodiphenylamine	7.74		0.558	ug/L	9.92		78.0	60-140		
Pentachlorophenol	16.0		1.12	ug/L	19.8		80.5	36.8-149		
Phenanthrene	8.49		0.558	ug/L	9.92		85.6	60-140		
Phenol, Total	20.6		1.12	ug/L	19.8		104	60-140		
Pyrene	9.44		0.558	ug/L	9.92		95.1	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*10.5*	*ug/L*	*9.92*		*106*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.2*	*ug/L*	*19.8*		*117*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.5*	*ug/L*	*19.8*		*108*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.95*	*ug/L*	*9.92*		*100*	*52-162*		
Surrogate: Phenol-d5-surr			*20.2*	*ug/L*	*19.8*		*102*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.4*	*ug/L*	*9.92*		*105*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
LCS (BFB2791-BS3)					Prepared: 2/21/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	9.52		0.558	ug/L	9.92		96.0	60-140		
2,6-Dinitrotoluene (2,6-DNT)	8.85		0.558	ug/L	9.92		89.2	60-140		
bis(2-Chloroethyl) ether	10.6		0.558	ug/L	9.92		106	60-140		
Hexachlorobutadiene	5.30	J1	0.558	ug/L	9.92		53.4	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*10.3*	*ug/L*	*9.92*		*104*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.8*	*ug/L*	*19.8*		*115*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.4*	*ug/L*	*19.8*		*113*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.9*	*ug/L*	*9.92*		*120*	*52-162*		
Surrogate: Phenol-d5-surr		*S*	*30.5*	*ug/L*	*19.8*		*154*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.83*	*ug/L*	*9.92*		*99.1*	*51.9-147*		
LCS Dup (BFB2791-BSD1)					Prepared: 2/21/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	8.34		0.560	ug/L	9.95		83.8	22.3-156	0.265	40
Benzidine	6.81		0.560	ug/L	9.95		68.4	9.32-162	4.95	40
Surrogate: 2-Fluorobiphenyl-surr			*8.88*	*ug/L*	*9.95*		*89.3*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*19.8*	*ug/L*	*19.9*		*99.6*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*14.0*	*ug/L*	*19.9*		*70.4*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.8*	*ug/L*	*9.95*		*109*	*52-162*		
Surrogate: Phenol-d5-surr			*22.4*	*ug/L*	*19.9*		*113*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.77*	*ug/L*	*9.95*		*98.3*	*51.9-147*		
LCS Dup (BFB2791-BSD2)					Prepared: 2/21/2022 Analyzed: 3/3/2022					
1,2,4-Trichlorobenzene	9.42		0.556	ug/L	9.88		95.3	60-140	11.5	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.89		0.556	ug/L	9.88		89.9	60-140	15.9	40
1,2-Diphenylhydrazine	6.85		0.556	ug/L	9.88		69.3	60-140	4.57	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	8.49		0.556	ug/L	9.88		85.9	60-140	11.4	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.87		0.556	ug/L	9.88		79.6	60-140	22.0	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	9.76		0.556	ug/L	9.88		98.8	60-140	0.753	40
2,4,6-Trichlorophenol	14.9		1.11	ug/L	19.8		75.2	60-140	5.81	40
2,4-Dichlorophenol	18.8		0.556	ug/L	19.8		95.1	60-140	30.8	40
2,4-Dimethylphenol	23.6		1.11	ug/L	19.8		119	35.9-153	14.0	40
2,4-Dinitrophenol	47.8		4.45	ug/L	49.4		96.7	60-140	11.7	40
2-Chloronaphthalene	8.35		0.556	ug/L	9.88		84.5	60-140	0.159	40
2-Chlorophenol	19.8		1.11	ug/L	19.8		100	60-140	11.3	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	15.6		1.11	ug/L	19.8		78.8	60-140	5.22	40
2-Nitrophenol	20.1		1.11	ug/L	19.8		102	60-140	5.34	40
4-Bromophenyl phenyl ether (BDE-3)	7.31		0.556	ug/L	9.88		74.0	60-140	0.970	40
4-Chloro-3-methylphenol	21.0		1.11	ug/L	19.8		106	60-140	3.69	40
4-Chlorophenyl phenylether	8.16		0.556	ug/L	9.88		82.5	60-140	1.89	40
4-Nitrophenol	39.4		4.45	ug/L	49.4		79.8	60-140	2.80	40
Acenaphthene	8.43		0.556	ug/L	9.88		85.3	60-140	8.16	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
LCS Dup (BFB2791-BSD2)					Prepared: 2/21/2022 Analyzed: 3/3/2022					
Acenaphthylene	8.18		0.556	ug/L	9.88		82.8	60-140	1.42	40
Anthracene	10.9		0.556	ug/L	9.88		111	60-140	10.9	40
Benzo(a)anthracene	8.13		0.556	ug/L	9.88		82.3	60-140	23.0	40
Benzo(a)pyrene	8.01		0.556	ug/L	9.88		81.0	60-140	2.88	40
benzo(b&k)fluoranthene	16.9		0.556	ug/L	19.8		85.4	60-140	3.89	40
Benzo(g,h,i)perylene	8.75		0.556	ug/L	9.88		88.5	60-140	3.10	40
bis(2-Chloroethoxy)methane	9.08		0.556	ug/L	9.88		91.8	60-140	2.79	40
Bis(2-ethylhexyl)phthalate	11.9		0.556	ug/L	9.88		120	60-140	11.3	40
Butyl benzyl phthalate	10.5		0.556	ug/L	9.88		107	60-140	4.21	40
Chrysene	9.93		0.556	ug/L	9.88		101	60-140	0.685	40
Dibenzo(a,h)anthracene	8.26		0.556	ug/L	9.88		83.5	60-140	1.43	40
Diethyl phthalate	10.4		0.556	ug/L	9.88		105	60-140	4.87	40
Dimethyl phthalate	7.81		0.556	ug/L	9.88		79.0	60-140	1.30	40
Di-n-butyl phthalate	14.5	J1	0.556	ug/L	9.88		147	60-140	15.4	40
Di-n-octyl phthalate	10.1		0.556	ug/L	9.88		103	60-140	6.64	40
Fluoranthene	10.8		0.556	ug/L	9.88		109	60-140	14.7	40
Fluorene	8.52		0.556	ug/L	9.88		86.2	60-140	6.60	40
Hexachlorobenzene	8.36		0.556	ug/L	9.88		84.5	60-140	2.59	40
Hexachlorobutadiene	5.86	J1	0.556	ug/L	9.88		59.3	60-140	3.47	40
Hexachlorocyclopentadiene	8.23		0.556	ug/L	9.88		83.3	60-140	21.4	40
Hexachloroethane	6.59		0.556	ug/L	9.88		66.7	60-140	5.46	40
Indeno(1,2,3-cd) pyrene	8.23		0.556	ug/L	9.88		83.3	60-140	3.95	40
Isophorone	10.2		0.556	ug/L	9.88		103	60-140	2.52	40
Naphthalene	8.97		0.556	ug/L	9.88		90.8	60-140	6.80	40
Nitrobenzene	8.72		0.556	ug/L	9.88		88.2	60-140	8.45	40
n-Nitrosodimethylamine	2.36	J1	2.22	ug/L	49.4		4.77	2.5-65.7	46.6	40
n-Nitrosodi-n-propylamine	10.3		0.556	ug/L	9.88		105	60-140	3.94	40
n-Nitrosodiphenylamine	4.61	J1	0.556	ug/L	9.88		46.7	60-140	50.7	40
Pentachlorophenol	17.9		1.11	ug/L	19.8		90.7	36.8-149	11.5	40
Phenanthrene	8.58		0.556	ug/L	9.88		86.8	60-140	1.06	40
Phenol, Total	16.8		1.11	ug/L	19.8		85.2	60-140	20.1	40
Pyrene	9.52		0.556	ug/L	9.88		96.4	60-140	0.914	40
Surrogate: 2-Fluorobiphenyl-surr			*10.6*	*ug/L*	*9.88*		*107*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.4*	*ug/L*	*19.8*		*114*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.7*	*ug/L*	*19.8*		*94.8*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.4*	*ug/L*	*9.88*		*105*	*52-162*		
Surrogate: Phenol-d5-surr			*22.7*	*ug/L*	*19.8*		*115*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.0*	*ug/L*	*9.88*		*102*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
LCS Dup (BFB2791-BSD3)					Prepared: 2/21/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	9.38		0.556	ug/L	9.88		94.9	60-140	1.46	40
2,6-Dinitrotoluene (2,6-DNT)	8.36		0.556	ug/L	9.88		84.6	60-140	5.69	40
bis(2-Chloroethyl) ether	10.9		0.556	ug/L	9.88		110	60-140	3.37	40
Hexachlorobutadiene	5.66	J1	0.556	ug/L	9.88		57.3	60-140	6.59	40
Surrogate: 2-Fluorobiphenyl-surr			*10.3*	*ug/L*	*9.88*		*104*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.5*	*ug/L*	*19.8*		*114*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.9*	*ug/L*	*19.8*		*116*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.6*	*ug/L*	*9.88*		*117*	*52-162*		
Surrogate: Phenol-d5-surr		*S*	*30.7*	*ug/L*	*19.8*		*155*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.58*	*ug/L*	*9.88*		*97.0*	*51.9-147*		
BFB1944-BLK1 (BFB2791-LBK1)					Prepared: 2/21/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	<0.554	U	0.554	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.554	U	0.554	ug/L						
1,2-Diphenylhydrazine	<0.554	U	0.554	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.554	U	0.554	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.554	U	0.554	ug/L						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<0.554	U	0.554	ug/L						
2,4,6-Trichlorophenol	<1.11	U	1.11	ug/L						
2,4-Dichlorophenol	<0.554	U	0.554	ug/L						
2,4-Dimethylphenol	<1.11	U	1.11	ug/L						
2,4-Dinitrophenol	<4.43	U	4.43	ug/L						
2-Chloronaphthalene	<0.554	U	0.554	ug/L						
2-Chlorophenol	<1.11	U	1.11	ug/L						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<1.11	U	1.11	ug/L						
2-Nitrophenol	<1.11	U	1.11	ug/L						
4-Bromophenyl phenyl ether (BDE-3)	<0.554	U	0.554	ug/L						
4-Chloro-3-methylphenol	<1.11	U	1.11	ug/L						
4-Chlorophenyl phenylether	<0.554	U	0.554	ug/L						
4-Nitrophenol	<4.43	U	4.43	ug/L						
Acenaphthene	<0.554	U	0.554	ug/L						
Acenaphthylene	<0.554	U	0.554	ug/L						
Anthracene	<0.554	U	0.554	ug/L						
Benzo(a)anthracene	<0.554	U	0.554	ug/L						
Benzo(a)pyrene	<0.554	U	0.554	ug/L						
benzo(b&k)fluoranthene	<0.554	U	0.554	ug/L						
Benzo(g,h,i)perylene	<0.554	U	0.554	ug/L						
bis(2-Chloroethoxy)methane	<0.554	U	0.554	ug/L						
Bis(2-ethylhexyl)phthalate	<0.554	U	0.554	ug/L						
Butyl benzyl phthalate	<0.554	U	0.554	ug/L						
Chrysene	<0.554	U	0.554	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
BFB1944-BLK1 (BFB2791-LBK1)					Prepared: 2/21/2022 Analyzed: 3/4/2022					
Dibenzo(a,h)anthracene	<0.554	U	0.554	ug/L						
Diethyl phthalate	<0.554	U	0.554	ug/L						
Dimethyl phthalate	<0.554	U	0.554	ug/L						
Di-n-butyl phthalate	2.34		0.554	ug/L						
Di-n-octyl phthalate	<0.554	U	0.554	ug/L						
Fluoranthene	<0.554	U	0.554	ug/L						
Fluorene	<0.554	U	0.554	ug/L						
Hexachlorobenzene	<0.554	U	0.554	ug/L						
Hexachlorobutadiene	<0.554	U	0.554	ug/L						
Hexachlorocyclopentadiene	<0.554	U	0.554	ug/L						
Hexachloroethane	<0.554	U	0.554	ug/L						
Indeno(1,2,3-cd) pyrene	<0.554	U	0.554	ug/L						
Isophorone	<0.554	U	0.554	ug/L						
Naphthalene	<0.554	U	0.554	ug/L						
Nitrobenzene	<0.554	U	0.554	ug/L						
n-Nitrosodimethylamine	<2.22	U	2.22	ug/L						
n-Nitrosodi-n-propylamine	<0.554	U	0.554	ug/L						
n-Nitrosodiphenylamine	<0.554	U	0.554	ug/L						
Pentachlorophenol	<1.11	U	1.11	ug/L						
Phenanthrene	<0.554	U	0.554	ug/L						
Phenol, Total	0.890	J	1.11	ug/L						
Pyrene	<0.554	U	0.554	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*11.7*	*ug/L*	*9.85*		*119*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.5*	*ug/L*	*19.7*		*119*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.9*	*ug/L*	*19.7*		*95.9*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.2*	*ug/L*	*9.85*		*103*	*52-162*		
Surrogate: Phenol-d5-surr			*22.0*	*ug/L*	*19.7*		*112*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.40*	*ug/L*	*9.85*		*95.5*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
BFB1944-BLK1 (BFB2791-LBK3)					Prepared: 2/21/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	<0.554	U	0.554	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.554	U	0.554	ug/L						
bis(2-Chloroethyl) ether	<0.554	U	0.554	ug/L						
Hexachlorobutadiene	<0.554	U	0.554	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.24*	*ug/L*	*9.85*		*93.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.5*	*ug/L*	*19.7*		*109*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.0*	*ug/L*	*19.7*		*86.3*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.2*	*ug/L*	*9.85*		*114*	*52-162*		
Surrogate: Phenol-d5-surr			*27.3*	*ug/L*	*19.7*		*138*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.60*	*ug/L*	*9.85*		*87.3*	*51.9-147*		
BFB1944-BLK1 (BFB2791-LBK4)					Prepared: 2/21/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	<0.554	U	0.554	ug/L						
Benzidine	<0.554	U	0.554	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*8.92*	*ug/L*	*9.85*		*90.6*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*13.5*	*ug/L*	*19.7*		*68.4*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*10.7*	*ug/L*	*19.7*		*54.5*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.2*	*ug/L*	*9.85*		*103*	*52-162*		
Surrogate: Phenol-d5-surr			*12.9*	*ug/L*	*19.7*		*65.3*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.82*	*ug/L*	*9.85*		*89.6*	*51.9-147*		
MDL BENZ (BFB2791-MRL1)					Prepared: 2/21/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	<0.559	U	0.559	ug/L	0.497			50-150		
Benzidine	<0.559	U	0.559	ug/L	0.497			50-150		
Surrogate: 2-Fluorobiphenyl-surr			*8.64*	*ug/L*	*9.94*		*86.9*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*19.4*	*ug/L*	*19.9*		*97.4*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*15.0*	*ug/L*	*19.9*		*75.7*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.1*	*ug/L*	*9.94*		*101*	*52-162*		
Surrogate: Phenol-d5-surr			*21.6*	*ug/L*	*19.9*		*109*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.79*	*ug/L*	*9.94*		*88.5*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
MDL SV (BFB2791-MRL2)					Prepared: 2/21/2022 Analyzed: 3/3/2022					
1,2,4-Trichlorobenzene	0.560		0.559	ug/L	0.497		113	50-150		
1,2-Dichlorobenzene (o-Dichlorobenzene)	0.412	J	0.559	ug/L	0.497		82.9	50-150		
1,2-Diphenylhydrazine	<0.559	U	0.559	ug/L	0.497			50-150		
1,3-Dichlorobenzene (m-Dichlorobenzene)	0.481	J	0.559	ug/L	0.497		96.9	50-150		
1,4-Dichlorobenzene (p-Dichlorobenzene)	0.506	J	0.559	ug/L	0.497		102	50-150		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	0.539	J	0.559	ug/L	0.497		108	50-150		
2,4,6-Trichlorophenol	1.50		1.12	ug/L	0.993		151	50-150		
2,4-Dichlorophenol	<0.559	U	0.559	ug/L	0.993			50-150		
2,4-Dimethylphenol	1.56		1.12	ug/L	0.993		157	50-150		
2,4-Dinitrophenol	<4.47	U	4.47	ug/L	2.48					
2-Chloronaphthalene	0.393	J	0.559	ug/L	0.497		79.1	50-150		
2-Chlorophenol	1.09	J	1.12	ug/L	0.993		110	50-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	1.03	J	1.12	ug/L	0.993		103	50-150		
2-Nitrophenol	0.861	J	1.12	ug/L	0.993		86.7	50-150		
4-Bromophenyl phenyl ether (BDE-3)	0.995		0.559	ug/L	0.497		200	50-150		
4-Chloro-3-methylphenol	1.13		1.12	ug/L	0.993		114	50-150		
4-Chlorophenyl phenylether	0.618		0.559	ug/L	0.497		124	50-150		
4-Nitrophenol	<4.47	U	4.47	ug/L	2.48			50-150		
Acenaphthene	0.373	J	0.559	ug/L	0.497		75.2	50-150		
Acenaphthylene	0.545	J	0.559	ug/L	0.497		110	50-150		
Anthracene	0.413	J	0.559	ug/L	0.497		83.1	50-150		
Benzo(a)anthracene	0.471	J	0.559	ug/L	0.497		95.0	50-150		
Benzo(a)pyrene	0.490	J	0.559	ug/L	0.497		98.7	50-150		
benzo(b&k)fluoranthene	1.05		0.559	ug/L	0.993		106	50-150		
Benzo(g,h,i)perylene	0.561		0.559	ug/L	0.497		113	50-150		
bis(2-Chloroethoxy)methane	0.654		0.559	ug/L	0.497		132	50-150		
Bis(2-ethylhexyl)phthalate	0.563		0.559	ug/L	0.497		113	50-150		
Butyl benzyl phthalate	0.945		0.559	ug/L	0.497		190	50-150		
Chrysene	0.376	J	0.559	ug/L	0.497		75.7	50-150		
Dibenzo(a,h)anthracene	<0.559	U	0.559	ug/L	0.497			50-150		
Diethyl phthalate	0.440	J	0.559	ug/L	0.497		88.6	50-150		
Dimethyl phthalate	0.325	J	0.559	ug/L	0.497		65.5	50-150		
Di-n-butyl phthalate	1.98		0.559	ug/L	0.497		399	50-150		
Di-n-octyl phthalate	0.528	J	0.559	ug/L	0.497		106	50-150		
Fluoranthene	0.452	J	0.559	ug/L	0.497		91.1	50-150		
Fluorene	0.309	J	0.559	ug/L	0.497		62.2	50-150		
Hexachlorobenzene	0.551	J	0.559	ug/L	0.497		111	50-150		
Hexachlorobutadiene	0.299	J	0.559	ug/L	0.497		60.2	50-150		
Hexachlorocyclopentadiene	0.491	J	0.559	ug/L	0.497		98.9	50-150		
Hexachloroethane	0.555	J	0.559	ug/L	0.497		112	50-150		
Indeno(1,2,3-cd) pyrene	0.471	J	0.559	ug/L	0.497		94.9	50-150		
Isophorone	0.600		0.559	ug/L	0.497		121	50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
MDL SV (BFB2791-MRL2)					Prepared: 2/21/2022 Analyzed: 3/3/2022					
Naphthalene	0.444	J	0.559	ug/L	0.497		89.5	50-150		
Nitrobenzene	0.434	J	0.559	ug/L	0.497		87.5	50-150		
n-Nitrosodimethylamine	<2.23	U	2.23	ug/L	2.48			50-150		
n-Nitrosodi-n-propylamine	0.914		0.559	ug/L	0.497		184	50-150		
n-Nitrosodiphenylamine	0.404	J	0.559	ug/L	0.497		81.3	50-150		
Pentachlorophenol	0.988	J	1.12	ug/L	0.993		99.5	50-150		
Phenanthrene	0.592		0.559	ug/L	0.497		119	50-150		
Phenol, Total	1.24		1.12	ug/L	0.993		125	50-150		
Pyrene	0.619		0.559	ug/L	0.497		125	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*10.3*	*ug/L*	*9.93*		*104*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.2*	*ug/L*	*19.9*		*107*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*15.9*	*ug/L*	*19.9*		*80.1*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.1*	*ug/L*	*9.93*		*102*	*52-162*		
Surrogate: Phenol-d5-surr			*21.9*	*ug/L*	*19.9*		*110*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.4*	*ug/L*	*9.93*		*105*	*51.9-147*		
MDL SV (BFB2791-MRL3)					Prepared: 2/21/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	0.641		0.559	ug/L	0.497		129	50-150		
2,6-Dinitrotoluene (2,6-DNT)	0.598		0.559	ug/L	0.497		120	50-150		
bis(2-Chloroethyl) ether	0.541	J	0.559	ug/L	0.497		109	50-150		
Hexachlorobutadiene	<0.559	U	0.559	ug/L	0.497			50-150		
Surrogate: 2-Fluorobiphenyl-surr			*9.23*	*ug/L*	*9.93*		*93.0*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.8*	*ug/L*	*19.9*		*110*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.0*	*ug/L*	*19.9*		*101*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.1*	*ug/L*	*9.93*		*112*	*52-162*		
Surrogate: Phenol-d5-surr			*27.0*	*ug/L*	*19.9*		*136*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.80*	*ug/L*	*9.93*		*98.7*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
Matrix Spike (BFB2791-MS1)	**Source: 22A3987-13**				Prepared: 2/21/2022 Analyzed: 3/3/2022					
1,2,4-Trichlorobenzene	8.70		0.561	ug/L	9.97	<0.561	87.3	35.3-142		
1,2-Dichlorobenzene (o-Dichlorobenzene)	6.92		0.561	ug/L	9.97	<0.561	69.4	31.4-142		
1,2-Diphenylhydrazine	7.84		0.561	ug/L	9.97	<0.561	78.7	48.9-156		
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.45		0.561	ug/L	9.97	<0.561	64.7	30.5-135		
1,4-Dichlorobenzene (p-Dichlorobenzene)	8.31		0.561	ug/L	9.97	<0.561	83.3	37.2-133		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	8.98		0.561	ug/L	9.97	<0.561	90.1	41.7-151		
2,4,6-Trichlorophenol	16.0		1.12	ug/L	19.9	<1.12	80.4	34.7-143		
2,4-Dichlorophenol	22.4		0.561	ug/L	19.9	<0.561	112	42.7-158		
2,4-Dimethylphenol	23.3		1.12	ug/L	19.9	<1.12	117	38.4-170		
2,4-Dinitrophenol	48.1		4.49	ug/L	49.8	<4.49	96.5	60-140		
2-Chloronaphthalene	8.40		0.561	ug/L	9.97	<0.561	84.3	27.4-158		
2-Chlorophenol	18.4		1.12	ug/L	19.9	<1.12	92.4	49.2-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	17.2		1.12	ug/L	19.9	<1.12	86.3	41.9-153		
2-Nitrophenol	20.5		1.12	ug/L	19.9	<1.12	103	51.9-150		
4-Bromophenyl phenyl ether (BDE-3)	8.85		0.561	ug/L	9.97	<0.561	88.8	45.2-146		
4-Chloro-3-methylphenol	24.9		1.12	ug/L	19.9	<1.12	125	46.9-147		
4-Chlorophenyl phenylether	8.71		0.561	ug/L	9.97	<0.561	87.4	44.5-143		
4-Nitrophenol	39.8		4.49	ug/L	49.8	<4.49	79.9	2-173		
Acenaphthene	9.69		0.561	ug/L	9.97	1.08	86.4	47.3-149		
Acenaphthylene	8.90		0.561	ug/L	9.97	<0.561	89.3	56.5-173		
Anthracene	10.9		0.561	ug/L	9.97	<0.561	109	49.7-160		
Benzo(a)anthracene	8.04		0.561	ug/L	9.97	<0.561	80.6	41.7-151		
Benzo(a)pyrene	8.17		0.561	ug/L	9.97	<0.561	82.0	45.4-133		
benzo(b&k)fluoranthene	16.9		0.561	ug/L	19.9	<0.561	84.8	55.3-137		
Benzo(g,h,i)perylene	8.27		0.561	ug/L	9.97	<0.561	83.0	37.9-152		
bis(2-Chloroethoxy)methane	9.20		0.561	ug/L	9.97	<0.561	92.3	40.1-151		
Bis(2-ethylhexyl)phthalate	9.83		0.561	ug/L	9.97	<0.561	98.6	38.3-135		
Butyl benzyl phthalate	9.88		0.561	ug/L	9.97	<0.561	99.2	41.1-148		
Chrysene	9.63		0.561	ug/L	9.97	<0.561	96.6	51-147		
Dibenzo(a,h)anthracene	7.69		0.561	ug/L	9.97	<0.561	77.1	27.5-156		
Diethyl phthalate	10.0		0.561	ug/L	9.97	<0.561	101	53.4-146		
Dimethyl phthalate	8.94		0.561	ug/L	9.97	<0.561	89.7	53-151		
Di-n-butyl phthalate	12.5		0.561	ug/L	9.97	<0.561	126	25.4-168		
Di-n-octyl phthalate	8.86		0.561	ug/L	9.97	<0.561	88.9	39.2-123		
Fluoranthene	10.1		0.561	ug/L	9.97	<0.561	102	45.3-156		
Fluorene	9.75		0.561	ug/L	9.97	<0.561	97.9	56.3-145		
Hexachlorobenzene	7.79		0.561	ug/L	9.97	<0.561	78.2	56.1-137		
Hexachlorobutadiene	5.03		0.561	ug/L	9.97	<0.561	50.5	33.1-110		
Hexachlorocyclopentadiene	6.46		0.561	ug/L	9.97	<0.561	64.8	2-179		
Hexachloroethane	5.46		0.561	ug/L	9.97	<0.561	54.8	36.2-106		
Indeno(1,2,3-cd) pyrene	7.79		0.561	ug/L	9.97	<0.561	78.2	33.4-153		
Isophorone	9.98		0.561	ug/L	9.97	<0.561	100	43.3-154		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
Matrix Spike (BFB2791-MS1)		**Source: 22A3987-13**			Prepared: 2/21/2022 Analyzed: 3/3/2022					
Naphthalene	9.60		0.561	ug/L	9.97	0.950	86.8	45.1-153		
Nitrobenzene	8.47		0.561	ug/L	9.97	<0.561	85.0	54.9-156		
n-Nitrosodimethylamine	2.05	J	2.24	ug/L	49.8	<2.24	4.12	2-56.4		
n-Nitrosodi-n-propylamine	9.74		0.561	ug/L	9.97	<0.561	97.7	38.3-160		
n-Nitrosodiphenylamine	5.51		0.561	ug/L	9.97	<0.561	55.3	38.1-163		
Pentachlorophenol	18.2		1.12	ug/L	19.9	0.659	88.2	42.2-151		
Phenanthrene	8.80		0.561	ug/L	9.97	<0.561	88.3	45.3-165		
Phenol, Total	20.7		1.12	ug/L	19.9	0.577	101	39.8-164		
Pyrene	9.22		0.561	ug/L	9.97	<0.561	92.5	46.3-149		
Surrogate: 2-Fluorobiphenyl-surr			*10.9*	*ug/L*	*9.97*		*109*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*19.7*	*ug/L*	*19.9*		*98.6*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.8*	*ug/L*	*19.9*		*99.2*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.12*	*ug/L*	*9.97*		*91.5*	*52-162*		
Surrogate: Phenol-d5-surr			*23.4*	*ug/L*	*19.9*		*117*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.44*	*ug/L*	*9.97*		*94.7*	*51.9-147*		
Matrix Spike (BFB2791-MS2)		**Source: 22A3987-13RE1**			Prepared: 2/21/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	8.80		0.561	ug/L	9.97	<0.561	88.2	50.3-144		
2,6-Dinitrotoluene (2,6-DNT)	8.40		0.561	ug/L	9.97	<0.561	84.2	43.7-157		
bis(2-Chloroethyl) ether	10.7		0.561	ug/L	9.97	<0.561	107	45.9-163		
Hexachlorobutadiene	5.51		0.561	ug/L	9.97	<0.561	55.3	33.1-110		
Surrogate: 2-Fluorobiphenyl-surr			*10.1*	*ug/L*	*9.97*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.9*	*ug/L*	*19.9*		*110*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.8*	*ug/L*	*19.9*		*110*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.7*	*ug/L*	*9.97*		*117*	*52-162*		
Surrogate: Phenol-d5-surr		*S*	*31.2*	*ug/L*	*19.9*		*156*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.83*	*ug/L*	*9.97*		*88.6*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
Matrix Spike Dup (BFB2791-MSD1)	**Source: 22A3987-13**				Prepared: 2/21/2022 Analyzed: 3/3/2022					
1,2,4-Trichlorobenzene	7.69		0.558	ug/L	9.92	<0.558	77.6	35.3-142	12.3	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	7.36		0.558	ug/L	9.92	<0.558	74.2	31.4-142	6.20	40
1,2-Diphenylhydrazine	7.72		0.558	ug/L	9.92	<0.558	77.8	48.9-156	1.60	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.66		0.558	ug/L	9.92	<0.558	67.1	30.5-135	3.17	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	9.30		0.558	ug/L	9.92	<0.558	93.8	37.2-133	11.3	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	8.80		0.558	ug/L	9.92	<0.558	88.7	41.7-151	2.05	40
2,4,6-Trichlorophenol	14.8		1.12	ug/L	19.8	<1.12	74.6	34.7-143	8.01	40
2,4-Dichlorophenol	21.8		0.558	ug/L	19.8	<0.558	110	42.7-158	2.44	40
2,4-Dimethylphenol	21.7		1.12	ug/L	19.8	<1.12	109	38.4-170	7.37	40
2,4-Dinitrophenol	54.1		4.46	ug/L	49.6	<4.46	109	60-140	11.7	40
2-Chloronaphthalene	8.01		0.558	ug/L	9.92	<0.558	80.7	27.4-158	4.86	40
2-Chlorophenol	18.5		1.12	ug/L	19.8	<1.12	93.2	49.2-150	0.362	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	18.3		1.12	ug/L	19.8	<1.12	92.2	41.9-153	6.08	40
2-Nitrophenol	20.3		1.12	ug/L	19.8	<1.12	102	51.9-150	1.12	40
4-Bromophenyl phenyl ether (BDE-3)	7.56		0.558	ug/L	9.92	<0.558	76.2	45.2-146	15.8	40
4-Chloro-3-methylphenol	20.4		1.12	ug/L	19.8	<1.12	103	46.9-147	19.9	40
4-Chlorophenyl phenylether	8.13		0.558	ug/L	9.92	<0.558	82.0	44.5-143	6.92	40
4-Nitrophenol	48.1		4.46	ug/L	49.6	<4.46	97.0	2-173	18.8	40
Acenaphthene	8.59		0.558	ug/L	9.92	1.08	75.7	47.3-149	12.0	40
Acenaphthylene	7.71		0.558	ug/L	9.92	<0.558	77.8	56.5-173	14.3	40
Anthracene	9.35		0.558	ug/L	9.92	<0.558	94.3	49.7-160	15.0	40
Benzo(a)anthracene	7.95		0.558	ug/L	9.92	<0.558	80.1	41.7-151	1.09	40
Benzo(a)pyrene	8.22		0.558	ug/L	9.92	<0.558	82.8	45.4-133	0.544	40
benzo(b&k)fluoranthene	17.7		0.558	ug/L	19.8	<0.558	89.4	55.3-137	4.79	40
Benzo(g,h,i)perylene	7.82		0.558	ug/L	9.92	<0.558	78.9	37.9-152	5.57	40
bis(2-Chloroethoxy)methane	8.28		0.558	ug/L	9.92	<0.558	83.5	40.1-151	10.6	40
Bis(2-ethylhexyl)phthalate	9.02		0.558	ug/L	9.92	<0.558	91.0	38.3-135	8.52	40
Butyl benzyl phthalate	9.44		0.558	ug/L	9.92	<0.558	95.2	41.1-148	4.54	40
Chrysene	8.89		0.558	ug/L	9.92	<0.558	89.7	51-147	7.97	40
Dibenzo(a,h)anthracene	7.41		0.558	ug/L	9.92	<0.558	74.7	27.5-156	3.69	40
Diethyl phthalate	9.67		0.558	ug/L	9.92	<0.558	97.5	53.4-146	3.66	40
Dimethyl phthalate	8.39		0.558	ug/L	9.92	<0.558	84.6	53-151	6.34	40
Di-n-butyl phthalate	12.1		0.558	ug/L	9.92	<0.558	122	25.4-168	3.97	40
Di-n-octyl phthalate	8.64		0.558	ug/L	9.92	<0.558	87.1	39.2-123	2.51	40
Fluoranthene	10.2		0.558	ug/L	9.92	<0.558	103	45.3-156	0.749	40
Fluorene	8.62		0.558	ug/L	9.92	<0.558	86.9	56.3-145	12.4	40
Hexachlorobenzene	8.84		0.558	ug/L	9.92	<0.558	89.1	56.1-137	12.6	40
Hexachlorobutadiene	5.76		0.558	ug/L	9.92	<0.558	58.0	33.1-110	13.5	40
Hexachlorocyclopentadiene	7.12		0.558	ug/L	9.92	<0.558	71.8	2-179	9.73	40
Hexachloroethane	5.58		0.558	ug/L	9.92	<0.558	56.3	36.2-106	2.23	40
Indeno(1,2,3-cd) pyrene	8.02		0.558	ug/L	9.92	<0.558	80.8	33.4-153	2.80	40
Isophorone	9.19		0.558	ug/L	9.92	<0.558	92.6	43.3-154	8.22	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2791 - SW-3511 (Continued)										
Matrix Spike Dup (BFB2791-MSD1)		**Source: 22A3987-13**			Prepared: 2/21/2022 Analyzed: 3/3/2022					
Naphthalene	9.23		0.558	ug/L	9.92	0.950	83.5	45.1-153	3.89	40
Nitrobenzene	8.70		0.558	ug/L	9.92	<0.558	87.7	54.9-156	2.67	40
n-Nitrosodimethylamine	2.70		2.23	ug/L	49.6	<2.23	5.44	2-56.4	27.1	40
n-Nitrosodi-n-propylamine	9.00		0.558	ug/L	9.92	<0.558	90.7	38.3-160	7.93	40
n-Nitrosodiphenylamine	4.92		0.558	ug/L	9.92	<0.558	49.6	38.1-163	11.3	40
Pentachlorophenol	17.0		1.12	ug/L	19.8	0.659	82.3	42.2-151	7.18	40
Phenanthrene	8.87		0.558	ug/L	9.92	<0.558	89.4	45.3-165	0.822	40
Phenol, Total	18.7		1.12	ug/L	19.8	0.577	91.2	39.8-164	10.4	40
Pyrene	9.44		0.558	ug/L	9.92	<0.558	95.2	46.3-149	2.35	40
Surrogate: 2-Fluorobiphenyl-surr			*9.83*	*ug/L*	*9.92*		*99.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.8*	*ug/L*	*19.8*		*110*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.4*	*ug/L*	*19.8*		*108*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.07*	*ug/L*	*9.92*		*91.4*	*52-162*		
Surrogate: Phenol-d5-surr			*19.8*	*ug/L*	*19.8*		*100*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.66*	*ug/L*	*9.92*		*97.4*	*51.9-147*		
Matrix Spike Dup (BFB2791-MSD2)		**Source: 22A3987-13RE1**			Prepared: 2/21/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	9.67		0.558	ug/L	9.92	<0.558	97.5	50.3-144	9.42	40
2,6-Dinitrotoluene (2,6-DNT)	9.06		0.558	ug/L	9.92	<0.558	91.3	43.7-157	7.60	40
bis(2-Chloroethyl) ether	9.75		0.558	ug/L	9.92	<0.558	98.3	45.9-163	9.14	40
Hexachlorobutadiene	5.28		0.558	ug/L	9.92	<0.558	53.3	33.1-110	4.29	40
Surrogate: 2-Fluorobiphenyl-surr			*9.68*	*ug/L*	*9.92*		*97.6*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.3*	*ug/L*	*19.8*		*113*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*24.0*	*ug/L*	*19.8*		*121*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.6*	*ug/L*	*9.92*		*117*	*52-162*		
Surrogate: Phenol-d5-surr			*29.4*	*ug/L*	*19.8*		*148*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.71*	*ug/L*	*9.92*		*87.8*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511										
Blank (BFB3255-BLK1)					Prepared: 2/24/2022 Analyzed: 3/2/2022					
1,2,4-Trichlorobenzene	<0.561	U	0.561	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.561	U	0.561	ug/L						
1,2-Diphenylhydrazine	<0.561	U	0.561	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.561	U	0.561	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.561	U	0.561	ug/L						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<0.561	U	0.561	ug/L						
2,4,6-Trichlorophenol	<1.12	U	1.12	ug/L						
2,4-Dichlorophenol	<0.561	U	0.561	ug/L						
2,4-Dimethylphenol	<1.12	U	1.12	ug/L						
2,4-Dinitrophenol	<4.49	U	4.49	ug/L						
2,4-Dinitrotoluene (2,4-DNT)	<1.12	CQc, R, U	1.12	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.561	U	0.561	ug/L						
2-Chloronaphthalene	<0.561	U	0.561	ug/L						
2-Chlorophenol	<1.12	U	1.12	ug/L						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<1.12	U	1.12	ug/L						
2-Nitrophenol	<1.12	U	1.12	ug/L						
4-Bromophenyl phenyl ether (BDE-3)	<0.561	U	0.561	ug/L						
4-Chloro-3-methylphenol	<1.12	U	1.12	ug/L						
4-Chlorophenyl phenylether	<0.561	U	0.561	ug/L						
4-Nitrophenol	<4.49	U	4.49	ug/L						
Acenaphthene	<0.561	U	0.561	ug/L						
Acenaphthylene	<0.561	U	0.561	ug/L						
Anthracene	<0.561	U	0.561	ug/L						
Benzo(a)anthracene	<0.561	U	0.561	ug/L						
Benzo(a)pyrene	<0.561	U	0.561	ug/L						
benzo(b&k)fluoranthene	<0.561	U	0.561	ug/L						
Benzo(g,h,i)perylene	<0.561	U	0.561	ug/L						
bis(2-Chloroethoxy)methane	<0.561	U	0.561	ug/L						
bis(2-Chloroethyl) ether	<0.561	CQa, R, U	0.561	ug/L						
Bis(2-ethylhexyl)phthalate	<0.561	U	0.561	ug/L						
Butyl benzyl phthalate	0.312	J	0.561	ug/L						
Chrysene	<0.561	U	0.561	ug/L						
Dibenzo(a,h)anthracene	<0.561	U	0.561	ug/L						
Diethyl phthalate	<0.561	U	0.561	ug/L						
Dimethyl phthalate	<0.561	U	0.561	ug/L						
Di-n-butyl phthalate	3.34		0.561	ug/L						
Di-n-octyl phthalate	<0.561	U	0.561	ug/L						
Fluoranthene	<0.561	U	0.561	ug/L						
Fluorene	<0.561	U	0.561	ug/L						
Hexachlorobenzene	<0.561	U	0.561	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
Blank (BFB3255-BLK1)					Prepared: 2/24/2022 Analyzed: 3/2/2022					
Hexachlorobutadiene	<0.561	U	0.561	ug/L						
Hexachlorocyclopentadiene	<0.561	U	0.561	ug/L						
Hexachloroethane	<0.561	U	0.561	ug/L						
Indeno(1,2,3-cd) pyrene	<0.561	U	0.561	ug/L						
Isophorone	<0.561	U	0.561	ug/L						
Naphthalene	<0.561	U	0.561	ug/L						
Nitrobenzene	<0.561	U	0.561	ug/L						
n-Nitrosodimethylamine	<2.24	U	2.24	ug/L						
n-Nitrosodi-n-propylamine	<0.561	U	0.561	ug/L						
n-Nitrosodiphenylamine	<0.561	U	0.561	ug/L						
Pentachlorophenol	<1.12	U	1.12	ug/L						
Phenanthrene	<0.561	U	0.561	ug/L						
Phenol, Total	0.626	J	1.12	ug/L						
Pyrene	<0.561	U	0.561	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*10.4*	*ug/L*	*9.97*		*104*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.8*	*ug/L*	*19.9*		*104*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*15.3*	*ug/L*	*19.9*		*76.5*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.30*	*ug/L*	*9.97*		*93.2*	*52-162*		
Surrogate: Phenol-d5-surr			*17.2*	*ug/L*	*19.9*		*86.1*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*12.7*	*ug/L*	*9.97*		*127*	*51.9-147*		
Blank (BFB3255-BLK2)					Prepared: 2/24/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	<0.561	U	0.561	ug/L						
bis(2-Chloroethyl) ether	<0.561	U	0.561	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.45*	*ug/L*	*9.97*		*94.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.1*	*ug/L*	*19.9*		*106*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*14.8*	*ug/L*	*19.9*		*74.2*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.0*	*ug/L*	*9.97*		*110*	*52-162*		
Surrogate: Phenol-d5-surr			*27.6*	*ug/L*	*19.9*		*138*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.13*	*ug/L*	*9.97*		*91.5*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
Blank (BFB3255-BLK3)					Prepared: 2/24/2022 Analyzed: 3/24/2022					
3,3'-Dichlorobenzidine	<0.561	U	0.561	ug/L						
Benzidine	<0.561	U	0.561	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*8.88*	*ug/L*	*9.97*		*89.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.8*	*ug/L*	*19.9*		*104*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*16.7*	*ug/L*	*19.9*		*83.6*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.1*	*ug/L*	*9.97*		*112*	*52-162*		
Surrogate: Phenol-d5-surr			*22.9*	*ug/L*	*19.9*		*115*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.11*	*ug/L*	*9.97*		*71.3*	*51.9-147*		
LCS (BFB3255-BS1)					Prepared: 2/24/2022 Analyzed: 3/24/2022					
3,3'-Dichlorobenzidine	6.11		0.556	ug/L	9.88		61.8	22.3-156		
Benzidine	3.97		0.556	ug/L	9.88		40.2	9.32-162		
Surrogate: 2-Fluorobiphenyl-surr			*9.12*	*ug/L*	*9.88*		*92.3*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*18.7*	*ug/L*	*19.8*		*94.5*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.0*	*ug/L*	*19.8*		*85.8*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.50*	*ug/L*	*9.88*		*96.1*	*52-162*		
Surrogate: Phenol-d5-surr			*20.2*	*ug/L*	*19.8*		*102*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.74*	*ug/L*	*9.88*		*88.4*	*51.9-147*		
LCS (BFB3255-BS2)					Prepared: 2/24/2022 Analyzed: 3/2/2022					
1,2,4-Trichlorobenzene	7.62		0.557	ug/L	9.90		77.0	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.64		0.557	ug/L	9.90		87.3	60-140		
1,2-Diphenylhydrazine	7.92		0.557	ug/L	9.90		80.0	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.94		0.557	ug/L	9.90		70.1	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	8.12		0.557	ug/L	9.90		82.1	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	9.62		0.557	ug/L	9.90		97.2	60-140		
2,4,6-Trichlorophenol	19.0		1.11	ug/L	19.8		96.0	60-140		
2,4-Dichlorophenol	21.3		0.557	ug/L	19.8		108	60-140		
2,4-Dimethylphenol	20.3		1.11	ug/L	19.8		102	35.9-153		
2,4-Dinitrophenol	40.4		4.45	ug/L	49.5		81.5	60-140		
2,4-Dinitrotoluene (2,4-DNT)	8.55	CQc, R	1.11	ug/L	9.90		86.4	60-140		
2,6-Dinitrotoluene (2,6-DNT)	8.78		0.557	ug/L	9.90		88.7	60-140		
2-Chloronaphthalene	9.23		0.557	ug/L	9.90		93.3	60-140		
2-Chlorophenol	17.0		1.11	ug/L	19.8		86.0	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	15.5		1.11	ug/L	19.8		78.4	60-140		
2-Nitrophenol	17.7		1.11	ug/L	19.8		89.3	60-140		
4-Bromophenyl phenyl ether (BDE-3)	9.38		0.557	ug/L	9.90		94.8	60-140		
4-Chloro-3-methylphenol	21.0		1.11	ug/L	19.8		106	60-140		
4-Chlorophenyl phenylether	8.26		0.557	ug/L	9.90		83.4	60-140		
4-Nitrophenol	46.0		4.45	ug/L	49.5		92.9	60-140		
Acenaphthene	8.57		0.557	ug/L	9.90		86.6	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
LCS (BFB3255-BS2)					Prepared: 2/24/2022 Analyzed: 3/2/2022					
Acenaphthylene	7.83		0.557	ug/L	9.90		79.1	60-140		
Anthracene	10.1		0.557	ug/L	9.90		102	60-140		
Benzo(a)anthracene	8.50		0.557	ug/L	9.90		85.9	60-140		
Benzo(a)pyrene	9.04		0.557	ug/L	9.90		91.3	60-140		
benzo(b&k)fluoranthene	16.8		0.557	ug/L	19.8		84.8	60-140		
Benzo(g,h,i)perylene	8.38		0.557	ug/L	9.90		84.6	60-140		
bis(2-Chloroethoxy)methane	8.68		0.557	ug/L	9.90		87.7	60-140		
bis(2-Chloroethyl) ether	6.74	R, CQa	0.557	ug/L	9.90		68.1	60-140		
Bis(2-ethylhexyl)phthalate	10.9		0.557	ug/L	9.90		110	60-140		
Butyl benzyl phthalate	10.9		0.557	ug/L	9.90		110	60-140		
Chrysene	9.36		0.557	ug/L	9.90		94.5	60-140		
Dibenzo(a,h)anthracene	8.38		0.557	ug/L	9.90		84.7	60-140		
Diethyl phthalate	9.37		0.557	ug/L	9.90		94.7	60-140		
Dimethyl phthalate	8.68		0.557	ug/L	9.90		87.7	60-140		
Di-n-butyl phthalate	13.3		0.557	ug/L	9.90		135	60-140		
Di-n-octyl phthalate	9.25		0.557	ug/L	9.90		93.5	60-140		
Fluoranthene	10.5		0.557	ug/L	9.90		106	60-140		
Fluorene	9.50		0.557	ug/L	9.90		95.9	60-140		
Hexachlorobenzene	8.95		0.557	ug/L	9.90		90.4	60-140		
Hexachlorobutadiene	5.85	J1	0.557	ug/L	9.90		59.1	60-140		
Hexachlorocyclopentadiene	6.26		0.557	ug/L	9.90		63.3	60-140		
Hexachloroethane	6.44		0.557	ug/L	9.90		65.1	60-140		
Indeno(1,2,3-cd) pyrene	8.61		0.557	ug/L	9.90		87.0	60-140		
Isophorone	9.81		0.557	ug/L	9.90		99.1	60-140		
Naphthalene	9.17		0.557	ug/L	9.90		92.6	60-140		
Nitrobenzene	9.24		0.557	ug/L	9.90		93.3	60-140		
n-Nitrosodimethylamine	3.97		2.23	ug/L	49.5		8.01	2.5-65.7		
n-Nitrosodi-n-propylamine	9.49		0.557	ug/L	9.90		95.9	60-140		
n-Nitrosodiphenylamine	7.57		0.557	ug/L	9.90		76.5	60-140		
Pentachlorophenol	19.0		1.11	ug/L	19.8		96.1	36.8-149		
Phenanthrene	8.54		0.557	ug/L	9.90		86.3	60-140		
Phenol, Total	20.5		1.11	ug/L	19.8		103	60-140		
Pyrene	8.59		0.557	ug/L	9.90		86.7	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*10.7*	*ug/L*	*9.90*		*108*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.1*	*ug/L*	*19.8*		*112*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.1*	*ug/L*	*19.8*		*112*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.2*	*ug/L*	*9.90*		*113*	*52-162*		
Surrogate: Phenol-d5-surr			*13.5*	*ug/L*	*19.8*		*68.1*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.15*	*ug/L*	*9.90*		*92.4*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
LCS (BFB3255-BS3)					Prepared: 2/24/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	8.48		0.557	ug/L	9.90		85.7	60-140		
bis(2-Chloroethyl) ether	10.4		0.557	ug/L	9.90		105	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*10.1*	*ug/L*	*9.90*		*102*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.1*	*ug/L*	*19.8*		*107*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.8*	*ug/L*	*19.8*		*105*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.5*	*ug/L*	*9.90*		*116*	*52-162*		
Surrogate: Phenol-d5-surr			*28.9*	*ug/L*	*19.8*		*146*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.00*	*ug/L*	*9.90*		*90.9*	*51.9-147*		
LCS Dup (BFB3255-BSD1)					Prepared: 2/24/2022 Analyzed: 3/24/2022					
3,3'-Dichlorobenzidine	6.18		0.561	ug/L	9.98		61.9	22.3-156	1.10	40
Benzidine	5.00		0.561	ug/L	9.98		50.2	9.32-162	23.1	40
Surrogate: 2-Fluorobiphenyl-surr			*9.15*	*ug/L*	*9.98*		*91.7*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.4*	*ug/L*	*20.0*		*117*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*16.1*	*ug/L*	*20.0*		*80.5*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.48*	*ug/L*	*9.98*		*95.0*	*52-162*		
Surrogate: Phenol-d5-surr			*20.8*	*ug/L*	*20.0*		*104*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.89*	*ug/L*	*9.98*		*79.1*	*51.9-147*		
LCS Dup (BFB3255-BSD2)					Prepared: 2/24/2022 Analyzed: 3/2/2022					
1,2,4-Trichlorobenzene	7.03		0.562	ug/L	10.0		70.3	60-140	8.12	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	6.89		0.562	ug/L	10.0		68.9	60-140	22.6	40
1,2-Diphenylhydrazine	7.55		0.562	ug/L	10.0		75.5	60-140	4.73	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.44		0.562	ug/L	10.0		64.4	60-140	7.38	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.49		0.562	ug/L	10.0		74.9	60-140	8.08	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	8.79		0.562	ug/L	10.0		87.9	60-140	9.04	40
2,4,6-Trichlorophenol	19.3		1.12	ug/L	20.0		96.6	60-140	1.58	40
2,4-Dichlorophenol	26.0		0.562	ug/L	20.0		130	60-140	20.1	40
2,4-Dimethylphenol	18.6		1.12	ug/L	20.0		93.3	35.9-153	8.40	40
2,4-Dinitrophenol	46.0		4.50	ug/L	50.0		92.0	60-140	13.0	40
2,4-Dinitrotoluene (2,4-DNT)	8.48	CQc, R	1.12	ug/L	10.0		84.9	60-140	0.826	40
2,6-Dinitrotoluene (2,6-DNT)	8.57		0.562	ug/L	10.0		85.7	60-140	2.47	40
2-Chloronaphthalene	7.90		0.562	ug/L	10.0		79.0	60-140	15.5	40
2-Chlorophenol	27.2	J1	1.12	ug/L	20.0		136	60-140	46.0	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	17.4		1.12	ug/L	20.0		87.1	60-140	11.6	40
2-Nitrophenol	16.2		1.12	ug/L	20.0		80.8	60-140	9.02	40
4-Bromophenyl phenyl ether (BDE-3)	7.71		0.562	ug/L	10.0		77.1	60-140	19.6	40
4-Chloro-3-methylphenol	20.3		1.12	ug/L	20.0		102	60-140	3.29	40
4-Chlorophenyl phenylether	8.37		0.562	ug/L	10.0		83.7	60-140	1.35	40
4-Nitrophenol	51.2		4.50	ug/L	50.0		102	60-140	10.7	40
Acenaphthene	7.72		0.562	ug/L	10.0		77.2	60-140	10.4	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
LCS Dup (BFB3255-BSD2)					Prepared: 2/24/2022 Analyzed: 3/2/2022					
Acenaphthylene	7.45		0.562	ug/L	10.0		74.6	60-140	4.87	40
Anthracene	8.67		0.562	ug/L	10.0		86.7	60-140	14.9	40
Benzo(a)anthracene	7.82		0.562	ug/L	10.0		78.3	60-140	8.32	40
Benzo(a)pyrene	8.82		0.562	ug/L	10.0		88.3	60-140	2.41	40
benzo(b&k)fluoranthene	17.0		0.562	ug/L	20.0		85.0	60-140	1.24	40
Benzo(g,h,i)perylene	8.40		0.562	ug/L	10.0		84.1	60-140	0.346	40
bis(2-Chloroethoxy)methane	7.93		0.562	ug/L	10.0		79.3	60-140	8.97	40
bis(2-Chloroethyl) ether	9.26	CQa, R	0.562	ug/L	10.0		92.6	60-140	31.5	40
Bis(2-ethylhexyl)phthalate	9.12		0.562	ug/L	10.0		91.3	60-140	17.5	40
Butyl benzyl phthalate	8.76		0.562	ug/L	10.0		87.6	60-140	21.5	40
Chrysene	8.70		0.562	ug/L	10.0		87.0	60-140	7.28	40
Dibenzo(a,h)anthracene	8.95		0.562	ug/L	10.0		89.5	60-140	6.56	40
Diethyl phthalate	8.75		0.562	ug/L	10.0		87.6	60-140	6.81	40
Dimethyl phthalate	8.04		0.562	ug/L	10.0		80.4	60-140	7.63	40
Di-n-butyl phthalate	11.7		0.562	ug/L	10.0		117	60-140	12.9	40
Di-n-octyl phthalate	8.16		0.562	ug/L	10.0		81.6	60-140	12.6	40
Fluoranthene	8.70		0.562	ug/L	10.0		87.0	60-140	19.0	40
Fluorene	8.85		0.562	ug/L	10.0		88.5	60-140	7.10	40
Hexachlorobenzene	8.59		0.562	ug/L	10.0		85.9	60-140	4.07	40
Hexachlorobutadiene	4.86	J1	0.562	ug/L	10.0		48.6	60-140	18.4	40
Hexachlorocyclopentadiene	5.72	J1	0.562	ug/L	10.0		57.2	60-140	9.00	40
Hexachloroethane	6.24		0.562	ug/L	10.0		62.4	60-140	3.20	40
Indeno(1,2,3-cd) pyrene	8.68		0.562	ug/L	10.0		86.8	60-140	0.752	40
Isophorone	8.75		0.562	ug/L	10.0		87.5	60-140	11.5	40
Naphthalene	8.93		0.562	ug/L	10.0		89.3	60-140	2.71	40
Nitrobenzene	8.90		0.562	ug/L	10.0		89.0	60-140	3.76	40
n-Nitrosodimethylamine	3.80		2.25	ug/L	50.0		7.61	2.5-65.7	4.14	40
n-Nitrosodi-n-propylamine	8.54		0.562	ug/L	10.0		85.4	60-140	10.6	40
n-Nitrosodiphenylamine	5.96	J1	0.562	ug/L	10.0		59.6	60-140	23.8	40
Pentachlorophenol	18.4		1.12	ug/L	20.0		92.2	36.8-149	3.13	40
Phenanthrene	8.77		0.562	ug/L	10.0		87.7	60-140	2.68	40
Phenol, Total	20.5		1.12	ug/L	20.0		103	60-140	0.406	40
Pyrene	8.42		0.562	ug/L	10.0		84.2	60-140	1.94	40
Surrogate: 2-Fluorobiphenyl-surr			*10.8*	*ug/L*	*10.0*		*108*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.2*	*ug/L*	*20.0*		*111*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.7*	*ug/L*	*20.0*		*98.7*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.5*	*ug/L*	*10.0*		*105*	*52-162*		
Surrogate: Phenol-d5-surr			*20.4*	*ug/L*	*20.0*		*102*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.93*	*ug/L*	*10.0*		*99.3*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
LCS Dup (BFB3255-BSD3)					Prepared: 2/24/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	8.13		0.562	ug/L	10.0		81.3	60-140	4.23	40
bis(2-Chloroethyl) ether	11.1		0.562	ug/L	10.0		111	60-140	6.99	40
Surrogate: 2-Fluorobiphenyl-surr			*9.95*	*ug/L*	*10.0*		*99.5*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.8*	*ug/L*	*20.0*		*104*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.7*	*ug/L*	*20.0*		*93.5*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.7*	*ug/L*	*10.0*		*117*	*52-162*		
Surrogate: Phenol-d5-surr			*28.8*	*ug/L*	*20.0*		*144*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.31*	*ug/L*	*10.0*		*93.2*	*51.9-147*		
MDL BENZ (BFB3255-MRL1)					Prepared: 2/24/2022 Analyzed: 3/24/2022					
3,3'-Dichlorobenzidine	<0.559	U	0.559	ug/L	0.497			50-150		
Benzidine	<0.559	U	0.559	ug/L	0.497			50-150		
Surrogate: 2-Fluorobiphenyl-surr			*8.97*	*ug/L*	*9.94*		*90.2*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*14.5*	*ug/L*	*19.9*		*73.1*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.2*	*ug/L*	*19.9*		*91.8*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.17*	*ug/L*	*9.94*		*92.2*	*52-162*		
Surrogate: Phenol-d5-surr			*18.9*	*ug/L*	*19.9*		*95.2*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.00*	*ug/L*	*9.94*		*80.5*	*51.9-147*		
MDL SV (BFB3255-MRL2)					Prepared: 2/24/2022 Analyzed: 3/2/2022					
1,2,4-Trichlorobenzene	0.599		0.561	ug/L	0.499		120	50-150		
1,2-Dichlorobenzene (o-Dichlorobenzene)	0.329	J	0.561	ug/L	0.499		65.9	50-150		
1,2-Diphenylhydrazine	0.377	J	0.561	ug/L	0.499		75.7	50-150		
1,3-Dichlorobenzene (m-Dichlorobenzene)	0.326	J	0.561	ug/L	0.499		65.3	50-150		
1,4-Dichlorobenzene (p-Dichlorobenzene)	0.446	J	0.561	ug/L	0.499		89.4	50-150		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	0.555	J	0.561	ug/L	0.499		111	50-150		
2,4,6-Trichlorophenol	1.31		1.12	ug/L	0.998		131	50-150		
2,4-Dichlorophenol	1.41		0.561	ug/L	0.998		142	50-150		
2,4-Dimethylphenol	1.32		1.12	ug/L	0.998		132	50-150		
2,4-Dinitrophenol	<4.49	U	4.49	ug/L	2.49			50-150		
2,4-Dinitrotoluene (2,4-DNT)	<1.12	CQc, R, U	1.12	ug/L	0.499			50-150		
2,6-Dinitrotoluene (2,6-DNT)	1.77		0.561	ug/L	0.499		355	50-150		
2-Chloronaphthalene	0.454	J	0.561	ug/L	0.499		91.0	50-150		
2-Chlorophenol	1.18		1.12	ug/L	0.998		118	50-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	1.01	J	1.12	ug/L	0.998		101	50-150		
2-Nitrophenol	1.06	J	1.12	ug/L	0.998		106	50-150		
4-Bromophenyl phenyl ether (BDE-3)	0.387	J	0.561	ug/L	0.499		77.6	50-150		
4-Chloro-3-methylphenol	1.67		1.12	ug/L	0.998		167	50-150		
4-Chlorophenyl phenylether	0.595		0.561	ug/L	0.499		119	50-150		
4-Nitrophenol	<4.49	U	4.49	ug/L	2.49			50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
MDL SV (BFB3255-MRL2)					Prepared: 2/24/2022 Analyzed: 3/2/2022					
Acenaphthene	0.496	J	0.561	ug/L	0.499		99.4	50-150		
Acenaphthylene	0.619		0.561	ug/L	0.499		124	50-150		
Anthracene	0.605		0.561	ug/L	0.499		121	50-150		
Benzo(a)anthracene	0.530	J	0.561	ug/L	0.499		106	50-150		
Benzo(a)pyrene	0.510	J	0.561	ug/L	0.499		102	50-150		
benzo(b&k)fluoranthene	0.970		0.561	ug/L	0.998		97.2	50-150		
Benzo(g,h,i)perylene	0.494	J	0.561	ug/L	0.499		99.1	50-150		
bis(2-Chloroethoxy)methane	0.459	J	0.561	ug/L	0.499		92.0	50-150		
bis(2-Chloroethyl) ether	0.369	CQa, R, J	0.561	ug/L	0.499		74.0	50-150		
Bis(2-ethylhexyl)phthalate	0.823		0.561	ug/L	0.499		165	50-150		
Butyl benzyl phthalate	0.766		0.561	ug/L	0.499		154	50-150		
Chrysene	0.443	J	0.561	ug/L	0.499		88.9	50-150		
Dibenzo(a,h)anthracene	0.357	J	0.561	ug/L	0.499		71.6	50-150		
Diethyl phthalate	0.400	J	0.561	ug/L	0.499		80.3	50-150		
Dimethyl phthalate	0.483	J	0.561	ug/L	0.499		96.9	50-150		
Di-n-butyl phthalate	5.78		0.561	ug/L	0.499		NR	50-150		
Di-n-octyl phthalate	0.400	J	0.561	ug/L	0.499		80.1	50-150		
Fluoranthene	<0.561	U	0.561	ug/L	0.499			50-150		
Fluorene	0.442	J	0.561	ug/L	0.499		88.5	50-150		
Hexachlorobenzene	0.622		0.561	ug/L	0.499		125	50-150		
Hexachlorobutadiene	<0.561	U	0.561	ug/L	0.499			50-150		
Hexachlorocyclopentadiene	0.328	J	0.561	ug/L	0.499		65.7	50-150		
Hexachloroethane	0.880		0.561	ug/L	0.499		176	50-150		
Indeno(1,2,3-cd) pyrene	0.363	J	0.561	ug/L	0.499		72.8	50-150		
Isophorone	0.445	J	0.561	ug/L	0.499		89.2	50-150		
Naphthalene	0.490	J	0.561	ug/L	0.499		98.2	50-150		
Nitrobenzene	0.447	J	0.561	ug/L	0.499		89.6	50-150		
n-Nitrosodimethylamine	1.32	J	2.24	ug/L	2.49		52.9	50-150		
n-Nitrosodi-n-propylamine	0.523	J	0.561	ug/L	0.499		105	50-150		
n-Nitrosodiphenylamine	0.488	J	0.561	ug/L	0.499		97.9	50-150		
Pentachlorophenol	0.857	J	1.12	ug/L	0.998		85.9	50-150		
Phenanthrene	0.431	J	0.561	ug/L	0.499		86.3	50-150		
Phenol, Total	1.21		1.12	ug/L	0.998		122	50-150		
Pyrene	0.593		0.561	ug/L	0.499		119	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*9.44*	*ug/L*	*9.98*		*94.6*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*19.8*	*ug/L*	*20.0*		*99.3*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.3*	*ug/L*	*20.0*		*96.8*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.20*	*ug/L*	*9.98*		*92.2*	*52-162*		
Surrogate: Phenol-d5-surr			*19.2*	*ug/L*	*20.0*		*96.3*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.5*	*ug/L*	*9.98*		*106*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
MRL Check (BFB3255-MRL3)					Prepared: 2/24/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	0.500	J	0.561	ug/L	0.499		100	50-150		
bis(2-Chloroethyl) ether	0.589		0.561	ug/L	0.499		118	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*9.04*	*ug/L*	*9.98*		*90.6*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.0*	*ug/L*	*20.0*		*100*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*14.7*	*ug/L*	*20.0*		*73.7*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.9*	*ug/L*	*9.98*		*109*	*52-162*		
Surrogate: Phenol-d5-surr			*26.7*	*ug/L*	*20.0*		*134*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.20*	*ug/L*	*9.98*		*92.2*	*51.9-147*		
Matrix Spike (BFB3255-MS1)		**Source: 22A3944-10**			Prepared: 2/24/2022 Analyzed: 3/3/2022					
1,2,4-Trichlorobenzene	7.64		0.555	ug/L	9.87	<0.555	77.4	35.3-142		
1,2-Dichlorobenzene (o-Dichlorobenzene)	6.93		0.555	ug/L	9.87	<0.555	70.2	31.4-142		
1,2-Diphenylhydrazine	7.55		0.555	ug/L	9.87	<0.555	76.4	48.9-156		
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.47		0.555	ug/L	9.87	<0.555	65.6	30.5-135		
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.95		0.555	ug/L	9.87	<0.555	80.6	37.2-133		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	9.11		0.555	ug/L	9.87	<0.555	92.3	41.7-151		
2,4,6-Trichlorophenol	16.5		1.11	ug/L	19.7	<1.11	83.5	34.7-143		
2,4-Dichlorophenol	27.6		0.555	ug/L	19.7	<0.555	140	42.7-158		
2,4-Dimethylphenol	20.2		1.11	ug/L	19.7	<1.11	102	38.4-170		
2,4-Dinitrophenol	43.3		4.44	ug/L	49.4	<4.44	87.7	60-140		
2,4-Dinitrotoluene (2,4-DNT)	7.02	CQc, R	1.11	ug/L	9.87	<1.11	71.2	50.3-144		
2,6-Dinitrotoluene (2,6-DNT)	9.79		0.555	ug/L	9.87	<0.555	99.1	43.7-157		
2-Chloronaphthalene	8.80		0.555	ug/L	9.87	<0.555	89.1	27.4-158		
2-Chlorophenol	20.2		1.11	ug/L	19.7	<1.11	103	49.2-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	14.2		1.11	ug/L	19.7	<1.11	71.7	41.9-153		
2-Nitrophenol	18.7		1.11	ug/L	19.7	<1.11	94.7	51.9-150		
4-Bromophenyl phenyl ether (BDE-3)	7.66		0.555	ug/L	9.87	<0.555	77.6	45.2-146		
4-Chloro-3-methylphenol	20.0		1.11	ug/L	19.7	<1.11	101	46.9-147		
4-Chlorophenyl phenylether	8.46		0.555	ug/L	9.87	<0.555	85.7	44.5-143		
4-Nitrophenol	43.5		4.44	ug/L	49.4	<4.44	88.0	2-173		
Acenaphthene	7.97		0.555	ug/L	9.87	<0.555	80.7	47.3-149		
Acenaphthylene	7.80		0.555	ug/L	9.87	<0.555	79.0	56.5-173		
Anthracene	10.5		0.555	ug/L	9.87	<0.555	106	49.7-160		
Benzo(a)anthracene	8.00		0.555	ug/L	9.87	<0.555	81.0	41.7-151		
Benzo(a)pyrene	7.18		0.555	ug/L	9.87	<0.555	72.8	45.4-133		
benzo(b&k)fluoranthene	14.3		0.555	ug/L	19.7	<0.555	72.5	55.3-137		
Benzo(g,h,i)perylene	6.66		0.555	ug/L	9.87	<0.555	67.5	37.9-152		
bis(2-Chloroethoxy)methane	8.43		0.555	ug/L	9.87	<0.555	85.4	40.1-151		
bis(2-Chloroethyl) ether	7.41	CQa, R	0.555	ug/L	9.87	<0.555	75.0	45.9-163		
Bis(2-ethylhexyl)phthalate	7.53		0.555	ug/L	9.87	<0.555	76.2	38.3-135		
Butyl benzyl phthalate	9.33		0.555	ug/L	9.87	<0.555	94.6	41.1-148		
Chrysene	9.02		0.555	ug/L	9.87	<0.555	91.4	51-147		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
Matrix Spike (BFB3255-MS1)		**Source: 22A3944-10**			Prepared: 2/24/2022 Analyzed: 3/3/2022					
Dibenzo(a,h)anthracene	6.31		0.555	ug/L	9.87	<0.555	63.9	27.5-156		
Diethyl phthalate	9.15		0.555	ug/L	9.87	<0.555	92.7	53.4-146		
Dimethyl phthalate	7.85		0.555	ug/L	9.87	<0.555	79.6	53-151		
Di-n-butyl phthalate	8.61		0.555	ug/L	9.87	<0.555	87.2	25.4-168		
Di-n-octyl phthalate	6.63		0.555	ug/L	9.87	<0.555	67.2	39.2-123		
Fluoranthene	9.53		0.555	ug/L	9.87	<0.555	96.6	45.3-156		
Fluorene	8.92		0.555	ug/L	9.87	<0.555	90.4	56.3-145		
Hexachlorobenzene	7.82		0.555	ug/L	9.87	<0.555	79.2	56.1-137		
Hexachlorobutadiene	4.60		0.555	ug/L	9.87	<0.555	46.6	33.1-110		
Hexachlorocyclopentadiene	6.18		0.555	ug/L	9.87	<0.555	62.6	2-179		
Hexachloroethane	6.00		0.555	ug/L	9.87	<0.555	60.8	36.2-106		
Indeno(1,2,3-cd) pyrene	6.63		0.555	ug/L	9.87	<0.555	67.2	33.4-153		
Isophorone	9.73		0.555	ug/L	9.87	<0.555	98.5	43.3-154		
Naphthalene	8.79		0.555	ug/L	9.87	<0.555	89.1	45.1-153		
Nitrobenzene	8.96		0.555	ug/L	9.87	<0.555	90.8	54.9-156		
n-Nitrosodimethylamine	3.99		2.22	ug/L	49.4	<2.22	8.08	2-56.4		
n-Nitrosodi-n-propylamine	9.31		0.555	ug/L	9.87	<0.555	94.3	38.3-160		
n-Nitrosodiphenylamine	7.66		0.555	ug/L	9.87	<0.555	77.6	38.1-163		
Pentachlorophenol	17.5		1.11	ug/L	19.7	<1.11	88.6	42.2-151		
Phenanthrene	8.04		0.555	ug/L	9.87	<0.555	81.4	45.3-165		
Phenol, Total	20.4		1.11	ug/L	19.7	<1.11	103	39.8-164		
Pyrene	7.84		0.555	ug/L	9.87	<0.555	79.4	46.3-149		
Surrogate: 2-Fluorobiphenyl-surr			*10.7*	*ug/L*	*9.87*		*108*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.8*	*ug/L*	*19.7*		*115*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.0*	*ug/L*	*19.7*		*101*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.2*	*ug/L*	*9.87*		*103*	*52-162*		
Surrogate: Phenol-d5-surr			*22.0*	*ug/L*	*19.7*		*112*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.22*	*ug/L*	*9.87*		*83.2*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
Matrix Spike (BFB3255-MS2)		**Source: 22A3944-10RE1**			Prepared: 2/24/2022 Analyzed: 3/22/2022					
2,4-Dinitrotoluene (2,4-DNT)	8.28		0.555	ug/L	9.87	<0.555	83.9	50.3-144		
bis(2-Chloroethyl) ether	11.0		0.555	ug/L	9.87	<0.555	111	45.9-163		
Surrogate: 2-Fluorobiphenyl-surr			*10.3*	*ug/L*	*9.87*		*104*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.6*	*ug/L*	*19.7*		*109*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.8*	*ug/L*	*19.7*		*105*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.6*	*ug/L*	*9.87*		*117*	*52-162*		
Surrogate: Phenol-d5-surr		*S*	*30.8*	*ug/L*	*19.7*		*156*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.74*	*ug/L*	*9.87*		*78.4*	*51.9-147*		
Matrix Spike Dup (BFB3255-MSD1)		**Source: 22A3944-10**			Prepared: 2/24/2022 Analyzed: 3/3/2022					
1,2,4-Trichlorobenzene	7.60		0.557	ug/L	9.90	<0.557	76.8	35.3-142	0.475	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	7.05		0.557	ug/L	9.90	<0.557	71.2	31.4-142	1.66	40
1,2-Diphenylhydrazine	8.28		0.557	ug/L	9.90	<0.557	83.7	48.9-156	9.33	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.27		0.557	ug/L	9.90	<0.557	63.4	30.5-135	3.18	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.61		0.557	ug/L	9.90	<0.557	76.9	37.2-133	4.35	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	9.05		0.557	ug/L	9.90	<0.557	91.4	41.7-151	0.719	40
2,4,6-Trichlorophenol	20.2		1.11	ug/L	19.8	<1.11	102	34.7-143	20.2	40
2,4-Dichlorophenol	22.3		0.557	ug/L	19.8	<0.557	113	42.7-158	21.1	40
2,4-Dimethylphenol	23.6		1.11	ug/L	19.8	<1.11	119	38.4-170	15.6	40
2,4-Dinitrophenol	42.1		4.45	ug/L	49.5	<4.45	85.0	60-140	2.88	40
2,4-Dinitrotoluene (2,4-DNT)	8.54	CQc, R	1.11	ug/L	9.90	<1.11	86.2	50.3-144	19.4	40
2,6-Dinitrotoluene (2,6-DNT)	6.69		0.557	ug/L	9.90	<0.557	67.6	43.7-157	37.5	40
2-Chloronaphthalene	9.17		0.557	ug/L	9.90	<0.557	92.6	27.4-158	4.13	40
2-Chlorophenol	16.9		1.11	ug/L	19.8	<1.11	85.2	49.2-150	18.2	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	18.3		1.11	ug/L	19.8	<1.11	92.2	41.9-153	25.3	40
2-Nitrophenol	22.0		1.11	ug/L	19.8	<1.11	111	51.9-150	16.0	40
4-Bromophenyl phenyl ether (BDE-3)	7.73		0.557	ug/L	9.90	<0.557	78.1	45.2-146	0.966	40
4-Chloro-3-methylphenol	21.7		1.11	ug/L	19.8	<1.11	110	46.9-147	7.95	40
4-Chlorophenyl phenylether	8.62		0.557	ug/L	9.90	<0.557	87.1	44.5-143	1.80	40
4-Nitrophenol	56.1		4.45	ug/L	49.5	<4.45	113	2-173	25.5	40
Acenaphthene	8.70		0.557	ug/L	9.90	<0.557	87.9	47.3-149	8.80	40
Acenaphthylene	8.58		0.557	ug/L	9.90	<0.557	86.7	56.5-173	9.59	40
Anthracene	8.15		0.557	ug/L	9.90	<0.557	82.3	49.7-160	25.0	40
Benzo(a)anthracene	7.22		0.557	ug/L	9.90	<0.557	73.0	41.7-151	10.2	40
Benzo(a)pyrene	7.52		0.557	ug/L	9.90	<0.557	76.0	45.4-133	4.60	40
benzo(b&k)fluoranthene	12.9		0.557	ug/L	19.8	<0.557	65.4	55.3-137	10.1	40
Benzo(g,h,i)perylene	6.95		0.557	ug/L	9.90	<0.557	70.2	37.9-152	4.24	40
bis(2-Chloroethoxy)methane	8.87		0.557	ug/L	9.90	<0.557	89.6	40.1-151	5.16	40
bis(2-Chloroethyl) ether	10.3	CQa, R	0.557	ug/L	9.90	<0.557	104	45.9-163	32.2	40
Bis(2-ethylhexyl)phthalate	6.52		0.557	ug/L	9.90	<0.557	65.8	38.3-135	14.4	40
Butyl benzyl phthalate	7.84		0.557	ug/L	9.90	<0.557	79.2	41.1-148	17.4	40
Chrysene	7.71		0.557	ug/L	9.90	<0.557	77.9	51-147	15.7	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
Matrix Spike Dup (BFB3255-MSD1)		**Source: 22A3944-10**			Prepared: 2/24/2022 Analyzed: 3/3/2022					
Dibenzo(a,h)anthracene	6.74		0.557	ug/L	9.90	<0.557	68.1	27.5-156	6.62	40
Diethyl phthalate	8.33		0.557	ug/L	9.90	<0.557	84.1	53.4-146	9.36	40
Dimethyl phthalate	9.09		0.557	ug/L	9.90	<0.557	91.9	53-151	14.6	40
Di-n-butyl phthalate	8.26		0.557	ug/L	9.90	<0.557	83.5	25.4-168	4.15	40
Di-n-octyl phthalate	6.23		0.557	ug/L	9.90	<0.557	62.9	39.2-123	6.27	40
Fluoranthene	7.86		0.557	ug/L	9.90	<0.557	79.4	45.3-156	19.2	40
Fluorene	9.99		0.557	ug/L	9.90	<0.557	101	56.3-145	11.4	40
Hexachlorobenzene	8.96		0.557	ug/L	9.90	<0.557	90.5	56.1-137	13.5	40
Hexachlorobutadiene	5.94		0.557	ug/L	9.90	<0.557	60.1	33.1-110	25.4	40
Hexachlorocyclopentadiene	5.62		0.557	ug/L	9.90	<0.557	56.8	2-179	9.57	40
Hexachloroethane	6.59		0.557	ug/L	9.90	<0.557	66.6	36.2-106	9.29	40
Indeno(1,2,3-cd) pyrene	6.97		0.557	ug/L	9.90	<0.557	70.4	33.4-153	4.96	40
Isophorone	9.32		0.557	ug/L	9.90	<0.557	94.2	43.3-154	4.26	40
Naphthalene	9.03		0.557	ug/L	9.90	<0.557	91.3	45.1-153	2.71	40
Nitrobenzene	9.06		0.557	ug/L	9.90	<0.557	91.6	54.9-156	1.15	40
n-Nitrosodimethylamine	3.25		2.23	ug/L	49.5	<2.23	6.56	2-56.4	20.5	40
n-Nitrosodi-n-propylamine	9.20		0.557	ug/L	9.90	<0.557	93.0	38.3-160	1.09	40
n-Nitrosodiphenylamine	6.04		0.557	ug/L	9.90	<0.557	61.0	38.1-163	23.6	40
Pentachlorophenol	20.5		1.11	ug/L	19.8	<1.11	104	42.2-151	16.0	40
Phenanthrene	8.57		0.557	ug/L	9.90	<0.557	86.6	45.3-165	6.46	40
Phenol, Total	19.5		1.11	ug/L	19.8	<1.11	98.6	39.8-164	4.24	40
Pyrene	8.47		0.557	ug/L	9.90	<0.557	85.6	46.3-149	7.77	40
Surrogate: 2-Fluorobiphenyl-surr			*10.2*	*ug/L*	*9.90*		*103*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.8*	*ug/L*	*19.8*		*110*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.3*	*ug/L*	*19.8*		*103*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.5*	*ug/L*	*9.90*		*106*	*52-162*		
Surrogate: Phenol-d5-surr			*20.8*	*ug/L*	*19.8*		*105*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.84*	*ug/L*	*9.90*		*89.3*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3255 - SW-3511 (Continued)										
Matrix Spike Dup (BFB3255-MSD2)	**Source: 22A3944-10RE1**		Prepared: 2/24/2022 Analyzed: 3/22/2022							
2,4-Dinitrotoluene (2,4-DNT)	8.53		0.557	ug/L	9.90	<0.557	86.2	50.3-144	2.96	40
bis(2-Chloroethyl) ether	10.0		0.557	ug/L	9.90	<0.557	101	45.9-163	9.47	40
Surrogate: 2-Fluorobiphenyl-surr			*9.59*	*ug/L*	*9.90*		*96.9*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.7*	*ug/L*	*19.8*		*105*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.8*	*ug/L*	*19.8*		*99.8*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.7*	*ug/L*	*9.90*		*119*	*52-162*		
Surrogate: Phenol-d5-surr			*27.7*	*ug/L*	*19.8*		*140*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.65*	*ug/L*	*9.90*		*77.3*	*51.9-147*		

Batch: BFB3398 - SW-3570

Analyte	Result	Qual	Reporting Limit	Units
Blank (BFB3398-BLK1)			Prepared: 2/25/2022 Analyzed: 3/4/2022	
1,2,4-Trichlorobenzene	<2.33	U	2.33	ug/kg wet
1,2-Dichlorobenzene (o-Dichlorobenzene)	<2.33	U	2.33	ug/kg wet
1,2-Diphenylhydrazine	<2.33	U	2.33	ug/kg wet
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.33	U	2.33	ug/kg wet
1,4-Dichlorobenzene (p-Dichlorobenzene)	<2.33	U	2.33	ug/kg wet
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<2.33	U	2.33	ug/kg wet
2,4,6-Trichlorophenol	<4.65	U	4.65	ug/kg wet
2,4-Dichlorophenol	<4.65	U	4.65	ug/kg wet
2,4-Dimethylphenol	<4.65	U	4.65	ug/kg wet
2,4-Dinitrophenol	<4.65	U	4.65	ug/kg wet
2-Chloronaphthalene	<2.33	U	2.33	ug/kg wet
2-Chlorophenol	<4.65	U	4.65	ug/kg wet
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<18.6	U	18.6	ug/kg wet
2-Nitrophenol	<4.65	U	4.65	ug/kg wet
4-Bromophenyl phenyl ether (BDE-3)	<2.33	U	2.33	ug/kg wet
4-Chloro-3-methylphenol	<4.65	U	4.65	ug/kg wet
4-Chlorophenyl phenylether	<2.33	U	2.33	ug/kg wet
4-Nitrophenol	<2.33	U	2.33	ug/kg wet
Acenaphthene	<2.33	U	2.33	ug/kg wet
Acenaphthylene	<2.33	U	2.33	ug/kg wet
Anthracene	<2.33	U	2.33	ug/kg wet
Benzo(a)anthracene	<2.33	U	2.33	ug/kg wet
Benzo(a)pyrene	<2.33	U	2.33	ug/kg wet
benzo(b&k)fluoranthene	<2.33	U	2.33	ug/kg wet
Benzo(g,h,i)perylene	<2.33	U	2.33	ug/kg wet
bis(2-Chloroethoxy)methane	<2.33	U	2.33	ug/kg wet
Bis(2-ethylhexyl)phthalate	1.88	J	2.33	ug/kg wet
Butyl benzyl phthalate	<2.33	U	2.33	ug/kg wet
Chrysene	<2.33	U	2.33	ug/kg wet

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
Blank (BFB3398-BLK1)				Prepared: 2/25/2022 Analyzed: 3/4/2022						
Dibenzo(a,h)anthracene	<2.33	U	2.33	ug/kg wet						
Diethyl phthalate	<2.33	U	2.33	ug/kg wet						
Dimethyl phthalate	<2.33	U	2.33	ug/kg wet						
Di-n-butyl phthalate	9.62		2.33	ug/kg wet						
Di-n-octyl phthalate	<2.33	U	2.33	ug/kg wet						
Fluoranthene	<2.33	U	2.33	ug/kg wet						
Fluorene	<2.33	U	2.33	ug/kg wet						
Hexachlorobenzene	<2.33	U	2.33	ug/kg wet						
Hexachlorobutadiene	<2.33	U	2.33	ug/kg wet						
Hexachlorocyclopentadiene	<2.33	U	2.33	ug/kg wet						
Hexachloroethane	<2.33	U	2.33	ug/kg wet						
Indeno(1,2,3-cd) pyrene	<2.33	U	2.33	ug/kg wet						
Isophorone	<2.33	U	2.33	ug/kg wet						
Naphthalene	<2.33	U	2.33	ug/kg wet						
Nitrobenzene	<2.33	U	2.33	ug/kg wet						
n-Nitrosodimethylamine	<2.33	U	2.33	ug/kg wet						
n-Nitrosodi-n-propylamine	<2.33	U	2.33	ug/kg wet						
n-Nitrosodiphenylamine	<2.33	U	2.33	ug/kg wet						
Pentachlorophenol	<4.65	U	4.65	ug/kg wet						
Phenanthrene	<2.33	U	2.33	ug/kg wet						
Phenol, Total	<4.65	U	4.65	ug/kg wet						
Pyrene	<2.33	U	2.33	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*15.9*	*ug/kg wet*	*18.6*		*85.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*30.9*	*ug/kg wet*	*37.2*		*82.9*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*28.7*	*ug/kg wet*	*37.2*		*77.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.1*	*ug/kg wet*	*18.6*		*97.5*	*60-140*		
Surrogate: Phenol-d5-surr			*29.7*	*ug/kg wet*	*37.2*		*79.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*19.2*	*ug/kg wet*	*18.6*		*103*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
Blank (BFB3398-BLK2)				Prepared: 2/25/2022 Analyzed: 3/11/2022						
2,4-Dichlorophenol	<4.65	U	4.65	ug/kg wet						
2,4-Dinitrotoluene (2,4-DNT)	<2.33	U	2.33	ug/kg wet						
2,6-Dinitrotoluene (2,6-DNT)	<2.33	U	2.33	ug/kg wet						
2-Chlorophenol	<4.65	U	4.65	ug/kg wet						
Acenaphthene	<2.33	U	2.33	ug/kg wet						
Acenaphthylene	<2.33	U	2.33	ug/kg wet						
Anthracene	<2.33	U	2.33	ug/kg wet						
Benzo(a)anthracene	<2.33	U	2.33	ug/kg wet						
Benzo(a)pyrene	<2.33	U	2.33	ug/kg wet						
benzo(b&k)fluoranthene	<2.33	U	2.33	ug/kg wet						
Benzo(g,h,i)perylene	<2.33	U	2.33	ug/kg wet						
bis(2-Chloroethyl) ether	<2.33	U	2.33	ug/kg wet						
Chrysene	<2.33	U	2.33	ug/kg wet						
Di-n-octyl phthalate	<2.33	U	2.33	ug/kg wet						
Fluoranthene	<2.33	U	2.33	ug/kg wet						
Fluorene	<2.33	U	2.33	ug/kg wet						
Indeno(1,2,3-cd) pyrene	<2.33	U	2.33	ug/kg wet						
Naphthalene	<2.33	U	2.33	ug/kg wet						
n-Nitrosodiphenylamine	<2.33	U	2.33	ug/kg wet						
Phenanthrene	<2.33	U	2.33	ug/kg wet						
Pyrene	<2.33	U	2.33	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*14.6*	*ug/kg wet*	*18.6*		*78.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*34.7*	*ug/kg wet*	*37.2*		*93.2*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.4*	*ug/kg wet*	*37.2*		*60.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.7*	*ug/kg wet*	*18.6*		*95.3*	*60-140*		
Surrogate: Phenol-d5-surr			*35.4*	*ug/kg wet*	*37.2*		*95.1*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.0*	*ug/kg wet*	*18.6*		*86.0*	*60-140*		

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
Blank (BFB3398-BLK3)				Prepared: 2/25/2022 Analyzed: 3/31/2022						
3,3'-Dichlorobenzidine	<2.33	U	2.33	ug/kg wet						
Benzidine	<2.33	U	2.33	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*11.8*	*ug/kg wet*	*18.6*		*63.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*22.3*	*ug/kg wet*	*37.2*		*59.8*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.9*	*ug/kg wet*	*37.2*		*61.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.2*	*ug/kg wet*	*18.6*		*103*	*60-140*		
Surrogate: Phenol-d5-surr			*26.5*	*ug/kg wet*	*37.2*		*71.2*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.9*	*ug/kg wet*	*18.6*		*79.8*	*60-140*		
LCS (BFB3398-BS1)				Prepared: 2/25/2022 Analyzed: 3/31/2022						
3,3'-Dichlorobenzidine	7.76	J1	2.35	ug/kg wet	18.8		41.3	60-140		
Benzidine	<2.35	J1, U	2.35	ug/kg wet	18.8			60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*10.7*	*ug/kg wet*	*18.8*		*56.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*25.9*	*ug/kg wet*	*37.6*		*69.0*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*25.2*	*ug/kg wet*	*37.6*		*67.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.0*	*ug/kg wet*	*18.8*		*90.3*	*60-140*		
Surrogate: Phenol-d5-surr			*29.5*	*ug/kg wet*	*37.6*		*78.7*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.6*	*ug/kg wet*	*18.8*		*77.8*	*60-140*		
LCS (BFB3398-BS2)				Prepared: 2/25/2022 Analyzed: 3/4/2022						
1,2,4-Trichlorobenzene	10.5	J1	2.31	ug/kg wet	18.5		57.0	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.79	J1	2.31	ug/kg wet	18.5		47.6	60-140		
1,2-Diphenylhydrazine	13.3		2.31	ug/kg wet	18.5		71.7	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	7.19	J1	2.31	ug/kg wet	18.5		38.9	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	9.43	J1	2.31	ug/kg wet	18.5		51.0	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	12.2		2.31	ug/kg wet	18.5		66.0	60-140		
2,4,6-Trichlorophenol	33.2		4.62	ug/kg wet	37.0		89.9	60-140		
2,4-Dichlorophenol	49.4	J1	4.62	ug/kg wet	37.0		134	60-140		
2,4-Dimethylphenol	35.7		4.62	ug/kg wet	37.0		96.5	60-140		
2,4-Dinitrophenol	24.2		4.62	ug/kg wet	92.4		26.2	10-50.4		
2-Chloronaphthalene	13.8		2.31	ug/kg wet	18.5		74.5	60-140		
2-Chlorophenol	45.1		4.62	ug/kg wet	37.0		122	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	25.4		18.5	ug/kg wet	37.0		68.8	60-140		
2-Nitrophenol	28.4		4.62	ug/kg wet	37.0		76.8	60-140		
4-Bromophenyl phenyl ether (BDE-3)	14.0		2.31	ug/kg wet	18.5		75.6	60-140		
4-Chloro-3-methylphenol	33.9		4.62	ug/kg wet	37.0		91.6	60-140		
4-Chlorophenyl phenylether	13.5		2.31	ug/kg wet	18.5		73.0	60-140		
4-Nitrophenol	97.3		2.31	ug/kg wet	92.4		105	60-140		
Acenaphthene	12.3		2.31	ug/kg wet	18.5		66.8	60-140		
Acenaphthylene	13.1		2.31	ug/kg wet	18.5		70.6	60-140		
Anthracene	15.7		2.31	ug/kg wet	18.5		85.0	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
LCS (BFB3398-BS2)					Prepared: 2/25/2022 Analyzed: 3/4/2022					
Benzo(a)anthracene	14.0		2.31	ug/kg wet	18.5		75.8	60-140		
Benzo(a)pyrene	15.0		2.31	ug/kg wet	18.5		81.2	60-140		
benzo(b&k)fluoranthene	31.2		2.31	ug/kg wet	37.0		84.4	60-140		
Benzo(g,h,i)perylene	14.9		2.31	ug/kg wet	18.5		80.6	60-140		
bis(2-Chloroethoxy)methane	13.8		2.31	ug/kg wet	18.5		74.9	60-140		
Bis(2-ethylhexyl)phthalate	18.5		2.31	ug/kg wet	18.5		100	60-140		
Butyl benzyl phthalate	15.8		2.31	ug/kg wet	18.5		85.4	60-140		
Chrysene	16.5		2.31	ug/kg wet	18.5		89.1	60-140		
Dibenzo(a,h)anthracene	14.0		2.31	ug/kg wet	18.5		76.0	60-140		
Diethyl phthalate	13.2		2.31	ug/kg wet	18.5		71.4	60-140		
Dimethyl phthalate	13.9		2.31	ug/kg wet	18.5		75.3	60-140		
Di-n-butyl phthalate	12.2		2.31	ug/kg wet	18.5		66.1	60-140		
Di-n-octyl phthalate	16.4		2.31	ug/kg wet	18.5		88.8	60-140		
Fluoranthene	16.1		2.31	ug/kg wet	18.5		87.0	60-140		
Fluorene	14.9		2.31	ug/kg wet	18.5		80.7	60-140		
Hexachlorobenzene	13.7		2.31	ug/kg wet	18.5		74.3	60-140		
Hexachlorobutadiene	9.23	J1	2.31	ug/kg wet	18.5		49.9	60-140		
Hexachlorocyclopentadiene	11.8		2.31	ug/kg wet	18.5		64.0	60-140		
Hexachloroethane	9.48	J1	2.31	ug/kg wet	18.5		51.3	60-140		
Indeno(1,2,3-cd) pyrene	14.9		2.31	ug/kg wet	18.5		80.7	60-140		
Isophorone	14.2		2.31	ug/kg wet	18.5		76.7	60-140		
Naphthalene	11.8		2.31	ug/kg wet	18.5		64.0	60-140		
Nitrobenzene	14.1		2.31	ug/kg wet	18.5		76.4	60-140		
n-Nitrosodimethylamine	36.4	J1	2.31	ug/kg wet	92.4		39.3	60-140		
n-Nitrosodi-n-propylamine	14.0		2.31	ug/kg wet	18.5		75.6	60-140		
n-Nitrosodiphenylamine	11.8		2.31	ug/kg wet	18.5		63.7	60-140		
Pentachlorophenol	32.5		4.62	ug/kg wet	37.0		88.0	60-140		
Phenanthrene	14.3		2.31	ug/kg wet	18.5		77.3	60-140		
Phenol, Total	38.8		4.62	ug/kg wet	37.0		105	60-140		
Pyrene	14.5		2.31	ug/kg wet	18.5		78.6	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*16.0*	*ug/kg wet*	*18.5*		*86.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.5*	*ug/kg wet*	*37.0*		*90.6*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*37.8*	*ug/kg wet*	*37.0*		*102*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*14.8*	*ug/kg wet*	*18.5*		*80.1*	*60-140*		
Surrogate: Phenol-d5-surr			*37.2*	*ug/kg wet*	*37.0*		*100*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*18.1*	*ug/kg wet*	*18.5*		*97.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
LCS (BFB3398-BS3)					Prepared: 2/25/2022 Analyzed: 3/11/2022					
2,4-Dichlorophenol	32.0		4.62	ug/kg wet	37.0		86.6	60-140		
2,4-Dinitrotoluene (2,4-DNT)	11.6		2.31	ug/kg wet	18.5		62.5	60-140		
2,6-Dinitrotoluene (2,6-DNT)	13.6		2.31	ug/kg wet	18.5		73.8	60-140		
2-Chlorophenol	26.0		4.62	ug/kg wet	37.0		70.3	60-140		
Acenaphthene	14.2		2.31	ug/kg wet	18.5		77.0	60-140		
Acenaphthylene	13.3		2.31	ug/kg wet	18.5		72.2	60-140		
Anthracene	14.5		2.31	ug/kg wet	18.5		78.4	60-140		
Benzo(a)anthracene	10.2	J1	2.31	ug/kg wet	18.5		55.2	60-140		
Benzo(a)pyrene	16.2		2.31	ug/kg wet	18.5		87.8	60-140		
benzo(b&k)fluoranthene	30.4		2.31	ug/kg wet	37.0		82.3	60-140		
Benzo(g,h,i)perylene	13.6		2.31	ug/kg wet	18.5		73.7	60-140		
bis(2-Chloroethyl) ether	17.4		2.31	ug/kg wet	18.5		94.0	60-140		
Chrysene	14.6		2.31	ug/kg wet	18.5		78.7	60-140		
Di-n-octyl phthalate	14.9		2.31	ug/kg wet	18.5		80.6	60-140		
Fluoranthene	13.8		2.31	ug/kg wet	18.5		74.7	60-140		
Fluorene	14.7		2.31	ug/kg wet	18.5		79.4	60-140		
Indeno(1,2,3-cd) pyrene	13.6		2.31	ug/kg wet	18.5		73.8	60-140		
Naphthalene	12.6		2.31	ug/kg wet	18.5		68.4	60-140		
n-Nitrosodiphenylamine	10.1	J1	2.31	ug/kg wet	18.5		54.8	60-140		
Phenanthrene	14.2		2.31	ug/kg wet	18.5		77.1	60-140		
Pyrene	14.3		2.31	ug/kg wet	18.5		77.1	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*13.1*	*ug/kg wet*	*18.5*		*70.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.6*	*ug/kg wet*	*37.0*		*90.9*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*26.6*	*ug/kg wet*	*37.0*		*72.0*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.2*	*ug/kg wet*	*18.5*		*87.8*	*60-140*		
Surrogate: Phenol-d5-surr			*32.4*	*ug/kg wet*	*37.0*		*87.8*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.8*	*ug/kg wet*	*18.5*		*79.9*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
LCS Dup (BFB3398-BSD1)					Prepared: 2/25/2022 Analyzed: 3/31/2022					
3,3'-Dichlorobenzidine	6.64	J1	2.40	ug/kg wet	19.2		34.6	60-140	15.4	40
Benzidine	<2.40	J1, U	2.40	ug/kg wet	19.2			60-140		40
Surrogate: 2-Fluorobiphenyl-surr			*11.8*	*ug/kg wet*	*19.2*		*61.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*29.7*	*ug/kg wet*	*38.4*		*77.3*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*29.3*	*ug/kg wet*	*38.4*		*76.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.7*	*ug/kg wet*	*19.2*		*102*	*60-140*		
Surrogate: Phenol-d5-surr			*31.6*	*ug/kg wet*	*38.4*		*82.1*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.9*	*ug/kg wet*	*19.2*		*77.6*	*60-140*		
LCS Dup (BFB3398-BSD2)					Prepared: 2/25/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	11.8		2.38	ug/kg wet	19.1		61.8	60-140	11.3	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.08	J1	2.38	ug/kg wet	19.1		42.4	60-140	8.45	40
1,2-Diphenylhydrazine	13.0		2.38	ug/kg wet	19.1		68.3	60-140	1.75	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	7.97	J1	2.38	ug/kg wet	19.1		41.8	60-140	10.3	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.85	J1	2.38	ug/kg wet	19.1		41.2	60-140	18.2	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	12.3		2.38	ug/kg wet	19.1		64.3	60-140	0.466	40
2,4,6-Trichlorophenol	31.9		4.77	ug/kg wet	38.1		83.6	60-140	4.15	40
2,4-Dichlorophenol	60.9	J1	4.77	ug/kg wet	38.1		160	60-140	20.8	40
2,4-Dimethylphenol	31.6		4.77	ug/kg wet	38.1		82.9	60-140	12.1	40
2,4-Dinitrophenol	19.6		4.77	ug/kg wet	95.3		20.6	10-50.4	21.0	40
2-Chloronaphthalene	13.7		2.38	ug/kg wet	19.1		72.1	60-140	0.216	40
2-Chlorophenol	35.3		4.77	ug/kg wet	38.1		92.6	60-140	24.3	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	21.9	J1	19.1	ug/kg wet	38.1		57.5	60-140	14.8	40
2-Nitrophenol	29.3		4.77	ug/kg wet	38.1		76.9	60-140	3.23	40
4-Bromophenyl phenyl ether (BDE-3)	14.0		2.38	ug/kg wet	19.1		73.5	60-140	0.162	40
4-Chloro-3-methylphenol	36.8		4.77	ug/kg wet	38.1		96.6	60-140	8.40	40
4-Chlorophenyl phenylether	15.0		2.38	ug/kg wet	19.1		78.5	60-140	10.4	40
4-Nitrophenol	94.5		2.38	ug/kg wet	95.3		99.1	60-140	2.94	40
Acenaphthene	12.7		2.38	ug/kg wet	19.1		66.9	60-140	3.23	40
Acenaphthylene	13.1		2.38	ug/kg wet	19.1		68.7	60-140	0.385	40
Anthracene	16.4		2.38	ug/kg wet	19.1		86.0	60-140	4.22	40
Benzo(a)anthracene	17.7		2.38	ug/kg wet	19.1		92.8	60-140	23.3	40
Benzo(a)pyrene	15.8		2.38	ug/kg wet	19.1		82.8	60-140	4.97	40
benzo(b&k)fluoranthene	33.4		2.38	ug/kg wet	38.1		87.6	60-140	6.83	40
Benzo(g,h,i)perylene	15.3		2.38	ug/kg wet	19.1		80.2	60-140	2.63	40
bis(2-Chloroethoxy)methane	16.9		2.38	ug/kg wet	19.1		88.4	60-140	19.7	40
Bis(2-ethylhexyl)phthalate	20.2		2.38	ug/kg wet	19.1		106	60-140	8.69	40
Butyl benzyl phthalate	17.3		2.38	ug/kg wet	19.1		90.8	60-140	9.25	40
Chrysene	16.0		2.38	ug/kg wet	19.1		83.9	60-140	2.95	40
Dibenzo(a,h)anthracene	15.2		2.38	ug/kg wet	19.1		79.5	60-140	7.66	40
Diethyl phthalate	12.8		2.38	ug/kg wet	19.1		67.2	60-140	2.98	40
Dimethyl phthalate	15.3		2.38	ug/kg wet	19.1		80.4	60-140	9.68	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
LCS Dup (BFB3398-BSD2)					Prepared: 2/25/2022 Analyzed: 3/4/2022					
Di-n-butyl phthalate	11.5		2.38	ug/kg wet	19.1		60.5	60-140	5.67	40
Di-n-octyl phthalate	17.1		2.38	ug/kg wet	19.1		89.8	60-140	4.18	40
Fluoranthene	16.7		2.38	ug/kg wet	19.1		87.8	60-140	4.10	40
Fluorene	14.3		2.38	ug/kg wet	19.1		75.0	60-140	4.22	40
Hexachlorobenzene	13.7		2.38	ug/kg wet	19.1		71.7	60-140	0.448	40
Hexachlorobutadiene	9.45	J1	2.38	ug/kg wet	19.1		49.6	60-140	2.40	40
Hexachlorocyclopentadiene	12.7		2.38	ug/kg wet	19.1		66.4	60-140	6.76	40
Hexachloroethane	10.6	J1	2.38	ug/kg wet	19.1		55.8	60-140	11.5	40
Indeno(1,2,3-cd) pyrene	15.5		2.38	ug/kg wet	19.1		81.4	60-140	3.90	40
Isophorone	14.5		2.38	ug/kg wet	19.1		76.1	60-140	2.36	40
Naphthalene	13.1		2.38	ug/kg wet	19.1		68.5	60-140	9.88	40
Nitrobenzene	14.2		2.38	ug/kg wet	19.1		74.4	60-140	0.394	40
n-Nitrosodimethylamine	37.7	J1	2.38	ug/kg wet	95.3		39.5	60-140	3.55	40
n-Nitrosodi-n-propylamine	14.7		2.38	ug/kg wet	19.1		77.0	60-140	4.90	40
n-Nitrosodiphenylamine	13.9		2.38	ug/kg wet	19.1		72.9	60-140	16.6	40
Pentachlorophenol	31.4		4.77	ug/kg wet	38.1		82.2	60-140	3.67	40
Phenanthrene	13.5		2.38	ug/kg wet	19.1		70.9	60-140	5.62	40
Phenol, Total	38.4		4.77	ug/kg wet	38.1		101	60-140	0.905	40
Pyrene	14.3		2.38	ug/kg wet	19.1		75.1	60-140	1.44	40
Surrogate: 2-Fluorobiphenyl-surr			*17.2*	*ug/kg wet*	*19.1*		*90.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*31.1*	*ug/kg wet*	*38.1*		*81.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*32.4*	*ug/kg wet*	*38.1*		*85.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.6*	*ug/kg wet*	*19.1*		*92.1*	*60-140*		
Surrogate: Phenol-d5-surr			*39.6*	*ug/kg wet*	*38.1*		*104*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.1*	*ug/kg wet*	*19.1*		*84.5*	*60-140*		
LCS Dup (BFB3398-BSD3)					Prepared: 2/25/2022 Analyzed: 3/11/2022					
2,4-Dichlorophenol	33.6		4.77	ug/kg wet	38.1		88.2	60-140	4.83	40
2,4-Dinitrotoluene (2,4-DNT)	11.9		2.38	ug/kg wet	19.1		62.3	60-140	2.70	40
2,6-Dinitrotoluene (2,6-DNT)	13.7		2.38	ug/kg wet	19.1		71.9	60-140	0.507	40
2-Chlorophenol	28.9		4.77	ug/kg wet	38.1		75.7	60-140	10.5	40
Acenaphthene	14.3		2.38	ug/kg wet	19.1		75.3	60-140	0.747	40
Acenaphthylene	13.4		2.38	ug/kg wet	19.1		70.4	60-140	0.555	40
Anthracene	14.4		2.38	ug/kg wet	19.1		75.3	60-140	0.931	40
Benzo(a)anthracene	10.9	J1	2.38	ug/kg wet	19.1		57.0	60-140	6.26	40
Benzo(a)pyrene	17.0		2.38	ug/kg wet	19.1		89.2	60-140	4.73	40
benzo(b&k)fluoranthene	32.5		2.38	ug/kg wet	38.1		85.1	60-140	6.41	40
Benzo(g,h,i)perylene	14.6		2.38	ug/kg wet	19.1		76.6	60-140	7.03	40
bis(2-Chloroethyl) ether	14.8		2.38	ug/kg wet	19.1		77.5	60-140	16.2	40
Chrysene	15.0		2.38	ug/kg wet	19.1		78.9	60-140	3.33	40
Di-n-octyl phthalate	15.2		2.38	ug/kg wet	19.1		79.5	60-140	1.73	40
Fluoranthene	14.5		2.38	ug/kg wet	19.1		75.9	60-140	4.80	40
Fluorene	15.0		2.38	ug/kg wet	19.1		78.9	60-140	2.42	40
Indeno(1,2,3-cd) pyrene	14.1		2.38	ug/kg wet	19.1		74.2	60-140	3.69	40
Naphthalene	13.1		2.38	ug/kg wet	19.1		68.5	60-140	3.15	40
n-Nitrosodiphenylamine	9.94	J1	2.38	ug/kg wet	19.1		52.1	60-140	1.90	40

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
LCS Dup (BFB3398-BSD3)					Prepared: 2/25/2022 Analyzed: 3/11/2022					
Phenanthrene	14.6		2.38	ug/kg wet	19.1		76.4	60-140	2.19	40
Pyrene	14.6		2.38	ug/kg wet	19.1		76.4	60-140	2.08	40
Surrogate: 2-Fluorobiphenyl-surr			*13.6*	*ug/kg wet*	*19.1*		*71.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.0*	*ug/kg wet*	*38.1*		*86.6*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*27.6*	*ug/kg wet*	*38.1*		*72.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.2*	*ug/kg wet*	*19.1*		*84.9*	*60-140*		
Surrogate: Phenol-d5-surr			*31.6*	*ug/kg wet*	*38.1*		*82.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.4*	*ug/kg wet*	*19.1*		*80.5*	*60-140*		
MDL BENZ (BFB3398-MRL1)					Prepared: 2/25/2022 Analyzed: 3/31/2022					
3,3'-Dichlorobenzidine	<2.42	U	2.42	ug/kg wet	1.93			50-150		
Benzidine	<2.42	U	2.42	ug/kg wet	1.93			50-150		
Surrogate: 2-Fluorobiphenyl-surr			*12.0*	*ug/kg wet*	*19.3*		*62.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.0*	*ug/kg wet*	*38.6*		*85.3*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*26.6*	*ug/kg wet*	*38.6*		*68.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.0*	*ug/kg wet*	*19.3*		*98.4*	*60-140*		
Surrogate: Phenol-d5-surr			*32.7*	*ug/kg wet*	*38.6*		*84.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.4*	*ug/kg wet*	*19.3*		*79.5*	*60-140*		
MDL SV (BFB3398-MRL2)					Prepared: 2/25/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	1.33	J	2.34	ug/kg wet	1.87		71.3	50-150		
1,2-Dichlorobenzene (o-Dichlorobenzene)	1.62	J	2.34	ug/kg wet	1.87		86.7	50-150		
1,2-Diphenylhydrazine	1.56	J	2.34	ug/kg wet	1.87		83.3	50-150		
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.34	U	2.34	ug/kg wet	1.87			50-150		
1,4-Dichlorobenzene (p-Dichlorobenzene)	2.31	J	2.34	ug/kg wet	1.87		124	50-150		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	1.22	J	2.34	ug/kg wet	1.87		65.5	50-150		
2,4,6-Trichlorophenol	4.93		4.67	ug/kg wet	3.74		132	50-150		
2,4-Dichlorophenol	5.93		4.67	ug/kg wet	3.74		159	50-150		
2,4-Dimethylphenol	4.53	J	4.67	ug/kg wet	3.74		121	50-150		
2,4-Dinitrophenol	6.52		4.67	ug/kg wet	9.35		69.7	50-150		
2-Chloronaphthalene	1.19	J	2.34	ug/kg wet	1.87		63.7	50-150		
2-Chlorophenol	3.79	J	4.67	ug/kg wet	3.74		101	50-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<18.7	U	18.7	ug/kg wet	3.74			50-150		
2-Nitrophenol	<4.67	U	4.67	ug/kg wet	3.74			50-150		
4-Bromophenyl phenyl ether (BDE-3)	1.95	J	2.34	ug/kg wet	1.87		104	50-150		
4-Chloro-3-methylphenol	4.22	J	4.67	ug/kg wet	3.74		113	50-150		
4-Chlorophenyl phenylether	2.05	J	2.34	ug/kg wet	1.87		110	50-150		
4-Nitrophenol	12.5		2.34	ug/kg wet	9.35		133	50-150		
Acenaphthene	1.33	J	2.34	ug/kg wet	1.87		70.9	50-150		
Acenaphthylene	1.57	J	2.34	ug/kg wet	1.87		84.1	50-150		
Anthracene	1.52	J	2.34	ug/kg wet	1.87		81.1	50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
MDL SV (BFB3398-MRL2)					Prepared: 2/25/2022 Analyzed: 3/4/2022					
Benzo(a)anthracene	1.36	J	2.34	ug/kg wet	1.87		72.9	50-150		
Benzo(a)pyrene	2.11	J	2.34	ug/kg wet	1.87		113	50-150		
benzo(b&k)fluoranthene	3.75		2.34	ug/kg wet	3.74		100	50-150		
Benzo(g,h,i)perylene	1.55	J	2.34	ug/kg wet	1.87		83.1	50-150		
bis(2-Chloroethoxy)methane	1.49	J	2.34	ug/kg wet	1.87		79.9	50-150		
Bis(2-ethylhexyl)phthalate	2.82		2.34	ug/kg wet	1.87		151	50-150		
Butyl benzyl phthalate	1.80	J	2.34	ug/kg wet	1.87		96.3	50-150		
Chrysene	1.98	J	2.34	ug/kg wet	1.87		106	50-150		
Dibenzo(a,h)anthracene	1.38	J	2.34	ug/kg wet	1.87		73.7	50-150		
Diethyl phthalate	<2.34	U	2.34	ug/kg wet	1.87			50-150		
Dimethyl phthalate	1.59	J	2.34	ug/kg wet	1.87		85.2	50-150		
Di-n-butyl phthalate	<2.34	U	2.34	ug/kg wet	1.87			50-150		
Di-n-octyl phthalate	1.74	J	2.34	ug/kg wet	1.87		93.0	50-150		
Fluoranthene	1.31	J	2.34	ug/kg wet	1.87		70.1	50-150		
Fluorene	1.54	J	2.34	ug/kg wet	1.87		82.6	50-150		
Hexachlorobenzene	2.40		2.34	ug/kg wet	1.87		128	50-150		
Hexachlorobutadiene	<2.34	U	2.34	ug/kg wet	1.87			50-150		
Hexachlorocyclopentadiene	<2.34	U	2.34	ug/kg wet	1.87			50-150		
Hexachloroethane	1.22	J	2.34	ug/kg wet	1.87		65.1	50-150		
Indeno(1,2,3-cd) pyrene	1.44	J	2.34	ug/kg wet	1.87		77.1	50-150		
Isophorone	1.59	J	2.34	ug/kg wet	1.87		85.2	50-150		
Naphthalene	<2.34	U	2.34	ug/kg wet	1.87			50-150		
Nitrobenzene	1.39	J	2.34	ug/kg wet	1.87		74.5	50-150		
n-Nitrosodimethylamine	1.31	J	2.34	ug/kg wet	9.35		14.1	50-150		
n-Nitrosodi-n-propylamine	1.76	J	2.34	ug/kg wet	1.87		94.0	50-150		
n-Nitrosodiphenylamine	2.05	J	2.34	ug/kg wet	1.87		109	50-150		
Pentachlorophenol	3.56	J	4.67	ug/kg wet	3.74		95.3	50-150		
Phenanthrene	1.42	J	2.34	ug/kg wet	1.87		75.9	50-150		
Phenol, Total	5.03		4.67	ug/kg wet	3.74		134	50-150		
Pyrene	1.69	J	2.34	ug/kg wet	1.87		90.6	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*16.6*	*ug/kg wet*	*18.7*		*88.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*29.1*	*ug/kg wet*	*37.4*		*77.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*32.9*	*ug/kg wet*	*37.4*		*87.9*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.1*	*ug/kg wet*	*18.7*		*86.3*	*60-140*		
Surrogate: Phenol-d5-surr			*32.1*	*ug/kg wet*	*37.4*		*85.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*18.0*	*ug/kg wet*	*18.7*		*96.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
MDL SV (BFB3398-MRL3)					Prepared: 2/25/2022 Analyzed: 3/11/2022					
2,4-Dichlorophenol	3.99	J	4.67	ug/kg wet	3.74		107	50-150		
2,4-Dinitrotoluene (2,4-DNT)	1.22	J	2.34	ug/kg wet	1.87		65.0	50-150		
2,6-Dinitrotoluene (2,6-DNT)	1.38	J	2.34	ug/kg wet	1.87		73.9	50-150		
2-Chlorophenol	2.70	J	4.67	ug/kg wet	3.74		72.2	50-150		
Acenaphthene	1.46	J	2.34	ug/kg wet	1.87		78.4	50-150		
Acenaphthylene	1.52	J	2.34	ug/kg wet	1.87		81.3	50-150		
Anthracene	1.47	J	2.34	ug/kg wet	1.87		78.4	50-150		
Benzo(a)anthracene	<2.34	U	2.34	ug/kg wet	1.87			50-150		
Benzo(a)pyrene	1.42	J	2.34	ug/kg wet	1.87		75.8	50-150		
benzo(b&k)fluoranthene	2.86		2.34	ug/kg wet	3.74		76.6	50-150		
Benzo(g,h,i)perylene	1.44	J	2.34	ug/kg wet	1.87		76.8	50-150		
bis(2-Chloroethyl) ether	1.94	J	2.34	ug/kg wet	1.87		104	50-150		
Chrysene	1.45	J	2.34	ug/kg wet	1.87		77.6	50-150		
Di-n-octyl phthalate	1.47	J	2.34	ug/kg wet	1.87		78.8	50-150		
Fluoranthene	1.42	J	2.34	ug/kg wet	1.87		75.7	50-150		
Fluorene	1.43	J	2.34	ug/kg wet	1.87		76.3	50-150		
Indeno(1,2,3-cd) pyrene	<2.34	U	2.34	ug/kg wet	1.87			50-150		
Naphthalene	1.33	J	2.34	ug/kg wet	1.87		71.4	50-150		
n-Nitrosodiphenylamine	<2.34	U	2.34	ug/kg wet	1.87			50-150		
Phenanthrene	1.18	J	2.34	ug/kg wet	1.87		62.9	50-150		
Pyrene	1.46	J	2.34	ug/kg wet	1.87		78.4	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*14.0*	*ug/kg wet*	*18.7*		*74.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.4*	*ug/kg wet*	*37.4*		*89.4*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*24.5*	*ug/kg wet*	*37.4*		*65.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.4*	*ug/kg wet*	*18.7*		*93.2*	*60-140*		
Surrogate: Phenol-d5-surr			*34.0*	*ug/kg wet*	*37.4*		*91.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.9*	*ug/kg wet*	*18.7*		*79.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
Matrix Spike (BFB3398-MS1)	**Source: 22A3944-28**			Prepared: 2/25/2022 Analyzed: 3/5/2022						
1,2,4-Trichlorobenzene	12.8	J1	2.83	ug/kg dry	22.6	<2.83	56.8	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	12.7	J1	2.83	ug/kg dry	22.6	<2.83	56.0	60-140		
1,2-Diphenylhydrazine	16.7		2.83	ug/kg dry	22.6	<2.83	73.7	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	12.6	J1	2.83	ug/kg dry	22.6	<2.83	55.6	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	11.7	J1	2.83	ug/kg dry	22.6	<2.83	51.7	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	13.4	J1	2.83	ug/kg dry	22.6	<2.83	59.3	60-140		
2,4,6-Trichlorophenol	42.1		5.65	ug/kg dry	45.2	<5.65	93.2	60-140		
2,4-Dichlorophenol	85.6	J1	5.65	ug/kg dry	45.2	<5.65	189	60-140		
2,4-Dimethylphenol	36.4		5.65	ug/kg dry	45.2	<5.65	80.4	60-140		
2,4-Dinitrophenol	70.1	J1	5.65	ug/kg dry	113	<5.65	62.0	10-51.3		
2-Chloronaphthalene	24.4		2.83	ug/kg dry	22.6	<2.83	108	60-140		
2-Chlorophenol	55.5		5.65	ug/kg dry	45.2	<5.65	123	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	48.7		22.6	ug/kg dry	45.2	<22.6	108	60-140		
2-Nitrophenol	30.7		5.65	ug/kg dry	45.2	<5.65	68.0	60-140		
4-Bromophenyl phenyl ether (BDE-3)	18.1		2.83	ug/kg dry	22.6	<2.83	80.1	60-140		
4-Chloro-3-methylphenol	47.6		5.65	ug/kg dry	45.2	<5.65	105	60-140		
4-Chlorophenyl phenylether	17.4		2.83	ug/kg dry	22.6	<2.83	77.0	60-140		
4-Nitrophenol	104		2.83	ug/kg dry	113	<2.83	92.3	60-140		
Acenaphthene	15.4		2.83	ug/kg dry	22.6	<2.83	68.1	60-140		
Acenaphthylene	15.9		2.83	ug/kg dry	22.6	<2.83	70.2	60-140		
Anthracene	16.0		2.83	ug/kg dry	22.6	<2.83	70.6	60-140		
Benzo(a)anthracene	17.4		2.83	ug/kg dry	22.6	2.92	64.1	60-140		
Benzo(a)pyrene	17.4		2.83	ug/kg dry	22.6	2.42	66.1	60-140		
benzo(b&k)fluoranthene	35.6		2.83	ug/kg dry	45.2	4.77	68.2	60-140		
Benzo(g,h,i)perylene	15.7		2.83	ug/kg dry	22.6	<2.83	69.5	60-140		
bis(2-Chloroethoxy)methane	20.9		2.83	ug/kg dry	22.6	<2.83	92.6	60-140		
Bis(2-ethylhexyl)phthalate	26.7		2.83	ug/kg dry	22.6	<2.83	118	60-140		
Butyl benzyl phthalate	16.9		2.83	ug/kg dry	22.6	<2.83	75.0	60-140		
Chrysene	18.9		2.83	ug/kg dry	22.6	2.29	73.3	60-140		
Dibenzo(a,h)anthracene	16.5		2.83	ug/kg dry	22.6	<2.83	72.9	60-140		
Diethyl phthalate	14.2		2.83	ug/kg dry	22.6	<2.83	62.8	60-140		
Dimethyl phthalate	17.9		2.83	ug/kg dry	22.6	<2.83	79.1	60-140		
Di-n-butyl phthalate	12.3	J1	2.83	ug/kg dry	22.6	<2.83	54.5	60-140		
Di-n-octyl phthalate	16.2		2.83	ug/kg dry	22.6	<2.83	71.8	60-140		
Fluoranthene	18.9	J1	2.83	ug/kg dry	22.6	5.42	59.8	60-140		
Fluorene	19.3		2.83	ug/kg dry	22.6	<2.83	85.3	60-140		
Hexachlorobenzene	14.8		2.83	ug/kg dry	22.6	<2.83	65.5	60-140		
Hexachlorobutadiene	11.9	J1	2.83	ug/kg dry	22.6	<2.83	52.7	60-140		
Hexachlorocyclopentadiene	8.58	J1	2.83	ug/kg dry	22.6	<2.83	38.0	60-140		
Hexachloroethane	10.1	J1	2.83	ug/kg dry	22.6	<2.83	44.8	60-140		
Indeno(1,2,3-cd) pyrene	16.1		2.83	ug/kg dry	22.6	<2.83	71.2	60-140		
Isophorone	16.2		2.83	ug/kg dry	22.6	<2.83	71.7	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
Matrix Spike (BFB3398-MS1)		**Source: 22A3944-28**			Prepared: 2/25/2022 Analyzed: 3/5/2022					
Naphthalene	14.9		2.83	ug/kg dry	22.6	<2.83	65.7	60-140		
Nitrobenzene	17.3		2.83	ug/kg dry	22.6	<2.83	76.4	60-140		
n-Nitrosodimethylamine	31.2	J1	2.83	ug/kg dry	113	<2.83	27.6	60-140		
n-Nitrosodi-n-propylamine	15.7		2.83	ug/kg dry	22.6	<2.83	69.3	60-140		
n-Nitrosodiphenylamine	16.8		2.83	ug/kg dry	22.6	<2.83	74.4	60-140		
Pentachlorophenol	48.2		5.65	ug/kg dry	45.2	<5.65	107	60-140		
Phenanthrene	15.6	J1	2.83	ug/kg dry	22.6	3.00	55.5	60-140		
Phenol, Total	46.4		5.65	ug/kg dry	45.2	2.99	95.9	60-140		
Pyrene	16.6	J1	2.83	ug/kg dry	22.6	4.38	54.1	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*25.8*	*ug/kg dry*	*22.6*		*114*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*38.6*	*ug/kg dry*	*45.2*		*85.4*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*41.3*	*ug/kg dry*	*45.2*		*91.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*22.8*	*ug/kg dry*	*22.6*		*101*	*60-140*		
Surrogate: Phenol-d5-surr			*46.4*	*ug/kg dry*	*45.2*		*103*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*18.5*	*ug/kg dry*	*22.6*		*81.9*	*60-140*		
Matrix Spike (BFB3398-MS2)		**Source: 22A3944-28RE1**			Prepared: 2/25/2022 Analyzed: 3/11/2022					
2,4-Dichlorophenol	39.5		5.65	ug/kg dry	45.2	<5.65	87.3	60-140		
2,4-Dinitrotoluene (2,4-DNT)	16.3		2.83	ug/kg dry	22.6	<2.83	72.0	60-140		
2,6-Dinitrotoluene (2,6-DNT)	15.8		2.83	ug/kg dry	22.6	<2.83	69.9	60-140		
2-Chlorophenol	33.3		5.65	ug/kg dry	45.2	<5.65	73.6	60-140		
Acenaphthene	16.7		2.83	ug/kg dry	22.6	<2.83	74.1	60-140		
Acenaphthylene	15.9		2.83	ug/kg dry	22.6	<2.83	70.5	60-140		
Anthracene	16.3		2.83	ug/kg dry	22.6	<2.83	72.3	60-140		
Benzo(a)anthracene	12.7	J1	2.83	ug/kg dry	22.6	1.61	48.9	60-140		
Benzo(a)pyrene	18.1		2.83	ug/kg dry	22.6	2.01	71.2	60-140		
benzo(b&k)fluoranthene	33.6		2.83	ug/kg dry	45.2	3.77	65.9	60-140		
Benzo(g,h,i)perylene	14.5		2.83	ug/kg dry	22.6	<2.83	64.0	60-140		
bis(2-Chloroethyl) ether	20.7		2.83	ug/kg dry	22.6	<2.83	91.5	60-140		
Chrysene	16.1		2.83	ug/kg dry	22.6	1.74	63.7	60-140		
Di-n-octyl phthalate	15.5		2.83	ug/kg dry	22.6	<2.83	68.4	60-140		
Fluoranthene	16.3	J1	2.83	ug/kg dry	22.6	4.82	51.0	60-140		
Fluorene	17.7		2.83	ug/kg dry	22.6	<2.83	78.5	60-140		
Indeno(1,2,3-cd) pyrene	14.5		2.83	ug/kg dry	22.6	<2.83	64.0	60-140		
Naphthalene	16.3		2.83	ug/kg dry	22.6	<2.83	72.2	60-140		
n-Nitrosodiphenylamine	13.0	J1	2.83	ug/kg dry	22.6	<2.83	57.6	60-140		
Phenanthrene	17.1		2.83	ug/kg dry	22.6	2.15	66.0	60-140		
Pyrene	16.1	J1	2.83	ug/kg dry	22.6	4.33	52.2	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*16.4*	*ug/kg dry*	*22.6*		*72.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*39.7*	*ug/kg dry*	*45.2*		*87.8*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*33.1*	*ug/kg dry*	*45.2*		*73.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*20.5*	*ug/kg dry*	*22.6*		*90.9*	*60-140*		
Surrogate: Phenol-d5-surr			*36.3*	*ug/kg dry*	*45.2*		*80.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.2*	*ug/kg dry*	*22.6*		*67.4*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
Matrix Spike Dup (BFB3398-MSD1)	**Source: 22A3944-28**			Prepared: 2/25/2022 Analyzed: 3/5/2022						
1,2,4-Trichlorobenzene	13.5		2.68	ug/kg dry	21.4	<2.68	62.8	60-140	4.64	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	10.7	J1	2.68	ug/kg dry	21.4	<2.68	50.1	60-140	16.5	40
1,2-Diphenylhydrazine	13.4		2.68	ug/kg dry	21.4	<2.68	62.5	60-140	21.6	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	9.45	J1	2.68	ug/kg dry	21.4	<2.68	44.1	60-140	28.4	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	10.0	J1	2.68	ug/kg dry	21.4	<2.68	46.8	60-140	15.2	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	11.8	J1	2.68	ug/kg dry	21.4	<2.68	55.0	60-140	12.8	40
2,4,6-Trichlorophenol	31.6		5.36	ug/kg dry	42.9	<5.36	73.8	60-140	28.4	40
2,4-Dichlorophenol	53.0	J1	5.36	ug/kg dry	42.9	<5.36	123	60-140	47.2	40
2,4-Dimethylphenol	33.8		5.36	ug/kg dry	42.9	<5.36	78.8	60-140	7.27	40
2,4-Dinitrophenol	60.3	J1	5.36	ug/kg dry	107	<5.36	56.2	10-51.3	15.0	40
2-Chloronaphthalene	15.4	J1	2.68	ug/kg dry	21.4	<2.68	71.9	60-140	45.2	40
2-Chlorophenol	39.0		5.36	ug/kg dry	42.9	<5.36	90.9	60-140	35.0	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	40.8		21.4	ug/kg dry	42.9	<21.4	95.2	60-140	17.6	40
2-Nitrophenol	27.5		5.36	ug/kg dry	42.9	<5.36	64.1	60-140	11.2	40
4-Bromophenyl phenyl ether (BDE-3)	15.8		2.68	ug/kg dry	21.4	<2.68	73.6	60-140	13.7	40
4-Chloro-3-methylphenol	39.0		5.36	ug/kg dry	42.9	<5.36	91.0	60-140	19.8	40
4-Chlorophenyl phenylether	14.8		2.68	ug/kg dry	21.4	<2.68	69.2	60-140	15.9	40
4-Nitrophenol	85.8		2.68	ug/kg dry	107	<2.68	80.0	60-140	19.5	40
Acenaphthene	13.8		2.68	ug/kg dry	21.4	<2.68	64.3	60-140	11.1	40
Acenaphthylene	13.7		2.68	ug/kg dry	21.4	<2.68	63.9	60-140	14.6	40
Anthracene	17.2		2.68	ug/kg dry	21.4	<2.68	80.4	60-140	7.67	40
Benzo(a)anthracene	18.7		2.68	ug/kg dry	21.4	2.92	73.8	60-140	7.43	40
Benzo(a)pyrene	17.6		2.68	ug/kg dry	21.4	2.42	70.8	60-140	1.33	40
benzo(b&k)fluoranthene	34.2		2.68	ug/kg dry	42.9	4.77	68.6	60-140	3.96	40
Benzo(g,h,i)perylene	15.7		2.68	ug/kg dry	21.4	1.35	66.8	60-140	0.219	40
bis(2-Chloroethoxy)methane	13.7	J1	2.68	ug/kg dry	21.4	<2.68	63.8	60-140	41.9	40
Bis(2-ethylhexyl)phthalate	16.9	J1	2.68	ug/kg dry	21.4	<2.68	78.7	60-140	45.3	40
Butyl benzyl phthalate	18.5		2.68	ug/kg dry	21.4	<2.68	86.3	60-140	8.81	40
Chrysene	18.3		2.68	ug/kg dry	21.4	2.29	74.7	60-140	2.90	40
Dibenzo(a,h)anthracene	14.6		2.68	ug/kg dry	21.4	<2.68	68.1	60-140	12.0	40
Diethyl phthalate	14.1		2.68	ug/kg dry	21.4	<2.68	65.9	60-140	0.449	40
Dimethyl phthalate	15.5		2.68	ug/kg dry	21.4	<2.68	72.4	60-140	14.1	40
Di-n-butyl phthalate	12.9		2.68	ug/kg dry	21.4	<2.68	60.0	60-140	4.48	40
Di-n-octyl phthalate	15.9		2.68	ug/kg dry	21.4	<2.68	73.9	60-140	2.34	40
Fluoranthene	19.4		2.68	ug/kg dry	21.4	5.42	65.1	60-140	2.32	40
Fluorene	16.1		2.68	ug/kg dry	21.4	<2.68	75.0	60-140	18.1	40
Hexachlorobenzene	14.0		2.68	ug/kg dry	21.4	<2.68	65.5	60-140	5.30	40
Hexachlorobutadiene	8.60	J1	2.68	ug/kg dry	21.4	<2.68	40.1	60-140	32.2	40
Hexachlorocyclopentadiene	10.3	J1	2.68	ug/kg dry	21.4	<2.68	47.9	60-140	17.8	40
Hexachloroethane	6.20	J1	2.68	ug/kg dry	21.4	<2.68	28.9	60-140	48.1	40
Indeno(1,2,3-cd) pyrene	15.7		2.68	ug/kg dry	21.4	<2.68	73.2	60-140	2.53	40
Isophorone	14.4		2.68	ug/kg dry	21.4	<2.68	67.2	60-140	11.7	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3398 - SW-3570 (Continued)										
Matrix Spike Dup (BFB3398-MSD1)		**Source: 22A3944-28**		Prepared: 2/25/2022 Analyzed: 3/5/2022						
Naphthalene	12.8	J1	2.68	ug/kg dry	21.4	<2.68	59.5	60-140	15.2	40
Nitrobenzene	14.1		2.68	ug/kg dry	21.4	<2.68	65.6	60-140	20.4	40
n-Nitrosodimethylamine	33.8	J1	2.68	ug/kg dry	107	<2.68	31.6	60-140	8.26	40
n-Nitrosodi-n-propylamine	13.4		2.68	ug/kg dry	21.4	<2.68	62.6	60-140	15.4	40
n-Nitrosodiphenylamine	15.2		2.68	ug/kg dry	21.4	<2.68	70.8	60-140	10.3	40
Pentachlorophenol	38.3		5.36	ug/kg dry	42.9	<5.36	89.3	60-140	22.9	40
Phenanthrene	16.5		2.68	ug/kg dry	21.4	3.00	62.8	60-140	5.65	40
Phenol, Total	37.0		5.36	ug/kg dry	42.9	2.99	79.3	60-140	22.4	40
Pyrene	16.5	J1	2.68	ug/kg dry	21.4	4.38	56.5	60-140	0.631	40
Surrogate: 2-Fluorobiphenyl-surr			*18.3*	*ug/kg dry*	*21.4*		*85.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*31.5*	*ug/kg dry*	*42.9*		*73.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*38.2*	*ug/kg dry*	*42.9*		*89.0*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.3*	*ug/kg dry*	*21.4*		*80.4*	*60-140*		
Surrogate: Phenol-d5-surr			*37.1*	*ug/kg dry*	*42.9*		*86.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*18.8*	*ug/kg dry*	*21.4*		*87.7*	*60-140*		
Matrix Spike Dup (BFB3398-MSD2)		**Source: 22A3944-28RE1**		Prepared: 2/25/2022 Analyzed: 3/11/2022						
2,4-Dichlorophenol	39.4		5.36	ug/kg dry	42.9	<5.36	91.9	60-140	0.142	40
2,4-Dinitrotoluene (2,4-DNT)	16.5		2.68	ug/kg dry	21.4	<2.68	76.8	60-140	1.17	40
2,6-Dinitrotoluene (2,6-DNT)	16.3		2.68	ug/kg dry	21.4	<2.68	76.1	60-140	3.28	40
2-Chlorophenol	30.3		5.36	ug/kg dry	42.9	<5.36	70.8	60-140	9.21	40
Acenaphthene	15.8		2.68	ug/kg dry	21.4	<2.68	73.8	60-140	5.58	40
Acenaphthylene	15.1		2.68	ug/kg dry	21.4	<2.68	70.5	60-140	5.21	40
Anthracene	15.4		2.68	ug/kg dry	21.4	<2.68	72.0	60-140	5.67	40
Benzo(a)anthracene	13.3	J1	2.68	ug/kg dry	21.4	1.61	54.7	60-140	5.30	40
Benzo(a)pyrene	17.7		2.68	ug/kg dry	21.4	2.01	73.2	60-140	2.20	40
benzo(b&k)fluoranthene	33.0		2.68	ug/kg dry	42.9	3.77	68.2	60-140	1.61	40
Benzo(g,h,i)perylene	14.3		2.68	ug/kg dry	21.4	<2.68	66.5	60-140	1.40	40
bis(2-Chloroethyl) ether	18.0		2.68	ug/kg dry	21.4	<2.68	84.0	60-140	13.8	40
Chrysene	15.4		2.68	ug/kg dry	21.4	1.74	63.7	60-140	4.67	40
Di-n-octyl phthalate	14.4		2.68	ug/kg dry	21.4	<2.68	67.0	60-140	7.33	40
Fluoranthene	15.8	J1	2.68	ug/kg dry	21.4	4.82	51.1	60-140	3.58	40
Fluorene	17.0		2.68	ug/kg dry	21.4	<2.68	79.4	60-140	4.12	40
Indeno(1,2,3-cd) pyrene	14.5		2.68	ug/kg dry	21.4	<2.68	67.6	60-140	0.101	40
Naphthalene	14.3		2.68	ug/kg dry	21.4	<2.68	66.8	60-140	13.0	40
n-Nitrosodiphenylamine	9.54	J1	2.68	ug/kg dry	21.4	<2.68	44.5	60-140	30.8	40
Phenanthrene	16.7		2.68	ug/kg dry	21.4	2.15	67.8	60-140	2.20	40
Pyrene	15.8	J1	2.68	ug/kg dry	21.4	4.33	53.6	60-140	1.95	40
Surrogate: 2-Fluorobiphenyl-surr			*14.9*	*ug/kg dry*	*21.4*		*69.7*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*37.8*	*ug/kg dry*	*42.9*		*88.2*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*32.7*	*ug/kg dry*	*42.9*		*76.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.2*	*ug/kg dry*	*21.4*		*85.1*	*60-140*		
Surrogate: Phenol-d5-surr			*35.6*	*ug/kg dry*	*42.9*		*83.1*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.7*	*ug/kg dry*	*21.4*		*73.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511										
Blank (BFB3690-BLK1)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	<0.549	U	0.549	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.549	U	0.549	ug/L						
1,2-Diphenylhydrazine	<0.549	U	0.549	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.549	U	0.549	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.549	U	0.549	ug/L						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<0.549	U	0.549	ug/L						
2,4,6-Trichlorophenol	<1.10	U	1.10	ug/L						
2,4-Dichlorophenol	<0.549	U	0.549	ug/L						
2,4-Dimethylphenol	<1.10	U	1.10	ug/L						
2,4-Dinitrophenol	<4.40	U	4.40	ug/L						
2,4-Dinitrotoluene (2,4-DNT)	<0.549	U	0.549	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.549	U	0.549	ug/L						
2-Chloronaphthalene	<0.549	U	0.549	ug/L						
2-Chlorophenol	<1.10	U	1.10	ug/L						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<1.10	U	1.10	ug/L						
2-Nitrophenol	<1.10	U	1.10	ug/L						
4-Bromophenyl phenyl ether (BDE-3)	<0.549	U	0.549	ug/L						
4-Chloro-3-methylphenol	<1.10	U	1.10	ug/L						
4-Chlorophenyl phenylether	<0.549	U	0.549	ug/L						
4-Nitrophenol	<4.40	U	4.40	ug/L						
Acenaphthene	<0.549	U	0.549	ug/L						
Acenaphthylene	<0.549	U	0.549	ug/L						
Anthracene	<0.549	U	0.549	ug/L						
Benzo(a)anthracene	<0.549	U	0.549	ug/L						
Benzo(a)pyrene	<0.549	U	0.549	ug/L						
benzo(b&k)fluoranthene	<0.549	U	0.549	ug/L						
Benzo(g,h,i)perylene	<0.549	U	0.549	ug/L						
bis(2-Chloroethoxy)methane	<0.549	U	0.549	ug/L						
Bis(2-ethylhexyl)phthalate	<0.549	U	0.549	ug/L						
Butyl benzyl phthalate	0.507	J	0.549	ug/L						
Chrysene	<0.549	U	0.549	ug/L						
Dibenzo(a,h)anthracene	<0.549	U	0.549	ug/L						
Diethyl phthalate	<0.549	U	0.549	ug/L						
Dimethyl phthalate	<0.549	U	0.549	ug/L						
Di-n-butyl phthalate	1.97		0.549	ug/L						
Di-n-octyl phthalate	<0.549	U	0.549	ug/L						
Fluoranthene	<0.549	U	0.549	ug/L						
Fluorene	<0.549	U	0.549	ug/L						
Hexachlorobenzene	<0.549	U	0.549	ug/L						
Hexachlorobutadiene	<0.549	U	0.549	ug/L						
Hexachlorocyclopentadiene	<0.549	U	0.549	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
Blank (BFB3690-BLK1)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
Hexachloroethane	0.455	J	0.549	ug/L						
Indeno(1,2,3-cd) pyrene	<0.549	U	0.549	ug/L						
Isophorone	<0.549	U	0.549	ug/L						
Naphthalene	<0.549	U	0.549	ug/L						
Nitrobenzene	<0.549	U	0.549	ug/L						
n-Nitrosodimethylamine	<2.20	U	2.20	ug/L						
n-Nitrosodi-n-propylamine	<0.549	U	0.549	ug/L						
n-Nitrosodiphenylamine	<0.549	U	0.549	ug/L						
Pentachlorophenol	<1.10	U	1.10	ug/L						
Phenanthrene	<0.549	U	0.549	ug/L						
Phenol, Total	<1.10	U	1.10	ug/L						
Pyrene	<0.549	U	0.549	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*10.9*	*ug/L*	*9.77*		*111*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.0*	*ug/L*	*19.5*		*118*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.1*	*ug/L*	*19.5*		*97.6*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.8*	*ug/L*	*9.77*		*121*	*52-162*		
Surrogate: Phenol-d5-surr			*22.5*	*ug/L*	*19.5*		*115*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*13.8*	*ug/L*	*9.77*		*142*	*51.9-147*		
Blank (BFB3690-BLK2)					Prepared: 2/28/2022 Analyzed: 3/23/2022					
2,4-Dinitrotoluene (2,4-DNT)	<0.549	U	0.549	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.549	U	0.549	ug/L						
bis(2-Chloroethyl) ether	<0.549	U	0.549	ug/L						
Di-n-butyl phthalate	3.00		0.549	ug/L						
Hexachlorobutadiene	<0.549	U	0.549	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.82*	*ug/L*	*9.77*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.9*	*ug/L*	*19.5*		*112*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.2*	*ug/L*	*19.5*		*88.0*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.2*	*ug/L*	*9.77*		*125*	*52-162*		
Surrogate: Phenol-d5-surr			*25.2*	*ug/L*	*19.5*		*129*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.82*	*ug/L*	*9.77*		*101*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
Blank (BFB3690-BLK3)					Prepared: 2/28/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	<0.549	U	0.549	ug/L						
Benzidine	<0.549	U	0.549	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*8.71*	*ug/L*	*9.77*		*89.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*12.4*	*ug/L*	*19.5*		*63.4*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*13.1*	*ug/L*	*19.5*		*67.0*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.79*	*ug/L*	*9.77*		*100*	*52-162*		
Surrogate: Phenol-d5-surr			*13.9*	*ug/L*	*19.5*		*71.0*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.39*	*ug/L*	*9.77*		*85.9*	*51.9-147*		
LCS (BFB3690-BS1)					Prepared: 2/28/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	7.69		0.556	ug/L	9.89		77.7	22.3-156		
Benzidine	8.31		0.556	ug/L	9.89		84.1	9.32-162		
Surrogate: 2-Fluorobiphenyl-surr			*9.33*	*ug/L*	*9.89*		*94.4*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*12.8*	*ug/L*	*19.8*		*64.5*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*13.5*	*ug/L*	*19.8*		*68.3*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.7*	*ug/L*	*9.89*		*108*	*52-162*		
Surrogate: Phenol-d5-surr			*15.9*	*ug/L*	*19.8*		*80.4*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.95*	*ug/L*	*9.89*		*80.4*	*51.9-147*		
LCS (BFB3690-BS2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	8.03		0.557	ug/L	9.91		81.1	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.18		0.557	ug/L	9.91		82.6	60-140		
1,2-Diphenylhydrazine	7.27		0.557	ug/L	9.91		73.3	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.74		0.557	ug/L	9.91		68.0	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	8.06		0.557	ug/L	9.91		81.4	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	8.80		0.557	ug/L	9.91		88.8	60-140		
2,4,6-Trichlorophenol	12.4		1.11	ug/L	19.8		62.6	60-140		
2,4-Dichlorophenol	23.4		0.557	ug/L	19.8		118	60-140		
2,4-Dimethylphenol	19.0		1.11	ug/L	19.8		95.9	35.9-153		
2,4-Dinitrophenol	46.9		4.46	ug/L	49.5		94.7	60-140		
2,4-Dinitrotoluene (2,4-DNT)	7.48		0.557	ug/L	9.91		75.5	60-140		
2,6-Dinitrotoluene (2,6-DNT)	6.10		0.557	ug/L	9.91		61.5	60-140		
2-Chloronaphthalene	8.69		0.557	ug/L	9.91		87.7	60-140		
2-Chlorophenol	19.0		1.11	ug/L	19.8		95.8	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	17.8		1.11	ug/L	19.8		90.1	60-140		
2-Nitrophenol	17.5		1.11	ug/L	19.8		88.1	60-140		
4-Bromophenyl phenyl ether (BDE-3)	7.42		0.557	ug/L	9.91		74.8	60-140		
4-Chloro-3-methylphenol	20.8		1.11	ug/L	19.8		105	60-140		
4-Chlorophenyl phenylether	7.89		0.557	ug/L	9.91		79.6	60-140		
4-Nitrophenol	52.1		4.46	ug/L	49.5		105	60-140		
Acenaphthene	7.55		0.557	ug/L	9.91		76.2	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
LCS (BFB3690-BS2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
Acenaphthylene	7.99		0.557	ug/L	9.91		80.6	60-140		
Anthracene	8.52		0.557	ug/L	9.91		86.0	60-140		
Benzo(a)anthracene	7.60		0.557	ug/L	9.91		76.7	60-140		
Benzo(a)pyrene	8.21		0.557	ug/L	9.91		82.8	60-140		
benzo(b&k)fluoranthene	17.1		0.557	ug/L	19.8		86.2	60-140		
Benzo(g,h,i)perylene	8.63		0.557	ug/L	9.91		87.1	60-140		
bis(2-Chloroethoxy)methane	9.43		0.557	ug/L	9.91		95.2	60-140		
Bis(2-ethylhexyl)phthalate	9.74		0.557	ug/L	9.91		98.3	60-140		
Butyl benzyl phthalate	8.66		0.557	ug/L	9.91		87.4	60-140		
Chrysene	9.00		0.557	ug/L	9.91		90.8	60-140		
Dibenzo(a,h)anthracene	8.42		0.557	ug/L	9.91		85.0	60-140		
Diethyl phthalate	8.43		0.557	ug/L	9.91		85.1	60-140		
Dimethyl phthalate	7.66		0.557	ug/L	9.91		77.3	60-140		
Di-n-butyl phthalate	12.0		0.557	ug/L	9.91		121	60-140		
Di-n-octyl phthalate	9.01		0.557	ug/L	9.91		90.9	60-140		
Fluoranthene	7.97		0.557	ug/L	9.91		80.4	60-140		
Fluorene	8.60		0.557	ug/L	9.91		86.8	60-140		
Hexachlorobenzene	8.15		0.557	ug/L	9.91		82.2	60-140		
Hexachlorobutadiene	4.55	J1	0.557	ug/L	9.91		45.9	60-140		
Hexachlorocyclopentadiene	6.61		0.557	ug/L	9.91		66.7	60-140		
Hexachloroethane	6.62		0.557	ug/L	9.91		66.9	60-140		
Indeno(1,2,3-cd) pyrene	8.82		0.557	ug/L	9.91		89.1	60-140		
Isophorone	9.32		0.557	ug/L	9.91		94.0	60-140		
Naphthalene	9.27		0.557	ug/L	9.91		93.6	60-140		
Nitrobenzene	8.70		0.557	ug/L	9.91		87.8	60-140		
n-Nitrosodimethylamine	1.91	J	2.23	ug/L	49.5		3.85	2.5-65.7		
n-Nitrosodi-n-propylamine	9.07		0.557	ug/L	9.91		91.5	60-140		
n-Nitrosodiphenylamine	5.21	J1	0.557	ug/L	9.91		52.6	60-140		
Pentachlorophenol	18.6		1.11	ug/L	19.8		94.1	36.8-149		
Phenanthrene	8.27		0.557	ug/L	9.91		83.4	60-140		
Phenol, Total	22.1		1.11	ug/L	19.8		111	60-140		
Pyrene	8.45		0.557	ug/L	9.91		85.3	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*10.8*	*ug/L*	*9.91*		*109*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.2*	*ug/L*	*19.8*		*102*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.5*	*ug/L*	*19.8*		*93.4*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.26*	*ug/L*	*9.91*		*93.5*	*52-162*		
Surrogate: Phenol-d5-surr			*17.1*	*ug/L*	*19.8*		*86.4*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.6*	*ug/L*	*9.91*		*107*	*51.9-147*		

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
LCS (BFB3690-BS3)					Prepared: 2/28/2022 Analyzed: 3/23/2022					
2,4-Dinitrotoluene (2,4-DNT)	8.99		0.557	ug/L	9.91		90.7	60-140		
2,6-Dinitrotoluene (2,6-DNT)	7.95		0.557	ug/L	9.91		80.3	60-140		
bis(2-Chloroethyl) ether	9.29		0.557	ug/L	9.91		93.7	60-140		
Di-n-butyl phthalate	10.8		0.557	ug/L	9.91		109	60-140		
Hexachlorobutadiene	5.69	J1	0.557	ug/L	9.91		57.5	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*10.5*	*ug/L*	*9.91*		*106*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.5*	*ug/L*	*19.8*		*108*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.1*	*ug/L*	*19.8*		*107*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.9*	*ug/L*	*9.91*		*120*	*52-162*		
Surrogate: Phenol-d5-surr			*27.3*	*ug/L*	*19.8*		*138*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.55*	*ug/L*	*9.91*		*86.3*	*51.9-147*		
LCS Dup (BFB3690-BSD1)					Prepared: 2/28/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	8.86		0.556	ug/L	9.89		89.6	22.3-156	14.2	40
Benzidine	10.1		0.556	ug/L	9.89		102	9.32-162	19.6	40
Surrogate: 2-Fluorobiphenyl-surr			*9.60*	*ug/L*	*9.89*		*97.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*15.1*	*ug/L*	*19.8*		*76.3*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*15.1*	*ug/L*	*19.8*		*76.4*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.4*	*ug/L*	*9.89*		*116*	*52-162*		
Surrogate: Phenol-d5-surr			*18.4*	*ug/L*	*19.8*		*92.8*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.96*	*ug/L*	*9.89*		*90.6*	*51.9-147*		
LCS Dup (BFB3690-BSD2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	9.39		0.553	ug/L	9.82		95.5	60-140	15.5	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.54		0.553	ug/L	9.82		87.0	60-140	4.29	40
1,2-Diphenylhydrazine	8.87		0.553	ug/L	9.82		90.2	60-140	19.8	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	7.41		0.553	ug/L	9.82		75.4	60-140	9.50	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	10.5		0.553	ug/L	9.82		107	60-140	26.5	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	10.3		0.553	ug/L	9.82		105	60-140	15.5	40
2,4,6-Trichlorophenol	12.5		1.11	ug/L	19.6		63.7	60-140	0.874	40
2,4-Dichlorophenol	24.5		0.553	ug/L	19.6		125	60-140	4.57	40
2,4-Dimethylphenol	22.0		1.11	ug/L	19.6		112	35.9-153	14.7	40
2,4-Dinitrophenol	47.7		4.42	ug/L	49.1		97.2	60-140	1.72	40
2,4-Dinitrotoluene (2,4-DNT)	9.24		0.553	ug/L	9.82		94.1	60-140	21.1	40
2,6-Dinitrotoluene (2,6-DNT)	7.73		0.553	ug/L	9.82		78.7	60-140	23.6	40
2-Chloronaphthalene	9.90		0.553	ug/L	9.82		101	60-140	13.0	40
2-Chlorophenol	16.5		1.11	ug/L	19.6		84.1	60-140	13.9	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	19.9		1.11	ug/L	19.6		101	60-140	11.0	40
2-Nitrophenol	21.4		1.11	ug/L	19.6		109	60-140	20.3	40
4-Bromophenyl phenyl ether (BDE-3)	8.63		0.553	ug/L	9.82		87.9	60-140	15.2	40
4-Chloro-3-methylphenol	22.6		1.11	ug/L	19.6		115	60-140	8.28	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
LCS Dup (BFB3690-BSD2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
4-Chlorophenyl phenylether	8.23		0.553	ug/L	9.82		83.8	60-140	4.29	40
4-Nitrophenol	58.5		4.42	ug/L	49.1		119	60-140	11.6	40
Acenaphthene	9.16		0.553	ug/L	9.82		93.2	60-140	19.3	40
Acenaphthylene	8.43		0.553	ug/L	9.82		85.9	60-140	5.44	40
Anthracene	8.32		0.553	ug/L	9.82		84.7	60-140	2.38	40
Benzo(a)anthracene	8.82		0.553	ug/L	9.82		89.7	60-140	14.8	40
Benzo(a)pyrene	9.35		0.553	ug/L	9.82		95.2	60-140	13.0	40
benzo(b&k)fluoranthene	18.2		0.553	ug/L	19.6		92.9	60-140	6.59	40
Benzo(g,h,i)perylene	9.37		0.553	ug/L	9.82		95.4	60-140	8.21	40
bis(2-Chloroethoxy)methane	10.2		0.553	ug/L	9.82		104	60-140	8.01	40
Bis(2-ethylhexyl)phthalate	9.77		0.553	ug/L	9.82		99.5	60-140	0.306	40
Butyl benzyl phthalate	9.53		0.553	ug/L	9.82		97.0	60-140	9.55	40
Chrysene	9.67		0.553	ug/L	9.82		98.5	60-140	7.25	40
Dibenzo(a,h)anthracene	9.21		0.553	ug/L	9.82		93.8	60-140	8.96	40
Diethyl phthalate	9.02		0.553	ug/L	9.82		91.8	60-140	6.73	40
Dimethyl phthalate	9.07		0.553	ug/L	9.82		92.3	60-140	16.8	40
Di-n-butyl phthalate	13.1		0.553	ug/L	9.82		133	60-140	8.83	40
Di-n-octyl phthalate	9.65		0.553	ug/L	9.82		98.3	60-140	6.94	40
Fluoranthene	9.53		0.553	ug/L	9.82		97.0	60-140	17.8	40
Fluorene	10.2		0.553	ug/L	9.82		104	60-140	17.1	40
Hexachlorobenzene	8.91		0.553	ug/L	9.82		90.7	60-140	8.94	40
Hexachlorobutadiene	6.06		0.553	ug/L	9.82		61.7	60-140	28.4	40
Hexachlorocyclopentadiene	7.01		0.553	ug/L	9.82		71.4	60-140	5.90	40
Hexachloroethane	7.11		0.553	ug/L	9.82		72.4	60-140	7.07	40
Indeno(1,2,3-cd) pyrene	9.23		0.553	ug/L	9.82		93.9	60-140	4.45	40
Isophorone	10.4		0.553	ug/L	9.82		106	60-140	11.0	40
Naphthalene	9.80		0.553	ug/L	9.82		99.8	60-140	5.55	40
Nitrobenzene	10.1		0.553	ug/L	9.82		102	60-140	14.5	40
n-Nitrosodimethylamine	2.39		2.21	ug/L	49.1		4.86	2.5-65.7	22.4	40
n-Nitrosodi-n-propylamine	10.6		0.553	ug/L	9.82		108	60-140	16.0	40
n-Nitrosodiphenylamine	5.71	J1	0.553	ug/L	9.82		58.1	60-140	9.04	40
Pentachlorophenol	21.1		1.11	ug/L	19.6		107	36.8-149	12.5	40
Phenanthrene	9.58		0.553	ug/L	9.82		97.5	60-140	14.7	40
Phenol, Total	23.6		1.11	ug/L	19.6		120	60-140	6.57	40
Pyrene	9.65		0.553	ug/L	9.82		98.3	60-140	13.3	40
Surrogate: 2-Fluorobiphenyl-surr			*12.7*	*ug/L*	*9.82*		*130*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*24.3*	*ug/L*	*19.6*		*124*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.1*	*ug/L*	*19.6*		*108*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.2*	*ug/L*	*9.82*		*124*	*52-162*		
Surrogate: Phenol-d5-surr			*23.1*	*ug/L*	*19.6*		*118*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*11.9*	*ug/L*	*9.82*		*121*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
LCS Dup (BFB3690-BSD3)					Prepared: 2/28/2022 Analyzed: 3/23/2022					
2,4-Dinitrotoluene (2,4-DNT)	9.06		0.553	ug/L	9.82		92.2	60-140	0.742	40
2,6-Dinitrotoluene (2,6-DNT)	8.59		0.553	ug/L	9.82		87.4	60-140	7.65	40
bis(2-Chloroethyl) ether	10.6		0.553	ug/L	9.82		108	60-140	13.2	40
Di-n-butyl phthalate	12.4		0.553	ug/L	9.82		126	60-140	13.5	40
Hexachlorobutadiene	6.31		0.553	ug/L	9.82		64.3	60-140	10.3	40
Surrogate: 2-Fluorobiphenyl-surr			*10.9*	*ug/L*	*9.82*		*111*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.8*	*ug/L*	*19.6*		*111*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.2*	*ug/L*	*19.6*		*113*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*13.3*	*ug/L*	*9.82*		*135*	*52-162*		
Surrogate: Phenol-d5-surr			*29.1*	*ug/L*	*19.6*		*148*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.51*	*ug/L*	*9.82*		*96.9*	*51.9-147*		
MDL BENZ (BFB3690-MRL1)					Prepared: 2/28/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	<0.549	J1, U	0.549	ug/L	0.488			50-150		
Benzidine	<0.549	J1, U	0.549	ug/L	0.488			50-150		
Surrogate: 2-Fluorobiphenyl-surr			*9.47*	*ug/L*	*9.76*		*97.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*12.9*	*ug/L*	*19.5*		*66.2*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*15.0*	*ug/L*	*19.5*		*77.1*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.1*	*ug/L*	*9.76*		*114*	*52-162*		
Surrogate: Phenol-d5-surr			*17.9*	*ug/L*	*19.5*		*92.0*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.97*	*ug/L*	*9.76*		*81.7*	*51.9-147*		
MDL SV (BFB3690-MRL2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	0.834	J1	0.555	ug/L	0.493		169	50-150		
1,2-Dichlorobenzene (o-Dichlorobenzene)	0.375	J	0.555	ug/L	0.493		75.9	50-150		
1,2-Diphenylhydrazine	0.429	J	0.555	ug/L	0.493		87.0	50-150		
1,3-Dichlorobenzene (m-Dichlorobenzene)	0.323	J	0.555	ug/L	0.493		65.4	50-150		
1,4-Dichlorobenzene (p-Dichlorobenzene)	0.296	J	0.555	ug/L	0.493		60.0	50-150		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	0.584		0.555	ug/L	0.493		118	50-150		
2,4,6-Trichlorophenol	1.49	J1	1.11	ug/L	0.987		151	50-150		
2,4-Dichlorophenol	1.13		0.555	ug/L	0.987		114	50-150		
2,4-Dimethylphenol	1.76	J1	1.11	ug/L	0.987		178	50-150		
2,4-Dinitrophenol	<4.44	J1, U	4.44	ug/L	2.47			50-150		
2,4-Dinitrotoluene (2,4-DNT)	<0.555	J1, U	0.555	ug/L	0.493			50-150		
2,6-Dinitrotoluene (2,6-DNT)	0.325	J	0.555	ug/L	0.493		65.8	50-150		
2-Chloronaphthalene	0.566		0.555	ug/L	0.493		115	50-150		
2-Chlorophenol	0.851	J	1.11	ug/L	0.987		86.2	50-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	1.29		1.11	ug/L	0.987		131	50-150		
2-Nitrophenol	0.896	J	1.11	ug/L	0.987		90.8	50-150		
4-Bromophenyl phenyl ether (BDE-3)	0.737		0.555	ug/L	0.493		149	50-150		
4-Chloro-3-methylphenol	1.51	J1	1.11	ug/L	0.987		153	50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
MDL SV (BFB3690-MRL2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
4-Chlorophenyl phenylether	0.582		0.555	ug/L	0.493		118	50-150		
4-Nitrophenol	4.86	J1	4.44	ug/L	2.47		197	50-150		
Acenaphthene	0.451	J	0.555	ug/L	0.493		91.4	50-150		
Acenaphthylene	0.536	J	0.555	ug/L	0.493		109	50-150		
Anthracene	0.517	J	0.555	ug/L	0.493		105	50-150		
Benzo(a)anthracene	0.461	J	0.555	ug/L	0.493		93.5	50-150		
Benzo(a)pyrene	0.542	J	0.555	ug/L	0.493		110	50-150		
benzo(b&k)fluoranthene	1.12		0.555	ug/L	0.987		113	50-150		
Benzo(g,h,i)perylene	0.486	J	0.555	ug/L	0.493		98.5	50-150		
bis(2-Chloroethoxy)methane	0.667		0.555	ug/L	0.493		135	50-150		
Bis(2-ethylhexyl)phthalate	0.447	J	0.555	ug/L	0.493		90.6	50-150		
Butyl benzyl phthalate	0.990	J1	0.555	ug/L	0.493		201	50-150		
Chrysene	0.495	J	0.555	ug/L	0.493		100	50-150		
Dibenzo(a,h)anthracene	0.496	J	0.555	ug/L	0.493		101	50-150		
Diethyl phthalate	0.361	J	0.555	ug/L	0.493		73.2	50-150		
Dimethyl phthalate	0.403	J	0.555	ug/L	0.493		81.7	50-150		
Di-n-butyl phthalate	3.59	J1	0.555	ug/L	0.493		727	50-150		
Di-n-octyl phthalate	0.474	J	0.555	ug/L	0.493		96.2	50-150		
Fluoranthene	<0.555	J1, U	0.555	ug/L	0.493			50-150		
Fluorene	0.490	J	0.555	ug/L	0.493		99.4	50-150		
Hexachlorobenzene	0.576		0.555	ug/L	0.493		117	50-150		
Hexachlorobutadiene	0.516	J	0.555	ug/L	0.493		104	50-150		
Hexachlorocyclopentadiene	0.462	J	0.555	ug/L	0.493		93.7	50-150		
Hexachloroethane	0.610		0.555	ug/L	0.493		124	50-150		
Indeno(1,2,3-cd) pyrene	0.636		0.555	ug/L	0.493		129	50-150		
Isophorone	0.670		0.555	ug/L	0.493		136	50-150		
Naphthalene	0.501	J	0.555	ug/L	0.493		102	50-150		
Nitrobenzene	0.502	J	0.555	ug/L	0.493		102	50-150		
n-Nitrosodimethylamine	<2.22	J1, U	2.22	ug/L	2.47			50-150		
n-Nitrosodi-n-propylamine	0.609		0.555	ug/L	0.493		123	50-150		
n-Nitrosodiphenylamine	0.517	J	0.555	ug/L	0.493		105	50-150		
Pentachlorophenol	1.43		1.11	ug/L	0.987		145	50-150		
Phenanthrene	0.415	J	0.555	ug/L	0.493		84.2	50-150		
Phenol, Total	1.63	J1	1.11	ug/L	0.987		165	50-150		
Pyrene	0.586		0.555	ug/L	0.493		119	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*11.8*	*ug/L*	*9.87*		*120*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.9*	*ug/L*	*19.7*		*116*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.7*	*ug/L*	*19.7*		*99.6*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.3*	*ug/L*	*9.87*		*104*	*52-162*		
Surrogate: Phenol-d5-surr			*20.2*	*ug/L*	*19.7*		*102*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*12.7*	*ug/L*	*9.87*		*129*	*51.9-147*		

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
MDL SV (BFB3690-MRL3)					Prepared: 2/28/2022 Analyzed: 3/23/2022					
2,4-Dinitrotoluene (2,4-DNT)	0.546	J	0.555	ug/L	0.493		111	50-150		
2,6-Dinitrotoluene (2,6-DNT)	0.553	J	0.555	ug/L	0.493		112	50-150		
bis(2-Chloroethyl) ether	0.585		0.555	ug/L	0.493		119	50-150		
Di-n-butyl phthalate	4.34	J1	0.555	ug/L	0.493		880	50-150		
Hexachlorobutadiene	<0.555	J1, U	0.555	ug/L	0.493			50-150		
Surrogate: 2-Fluorobiphenyl-surr			*10.2*	*ug/L*	*9.87*		*104*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.6*	*ug/L*	*19.7*		*110*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.6*	*ug/L*	*19.7*		*89.1*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.6*	*ug/L*	*9.87*		*128*	*52-162*		
Surrogate: Phenol-d5-surr			*27.1*	*ug/L*	*19.7*		*137*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.89*	*ug/L*	*9.87*		*100*	*51.9-147*		
Matrix Spike (BFB3690-MS1)		**Source: 22B3212-01**			Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	29.1		2.16	ug/L	38.5	<2.16	75.6	35.3-142		
1,2-Dichlorobenzene (o-Dichlorobenzene)	31.2		2.16	ug/L	38.5	<2.16	81.0	31.4-142		
1,2-Diphenylhydrazine	39.8		2.16	ug/L	38.5	<2.16	103	48.9-156		
1,3-Dichlorobenzene (m-Dichlorobenzene)	27.0		2.16	ug/L	38.5	<2.16	70.3	30.5-135		
1,4-Dichlorobenzene (p-Dichlorobenzene)	26.8		2.16	ug/L	38.5	<2.16	69.6	37.2-133		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	38.7		2.16	ug/L	38.5	<2.16	101	41.7-151		
2,4,6-Trichlorophenol	61.4		4.33	ug/L	76.9	<4.33	79.8	34.7-143		
2,4-Dichlorophenol	109		2.16	ug/L	76.9	<2.16	142	42.7-158		
2,4-Dimethylphenol	79.4		4.33	ug/L	76.9	<4.33	103	38.4-170		
2,4-Dinitrophenol	221		17.3	ug/L	192	<17.3	115	60-140		
2,4-Dinitrotoluene (2,4-DNT)	33.5		2.16	ug/L	38.5	<2.16	87.2	50.3-144		
2,6-Dinitrotoluene (2,6-DNT)	33.9		2.16	ug/L	38.5	<2.16	88.2	43.7-157		
2-Chloronaphthalene	37.3		2.16	ug/L	38.5	<2.16	96.9	27.4-158		
2-Chlorophenol	58.7		4.33	ug/L	76.9	<4.33	76.3	49.2-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	102		4.33	ug/L	76.9	<4.33	133	41.9-153		
2-Nitrophenol	76.2		4.33	ug/L	76.9	<4.33	99.0	51.9-150		
4-Bromophenyl phenyl ether (BDE-3)	36.1		2.16	ug/L	38.5	<2.16	93.8	45.2-146		
4-Chloro-3-methylphenol	99.4		4.33	ug/L	76.9	4.45	123	46.9-147		
4-Chlorophenyl phenylether	36.7		2.16	ug/L	38.5	<2.16	95.5	44.5-143		
4-Nitrophenol	287		17.3	ug/L	192	<17.3	149	2-173		
Acenaphthene	35.0		2.16	ug/L	38.5	<2.16	91.0	47.3-149		
Acenaphthylene	34.3		2.16	ug/L	38.5	<2.16	89.1	56.5-173		
Anthracene	33.7		2.16	ug/L	38.5	<2.16	87.5	49.7-160		
Benzo(a)anthracene	33.8		2.16	ug/L	38.5	<2.16	87.8	41.7-151		
Benzo(a)pyrene	36.5		2.16	ug/L	38.5	<2.16	94.9	45.4-133		
benzo(b&k)fluoranthene	72.9		2.16	ug/L	76.9	<2.16	94.7	55.3-137		
Benzo(g,h,i)perylene	35.0		2.16	ug/L	38.5	<2.16	91.1	37.9-152		
bis(2-Chloroethoxy)methane	44.9		2.16	ug/L	38.5	<2.16	117	40.1-151		
Bis(2-ethylhexyl)phthalate	34.5		2.16	ug/L	38.5	<2.16	89.7	38.3-135		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
Matrix Spike (BFB3690-MS1)	**Source: 22B3212-01**				Prepared: 2/28/2022 Analyzed: 3/4/2022					
Butyl benzyl phthalate	36.7		2.16	ug/L	38.5	<2.16	95.5	41.1-148		
Chrysene	36.3		2.16	ug/L	38.5	<2.16	94.4	51-147		
Dibenzo(a,h)anthracene	34.4		2.16	ug/L	38.5	<2.16	89.3	27.5-156		
Diethyl phthalate	36.8		2.16	ug/L	38.5	<2.16	95.8	53.4-146		
Dimethyl phthalate	37.7		2.16	ug/L	38.5	<2.16	98.0	53-151		
Di-n-butyl phthalate	47.6		2.16	ug/L	38.5	15.7	82.9	25.4-168		
Di-n-octyl phthalate	34.5		2.16	ug/L	38.5	<2.16	89.7	39.2-123		
Fluoranthene	34.1		2.16	ug/L	38.5	<2.16	88.6	45.3-156		
Fluorene	40.4		2.16	ug/L	38.5	<2.16	105	56.3-145		
Hexachlorobenzene	38.7		2.16	ug/L	38.5	<2.16	101	56.1-137		
Hexachlorobutadiene	28.2		2.16	ug/L	38.5	<2.16	73.4	33.1-110		
Hexachlorocyclopentadiene	23.2		2.16	ug/L	38.5	<2.16	60.2	2-179		
Hexachloroethane	22.2		2.16	ug/L	38.5	<2.16	57.8	36.2-106		
Indeno(1,2,3-cd) pyrene	36.2		2.16	ug/L	38.5	<2.16	94.2	33.4-153		
Isophorone	42.0		2.16	ug/L	38.5	<2.16	109	43.3-154		
Naphthalene	40.5		2.16	ug/L	38.5	<2.16	105	45.1-153		
Nitrobenzene	40.3		2.16	ug/L	38.5	<2.16	105	54.9-156		
n-Nitrosodimethylamine	<8.65	J1, U	8.65	ug/L	192	<8.65		2-56.4		
n-Nitrosodi-n-propylamine	41.0		2.16	ug/L	38.5	<2.16	107	38.3-160		
n-Nitrosodiphenylamine	19.0		2.16	ug/L	38.5	<2.16	49.4	38.1-163		
Pentachlorophenol	91.6		4.33	ug/L	76.9	<4.33	119	42.2-151		
Phenanthrene	34.3		2.16	ug/L	38.5	<2.16	89.2	45.3-165		
Phenol, Total	98.5		4.33	ug/L	76.9	<4.33	128	39.8-164		
Pyrene	37.8		2.16	ug/L	38.5	<2.16	98.4	46.3-149		
Surrogate: 2-Fluorobiphenyl-surr			*51.1*	*ug/L*	*38.5*		*133*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*86.3*	*ug/L*	*76.9*		*112*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*109*	*ug/L*	*76.9*		*142*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*53.3*	*ug/L*	*38.5*		*139*	*52-162*		
Surrogate: Phenol-d5-surr			*95.6*	*ug/L*	*76.9*		*124*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*44.6*	*ug/L*	*38.5*		*116*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
Matrix Spike (BFB3690-MS2)			**Source: 22B3212-01RE1**		Prepared: 2/28/2022 Analyzed: 3/23/2022					
2,4-Dinitrotoluene (2,4-DNT)	41.8		2.16	ug/L	38.5	<2.16	109	50.3-144		
2,6-Dinitrotoluene (2,6-DNT)	39.4		2.16	ug/L	38.5	<2.16	102	43.7-157		
bis(2-Chloroethyl) ether	31.7		2.16	ug/L	38.5	<2.16	82.5	45.9-163		
Di-n-butyl phthalate	44.6		2.16	ug/L	38.5	15.9	74.5	25.4-168		
Hexachlorobutadiene	22.4		2.16	ug/L	38.5	<2.16	58.2	33.1-110		
Surrogate: 2-Fluorobiphenyl-surr			*38.9*	*ug/L*	*38.5*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*85.6*	*ug/L*	*76.9*		*111*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*97.7*	*ug/L*	*76.9*		*127*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*47.3*	*ug/L*	*38.5*		*123*	*52-162*		
Surrogate: Phenol-d5-surr			*102*	*ug/L*	*76.9*		*133*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*37.6*	*ug/L*	*38.5*		*97.6*	*51.9-147*		
Matrix Spike Dup (BFB3690-MSD1)			**Source: 22B3212-01**		Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	31.6		2.21	ug/L	39.2	<2.21	80.6	35.3-142	8.33	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	30.0		2.21	ug/L	39.2	<2.21	76.5	31.4-142	3.76	40
1,2-Diphenylhydrazine	34.7		2.21	ug/L	39.2	<2.21	88.5	48.9-156	13.6	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	28.5		2.21	ug/L	39.2	<2.21	72.7	30.5-135	5.28	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	27.4		2.21	ug/L	39.2	<2.21	70.0	37.2-133	2.52	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	39.1		2.21	ug/L	39.2	<2.21	99.7	41.7-151	0.985	40
2,4,6-Trichlorophenol	66.3		4.41	ug/L	78.4	<4.41	84.5	34.7-143	7.70	40
2,4-Dichlorophenol	144	J1	2.21	ug/L	78.4	<2.21	184	42.7-158	27.6	40
2,4-Dimethylphenol	88.5		4.41	ug/L	78.4	<4.41	113	38.4-170	10.8	40
2,4-Dinitrophenol	230		17.6	ug/L	196	<17.6	117	60-140	3.74	40
2,4-Dinitrotoluene (2,4-DNT)	41.4		2.21	ug/L	39.2	<2.21	106	50.3-144	21.0	40
2,6-Dinitrotoluene (2,6-DNT)	35.0		2.21	ug/L	39.2	<2.21	89.1	43.7-157	3.01	40
2-Chloronaphthalene	40.4		2.21	ug/L	39.2	<2.21	103	27.4-158	8.12	40
2-Chlorophenol	92.2	J1	4.41	ug/L	78.4	<4.41	117	49.2-150	44.3	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	95.0		4.41	ug/L	78.4	<4.41	121	41.9-153	7.35	40
2-Nitrophenol	73.8		4.41	ug/L	78.4	<4.41	94.1	51.9-150	3.16	40
4-Bromophenyl phenyl ether (BDE-3)	38.7		2.21	ug/L	39.2	<2.21	98.6	45.2-146	6.99	40
4-Chloro-3-methylphenol	94.8		4.41	ug/L	78.4	4.45	115	46.9-147	4.78	40
4-Chlorophenyl phenylether	35.8		2.21	ug/L	39.2	<2.21	91.4	44.5-143	2.53	40
4-Nitrophenol	269		17.6	ug/L	196	<17.6	137	2-173	6.48	40
Acenaphthene	35.2		2.21	ug/L	39.2	<2.21	89.7	47.3-149	0.489	40
Acenaphthylene	33.7		2.21	ug/L	39.2	<2.21	85.9	56.5-173	1.70	40
Anthracene	37.6		2.21	ug/L	39.2	<2.21	96.0	49.7-160	11.1	40
Benzo(a)anthracene	29.7		2.21	ug/L	39.2	<2.21	75.7	41.7-151	12.9	40
Benzo(a)pyrene	36.0		2.21	ug/L	39.2	<2.21	91.8	45.4-133	1.38	40
benzo(b&k)fluoranthene	73.7		2.21	ug/L	78.4	<2.21	93.9	55.3-137	1.10	40
Benzo(g,h,i)perylene	38.4		2.21	ug/L	39.2	<2.21	97.8	37.9-152	9.07	40
bis(2-Chloroethoxy)methane	38.9		2.21	ug/L	39.2	<2.21	99.3	40.1-151	14.2	40
Bis(2-ethylhexyl)phthalate	36.7		2.21	ug/L	39.2	<2.21	93.6	38.3-135	6.13	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
Matrix Spike Dup (BFB3690-MSD1)		**Source: 22B3212-01**			Prepared: 2/28/2022 Analyzed: 3/4/2022					
Butyl benzyl phthalate	37.7		2.21	ug/L	39.2	<2.21	96.2	41.1-148	2.66	40
Chrysene	39.7		2.21	ug/L	39.2	<2.21	101	51-147	8.99	40
Dibenzo(a,h)anthracene	36.5		2.21	ug/L	39.2	<2.21	93.1	27.5-156	6.02	40
Diethyl phthalate	37.0		2.21	ug/L	39.2	<2.21	94.3	53.4-146	0.362	40
Dimethyl phthalate	36.9		2.21	ug/L	39.2	<2.21	94.2	53-151	2.00	40
Di-n-butyl phthalate	50.5		2.21	ug/L	39.2	15.7	88.7	25.4-168	5.90	40
Di-n-octyl phthalate	35.3		2.21	ug/L	39.2	<2.21	90.0	39.2-123	2.34	40
Fluoranthene	39.2		2.21	ug/L	39.2	<2.21	100	45.3-156	14.0	40
Fluorene	39.5		2.21	ug/L	39.2	<2.21	101	56.3-145	2.25	40
Hexachlorobenzene	34.7		2.21	ug/L	39.2	<2.21	88.4	56.1-137	10.9	40
Hexachlorobutadiene	24.5		2.21	ug/L	39.2	<2.21	62.4	33.1-110	14.3	40
Hexachlorocyclopentadiene	27.9		2.21	ug/L	39.2	<2.21	71.2	2-179	18.7	40
Hexachloroethane	32.1		2.21	ug/L	39.2	<2.21	81.9	36.2-106	36.4	40
Indeno(1,2,3-cd) pyrene	38.5		2.21	ug/L	39.2	<2.21	98.3	33.4-153	6.24	40
Isophorone	43.2		2.21	ug/L	39.2	<2.21	110	43.3-154	2.90	40
Naphthalene	39.1		2.21	ug/L	39.2	<2.21	99.6	45.1-153	3.55	40
Nitrobenzene	39.7		2.21	ug/L	39.2	<2.21	101	54.9-156	1.60	40
n-Nitrosodimethylamine	<8.82	J1, U	8.82	ug/L	196	<8.82		2-56.4		40
n-Nitrosodi-n-propylamine	40.2		2.21	ug/L	39.2	<2.21	102	38.3-160	2.01	40
n-Nitrosodiphenylamine	5.64	J1	2.21	ug/L	39.2	<2.21	14.4	38.1-163	108	40
Pentachlorophenol	92.2		4.41	ug/L	78.4	<4.41	118	42.2-151	0.633	40
Phenanthrene	33.7		2.21	ug/L	39.2	<2.21	85.9	45.3-165	1.81	40
Phenol, Total	100		4.41	ug/L	78.4	<4.41	128	39.8-164	1.91	40
Pyrene	38.3		2.21	ug/L	39.2	<2.21	97.6	46.3-149	1.20	40
Surrogate: 2-Fluorobiphenyl-surr			*53.7*	*ug/L*	*39.2*		*137*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*92.9*	*ug/L*	*78.4*		*118*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*102*	*ug/L*	*78.4*		*130*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*46.9*	*ug/L*	*39.2*		*120*	*52-162*		
Surrogate: Phenol-d5-surr			*87.8*	*ug/L*	*78.4*		*112*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*45.9*	*ug/L*	*39.2*		*117*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
Matrix Spike Dup (BFB3690-MSD2)	**Source: 22B3212-01RE1**				Prepared: 2/28/2022 Analyzed: 3/23/2022					
2,4-Dinitrotoluene (2,4-DNT)	36.8		2.21	ug/L	39.2	<2.21	93.8	50.3-144	12.7	40
2,6-Dinitrotoluene (2,6-DNT)	34.7		2.21	ug/L	39.2	<2.21	88.5	43.7-157	12.6	40
bis(2-Chloroethyl) ether	32.9		2.21	ug/L	39.2	<2.21	84.0	45.9-163	3.64	40
Di-n-butyl phthalate	44.3		2.21	ug/L	39.2	15.9	72.4	25.4-168	0.671	40
Hexachlorobutadiene	25.1		2.21	ug/L	39.2	<2.21	64.0	33.1-110	11.5	40
Surrogate: 2-Fluorobiphenyl-surr			*42.9*	*ug/L*	*39.2*		*109*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*88.8*	*ug/L*	*78.4*		*113*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*88.4*	*ug/L*	*78.4*		*113*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*47.6*	*ug/L*	*39.2*		*121*	*52-162*		
Surrogate: Phenol-d5-surr			*112*	*ug/L*	*78.4*		*143*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*37.9*	*ug/L*	*39.2*		*96.7*	*51.9-147*		
Batch: BFC0542 - SW-3511										
Blank (BFC0542-BLK1)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	<0.555	U	0.555	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.555	U	0.555	ug/L						
1,2-Diphenylhydrazine	<0.555	U	0.555	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.555	U	0.555	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.555	U	0.555	ug/L						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<0.555	U	0.555	ug/L						
2,4,6-Trichlorophenol	<1.11	U	1.11	ug/L						
2,4-Dichlorophenol	<0.555	U	0.555	ug/L						
2,4-Dimethylphenol	<1.11	U	1.11	ug/L						
2,4-Dinitrophenol	<4.44	U	4.44	ug/L						
2,4-Dinitrotoluene (2,4-DNT)	<0.555	U	0.555	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.555	U	0.555	ug/L						
2-Chloronaphthalene	<0.555	U	0.555	ug/L						
2-Chlorophenol	<1.11	U	1.11	ug/L						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<1.11	U	1.11	ug/L						
2-Nitrophenol	<1.11	U	1.11	ug/L						
4-Bromophenyl phenyl ether (BDE-3)	<0.555	U	0.555	ug/L						
4-Chloro-3-methylphenol	<1.11	U	1.11	ug/L						
4-Chlorophenyl phenylether	<0.555	U	0.555	ug/L						
4-Nitrophenol	<4.44	U	4.44	ug/L						
Acenaphthene	<0.555	U	0.555	ug/L						
Acenaphthylene	<0.555	U	0.555	ug/L						
Anthracene	<0.555	U	0.555	ug/L						
Benzo(a)anthracene	<0.555	U	0.555	ug/L						
Benzo(a)pyrene	<0.555	U	0.555	ug/L						
benzo(b&k)fluoranthene	<0.555	U	0.555	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
Blank (BFC0542-BLK1)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
Benzo(g,h,i)perylene	<0.555	U	0.555	ug/L						
bis(2-Chloroethoxy)methane	<0.555	U	0.555	ug/L						
bis(2-Chloroethyl) ether	<0.555	U	0.555	ug/L						
Bis(2-ethylhexyl)phthalate	0.302	J	0.555	ug/L						
Butyl benzyl phthalate	<0.555	U	0.555	ug/L						
Chrysene	<0.555	U	0.555	ug/L						
Dibenzo(a,h)anthracene	<0.555	U	0.555	ug/L						
Diethyl phthalate	<0.555	U	0.555	ug/L						
Dimethyl phthalate	<0.555	U	0.555	ug/L						
Di-n-butyl phthalate	1.64	R	0.555	ug/L						
Di-n-octyl phthalate	<0.555	U	0.555	ug/L						
Fluoranthene	<0.555	U	0.555	ug/L						
Fluorene	<0.555	U	0.555	ug/L						
Hexachlorobenzene	<0.555	U	0.555	ug/L						
Hexachlorobutadiene	<0.555	U	0.555	ug/L						
Hexachlorocyclopentadiene	<0.555	U	0.555	ug/L						
Hexachloroethane	<0.555	U	0.555	ug/L						
Indeno(1,2,3-cd) pyrene	<0.555	U	0.555	ug/L						
Isophorone	<0.555	U	0.555	ug/L						
Naphthalene	<0.555	U	0.555	ug/L						
Nitrobenzene	<0.555	U	0.555	ug/L						
n-Nitrosodimethylamine	<2.22	U	2.22	ug/L						
n-Nitrosodi-n-propylamine	<0.555	U	0.555	ug/L						
n-Nitrosodiphenylamine	<0.555	U	0.555	ug/L						
Pentachlorophenol	<1.11	U	1.11	ug/L						
Phenanthrene	<0.555	U	0.555	ug/L						
Phenol, Total	<1.11	U	1.11	ug/L						
Pyrene	<0.555	U	0.555	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.52*	*ug/L*	*9.86*		*96.5*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.4*	*ug/L*	*19.7*		*109*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.2*	*ug/L*	*19.7*		*92.0*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.1*	*ug/L*	*9.86*		*113*	*52-162*		
Surrogate: Phenol-d5-surr			*18.7*	*ug/L*	*19.7*		*94.8*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.76*	*ug/L*	*9.86*		*99.0*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
Blank (BFC0542-BLK2)					Prepared: 3/3/2022 Analyzed: 3/22/2022					
2-Chloronaphthalene	<0.555	U	0.555	ug/L						
Di-n-butyl phthalate	3.69		0.555	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.01*	*ug/L*	*9.86*		*91.4*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*19.5*	*ug/L*	*19.7*		*99.1*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*14.8*	*ug/L*	*19.7*		*75.1*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.7*	*ug/L*	*9.86*		*108*	*52-162*		
Surrogate: Phenol-d5-surr			*24.4*	*ug/L*	*19.7*		*124*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.72*	*ug/L*	*9.86*		*98.6*	*51.9-147*		
Blank (BFC0542-BLK3)					Prepared: 3/3/2022 Analyzed: 3/24/2022					
3,3'-Dichlorobenzidine	<0.555	U	0.555	ug/L						
Benzidine	<0.555	U	0.555	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*8.90*	*ug/L*	*9.86*		*90.2*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*19.2*	*ug/L*	*19.7*		*97.6*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*5.34*	*ug/L*	*19.7*		*27.1*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.38*	*ug/L*	*9.86*		*95.1*	*52-162*		
Surrogate: Phenol-d5-surr			*14.4*	*ug/L*	*19.7*		*72.9*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.81*	*ug/L*	*9.86*		*89.3*	*51.9-147*		
LCS (BFC0542-BS1)					Prepared: 3/3/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	8.28		0.552	ug/L	9.81		84.4	22.3-156		
Benzidine	7.09		0.552	ug/L	9.81		72.3	9.32-162		
Surrogate: 2-Fluorobiphenyl-surr			*9.38*	*ug/L*	*9.81*		*95.6*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.0*	*ug/L*	*19.6*		*107*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*16.5*	*ug/L*	*19.6*		*84.0*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.6*	*ug/L*	*9.81*		*108*	*52-162*		
Surrogate: Phenol-d5-surr			*20.6*	*ug/L*	*19.6*		*105*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.97*	*ug/L*	*9.81*		*81.3*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
LCS (BFC0542-BS2)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	7.16		0.559	ug/L	9.94		72.0	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	6.68		0.559	ug/L	9.94		67.1	60-140		
1,2-Diphenylhydrazine	9.77		0.559	ug/L	9.94		98.3	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.27		0.559	ug/L	9.94		63.0	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	6.38		0.559	ug/L	9.94		64.2	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	9.83		0.559	ug/L	9.94		98.9	60-140		
2,4,6-Trichlorophenol	24.3		1.12	ug/L	19.9		122	60-140		
2,4-Dichlorophenol	23.8		0.559	ug/L	19.9		120	60-140		
2,4-Dimethylphenol	22.0		1.12	ug/L	19.9		111	35.9-153		
2,4-Dinitrophenol	52.0		4.47	ug/L	49.7		105	60-140		
2,4-Dinitrotoluene (2,4-DNT)	10.0		0.559	ug/L	9.94		101	60-140		
2,6-Dinitrotoluene (2,6-DNT)	9.67		0.559	ug/L	9.94		97.3	60-140		
2-Chloronaphthalene	9.95		0.559	ug/L	9.94		100	60-140		
2-Chlorophenol	16.6		1.12	ug/L	19.9		83.7	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	19.7		1.12	ug/L	19.9		99.1	60-140		
2-Nitrophenol	17.0		1.12	ug/L	19.9		85.7	60-140		
4-Bromophenyl phenyl ether (BDE-3)	9.22		0.559	ug/L	9.94		92.7	60-140		
4-Chloro-3-methylphenol	24.5		1.12	ug/L	19.9		123	60-140		
4-Chlorophenyl phenylether	9.24		0.559	ug/L	9.94		92.9	60-140		
4-Nitrophenol	52.3		4.47	ug/L	49.7		105	60-140		
Acenaphthene	8.92		0.559	ug/L	9.94		89.7	60-140		
Acenaphthylene	8.66		0.559	ug/L	9.94		87.1	60-140		
Anthracene	8.46		0.559	ug/L	9.94		85.1	60-140		
Benzo(a)anthracene	8.36		0.559	ug/L	9.94		84.1	60-140		
Benzo(a)pyrene	8.09		0.559	ug/L	9.94		81.4	60-140		
benzo(b&k)fluoranthene	17.0		0.559	ug/L	19.9		85.2	60-140		
Benzo(g,h,i)perylene	7.01		0.559	ug/L	9.94		70.5	60-140		
bis(2-Chloroethoxy)methane	10.1		0.559	ug/L	9.94		101	60-140		
bis(2-Chloroethyl) ether	11.6		0.559	ug/L	9.94		117	60-140		
Bis(2-ethylhexyl)phthalate	8.46		0.559	ug/L	9.94		85.1	60-140		
Butyl benzyl phthalate	8.44		0.559	ug/L	9.94		84.9	60-140		
Chrysene	8.02		0.559	ug/L	9.94		80.7	60-140		
Dibenzo(a,h)anthracene	7.19		0.559	ug/L	9.94		72.3	60-140		
Diethyl phthalate	9.61		0.559	ug/L	9.94		96.6	60-140		
Dimethyl phthalate	9.56		0.559	ug/L	9.94		96.2	60-140		
Di-n-butyl phthalate	11.1	R	0.559	ug/L	9.94		111	60-140		
Di-n-octyl phthalate	8.11		0.559	ug/L	9.94		81.6	60-140		
Fluoranthene	8.74		0.559	ug/L	9.94		87.9	60-140		
Fluorene	10.1		0.559	ug/L	9.94		102	60-140		
Hexachlorobenzene	9.06		0.559	ug/L	9.94		91.2	60-140		
Hexachlorobutadiene	4.29	J1	0.559	ug/L	9.94		43.1	60-140		
Hexachlorocyclopentadiene	5.68	J1	0.559	ug/L	9.94		57.1	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
LCS (BFC0542-BS2)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
Hexachloroethane	4.90	J1	0.559	ug/L	9.94		49.2	60-140		
Indeno(1,2,3-cd) pyrene	7.18		0.559	ug/L	9.94		72.2	60-140		
Isophorone	8.72		0.559	ug/L	9.94		87.7	60-140		
Naphthalene	8.40		0.559	ug/L	9.94		84.5	60-140		
Nitrobenzene	8.84		0.559	ug/L	9.94		88.9	60-140		
n-Nitrosodimethylamine	11.2		2.24	ug/L	49.7		22.5	2.5-65.7		
n-Nitrosodi-n-propylamine	8.85		0.559	ug/L	9.94		89.0	60-140		
n-Nitrosodiphenylamine	8.27		0.559	ug/L	9.94		83.2	60-140		
Pentachlorophenol	23.1		1.12	ug/L	19.9		116	36.8-149		
Phenanthrene	9.45		0.559	ug/L	9.94		95.1	60-140		
Phenol, Total	17.2		1.12	ug/L	19.9		86.6	60-140		
Pyrene	8.43		0.559	ug/L	9.94		84.8	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*9.93*	*ug/L*	*9.94*		*99.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.6*	*ug/L*	*19.9*		*113*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.4*	*ug/L*	*19.9*		*108*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.3*	*ug/L*	*9.94*		*114*	*52-162*		
Surrogate: Phenol-d5-surr			*20.2*	*ug/L*	*19.9*		*101*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.48*	*ug/L*	*9.94*		*95.4*	*51.9-147*		
LCS (BFC0542-BS3)					Prepared: 3/3/2022 Analyzed: 3/22/2022					
2-Chloronaphthalene	7.91		0.559	ug/L	9.94		79.6	60-140		
Di-n-butyl phthalate	11.9		0.559	ug/L	9.94		120	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*9.92*	*ug/L*	*9.94*		*99.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.6*	*ug/L*	*19.9*		*104*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.6*	*ug/L*	*19.9*		*98.4*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.2*	*ug/L*	*9.94*		*113*	*52-162*		
Surrogate: Phenol-d5-surr			*29.2*	*ug/L*	*19.9*		*147*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.49*	*ug/L*	*9.94*		*95.5*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
LCS Dup (BFC0542-BSD1)					Prepared: 3/3/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	8.71		0.562	ug/L	10.0		87.1	22.3-156	5.08	40
Benzidine	9.37		0.562	ug/L	10.0		93.7	9.32-162	27.7	40
Surrogate: 2-Fluorobiphenyl-surr			*9.01*	*ug/L*	*10.0*		*90.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*19.0*	*ug/L*	*20.0*		*95.2*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*16.0*	*ug/L*	*20.0*		*80.2*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.2*	*ug/L*	*10.0*		*102*	*52-162*		
Surrogate: Phenol-d5-surr			*20.3*	*ug/L*	*20.0*		*102*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.47*	*ug/L*	*10.0*		*74.8*	*51.9-147*		
LCS Dup (BFC0542-BSD2)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	7.34		0.552	ug/L	9.82		74.8	60-140	2.50	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	6.63		0.552	ug/L	9.82		67.5	60-140	0.677	40
1,2-Diphenylhydrazine	9.97		0.552	ug/L	9.82		102	60-140	2.03	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.35		0.552	ug/L	9.82		64.7	60-140	1.31	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	6.35		0.552	ug/L	9.82		64.6	60-140	0.535	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	10.0		0.552	ug/L	9.82		102	60-140	2.13	40
2,4,6-Trichlorophenol	24.2		1.10	ug/L	19.6		123	60-140	0.314	40
2,4-Dichlorophenol	23.4		0.552	ug/L	19.6		119	60-140	1.46	40
2,4-Dimethylphenol	21.2		1.10	ug/L	19.6		108	35.9-153	3.88	40
2,4-Dinitrophenol	51.7		4.42	ug/L	49.1		105	60-140	0.667	40
2,4-Dinitrotoluene (2,4-DNT)	10.1		0.552	ug/L	9.82		103	60-140	0.529	40
2,6-Dinitrotoluene (2,6-DNT)	9.79		0.552	ug/L	9.82		99.7	60-140	1.20	40
2-Chloronaphthalene	10.1		0.552	ug/L	9.82		103	60-140	1.58	40
2-Chlorophenol	16.4		1.10	ug/L	19.6		83.3	60-140	1.75	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	20.1		1.10	ug/L	19.6		102	60-140	1.78	40
2-Nitrophenol	16.0		1.10	ug/L	19.6		81.5	60-140	6.28	40
4-Bromophenyl phenyl ether (BDE-3)	9.55		0.552	ug/L	9.82		97.3	60-140	3.56	40
4-Chloro-3-methylphenol	24.1		1.10	ug/L	19.6		123	60-140	1.67	40
4-Chlorophenyl phenylether	9.43		0.552	ug/L	9.82		96.0	60-140	2.06	40
4-Nitrophenol	51.5		4.42	ug/L	49.1		105	60-140	1.53	40
Acenaphthene	8.86		0.552	ug/L	9.82		90.2	60-140	0.625	40
Acenaphthylene	8.51		0.552	ug/L	9.82		86.7	60-140	1.74	40
Anthracene	8.47		0.552	ug/L	9.82		86.3	60-140	0.134	40
Benzo(a)anthracene	8.07		0.552	ug/L	9.82		82.2	60-140	3.60	40
Benzo(a)pyrene	8.23		0.552	ug/L	9.82		83.8	60-140	1.64	40
benzo(b&k)fluoranthene	17.4		0.552	ug/L	19.6		88.4	60-140	2.39	40
Benzo(g,h,i)perylene	6.98		0.552	ug/L	9.82		71.1	60-140	0.395	40
bis(2-Chloroethoxy)methane	10.0		0.552	ug/L	9.82		102	60-140	0.728	40
bis(2-Chloroethyl) ether	10.5		0.552	ug/L	9.82		107	60-140	10.0	40
Bis(2-ethylhexyl)phthalate	8.56		0.552	ug/L	9.82		87.2	60-140	1.17	40
Butyl benzyl phthalate	8.42		0.552	ug/L	9.82		85.8	60-140	0.242	40
Chrysene	8.29		0.552	ug/L	9.82		84.4	60-140	3.27	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
LCS Dup (BFC0542-BSD2)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
Dibenzo(a,h)anthracene	7.07		0.552	ug/L	9.82		72.0	60-140	1.64	40
Diethyl phthalate	9.77		0.552	ug/L	9.82		99.5	60-140	1.65	40
Dimethyl phthalate	9.58		0.552	ug/L	9.82		97.6	60-140	0.192	40
Di-n-butyl phthalate	10.2	R	0.552	ug/L	9.82		104	60-140	7.89	40
Di-n-octyl phthalate	8.13		0.552	ug/L	9.82		82.8	60-140	0.302	40
Fluoranthene	8.75		0.552	ug/L	9.82		89.1	60-140	0.0209	40
Fluorene	10.3		0.552	ug/L	9.82		105	60-140	1.88	40
Hexachlorobenzene	9.37		0.552	ug/L	9.82		95.4	60-140	3.30	40
Hexachlorobutadiene	4.45	J1	0.552	ug/L	9.82		45.4	60-140	3.83	40
Hexachlorocyclopentadiene	5.59	J1	0.552	ug/L	9.82		57.0	60-140	1.60	40
Hexachloroethane	5.12	J1	0.552	ug/L	9.82		52.2	60-140	4.55	40
Indeno(1,2,3-cd) pyrene	7.13		0.552	ug/L	9.82		72.6	60-140	0.711	40
Isophorone	8.54		0.552	ug/L	9.82		87.0	60-140	2.07	40
Naphthalene	8.42		0.552	ug/L	9.82		85.7	60-140	0.184	40
Nitrobenzene	8.84		0.552	ug/L	9.82		90.0	60-140	0.0984	40
n-Nitrosodimethylamine	7.17	J1	2.21	ug/L	49.1		14.6	2.5-65.7	43.7	40
n-Nitrosodi-n-propylamine	8.50		0.552	ug/L	9.82		86.6	60-140	4.10	40
n-Nitrosodiphenylamine	7.73		0.552	ug/L	9.82		78.8	60-140	6.76	40
Pentachlorophenol	23.7		1.10	ug/L	19.6		121	36.8-149	2.60	40
Phenanthrene	9.27		0.552	ug/L	9.82		94.4	60-140	1.91	40
Phenol, Total	15.6		1.10	ug/L	19.6		79.6	60-140	9.66	40
Pyrene	8.47		0.552	ug/L	9.82		86.2	60-140	0.417	40
Surrogate: 2-Fluorobiphenyl-surr			*9.71*	*ug/L*	*9.82*		*98.9*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.9*	*ug/L*	*19.6*		*112*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.3*	*ug/L*	*19.6*		*114*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.3*	*ug/L*	*9.82*		*115*	*52-162*		
Surrogate: Phenol-d5-surr			*17.9*	*ug/L*	*19.6*		*91.1*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.82*	*ug/L*	*9.82*		*100*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
LCS Dup (BFC0542-BSD3)					Prepared: 3/3/2022 Analyzed: 3/22/2022					
2-Chloronaphthalene	7.79		0.552	ug/L	9.82		79.4	60-140	1.54	40
Di-n-butyl phthalate	10.5		0.552	ug/L	9.82		107	60-140	12.3	40
Surrogate: 2-Fluorobiphenyl-surr			*9.84*	*ug/L*	*9.82*		*100*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.2*	*ug/L*	*19.6*		*103*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.1*	*ug/L*	*19.6*		*97.1*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.9*	*ug/L*	*9.82*		*111*	*52-162*		
Surrogate: Phenol-d5-surr			*27.2*	*ug/L*	*19.6*		*139*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.84*	*ug/L*	*9.82*		*90.1*	*51.9-147*		
MDL BENZ (BFC0542-MRL1)					Prepared: 3/3/2022 Analyzed: 3/25/2022					
3,3'-Dichlorobenzidine	<0.561	J1, U	0.561	ug/L	0.499			50-150		
Benzidine	<0.561	J1, U	0.561	ug/L	0.499			50-150		
Surrogate: 2-Fluorobiphenyl-surr			*9.20*	*ug/L*	*9.97*		*92.3*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.0*	*ug/L*	*19.9*		*100*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.5*	*ug/L*	*19.9*		*97.8*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.4*	*ug/L*	*9.97*		*104*	*52-162*		
Surrogate: Phenol-d5-surr			*19.7*	*ug/L*	*19.9*		*98.8*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.50*	*ug/L*	*9.97*		*95.3*	*51.9-147*		
MDL SV (BFC0542-MRL2)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	0.327	J	0.562	ug/L	0.500		65.4	50-150		
1,2-Dichlorobenzene (o-Dichlorobenzene)	0.334	J	0.562	ug/L	0.500		66.7	50-150		
1,2-Diphenylhydrazine	0.673		0.562	ug/L	0.500		135	50-150		
1,3-Dichlorobenzene (m-Dichlorobenzene)	0.281	J	0.562	ug/L	0.500		56.2	50-150		
1,4-Dichlorobenzene (p-Dichlorobenzene)	0.312	J	0.562	ug/L	0.500		62.5	50-150		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	0.951	J1	0.562	ug/L	0.500		190	50-150		
2,4,6-Trichlorophenol	1.40		1.12	ug/L	1.00		140	50-150		
2,4-Dichlorophenol	1.76	J1	0.562	ug/L	1.00		176	50-150		
2,4-Dimethylphenol	1.48		1.12	ug/L	1.00		148	50-150		
2,4-Dinitrophenol	4.65		4.50	ug/L	2.50		186			
2,4-Dinitrotoluene (2,4-DNT)	0.666		0.562	ug/L	0.500		133	50-150		
2,6-Dinitrotoluene (2,6-DNT)	0.560	J	0.562	ug/L	0.500		112	50-150		
2-Chloronaphthalene	0.582		0.562	ug/L	0.500		116	50-150		
2-Chlorophenol	0.810	J	1.12	ug/L	1.00		81.0	50-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	1.35		1.12	ug/L	1.00		135	50-150		
2-Nitrophenol	1.17		1.12	ug/L	1.00		117	50-150		
4-Bromophenyl phenyl ether (BDE-3)	0.564		0.562	ug/L	0.500		113	50-150		
4-Chloro-3-methylphenol	1.48		1.12	ug/L	1.00		148	50-150		
4-Chlorophenyl phenylether	0.426	J	0.562	ug/L	0.500		85.3	50-150		
4-Nitrophenol	<4.50	U	4.50	ug/L	2.50					
Acenaphthene	0.438	J	0.562	ug/L	0.500		87.6	50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
MDL SV (BFC0542-MRL2)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
Acenaphthylene	0.532	J	0.562	ug/L	0.500		106	50-150		
Anthracene	0.454	J	0.562	ug/L	0.500		90.9	50-150		
Benzo(a)anthracene	0.320	J	0.562	ug/L	0.500		64.0	50-150		
Benzo(a)pyrene	0.360	J	0.562	ug/L	0.500		72.0	50-150		
benzo(b&k)fluoranthene	0.769		0.562	ug/L	1.00		76.9	50-150		
Benzo(g,h,i)perylene	0.366	J	0.562	ug/L	0.500		73.2	50-150		
bis(2-Chloroethoxy)methane	0.460	J	0.562	ug/L	0.500		92.0	50-150		
bis(2-Chloroethyl) ether	0.639		0.562	ug/L	0.500		128	50-150		
Bis(2-ethylhexyl)phthalate	0.668		0.562	ug/L	0.500		134	50-150		
Butyl benzyl phthalate	0.435	J	0.562	ug/L	0.500		86.9	50-150		
Chrysene	0.432	J	0.562	ug/L	0.500		86.4	50-150		
Dibenzo(a,h)anthracene	<0.562	J1, U	0.562	ug/L	0.500			50-150		
Diethyl phthalate	0.464	J	0.562	ug/L	0.500		92.9	50-150		
Dimethyl phthalate	0.472	J	0.562	ug/L	0.500		94.4	50-150		
Di-n-butyl phthalate	3.01	J1, R	0.562	ug/L	0.500		602	50-150		
Di-n-octyl phthalate	0.358	J	0.562	ug/L	0.500		71.6	50-150		
Fluoranthene	0.427	J	0.562	ug/L	0.500		85.4	50-150		
Fluorene	0.495	J	0.562	ug/L	0.500		98.9	50-150		
Hexachlorobenzene	0.419	J	0.562	ug/L	0.500		83.8	50-150		
Hexachlorobutadiene	<0.562	J1, U	0.562	ug/L	0.500			50-150		
Hexachlorocyclopentadiene	<0.562	J1, U	0.562	ug/L	0.500			50-150		
Hexachloroethane	<0.562	J1, U	0.562	ug/L	0.500			50-150		
Indeno(1,2,3-cd) pyrene	0.296	J	0.562	ug/L	0.500		59.2	50-150		
Isophorone	0.502	J	0.562	ug/L	0.500		100	50-150		
Naphthalene	0.444	J	0.562	ug/L	0.500		88.8	50-150		
Nitrobenzene	0.518	J	0.562	ug/L	0.500		104	50-150		
n-Nitrosodimethylamine	<2.25	J1, U	2.25	ug/L	2.50			50-150		
n-Nitrosodi-n-propylamine	0.325	J	0.562	ug/L	0.500		64.9	50-150		
n-Nitrosodiphenylamine	<0.562	J1, U	0.562	ug/L	0.500			50-150		
Pentachlorophenol	1.01	J	1.12	ug/L	1.00		101	50-150		
Phenanthrene	0.431	J	0.562	ug/L	0.500		86.2	50-150		
Phenol, Total	1.11	J	1.12	ug/L	1.00		111	50-150		
Pyrene	0.434	J	0.562	ug/L	0.500		86.8	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*9.32*	*ug/L*	*10.0*		*93.2*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.9*	*ug/L*	*20.0*		*109*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.7*	*ug/L*	*20.0*		*98.4*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.4*	*ug/L*	*10.0*		*114*	*52-162*		
Surrogate: Phenol-d5-surr			*17.8*	*ug/L*	*20.0*		*89.1*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.66*	*ug/L*	*10.0*		*96.6*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
MDL SV (BFC0542-MRL3)					Prepared: 3/3/2022 Analyzed: 3/22/2022					
2-Chloronaphthalene	0.383	J	0.562	ug/L	0.500		76.6	50-150		
Di-n-butyl phthalate	5.04	J1	0.562	ug/L	0.500		NR	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*9.35*	*ug/L*	*10.0*		*93.5*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.6*	*ug/L*	*20.0*		*103*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*16.0*	*ug/L*	*20.0*		*79.9*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.8*	*ug/L*	*10.0*		*108*	*52-162*		
Surrogate: Phenol-d5-surr			*26.2*	*ug/L*	*20.0*		*131*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.37*	*ug/L*	*10.0*		*93.7*	*51.9-147*		
Matrix Spike (BFC0542-MS1)		**Source: 22A3944-09**			Prepared: 3/3/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	7.64		0.553	ug/L	9.83	<0.553	77.7	35.3-142		
1,2-Dichlorobenzene (o-Dichlorobenzene)	7.13		0.553	ug/L	9.83	<0.553	72.5	31.4-142		
1,2-Diphenylhydrazine	10.7		0.553	ug/L	9.83	<0.553	108	48.9-156		
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.83		0.553	ug/L	9.83	<0.553	69.5	30.5-135		
1,4-Dichlorobenzene (p-Dichlorobenzene)	6.79		0.553	ug/L	9.83	<0.553	69.1	37.2-133		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	11.0		0.553	ug/L	9.83	<0.553	112	41.7-151		
2,4,6-Trichlorophenol	26.8		1.11	ug/L	19.7	<1.11	136	34.7-143		
2,4-Dichlorophenol	25.5		0.553	ug/L	19.7	<0.553	130	42.7-158		
2,4-Dimethylphenol	23.4		1.11	ug/L	19.7	<1.11	119	38.4-170		
2,4-Dinitrophenol	51.7		4.42	ug/L	49.1	<4.42	105	60-140		
2,4-Dinitrotoluene (2,4-DNT)	11.0		0.553	ug/L	9.83	<0.553	112	50.3-144		
2,6-Dinitrotoluene (2,6-DNT)	10.5		0.553	ug/L	9.83	<0.553	107	43.7-157		
2-Chloronaphthalene	9.98		0.553	ug/L	9.83	<0.553	102	27.4-158		
2-Chlorophenol	17.2		1.11	ug/L	19.7	<1.11	87.7	49.2-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	20.0		1.11	ug/L	19.7	0.653	98.7	41.9-153		
2-Nitrophenol	19.2		1.11	ug/L	19.7	<1.11	97.9	51.9-150		
4-Bromophenyl phenyl ether (BDE-3)	9.87		0.553	ug/L	9.83	<0.553	100	45.2-146		
4-Chloro-3-methylphenol	25.5		1.11	ug/L	19.7	<1.11	130	46.9-147		
4-Chlorophenyl phenylether	9.81		0.553	ug/L	9.83	<0.553	99.8	44.5-143		
4-Nitrophenol	58.4		4.42	ug/L	49.1	<4.42	119	2-173		
Acenaphthene	9.36		0.553	ug/L	9.83	<0.553	95.3	47.3-149		
Acenaphthylene	9.21		0.553	ug/L	9.83	<0.553	93.8	56.5-173		
Anthracene	8.78		0.553	ug/L	9.83	<0.553	89.3	49.7-160		
Benzo(a)anthracene	8.08		0.553	ug/L	9.83	<0.553	82.2	41.7-151		
Benzo(a)pyrene	7.36		0.553	ug/L	9.83	<0.553	75.0	45.4-133		
benzo(b&k)fluoranthene	15.4		0.553	ug/L	19.7	<0.553	78.4	55.3-137		
Benzo(g,h,i)perylene	5.90		0.553	ug/L	9.83	<0.553	60.1	37.9-152		
bis(2-Chloroethoxy)methane	10.6		0.553	ug/L	9.83	<0.553	108	40.1-151		
bis(2-Chloroethyl) ether	11.9		0.553	ug/L	9.83	<0.553	121	45.9-163		
Bis(2-ethylhexyl)phthalate	6.24		0.553	ug/L	9.83	<0.553	63.5	38.3-135		
Butyl benzyl phthalate	8.49		0.553	ug/L	9.83	<0.553	86.4	41.1-148		
Chrysene	7.67		0.553	ug/L	9.83	<0.553	78.0	51-147		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
Matrix Spike (BFC0542-MS1)	**Source: 22A3944-09**				Prepared: 3/3/2022 Analyzed: 3/4/2022					
Dibenzo(a,h)anthracene	5.77		0.553	ug/L	9.83	<0.553	58.7	27.5-156		
Diethyl phthalate	10.5		0.553	ug/L	9.83	<0.553	107	53.4-146		
Dimethyl phthalate	10.5		0.553	ug/L	9.83	<0.553	107	53-151		
Di-n-butyl phthalate	8.17	R	0.553	ug/L	9.83	<0.553	83.2	25.4-168		
Di-n-octyl phthalate	6.50		0.553	ug/L	9.83	<0.553	66.1	39.2-123		
Fluoranthene	8.96		0.553	ug/L	9.83	<0.553	91.2	45.3-156		
Fluorene	10.9		0.553	ug/L	9.83	<0.553	111	56.3-145		
Hexachlorobenzene	9.66		0.553	ug/L	9.83	<0.553	98.3	56.1-137		
Hexachlorobutadiene	4.79		0.553	ug/L	9.83	<0.553	48.7	33.1-110		
Hexachlorocyclopentadiene	6.40		0.553	ug/L	9.83	<0.553	65.1	2-179		
Hexachloroethane	5.31		0.553	ug/L	9.83	<0.553	54.1	36.2-106		
Indeno(1,2,3-cd) pyrene	5.88		0.553	ug/L	9.83	<0.553	59.8	33.4-153		
Isophorone	9.19		0.553	ug/L	9.83	<0.553	93.5	43.3-154		
Naphthalene	8.92		0.553	ug/L	9.83	<0.553	90.8	45.1-153		
Nitrobenzene	9.50		0.553	ug/L	9.83	<0.553	96.7	54.9-156		
n-Nitrosodimethylamine	11.1		2.21	ug/L	49.1	<2.21	22.7	2-56.4		
n-Nitrosodi-n-propylamine	9.26		0.553	ug/L	9.83	<0.553	94.3	38.3-160		
n-Nitrosodiphenylamine	7.92		0.553	ug/L	9.83	<0.553	80.6	38.1-163		
Pentachlorophenol	25.7		1.11	ug/L	19.7	<1.11	131	42.2-151		
Phenanthrene	10.0		0.553	ug/L	9.83	<0.553	102	45.3-165		
Phenol, Total	17.8		1.11	ug/L	19.7	<1.11	90.6	39.8-164		
Pyrene	8.58		0.553	ug/L	9.83	<0.553	87.3	46.3-149		
Surrogate: 2-Fluorobiphenyl-surr			*10.3*	*ug/L*	*9.83*		*105*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.8*	*ug/L*	*19.7*		*121*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*23.8*	*ug/L*	*19.7*		*121*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.0*	*ug/L*	*9.83*		*122*	*52-162*		
Surrogate: Phenol-d5-surr			*23.1*	*ug/L*	*19.7*		*117*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.11*	*ug/L*	*9.83*		*82.6*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
Matrix Spike (BFC0542-MS2)			**Source: 22A3944-09RE1**		Prepared: 3/3/2022 Analyzed: 3/22/2022					
2-Chloronaphthalene	8.34		0.553	ug/L	9.83	<0.553	84.9	27.4-158		
Di-n-butyl phthalate	9.65		0.553	ug/L	9.83	1.51	82.9	25.4-168		
Surrogate: 2-Fluorobiphenyl-surr			*10.3*	*ug/L*	*9.83*		*105*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.4*	*ug/L*	*19.7*		*109*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.8*	*ug/L*	*19.7*		*95.8*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.0*	*ug/L*	*9.83*		*122*	*52-162*		
Surrogate: Phenol-d5-surr			*29.3*	*ug/L*	*19.7*		*149*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.20*	*ug/L*	*9.83*		*83.5*	*51.9-147*		
Matrix Spike Dup (BFC0542-MSD1)			**Source: 22A3944-09**		Prepared: 3/3/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	7.62		0.554	ug/L	9.85	<0.554	77.3	35.3-142	0.222	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	6.91		0.554	ug/L	9.85	<0.554	70.1	31.4-142	3.06	40
1,2-Diphenylhydrazine	9.13		0.554	ug/L	9.85	<0.554	92.7	48.9-156	15.3	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.48		0.554	ug/L	9.85	<0.554	65.8	30.5-135	5.22	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	6.67		0.554	ug/L	9.85	<0.554	67.7	37.2-133	1.75	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	10.4		0.554	ug/L	9.85	<0.554	105	41.7-151	5.50	40
2,4,6-Trichlorophenol	25.3		1.11	ug/L	19.7	<1.11	128	34.7-143	5.72	40
2,4-Dichlorophenol	24.7		0.554	ug/L	19.7	<0.554	125	42.7-158	3.39	40
2,4-Dimethylphenol	23.0		1.11	ug/L	19.7	<1.11	117	38.4-170	1.48	40
2,4-Dinitrophenol	48.3		4.43	ug/L	49.3	<4.43	98.0	60-140	6.76	40
2,4-Dinitrotoluene (2,4-DNT)	10.0		0.554	ug/L	9.85	<0.554	102	50.3-144	8.87	40
2,6-Dinitrotoluene (2,6-DNT)	9.84		0.554	ug/L	9.85	<0.554	99.8	43.7-157	6.54	40
2-Chloronaphthalene	10.8		0.554	ug/L	9.85	<0.554	109	27.4-158	7.82	40
2-Chlorophenol	17.4		1.11	ug/L	19.7	<1.11	88.4	49.2-150	1.05	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	18.5		1.11	ug/L	19.7	0.653	90.8	41.9-153	7.82	40
2-Nitrophenol	17.3		1.11	ug/L	19.7	<1.11	87.9	51.9-150	10.5	40
4-Bromophenyl phenyl ether (BDE-3)	9.08		0.554	ug/L	9.85	<0.554	92.2	45.2-146	8.35	40
4-Chloro-3-methylphenol	24.6		1.11	ug/L	19.7	<1.11	125	46.9-147	3.57	40
4-Chlorophenyl phenylether	9.25		0.554	ug/L	9.85	<0.554	93.8	44.5-143	5.88	40
4-Nitrophenol	55.1		4.43	ug/L	49.3	<4.43	112	2-173	5.70	40
Acenaphthene	9.12		0.554	ug/L	9.85	<0.554	92.5	47.3-149	2.65	40
Acenaphthylene	8.87		0.554	ug/L	9.85	<0.554	90.0	56.5-173	3.78	40
Anthracene	8.73		0.554	ug/L	9.85	<0.554	88.6	49.7-160	0.483	40
Benzo(a)anthracene	7.44		0.554	ug/L	9.85	<0.554	75.5	41.7-151	8.15	40
Benzo(a)pyrene	7.00		0.554	ug/L	9.85	<0.554	71.0	45.4-133	5.13	40
benzo(b&k)fluoranthene	14.1		0.554	ug/L	19.7	<0.554	71.8	55.3-137	8.52	40
Benzo(g,h,i)perylene	5.41		0.554	ug/L	9.85	<0.554	54.9	37.9-152	8.66	40
bis(2-Chloroethoxy)methane	11.0		0.554	ug/L	9.85	<0.554	111	40.1-151	2.97	40
bis(2-Chloroethyl) ether	11.4		0.554	ug/L	9.85	<0.554	115	45.9-163	4.69	40
Bis(2-ethylhexyl)phthalate	6.01		0.554	ug/L	9.85	<0.554	61.0	38.3-135	3.71	40
Butyl benzyl phthalate	8.28		0.554	ug/L	9.85	<0.554	84.0	41.1-148	2.47	40
Chrysene	7.54		0.554	ug/L	9.85	<0.554	76.5	51-147	1.62	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
Matrix Spike Dup (BFC0542-MSD1)	**Source: 22A3944-09**				Prepared: 3/3/2022 Analyzed: 3/4/2022					
Dibenzo(a,h)anthracene	5.23		0.554	ug/L	9.85	<0.554	53.1	27.5-156	9.81	40
Diethyl phthalate	9.65		0.554	ug/L	9.85	<0.554	98.0	53.4-146	8.67	40
Dimethyl phthalate	9.81		0.554	ug/L	9.85	<0.554	99.6	53-151	6.71	40
Di-n-butyl phthalate	7.67	R	0.554	ug/L	9.85	<0.554	77.8	25.4-168	6.34	40
Di-n-octyl phthalate	6.16		0.554	ug/L	9.85	<0.554	62.5	39.2-123	5.37	40
Fluoranthene	8.65		0.554	ug/L	9.85	<0.554	87.7	45.3-156	3.56	40
Fluorene	10.4		0.554	ug/L	9.85	<0.554	105	56.3-145	5.38	40
Hexachlorobenzene	8.96		0.554	ug/L	9.85	<0.554	90.9	56.1-137	7.56	40
Hexachlorobutadiene	4.91		0.554	ug/L	9.85	<0.554	49.9	33.1-110	2.62	40
Hexachlorocyclopentadiene	5.95		0.554	ug/L	9.85	<0.554	60.4	2-179	7.18	40
Hexachloroethane	5.21		0.554	ug/L	9.85	<0.554	52.9	36.2-106	1.95	40
Indeno(1,2,3-cd) pyrene	5.26		0.554	ug/L	9.85	<0.554	53.3	33.4-153	11.2	40
Isophorone	9.35		0.554	ug/L	9.85	<0.554	94.9	43.3-154	1.80	40
Naphthalene	8.81		0.554	ug/L	9.85	<0.554	89.4	45.1-153	1.24	40
Nitrobenzene	9.44		0.554	ug/L	9.85	<0.554	95.8	54.9-156	0.634	40
n-Nitrosodimethylamine	8.67		2.22	ug/L	49.3	<2.22	17.6	2-56.4	24.9	40
n-Nitrosodi-n-propylamine	9.24		0.554	ug/L	9.85	<0.554	93.8	38.3-160	0.255	40
n-Nitrosodiphenylamine	6.80		0.554	ug/L	9.85	<0.554	69.0	38.1-163	15.2	40
Pentachlorophenol	23.7		1.11	ug/L	19.7	<1.11	120	42.2-151	7.84	40
Phenanthrene	9.49		0.554	ug/L	9.85	<0.554	96.3	45.3-165	5.41	40
Phenol, Total	17.3		1.11	ug/L	19.7	<1.11	87.6	39.8-164	3.05	40
Pyrene	8.46		0.554	ug/L	9.85	<0.554	85.9	46.3-149	1.34	40
Surrogate: 2-Fluorobiphenyl-surr			*9.92*	*ug/L*	*9.85*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.5*	*ug/L*	*19.7*		*119*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.0*	*ug/L*	*19.7*		*112*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.8*	*ug/L*	*9.85*		*120*	*52-162*		
Surrogate: Phenol-d5-surr			*18.7*	*ug/L*	*19.7*		*94.7*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.22*	*ug/L*	*9.85*		*83.5*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0542 - SW-3511 (Continued)										
Matrix Spike Dup (BFC0542-MSD2)	**Source: 22A3944-09RE1**				Prepared: 3/3/2022 Analyzed: 3/22/2022					
2-Chloronaphthalene	8.08		0.554	ug/L	9.85	<0.554	82.0	27.4-158	3.21	40
Di-n-butyl phthalate	9.44		0.554	ug/L	9.85	1.51	80.5	25.4-168	2.24	40
Surrogate: 2-Fluorobiphenyl-surr			*10.0*	*ug/L*	*9.85*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.9*	*ug/L*	*19.7*		*106*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.6*	*ug/L*	*19.7*		*105*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.5*	*ug/L*	*9.85*		*116*	*52-162*		
Surrogate: Phenol-d5-surr			*28.1*	*ug/L*	*19.7*		*143*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.92*	*ug/L*	*9.85*		*80.4*	*51.9-147*		
Batch: BFC0958 - SW-3570										
Blank (BFC0958-BLK1)					Prepared: 3/7/2022 Analyzed: 4/1/2022					
3,3'-Dichlorobenzidine	<2.41	U	2.41	ug/kg wet						
Benzidine	<2.41	U	2.41	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*13.6*	*ug/kg wet*	*19.2*		*70.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.2*	*ug/kg wet*	*38.5*		*86.2*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*36.1*	*ug/kg wet*	*38.5*		*93.9*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.7*	*ug/kg wet*	*19.2*		*102*	*60-140*		
Surrogate: Phenol-d5-surr			*33.8*	*ug/kg wet*	*38.5*		*87.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.6*	*ug/kg wet*	*19.2*		*76.1*	*60-140*		
Blank (BFC0958-BLK2)					Prepared: 3/7/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	<2.41	U	2.41	ug/kg wet						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<2.41	U	2.41	ug/kg wet						
1,2-Diphenylhydrazine	<2.41	U	2.41	ug/kg wet						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.41	U	2.41	ug/kg wet						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<2.41	U	2.41	ug/kg wet						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<2.41	U	2.41	ug/kg wet						
2,4,6-Trichlorophenol	<4.81	U	4.81	ug/kg wet						
2,4-Dichlorophenol	<4.81	U	4.81	ug/kg wet						
2,4-Dimethylphenol	<4.81	U	4.81	ug/kg wet						
2,4-Dinitrophenol	<4.81	U	4.81	ug/kg wet						
2,4-Dinitrotoluene (2,4-DNT)	<2.41	U	2.41	ug/kg wet						
2,6-Dinitrotoluene (2,6-DNT)	<2.41	U	2.41	ug/kg wet						
2-Chloronaphthalene	<2.41	U	2.41	ug/kg wet						
2-Chlorophenol	<4.81	U	4.81	ug/kg wet						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<19.2	U	19.2	ug/kg wet						
2-Nitrophenol	<4.81	U	4.81	ug/kg wet						
4-Bromophenyl phenyl ether (BDE-3)	<2.41	U	2.41	ug/kg wet						
4-Chloro-3-methylphenol	<4.81	U	4.81	ug/kg wet						
4-Chlorophenyl phenylether	<2.41	U	2.41	ug/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0958 - SW-3570 (Continued)										
Blank (BFC0958-BLK2)				Prepared: 3/7/2022 Analyzed: 4/12/2022						
4-Nitrophenol	<2.41	U	2.41	ug/kg wet						
Acenaphthene	<2.41	U	2.41	ug/kg wet						
Acenaphthylene	<2.41	U	2.41	ug/kg wet						
Anthracene	<2.41	U	2.41	ug/kg wet						
Benzo(a)anthracene	<2.41	U	2.41	ug/kg wet						
Benzo(a)pyrene	<2.41	U	2.41	ug/kg wet						
benzo(b&k)fluoranthene	<2.41	U	2.41	ug/kg wet						
Benzo(g,h,i)perylene	<2.41	U	2.41	ug/kg wet						
bis(2-Chloroethoxy)methane	<2.41	U	2.41	ug/kg wet						
bis(2-Chloroethyl) ether	<2.41	U	2.41	ug/kg wet						
Bis(2-ethylhexyl)phthalate	<2.41	U	2.41	ug/kg wet						
Butyl benzyl phthalate	<2.41	U	2.41	ug/kg wet						
Chrysene	<2.41	U	2.41	ug/kg wet						
Dibenzo(a,h)anthracene	<2.41	U	2.41	ug/kg wet						
Diethyl phthalate	<2.41	U	2.41	ug/kg wet						
Dimethyl phthalate	<2.41	U	2.41	ug/kg wet						
Di-n-butyl phthalate	<2.41	U	2.41	ug/kg wet						
Di-n-octyl phthalate	<2.41	U	2.41	ug/kg wet						
Fluoranthene	<2.41	U	2.41	ug/kg wet						
Fluorene	<2.41	U	2.41	ug/kg wet						
Hexachlorobenzene	<2.41	U	2.41	ug/kg wet						
Hexachlorobutadiene	<2.41	U	2.41	ug/kg wet						
Hexachlorocyclopentadiene	<2.41	U	2.41	ug/kg wet						
Hexachloroethane	<2.41	U	2.41	ug/kg wet						
Indeno(1,2,3-cd) pyrene	<2.41	U	2.41	ug/kg wet						
Isophorone	<2.41	U	2.41	ug/kg wet						
Naphthalene	<2.41	U	2.41	ug/kg wet						
Nitrobenzene	<2.41	U	2.41	ug/kg wet						
n-Nitrosodimethylamine	<2.41	U	2.41	ug/kg wet						
n-Nitrosodi-n-propylamine	<2.41	U	2.41	ug/kg wet						
n-Nitrosodiphenylamine	<2.41	U	2.41	ug/kg wet						
Pentachlorophenol	<4.81	U	4.81	ug/kg wet						
Phenanthrene	<2.41	U	2.41	ug/kg wet						
Phenol, Total	<4.81	U	4.81	ug/kg wet						
Pyrene	<2.41	U	2.41	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*17.3*	*ug/kg wet*	*19.2*		*89.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*36.1*	*ug/kg wet*	*38.5*		*93.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*32.3*	*ug/kg wet*	*38.5*		*83.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.9*	*ug/kg wet*	*19.2*		*103*	*60-140*		
Surrogate: Phenol-d5-surr			*43.0*	*ug/kg wet*	*38.5*		*112*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*18.8*	*ug/kg wet*	*19.2*		*97.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0958 - SW-3570 (Continued)										
LCS (BFC0958-BS1)					Prepared: 3/7/2022 Analyzed: 4/2/2022					
3,3'-Dichlorobenzidine	12.6		2.46	ug/kg wet	19.6		64.2	60-140		
Benzidine	<2.46	J1, U	2.46	ug/kg wet	19.6			60-140		
Surrogate: 2-Fluorobiphenyl-surr			*12.3*	*ug/kg wet*	*19.6*		*62.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.3*	*ug/kg wet*	*39.3*		*84.9*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*35.7*	*ug/kg wet*	*39.3*		*90.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.5*	*ug/kg wet*	*19.6*		*99.1*	*60-140*		
Surrogate: Phenol-d5-surr			*33.3*	*ug/kg wet*	*39.3*		*84.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.9*	*ug/kg wet*	*19.6*		*75.9*	*60-140*		
LCS (BFC0958-BS2)					Prepared: 3/7/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	9.59	J1	2.30	ug/kg wet	18.4		52.1	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.30	J1	2.30	ug/kg wet	18.4		45.1	60-140		
1,2-Diphenylhydrazine	13.1		2.30	ug/kg wet	18.4		71.1	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	8.77	J1	2.30	ug/kg wet	18.4		47.7	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	8.30	J1	2.30	ug/kg wet	18.4		45.1	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	11.7		2.30	ug/kg wet	18.4		63.5	60-140		
2,4,6-Trichlorophenol	69.4		4.60	ug/kg wet	73.6		94.3	60-140		
2,4-Dichlorophenol	32.9		4.60	ug/kg wet	36.8		89.3	60-140		
2,4-Dimethylphenol	33.9		4.60	ug/kg wet	36.8		92.1	60-140		
2,4-Dinitrophenol	12.4		4.60	ug/kg wet	92.0		13.4	10-50.4		
2,4-Dinitrotoluene (2,4-DNT)	14.6		2.30	ug/kg wet	18.4		79.6	60-140		
2,6-Dinitrotoluene (2,6-DNT)	13.5		2.30	ug/kg wet	18.4		73.3	60-140		
2-Chloronaphthalene	13.0		2.30	ug/kg wet	18.4		70.6	60-140		
2-Chlorophenol	28.2		4.60	ug/kg wet	36.8		76.6	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	13.8	J1, J	18.4	ug/kg wet	36.8		37.6	60-140		
2-Nitrophenol	32.7		4.60	ug/kg wet	36.8		88.9	60-140		
4-Bromophenyl phenyl ether (BDE-3)	12.9		2.30	ug/kg wet	18.4		70.2	60-140		
4-Chloro-3-methylphenol	37.5		4.60	ug/kg wet	36.8		102	60-140		
4-Chlorophenyl phenylether	13.4		2.30	ug/kg wet	18.4		72.7	60-140		
4-Nitrophenol	100		2.30	ug/kg wet	92.0		109	60-140		
Acenaphthene	12.8		2.30	ug/kg wet	18.4		69.3	60-140		
Acenaphthylene	11.7		2.30	ug/kg wet	18.4		63.7	60-140		
Anthracene	12.4		2.30	ug/kg wet	18.4		67.3	60-140		
Benzo(a)anthracene	12.0		2.30	ug/kg wet	18.4		65.5	60-140		
Benzo(a)pyrene	12.4		2.30	ug/kg wet	18.4		67.6	60-140		
benzo(b&k)fluoranthene	25.4		2.30	ug/kg wet	36.8		68.9	60-140		
Benzo(g,h,i)perylene	13.7		2.30	ug/kg wet	18.4		74.6	60-140		
bis(2-Chloroethoxy)methane	12.6		2.30	ug/kg wet	18.4		68.7	60-140		
bis(2-Chloroethyl) ether	12.1		2.30	ug/kg wet	18.4		65.7	60-140		
Bis(2-ethylhexyl)phthalate	15.5		2.30	ug/kg wet	18.4		84.1	60-140		
Butyl benzyl phthalate	12.3		2.30	ug/kg wet	18.4		66.8	60-140		
Chrysene	15.3		2.30	ug/kg wet	18.4		83.0	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0958 - SW-3570 (Continued)										
LCS (BFC0958-BS2)					Prepared: 3/7/2022 Analyzed: 4/12/2022					
Dibenzo(a,h)anthracene	12.9		2.30	ug/kg wet	18.4		70.2	60-140		
Diethyl phthalate	13.6		2.30	ug/kg wet	18.4		74.0	60-140		
Dimethyl phthalate	13.0		2.30	ug/kg wet	18.4		70.8	60-140		
Di-n-butyl phthalate	13.4		2.30	ug/kg wet	18.4		72.9	60-140		
Di-n-octyl phthalate	14.0		2.30	ug/kg wet	18.4		75.9	60-140		
Fluoranthene	12.8		2.30	ug/kg wet	18.4		69.5	60-140		
Fluorene	13.9		2.30	ug/kg wet	18.4		75.6	60-140		
Hexachlorobenzene	13.5		2.30	ug/kg wet	18.4		73.3	60-140		
Hexachlorobutadiene	7.25	J1	2.30	ug/kg wet	18.4		39.4	60-140		
Hexachlorocyclopentadiene	7.22	J1	2.30	ug/kg wet	18.4		39.3	60-140		
Hexachloroethane	7.82	J1	2.30	ug/kg wet	18.4		42.5	60-140		
Indeno(1,2,3-cd) pyrene	13.1		2.30	ug/kg wet	18.4		71.2	60-140		
Isophorone	12.5		2.30	ug/kg wet	18.4		67.8	60-140		
Naphthalene	12.3		2.30	ug/kg wet	18.4		66.6	60-140		
Nitrobenzene	13.8		2.30	ug/kg wet	18.4		75.2	60-140		
n-Nitrosodimethylamine	59.7		2.30	ug/kg wet	92.0		64.9	60-140		
n-Nitrosodi-n-propylamine	14.7		2.30	ug/kg wet	18.4		79.6	60-140		
n-Nitrosodiphenylamine	11.3		2.30	ug/kg wet	18.4		61.4	60-140		
Pentachlorophenol	30.4		4.60	ug/kg wet	36.8		82.5	60-140		
Phenanthrene	12.3		2.30	ug/kg wet	18.4		67.0	60-140		
Phenol, Total	34.2		4.60	ug/kg wet	36.8		93.0	60-140		
Pyrene	12.3		2.30	ug/kg wet	18.4		67.0	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*13.2*	*ug/kg wet*	*18.4*		*71.7*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.0*	*ug/kg wet*	*36.8*		*89.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*30.1*	*ug/kg wet*	*36.8*		*81.9*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.4*	*ug/kg wet*	*18.4*		*100*	*60-140*		
Surrogate: Phenol-d5-surr			*38.7*	*ug/kg wet*	*36.8*		*105*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*13.7*	*ug/kg wet*	*18.4*		*74.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0958 - SW-3570 (Continued)										
LCS Dup (BFC0958-BSD1)					Prepared: 3/7/2022 Analyzed: 4/2/2022					
3,3'-Dichlorobenzidine	12.6		2.35	ug/kg wet	18.8		67.0	60-140	0.321	40
Benzidine	<2.35	J1, U	2.35	ug/kg wet	18.8			60-140	200	40
Surrogate: 2-Fluorobiphenyl-surr			*12.5*	*ug/kg wet*	*18.8*		*66.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*29.0*	*ug/kg wet*	*37.6*		*77.3*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*33.2*	*ug/kg wet*	*37.6*		*88.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.4*	*ug/kg wet*	*18.8*		*98.1*	*60-140*		
Surrogate: Phenol-d5-surr			*31.3*	*ug/kg wet*	*37.6*		*83.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.2*	*ug/kg wet*	*18.8*		*75.6*	*60-140*		
LCS Dup (BFC0958-BSD2)					Prepared: 3/7/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	9.76	J1	2.41	ug/kg wet	19.3		50.7	60-140	1.77	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.78	J1	2.41	ug/kg wet	19.3		45.5	60-140	5.63	40
1,2-Diphenylhydrazine	15.2		2.41	ug/kg wet	19.3		79.1	60-140	15.2	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	9.11	J1	2.41	ug/kg wet	19.3		47.3	60-140	3.84	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	9.20	J1	2.41	ug/kg wet	19.3		47.8	60-140	10.4	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	12.6		2.41	ug/kg wet	19.3		65.4	60-140	7.64	40
2,4,6-Trichlorophenol	76.3		4.82	ug/kg wet	77.1		99.0	60-140	9.39	40
2,4-Dichlorophenol	38.1		4.82	ug/kg wet	38.5		98.8	60-140	14.7	40
2,4-Dimethylphenol	33.6		4.82	ug/kg wet	38.5		87.3	60-140	0.749	40
2,4-Dinitrophenol	12.7		4.82	ug/kg wet	96.3		13.2	10-50.4	2.48	40
2,4-Dinitrotoluene (2,4-DNT)	16.7		2.41	ug/kg wet	19.3		86.5	60-140	13.0	40
2,6-Dinitrotoluene (2,6-DNT)	14.4		2.41	ug/kg wet	19.3		74.8	60-140	6.56	40
2-Chloronaphthalene	14.2		2.41	ug/kg wet	19.3		73.5	60-140	8.63	40
2-Chlorophenol	45.9	J1	4.82	ug/kg wet	38.5		119	60-140	47.9	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	14.5	J1, J	19.3	ug/kg wet	38.5		37.6	60-140	4.67	40
2-Nitrophenol	36.2		4.82	ug/kg wet	38.5		94.0	60-140	10.2	40
4-Bromophenyl phenyl ether (BDE-3)	16.1		2.41	ug/kg wet	19.3		83.5	60-140	21.8	40
4-Chloro-3-methylphenol	42.3		4.82	ug/kg wet	38.5		110	60-140	12.0	40
4-Chlorophenyl phenylether	16.5		2.41	ug/kg wet	19.3		85.8	60-140	21.1	40
4-Nitrophenol	99.1		2.41	ug/kg wet	96.3		103	60-140	1.09	40
Acenaphthene	14.8		2.41	ug/kg wet	19.3		76.7	60-140	14.7	40
Acenaphthylene	12.6		2.41	ug/kg wet	19.3		65.6	60-140	7.65	40
Anthracene	14.4		2.41	ug/kg wet	19.3		74.7	60-140	15.1	40
Benzo(a)anthracene	12.8		2.41	ug/kg wet	19.3		66.6	60-140	6.31	40
Benzo(a)pyrene	13.3		2.41	ug/kg wet	19.3		68.9	60-140	6.53	40
benzo(b&k)fluoranthene	28.1		2.41	ug/kg wet	38.5		73.0	60-140	10.4	40
Benzo(g,h,i)perylene	14.7		2.41	ug/kg wet	19.3		76.2	60-140	6.82	40
bis(2-Chloroethoxy)methane	15.5		2.41	ug/kg wet	19.3		80.5	60-140	20.3	40
bis(2-Chloroethyl) ether	14.0		2.41	ug/kg wet	19.3		72.6	60-140	14.6	40
Bis(2-ethylhexyl)phthalate	16.9		2.41	ug/kg wet	19.3		87.8	60-140	8.91	40
Butyl benzyl phthalate	14.8		2.41	ug/kg wet	19.3		76.8	60-140	18.4	40
Chrysene	17.2		2.41	ug/kg wet	19.3		89.1	60-140	11.7	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0958 - SW-3570 (Continued)										
LCS Dup (BFC0958-BSD2)				Prepared: 3/7/2022 Analyzed: 4/12/2022						
Dibenzo(a,h)anthracene	14.6		2.41	ug/kg wet	19.3		75.6	60-140	12.0	40
Diethyl phthalate	15.4		2.41	ug/kg wet	19.3		79.9	60-140	12.2	40
Dimethyl phthalate	14.4		2.41	ug/kg wet	19.3		74.5	60-140	9.70	40
Di-n-butyl phthalate	13.9		2.41	ug/kg wet	19.3		72.3	60-140	3.80	40
Di-n-octyl phthalate	15.7		2.41	ug/kg wet	19.3		81.3	60-140	11.5	40
Fluoranthene	14.4		2.41	ug/kg wet	19.3		74.8	60-140	11.9	40
Fluorene	14.8		2.41	ug/kg wet	19.3		76.9	60-140	6.32	40
Hexachlorobenzene	14.3		2.41	ug/kg wet	19.3		74.2	60-140	5.75	40
Hexachlorobutadiene	8.63	J1	2.41	ug/kg wet	19.3		44.8	60-140	17.5	40
Hexachlorocyclopentadiene	7.08	J1	2.41	ug/kg wet	19.3		36.8	60-140	2.00	40
Hexachloroethane	9.65	J1	2.41	ug/kg wet	19.3		50.1	60-140	21.0	40
Indeno(1,2,3-cd) pyrene	14.0		2.41	ug/kg wet	19.3		72.5	60-140	6.51	40
Isophorone	14.0		2.41	ug/kg wet	19.3		72.9	60-140	11.9	40
Naphthalene	11.5	J1	2.41	ug/kg wet	19.3		59.6	60-140	6.48	40
Nitrobenzene	14.9		2.41	ug/kg wet	19.3		77.5	60-140	7.54	40
n-Nitrosodimethylamine	60.1		2.41	ug/kg wet	96.3		62.3	60-140	0.587	40
n-Nitrosodi-n-propylamine	16.1		2.41	ug/kg wet	19.3		83.4	60-140	9.18	40
n-Nitrosodiphenylamine	12.4		2.41	ug/kg wet	19.3		64.3	60-140	9.13	40
Pentachlorophenol	33.5		4.82	ug/kg wet	38.5		87.0	60-140	9.89	40
Phenanthrene	13.1		2.41	ug/kg wet	19.3		67.8	60-140	5.92	40
Phenol, Total	38.0		4.82	ug/kg wet	38.5		98.6	60-140	10.5	40
Pyrene	13.8		2.41	ug/kg wet	19.3		71.9	60-140	11.5	40
Surrogate: 2-Fluorobiphenyl-surr			*14.9*	*ug/kg wet*	*19.3*		*77.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.0*	*ug/kg wet*	*38.5*		*85.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*32.6*	*ug/kg wet*	*38.5*		*84.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.4*	*ug/kg wet*	*19.3*		*90.4*	*60-140*		
Surrogate: Phenol-d5-surr			*42.1*	*ug/kg wet*	*38.5*		*109*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.2*	*ug/kg wet*	*19.3*		*78.8*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0958 - SW-3570 (Continued)										
MDL BENZ (BFC0958-MRL1)					Prepared: 3/7/2022 Analyzed: 4/1/2022					
3,3'-Dichlorobenzidine	<2.38	U	2.38	ug/kg wet	1.90					
Benzidine	<2.38	U	2.38	ug/kg wet	1.90					
Surrogate: 2-Fluorobiphenyl-surr	*S*		*10.3*	*ug/kg wet*	*19.0*		*54.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*25.7*	*ug/kg wet*	*38.1*		*67.4*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*33.6*	*ug/kg wet*	*38.1*		*88.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.2*	*ug/kg wet*	*19.0*		*95.7*	*60-140*		
Surrogate: Phenol-d5-surr			*30.4*	*ug/kg wet*	*38.1*		*79.7*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.7*	*ug/kg wet*	*19.0*		*77.0*	*60-140*		
MDL SV (BFC0958-MRL2)					Prepared: 3/7/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	1.44	J	2.31	ug/kg wet	1.85		78.3			
1,2-Dichlorobenzene (o-Dichlorobenzene)	<2.31	U	2.31	ug/kg wet	1.85					
1,2-Diphenylhydrazine	1.62	J	2.31	ug/kg wet	1.85		87.8			
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.31	U	2.31	ug/kg wet	1.85					
1,4-Dichlorobenzene (p-Dichlorobenzene)	1.16	J	2.31	ug/kg wet	1.85		62.9			
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	1.24	J	2.31	ug/kg wet	1.85		67.4			
2,4,6-Trichlorophenol	7.38		4.61	ug/kg wet	7.38		100			
2,4-Dichlorophenol	3.02	J	4.61	ug/kg wet	3.69		81.8			
2,4-Dimethylphenol	2.96	J	4.61	ug/kg wet	3.69		80.2			
2,4-Dinitrophenol	5.39		4.61	ug/kg wet	9.23		58.4			
2,4-Dinitrotoluene (2,4-DNT)	<2.31	U	2.31	ug/kg wet	1.85					
2,6-Dinitrotoluene (2,6-DNT)	<2.31	U	2.31	ug/kg wet	1.85					
2-Chloronaphthalene	1.16	J	2.31	ug/kg wet	1.85		63.1			
2-Chlorophenol	4.30	J	4.61	ug/kg wet	3.69		116			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<18.5	U	18.5	ug/kg wet	3.69					
2-Nitrophenol	2.56	J	4.61	ug/kg wet	3.69		69.3			
4-Bromophenyl phenyl ether (BDE-3)	1.32	J	2.31	ug/kg wet	1.85		71.5			
4-Chloro-3-methylphenol	3.03	J	4.61	ug/kg wet	3.69		82.2			
4-Chlorophenyl phenylether	1.21	J	2.31	ug/kg wet	1.85		65.4			
4-Nitrophenol	9.20		2.31	ug/kg wet	9.23		99.7			
Acenaphthene	1.46	J	2.31	ug/kg wet	1.85		79.4			
Acenaphthylene	1.33	J	2.31	ug/kg wet	1.85		72.0			
Anthracene	<2.31	U	2.31	ug/kg wet	1.85					
Benzo(a)anthracene	1.18	J	2.31	ug/kg wet	1.85		64.1			
Benzo(a)pyrene	1.22	J	2.31	ug/kg wet	1.85		65.9			
benzo(b&k)fluoranthene	2.56		2.31	ug/kg wet	3.69		69.4			
Benzo(g,h,i)perylene	1.43	J	2.31	ug/kg wet	1.85		77.2			
bis(2-Chloroethoxy)methane	1.47	J	2.31	ug/kg wet	1.85		79.6			
bis(2-Chloroethyl) ether	1.51	J	2.31	ug/kg wet	1.85		81.7			
Bis(2-ethylhexyl)phthalate	2.46		2.31	ug/kg wet	1.85		133			
Butyl benzyl phthalate	1.16	J	2.31	ug/kg wet	1.85		62.9			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0958 - SW-3570 (Continued)										
MDL SV (BFC0958-MRL2)			Prepared: 3/7/2022 Analyzed: 4/12/2022							
Chrysene	1.46	J	2.31	ug/kg wet	1.85		79.0			
Dibenzo(a,h)anthracene	<2.31	U	2.31	ug/kg wet	1.85					
Diethyl phthalate	1.52	J	2.31	ug/kg wet	1.85		82.6			
Dimethyl phthalate	1.40	J	2.31	ug/kg wet	1.85		76.0			
Di-n-butyl phthalate	1.92	J	2.31	ug/kg wet	1.85		104			
Di-n-octyl phthalate	1.28	J	2.31	ug/kg wet	1.85		69.5			
Fluoranthene	1.24	J	2.31	ug/kg wet	1.85		67.1			
Fluorene	1.25	J	2.31	ug/kg wet	1.85		67.7			
Hexachlorobenzene	<2.31	U	2.31	ug/kg wet	1.85					
Hexachlorobutadiene	1.31	J	2.31	ug/kg wet	1.85		70.9			
Hexachlorocyclopentadiene	1.26	J	2.31	ug/kg wet	1.85		68.4			
Hexachloroethane	<2.31	U	2.31	ug/kg wet	1.85					
Indeno(1,2,3-cd) pyrene	1.34	J	2.31	ug/kg wet	1.85		72.4			
Isophorone	<2.31	U	2.31	ug/kg wet	1.85					
Naphthalene	<2.31	U	2.31	ug/kg wet	1.85					
Nitrobenzene	1.36	J	2.31	ug/kg wet	1.85		73.9			
n-Nitrosodimethylamine	10.6		2.31	ug/kg wet	9.23		115			
n-Nitrosodi-n-propylamine	2.19	J	2.31	ug/kg wet	1.85		119			
n-Nitrosodiphenylamine	<2.31	U	2.31	ug/kg wet	1.85					
Pentachlorophenol	3.08	J	4.61	ug/kg wet	3.69		83.4			
Phenanthrene	1.56	J	2.31	ug/kg wet	1.85		84.5			
Phenol, Total	4.04	J	4.61	ug/kg wet	3.69		109			
Pyrene	<2.31	U	2.31	ug/kg wet	1.85					
Surrogate: 2-Fluorobiphenyl-surr			*13.8*	*ug/kg wet*	*18.5*		*74.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*31.3*	*ug/kg wet*	*36.9*		*84.8*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*29.1*	*ug/kg wet*	*36.9*		*78.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.4*	*ug/kg wet*	*18.5*		*89.0*	*60-140*		
Surrogate: Phenol-d5-surr			*34.4*	*ug/kg wet*	*36.9*		*93.2*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.9*	*ug/kg wet*	*18.5*		*86.0*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0958 - SW-3570 (Continued)										
Matrix Spike (BFC0958-MS1)	**Source: 22A3944-29RE1**				Prepared: 3/7/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	13.8	J1	3.02	ug/kg dry	24.1	<3.02	57.4	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	12.8	J1	3.02	ug/kg dry	24.1	<3.02	53.0	60-140		
1,2-Diphenylhydrazine	18.2		3.02	ug/kg dry	24.1	<3.02	75.6	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	12.7	J1	3.02	ug/kg dry	24.1	<3.02	52.8	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	11.1	J1	3.02	ug/kg dry	24.1	<3.02	46.1	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	15.6		3.02	ug/kg dry	24.1	<3.02	64.5	60-140		
2,4,6-Trichlorophenol	93.2		6.03	ug/kg dry	96.5	<6.03	96.6	60-140		
2,4-Dichlorophenol	43.6		6.03	ug/kg dry	48.3	<6.03	90.3	60-140		
2,4-Dimethylphenol	44.3		6.03	ug/kg dry	48.3	<6.03	91.9	60-140		
2,4-Dinitrophenol	42.2		6.03	ug/kg dry	121	<6.03	35.0	10-51.3		
2,4-Dinitrotoluene (2,4-DNT)	19.4		3.02	ug/kg dry	24.1	<3.02	80.6	60-140		
2,6-Dinitrotoluene (2,6-DNT)	16.5		3.02	ug/kg dry	24.1	<3.02	68.5	60-140		
2-Chloronaphthalene	20.9		3.02	ug/kg dry	24.1	<3.02	86.8	60-140		
2-Chlorophenol	45.6		6.03	ug/kg dry	48.3	<6.03	94.5	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	36.8		24.1	ug/kg dry	48.3	<24.1	76.4	60-140		
2-Nitrophenol	42.8		6.03	ug/kg dry	48.3	<6.03	88.6	60-140		
4-Bromophenyl phenyl ether (BDE-3)	19.7		3.02	ug/kg dry	24.1	<3.02	81.5	60-140		
4-Chloro-3-methylphenol	54.6		6.03	ug/kg dry	48.3	<6.03	113	60-140		
4-Chlorophenyl phenylether	17.6		3.02	ug/kg dry	24.1	<3.02	72.9	60-140		
4-Nitrophenol	108		3.02	ug/kg dry	121	<3.02	89.9	60-140		
Acenaphthene	18.0		3.02	ug/kg dry	24.1	<3.02	74.6	60-140		
Acenaphthylene	15.9		3.02	ug/kg dry	24.1	<3.02	66.1	60-140		
Anthracene	15.7		3.02	ug/kg dry	24.1	<3.02	64.9	60-140		
Benzo(a)anthracene	16.9		3.02	ug/kg dry	24.1	<3.02	70.0	60-140		
Benzo(a)pyrene	15.5		3.02	ug/kg dry	24.1	<3.02	64.1	60-140		
benzo(b&k)fluoranthene	34.1		3.02	ug/kg dry	48.3	1.62	67.2	60-140		
Benzo(g,h,i)perylene	15.3		3.02	ug/kg dry	24.1	<3.02	63.3	60-140		
bis(2-Chloroethoxy)methane	18.2		3.02	ug/kg dry	24.1	<3.02	75.5	60-140		
bis(2-Chloroethyl) ether	15.9		3.02	ug/kg dry	24.1	<3.02	65.7	60-140		
Bis(2-ethylhexyl)phthalate	21.4		3.02	ug/kg dry	24.1	5.60	65.5	60-140		
Butyl benzyl phthalate	14.3	J1	3.02	ug/kg dry	24.1	<3.02	59.2	60-140		
Chrysene	19.0		3.02	ug/kg dry	24.1	<3.02	78.9	60-140		
Dibenzo(a,h)anthracene	14.5		3.02	ug/kg dry	24.1	<3.02	60.1	60-140		
Diethyl phthalate	17.6		3.02	ug/kg dry	24.1	<3.02	73.1	60-140		
Dimethyl phthalate	17.2		3.02	ug/kg dry	24.1	<3.02	71.2	60-140		
Di-n-butyl phthalate	16.9	J1	3.02	ug/kg dry	24.1	3.03	57.5	60-140		
Di-n-octyl phthalate	16.1		3.02	ug/kg dry	24.1	<3.02	66.7	60-140		
Fluoranthene	13.6	J1	3.02	ug/kg dry	24.1	<3.02	56.4	60-140		
Fluorene	18.0		3.02	ug/kg dry	24.1	<3.02	74.6	60-140		
Hexachlorobenzene	17.2		3.02	ug/kg dry	24.1	<3.02	71.2	60-140		
Hexachlorobutadiene	12.0	J1	3.02	ug/kg dry	24.1	<3.02	49.9	60-140		
Hexachlorocyclopentadiene	6.33	J1	3.02	ug/kg dry	24.1	<3.02	26.2	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0958 - SW-3570 (Continued)										
Matrix Spike (BFC0958-MS1)	**Source: 22A3944-29RE1**		Prepared: 3/7/2022 Analyzed: 4/12/2022							
Hexachloroethane	12.4	J1	3.02	ug/kg dry	24.1	<3.02	51.4	60-140		
Indeno(1,2,3-cd) pyrene	15.0		3.02	ug/kg dry	24.1	<3.02	62.2	60-140		
Isophorone	16.9		3.02	ug/kg dry	24.1	<3.02	70.0	60-140		
Naphthalene	16.0		3.02	ug/kg dry	24.1	<3.02	66.3	60-140		
Nitrobenzene	18.1		3.02	ug/kg dry	24.1	<3.02	75.0	60-140		
n-Nitrosodimethylamine	67.4	J1	3.02	ug/kg dry	121	<3.02	55.9	60-140		
n-Nitrosodi-n-propylamine	17.1		3.02	ug/kg dry	24.1	<3.02	70.8	60-140		
n-Nitrosodiphenylamine	10.9	J1	3.02	ug/kg dry	24.1	<3.02	45.1	60-140		
Pentachlorophenol	39.0		6.03	ug/kg dry	48.3	<6.03	80.8	60-140		
Phenanthrene	16.1		3.02	ug/kg dry	24.1	<3.02	66.7	60-140		
Phenol, Total	47.3		6.03	ug/kg dry	48.3	<6.03	98.0	60-140		
Pyrene	13.7	J1	3.02	ug/kg dry	24.1	<3.02	56.6	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*20.9*	*ug/kg dry*	*24.1*		*86.7*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*41.3*	*ug/kg dry*	*48.3*		*85.6*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*38.6*	*ug/kg dry*	*48.3*		*80.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*20.9*	*ug/kg dry*	*24.1*		*86.8*	*60-140*		
Surrogate: Phenol-d5-surr			*50.6*	*ug/kg dry*	*48.3*		*105*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.6*	*ug/kg dry*	*24.1*		*60.5*	*60-140*		
Matrix Spike Dup (BFC0958-MSD1)	**Source: 22A3944-29RE1**		Prepared: 3/7/2022 Analyzed: 4/12/2022							
1,2,4-Trichlorobenzene	16.2		2.86	ug/kg dry	22.9	<2.86	70.9	60-140	15.8	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	12.5	J1	2.86	ug/kg dry	22.9	<2.86	54.7	60-140	2.11	40
1,2-Diphenylhydrazine	18.1		2.86	ug/kg dry	22.9	<2.86	79.1	60-140	0.698	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	10.6	J1	2.86	ug/kg dry	22.9	<2.86	46.5	60-140	17.9	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	11.9	J1	2.86	ug/kg dry	22.9	<2.86	52.2	60-140	7.05	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	14.9		2.86	ug/kg dry	22.9	<2.86	65.2	60-140	4.11	40
2,4,6-Trichlorophenol	91.2		5.72	ug/kg dry	91.6	<5.72	99.6	60-140	2.16	40
2,4-Dichlorophenol	40.6		5.72	ug/kg dry	45.8	<5.72	88.6	60-140	7.17	40
2,4-Dimethylphenol	46.8		5.72	ug/kg dry	45.8	<5.72	102	60-140	5.41	40
2,4-Dinitrophenol	37.6		5.72	ug/kg dry	114	<5.72	32.9	10-51.3	11.5	40
2,4-Dinitrotoluene (2,4-DNT)	16.7		2.86	ug/kg dry	22.9	<2.86	72.8	60-140	15.3	40
2,6-Dinitrotoluene (2,6-DNT)	16.3		2.86	ug/kg dry	22.9	<2.86	71.1	60-140	1.49	40
2-Chloronaphthalene	21.4		2.86	ug/kg dry	22.9	<2.86	93.5	60-140	2.22	40
2-Chlorophenol	46.7		5.72	ug/kg dry	45.8	<5.72	102	60-140	2.30	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	35.6		22.9	ug/kg dry	45.8	<22.9	77.7	60-140	3.56	40
2-Nitrophenol	42.7		5.72	ug/kg dry	45.8	<5.72	93.4	60-140	0.0187	40
4-Bromophenyl phenyl ether (BDE-3)	17.1		2.86	ug/kg dry	22.9	<2.86	74.7	60-140	14.0	40
4-Chloro-3-methylphenol	45.0		5.72	ug/kg dry	45.8	<5.72	98.4	60-140	19.3	40
4-Chlorophenyl phenylether	17.2		2.86	ug/kg dry	22.9	<2.86	75.3	60-140	2.08	40
4-Nitrophenol	101		2.86	ug/kg dry	114	<2.86	88.4	60-140	6.99	40
Acenaphthene	17.7		2.86	ug/kg dry	22.9	<2.86	77.2	60-140	1.77	40
Acenaphthylene	15.6		2.86	ug/kg dry	22.9	<2.86	68.1	60-140	2.19	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0958 - SW-3570 (Continued)										
Matrix Spike Dup (BFC0958-MSD1)	**Source: 22A3944-29RE1**		Prepared: 3/7/2022 Analyzed: 4/12/2022							
Anthracene	15.4		2.86	ug/kg dry	22.9	<2.86	67.1	60-140	1.80	40
Benzo(a)anthracene	16.4		2.86	ug/kg dry	22.9	<2.86	71.8	60-140	2.77	40
Benzo(a)pyrene	15.4		2.86	ug/kg dry	22.9	<2.86	67.2	60-140	0.555	40
benzo(b&k)fluoranthene	33.0		2.86	ug/kg dry	45.8	1.62	68.5	60-140	3.27	40
Benzo(g,h,i)perylene	15.2		2.86	ug/kg dry	22.9	<2.86	66.4	60-140	0.429	40
bis(2-Chloroethoxy)methane	17.0		2.86	ug/kg dry	22.9	<2.86	74.5	60-140	6.66	40
bis(2-Chloroethyl) ether	11.7	J1	2.86	ug/kg dry	22.9	<2.86	51.3	60-140	29.8	40
Bis(2-ethylhexyl)phthalate	19.9		2.86	ug/kg dry	22.9	5.60	62.5	60-140	7.22	40
Butyl benzyl phthalate	13.4	J1	2.86	ug/kg dry	22.9	<2.86	58.6	60-140	6.22	40
Chrysene	17.6		2.86	ug/kg dry	22.9	<2.86	77.1	60-140	7.64	40
Dibenzo(a,h)anthracene	14.8		2.86	ug/kg dry	22.9	<2.86	64.5	60-140	1.82	40
Diethyl phthalate	16.6		2.86	ug/kg dry	22.9	<2.86	72.4	60-140	6.11	40
Dimethyl phthalate	17.3		2.86	ug/kg dry	22.9	<2.86	75.5	60-140	0.637	40
Di-n-butyl phthalate	15.1	J1	2.86	ug/kg dry	22.9	3.03	52.8	60-140	11.2	40
Di-n-octyl phthalate	15.3		2.86	ug/kg dry	22.9	<2.86	66.9	60-140	4.87	40
Fluoranthene	14.7		2.86	ug/kg dry	22.9	<2.86	64.3	60-140	7.87	40
Fluorene	18.5		2.86	ug/kg dry	22.9	<2.86	80.8	60-140	2.63	40
Hexachlorobenzene	16.9		2.86	ug/kg dry	22.9	<2.86	73.9	60-140	1.51	40
Hexachlorobutadiene	14.3		2.86	ug/kg dry	22.9	<2.86	62.6	60-140	17.4	40
Hexachlorocyclopentadiene	5.53	J1	2.86	ug/kg dry	22.9	<2.86	24.1	60-140	13.5	40
Hexachloroethane	12.4	J1	2.86	ug/kg dry	22.9	<2.86	54.2	60-140	0.0774	40
Indeno(1,2,3-cd) pyrene	14.6		2.86	ug/kg dry	22.9	<2.86	63.9	60-140	2.52	40
Isophorone	16.2		2.86	ug/kg dry	22.9	<2.86	70.8	60-140	4.04	40
Naphthalene	15.3		2.86	ug/kg dry	22.9	<2.86	66.9	60-140	4.37	40
Nitrobenzene	18.4		2.86	ug/kg dry	22.9	<2.86	80.2	60-140	1.51	40
n-Nitrosodimethylamine	61.3	J1	2.86	ug/kg dry	114	<2.86	53.5	60-140	9.51	40
n-Nitrosodi-n-propylamine	16.1		2.86	ug/kg dry	22.9	<2.86	70.2	60-140	6.11	40
n-Nitrosodiphenylamine	10.0	J1	2.86	ug/kg dry	22.9	<2.86	43.8	60-140	8.28	40
Pentachlorophenol	39.4		5.72	ug/kg dry	45.8	<5.72	86.1	60-140	1.18	40
Phenanthrene	15.5		2.86	ug/kg dry	22.9	<2.86	67.5	60-140	4.02	40
Phenol, Total	47.7		5.72	ug/kg dry	45.8	<5.72	104	60-140	0.874	40
Pyrene	13.7	J1	2.86	ug/kg dry	22.9	<2.86	59.8	60-140	0.251	40
Surrogate: 2-Fluorobiphenyl-surr			*19.2*	*ug/kg dry*	*22.9*		*83.7*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*38.1*	*ug/kg dry*	*45.8*		*83.3*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*42.5*	*ug/kg dry*	*45.8*		*92.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*20.0*	*ug/kg dry*	*22.9*		*87.4*	*60-140*		
Surrogate: Phenol-d5-surr			*47.0*	*ug/kg dry*	*45.8*		*103*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*13.8*	*ug/kg dry*	*22.9*		*60.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511										
Blank (BFC1100-BLK1)					Prepared: 3/8/2022 Analyzed: 3/31/2022					
3,3'-Dichlorobenzidine	<0.559	U	0.559	ug/L						
Benzidine	<0.559	U	0.559	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*11.3*	*ug/L*	*9.94*		*114*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.1*	*ug/L*	*19.9*		*116*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.2*	*ug/L*	*19.9*		*102*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*15.0*	*ug/L*	*9.94*		*151*	*52-162*		
Surrogate: Phenol-d5-surr			*24.8*	*ug/L*	*19.9*		*125*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.0*	*ug/L*	*9.94*		*101*	*51.9-147*		
Blank (BFC1100-BLK2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
1,2,4-Trichlorobenzene	<0.559	U	0.559	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.559	U	0.559	ug/L						
1,2-Diphenylhydrazine	<0.559	U	0.559	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.559	U	0.559	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.559	U	0.559	ug/L						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<0.559	U	0.559	ug/L						
2,4,6-Trichlorophenol	<1.12	U	1.12	ug/L						
2,4-Dichlorophenol	<0.559	U	0.559	ug/L						
2,4-Dimethylphenol	<1.12	U	1.12	ug/L						
2,4-Dinitrophenol	<4.47	U	4.47	ug/L						
2,4-Dinitrotoluene (2,4-DNT)	<0.559	U	0.559	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.559	U	0.559	ug/L						
2-Chloronaphthalene	<0.559	U	0.559	ug/L						
2-Chlorophenol	<1.12	U	1.12	ug/L						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<1.12	U	1.12	ug/L						
2-Nitrophenol	<1.12	U	1.12	ug/L						
4-Bromophenyl phenyl ether (BDE-3)	<0.559	U	0.559	ug/L						
4-Chloro-3-methylphenol	<1.12	U	1.12	ug/L						
4-Chlorophenyl phenylether	<0.559	U	0.559	ug/L						
4-Nitrophenol	<4.47	U	4.47	ug/L						
Acenaphthene	<0.559	U	0.559	ug/L						
Acenaphthylene	<0.559	U	0.559	ug/L						
Anthracene	<0.559	U	0.559	ug/L						
Benzo(a)anthracene	<0.559	U	0.559	ug/L						
Benzo(a)pyrene	<0.559	U	0.559	ug/L						
benzo(b&k)fluoranthene	<0.559	U	0.559	ug/L						
Benzo(g,h,i)perylene	<0.559	U	0.559	ug/L						
bis(2-Chloroethoxy)methane	<0.559	U	0.559	ug/L						
bis(2-Chloroethyl) ether	<0.559	U	0.559	ug/L						
Bis(2-ethylhexyl)phthalate	0.397	J	0.559	ug/L						
Butyl benzyl phthalate	0.393	J	0.559	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
Blank (BFC1100-BLK2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
Chrysene	<0.559	U	0.559	ug/L						
Dibenzo(a,h)anthracene	<0.559	U	0.559	ug/L						
Diethyl phthalate	0.312	J	0.559	ug/L						
Dimethyl phthalate	<0.559	U	0.559	ug/L						
Di-n-butyl phthalate	2.67		0.559	ug/L						
Di-n-octyl phthalate	<0.559	U	0.559	ug/L						
Fluoranthene	<0.559	U	0.559	ug/L						
Fluorene	<0.559	U	0.559	ug/L						
Hexachlorobenzene	<0.559	U	0.559	ug/L						
Hexachlorobutadiene	<0.559	U	0.559	ug/L						
Hexachlorocyclopentadiene	<0.559	U	0.559	ug/L						
Hexachloroethane	<0.559	U	0.559	ug/L						
Indeno(1,2,3-cd) pyrene	<0.559	U	0.559	ug/L						
Isophorone	<0.559	U	0.559	ug/L						
Naphthalene	<0.559	U	0.559	ug/L						
Nitrobenzene	<0.559	U	0.559	ug/L						
n-Nitrosodimethylamine	<2.24	U	2.24	ug/L						
n-Nitrosodi-n-propylamine	<0.559	U	0.559	ug/L						
n-Nitrosodiphenylamine	<0.559	U	0.559	ug/L						
Pentachlorophenol	<1.12	U	1.12	ug/L						
Phenanthrene	<0.559	U	0.559	ug/L						
Phenol, Total	<1.12	U	1.12	ug/L						
Pyrene	<0.559	U	0.559	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*11.0*	*ug/L*	*9.94*		*111*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*25.2*	*ug/L*	*19.9*		*127*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.9*	*ug/L*	*19.9*		*115*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.2*	*ug/L*	*9.94*		*123*	*52-162*		
Surrogate: Phenol-d5-surr			*23.5*	*ug/L*	*19.9*		*118*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*13.0*	*ug/L*	*9.94*		*131*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
LCS Benz (BFC1100-BS1)					Prepared: 3/8/2022 Analyzed: 3/31/2022					
3,3'-Dichlorobenzidine	8.04		0.559	ug/L	9.94		80.8	22.3-156		
Benzidine	2.32		0.559	ug/L	9.94		23.3	9.32-162		
Surrogate: 2-Fluorobiphenyl-surr			*10.8*	*ug/L*	*9.94*		*109*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.5*	*ug/L*	*19.9*		*108*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.9*	*ug/L*	*19.9*		*94.9*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.3*	*ug/L*	*9.94*		*124*	*52-162*		
Surrogate: Phenol-d5-surr			*19.8*	*ug/L*	*19.9*		*99.5*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.20*	*ug/L*	*9.94*		*92.5*	*51.9-147*		
LCS (BFC1100-BS2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
1,2,4-Trichlorobenzene	8.12		0.561	ug/L	9.97		81.4	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.06		0.561	ug/L	9.97		80.8	60-140		
1,2-Diphenylhydrazine	9.23		0.561	ug/L	9.97		92.5	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	7.11		0.561	ug/L	9.97		71.3	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.15		0.561	ug/L	9.97		71.7	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	8.19		0.561	ug/L	9.97		82.2	60-140		
2,4,6-Trichlorophenol	21.9		1.12	ug/L	19.9		110	60-140		
2,4-Dichlorophenol	23.2		0.561	ug/L	19.9		116	60-140		
2,4-Dimethylphenol	21.4		1.12	ug/L	19.9		107	35.9-153		
2,4-Dinitrophenol	41.3		4.49	ug/L	49.9		82.8	60-140		
2,4-Dinitrotoluene (2,4-DNT)	8.80		0.561	ug/L	9.97		88.2	60-140		
2,6-Dinitrotoluene (2,6-DNT)	9.18		0.561	ug/L	9.97		92.0	60-140		
2-Chloronaphthalene	8.64		0.561	ug/L	9.97		86.6	60-140		
2-Chlorophenol	19.1		1.12	ug/L	19.9		95.7	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	17.4		1.12	ug/L	19.9		87.2	60-140		
2-Nitrophenol	20.8		1.12	ug/L	19.9		104	60-140		
4-Bromophenyl phenyl ether (BDE-3)	9.38		0.561	ug/L	9.97		94.1	60-140		
4-Chloro-3-methylphenol	23.5		1.12	ug/L	19.9		118	60-140		
4-Chlorophenyl phenylether	9.09		0.561	ug/L	9.97		91.2	60-140		
4-Nitrophenol	43.5		4.49	ug/L	49.9		87.3	60-140		
Acenaphthene	8.69		0.561	ug/L	9.97		87.1	60-140		
Acenaphthylene	7.69		0.561	ug/L	9.97		77.1	60-140		
Anthracene	8.90		0.561	ug/L	9.97		89.3	60-140		
Benzo(a)anthracene	8.02		0.561	ug/L	9.97		80.4	60-140		
Benzo(a)pyrene	8.20		0.561	ug/L	9.97		82.2	60-140		
benzo(b&k)fluoranthene	18.1		0.561	ug/L	19.9		90.9	60-140		
Benzo(g,h,i)perylene	8.88		0.561	ug/L	9.97		89.0	60-140		
bis(2-Chloroethoxy)methane	9.03		0.561	ug/L	9.97		90.6	60-140		
bis(2-Chloroethyl) ether	9.61		0.561	ug/L	9.97		96.4	60-140		
Bis(2-ethylhexyl)phthalate	9.32		0.561	ug/L	9.97		93.5	60-140		
Butyl benzyl phthalate	8.70		0.561	ug/L	9.97		87.2	60-140		
Chrysene	8.85		0.561	ug/L	9.97		88.7	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
LCS (BFC1100-BS2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
Dibenzo(a,h)anthracene	8.98		0.561	ug/L	9.97		90.1	60-140		
Diethyl phthalate	9.69		0.561	ug/L	9.97		97.2	60-140		
Dimethyl phthalate	9.24		0.561	ug/L	9.97		92.7	60-140		
Di-n-butyl phthalate	11.3		0.561	ug/L	9.97		113	60-140		
Di-n-octyl phthalate	8.68		0.561	ug/L	9.97		87.1	60-140		
Fluoranthene	9.07		0.561	ug/L	9.97		91.0	60-140		
Fluorene	9.60		0.561	ug/L	9.97		96.3	60-140		
Hexachlorobenzene	8.25		0.561	ug/L	9.97		82.7	60-140		
Hexachlorobutadiene	5.58	J1	0.561	ug/L	9.97		56.0	60-140		
Hexachlorocyclopentadiene	5.40	J1	0.561	ug/L	9.97		54.1	60-140		
Hexachloroethane	5.99		0.561	ug/L	9.97		60.0	60-140		
Indeno(1,2,3-cd) pyrene	8.94		0.561	ug/L	9.97		89.7	60-140		
Isophorone	8.58		0.561	ug/L	9.97		86.1	60-140		
Naphthalene	8.41		0.561	ug/L	9.97		84.3	60-140		
Nitrobenzene	8.87		0.561	ug/L	9.97		89.0	60-140		
n-Nitrosodimethylamine	6.93		2.24	ug/L	49.9		13.9	2.5-65.7		
n-Nitrosodi-n-propylamine	9.17		0.561	ug/L	9.97		92.0	60-140		
n-Nitrosodiphenylamine	4.38	V	0.561	ug/L	9.97		44.0	60-140		
Pentachlorophenol	20.4		1.12	ug/L	19.9		102	36.8-149		
Phenanthrene	8.66		0.561	ug/L	9.97		86.9	60-140		
Phenol, Total	22.0		1.12	ug/L	19.9		111	60-140		
Pyrene	9.01		0.561	ug/L	9.97		90.4	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*10.1*	*ug/L*	*9.97*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.1*	*ug/L*	*19.9*		*111*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.6*	*ug/L*	*19.9*		*103*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.0*	*ug/L*	*9.97*		*111*	*52-162*		
Surrogate: Phenol-d5-surr			*23.0*	*ug/L*	*19.9*		*115*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.4*	*ug/L*	*9.97*		*105*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
LCS Benz Dup (BFC1100-BSD1)					Prepared: 3/8/2022 Analyzed: 3/31/2022					
3,3'-Dichlorobenzidine	7.23		0.557	ug/L	9.90		73.0	22.3-156	10.6	40
Benzidine	3.40		0.557	ug/L	9.90		34.3	9.32-162	37.9	40
Surrogate: 2-Fluorobiphenyl-surr			*7.73*	*ug/L*	*9.90*		*78.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.0*	*ug/L*	*19.8*		*106*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.2*	*ug/L*	*19.8*		*96.8*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.7*	*ug/L*	*9.90*		*118*	*52-162*		
Surrogate: Phenol-d5-surr			*18.7*	*ug/L*	*19.8*		*94.2*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.79*	*ug/L*	*9.90*		*78.7*	*51.9-147*		
LCS Dup (BFC1100-BSD2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
1,2,4-Trichlorobenzene	7.66		0.557	ug/L	9.91		77.3	60-140	5.82	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	5.27	J1	0.557	ug/L	9.91		53.2	60-140	41.8	40
1,2-Diphenylhydrazine	8.28		0.557	ug/L	9.91		83.6	60-140	10.8	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.39		0.557	ug/L	9.91		64.4	60-140	10.7	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.11		0.557	ug/L	9.91		71.7	60-140	0.613	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	8.52		0.557	ug/L	9.91		85.9	60-140	3.86	40
2,4,6-Trichlorophenol	20.4		1.11	ug/L	19.8		103	60-140	7.16	40
2,4-Dichlorophenol	23.3		0.557	ug/L	19.8		118	60-140	0.490	40
2,4-Dimethylphenol	21.3		1.11	ug/L	19.8		108	35.9-153	0.355	40
2,4-Dinitrophenol	39.0		4.46	ug/L	49.6		78.7	60-140	5.70	40
2,4-Dinitrotoluene (2,4-DNT)	7.66		0.557	ug/L	9.91		77.3	60-140	13.8	40
2,6-Dinitrotoluene (2,6-DNT)	8.01		0.557	ug/L	9.91		80.8	60-140	13.5	40
2-Chloronaphthalene	8.27		0.557	ug/L	9.91		83.5	60-140	4.31	40
2-Chlorophenol	18.6		1.11	ug/L	19.8		93.8	60-140	2.60	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	15.4		1.11	ug/L	19.8		77.9	60-140	11.9	40
2-Nitrophenol	20.9		1.11	ug/L	19.8		105	60-140	0.339	40
4-Bromophenyl phenyl ether (BDE-3)	8.12		0.557	ug/L	9.91		82.0	60-140	14.3	40
4-Chloro-3-methylphenol	21.7		1.11	ug/L	19.8		109	60-140	8.21	40
4-Chlorophenyl phenylether	8.19		0.557	ug/L	9.91		82.6	60-140	10.5	40
4-Nitrophenol	39.1		4.46	ug/L	49.6		79.0	60-140	10.6	40
Acenaphthene	8.30		0.557	ug/L	9.91		83.7	60-140	4.55	40
Acenaphthylene	7.45		0.557	ug/L	9.91		75.2	60-140	3.14	40
Anthracene	8.41		0.557	ug/L	9.91		84.9	60-140	5.63	40
Benzo(a)anthracene	7.56		0.557	ug/L	9.91		76.3	60-140	5.89	40
Benzo(a)pyrene	7.94		0.557	ug/L	9.91		80.1	60-140	3.15	40
benzo(b&k)fluoranthene	17.9		0.557	ug/L	19.8		90.1	60-140	1.52	40
Benzo(g,h,i)perylene	8.65		0.557	ug/L	9.91		87.3	60-140	2.60	40
bis(2-Chloroethoxy)methane	8.60		0.557	ug/L	9.91		86.7	60-140	4.90	40
bis(2-Chloroethyl) ether	10.3		0.557	ug/L	9.91		104	60-140	6.61	40
Bis(2-ethylhexyl)phthalate	9.23		0.557	ug/L	9.91		93.1	60-140	1.02	40
Butyl benzyl phthalate	8.40		0.557	ug/L	9.91		84.7	60-140	3.51	40
Chrysene	8.66		0.557	ug/L	9.91		87.4	60-140	2.12	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
LCS Dup (BFC1100-BSD2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
Dibenzo(a,h)anthracene	8.65		0.557	ug/L	9.91		87.3	60-140	3.79	40
Diethyl phthalate	7.70		0.557	ug/L	9.91		77.7	60-140	22.9	40
Dimethyl phthalate	7.79		0.557	ug/L	9.91		78.6	60-140	17.0	40
Di-n-butyl phthalate	9.03		0.557	ug/L	9.91		91.1	60-140	21.9	40
Di-n-octyl phthalate	8.53		0.557	ug/L	9.91		86.1	60-140	1.76	40
Fluoranthene	8.49		0.557	ug/L	9.91		85.6	60-140	6.67	40
Fluorene	8.78		0.557	ug/L	9.91		88.6	60-140	9.00	40
Hexachlorobenzene	8.08		0.557	ug/L	9.91		81.5	60-140	2.06	40
Hexachlorobutadiene	5.73	J1	0.557	ug/L	9.91		57.8	60-140	2.57	40
Hexachlorocyclopentadiene	6.27		0.557	ug/L	9.91		63.3	60-140	15.0	40
Hexachloroethane	6.37		0.557	ug/L	9.91		64.2	60-140	6.16	40
Indeno(1,2,3-cd) pyrene	8.63		0.557	ug/L	9.91		87.1	60-140	3.55	40
Isophorone	8.53		0.557	ug/L	9.91		86.1	60-140	0.612	40
Naphthalene	8.13		0.557	ug/L	9.91		82.0	60-140	3.34	40
Nitrobenzene	8.43		0.557	ug/L	9.91		85.0	60-140	5.12	40
n-Nitrosodimethylamine	7.61		2.23	ug/L	49.6		15.4	2.5-65.7	9.35	40
n-Nitrosodi-n-propylamine	9.54		0.557	ug/L	9.91		96.3	60-140	3.95	40
n-Nitrosodiphenylamine	3.65	J1	0.557	ug/L	9.91		36.8	60-140	18.4	40
Pentachlorophenol	17.1		1.11	ug/L	19.8		86.2	36.8-149	17.8	40
Phenanthrene	7.97		0.557	ug/L	9.91		80.4	60-140	8.33	40
Phenol, Total	25.9		1.11	ug/L	19.8		131	60-140	16.0	40
Pyrene	8.54		0.557	ug/L	9.91		86.2	60-140	5.43	40
Surrogate: 2-Fluorobiphenyl-surr			*10.0*	*ug/L*	*9.91*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.6*	*ug/L*	*19.8*		*104*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.1*	*ug/L*	*19.8*		*91.5*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.5*	*ug/L*	*9.91*		*106*	*52-162*		
Surrogate: Phenol-d5-surr			*26.9*	*ug/L*	*19.8*		*135*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.0*	*ug/L*	*9.91*		*101*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
BFC0552-BLK1 (BFC1100-LBK1)					Prepared: 3/8/2022 Analyzed: 4/1/2022					
3,3'-Dichlorobenzidine	<0.557	U	0.557	ug/L						
Benzidine	<0.557	U	0.557	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.88*	*ug/L*	*9.90*		*99.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*17.1*	*ug/L*	*19.8*		*86.6*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*9.57*	*ug/L*	*19.8*		*48.3*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.8*	*ug/L*	*9.90*		*119*	*52-162*		
Surrogate: Phenol-d5-surr			*18.3*	*ug/L*	*19.8*		*92.5*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.84*	*ug/L*	*9.90*		*79.1*	*51.9-147*		
MRL Benz Check (BFC1100-MRL1)					Prepared: 3/8/2022 Analyzed: 3/31/2022					
3,3'-Dichlorobenzidine	<0.555	U	0.555	ug/L	0.493			50-150		
Benzidine	<0.555	U	0.555	ug/L	0.493			50-150		
Surrogate: 2-Fluorobiphenyl-surr			*14.5*	*ug/L*	*9.86*		*147*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*19.8*	*ug/L*	*19.7*		*100*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*24.3*	*ug/L*	*19.7*		*123*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.6*	*ug/L*	*9.86*		*107*	*52-162*		
Surrogate: Phenol-d5-surr			*18.2*	*ug/L*	*19.7*		*92.2*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.7*	*ug/L*	*9.86*		*109*	*51.9-147*		
MRL Check (BFC1100-MRL2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
1,2,4-Trichlorobenzene	0.411	J	0.560	ug/L	0.498		82.7	50-150		
1,2-Dichlorobenzene (o-Dichlorobenzene)	0.415	J	0.560	ug/L	0.498		83.3	50-150		
1,2-Diphenylhydrazine	0.375	J	0.560	ug/L	0.498		75.4	50-150		
1,3-Dichlorobenzene (m-Dichlorobenzene)	0.334	J	0.560	ug/L	0.498		67.1	50-150		
1,4-Dichlorobenzene (p-Dichlorobenzene)	0.358	J	0.560	ug/L	0.498		71.9	50-150		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	0.532	J	0.560	ug/L	0.498		107	50-150		
2,4,6-Trichlorophenol	0.946	J	1.12	ug/L	0.995		95.1	50-150		
2,4-Dichlorophenol	1.03		0.560	ug/L	0.995		104	50-150		
2,4-Dimethylphenol	1.12		1.12	ug/L	0.995		113	50-150		
2,4-Dinitrophenol	<4.48	U	4.48	ug/L	2.49			50-150		
2,4-Dinitrotoluene (2,4-DNT)	0.435	J	0.560	ug/L	0.498		87.3	50-150		
2,6-Dinitrotoluene (2,6-DNT)	0.284	J	0.560	ug/L	0.498		57.1	50-150		
2-Chloronaphthalene	0.411	J	0.560	ug/L	0.498		82.6	50-150		
2-Chlorophenol	0.967	J	1.12	ug/L	0.995		97.1	50-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	0.930	J	1.12	ug/L	0.995		93.4	50-150		
2-Nitrophenol	0.928	J	1.12	ug/L	0.995		93.3	50-150		
4-Bromophenyl phenyl ether (BDE-3)	0.418	J	0.560	ug/L	0.498		84.0	50-150		
4-Chloro-3-methylphenol	0.998	J	1.12	ug/L	0.995		100	50-150		
4-Chlorophenyl phenylether	0.386	J	0.560	ug/L	0.498		77.5	50-150		
4-Nitrophenol	<4.48	U	4.48	ug/L	2.49			50-150		
Acenaphthene	0.431	J	0.560	ug/L	0.498		86.6	50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
MRL Check (BFC1100-MRL2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
Acenaphthylene	0.333	J	0.560	ug/L	0.498		66.9	50-150		
Anthracene	0.461	J	0.560	ug/L	0.498		92.7	50-150		
Benzo(a)anthracene	0.412	J	0.560	ug/L	0.498		82.9	50-150		
Benzo(a)pyrene	0.421	J	0.560	ug/L	0.498		84.6	50-150		
benzo(b&k)fluoranthene	0.871		0.560	ug/L	0.995		87.5	50-150		
Benzo(g,h,i)perylene	0.438	J	0.560	ug/L	0.498		88.0	50-150		
bis(2-Chloroethoxy)methane	0.436	J	0.560	ug/L	0.498		87.7	50-150		
bis(2-Chloroethyl) ether	0.449	J	0.560	ug/L	0.498		90.3	50-150		
Bis(2-ethylhexyl)phthalate	0.744		0.560	ug/L	0.498		150	50-150		
Butyl benzyl phthalate	0.791		0.560	ug/L	0.498		159	50-150		
Chrysene	0.502	J	0.560	ug/L	0.498		101	50-150		
Dibenzo(a,h)anthracene	0.377	J	0.560	ug/L	0.498		75.8	50-150		
Diethyl phthalate	0.704		0.560	ug/L	0.498		141	50-150		
Dimethyl phthalate	0.396	J	0.560	ug/L	0.498		79.6	50-150		
Di-n-butyl phthalate	3.40		0.560	ug/L	0.498		684	50-150		
Di-n-octyl phthalate	0.412	J	0.560	ug/L	0.498		82.8	50-150		
Fluoranthene	0.461	J	0.560	ug/L	0.498		92.7	50-150		
Fluorene	0.419	J	0.560	ug/L	0.498		84.3	50-150		
Hexachlorobenzene	0.417	J	0.560	ug/L	0.498		83.7	50-150		
Hexachlorobutadiene	<0.560	U	0.560	ug/L	0.498			50-150		
Hexachlorocyclopentadiene	<0.560	U	0.560	ug/L	0.498			50-150		
Hexachloroethane	<0.560	U	0.560	ug/L	0.498			50-150		
Indeno(1,2,3-cd) pyrene	0.385	J	0.560	ug/L	0.498		77.3	50-150		
Isophorone	0.419	J	0.560	ug/L	0.498		84.3	50-150		
Naphthalene	0.459	J	0.560	ug/L	0.498		92.2	50-150		
Nitrobenzene	0.404	J	0.560	ug/L	0.498		81.1	50-150		
n-Nitrosodimethylamine	<2.24	U	2.24	ug/L	2.49			50-150		
n-Nitrosodi-n-propylamine	0.402	J	0.560	ug/L	0.498		80.9	50-150		
n-Nitrosodiphenylamine	<0.560	U	0.560	ug/L	0.498			50-150		
Pentachlorophenol	0.778	J	1.12	ug/L	0.995		78.1	50-150		
Phenanthrene	0.442	J	0.560	ug/L	0.498		88.9	50-150		
Phenol, Total	1.41		1.12	ug/L	0.995		141	50-150		
Pyrene	0.472	J	0.560	ug/L	0.498		94.8	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*9.82*	*ug/L*	*9.95*		*98.7*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.5*	*ug/L*	*19.9*		*113*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.4*	*ug/L*	*19.9*		*102*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.5*	*ug/L*	*9.95*		*105*	*52-162*		
Surrogate: Phenol-d5-surr			*22.0*	*ug/L*	*19.9*		*110*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*11.6*	*ug/L*	*9.95*		*117*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
Matrix Spike (BFC1100-MS1)	**Source: 22A3944-18**				Prepared: 3/8/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	7.52		0.560	ug/L	9.95	<0.560	75.6	35.3-142		
1,2-Dichlorobenzene (o-Dichlorobenzene)	7.55		0.560	ug/L	9.95	<0.560	75.9	31.4-142		
1,2-Diphenylhydrazine	8.99		0.560	ug/L	9.95	<0.560	90.3	48.9-156		
1,3-Dichlorobenzene (m-Dichlorobenzene)	5.49		0.560	ug/L	9.95	<0.560	55.1	30.5-135		
1,4-Dichlorobenzene (p-Dichlorobenzene)	6.43		0.560	ug/L	9.95	<0.560	64.7	37.2-133		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	7.77		0.560	ug/L	9.95	<0.560	78.1	41.7-151		
2,4,6-Trichlorophenol	18.0		1.12	ug/L	19.9	<1.12	90.2	34.7-143		
2,4-Dichlorophenol	22.4		0.560	ug/L	19.9	<0.560	113	42.7-158		
2,4-Dimethylphenol	20.8		1.12	ug/L	19.9	<1.12	104	38.4-170		
2,4-Dinitrophenol	43.9		4.48	ug/L	49.8	<4.48	88.2	60-140		
2,4-Dinitrotoluene (2,4-DNT)	8.49		0.560	ug/L	9.95	<0.560	85.3	50.3-144		
2,6-Dinitrotoluene (2,6-DNT)	8.63		0.560	ug/L	9.95	<0.560	86.7	43.7-157		
2-Chloronaphthalene	8.21		0.560	ug/L	9.95	<0.560	82.5	27.4-158		
2-Chlorophenol	19.1		1.12	ug/L	19.9	<1.12	96.2	49.2-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	18.2		1.12	ug/L	19.9	<1.12	91.2	41.9-153		
2-Nitrophenol	21.2		1.12	ug/L	19.9	<1.12	107	51.9-150		
4-Bromophenyl phenyl ether (BDE-3)	8.90		0.560	ug/L	9.95	<0.560	89.4	45.2-146		
4-Chloro-3-methylphenol	22.4		1.12	ug/L	19.9	<1.12	113	46.9-147		
4-Chlorophenyl phenylether	8.57		0.560	ug/L	9.95	<0.560	86.2	44.5-143		
4-Nitrophenol	46.4		4.48	ug/L	49.8	<4.48	93.2	2-173		
Acenaphthene	8.20		0.560	ug/L	9.95	<0.560	82.4	47.3-149		
Acenaphthylene	7.28		0.560	ug/L	9.95	<0.560	73.2	56.5-173		
Anthracene	8.64		0.560	ug/L	9.95	<0.560	86.8	49.7-160		
Benzo(a)anthracene	7.84		0.560	ug/L	9.95	<0.560	78.8	41.7-151		
Benzo(a)pyrene	7.81		0.560	ug/L	9.95	<0.560	78.5	45.4-133		
benzo(b&k)fluoranthene	17.1		0.560	ug/L	19.9	<0.560	86.1	55.3-137		
Benzo(g,h,i)perylene	8.31		0.560	ug/L	9.95	<0.560	83.5	37.9-152		
bis(2-Chloroethoxy)methane	8.77		0.560	ug/L	9.95	<0.560	88.2	40.1-151		
bis(2-Chloroethyl) ether	9.59		0.560	ug/L	9.95	<0.560	96.4	45.9-163		
Bis(2-ethylhexyl)phthalate	8.45		0.560	ug/L	9.95	<0.560	84.9	38.3-135		
Butyl benzyl phthalate	8.28		0.560	ug/L	9.95	<0.560	83.2	41.1-148		
Chrysene	8.51		0.560	ug/L	9.95	<0.560	85.5	51-147		
Dibenzo(a,h)anthracene	8.19		0.560	ug/L	9.95	<0.560	82.3	27.5-156		
Diethyl phthalate	9.34		0.560	ug/L	9.95	0.973	84.1	53.4-146		
Dimethyl phthalate	8.68		0.560	ug/L	9.95	<0.560	87.2	53-151		
Di-n-butyl phthalate	9.81		0.560	ug/L	9.95	1.26	86.0	25.4-168		
Di-n-octyl phthalate	7.96		0.560	ug/L	9.95	<0.560	80.0	39.2-123		
Fluoranthene	8.89		0.560	ug/L	9.95	<0.560	89.4	45.3-156		
Fluorene	9.09		0.560	ug/L	9.95	<0.560	91.4	56.3-145		
Hexachlorobenzene	7.75		0.560	ug/L	9.95	<0.560	77.9	56.1-137		
Hexachlorobutadiene	5.73		0.560	ug/L	9.95	<0.560	57.6	33.1-110		
Hexachlorocyclopentadiene	5.33		0.560	ug/L	9.95	<0.560	53.5	2-179		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
Matrix Spike (BFC1100-MS1)	**Source: 22A3944-18**				Prepared: 3/8/2022 Analyzed: 4/12/2022					
Hexachloroethane	5.69		0.560	ug/L	9.95	<0.560	57.2	36.2-106		
Indeno(1,2,3-cd) pyrene	8.18		0.560	ug/L	9.95	<0.560	82.2	33.4-153		
Isophorone	8.28		0.560	ug/L	9.95	<0.560	83.2	43.3-154		
Naphthalene	7.86		0.560	ug/L	9.95	<0.560	79.0	45.1-153		
Nitrobenzene	8.40		0.560	ug/L	9.95	<0.560	84.5	54.9-156		
n-Nitrosodimethylamine	7.71		2.24	ug/L	49.8	<2.24	15.5	2-56.4		
n-Nitrosodi-n-propylamine	8.75		0.560	ug/L	9.95	<0.560	88.0	38.3-160		
n-Nitrosodiphenylamine	4.24		0.560	ug/L	9.95	<0.560	42.6	38.1-163		
Pentachlorophenol	20.3		1.12	ug/L	19.9	<1.12	102	42.2-151		
Phenanthrene	8.32		0.560	ug/L	9.95	<0.560	83.6	45.3-165		
Phenol, Total	23.6		1.12	ug/L	19.9	0.921	114	39.8-164		
Pyrene	8.83		0.560	ug/L	9.95	<0.560	88.7	46.3-149		
Surrogate: 2-Fluorobiphenyl-surr			*9.69*	*ug/L*	*9.95*		*97.4*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.3*	*ug/L*	*19.9*		*107*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.0*	*ug/L*	*19.9*		*100*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.4*	*ug/L*	*9.95*		*105*	*52-162*		
Surrogate: Phenol-d5-surr			*24.5*	*ug/L*	*19.9*		*123*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.73*	*ug/L*	*9.95*		*97.8*	*51.9-147*		
Matrix Spike Dup (BFC1100-MSD1)	**Source: 22A3944-18**				Prepared: 3/8/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	7.62		0.559	ug/L	9.94	<0.559	76.7	35.3-142	1.30	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	7.59		0.559	ug/L	9.94	<0.559	76.4	31.4-142	0.489	40
1,2-Diphenylhydrazine	8.84		0.559	ug/L	9.94	<0.559	89.0	48.9-156	1.59	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.05		0.559	ug/L	9.94	<0.559	60.9	30.5-135	9.87	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	6.62		0.559	ug/L	9.94	<0.559	66.6	37.2-133	2.83	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	7.50		0.559	ug/L	9.94	<0.559	75.4	41.7-151	3.60	40
2,4,6-Trichlorophenol	20.1		1.12	ug/L	19.9	<1.12	101	34.7-143	11.1	40
2,4-Dichlorophenol	22.4		0.559	ug/L	19.9	<0.559	113	42.7-158	0.344	40
2,4-Dimethylphenol	21.1		1.12	ug/L	19.9	<1.12	106	38.4-170	1.57	40
2,4-Dinitrophenol	42.1		4.47	ug/L	49.7	<4.47	84.7	60-140	4.24	40
2,4-Dinitrotoluene (2,4-DNT)	8.31		0.559	ug/L	9.94	<0.559	83.6	50.3-144	2.12	40
2,6-Dinitrotoluene (2,6-DNT)	8.49		0.559	ug/L	9.94	<0.559	85.5	43.7-157	1.56	40
2-Chloronaphthalene	8.22		0.559	ug/L	9.94	<0.559	82.7	27.4-158	0.146	40
2-Chlorophenol	18.9		1.12	ug/L	19.9	<1.12	95.2	49.2-150	1.19	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	17.7		1.12	ug/L	19.9	<1.12	89.0	41.9-153	2.65	40
2-Nitrophenol	21.3		1.12	ug/L	19.9	<1.12	107	51.9-150	0.394	40
4-Bromophenyl phenyl ether (BDE-3)	8.65		0.559	ug/L	9.94	<0.559	87.0	45.2-146	2.87	40
4-Chloro-3-methylphenol	22.1		1.12	ug/L	19.9	<1.12	111	46.9-147	1.62	40
4-Chlorophenyl phenylether	8.38		0.559	ug/L	9.94	<0.559	84.4	44.5-143	2.25	40
4-Nitrophenol	45.2		4.47	ug/L	49.7	<4.47	90.9	2-173	2.63	40
Acenaphthene	8.19		0.559	ug/L	9.94	<0.559	82.4	47.3-149	0.172	40
Acenaphthylene	7.39		0.559	ug/L	9.94	<0.559	74.4	56.5-173	1.58	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
Matrix Spike Dup (BFC1100-MSD1)			**Source: 22A3944-18**		Prepared: 3/8/2022 Analyzed: 4/12/2022					
Anthracene	8.57		0.559	ug/L	9.94	<0.559	86.3	49.7-160	0.778	40
Benzo(a)anthracene	7.69		0.559	ug/L	9.94	<0.559	77.4	41.7-151	1.99	40
Benzo(a)pyrene	7.66		0.559	ug/L	9.94	<0.559	77.1	45.4-133	1.96	40
benzo(b&k)fluoranthene	16.9		0.559	ug/L	19.9	<0.559	84.8	55.3-137	1.61	40
Benzo(g,h,i)perylene	8.09		0.559	ug/L	9.94	<0.559	81.4	37.9-152	2.63	40
bis(2-Chloroethoxy)methane	8.78		0.559	ug/L	9.94	<0.559	88.4	40.1-151	0.0553	40
bis(2-Chloroethyl) ether	9.21		0.559	ug/L	9.94	<0.559	92.7	45.9-163	4.03	40
Bis(2-ethylhexyl)phthalate	8.10		0.559	ug/L	9.94	<0.559	81.5	38.3-135	4.21	40
Butyl benzyl phthalate	8.11		0.559	ug/L	9.94	<0.559	81.7	41.1-148	2.05	40
Chrysene	8.45		0.559	ug/L	9.94	<0.559	85.1	51-147	0.698	40
Dibenzo(a,h)anthracene	7.95		0.559	ug/L	9.94	<0.559	80.0	27.5-156	2.95	40
Diethyl phthalate	9.02		0.559	ug/L	9.94	0.973	81.0	53.4-146	3.46	40
Dimethyl phthalate	8.55		0.559	ug/L	9.94	<0.559	86.0	53-151	1.51	40
Di-n-butyl phthalate	8.85		0.559	ug/L	9.94	1.26	76.4	25.4-168	10.3	40
Di-n-octyl phthalate	7.72		0.559	ug/L	9.94	<0.559	77.7	39.2-123	3.07	40
Fluoranthene	8.93		0.559	ug/L	9.94	<0.559	89.9	45.3-156	0.463	40
Fluorene	8.84		0.559	ug/L	9.94	<0.559	89.0	56.3-145	2.82	40
Hexachlorobenzene	7.73		0.559	ug/L	9.94	<0.559	77.8	56.1-137	0.329	40
Hexachlorobutadiene	5.74		0.559	ug/L	9.94	<0.559	57.8	33.1-110	0.178	40
Hexachlorocyclopentadiene	5.43		0.559	ug/L	9.94	<0.559	54.7	2-179	1.99	40
Hexachloroethane	5.67		0.559	ug/L	9.94	<0.559	57.0	36.2-106	0.425	40
Indeno(1,2,3-cd) pyrene	8.00		0.559	ug/L	9.94	<0.559	80.5	33.4-153	2.21	40
Isophorone	8.41		0.559	ug/L	9.94	<0.559	84.6	43.3-154	1.57	40
Naphthalene	7.92		0.559	ug/L	9.94	<0.559	79.7	45.1-153	0.706	40
Nitrobenzene	8.38		0.559	ug/L	9.94	<0.559	84.3	54.9-156	0.345	40
n-Nitrosodimethylamine	6.97		2.24	ug/L	49.7	<2.24	14.0	2-56.4	10.2	40
n-Nitrosodi-n-propylamine	8.77		0.559	ug/L	9.94	<0.559	88.3	38.3-160	0.214	40
n-Nitrosodiphenylamine	4.17		0.559	ug/L	9.94	<0.559	42.0	38.1-163	1.73	40
Pentachlorophenol	19.4		1.12	ug/L	19.9	<1.12	97.4	42.2-151	4.57	40
Phenanthrene	8.34		0.559	ug/L	9.94	<0.559	83.9	45.3-165	0.238	40
Phenol, Total	22.6		1.12	ug/L	19.9	0.921	109	39.8-164	4.21	40
Pyrene	8.74		0.559	ug/L	9.94	<0.559	87.9	46.3-149	1.06	40
Surrogate: 2-Fluorobiphenyl-surr			*9.67*	*ug/L*	*9.94*		*97.3*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.8*	*ug/L*	*19.9*		*109*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.6*	*ug/L*	*19.9*		*98.7*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.5*	*ug/L*	*9.94*		*105*	*52-162*		
Surrogate: Phenol-d5-surr			*23.4*	*ug/L*	*19.9*		*118*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.57*	*ug/L*	*9.94*		*96.3*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570										
Blank (BFC1525-BLK1)				Prepared: 3/10/2022 Analyzed: 4/5/2022						
3,3'-Dichlorobenzidine	<2.42	U	2.42	ug/kg wet						
Benzidine	<2.42	U	2.42	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*13.1*	*ug/kg wet*	*19.4*		*67.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*28.1*	*ug/kg wet*	*38.8*		*72.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*32.1*	*ug/kg wet*	*38.8*		*82.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.2*	*ug/kg wet*	*19.4*		*83.3*	*60-140*		
Surrogate: Phenol-d5-surr			*28.7*	*ug/kg wet*	*38.8*		*73.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*12.9*	*ug/kg wet*	*19.4*		*66.6*	*60-140*		
Blank (BFC1525-BLK2)				Prepared: 3/10/2022 Analyzed: 4/12/2022						
1,2,4-Trichlorobenzene	<2.42	U	2.42	ug/kg wet						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<2.42	U	2.42	ug/kg wet						
1,2-Diphenylhydrazine	<2.42	U	2.42	ug/kg wet						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.42	U	2.42	ug/kg wet						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<2.42	U	2.42	ug/kg wet						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<2.42	U	2.42	ug/kg wet						
2,4-Dichlorophenol	<4.85	U	4.85	ug/kg wet						
2,4-Dimethylphenol	<4.85	U	4.85	ug/kg wet						
2,4-Dinitrophenol	<4.85	U	4.85	ug/kg wet						
2,6-Dinitrotoluene (2,6-DNT)	<2.42	U	2.42	ug/kg wet						
2-Chloronaphthalene	<2.42	U	2.42	ug/kg wet						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<19.4	U	19.4	ug/kg wet						
2-Nitrophenol	<4.85	U	4.85	ug/kg wet						
4-Bromophenyl phenyl ether (BDE-3)	<2.42	U	2.42	ug/kg wet						
4-Chloro-3-methylphenol	<4.85	U	4.85	ug/kg wet						
4-Chlorophenyl phenylether	<2.42	U	2.42	ug/kg wet						
4-Nitrophenol	<2.42	U	2.42	ug/kg wet						
Acenaphthene	<2.42	U	2.42	ug/kg wet						
Acenaphthylene	<2.42	U	2.42	ug/kg wet						
Anthracene	<2.42	U	2.42	ug/kg wet						
Benzo(a)anthracene	<2.42	U	2.42	ug/kg wet						
Benzo(a)pyrene	<2.42	U	2.42	ug/kg wet						
benzo(b&k)fluoranthene	<2.42	U	2.42	ug/kg wet						
Benzo(g,h,i)perylene	<2.42	U	2.42	ug/kg wet						
bis(2-Chloroethoxy)methane	<2.42	U	2.42	ug/kg wet						
Bis(2-ethylhexyl)phthalate	2.44		2.42	ug/kg wet						
Butyl benzyl phthalate	<2.42	U	2.42	ug/kg wet						
Chrysene	<2.42	U	2.42	ug/kg wet						
Dibenzo(a,h)anthracene	<2.42	U	2.42	ug/kg wet						
Diethyl phthalate	<2.42	U	2.42	ug/kg wet						
Dimethyl phthalate	<2.42	U	2.42	ug/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
Blank (BFC1525-BLK2)				Prepared: 3/10/2022 Analyzed: 4/12/2022						
Di-n-butyl phthalate	6.98		2.42	ug/kg wet						
Di-n-octyl phthalate	<2.42	U	2.42	ug/kg wet						
Fluoranthene	<2.42	U	2.42	ug/kg wet						
Fluorene	<2.42	U	2.42	ug/kg wet						
Hexachlorobenzene	<2.42	U	2.42	ug/kg wet						
Hexachloroethane	<2.42	U	2.42	ug/kg wet						
Indeno(1,2,3-cd) pyrene	<2.42	U	2.42	ug/kg wet						
Isophorone	<2.42	U	2.42	ug/kg wet						
Naphthalene	<2.42	U	2.42	ug/kg wet						
Nitrobenzene	<2.42	U	2.42	ug/kg wet						
n-Nitrosodi-n-propylamine	<2.42	U	2.42	ug/kg wet						
n-Nitrosodiphenylamine	<2.42	U	2.42	ug/kg wet						
Pentachlorophenol	<4.85	U	4.85	ug/kg wet						
Phenanthrene	<2.42	U	2.42	ug/kg wet						
Phenol, Total	3.03	J	4.85	ug/kg wet						
Pyrene	<2.42	U	2.42	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*18.3*	*ug/kg wet*	*19.4*		*94.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*38.6*	*ug/kg wet*	*38.8*		*99.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*36.7*	*ug/kg wet*	*38.8*		*94.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*20.5*	*ug/kg wet*	*19.4*		*106*	*60-140*		
Surrogate: Phenol-d5-surr			*48.6*	*ug/kg wet*	*38.8*		*125*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*17.7*	*ug/kg wet*	*19.4*		*91.4*	*60-140*		
Blank (BFC1525-BLK3)				Prepared: 3/10/2022 Analyzed: 4/16/2022						
2,4,6-Trichlorophenol	<4.85	U	4.85	ug/kg wet						
2,4-Dinitrotoluene (2,4-DNT)	<2.42	U	2.42	ug/kg wet						
2-Chlorophenol	<4.85	U	4.85	ug/kg wet						
bis(2-Chloroethyl) ether	<2.42	U	2.42	ug/kg wet						
Hexachlorobutadiene	<2.42	U	2.42	ug/kg wet						
Hexachlorocyclopentadiene	<2.42	U	2.42	ug/kg wet						
n-Nitrosodimethylamine	<2.42	U	2.42	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*17.1*	*ug/kg wet*	*19.4*		*88.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*44.8*	*ug/kg wet*	*38.8*		*115*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*31.4*	*ug/kg wet*	*38.8*		*80.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*20.5*	*ug/kg wet*	*19.4*		*106*	*60-140*		
Surrogate: Phenol-d5-surr			*45.9*	*ug/kg wet*	*38.8*		*118*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*18.8*	*ug/kg wet*	*19.4*		*96.9*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
LCS (BFC1525-BS1)					Prepared: 3/10/2022 Analyzed: 4/5/2022					
3,3'-Dichlorobenzidine	14.1		2.50	ug/kg wet	20.0		70.7	60-140		
Benzidine	<2.50	J1, U	2.50	ug/kg wet	20.0			60-140		
Surrogate: 2-Fluorobiphenyl-surr			*13.9*	*ug/kg wet*	*20.0*		*69.7*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.8*	*ug/kg wet*	*39.9*		*84.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*36.0*	*ug/kg wet*	*39.9*		*90.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.6*	*ug/kg wet*	*20.0*		*97.9*	*60-140*		
Surrogate: Phenol-d5-surr			*32.2*	*ug/kg wet*	*39.9*		*80.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.3*	*ug/kg wet*	*20.0*		*71.5*	*60-140*		
LCS (BFC1525-BS2)					Prepared: 3/10/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	10.3	J1	2.43	ug/kg wet	19.5		53.0	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.53	J1	2.43	ug/kg wet	19.5		43.8	60-140		
1,2-Diphenylhydrazine	13.9		2.43	ug/kg wet	19.5		71.3	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	8.06	J1	2.43	ug/kg wet	19.5		41.4	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.69	J1	2.43	ug/kg wet	19.5		39.5	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	11.9		2.43	ug/kg wet	19.5		61.0	60-140		
2,4-Dichlorophenol	32.0		4.87	ug/kg wet	38.9		82.2	60-140		
2,4-Dimethylphenol	36.9		4.87	ug/kg wet	38.9		94.7	60-140		
2,4-Dinitrophenol	12.6		4.87	ug/kg wet	97.4		12.9	10-50.4		
2,6-Dinitrotoluene (2,6-DNT)	12.1		2.43	ug/kg wet	19.5		62.2	60-140		
2-Chloronaphthalene	13.2		2.43	ug/kg wet	19.5		67.9	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	13.5	J1, J	19.5	ug/kg wet	38.9		34.5	60-140		
2-Nitrophenol	37.1		4.87	ug/kg wet	38.9		95.1	60-140		
4-Bromophenyl phenyl ether (BDE-3)	14.2		2.43	ug/kg wet	19.5		73.1	60-140		
4-Chloro-3-methylphenol	40.0		4.87	ug/kg wet	38.9		103	60-140		
4-Chlorophenyl phenylether	12.8		2.43	ug/kg wet	19.5		65.8	60-140		
4-Nitrophenol	82.9		2.43	ug/kg wet	97.4		85.1	60-140		
Acenaphthene	13.1		2.43	ug/kg wet	19.5		67.2	60-140		
Acenaphthylene	11.3	J1	2.43	ug/kg wet	19.5		58.2	60-140		
Anthracene	12.9		2.43	ug/kg wet	19.5		66.0	60-140		
Benzo(a)anthracene	12.1		2.43	ug/kg wet	19.5		62.2	60-140		
Benzo(a)pyrene	12.4		2.43	ug/kg wet	19.5		63.7	60-140		
benzo(b&k)fluoranthene	24.8		2.43	ug/kg wet	38.9		63.8	60-140		
Benzo(g,h,i)perylene	13.6		2.43	ug/kg wet	19.5		70.1	60-140		
bis(2-Chloroethoxy)methane	14.1		2.43	ug/kg wet	19.5		72.2	60-140		
Bis(2-ethylhexyl)phthalate	15.9		2.43	ug/kg wet	19.5		81.8	60-140		
Butyl benzyl phthalate	11.3	J1	2.43	ug/kg wet	19.5		58.0	60-140		
Chrysene	15.4		2.43	ug/kg wet	19.5		79.0	60-140		
Dibenzo(a,h)anthracene	11.1	J1	2.43	ug/kg wet	19.5		57.1	60-140		
Diethyl phthalate	13.9		2.43	ug/kg wet	19.5		71.5	60-140		
Dimethyl phthalate	13.4		2.43	ug/kg wet	19.5		68.7	60-140		
Di-n-butyl phthalate	18.2		2.43	ug/kg wet	19.5		93.3	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
LCS (BFC1525-BS2)					Prepared: 3/10/2022 Analyzed: 4/12/2022					
Di-n-octyl phthalate	14.0		2.43	ug/kg wet	19.5		71.6	60-140		
Fluoranthene	12.2		2.43	ug/kg wet	19.5		62.7	60-140		
Fluorene	13.6		2.43	ug/kg wet	19.5		70.0	60-140		
Hexachlorobenzene	13.6		2.43	ug/kg wet	19.5		70.1	60-140		
Hexachloroethane	6.86	J1	2.43	ug/kg wet	19.5		35.2	60-140		
Indeno(1,2,3-cd) pyrene	13.1		2.43	ug/kg wet	19.5		67.3	60-140		
Isophorone	13.7		2.43	ug/kg wet	19.5		70.2	60-140		
Naphthalene	11.3	J1	2.43	ug/kg wet	19.5		57.8	60-140		
Nitrobenzene	14.5		2.43	ug/kg wet	19.5		74.2	60-140		
n-Nitrosodi-n-propylamine	14.0		2.43	ug/kg wet	19.5		71.9	60-140		
n-Nitrosodiphenylamine	10.2	J1	2.43	ug/kg wet	19.5		52.5	60-140		
Pentachlorophenol	29.9		4.87	ug/kg wet	38.9		76.9	60-140		
Phenanthrene	12.8		2.43	ug/kg wet	19.5		65.6	60-140		
Phenol, Total	39.0		4.87	ug/kg wet	38.9		100	60-140		
Pyrene	11.7		2.43	ug/kg wet	19.5		60.2	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*13.4*	*ug/kg wet*	*19.5*		*69.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*34.8*	*ug/kg wet*	*38.9*		*89.3*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*30.6*	*ug/kg wet*	*38.9*		*78.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.1*	*ug/kg wet*	*19.5*		*93.0*	*60-140*		
Surrogate: Phenol-d5-surr			*42.5*	*ug/kg wet*	*38.9*		*109*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*13.2*	*ug/kg wet*	*19.5*		*67.9*	*60-140*		
LCS (BFC1525-BS3)					Prepared: 3/10/2022 Analyzed: 4/16/2022					
2,4,6-Trichlorophenol	34.0		4.87	ug/kg wet	38.9		87.2	60-140		
2,4-Dinitrotoluene (2,4-DNT)	12.7		2.43	ug/kg wet	19.5		65.3	60-140		
2-Chlorophenol	28.5		4.87	ug/kg wet	38.9		73.3	60-140		
bis(2-Chloroethyl) ether	14.6		2.43	ug/kg wet	19.5		75.0	60-140		
Hexachlorobutadiene	7.69	J1	2.43	ug/kg wet	19.5		39.5	60-140		
Hexachlorocyclopentadiene	6.62	J1	2.43	ug/kg wet	19.5		34.0	60-140		
n-Nitrosodimethylamine	67.3		2.43	ug/kg wet	97.4		69.1	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*14.1*	*ug/kg wet*	*19.5*		*72.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*37.2*	*ug/kg wet*	*38.9*		*95.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*27.7*	*ug/kg wet*	*38.9*		*71.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.7*	*ug/kg wet*	*19.5*		*85.7*	*60-140*		
Surrogate: Phenol-d5-surr			*40.4*	*ug/kg wet*	*38.9*		*104*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.2*	*ug/kg wet*	*19.5*		*83.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
LCS Dup (BFC1525-BSD1)					Prepared: 3/10/2022 Analyzed: 4/5/2022					
3,3'-Dichlorobenzidine	12.0		2.35	ug/kg wet	18.8		64.1	60-140	15.9	40
Benzidine	1.36	J1, J	2.35	ug/kg wet	18.8		7.24	60-140	86.1	40
Surrogate: 2-Fluorobiphenyl-surr			*12.3*	*ug/kg wet*	*18.8*		*65.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*29.1*	*ug/kg wet*	*37.6*		*77.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*32.9*	*ug/kg wet*	*37.6*		*87.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.9*	*ug/kg wet*	*18.8*		*90.1*	*60-140*		
Surrogate: Phenol-d5-surr			*28.3*	*ug/kg wet*	*37.6*		*75.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*12.1*	*ug/kg wet*	*18.8*		*64.5*	*60-140*		
LCS Dup (BFC1525-BSD2)					Prepared: 3/10/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	9.05	J1	2.32	ug/kg wet	18.5		48.8	60-140	13.0	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.19	J1	2.32	ug/kg wet	18.5		44.2	60-140	4.06	40
1,2-Diphenylhydrazine	14.6		2.32	ug/kg wet	18.5		78.8	60-140	5.07	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.83	J1	2.32	ug/kg wet	18.5		36.8	60-140	16.5	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	5.99	J1	2.32	ug/kg wet	18.5		32.3	60-140	24.8	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	11.5		2.32	ug/kg wet	18.5		61.9	60-140	3.47	40
2,4-Dichlorophenol	32.8		4.63	ug/kg wet	37.1		88.5	60-140	2.41	40
2,4-Dimethylphenol	37.1		4.63	ug/kg wet	37.1		100	60-140	0.478	40
2,4-Dinitrophenol	34.7	J1	4.63	ug/kg wet	92.7		37.4	10-50.4	93.6	40
2,6-Dinitrotoluene (2,6-DNT)	13.0		2.32	ug/kg wet	18.5		69.9	60-140	6.68	40
2-Chloronaphthalene	16.5		2.32	ug/kg wet	18.5		89.0	60-140	22.1	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	26.9	J1	18.5	ug/kg wet	37.1		72.6	60-140	66.7	40
2-Nitrophenol	35.8		4.63	ug/kg wet	37.1		96.6	60-140	3.40	40
4-Bromophenyl phenyl ether (BDE-3)	14.3		2.32	ug/kg wet	18.5		77.0	60-140	0.277	40
4-Chloro-3-methylphenol	40.5		4.63	ug/kg wet	37.1		109	60-140	1.09	40
4-Chlorophenyl phenylether	12.8		2.32	ug/kg wet	18.5		68.9	60-140	0.342	40
4-Nitrophenol	87.8		2.32	ug/kg wet	92.7		94.7	60-140	5.77	40
Acenaphthene	13.5		2.32	ug/kg wet	18.5		72.7	60-140	2.86	40
Acenaphthylene	11.8		2.32	ug/kg wet	18.5		63.7	60-140	4.09	40
Anthracene	13.4		2.32	ug/kg wet	18.5		72.1	60-140	3.90	40
Benzo(a)anthracene	11.4		2.32	ug/kg wet	18.5		61.4	60-140	6.30	40
Benzo(a)pyrene	11.2		2.32	ug/kg wet	18.5		60.6	60-140	9.88	40
benzo(b&k)fluoranthene	23.1		2.32	ug/kg wet	37.1		62.4	60-140	7.20	40
Benzo(g,h,i)perylene	12.7		2.32	ug/kg wet	18.5		68.4	60-140	7.38	40
bis(2-Chloroethoxy)methane	14.4		2.32	ug/kg wet	18.5		77.5	60-140	2.12	40
Bis(2-ethylhexyl)phthalate	15.4		2.32	ug/kg wet	18.5		82.9	60-140	3.69	40
Butyl benzyl phthalate	11.7		2.32	ug/kg wet	18.5		62.9	60-140	3.12	40
Chrysene	14.3		2.32	ug/kg wet	18.5		76.9	60-140	7.64	40
Dibenzo(a,h)anthracene	11.5		2.32	ug/kg wet	18.5		61.9	60-140	3.18	40
Diethyl phthalate	14.6		2.32	ug/kg wet	18.5		78.7	60-140	4.60	40
Dimethyl phthalate	13.7		2.32	ug/kg wet	18.5		74.1	60-140	2.59	40
Di-n-butyl phthalate	17.9		2.32	ug/kg wet	18.5		96.8	60-140	1.24	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
LCS Dup (BFC1525-BSD2)					Prepared: 3/10/2022 Analyzed: 4/12/2022					
Di-n-octyl phthalate	12.9		2.32	ug/kg wet	18.5		69.8	60-140	7.47	40
Fluoranthene	11.7		2.32	ug/kg wet	18.5		63.1	60-140	4.18	40
Fluorene	14.5		2.32	ug/kg wet	18.5		78.1	60-140	6.03	40
Hexachlorobenzene	13.1		2.32	ug/kg wet	18.5		70.9	60-140	3.76	40
Hexachloroethane	6.51	J1	2.32	ug/kg wet	18.5		35.1	60-140	5.28	40
Indeno(1,2,3-cd) pyrene	12.1		2.32	ug/kg wet	18.5		65.1	60-140	8.16	40
Isophorone	13.3		2.32	ug/kg wet	18.5		71.8	60-140	2.66	40
Naphthalene	12.1		2.32	ug/kg wet	18.5		65.5	60-140	7.49	40
Nitrobenzene	14.6		2.32	ug/kg wet	18.5		79.0	60-140	1.32	40
n-Nitrosodi-n-propylamine	15.1		2.32	ug/kg wet	18.5		81.4	60-140	7.52	40
n-Nitrosodiphenylamine	12.2		2.32	ug/kg wet	18.5		66.0	60-140	17.8	40
Pentachlorophenol	31.2		4.63	ug/kg wet	37.1		84.3	60-140	4.23	40
Phenanthrene	12.2		2.32	ug/kg wet	18.5		65.6	60-140	4.90	40
Phenol, Total	41.8		4.63	ug/kg wet	37.1		113	60-140	7.07	40
Pyrene	11.4		2.32	ug/kg wet	18.5		61.3	60-140	3.08	40
Surrogate: 2-Fluorobiphenyl-surr			*12.4*	*ug/kg wet*	*18.5*		*67.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*29.9*	*ug/kg wet*	*37.1*		*80.6*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*34.3*	*ug/kg wet*	*37.1*		*92.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.0*	*ug/kg wet*	*18.5*		*91.5*	*60-140*		
Surrogate: Phenol-d5-surr			*47.5*	*ug/kg wet*	*37.1*		*128*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*13.0*	*ug/kg wet*	*18.5*		*69.9*	*60-140*		
LCS Dup (BFC1525-BSD3)					Prepared: 3/10/2022 Analyzed: 4/16/2022					
2,4,6-Trichlorophenol	32.3		4.63	ug/kg wet	37.1		87.1	60-140	5.12	40
2,4-Dinitrotoluene (2,4-DNT)	12.5		2.32	ug/kg wet	18.5		67.5	60-140	1.74	40
2-Chlorophenol	27.6		4.63	ug/kg wet	37.1		74.5	60-140	3.26	40
bis(2-Chloroethyl) ether	13.0		2.32	ug/kg wet	18.5		70.1	60-140	11.7	40
Hexachlorobutadiene	7.09	J1	2.32	ug/kg wet	18.5		38.3	60-140	8.08	40
Hexachlorocyclopentadiene	5.78	J1	2.32	ug/kg wet	18.5		31.2	60-140	13.6	40
n-Nitrosodimethylamine	41.9	J1	2.32	ug/kg wet	92.7		45.2	60-140	46.5	40
Surrogate: 2-Fluorobiphenyl-surr			*13.6*	*ug/kg wet*	*18.5*		*73.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*36.9*	*ug/kg wet*	*37.1*		*99.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*26.2*	*ug/kg wet*	*37.1*		*70.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.2*	*ug/kg wet*	*18.5*		*87.2*	*60-140*		
Surrogate: Phenol-d5-surr			*35.9*	*ug/kg wet*	*37.1*		*97.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.4*	*ug/kg wet*	*18.5*		*83.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
MDL SV (BFC1525-MRL1)				Prepared: 3/10/2022 Analyzed: 4/5/2022						
3,3'-Dichlorobenzidine	<2.39	U	2.39	ug/kg wet	1.92					
Benzidine	<2.39	U	2.39	ug/kg wet	1.92					
Surrogate: 2-Fluorobiphenyl-surr			*13.2*	*ug/kg wet*	*19.2*		*68.7*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*31.4*	*ug/kg wet*	*38.3*		*82.0*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*34.2*	*ug/kg wet*	*38.3*		*89.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.5*	*ug/kg wet*	*19.2*		*91.3*	*60-140*		
Surrogate: Phenol-d5-surr			*29.9*	*ug/kg wet*	*38.3*		*77.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*13.4*	*ug/kg wet*	*19.2*		*69.8*	*60-140*		
MRL Check (BFC1525-MRL2)				Prepared: 3/10/2022 Analyzed: 4/12/2022						
1,2,4-Trichlorobenzene	1.58	J	2.48	ug/kg wet	1.98		79.4			
1,2-Dichlorobenzene (o-Dichlorobenzene)	<2.48	U	2.48	ug/kg wet	1.98					
1,2-Diphenylhydrazine	1.68	J	2.48	ug/kg wet	1.98		84.6			
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.48	U	2.48	ug/kg wet	1.98					
1,4-Dichlorobenzene (p-Dichlorobenzene)	<2.48	U	2.48	ug/kg wet	1.98					
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	1.35	J	2.48	ug/kg wet	1.98		68.1			
2,4-Dichlorophenol	4.18	J	4.96	ug/kg wet	3.97		105			
2,4-Dimethylphenol	3.92	J	4.96	ug/kg wet	3.97		98.8			
2,4-Dinitrophenol	<4.96	J1, U	4.96	ug/kg wet	9.92					
2,6-Dinitrotoluene (2,6-DNT)	1.43	J	2.48	ug/kg wet	1.98		72.1			
2-Chloronaphthalene	1.59	J	2.48	ug/kg wet	1.98		80.1			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<19.8	U	19.8	ug/kg wet	3.97					
2-Nitrophenol	3.81	J	4.96	ug/kg wet	3.97		96.0			
4-Bromophenyl phenyl ether (BDE-3)	1.75	J	2.48	ug/kg wet	1.98		88.3			
4-Chloro-3-methylphenol	3.10	J	4.96	ug/kg wet	3.97		78.2			
4-Chlorophenyl phenylether	<2.48	U	2.48	ug/kg wet	1.98					
4-Nitrophenol	10.1		2.48	ug/kg wet	9.92		102			
Acenaphthene	1.58	J	2.48	ug/kg wet	1.98		79.5			
Acenaphthylene	<2.48	U	2.48	ug/kg wet	1.98					
Anthracene	<2.48	U	2.48	ug/kg wet	1.98					
Benzo(a)anthracene	1.32	J	2.48	ug/kg wet	1.98		66.4			
Benzo(a)pyrene	1.34	J	2.48	ug/kg wet	1.98		67.8			
benzo(b&k)fluoranthene	2.72		2.48	ug/kg wet	3.97		68.5			
Benzo(g,h,i)perylene	1.56	J	2.48	ug/kg wet	1.98		78.6			
bis(2-Chloroethoxy)methane	1.78	J	2.48	ug/kg wet	1.98		89.5			
Bis(2-ethylhexyl)phthalate	2.62		2.48	ug/kg wet	1.98		132			
Butyl benzyl phthalate	<2.48	U	2.48	ug/kg wet	1.98					
Chrysene	1.59	J	2.48	ug/kg wet	1.98		80.2			
Dibenzo(a,h)anthracene	<2.48	U	2.48	ug/kg wet	1.98					
Diethyl phthalate	1.31	J	2.48	ug/kg wet	1.98		65.9			
Dimethyl phthalate	1.46	J	2.48	ug/kg wet	1.98		73.3			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
MRL Check (BFC1525-MRL2)					Prepared: 3/10/2022 Analyzed: 4/12/2022					
Di-n-butyl phthalate	7.17		2.48	ug/kg wet	1.98		362			
Di-n-octyl phthalate	1.31	J	2.48	ug/kg wet	1.98		66.2			
Fluoranthene	1.26	J	2.48	ug/kg wet	1.98		63.6			
Fluorene	1.24	J	2.48	ug/kg wet	1.98					
Hexachlorobenzene	1.31	J	2.48	ug/kg wet	1.98		65.8			
Hexachloroethane	<2.48	U	2.48	ug/kg wet	1.98					
Indeno(1,2,3-cd) pyrene	1.26	J	2.48	ug/kg wet	1.98		63.5			
Isophorone	1.65	J	2.48	ug/kg wet	1.98		83.0			
Naphthalene	1.39	J	2.48	ug/kg wet	1.98		70.1			
Nitrobenzene	1.53	J	2.48	ug/kg wet	1.98		77.2			
n-Nitrosodi-n-propylamine	2.18	J	2.48	ug/kg wet	1.98		110			
n-Nitrosodiphenylamine	<2.48	U	2.48	ug/kg wet	1.98					
Pentachlorophenol	<4.96	U	4.96	ug/kg wet	3.97					
Phenanthrene	1.51	J	2.48	ug/kg wet	1.98		76.1			
Phenol, Total	4.74	J	4.96	ug/kg wet	3.97		120			
Pyrene	<2.48	U	2.48	ug/kg wet	1.98					
Surrogate: 2-Fluorobiphenyl-surr			*13.5*	*ug/kg wet*	*19.8*		*68.2*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*32.7*	*ug/kg wet*	*39.7*		*82.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*27.0*	*ug/kg wet*	*39.7*		*68.0*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.3*	*ug/kg wet*	*19.8*		*87.2*	*60-140*		
Surrogate: Phenol-d5-surr			*40.4*	*ug/kg wet*	*39.7*		*102*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.3*	*ug/kg wet*	*19.8*		*76.9*	*60-140*		
MRL Check (BFC1525-MRL3)					Prepared: 3/10/2022 Analyzed: 4/16/2022					
2,4,6-Trichlorophenol	3.73	J	4.96	ug/kg wet	3.97		94.0			
2,4-Dinitrotoluene (2,4-DNT)	1.44	J	2.48	ug/kg wet	1.98		72.4			
2-Chlorophenol	3.06	J	4.96	ug/kg wet	3.97		77.1			
bis(2-Chloroethyl) ether	1.34	J	2.48	ug/kg wet	1.98		67.6			
Hexachlorobutadiene	<2.48	U	2.48	ug/kg wet	1.98					
Hexachlorocyclopentadiene	<2.48	J1, U	2.48	ug/kg wet	1.98					
n-Nitrosodimethylamine	<2.48	U	2.48	ug/kg wet	9.92					
Surrogate: 2-Fluorobiphenyl-surr			*14.7*	*ug/kg wet*	*19.8*		*74.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*40.2*	*ug/kg wet*	*39.7*		*101*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*29.0*	*ug/kg wet*	*39.7*		*73.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.7*	*ug/kg wet*	*19.8*		*89.4*	*60-140*		
Surrogate: Phenol-d5-surr			*37.3*	*ug/kg wet*	*39.7*		*94.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*17.6*	*ug/kg wet*	*19.8*		*88.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
Matrix Spike (BFC1525-MS1)	**Source: 22B3342-11RE1**				Prepared: 3/10/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	21.1	J1	5.09	ug/kg dry	40.7	<5.09	51.8	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	15.4	J1	5.09	ug/kg dry	40.7	<5.09	37.8	60-140		
1,2-Diphenylhydrazine	27.2		5.09	ug/kg dry	40.7	<5.09	66.9	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	15.0	J1	5.09	ug/kg dry	40.7	<5.09	36.8	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	14.9	J1	5.09	ug/kg dry	40.7	<5.09	36.7	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	23.0	J1	5.09	ug/kg dry	40.7	<5.09	56.5	60-140		
2,4-Dichlorophenol	68.9		10.2	ug/kg dry	81.4	<10.2	84.6	60-140		
2,4-Dimethylphenol	77.8		10.2	ug/kg dry	81.4	<10.2	95.6	60-140		
2,4-Dinitrophenol	22.4		10.2	ug/kg dry	203	<10.2	11.0	10-51.3		
2,6-Dinitrotoluene (2,6-DNT)	26.1		5.09	ug/kg dry	40.7	<5.09	64.1	60-140		
2-Chloronaphthalene	29.9		5.09	ug/kg dry	40.7	<5.09	73.5	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	24.8	J1, J	40.7	ug/kg dry	81.4	<40.7	30.4	60-140		
2-Nitrophenol	64.7		10.2	ug/kg dry	81.4	<10.2	79.5	60-140		
4-Bromophenyl phenyl ether (BDE-3)	18.6	J1	5.09	ug/kg dry	40.7	<5.09	45.7	60-140		
4-Chloro-3-methylphenol	80.0		10.2	ug/kg dry	81.4	<10.2	98.3	60-140		
4-Chlorophenyl phenylether	20.9	J1	5.09	ug/kg dry	40.7	<5.09	51.5	60-140		
4-Nitrophenol	149		5.09	ug/kg dry	203	<5.09	73.4	60-140		
Acenaphthene	27.2		5.09	ug/kg dry	40.7	<5.09	66.7	60-140		
Acenaphthylene	24.8		5.09	ug/kg dry	40.7	<5.09	60.9	60-140		
Anthracene	21.6	J1	5.09	ug/kg dry	40.7	<5.09	53.0	60-140		
Benzo(a)anthracene	15.8	J1	5.09	ug/kg dry	40.7	<5.09	38.9	60-140		
Benzo(a)pyrene	14.4	J1	5.09	ug/kg dry	40.7	<5.09	35.4	60-140		
benzo(b&k)fluoranthene	28.5	J1	5.09	ug/kg dry	81.4	<5.09	35.0	60-140		
Benzo(g,h,i)perylene	12.2	J1	5.09	ug/kg dry	40.7	<5.09	29.9	60-140		
bis(2-Chloroethoxy)methane	27.9		5.09	ug/kg dry	40.7	<5.09	68.6	60-140		
Bis(2-ethylhexyl)phthalate	20.3	J1	5.09	ug/kg dry	40.7	4.83	38.0	60-140		
Butyl benzyl phthalate	19.5	J1	5.09	ug/kg dry	40.7	<5.09	48.0	60-140		
Chrysene	19.0	J1	5.09	ug/kg dry	40.7	<5.09	46.6	60-140		
Dibenzo(a,h)anthracene	11.5	J1	5.09	ug/kg dry	40.7	<5.09	28.2	60-140		
Diethyl phthalate	27.5		5.09	ug/kg dry	40.7	<5.09	67.7	60-140		
Dimethyl phthalate	26.4		5.09	ug/kg dry	40.7	<5.09	64.9	60-140		
Di-n-butyl phthalate	38.8	J1	5.09	ug/kg dry	40.7	20.1	46.0	60-140		
Di-n-octyl phthalate	15.0	J1	5.09	ug/kg dry	40.7	<5.09	36.8	60-140		
Fluoranthene	16.4	J1	5.09	ug/kg dry	40.7	<5.09	40.2	60-140		
Fluorene	26.1		5.09	ug/kg dry	40.7	<5.09	64.1	60-140		
Hexachlorobenzene	20.2	J1	5.09	ug/kg dry	40.7	<5.09	49.7	60-140		
Hexachloroethane	13.3	J1	5.09	ug/kg dry	40.7	<5.09	32.7	60-140		
Indeno(1,2,3-cd) pyrene	12.0	J1	5.09	ug/kg dry	40.7	<5.09	29.6	60-140		
Isophorone	27.0		5.09	ug/kg dry	40.7	<5.09	66.2	60-140		
Naphthalene	26.2		5.09	ug/kg dry	40.7	<5.09	64.4	60-140		
Nitrobenzene	28.3		5.09	ug/kg dry	40.7	<5.09	69.4	60-140		
n-Nitrosodi-n-propylamine	27.1		5.09	ug/kg dry	40.7	<5.09	66.5	60-140		

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
Matrix Spike (BFC1525-MS1)	**Source: 22B3342-11RE1**			Prepared: 3/10/2022 Analyzed: 4/12/2022						
n-Nitrosodiphenylamine	16.0	J1	5.09	ug/kg dry	40.7	<5.09	39.2	60-140		
Pentachlorophenol	61.3		10.2	ug/kg dry	81.4	<10.2	75.3	60-140		
Phenanthrene	22.2	J1	5.09	ug/kg dry	40.7	<5.09	54.6	60-140		
Phenol, Total	75.0		10.2	ug/kg dry	81.4	5.35	85.6	60-140		
Pyrene	15.9	J1	5.09	ug/kg dry	40.7	<5.09	39.0	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*27.2*	*ug/kg dry*	*40.7*		*66.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*59.8*	*ug/kg dry*	*81.4*		*73.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*64.5*	*ug/kg dry*	*81.4*		*79.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*29.4*	*ug/kg dry*	*40.7*		*72.2*	*60-140*		
Surrogate: Phenol-d5-surr			*82.8*	*ug/kg dry*	*81.4*		*102*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*14.7*	*ug/kg dry*	*40.7*		*36.1*	*60-140*		
Matrix Spike (BFC1525-MS2)	**Source: 22B3342-11RE2**			Prepared: 3/10/2022 Analyzed: 4/16/2022						
2,4,6-Trichlorophenol	71.5		10.2	ug/kg dry	81.4	<10.2	87.8	60-140		
2,4-Dinitrotoluene (2,4-DNT)	25.2		5.09	ug/kg dry	40.7	<5.09	62.0	60-140		
2-Chlorophenol	59.5		10.2	ug/kg dry	81.4	<10.2	73.2	60-140		
bis(2-Chloroethyl) ether	30.1		5.09	ug/kg dry	40.7	<5.09	74.0	60-140		
Hexachlorobutadiene	16.5	J1	5.09	ug/kg dry	40.7	<5.09	40.5	60-140		
Hexachlorocyclopentadiene	4.80	J1, J	5.09	ug/kg dry	40.7	<5.09	11.8	60-140		
n-Nitrosodimethylamine	131		5.09	ug/kg dry	203	<5.09	64.4	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*26.6*	*ug/kg dry*	*40.7*		*65.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*74.6*	*ug/kg dry*	*81.4*		*91.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*58.6*	*ug/kg dry*	*81.4*		*72.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*33.4*	*ug/kg dry*	*40.7*		*82.0*	*60-140*		
Surrogate: Phenol-d5-surr			*76.2*	*ug/kg dry*	*81.4*		*93.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*18.8*	*ug/kg dry*	*40.7*		*46.2*	*60-140*		
Matrix Spike Dup (BFC1525-MSD1)	**Source: 22B3342-11RE1**			Prepared: 3/10/2022 Analyzed: 4/12/2022						
1,2,4-Trichlorobenzene	18.9	J1	5.19	ug/kg dry	41.5	<5.19	45.5	60-140	10.9	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	19.1	J1	5.19	ug/kg dry	41.5	<5.19	45.9	60-140	21.4	40
1,2-Diphenylhydrazine	24.3	J1	5.19	ug/kg dry	41.5	<5.19	58.4	60-140	11.4	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	16.8	J1	5.19	ug/kg dry	41.5	<5.19	40.4	60-140	11.5	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	14.9	J1	5.19	ug/kg dry	41.5	<5.19	35.9	60-140	0.0349	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	23.0	J1	5.19	ug/kg dry	41.5	<5.19	55.3	60-140	0.0358	40
2,4-Dichlorophenol	62.2		10.4	ug/kg dry	83.1	<10.4	74.9	60-140	10.2	40
2,4-Dimethylphenol	77.9		10.4	ug/kg dry	83.1	<10.4	93.7	60-140	0.113	40
2,4-Dinitrophenol	22.5		10.4	ug/kg dry	208	<10.4	10.8	10-51.3	0.500	40
2,6-Dinitrotoluene (2,6-DNT)	26.9		5.19	ug/kg dry	41.5	<5.19	64.7	60-140	2.93	40
2-Chloronaphthalene	29.9		5.19	ug/kg dry	41.5	<5.19	71.9	60-140	0.0566	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	24.7	J1, J	41.5	ug/kg dry	83.1	<41.5	29.8	60-140	0.0489	40
2-Nitrophenol	69.1		10.4	ug/kg dry	83.1	<10.4	83.2	60-140	6.54	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
Matrix Spike Dup (BFC1525-MSD1)	**Source: 22B3342-11RE1**		Prepared: 3/10/2022 Analyzed: 4/12/2022							
4-Bromophenyl phenyl ether (BDE-3)	20.0	J1	5.19	ug/kg dry	41.5	<5.19	48.2	60-140	7.39	40
4-Chloro-3-methylphenol	76.9		10.4	ug/kg dry	83.1	<10.4	92.5	60-140	3.99	40
4-Chlorophenyl phenylether	22.4	J1	5.19	ug/kg dry	41.5	<5.19	54.0	60-140	6.93	40
4-Nitrophenol	149		5.19	ug/kg dry	208	<5.19	71.8	60-140	0.178	40
Acenaphthene	24.6	J1	5.19	ug/kg dry	41.5	<5.19	59.2	60-140	9.99	40
Acenaphthylene	24.0	J1	5.19	ug/kg dry	41.5	<5.19	57.7	60-140	3.33	40
Anthracene	19.5	J1	5.19	ug/kg dry	41.5	<5.19	46.9	60-140	10.0	40
Benzo(a)anthracene	19.2	J1	5.19	ug/kg dry	41.5	<5.19	46.2	60-140	19.3	40
Benzo(a)pyrene	15.7	J1	5.19	ug/kg dry	41.5	<5.19	37.7	60-140	8.48	40
benzo(b&k)fluoranthene	30.9	J1	5.19	ug/kg dry	83.1	<5.19	37.2	60-140	8.13	40
Benzo(g,h,i)perylene	12.3	J1	5.19	ug/kg dry	41.5	<5.19	29.6	60-140	0.807	40
bis(2-Chloroethoxy)methane	26.2		5.19	ug/kg dry	41.5	<5.19	63.1	60-140	6.34	40
Bis(2-ethylhexyl)phthalate	21.3	J1	5.19	ug/kg dry	41.5	4.83	39.6	60-140	4.74	40
Butyl benzyl phthalate	18.3	J1	5.19	ug/kg dry	41.5	<5.19	44.0	60-140	6.77	40
Chrysene	20.8	J1	5.19	ug/kg dry	41.5	<5.19	50.0	60-140	8.94	40
Dibenzo(a,h)anthracene	11.8	J1	5.19	ug/kg dry	41.5	<5.19	28.3	60-140	2.60	40
Diethyl phthalate	27.8		5.19	ug/kg dry	41.5	<5.19	67.0	60-140	1.08	40
Dimethyl phthalate	26.8		5.19	ug/kg dry	41.5	<5.19	64.4	60-140	1.31	40
Di-n-butyl phthalate	42.4	J1	5.19	ug/kg dry	41.5	20.1	53.7	60-140	8.92	40
Di-n-octyl phthalate	14.1	J1	5.19	ug/kg dry	41.5	<5.19	33.9	60-140	6.12	40
Fluoranthene	16.2	J1	5.19	ug/kg dry	41.5	<5.19	39.0	60-140	1.02	40
Fluorene	26.3		5.19	ug/kg dry	41.5	<5.19	63.4	60-140	0.928	40
Hexachlorobenzene	19.4	J1	5.19	ug/kg dry	41.5	<5.19	46.6	60-140	4.37	40
Hexachloroethane	14.1	J1	5.19	ug/kg dry	41.5	<5.19	34.0	60-140	5.77	40
Indeno(1,2,3-cd) pyrene	12.0	J1	5.19	ug/kg dry	41.5	<5.19	28.9	60-140	0.530	40
Isophorone	24.0	J1	5.19	ug/kg dry	41.5	<5.19	57.9	60-140	11.4	40
Naphthalene	24.0	J1	5.19	ug/kg dry	41.5	<5.19	57.8	60-140	8.74	40
Nitrobenzene	28.2		5.19	ug/kg dry	41.5	<5.19	68.0	60-140	0.0270	40
n-Nitrosodi-n-propylamine	25.0		5.19	ug/kg dry	41.5	<5.19	60.1	60-140	8.07	40
n-Nitrosodiphenylamine	15.5	J1	5.19	ug/kg dry	41.5	<5.19	37.2	60-140	3.28	40
Pentachlorophenol	57.8		10.4	ug/kg dry	83.1	<10.4	69.6	60-140	5.79	40
Phenanthrene	22.3	J1	5.19	ug/kg dry	41.5	<5.19	53.7	60-140	0.381	40
Phenol, Total	79.2		10.4	ug/kg dry	83.1	5.35	88.9	60-140	5.42	40
Pyrene	15.8	J1	5.19	ug/kg dry	41.5	<5.19	38.1	60-140	0.239	40
Surrogate: 2-Fluorobiphenyl-surr			*25.5*	*ug/kg dry*	*41.5*		*61.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*64.1*	*ug/kg dry*	*83.1*		*77.2*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*63.8*	*ug/kg dry*	*83.1*		*76.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*30.3*	*ug/kg dry*	*41.5*		*72.9*	*60-140*		
Surrogate: Phenol-d5-surr			*85.3*	*ug/kg dry*	*83.1*		*103*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*15.4*	*ug/kg dry*	*41.5*		*37.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1525 - SW-3570 (Continued)										
Matrix Spike Dup (BFC1525-MSD2)		**Source: 22B3342-11RE2**			Prepared: 3/10/2022 Analyzed: 4/16/2022					
2,4,6-Trichlorophenol	73.2		10.4	ug/kg dry	83.1	<10.4	88.1	60-140	2.36	40
2,4-Dinitrotoluene (2,4-DNT)	25.9		5.19	ug/kg dry	41.5	<5.19	62.4	60-140	2.57	40
2-Chlorophenol	59.1		10.4	ug/kg dry	83.1	<10.4	71.1	60-140	0.834	40
bis(2-Chloroethyl) ether	28.6		5.19	ug/kg dry	41.5	<5.19	68.7	60-140	5.33	40
Hexachlorobutadiene	15.9	J1	5.19	ug/kg dry	41.5	<5.19	38.2	60-140	3.64	40
Hexachlorocyclopentadiene	3.85	J1, J	5.19	ug/kg dry	41.5	<5.19	9.26	60-140	22.1	40
n-Nitrosodimethylamine	106	J1	5.19	ug/kg dry	208	<5.19	51.1	60-140	20.9	40
Surrogate: 2-Fluorobiphenyl-surr			*26.4*	*ug/kg dry*	*41.5*		*63.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*74.5*	*ug/kg dry*	*83.1*		*89.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*60.9*	*ug/kg dry*	*83.1*		*73.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*33.2*	*ug/kg dry*	*41.5*		*79.8*	*60-140*		
Surrogate: Phenol-d5-surr			*68.7*	*ug/kg dry*	*83.1*		*82.7*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*19.8*	*ug/kg dry*	*41.5*		*47.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2812 - SW-3511										
Blank (BFB2812-BLK1)					Prepared: 2/21/2022 Analyzed: 3/5/2022					
4,4'-DDD	<0.00598	U	0.00598	ug/L						
4,4'-DDE	<0.00598	U	0.00598	ug/L						
4,4'-DDT	<0.00598	U	0.00598	ug/L						
Aldrin	<0.00598	U	0.00598	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
Chlordane (tech.)	<0.00598	U	0.00598	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00598	U	0.00598	ug/L						
delta-BHC	<0.00598	U	0.00598	ug/L						
Dieldrin	<0.00598	U	0.00598	ug/L						
Endosulfan I	<0.00598	U	0.00598	ug/L						
Endosulfan II	<0.00598	U	0.00598	ug/L						
Endosulfan sulfate	<0.00598	U	0.00598	ug/L						
Endrin	<0.00598	U	0.00598	ug/L						
Endrin aldehyde	<0.00598	U	0.00598	ug/L						
Endrin ketone	<0.00598	U	0.00598	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00598	U	0.00598	ug/L						
gamma-Chlordane	<0.00598	U	0.00598	ug/L						
Heptachlor	<0.00598	U	0.00598	ug/L						
Heptachlor epoxide	<0.00598	U	0.00598	ug/L						
Methoxychlor	<0.00598	U	0.00598	ug/L						
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.133*	*ug/L*	*0.120*		*111*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.132*	*ug/L*	*0.120*		*110*	*60-140*		
LCS (BFB2812-BS1)					Prepared: 2/21/2022 Analyzed: 3/5/2022					
4,4'-DDD	0.112		0.00600	ug/L	0.120		93.4	60-140		
4,4'-DDE	0.104		0.00600	ug/L	0.120		86.9	60-140		
4,4'-DDT	0.110		0.00600	ug/L	0.120		91.3	60-140		
Aldrin	0.105		0.00600	ug/L	0.120		87.8	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.123		0.00600	ug/L	0.120		103	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.118		0.00600	ug/L	0.120		97.9	60-140		
Chlordane (tech.)	0.410		0.00600	ug/L	0.480		85.3	60-140		
cis-Chlordane (alpha-Chlordane)	0.103		0.00600	ug/L	0.120		86.2	60-140		
delta-BHC	0.108		0.00600	ug/L	0.120		90.3	60-140		
Dieldrin	0.110		0.00600	ug/L	0.120		91.8	60-140		
Endosulfan I	0.0958		0.00600	ug/L	0.120		79.9	60-140		
Endosulfan II	0.101		0.00600	ug/L	0.120		83.9	60-140		
Endosulfan sulfate	0.113		0.00600	ug/L	0.120		93.9	60-140		
Endrin	0.104		0.00600	ug/L	0.120		86.5	60-140		
Endrin aldehyde	0.120		0.00600	ug/L	0.120		100	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2812 - SW-3511 (Continued)										
LCS (BFB2812-BS1)					Prepared: 2/21/2022 Analyzed: 3/5/2022					
Endrin ketone	0.112		0.00600	ug/L	0.120		93.4	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.120		0.00600	ug/L	0.120		99.9	60-140		
gamma-Chlordane	0.0992		0.00600	ug/L	0.120		82.6	60-140		
Heptachlor	0.106		0.00600	ug/L	0.120		88.3	60-140		
Heptachlor epoxide	0.101		0.00600	ug/L	0.120		84.1	60-140		
Methoxychlor	0.121		0.00600	ug/L	0.120		100	60-140		
Toxaphene (Chlorinated Camphene)	<0.300	U	0.300	ug/L				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.127*	*ug/L*	*0.120*		*106*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.135*	*ug/L*	*0.120*		*113*	*60-140*		
TOX LCS (BFB2812-BS2)					Prepared: 2/21/2022 Analyzed: 3/5/2022					
4,4'-DDD	<0.00590	U	0.00590	ug/L				60-140		
4,4'-DDE	<0.00590	U	0.00590	ug/L				60-140		
4,4'-DDT	<0.00590	U	0.00590	ug/L				60-140		
Aldrin	<0.00590	U	0.00590	ug/L				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00590	U	0.00590	ug/L				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00590	U	0.00590	ug/L				60-140		
Chlordane (tech.)	<0.00590	U	0.00590	ug/L				60-140		
cis-Chlordane (alpha-Chlordane)	<0.00590	U	0.00590	ug/L				60-140		
delta-BHC	<0.00590	U	0.00590	ug/L				60-140		
Dieldrin	<0.00590	U	0.00590	ug/L				60-140		
Endosulfan I	<0.00590	U	0.00590	ug/L				60-140		
Endosulfan II	<0.00590	U	0.00590	ug/L				60-140		
Endosulfan sulfate	<0.00590	U	0.00590	ug/L				60-140		
Endrin	<0.00590	U	0.00590	ug/L				60-140		
Endrin aldehyde	<0.00590	U	0.00590	ug/L				60-140		
Endrin ketone	<0.00590	U	0.00590	ug/L				60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00590	U	0.00590	ug/L				60-140		
gamma-Chlordane	<0.00590	U	0.00590	ug/L				60-140		
Heptachlor	<0.00590	U	0.00590	ug/L				60-140		
Heptachlor epoxide	<0.00590	U	0.00590	ug/L				60-140		
Methoxychlor	<0.00590	U	0.00590	ug/L				60-140		
Toxaphene (Chlorinated Camphene)	1.20		0.295	ug/L	1.18		102	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.127*	*ug/L*	*0.118*		*108*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.118*	*ug/L*	*0.118*		*99.8*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2812 - SW-3511 (Continued)										
LCS Dup (BFB2812-BSD1)					Prepared: 2/21/2022 Analyzed: 3/5/2022					
4,4'-DDD	0.125		0.00597	ug/L	0.119		105	60-140	10.8	40
4,4'-DDE	0.118		0.00597	ug/L	0.119		98.9	60-140	12.4	40
4,4'-DDT	0.126		0.00597	ug/L	0.119		105	60-140	13.9	40
Aldrin	0.116		0.00597	ug/L	0.119		97.5	60-140	9.96	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.136		0.00597	ug/L	0.119		114	60-140	9.74	40
beta-BHC (beta-Hexachlorocyclohexane)	0.129		0.00597	ug/L	0.119		108	60-140	9.50	40
Chlordane (tech.)	0.453		0.00597	ug/L	0.478		94.8	60-140	9.99	40
cis-Chlordane (alpha-Chlordane)	0.114		0.00597	ug/L	0.119		95.1	60-140	9.35	40
delta-BHC	0.122		0.00597	ug/L	0.119		102	60-140	11.5	40
Dieldrin	0.120		0.00597	ug/L	0.119		100	60-140	8.36	40
Endosulfan I	0.105		0.00597	ug/L	0.119		88.0	60-140	9.15	40
Endosulfan II	0.110		0.00597	ug/L	0.119		92.4	60-140	9.09	40
Endosulfan sulfate	0.127		0.00597	ug/L	0.119		106	60-140	11.5	40
Endrin	0.114		0.00597	ug/L	0.119		95.3	60-140	9.15	40
Endrin aldehyde	0.133		0.00597	ug/L	0.119		112	60-140	10.5	40
Endrin ketone	0.124		0.00597	ug/L	0.119		104	60-140	10.4	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.133		0.00597	ug/L	0.119		111	60-140	10.3	40
gamma-Chlordane	0.111		0.00597	ug/L	0.119		93.1	60-140	11.4	40
Heptachlor	0.116		0.00597	ug/L	0.119		96.8	60-140	8.62	40
Heptachlor epoxide	0.112		0.00597	ug/L	0.119		94.1	60-140	10.7	40
Methoxychlor	0.134		0.00597	ug/L	0.119		113	60-140	10.9	40
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.126*	*ug/L*	*0.119*		*106*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.134*	*ug/L*	*0.119*		*112*	*60-140*		
TOX LCS Dup (BFB2812-BSD2)					Prepared: 2/21/2022 Analyzed: 3/5/2022					
4,4'-DDD	<0.00595	U	0.00595	ug/L				60-140		40
4,4'-DDE	<0.00595	U	0.00595	ug/L				60-140		40
4,4'-DDT	<0.00595	U	0.00595	ug/L				60-140		40
Aldrin	<0.00595	U	0.00595	ug/L				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L				60-140		40
Chlordane (tech.)	<0.00595	U	0.00595	ug/L				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.00595	U	0.00595	ug/L				60-140		40
delta-BHC	<0.00595	U	0.00595	ug/L				60-140		40
Dieldrin	<0.00595	U	0.00595	ug/L				60-140		40
Endosulfan I	<0.00595	U	0.00595	ug/L				60-140		40
Endosulfan II	<0.00595	U	0.00595	ug/L				60-140		40
Endosulfan sulfate	<0.00595	U	0.00595	ug/L				60-140		40
Endrin	<0.00595	U	0.00595	ug/L				60-140		40
Endrin aldehyde	<0.00595	U	0.00595	ug/L				60-140		40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2812 - SW-3511 (Continued)										
TOX LCS Dup (BFB2812-BSD2)					Prepared: 2/21/2022 Analyzed: 3/5/2022					
Endrin ketone	<0.00595	U	0.00595	ug/L				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L				60-140		40
gamma-Chlordane	<0.00595	U	0.00595	ug/L				60-140		40
Heptachlor	<0.00595	U	0.00595	ug/L				60-140		40
Heptachlor epoxide	<0.00595	U	0.00595	ug/L				60-140		40
Methoxychlor	<0.00595	U	0.00595	ug/L				60-140		40
Toxaphene (Chlorinated Camphene)	1.34		0.298	ug/L	1.19		113	60-140	10.9	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.121*	*ug/L*	*0.119*		*101*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.115*	*ug/L*	*0.119*		*96.4*	*60-140*		
MRL Check (BFB2812-MRL1)					Prepared: 2/21/2022 Analyzed: 3/5/2022					
4,4'-DDD	0.0109		0.00597	ug/L	0.0119		91.7	50-150		
4,4'-DDE	0.0133		0.00597	ug/L	0.0119		111	50-150		
4,4'-DDT	0.0122		0.00597	ug/L	0.0119		103	50-150		
Aldrin	0.0127		0.00597	ug/L	0.0119		107	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0148		0.00597	ug/L	0.0119		124	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.0142		0.00597	ug/L	0.0119		119	50-150		
Chlordane (tech.)	0.0543		0.00597	ug/L	0.0478		114	50-150		
cis-Chlordane (alpha-Chlordane)	0.0144		0.00597	ug/L	0.0119		120	50-150		
delta-BHC	0.0119		0.00597	ug/L	0.0119		99.8	50-150		
Dieldrin	0.0131		0.00597	ug/L	0.0119		110	50-150		
Endosulfan I	0.00952		0.00597	ug/L	0.0119		79.8	50-150		
Endosulfan II	0.0110		0.00597	ug/L	0.0119		92.1	50-150		
Endosulfan sulfate	0.0148		0.00597	ug/L	0.0119		124	50-150		
Endrin	0.0127		0.00597	ug/L	0.0119		106	50-150		
Endrin aldehyde	0.0165		0.00597	ug/L	0.0119		138	50-150		
Endrin ketone	0.0153		0.00597	ug/L	0.0119		128	50-150		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.0152		0.00597	ug/L	0.0119		127	50-150		
gamma-Chlordane	0.0121		0.00597	ug/L	0.0119		102	50-150		
Heptachlor	0.0152		0.00597	ug/L	0.0119		127	50-150		
Heptachlor epoxide	0.0126		0.00597	ug/L	0.0119		106	50-150		
Methoxychlor	0.00598		0.00597	ug/L	0.0119		50.1	50-150		
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L				50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.133*	*ug/L*	*0.119*		*112*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.136*	*ug/L*	*0.119*		*114*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2812 - SW-3511 (Continued)										
MRL TOX (BFB2812-MRL2)					Prepared: 2/21/2022 Analyzed: 3/5/2022					
4,4'-DDD	<0.00596	U	0.00596	ug/L				50-150		
4,4'-DDE	<0.00596	U	0.00596	ug/L				50-150		
4,4'-DDT	<0.00596	U	0.00596	ug/L				50-150		
Aldrin	<0.00596	U	0.00596	ug/L				50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00596	U	0.00596	ug/L				50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00596	U	0.00596	ug/L				50-150		
Chlordane (tech.)	<0.00596	U	0.00596	ug/L				50-150		
cis-Chlordane (alpha-Chlordane)	<0.00596	U	0.00596	ug/L				50-150		
delta-BHC	<0.00596	U	0.00596	ug/L				50-150		
Dieldrin	<0.00596	U	0.00596	ug/L				50-150		
Endosulfan I	<0.00596	U	0.00596	ug/L				50-150		
Endosulfan II	<0.00596	U	0.00596	ug/L				50-150		
Endosulfan sulfate	<0.00596	U	0.00596	ug/L				50-150		
Endrin	<0.00596	U	0.00596	ug/L				50-150		
Endrin aldehyde	<0.00596	U	0.00596	ug/L				50-150		
Endrin ketone	<0.00596	U	0.00596	ug/L				50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00596	U	0.00596	ug/L				50-150		
gamma-Chlordane	<0.00596	U	0.00596	ug/L				50-150		
Heptachlor	<0.00596	U	0.00596	ug/L				50-150		
Heptachlor epoxide	<0.00596	U	0.00596	ug/L				50-150		
Methoxychlor	<0.00596	U	0.00596	ug/L				50-150		
Toxaphene (Chlorinated Camphene)	0.333		0.298	ug/L	0.298		112	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.122*	*ug/L*	*0.119*		*102*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.116*	*ug/L*	*0.119*		*97.4*	*60-140*		
Matrix Spike (BFB2812-MS1)			**Source: 22A3944-07**		Prepared: 2/21/2022 Analyzed: 3/5/2022					
4,4'-DDD	0.151		0.00598	ug/L	0.120	<0.00598	126	60-140		
4,4'-DDE	0.131		0.00598	ug/L	0.120	<0.00598	109	60-140		
4,4'-DDT	0.138		0.00598	ug/L	0.120	<0.00598	115	60-140		
Aldrin	0.133		0.00598	ug/L	0.120	<0.00598	111	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.156		0.00598	ug/L	0.120	<0.00598	131	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.150		0.00598	ug/L	0.120	<0.00598	125	60-140		
Chlordane (tech.)	0.518		0.00598	ug/L	0.479	<0.00598	108	60-140		
cis-Chlordane (alpha-Chlordane)	0.128		0.00598	ug/L	0.120	<0.00598	107	60-140		
delta-BHC	0.145		0.00598	ug/L	0.120	<0.00598	121	60-140		
Dieldrin	0.140		0.00598	ug/L	0.120	<0.00598	117	60-140		
Endosulfan I	0.118		0.00598	ug/L	0.120	<0.00598	98.8	60-140		
Endosulfan II	0.124		0.00598	ug/L	0.120	<0.00598	104	60-140		
Endosulfan sulfate	0.142		0.00598	ug/L	0.120	<0.00598	119	60-140		
Endrin	0.128		0.00598	ug/L	0.120	<0.00598	107	60-140		
Endrin aldehyde	0.157		0.00598	ug/L	0.120	<0.00598	131	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2812 - SW-3511 (Continued)										
Matrix Spike (BFB2812-MS1)		**Source: 22A3944-07**			Prepared: 2/21/2022 Analyzed: 3/5/2022					
Endrin ketone	0.146		0.00598	ug/L	0.120	<0.00598	122	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.153		0.00598	ug/L	0.120	<0.00598	128	60-140		
gamma-Chlordane	0.131		0.00598	ug/L	0.120	<0.00598	109	60-140		
Heptachlor	0.134		0.00598	ug/L	0.120	<0.00598	112	60-140		
Heptachlor epoxide	0.125		0.00598	ug/L	0.120	<0.00598	105	60-140		
Methoxychlor	0.147		0.00598	ug/L	0.120	<0.00598	123	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.136*	*ug/L*	*0.120*		*114*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.138*	*ug/L*	*0.120*		*115*	*60-140*		
Matrix Spike Dup (BFB2812-MSD1)		**Source: 22A3944-07**			Prepared: 2/21/2022 Analyzed: 3/5/2022					
4,4'-DDD	0.157		0.00597	ug/L	0.119	<0.00597	131	60-140	3.76	40
4,4'-DDE	0.136		0.00597	ug/L	0.119	<0.00597	114	60-140	3.86	40
4,4'-DDT	0.143		0.00597	ug/L	0.119	<0.00597	120	60-140	3.85	40
Aldrin	0.139		0.00597	ug/L	0.119	<0.00597	116	60-140	4.24	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.162		0.00597	ug/L	0.119	<0.00597	135	60-140	3.28	40
beta-BHC (beta-Hexachlorocyclohexane)	0.155		0.00597	ug/L	0.119	<0.00597	129	60-140	3.18	40
Chlordane (tech.)	0.532		0.00597	ug/L	0.478	<0.00597	111	60-140	2.52	40
cis-Chlordane (alpha-Chlordane)	0.131		0.00597	ug/L	0.119	<0.00597	110	60-140	2.43	40
delta-BHC	0.146		0.00597	ug/L	0.119	<0.00597	122	60-140	0.736	40
Dieldrin	0.142		0.00597	ug/L	0.119	<0.00597	119	60-140	1.69	40
Endosulfan I	0.122		0.00597	ug/L	0.119	<0.00597	103	60-140	3.57	40
Endosulfan II	0.129		0.00597	ug/L	0.119	<0.00597	108	60-140	4.27	40
Endosulfan sulfate	0.141		0.00597	ug/L	0.119	<0.00597	118	60-140	0.751	40
Endrin	0.135		0.00597	ug/L	0.119	<0.00597	113	60-140	4.87	40
Endrin aldehyde	0.159		0.00597	ug/L	0.119	<0.00597	133	60-140	1.31	40
Endrin ketone	0.147		0.00597	ug/L	0.119	<0.00597	123	60-140	0.762	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.158		0.00597	ug/L	0.119	<0.00597	132	60-140	3.24	40
gamma-Chlordane	0.132		0.00597	ug/L	0.119	<0.00597	110	60-140	0.488	40
Heptachlor	0.139		0.00597	ug/L	0.119	<0.00597	116	60-140	3.42	40
Heptachlor epoxide	0.130		0.00597	ug/L	0.119	<0.00597	109	60-140	3.76	40
Methoxychlor	0.154		0.00597	ug/L	0.119	<0.00597	129	60-140	4.46	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.148*	*ug/L*	*0.119*		*124*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.138*	*ug/L*	*0.119*		*116*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2975 - SW-3511										
Blank (BFB2975-BLK1)					Prepared: 2/22/2022 Analyzed: 3/1/2022					
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.130*	*ug/L*	*0.120*		*109*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0984*	*ug/L*	*0.120*		*82.2*	*60-140*		
LCS (BFB2975-BS1)					Prepared: 2/22/2022 Analyzed: 3/1/2022					
Aroclor-1016 (PCB-1016)	1.59		0.120	ug/L	1.20		133	60-140		
Aroclor-1260 (PCB-1260)	1.50		0.120	ug/L	1.20		125	60-140		
PCBs, Total	1.52		0.120	ug/L	1.20		127	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.162*	*ug/L*	*0.120*		*135*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.159*	*ug/L*	*0.120*		*133*	*60-140*		
LCS Dup (BFB2975-BSD1)					Prepared: 2/22/2022 Analyzed: 3/1/2022					
Aroclor-1016 (PCB-1016)	1.64		0.118	ug/L	1.18		139	60-140	2.93	40
Aroclor-1260 (PCB-1260)	1.54		0.118	ug/L	1.18		130	60-140	3.22	40
PCBs, Total	1.57		0.118	ug/L	1.18		133	60-140	3.13	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.144*	*ug/L*	*0.118*		*121*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.138*	*ug/L*	*0.118*		*117*	*60-140*		
MDL (BFB2975-MRL1)					Prepared: 2/22/2022 Analyzed: 3/1/2022					
Aroclor-1016 (PCB-1016)	0.563	J1	0.118	ug/L	0.237		238	50-150		
Aroclor-1221 (PCB-1221)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1232 (PCB-1232)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1242 (PCB-1242)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1248 (PCB-1248)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1254 (PCB-1254)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1260 (PCB-1260)	0.465	J1	0.118	ug/L	0.237		196	50-150		
PCBs, Total	0.493	J1	0.118	ug/L	0.237		208	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.141*	*ug/L*	*0.118*		*119*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.128*	*ug/L*	*0.118*		*109*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2975 - SW-3511 (Continued)										
Matrix Spike (BFB2975-MS1)		**Source: 22A3944-07**			Prepared: 2/22/2022 Analyzed: 3/1/2022					
Aroclor-1016 (PCB-1016)	1.44		0.120	ug/L	1.20	<0.120	120	60-140		
Aroclor-1260 (PCB-1260)	1.30		0.120	ug/L	1.20	<0.120	109	60-140		
PCBs, Total	1.34		0.120	ug/L	1.20	<0.120	112	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.137*	*ug/L*	*0.120*		*114*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.115*	*ug/L*	*0.120*		*95.8*	*60-140*		
Matrix Spike Dup (BFB2975-MSD1)		**Source: 22A3944-07**			Prepared: 2/22/2022 Analyzed: 3/1/2022					
Aroclor-1016 (PCB-1016)	1.44		0.122	ug/L	1.22	<0.122	119	60-140	0.485	40
Aroclor-1260 (PCB-1260)	1.27		0.122	ug/L	1.22	<0.122	104	60-140	2.40	40
PCBs, Total	1.32		0.122	ug/L	1.22	<0.122	108	60-140	1.52	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.134*	*ug/L*	*0.122*		*110*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.103*	*ug/L*	*0.122*		*84.4*	*60-140*		
Batch: BFB3080 - SW-3511										
Blank (BFB3080-BLK1)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	<0.00592	U	0.00592	ug/L						
4,4'-DDE	<0.00592	U	0.00592	ug/L						
4,4'-DDT	<0.00592	U	0.00592	ug/L						
Aldrin	<0.00592	U	0.00592	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00592	U	0.00592	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00592	U	0.00592	ug/L						
Chlordane (tech.)	<0.00592	U	0.00592	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00592	U	0.00592	ug/L						
delta-BHC	<0.00592	U	0.00592	ug/L						
Dieldrin	<0.00592	U	0.00592	ug/L						
Endosulfan I	<0.00592	U	0.00592	ug/L						
Endosulfan II	<0.00592	U	0.00592	ug/L						
Endosulfan sulfate	<0.00592	U	0.00592	ug/L						
Endrin	<0.00592	U	0.00592	ug/L						
Endrin aldehyde	<0.00592	U	0.00592	ug/L						
Endrin ketone	<0.00592	U	0.00592	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00592	U	0.00592	ug/L						
gamma-Chlordane	<0.00592	U	0.00592	ug/L						
Heptachlor	<0.00592	U	0.00592	ug/L						
Heptachlor epoxide	<0.00592	U	0.00592	ug/L						
Methoxychlor	<0.00592	U	0.00592	ug/L						
Toxaphene (Chlorinated Camphene)	<0.296	U	0.296	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.115*	*ug/L*	*0.118*		*97.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.128*	*ug/L*	*0.118*		*108*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3080 - SW-3511 (Continued)										
LCS TOX (BFB3080-BS1)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	<0.00595	U	0.00595	ug/L				60-140		
4,4'-DDE	<0.00595	U	0.00595	ug/L				60-140		
4,4'-DDT	<0.00595	U	0.00595	ug/L				60-140		
Aldrin	<0.00595	U	0.00595	ug/L				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L				60-140		
Chlordane (tech.)	<0.00595	U	0.00595	ug/L				60-140		
cis-Chlordane (alpha-Chlordane)	<0.00595	U	0.00595	ug/L				60-140		
delta-BHC	<0.00595	U	0.00595	ug/L				60-140		
Dieldrin	<0.00595	U	0.00595	ug/L				60-140		
Endosulfan I	<0.00595	U	0.00595	ug/L				60-140		
Endosulfan II	<0.00595	U	0.00595	ug/L				60-140		
Endosulfan sulfate	<0.00595	U	0.00595	ug/L				60-140		
Endrin	<0.00595	U	0.00595	ug/L				60-140		
Endrin aldehyde	<0.00595	U	0.00595	ug/L				60-140		
Endrin ketone	<0.00595	U	0.00595	ug/L				60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00595	U	0.00595	ug/L				60-140		
gamma-Chlordane	<0.00595	U	0.00595	ug/L				60-140		
Heptachlor	<0.00595	U	0.00595	ug/L				60-140		
Heptachlor epoxide	<0.00595	U	0.00595	ug/L				60-140		
Methoxychlor	<0.00595	U	0.00595	ug/L				60-140		
Toxaphene (Chlorinated Camphene)	1.24		0.298	ug/L	1.19		104	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.111*	*ug/L*	*0.119*		*93.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.107*	*ug/L*	*0.119*		*90.3*	*60-140*		
LCS (BFB3080-BS2)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	0.114		0.00592	ug/L	0.118		96.2	60-140		
4,4'-DDE	0.104		0.00592	ug/L	0.118		87.7	60-140		
4,4'-DDT	0.123		0.00592	ug/L	0.118		104	60-140		
Aldrin	0.106		0.00592	ug/L	0.118		89.5	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.143		0.00592	ug/L	0.118		121	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.134		0.00592	ug/L	0.118		114	60-140		
Chlordane (tech.)	0.431		0.00592	ug/L	0.473		90.9	60-140		
cis-Chlordane (alpha-Chlordane)	0.0967		0.00592	ug/L	0.118		81.7	60-140		
delta-BHC	0.129		0.00592	ug/L	0.118		109	60-140		
Dieldrin	0.110		0.00592	ug/L	0.118		93.1	60-140		
Endosulfan I	0.0916		0.00592	ug/L	0.118		77.4	60-140		
Endosulfan II	0.105		0.00592	ug/L	0.118		88.8	60-140		
Endosulfan sulfate	0.122		0.00592	ug/L	0.118		103	60-140		
Endrin	0.114		0.00592	ug/L	0.118		95.9	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3080 - SW-3511 (Continued)										
LCS (BFB3080-BS2)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
Endrin aldehyde	0.125		0.00592	ug/L	0.118		105	60-140		
Endrin ketone	0.132		0.00592	ug/L	0.118		112	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.136		0.00592	ug/L	0.118		115	60-140		
gamma-Chlordane	0.106		0.00592	ug/L	0.118		89.8	60-140		
Heptachlor	0.121		0.00592	ug/L	0.118		102	60-140		
Heptachlor epoxide	0.107		0.00592	ug/L	0.118		90.0	60-140		
Methoxychlor	0.124		0.00592	ug/L	0.118		104	60-140		
Toxaphene (Chlorinated Camphene)	<0.296	U	0.296	ug/L				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.121*	*ug/L*	*0.118*		*102*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.131*	*ug/L*	*0.118*		*110*	*60-140*		
LCS Dup TOX (BFB3080-BSD1)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	<0.00600	U	0.00600	ug/L				60-140		40
4,4'-DDE	<0.00600	U	0.00600	ug/L				60-140		40
4,4'-DDT	<0.00600	U	0.00600	ug/L				60-140		40
Aldrin	<0.00600	U	0.00600	ug/L				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		40
Chlordane (tech.)	<0.00600	U	0.00600	ug/L				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L				60-140		40
delta-BHC	<0.00600	U	0.00600	ug/L				60-140		40
Dieldrin	<0.00600	U	0.00600	ug/L				60-140		40
Endosulfan I	<0.00600	U	0.00600	ug/L				60-140		40
Endosulfan II	<0.00600	U	0.00600	ug/L				60-140		40
Endosulfan sulfate	<0.00600	U	0.00600	ug/L				60-140		40
Endrin	<0.00600	U	0.00600	ug/L				60-140		40
Endrin aldehyde	<0.00600	U	0.00600	ug/L				60-140		40
Endrin ketone	<0.00600	U	0.00600	ug/L				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		40
gamma-Chlordane	<0.00600	U	0.00600	ug/L				60-140		40
Heptachlor	<0.00600	U	0.00600	ug/L				60-140		40
Heptachlor epoxide	<0.00600	U	0.00600	ug/L				60-140		40
Methoxychlor	<0.00600	U	0.00600	ug/L				60-140		40
Toxaphene (Chlorinated Camphene)	1.32		0.300	ug/L	1.20		110	60-140	6.10	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.115*	*ug/L*	*0.120*		*95.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.124*	*ug/L*	*0.120*		*103*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3080 - SW-3511 (Continued)										
LCS Dup (BFB3080-BSD2)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	0.109		0.00597	ug/L	0.119		91.4	60-140	4.27	40
4,4'-DDE	0.0994		0.00597	ug/L	0.119		83.2	60-140	4.31	40
4,4'-DDT	0.116		0.00597	ug/L	0.119		97.3	60-140	5.94	40
Aldrin	0.100		0.00597	ug/L	0.119		83.7	60-140	5.68	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.141		0.00597	ug/L	0.119		118	60-140	1.79	40
beta-BHC (beta-Hexachlorocyclohexane)	0.131		0.00597	ug/L	0.119		110	60-140	2.68	40
Chlordane (tech.)	0.415		0.00597	ug/L	0.478		86.9	60-140	3.63	40
cis-Chlordane (alpha-Chlordane)	0.0928		0.00597	ug/L	0.119		77.7	60-140	4.16	40
delta-BHC	0.124		0.00597	ug/L	0.119		103	60-140	4.34	40
Dieldrin	0.105		0.00597	ug/L	0.119		88.2	60-140	4.50	40
Endosulfan I	0.0888		0.00597	ug/L	0.119		74.3	60-140	3.13	40
Endosulfan II	0.101		0.00597	ug/L	0.119		84.7	60-140	3.78	40
Endosulfan sulfate	0.120		0.00597	ug/L	0.119		100	60-140	1.82	40
Endrin	0.111		0.00597	ug/L	0.119		93.0	60-140	2.13	40
Endrin aldehyde	0.120		0.00597	ug/L	0.119		101	60-140	3.60	40
Endrin ketone	0.127		0.00597	ug/L	0.119		106	60-140	4.32	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.133		0.00597	ug/L	0.119		111	60-140	2.26	40
gamma-Chlordane	0.103		0.00597	ug/L	0.119		86.2	60-140	3.17	40
Heptachlor	0.116		0.00597	ug/L	0.119		96.8	60-140	4.44	40
Heptachlor epoxide	0.104		0.00597	ug/L	0.119		86.8	60-140	2.68	40
Methoxychlor	0.116		0.00597	ug/L	0.119		97.3	60-140	6.20	40
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.121*	*ug/L*	*0.119*		*102*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.127*	*ug/L*	*0.119*		*106*	*60-140*		
BFB1944-BLK1 (BFB3080-LBK1)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	<0.00597	U	0.00597	ug/L						
4,4'-DDE	<0.00597	U	0.00597	ug/L						
4,4'-DDT	<0.00597	U	0.00597	ug/L						
Aldrin	<0.00597	U	0.00597	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00597	U	0.00597	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00597	U	0.00597	ug/L						
Chlordane (tech.)	<0.00597	U	0.00597	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00597	U	0.00597	ug/L						
delta-BHC	<0.00597	U	0.00597	ug/L						
Dieldrin	<0.00597	U	0.00597	ug/L						
Endosulfan I	<0.00597	U	0.00597	ug/L						
Endosulfan II	<0.00597	U	0.00597	ug/L						
Endosulfan sulfate	<0.00597	U	0.00597	ug/L						
Endrin	<0.00597	U	0.00597	ug/L						
Endrin aldehyde	<0.00597	U	0.00597	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3080 - SW-3511 (Continued)										
BFB1944-BLK1 (BFB3080-LBK1)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
Endrin ketone	<0.00597	U	0.00597	ug/L						
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00597	U	0.00597	ug/L						
gamma-Chlordane	<0.00597	U	0.00597	ug/L						
Heptachlor	<0.00597	U	0.00597	ug/L						
Heptachlor epoxide	<0.00597	U	0.00597	ug/L						
Methoxychlor	<0.00597	U	0.00597	ug/L						
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.190*	*ug/L*	*0.119*		*159*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.116*	*ug/L*	*0.119*		*96.8*	*60-140*		
BFB2169-BLK1 (BFB3080-LBK2)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	<0.0299	U	0.0299	ug/L						
4,4'-DDE	<0.0299	U	0.0299	ug/L						
4,4'-DDT	<0.0299	U	0.0299	ug/L						
Aldrin	<0.0299	U	0.0299	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.0299	U	0.0299	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.0299	U	0.0299	ug/L						
Chlordane (tech.)	<0.0299	U	0.0299	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.0299	U	0.0299	ug/L						
delta-BHC	<0.0299	U	0.0299	ug/L						
Dieldrin	<0.0299	U	0.0299	ug/L						
Endosulfan I	<0.0299	U	0.0299	ug/L						
Endosulfan II	<0.0299	U	0.0299	ug/L						
Endosulfan sulfate	<0.0299	U	0.0299	ug/L						
Endrin	<0.0299	U	0.0299	ug/L						
Endrin aldehyde	<0.0299	U	0.0299	ug/L						
Endrin ketone	<0.0299	U	0.0299	ug/L						
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.0299	U	0.0299	ug/L						
gamma-Chlordane	<0.0299	U	0.0299	ug/L						
Heptachlor	<0.0299	U	0.0299	ug/L						
Heptachlor epoxide	<0.0299	U	0.0299	ug/L						
Methoxychlor	<0.0299	U	0.0299	ug/L						
Toxaphene (Chlorinated Camphene)	<1.50	U	1.50	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.893*	*ug/L*	*0.598*		*149*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.646*	*ug/L*	*0.598*		*108*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3080 - SW-3511 (Continued)										
MDL TOX (BFB3080-MRL1)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	<0.00597	U	0.00597	ug/L				50-150		
4,4'-DDE	<0.00597	U	0.00597	ug/L				50-150		
4,4'-DDT	<0.00597	U	0.00597	ug/L				50-150		
Aldrin	<0.00597	U	0.00597	ug/L				50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00597	U	0.00597	ug/L				50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00597	U	0.00597	ug/L				50-150		
Chlordane (tech.)	<0.00597	U	0.00597	ug/L				50-150		
cis-Chlordane (alpha-Chlordane)	<0.00597	U	0.00597	ug/L				50-150		
delta-BHC	<0.00597	U	0.00597	ug/L				50-150		
Dieldrin	<0.00597	U	0.00597	ug/L				50-150		
Endosulfan I	<0.00597	U	0.00597	ug/L				50-150		
Endosulfan II	<0.00597	U	0.00597	ug/L				50-150		
Endosulfan sulfate	<0.00597	U	0.00597	ug/L				50-150		
Endrin	<0.00597	U	0.00597	ug/L				50-150		
Endrin aldehyde	<0.00597	U	0.00597	ug/L				50-150		
Endrin ketone	<0.00597	U	0.00597	ug/L				50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00597	U	0.00597	ug/L				50-150		
gamma-Chlordane	<0.00597	U	0.00597	ug/L				50-150		
Heptachlor	<0.00597	U	0.00597	ug/L				50-150		
Heptachlor epoxide	<0.00597	U	0.00597	ug/L				50-150		
Methoxychlor	<0.00597	U	0.00597	ug/L				50-150		
Toxaphene (Chlorinated Camphene)	0.346		0.298	ug/L	0.298		116	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.107*	*ug/L*	*0.119*		*89.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.106*	*ug/L*	*0.119*		*89.1*	*60-140*		
MDL (BFB3080-MRL2)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	0.00878		0.00596	ug/L	0.0119		73.7	50-150		
4,4'-DDE	0.00925		0.00596	ug/L	0.0119		77.7	50-150		
4,4'-DDT	0.0345		0.00596	ug/L	0.0119		289	50-150		
Aldrin	0.00666		0.00596	ug/L	0.0119		55.9	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0126		0.00596	ug/L	0.0119		106	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.0119		0.00596	ug/L	0.0119		100	50-150		
Chlordane (tech.)	0.0372		0.00596	ug/L	0.0477		78.1	50-150		
cis-Chlordane (alpha-Chlordane)	0.00889		0.00596	ug/L	0.0119		74.6	50-150		
delta-BHC	0.0106		0.00596	ug/L	0.0119		89.1	50-150		
Dieldrin	0.0100		0.00596	ug/L	0.0119		83.9	50-150		
Endosulfan I	0.00632		0.00596	ug/L	0.0119		53.0	50-150		
Endosulfan II	0.00850		0.00596	ug/L	0.0119		71.3	50-150		
Endosulfan sulfate	0.0121		0.00596	ug/L	0.0119		102	50-150		
Endrin	0.00922		0.00596	ug/L	0.0119		77.4	50-150		
Endrin aldehyde	0.0131		0.00596	ug/L	0.0119		110	50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3080 - SW-3511 (Continued)										
MDL (BFB3080-MRL2)					Prepared: 2/23/2022 Analyzed: 3/3/2022					
Endrin ketone	0.0134		0.00596	ug/L	0.0119		112	50-150		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.0129		0.00596	ug/L	0.0119		108	50-150		
gamma-Chlordane	0.00807		0.00596	ug/L	0.0119		67.8	50-150		
Heptachlor	0.00975		0.00596	ug/L	0.0119		81.9	50-150		
Heptachlor epoxide	0.0105		0.00596	ug/L	0.0119		88.2	50-150		
Methoxychlor	0.0115		0.00596	ug/L	0.0119		96.8	50-150		
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L				50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.123*	*ug/L*	*0.119*		*103*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.130*	*ug/L*	*0.119*		*109*	*60-140*		
Matrix Spike (BFB3080-MS1)		**Source: 22A3944-10**			Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	0.136		0.00599	ug/L	0.120	<0.00599	114	60-140		
4,4'-DDE	0.105		0.00599	ug/L	0.120	<0.00599	88.0	60-140		
4,4'-DDT	0.0860		0.00599	ug/L	0.120	<0.00599	71.8	60-140		
Aldrin	0.116		0.00599	ug/L	0.120	<0.00599	97.1	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.214	J1	0.00599	ug/L	0.120	<0.00599	179	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.201	J1	0.00599	ug/L	0.120	<0.00599	167	60-140		
Chlordane (tech.)	0.559		0.00599	ug/L	0.479	<0.00599	117	60-140		
cis-Chlordane (alpha-Chlordane)	0.114		0.00599	ug/L	0.120	<0.00599	95.5	60-140		
delta-BHC	0.197	J1	0.00599	ug/L	0.120	<0.00599	165	60-140		
Dieldrin	0.156		0.00599	ug/L	0.120	<0.00599	130	60-140		
Endosulfan I	0.126		0.00599	ug/L	0.120	<0.00599	105	60-140		
Endosulfan II	0.156		0.00599	ug/L	0.120	<0.00599	131	60-140		
Endosulfan sulfate	0.187	J1	0.00599	ug/L	0.120	<0.00599	156	60-140		
Endrin	0.165		0.00599	ug/L	0.120	<0.00599	138	60-140		
Endrin aldehyde	0.182	J1	0.00599	ug/L	0.120	<0.00599	152	60-140		
Endrin ketone	0.198	J1	0.00599	ug/L	0.120	<0.00599	165	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.187	J1	0.00599	ug/L	0.120	<0.00599	156	60-140		
gamma-Chlordane	0.130		0.00599	ug/L	0.120	<0.00599	109	60-140		
Heptachlor	0.154		0.00599	ug/L	0.120	<0.00599	129	60-140		
Heptachlor epoxide	0.160		0.00599	ug/L	0.120	<0.00599	133	60-140		
Methoxychlor	0.0926		0.00599	ug/L	0.120	<0.00599	77.3	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.170*	*ug/L*	*0.120*		*142*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.137*	*ug/L*	*0.120*		*115*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3080 - SW-3511 (Continued)										
Matrix Spike Dup (BFB3080-MSD1)			**Source: 22A3944-10**		Prepared: 2/23/2022 Analyzed: 3/3/2022					
4,4'-DDD	0.140		0.00600	ug/L	0.120	<0.00600	116	60-140	2.47	40
4,4'-DDE	0.107		0.00600	ug/L	0.120	<0.00600	89.2	60-140	1.59	40
4,4'-DDT	0.0859		0.00600	ug/L	0.120	<0.00600	71.6	60-140	0.136	40
Aldrin	0.120		0.00600	ug/L	0.120	<0.00600	100	60-140	3.35	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.230	J1	0.00600	ug/L	0.120	<0.00600	192	60-140	7.31	40
beta-BHC (beta-Hexachlorocyclohexane)	0.213	J1	0.00600	ug/L	0.120	<0.00600	178	60-140	6.14	40
Chlordane (tech.)	0.589		0.00600	ug/L	0.480	<0.00600	123	60-140	5.21	40
cis-Chlordane (alpha-Chlordane)	0.119		0.00600	ug/L	0.120	<0.00600	99.5	60-140	4.29	40
delta-BHC	0.211	J1	0.00600	ug/L	0.120	<0.00600	176	60-140	6.59	40
Dieldrin	0.164		0.00600	ug/L	0.120	<0.00600	137	60-140	5.25	40
Endosulfan I	0.133		0.00600	ug/L	0.120	<0.00600	111	60-140	5.80	40
Endosulfan II	0.165		0.00600	ug/L	0.120	<0.00600	138	60-140	5.40	40
Endosulfan sulfate	0.196	J1	0.00600	ug/L	0.120	<0.00600	163	60-140	4.82	40
Endrin	0.173	J1	0.00600	ug/L	0.120	<0.00600	144	60-140	4.99	40
Endrin aldehyde	0.193	J1	0.00600	ug/L	0.120	<0.00600	161	60-140	6.07	40
Endrin ketone	0.211	J1	0.00600	ug/L	0.120	<0.00600	175	60-140	6.14	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.213	J1	0.00600	ug/L	0.120	<0.00600	177	60-140	12.8	40
gamma-Chlordane	0.136		0.00600	ug/L	0.120	<0.00600	113	60-140	4.12	40
Heptachlor	0.163		0.00600	ug/L	0.120	<0.00600	136	60-140	5.45	40
Heptachlor epoxide	0.171	J1	0.00600	ug/L	0.120	<0.00600	142	60-140	6.52	40
Methoxychlor	0.0966		0.00600	ug/L	0.120	<0.00600	80.5	60-140	4.25	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.188*	*ug/L*	*0.120*		*156*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.137*	*ug/L*	*0.120*		*114*	*60-140*		
Batch: BFB3309 - TX 1005										
Blank (BFB3309-BLK1)					Prepared: 2/24/2022 Analyzed: 2/28/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	3.13	J	9.00	mg/kg wet						
Surrogate: 1-Chlorooctadecane-surr			*187*	*mg/kg wet*	*250*		*74.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*245*	*mg/kg wet*	*250*		*98.1*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3309 - TX 1005 (Continued)										
LCS (BFB3309-BS1)					Prepared: 2/24/2022 Analyzed: 2/28/2022					
C6-C12	254		4.50	mg/kg wet	250		102	75-125		
>C12-C28	125	J1	4.50	mg/kg wet	250		50.1	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	367	J1	9.00	mg/kg wet	500		73.5	75-125		
Surrogate: 1-Chlorooctadecane-surr		*S*	*173*	*mg/kg wet*	*250*		*69.1*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*235*	*mg/kg wet*	*250*		*94.0*	*70-130*		
LCS Dup (BFB3309-BSD1)					Prepared: 2/24/2022 Analyzed: 2/28/2022					
C6-C12	243		4.50	mg/kg wet	250		97.0	75-125	4.74	20
>C12-C28	142	J1	4.50	mg/kg wet	250		57.0	75-125	12.9	20
Total Petroleum Hydrocarbons (TPH), C6-C35	376		9.00	mg/kg wet	500		75.2	75-125	2.24	20
Surrogate: 1-Chlorooctadecane-surr		*S*	*163*	*mg/kg wet*	*250*		*65.3*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*247*	*mg/kg wet*	*250*		*98.7*	*70-130*		
MRL Check (BFB3309-MRL1)					Prepared: 2/24/2022 Analyzed: 2/28/2022					
C6-C12	16.4	J1	4.50	mg/kg wet	5.00		327	50-150		
>C12-C28	6.04		4.50	mg/kg wet	5.00		121	50-150		
>C12-C35	6.04		4.50	mg/kg wet				50-150		
>C28-C35	<4.50	U	4.50	mg/kg wet				50-150		
Total Petroleum Hydrocarbons (TPH), C6-C35	21.4	J1	9.00	mg/kg wet	10.0		214	50-150		
Surrogate: 1-Chlorooctadecane-surr			*211*	*mg/kg wet*	*250*		*84.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*250*	*mg/kg wet*	*250*		*100*	*70-130*		
Matrix Spike (BFB3309-MS1)		**Source: 22A3944-28**			Prepared: 2/24/2022 Analyzed: 2/28/2022					
C6-C12	286		5.17	mg/kg dry	287	<5.17	99.4	75-125		
>C12-C28	188	J1	5.17	mg/kg dry	287	1.84	64.6	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	464		10.3	mg/kg dry	575	<10.3	80.8	75-125		
Surrogate: 1-Chlorooctadecane-surr			*215*	*mg/kg dry*	*287*		*74.8*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*289*	*mg/kg dry*	*287*		*101*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3309 - TX 1005 (Continued)										
Matrix Spike Dup (BFB3309-MSD1)	**Source: 22A3944-28**			Prepared: 2/24/2022 Analyzed: 2/28/2022						
C6-C12	285		5.17	mg/kg dry	287	<5.17	99.1	75-125	0.355	20
>C12-C28	185	J1	5.17	mg/kg dry	287	1.84	63.8	75-125	1.33	20
Total Petroleum Hydrocarbons (TPH), C6-C35	460		10.3	mg/kg dry	575	<10.3	80.1	75-125	0.783	20
Surrogate: 1-Chlorooctadecane-surr			*204*	*mg/kg dry*	*287*		*71.2*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*290*	*mg/kg dry*	*287*		*101*	*70-130*		
Batch: BFB3474 - SW-3570										
Blank (BFB3474-BLK1)				Prepared: 2/25/2022 Analyzed: 3/5/2022						
4,4'-DDD	<0.947	U	0.947	ug/kg wet						
4,4'-DDE	<0.947	U	0.947	ug/kg wet						
4,4'-DDT	<0.947	U	0.947	ug/kg wet						
Aldrin	<0.947	U	0.947	ug/kg wet						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.947	U	0.947	ug/kg wet						
beta-BHC (beta-Hexachlorocyclohexane)	<0.947	U	0.947	ug/kg wet						
Chlordane (tech.)	<0.947	U	0.947	ug/kg wet						
cis-Chlordane (alpha-Chlordane)	<0.947	U	0.947	ug/kg wet						
delta-BHC	<0.947	U	0.947	ug/kg wet						
Dieldrin	<0.947	U	0.947	ug/kg wet						
Endosulfan I	<0.947	U	0.947	ug/kg wet						
Endosulfan II	<0.947	U	0.947	ug/kg wet						
Endosulfan sulfate	<0.947	U	0.947	ug/kg wet						
Endrin	<0.947	U	0.947	ug/kg wet						
Endrin aldehyde	<0.947	U	0.947	ug/kg wet						
Endrin ketone	<0.947	U	0.947	ug/kg wet						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.947	U	0.947	ug/kg wet						
gamma-Chlordane	<0.947	U	0.947	ug/kg wet						
Heptachlor	<0.947	U	0.947	ug/kg wet						
Heptachlor epoxide	<0.947	U	0.947	ug/kg wet						
Methoxychlor	<0.947	U	0.947	ug/kg wet						
Toxaphene (Chlorinated Camphene)	<14.2	U	14.2	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*6.27*	*ug/kg wet*	*5.68*		*110*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.48*	*ug/kg wet*	*5.68*		*114*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3474 - SW-3570 (Continued)										
LCS (BFB3474-BS1)					Prepared: 2/25/2022 Analyzed: 3/5/2022					
4,4'-DDD	<0.973	U	0.973	ug/kg wet				60-140		
4,4'-DDE	<0.973	U	0.973	ug/kg wet				60-140		
4,4'-DDT	<0.973	U	0.973	ug/kg wet				60-140		
Aldrin	<0.973	U	0.973	ug/kg wet				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.973	U	0.973	ug/kg wet				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.973	U	0.973	ug/kg wet				60-140		
Chlordane (tech.)	<0.973	U	0.973	ug/kg wet				60-140		
cis-Chlordane (alpha-Chlordane)	<0.973	U	0.973	ug/kg wet				60-140		
delta-BHC	<0.973	U	0.973	ug/kg wet				60-140		
Dieldrin	<0.973	U	0.973	ug/kg wet				60-140		
Endosulfan I	<0.973	U	0.973	ug/kg wet				60-140		
Endosulfan II	<0.973	U	0.973	ug/kg wet				60-140		
Endosulfan sulfate	<0.973	U	0.973	ug/kg wet				60-140		
Endrin	<0.973	U	0.973	ug/kg wet				60-140		
Endrin aldehyde	<0.973	U	0.973	ug/kg wet				60-140		
Endrin ketone	<0.973	U	0.973	ug/kg wet				60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.973	U	0.973	ug/kg wet				60-140		
gamma-Chlordane	<0.973	U	0.973	ug/kg wet				60-140		
Heptachlor	<0.973	U	0.973	ug/kg wet				60-140		
Heptachlor epoxide	<0.973	U	0.973	ug/kg wet				60-140		
Methoxychlor	<0.973	U	0.973	ug/kg wet				60-140		
Toxaphene (Chlorinated Camphene)	66.4		14.6	ug/kg wet	58.4		114	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.88*	*ug/kg wet*	*5.84*		*101*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.61*	*ug/kg wet*	*5.84*		*113*	*60-140*		
LCS (BFB3474-BS2)					Prepared: 2/25/2022 Analyzed: 3/5/2022					
4,4'-DDD	6.28		0.978	ug/kg wet	5.87		107	60-140		
4,4'-DDE	5.60		0.978	ug/kg wet	5.87		95.3	60-140		
4,4'-DDT	5.39		0.978	ug/kg wet	5.87		91.7	60-140		
Aldrin	5.16		0.978	ug/kg wet	5.87		87.8	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	5.68		0.978	ug/kg wet	5.87		96.7	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	5.54		0.978	ug/kg wet	5.87		94.3	60-140		
Chlordane (tech.)	20.8		0.978	ug/kg wet	23.5		88.5	60-140		
cis-Chlordane (alpha-Chlordane)	5.21		0.978	ug/kg wet	5.87		88.8	60-140		
delta-BHC	4.73		0.978	ug/kg wet	5.87		80.6	60-140		
Dieldrin	5.45		0.978	ug/kg wet	5.87		92.9	60-140		
Endosulfan I	4.61		0.978	ug/kg wet	5.87		78.5	60-140		
Endosulfan II	4.81		0.978	ug/kg wet	5.87		81.9	60-140		
Endosulfan sulfate	5.23		0.978	ug/kg wet	5.87		89.1	60-140		
Endrin	4.55		0.978	ug/kg wet	5.87		77.6	60-140		
Endrin aldehyde	4.72		0.978	ug/kg wet	5.87		80.4	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3474 - SW-3570 (Continued)										
LCS (BFB3474-BS2)					Prepared: 2/25/2022 Analyzed: 3/5/2022					
Endrin ketone	5.34		0.978	ug/kg wet	5.87		90.9	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	5.41		0.978	ug/kg wet	5.87		92.2	60-140		
gamma-Chlordane	5.33		0.978	ug/kg wet	5.87		90.8	60-140		
Heptachlor	5.02		0.978	ug/kg wet	5.87		85.4	60-140		
Heptachlor epoxide	5.22		0.978	ug/kg wet	5.87		89.0	60-140		
Methoxychlor	5.29		0.978	ug/kg wet	5.87		90.1	60-140		
Toxaphene (Chlorinated Camphene)	<14.7	U	14.7	ug/kg wet				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.33*	*ug/kg wet*	*5.87*		*90.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.47*	*ug/kg wet*	*5.87*		*110*	*60-140*		
LCS Dup (BFB3474-BSD1)					Prepared: 2/25/2022 Analyzed: 3/5/2022					
4,4'-DDD	<0.973	U	0.973	ug/kg wet				60-140		40
4,4'-DDE	<0.973	U	0.973	ug/kg wet				60-140		40
4,4'-DDT	<0.973	U	0.973	ug/kg wet				60-140		40
Aldrin	<0.973	U	0.973	ug/kg wet				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.973	U	0.973	ug/kg wet				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.973	U	0.973	ug/kg wet				60-140		40
Chlordane (tech.)	<0.973	U	0.973	ug/kg wet				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.973	U	0.973	ug/kg wet				60-140		40
delta-BHC	<0.973	U	0.973	ug/kg wet				60-140		40
Dieldrin	<0.973	U	0.973	ug/kg wet				60-140		40
Endosulfan I	<0.973	U	0.973	ug/kg wet				60-140		40
Endosulfan II	<0.973	U	0.973	ug/kg wet				60-140		40
Endosulfan sulfate	<0.973	U	0.973	ug/kg wet				60-140		40
Endrin	<0.973	U	0.973	ug/kg wet				60-140		40
Endrin aldehyde	<0.973	U	0.973	ug/kg wet				60-140		40
Endrin ketone	<0.973	U	0.973	ug/kg wet				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.973	U	0.973	ug/kg wet				60-140		40
gamma-Chlordane	<0.973	U	0.973	ug/kg wet				60-140		40
Heptachlor	<0.973	U	0.973	ug/kg wet				60-140		40
Heptachlor epoxide	<0.973	U	0.973	ug/kg wet				60-140		40
Methoxychlor	<0.973	U	0.973	ug/kg wet				60-140		40
Toxaphene (Chlorinated Camphene)	72.2		14.6	ug/kg wet	58.4		124	60-140	8.34	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*6.38*	*ug/kg wet*	*5.84*		*109*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*7.12*	*ug/kg wet*	*5.84*		*122*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3474 - SW-3570 (Continued)										
LCS Dup (BFB3474-BSD2)					Prepared: 2/25/2022 Analyzed: 3/5/2022					
4,4'-DDD	6.20		0.978	ug/kg wet	5.87		106	60-140	1.14	40
4,4'-DDE	5.64		0.978	ug/kg wet	5.87		96.1	60-140	0.794	40
4,4'-DDT	5.34		0.978	ug/kg wet	5.87		90.9	60-140	0.936	40
Aldrin	5.25		0.978	ug/kg wet	5.87		89.3	60-140	1.73	40
alpha-BHC (alpha-Hexachlorocyclohexane)	5.77		0.978	ug/kg wet	5.87		98.2	60-140	1.55	40
beta-BHC (beta-Hexachlorocyclohexane)	5.62		0.978	ug/kg wet	5.87		95.7	60-140	1.43	40
Chlordane (tech.)	21.1		0.978	ug/kg wet	23.5		89.8	60-140	1.46	40
cis-Chlordane (alpha-Chlordane)	5.29		0.978	ug/kg wet	5.87		90.1	60-140	1.49	40
delta-BHC	4.72		0.978	ug/kg wet	5.87		80.4	60-140	0.217	40
Dieldrin	5.39		0.978	ug/kg wet	5.87		91.9	60-140	1.09	40
Endosulfan I	4.73		0.978	ug/kg wet	5.87		80.5	60-140	2.46	40
Endosulfan II	4.87		0.978	ug/kg wet	5.87		83.0	60-140	1.29	40
Endosulfan sulfate	5.20		0.978	ug/kg wet	5.87		88.6	60-140	0.529	40
Endrin	4.53		0.978	ug/kg wet	5.87		77.1	60-140	0.537	40
Endrin aldehyde	4.76		0.978	ug/kg wet	5.87		81.1	60-140	0.786	40
Endrin ketone	5.38		0.978	ug/kg wet	5.87		91.6	60-140	0.668	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	5.49		0.978	ug/kg wet	5.87		93.6	60-140	1.47	40
gamma-Chlordane	5.47		0.978	ug/kg wet	5.87		93.2	60-140	2.64	40
Heptachlor	5.03		0.978	ug/kg wet	5.87		85.8	60-140	0.374	40
Heptachlor epoxide	5.29		0.978	ug/kg wet	5.87		90.1	60-140	1.24	40
Methoxychlor	5.20		0.978	ug/kg wet	5.87		88.6	60-140	1.75	40
Toxaphene (Chlorinated Camphene)	<14.7	U	14.7	ug/kg wet				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.43*	*ug/kg wet*	*5.87*		*92.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.61*	*ug/kg wet*	*5.87*		*113*	*60-140*		
MDL TOX (BFB3474-MRL1)					Prepared: 2/25/2022 Analyzed: 3/5/2022					
4,4'-DDD	<0.988	U	0.988	ug/kg wet				50-150		
4,4'-DDE	<0.988	U	0.988	ug/kg wet				50-150		
4,4'-DDT	<0.988	U	0.988	ug/kg wet				50-150		
Aldrin	<0.988	U	0.988	ug/kg wet				50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.988	U	0.988	ug/kg wet				50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.988	U	0.988	ug/kg wet				50-150		
Chlordane (tech.)	<0.988	U	0.988	ug/kg wet				50-150		
cis-Chlordane (alpha-Chlordane)	<0.988	U	0.988	ug/kg wet				50-150		
delta-BHC	<0.988	U	0.988	ug/kg wet				50-150		
Dieldrin	<0.988	U	0.988	ug/kg wet				50-150		
Endosulfan I	<0.988	U	0.988	ug/kg wet				50-150		
Endosulfan II	<0.988	U	0.988	ug/kg wet				50-150		
Endosulfan sulfate	<0.988	U	0.988	ug/kg wet				50-150		
Endrin	<0.988	U	0.988	ug/kg wet				50-150		
Endrin aldehyde	<0.988	U	0.988	ug/kg wet				50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3474 - SW-3570 (Continued)										
MDL TOX (BFB3474-MRL1)				Prepared: 2/25/2022 Analyzed: 3/5/2022						
Endrin ketone	<0.988	U	0.988	ug/kg wet				50-150		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.988	U	0.988	ug/kg wet				50-150		
gamma-Chlordane	<0.988	U	0.988	ug/kg wet				50-150		
Heptachlor	<0.988	U	0.988	ug/kg wet				50-150		
Heptachlor epoxide	<0.988	U	0.988	ug/kg wet				50-150		
Methoxychlor	<0.988	U	0.988	ug/kg wet				50-150		
Toxaphene (Chlorinated Camphene)	16.0		14.8	ug/kg wet	14.8		108	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*6.22*	*ug/kg wet*	*5.93*		*105*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.89*	*ug/kg wet*	*5.93*		*116*	*60-140*		
MDL OCP (BFB3474-MRL2)				Prepared: 2/25/2022 Analyzed: 3/5/2022						
4,4'-DDD	0.381	J	0.932	ug/kg wet	0.373		102	50-150		
4,4'-DDE	0.409	J	0.932	ug/kg wet	0.373		110	50-150		
4,4'-DDT	0.331	J	0.932	ug/kg wet	0.373		88.8	50-150		
Aldrin	0.355	J	0.932	ug/kg wet	0.373		95.3	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.375	J	0.932	ug/kg wet	0.373		101	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.416	J	0.932	ug/kg wet	0.373		112	50-150		
Chlordane (tech.)	1.55		0.932	ug/kg wet	1.49		104	50-150		
cis-Chlordane (alpha-Chlordane)	0.401	J	0.932	ug/kg wet	0.373		108	50-150		
delta-BHC	<0.932	J1, U	0.932	ug/kg wet	0.373			50-150		
Dieldrin	0.407	J	0.932	ug/kg wet	0.373		109	50-150		
Endosulfan I	0.372	J	0.932	ug/kg wet	0.373		99.7	50-150		
Endosulfan II	0.400	J	0.932	ug/kg wet	0.373		107	50-150		
Endosulfan sulfate	0.388	J	0.932	ug/kg wet	0.373		104	50-150		
Endrin	0.332	J	0.932	ug/kg wet	0.373		89.1	50-150		
Endrin aldehyde	0.369	J	0.932	ug/kg wet	0.373		99.1	50-150		
Endrin ketone	0.417	J	0.932	ug/kg wet	0.373		112	50-150		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.371	J	0.932	ug/kg wet	0.373		99.6	50-150		
gamma-Chlordane	0.383	J	0.932	ug/kg wet	0.373		103	50-150		
Heptachlor	0.371	J	0.932	ug/kg wet	0.373		99.4	50-150		
Heptachlor epoxide	0.392	J	0.932	ug/kg wet	0.373		105	50-150		
Methoxychlor	<0.932	J1, U	0.932	ug/kg wet	0.373			50-150		
Toxaphene (Chlorinated Camphene)	<14.0	U	14.0	ug/kg wet				50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.18*	*ug/kg wet*	*5.59*		*92.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.11*	*ug/kg wet*	*5.59*		*109*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3474 - SW-3570 (Continued)										
Matrix Spike (BFB3474-MS1)	**Source: 22A3944-28**				Prepared: 2/25/2022 Analyzed: 3/5/2022					
4,4'-DDD	5.76	J1	1.13	ug/kg dry	6.75	6.07	NR	60-140		
4,4'-DDE	6.06	J1	1.13	ug/kg dry	6.75	5.26	11.8	60-140		
4,4'-DDT	5.23	J1	1.13	ug/kg dry	6.75	4.97	3.79	60-140		
Aldrin	5.99	J1	1.13	ug/kg dry	6.75	5.46	7.74	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	6.33	J1	1.13	ug/kg dry	6.75	5.99	4.96	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	15.5	J1	1.13	ug/kg dry	6.75	5.58	147	60-140		
Chlordane (tech.)	29.7	J1	1.13	ug/kg dry	27.0	20.9	32.7	60-140		
cis-Chlordane (alpha-Chlordane)	5.49	J1	1.13	ug/kg dry	6.75	5.11	5.71	60-140		
delta-BHC	6.16	J1	1.13	ug/kg dry	6.75	5.76	6.03	60-140		
Dieldrin	5.66	J1	1.13	ug/kg dry	6.75	5.32	4.96	60-140		
Endosulfan I	4.68	J1	1.13	ug/kg dry	6.75	4.56	1.77	60-140		
Endosulfan II	5.01	J1	1.13	ug/kg dry	6.75	4.65	5.35	60-140		
Endosulfan sulfate	5.45	J1	1.13	ug/kg dry	6.75	4.86	8.79	60-140		
Endrin	4.93	J1	1.13	ug/kg dry	6.75	4.63	4.46	60-140		
Endrin aldehyde	4.27	J1	1.13	ug/kg dry	6.75	4.29	NR	60-140		
Endrin ketone	5.86	J1	1.13	ug/kg dry	6.75	5.05	11.9	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	6.06	J1	1.13	ug/kg dry	6.75	5.71	5.18	60-140		
gamma-Chlordane	12.6		1.13	ug/kg dry	6.75	5.20	109	60-140		
Heptachlor	5.85	J1	1.13	ug/kg dry	6.75	5.23	9.08	60-140		
Heptachlor epoxide	5.80	J1	1.13	ug/kg dry	6.75	5.35	6.62	60-140		
Methoxychlor	5.32	J1	1.13	ug/kg dry	6.75	4.81	7.51	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.54*	*ug/kg dry*	*6.75*		*82.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*8.20*	*ug/kg dry*	*6.75*		*121*	*60-140*		
Matrix Spike Dup (BFB3474-MSD1)	**Source: 22A3944-28**				Prepared: 2/25/2022 Analyzed: 3/5/2022					
4,4'-DDD	<1.09	J1, U	1.09	ug/kg dry	6.52	6.07	NR	60-140	200	40
4,4'-DDE	<1.09	J1, U	1.09	ug/kg dry	6.52	5.26	NR	60-140	200	40
4,4'-DDT	<1.09	J1, U	1.09	ug/kg dry	6.52	4.97	NR	60-140	200	40
Aldrin	0.810	J1, J	1.09	ug/kg dry	6.52	5.46	NR	60-140	152	40
alpha-BHC (alpha-Hexachlorocyclohexane)	<1.09	J1, U	1.09	ug/kg dry	6.52	5.99	NR	60-140	200	40
beta-BHC (beta-Hexachlorocyclohexane)	11.2		1.09	ug/kg dry	6.52	5.58	86.0	60-140	32.5	40
Chlordane (tech.)	<1.09	J1, U	1.09	ug/kg dry	26.1	20.9	NR	60-140	200	40
cis-Chlordane (alpha-Chlordane)	<1.09	J1, U	1.09	ug/kg dry	6.52	5.11	NR	60-140	200	40
delta-BHC	<1.09	J1, U	1.09	ug/kg dry	6.52	5.76	NR	60-140	200	40
Dieldrin	<1.09	J1, U	1.09	ug/kg dry	6.52	5.32	NR	60-140	200	40
Endosulfan I	<1.09	J1, U	1.09	ug/kg dry	6.52	4.56	NR	60-140	200	40
Endosulfan II	<1.09	J1, U	1.09	ug/kg dry	6.52	4.65	NR	60-140	200	40
Endosulfan sulfate	<1.09	J1, U	1.09	ug/kg dry	6.52	4.86	NR	60-140	200	40
Endrin	<1.09	J1, U	1.09	ug/kg dry	6.52	4.63	NR	60-140	200	40
Endrin aldehyde	<1.09	J1, U	1.09	ug/kg dry	6.52	4.29	NR	60-140	200	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3474 - SW-3570 (Continued)										
Matrix Spike Dup (BFB3474-MSD1)	**Source: 22A3944-28**				Prepared: 2/25/2022 Analyzed: 3/5/2022					
Endrin ketone	<1.09	J1, U	1.09	ug/kg dry	6.52	5.05	NR	60-140	200	40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<1.09	J1, U	1.09	ug/kg dry	6.52	5.71	NR	60-140	200	40
gamma-Chlordane	<1.09	J1, U	1.09	ug/kg dry	6.52	5.20	NR	60-140	200	40
Heptachlor	<1.09	J1, U	1.09	ug/kg dry	6.52	5.23	NR	60-140	200	40
Heptachlor epoxide	<1.09	J1, U	1.09	ug/kg dry	6.52	5.35	NR	60-140	200	40
Methoxychlor	<1.09	J1, U	1.09	ug/kg dry	6.52	4.81	NR	60-140	200	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.27*	*ug/kg dry*	*6.52*		*80.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*7.05*	*ug/kg dry*	*6.52*		*108*	*60-140*		
Batch: BFB3481 - TX 1005 ELUT										
Blank (BFB3481-BLK1)					Prepared & Analyzed: 2/25/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.60	U	4.60	mg/L						
Surrogate: 1-Chlorooctadecane-surr		*S*	*18.3*	*mg/L*	*30.7*		*59.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.8*	*mg/L*	*30.7*		*90.7*	*70-130*		
LCS (BFB3481-BS1)					Prepared & Analyzed: 2/25/2022					
C6-C12	26.0		2.33	mg/L	31.1		83.5	75-125		
>C12-C28	19.8	J1	2.33	mg/L	31.1		63.6	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	45.3	J1	4.67	mg/L	62.2		72.8	75-125		
Surrogate: 1-Chlorooctadecane-surr		*S*	*21.1*	*mg/L*	*31.1*		*67.9*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.6*	*mg/L*	*31.1*		*88.6*	*70-130*		
LCS Dup (BFB3481-BSD1)					Prepared & Analyzed: 2/25/2022					
C6-C12	24.9		2.33	mg/L	31.0		80.2	75-125	4.42	20
>C12-C28	18.5	J1	2.33	mg/L	31.0		59.6	75-125	6.85	20
Total Petroleum Hydrocarbons (TPH), C6-C35	42.9	J1	4.65	mg/L	62.0		69.1	75-125	5.56	20
Surrogate: 1-Chlorooctadecane-surr		*S*	*19.3*	*mg/L*	*31.0*		*62.2*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.5*	*mg/L*	*31.0*		*85.5*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3481 - TX 1005 ELUT (Continued)										
BFB1944-BLK1 (BFB3481-LBK1)					Prepared & Analyzed: 2/25/2022					
C6-C12	<2.31	U	2.31	mg/L						
>C12-C28	<2.31	U	2.31	mg/L						
>C12-C35	<2.31	U	2.31	mg/L						
>C28-C35	<2.31	U	2.31	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.61	U	4.61	mg/L						
Surrogate: 1-Chlorooctadecane-surr		*S*	*19.8*	*mg/L*	*30.8*		*64.3*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.6*	*mg/L*	*30.8*		*86.4*	*70-130*		
BFB3010-BLK1 (BFB3481-LBK2)					Prepared & Analyzed: 2/25/2022					
C6-C12	<2.33	U	2.33	mg/L						
>C12-C28	<2.33	U	2.33	mg/L						
>C12-C35	<2.33	U	2.33	mg/L						
>C28-C35	<2.33	U	2.33	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.66	U	4.66	mg/L						
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.1*	*mg/L*	*31.0*		*64.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.1*	*mg/L*	*31.0*		*87.4*	*70-130*		
BFB3292-BLK1 (BFB3481-LBK3)					Prepared: 2/25/2022 Analyzed: 2/28/2022					
C6-C12	<2.31	U	2.31	mg/L						
>C12-C28	<2.31	U	2.31	mg/L						
>C12-C35	<2.31	U	2.31	mg/L						
>C28-C35	<2.31	U	2.31	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.62	U	4.62	mg/L						
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.7*	*mg/L*	*30.8*		*67.4*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.5*	*mg/L*	*30.8*		*89.2*	*70-130*		
MDL (BFB3481-MRL1)					Prepared & Analyzed: 2/25/2022					
C6-C12	<2.38	U	2.38	mg/L	0.238					
>C12-C28	<2.38	U	2.38	mg/L	0.238					
>C12-C35	<2.38	U	2.38	mg/L						
>C28-C35	<2.38	U	2.38	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.76	U	4.76	mg/L	0.476					
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.6*	*mg/L*	*31.7*		*65.0*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.7*	*mg/L*	*31.7*		*84.2*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3481 - TX 1005 ELUT (Continued)										
Matrix Spike (BFB3481-MS1)	**Source: 22A3987-14**				Prepared & Analyzed: 2/25/2022					
C6-C12	23.4		2.23	mg/L	29.7	<2.23	78.9	75-125		
>C12-C28	16.2	J1	2.23	mg/L	29.7	<2.23	54.6	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	39.0	J1	4.45	mg/L	59.4	<4.45	65.7	75-125		
Surrogate: 1-Chlorooctadecane-surr		*S*	*18.3*	*mg/L*	*29.7*		*61.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*25.6*	*mg/L*	*29.7*		*86.3*	*70-130*		
Matrix Spike Dup (BFB3481-MSD1)	**Source: 22A3987-14**				Prepared & Analyzed: 2/25/2022					
C6-C12	24.6		2.24	mg/L	29.8	<2.24	82.4	75-125	4.71	20
>C12-C28	19.9	J1	2.24	mg/L	29.8	<2.24	66.6	75-125	20.3	20
Total Petroleum Hydrocarbons (TPH), C6-C35	44.1	J1	4.47	mg/L	59.6	<4.47	73.9	75-125	12.2	20
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.1*	*mg/L*	*29.8*		*67.4*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.7*	*mg/L*	*29.8*		*89.5*	*70-130*		
Batch: BFB3715 - SW-3511										
Blank (BFB3715-BLK1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	<0.00599	U	0.00599	ug/L						
4,4'-DDE	<0.00599	U	0.00599	ug/L						
4,4'-DDT	<0.00599	U	0.00599	ug/L						
Aldrin	<0.00599	U	0.00599	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00599	U	0.00599	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00599	U	0.00599	ug/L						
Chlordane (tech.)	<0.00599	U	0.00599	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00599	U	0.00599	ug/L						
delta-BHC	<0.00599	U	0.00599	ug/L						
Dieldrin	<0.00599	U	0.00599	ug/L						
Endosulfan I	<0.00599	U	0.00599	ug/L						
Endosulfan II	<0.00599	U	0.00599	ug/L						
Endosulfan sulfate	<0.00599	U	0.00599	ug/L						
Endrin	<0.00599	U	0.00599	ug/L						
Endrin aldehyde	<0.00599	U	0.00599	ug/L						
Endrin ketone	<0.00599	U	0.00599	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00599	U	0.00599	ug/L						
gamma-Chlordane	<0.00599	U	0.00599	ug/L						
Heptachlor	<0.00599	U	0.00599	ug/L						
Heptachlor epoxide	<0.00599	U	0.00599	ug/L						
Methoxychlor	<0.00599	U	0.00599	ug/L						
Toxaphene (Chlorinated Camphene)	<0.300	U	0.300	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.139*	*ug/L*	*0.120*		*116*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.135*	*ug/L*	*0.120*		*113*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
LCS TOX (BFB3715-BS1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	<0.00594	U	0.00594	ug/L				60-140		
4,4'-DDE	<0.00594	U	0.00594	ug/L				60-140		
4,4'-DDT	<0.00594	U	0.00594	ug/L				60-140		
Aldrin	<0.00594	U	0.00594	ug/L				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00594	U	0.00594	ug/L				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00594	U	0.00594	ug/L				60-140		
Chlordane (tech.)	<0.00594	U	0.00594	ug/L				60-140		
cis-Chlordane (alpha-Chlordane)	<0.00594	U	0.00594	ug/L				60-140		
delta-BHC	<0.00594	U	0.00594	ug/L				60-140		
Dieldrin	<0.00594	U	0.00594	ug/L				60-140		
Endosulfan I	<0.00594	U	0.00594	ug/L				60-140		
Endosulfan II	<0.00594	U	0.00594	ug/L				60-140		
Endosulfan sulfate	<0.00594	U	0.00594	ug/L				60-140		
Endrin	<0.00594	U	0.00594	ug/L				60-140		
Endrin aldehyde	<0.00594	U	0.00594	ug/L				60-140		
Endrin ketone	<0.00594	U	0.00594	ug/L				60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00594	U	0.00594	ug/L				60-140		
gamma-Chlordane	<0.00594	U	0.00594	ug/L				60-140		
Heptachlor	<0.00594	U	0.00594	ug/L				60-140		
Heptachlor epoxide	<0.00594	U	0.00594	ug/L				60-140		
Methoxychlor	<0.00594	U	0.00594	ug/L				60-140		
Toxaphene (Chlorinated Camphene)	1.36		0.297	ug/L	1.19		115	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.151*	*ug/L*	*0.119*		*127*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.133*	*ug/L*	*0.119*		*112*	*60-140*		
LCS (BFB3715-BS2)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	0.118		0.00599	ug/L	0.120		98.4	60-140		
4,4'-DDE	0.103		0.00599	ug/L	0.120		85.6	60-140		
4,4'-DDT	0.104		0.00599	ug/L	0.120		86.7	60-140		
Aldrin	0.101		0.00599	ug/L	0.120		84.0	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.129		0.00599	ug/L	0.120		108	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.117		0.00599	ug/L	0.120		97.7	60-140		
Chlordane (tech.)	0.402		0.00599	ug/L	0.479		83.9	60-140		
cis-Chlordane (alpha-Chlordane)	0.0991		0.00599	ug/L	0.120		82.7	60-140		
delta-BHC	0.108		0.00599	ug/L	0.120		90.4	60-140		
Dieldrin	0.104		0.00599	ug/L	0.120		86.8	60-140		
Endosulfan I	0.0891		0.00599	ug/L	0.120		74.3	60-140		
Endosulfan II	0.101		0.00599	ug/L	0.120		84.0	60-140		
Endosulfan sulfate	0.112		0.00599	ug/L	0.120		93.2	60-140		
Endrin	0.0948		0.00599	ug/L	0.120		79.1	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
LCS (BFB3715-BS2)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
Endrin aldehyde	0.121		0.00599	ug/L	0.120		101	60-140		
Endrin ketone	0.112		0.00599	ug/L	0.120		93.2	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.120		0.00599	ug/L	0.120		100	60-140		
gamma-Chlordane	0.0980		0.00599	ug/L	0.120		81.8	60-140		
Heptachlor	0.106		0.00599	ug/L	0.120		88.5	60-140		
Heptachlor epoxide	0.0988		0.00599	ug/L	0.120		82.5	60-140		
Methoxychlor	0.108		0.00599	ug/L	0.120		89.9	60-140		
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.134*	*ug/L*	*0.120*		*112*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.137*	*ug/L*	*0.120*		*114*	*60-140*		
LCS Dup TOX (BFB3715-BSD1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	<0.00591	U	0.00591	ug/L				60-140		40
4,4'-DDE	<0.00591	U	0.00591	ug/L				60-140		40
4,4'-DDT	<0.00591	U	0.00591	ug/L				60-140		40
Aldrin	<0.00591	U	0.00591	ug/L				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00591	U	0.00591	ug/L				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.00591	U	0.00591	ug/L				60-140		40
Chlordane (tech.)	<0.00591	U	0.00591	ug/L				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.00591	U	0.00591	ug/L				60-140		40
delta-BHC	<0.00591	U	0.00591	ug/L				60-140		40
Dieldrin	<0.00591	U	0.00591	ug/L				60-140		40
Endosulfan I	<0.00591	U	0.00591	ug/L				60-140		40
Endosulfan II	<0.00591	U	0.00591	ug/L				60-140		40
Endosulfan sulfate	<0.00591	U	0.00591	ug/L				60-140		40
Endrin	<0.00591	U	0.00591	ug/L				60-140		40
Endrin aldehyde	<0.00591	U	0.00591	ug/L				60-140		40
Endrin ketone	<0.00591	U	0.00591	ug/L				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00591	U	0.00591	ug/L				60-140		40
gamma-Chlordane	<0.00591	U	0.00591	ug/L				60-140		40
Heptachlor	<0.00591	U	0.00591	ug/L				60-140		40
Heptachlor epoxide	<0.00591	U	0.00591	ug/L				60-140		40
Methoxychlor	<0.00591	U	0.00591	ug/L				60-140		40
Toxaphene (Chlorinated Camphene)	1.18		0.295	ug/L	1.18		99.8	60-140	14.6	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.132*	*ug/L*	*0.118*		*112*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.120*	*ug/L*	*0.118*		*101*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
LCS Dup (BFB3715-BSD2)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	0.0990		0.00592	ug/L	0.118		83.7	60-140	17.4	40
4,4'-DDE	0.105		0.00592	ug/L	0.118		88.8	60-140	2.44	40
4,4'-DDT	0.110		0.00592	ug/L	0.118		92.9	60-140	5.62	40
Aldrin	0.107		0.00592	ug/L	0.118		90.1	60-140	5.71	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.134		0.00592	ug/L	0.118		113	60-140	3.97	40
beta-BHC (beta-Hexachlorocyclohexane)	0.121		0.00592	ug/L	0.118		102	60-140	3.21	40
Chlordane (tech.)	0.425		0.00592	ug/L	0.473		89.8	60-140	5.59	40
cis-Chlordane (alpha-Chlordane)	0.106		0.00592	ug/L	0.118		89.3	60-140	6.48	40
delta-BHC	0.115		0.00592	ug/L	0.118		96.8	60-140	5.69	40
Dieldrin	0.110		0.00592	ug/L	0.118		92.6	60-140	5.32	40
Endosulfan I	0.0962		0.00592	ug/L	0.118		81.3	60-140	7.75	40
Endosulfan II	0.102		0.00592	ug/L	0.118		86.3	60-140	1.43	40
Endosulfan sulfate	0.104		0.00592	ug/L	0.118		87.9	60-140	7.06	40
Endrin	0.0992		0.00592	ug/L	0.118		83.8	60-140	4.51	40
Endrin aldehyde	0.124		0.00592	ug/L	0.118		105	60-140	2.80	40
Endrin ketone	0.102		0.00592	ug/L	0.118		86.4	60-140	8.74	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.124		0.00592	ug/L	0.118		105	60-140	3.34	40
gamma-Chlordane	0.103		0.00592	ug/L	0.118		87.4	60-140	5.40	40
Heptachlor	0.112		0.00592	ug/L	0.118		95.0	60-140	5.80	40
Heptachlor epoxide	0.104		0.00592	ug/L	0.118		87.5	60-140	4.66	40
Methoxychlor	0.116		0.00592	ug/L	0.118		98.3	60-140	7.65	40
Toxaphene (Chlorinated Camphene)	<0.296	U	0.296	ug/L				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.136*	*ug/L*	*0.118*		*115*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.136*	*ug/L*	*0.118*		*115*	*60-140*		
MDL TOX (BFB3715-MRL1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	<0.00595	U	0.00595	ug/L						
4,4'-DDE	<0.00595	U	0.00595	ug/L						
4,4'-DDT	<0.00595	U	0.00595	ug/L						
Aldrin	<0.00595	U	0.00595	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L						
Chlordane (tech.)	<0.00595	U	0.00595	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00595	U	0.00595	ug/L						
delta-BHC	<0.00595	U	0.00595	ug/L						
Dieldrin	<0.00595	U	0.00595	ug/L						
Endosulfan I	<0.00595	U	0.00595	ug/L						
Endosulfan II	<0.00595	U	0.00595	ug/L						
Endosulfan sulfate	<0.00595	U	0.00595	ug/L						
Endrin	<0.00595	U	0.00595	ug/L						
Endrin aldehyde	<0.00595	U	0.00595	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
MDL TOX (BFB3715-MRL1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
Endrin ketone	<0.00595	U	0.00595	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00595	U	0.00595	ug/L						
gamma-Chlordane	<0.00595	U	0.00595	ug/L						
Heptachlor	<0.00595	U	0.00595	ug/L						
Heptachlor epoxide	<0.00595	U	0.00595	ug/L						
Methoxychlor	<0.00595	U	0.00595	ug/L						
Toxaphene (Chlorinated Camphene)	0.359		0.297	ug/L	0.297		121			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.143*	*ug/L*	*0.119*		*120*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.127*	*ug/L*	*0.119*		*107*	*60-140*		
MDL (BFB3715-MRL2)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	0.00921		0.00599	ug/L	0.0120		76.8			
4,4'-DDE	0.0112		0.00599	ug/L	0.0120		93.3			
4,4'-DDT	0.0108		0.00599	ug/L	0.0120		89.8			
Aldrin	0.0114		0.00599	ug/L	0.0120		94.8			
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0141		0.00599	ug/L	0.0120		118			
beta-BHC (beta-Hexachlorocyclohexane)	0.0144		0.00599	ug/L	0.0120		120			
Chlordane (tech.)	0.0428		0.00599	ug/L	0.0479		89.3			
cis-Chlordane (alpha-Chlordane)	0.0122		0.00599	ug/L	0.0120		102			
delta-BHC	0.00542	J	0.00599	ug/L	0.0120		45.2			
Dieldrin	0.0112		0.00599	ug/L	0.0120		93.7			
Endosulfan I	0.0111		0.00599	ug/L	0.0120		92.4			
Endosulfan II	0.0116		0.00599	ug/L	0.0120		97.2			
Endosulfan sulfate	0.0126		0.00599	ug/L	0.0120		105			
Endrin	0.0102		0.00599	ug/L	0.0120		85.4			
Endrin aldehyde	0.0142		0.00599	ug/L	0.0120		119			
Endrin ketone	0.0126		0.00599	ug/L	0.0120		105			
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0142		0.00599	ug/L	0.0120		118			
gamma-Chlordane	0.0109		0.00599	ug/L	0.0120		91.2			
Heptachlor	0.0102		0.00599	ug/L	0.0120		85.6			
Heptachlor epoxide	0.00941		0.00599	ug/L	0.0120		78.6			
Methoxychlor	0.00518	J	0.00599	ug/L	0.0120		43.2			
Toxaphene (Chlorinated Camphene)	<0.300	U	0.300	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.135*	*ug/L*	*0.120*		*113*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.133*	*ug/L*	*0.120*		*111*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
Matrix Spike (BFB3715-MS1)	**Source: 22B3212-01**				Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	0.778		0.0293	ug/L	0.585	<0.0293	133	60-140		
4,4'-DDE	0.572		0.0293	ug/L	0.585	<0.0293	97.7	60-140		
4,4'-DDT	0.598		0.0293	ug/L	0.585	<0.0293	102	60-140		
Aldrin	0.588		0.0293	ug/L	0.585	<0.0293	101	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.956	J1	0.0293	ug/L	0.585	0.0301	158	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.856	J1	0.0293	ug/L	0.585	<0.0293	146	60-140		
Chlordane (tech.)	2.72		0.0293	ug/L	2.34	<0.0293	116	60-140		
cis-Chlordane (alpha-Chlordane)	0.660		0.0293	ug/L	0.585	<0.0293	113	60-140		
delta-BHC	0.818		0.0293	ug/L	0.585	<0.0293	140	60-140		
Dieldrin	0.767		0.0293	ug/L	0.585	<0.0293	131	60-140		
Endosulfan I	0.672		0.0293	ug/L	0.585	<0.0293	115	60-140		
Endosulfan II	0.726		0.0293	ug/L	0.585	<0.0293	124	60-140		
Endosulfan sulfate	0.849	J1	0.0293	ug/L	0.585	<0.0293	145	60-140		
Endrin	0.695		0.0293	ug/L	0.585	<0.0293	119	60-140		
Endrin aldehyde	0.881	J1	0.0293	ug/L	0.585	<0.0293	150	60-140		
Endrin ketone	0.858	J1	0.0293	ug/L	0.585	<0.0293	147	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.887	J1	0.0293	ug/L	0.585	<0.0293	152	60-140		
gamma-Chlordane	0.628		0.0293	ug/L	0.585	<0.0293	107	60-140		
Heptachlor	0.706		0.0293	ug/L	0.585	<0.0293	121	60-140		
Heptachlor epoxide	0.722		0.0293	ug/L	0.585	<0.0293	123	60-140		
Methoxychlor	0.812		0.0293	ug/L	0.585	<0.0293	139	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr	*S*		*0.848*	*ug/L*	*0.585*		*145*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.673*	*ug/L*	*0.585*		*115*	*60-140*		
Matrix Spike Dup (BFB3715-MSD1)	**Source: 22B3212-01**				Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	0.672		0.0289	ug/L	0.579	<0.0289	116	60-140	14.6	40
4,4'-DDE	0.501		0.0289	ug/L	0.579	<0.0289	86.6	60-140	13.3	40
4,4'-DDT	0.540		0.0289	ug/L	0.579	<0.0289	93.4	60-140	10.2	40
Aldrin	0.549		0.0289	ug/L	0.579	<0.0289	95.0	60-140	6.86	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.982	J1	0.0289	ug/L	0.579	0.0301	165	60-140	2.69	40
beta-BHC (beta-Hexachlorocyclohexane)	0.875	J1	0.0289	ug/L	0.579	<0.0289	151	60-140	2.12	40
Chlordane (tech.)	2.65		0.0289	ug/L	2.31	<0.0289	115	60-140	2.37	40
cis-Chlordane (alpha-Chlordane)	0.630		0.0289	ug/L	0.579	<0.0289	109	60-140	4.64	40
delta-BHC	0.853	J1	0.0289	ug/L	0.579	<0.0289	147	60-140	4.16	40
Dieldrin	0.775		0.0289	ug/L	0.579	<0.0289	134	60-140	1.02	40
Endosulfan I	0.701		0.0289	ug/L	0.579	<0.0289	121	60-140	4.18	40
Endosulfan II	0.746		0.0289	ug/L	0.579	<0.0289	129	60-140	2.72	40
Endosulfan sulfate	0.871	J1	0.0289	ug/L	0.579	<0.0289	151	60-140	2.60	40
Endrin	0.690		0.0289	ug/L	0.579	<0.0289	119	60-140	0.710	40
Endrin aldehyde	0.929	J1	0.0289	ug/L	0.579	<0.0289	161	60-140	5.27	40
Endrin ketone	0.848	J1	0.0289	ug/L	0.579	<0.0289	147	60-140	1.11	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
Matrix Spike Dup (BFB3715-MSD1)	**Source: 22B3212-01**				Prepared: 2/28/2022 Analyzed: 3/8/2022					
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.917	J1	0.0289	ug/L	0.579	<0.0289	158	60-140	3.28	40
gamma-Chlordane	0.585		0.0289	ug/L	0.579	<0.0289	101	60-140	7.14	40
Heptachlor	0.689		0.0289	ug/L	0.579	<0.0289	119	60-140	2.43	40
Heptachlor epoxide	0.748		0.0289	ug/L	0.579	<0.0289	129	60-140	3.60	40
Methoxychlor	0.809		0.0289	ug/L	0.579	<0.0289	140	60-140	0.421	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.888*	*ug/L*	*0.579*		*153*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.686*	*ug/L*	*0.579*		*119*	*60-140*		
Batch: BFC0009 - TX 1005										
Blank (BFC0009-BLK1)					Prepared: 3/1/2022 Analyzed: 3/10/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<8.35	U	8.35	mg/kg wet						
Surrogate: 1-Chlorooctadecane-surr			*172*	*mg/kg wet*	*232*		*74.2*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*218*	*mg/kg wet*	*232*		*94.1*	*70-130*		
LCS (BFC0009-BS1)					Prepared: 3/1/2022 Analyzed: 3/11/2022					
C6-C12	205		4.24	mg/kg wet	236		87.2	75-125		
>C12-C28	137	J1	4.24	mg/kg wet	236		58.0	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	336	J1	8.48	mg/kg wet	471		71.2	75-125		
Surrogate: 1-Chlorooctadecane-surr			*173*	*mg/kg wet*	*236*		*73.4*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*228*	*mg/kg wet*	*236*		*96.7*	*70-130*		
LCS Dup (BFC0009-BSD1)					Prepared: 3/1/2022 Analyzed: 3/11/2022					
C6-C12	222		4.45	mg/kg wet	247		89.7	75-125	7.56	20
>C12-C28	129	J1	4.45	mg/kg wet	247		52.2	75-125	5.82	20
Total Petroleum Hydrocarbons (TPH), C6-C35	342	J1	8.89	mg/kg wet	494		69.2	75-125	1.82	20
Surrogate: 1-Chlorooctadecane-surr			*184*	*mg/kg wet*	*247*		*74.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*239*	*mg/kg wet*	*247*		*96.7*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0009 - TX 1005 (Continued)										
MDL TPH (BFC0009-MRL1)					Prepared: 3/1/2022 Analyzed: 3/10/2022					
C6-C12	4.06	J	4.44	mg/kg wet	4.93		82.4	50-150		
>C12-C28	<4.44	J1, U	4.44	mg/kg wet	4.93			50-150		
>C12-C35	<4.44	U	4.44	mg/kg wet				50-150		
>C28-C35	<4.44	U	4.44	mg/kg wet				50-150		
Total Petroleum Hydrocarbons (TPH), C6-C35	3.68	J1, J	8.88	mg/kg wet	9.86		37.3	50-150		
Surrogate: 1-Chlorooctadecane-surr			*200*	*mg/kg wet*	*247*		*81.2*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*238*	*mg/kg wet*	*247*		*96.5*	*70-130*		
Matrix Spike (BFC0009-MS1)		**Source: 22A3944-32**			Prepared: 3/1/2022 Analyzed: 3/11/2022					
C6-C12	238		4.91	mg/kg dry	273	2.08	86.3	75-125		
>C12-C28	156	J1	4.91	mg/kg dry	273	<4.91	57.3	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	386	J1	9.82	mg/kg dry	546	<9.82	70.8	75-125		
Surrogate: 1-Chlorooctadecane-surr			*206*	*mg/kg dry*	*273*		*75.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*262*	*mg/kg dry*	*273*		*96.1*	*70-130*		
Matrix Spike Dup (BFC0009-MSD1)		**Source: 22A3944-32**			Prepared: 3/1/2022 Analyzed: 3/11/2022					
C6-C12	272		5.33	mg/kg dry	296	2.08	91.2	75-125	13.5	20
>C12-C28	159	J1	5.33	mg/kg dry	296	<5.33	53.9	75-125	1.97	20
Total Petroleum Hydrocarbons (TPH), C6-C35	421	J1	10.7	mg/kg dry	592	<10.7	71.1	75-125	8.59	20
Surrogate: 1-Chlorooctadecane-surr		*S*	*205*	*mg/kg dry*	*296*		*69.3*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*275*	*mg/kg dry*	*296*		*92.8*	*70-130*		
Batch: BFC0070 - SW-3570										
Blank (BFC0070-BLK1)					Prepared: 3/1/2022 Analyzed: 3/5/2022					
PCBs, Total	<2.00	U	2.00	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.651*	*ug/kg wet*	*0.599*		*109*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.606*	*ug/kg wet*	*0.599*		*101*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0070 - SW-3570 (Continued)										
Blank (BFC0070-BLK2)				Prepared: 3/1/2022 Analyzed: 4/6/2022						
PCBs, Total	<2.00	U	2.00	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.648*	*ug/kg wet*	*0.599*		*108*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.659*	*ug/kg wet*	*0.599*		*110*	*60-140*		
LCS (BFC0070-BS1)				Prepared: 3/1/2022 Analyzed: 3/5/2022						
Aroclor-1016 (PCB-1016)	4.39		1.94	ug/kg wet	5.83		75.3	60-140		
Aroclor-1260 (PCB-1260)	4.35		1.94	ug/kg wet	5.83		74.6	60-140		
PCBs, Total	4.36		1.94	ug/kg wet	5.83		74.8	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.416*	*ug/kg wet*	*0.583*		*71.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.454*	*ug/kg wet*	*0.583*		*77.9*	*60-140*		
LCS (BFC0070-BS2)				Prepared: 3/1/2022 Analyzed: 4/6/2022						
Aroclor-1016 (PCB-1016)	3.96		1.94	ug/kg wet	5.83		67.9	60-140		
Aroclor-1260 (PCB-1260)	3.67		1.94	ug/kg wet	5.83		63.1	60-140		
PCBs, Total	3.75		1.94	ug/kg wet	5.83		64.4	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.412*	*ug/kg wet*	*0.583*		*70.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.447*	*ug/kg wet*	*0.583*		*76.8*	*60-140*		
LCS Dup (BFC0070-BSD1)				Prepared: 3/1/2022 Analyzed: 3/5/2022						
Aroclor-1016 (PCB-1016)	6.96	J1	1.94	ug/kg wet	5.83		119	60-140	45.4	40
Aroclor-1260 (PCB-1260)	6.54	J1	1.94	ug/kg wet	5.83		112	60-140	40.2	40
PCBs, Total	6.66	J1	1.94	ug/kg wet	5.83		114	60-140	41.7	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.590*	*ug/kg wet*	*0.583*		*101*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.642*	*ug/kg wet*	*0.583*		*110*	*60-140*		
LCS Dup (BFC0070-BSD2)				Prepared: 3/1/2022 Analyzed: 4/6/2022						
Aroclor-1016 (PCB-1016)	6.56	J1	1.94	ug/kg wet	5.83		113	60-140	49.5	40
Aroclor-1260 (PCB-1260)	5.84	J1	1.94	ug/kg wet	5.83		100	60-140	45.5	40
PCBs, Total	6.03	J1	1.94	ug/kg wet	5.83		103	60-140	46.6	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.601*	*ug/kg wet*	*0.583*		*103*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.617*	*ug/kg wet*	*0.583*		*106*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0070 - SW-3570 (Continued)										
MDL (BFC0070-MRL1)					Prepared: 3/1/2022 Analyzed: 3/5/2022					
Aroclor-1016 (PCB-1016)	1.27	J	1.96	ug/kg wet	1.18		108	50-150		
Aroclor-1221 (PCB-1221)	1.95	J	1.96	ug/kg wet				50-150		
Aroclor-1232 (PCB-1232)	6.03		1.96	ug/kg wet				50-150		
Aroclor-1242 (PCB-1242)	<1.96	U	1.96	ug/kg wet				50-150		
Aroclor-1248 (PCB-1248)	1.05	J	1.96	ug/kg wet				50-150		
Aroclor-1254 (PCB-1254)	<1.96	U	1.96	ug/kg wet				50-150		
Aroclor-1260 (PCB-1260)	1.12	J	1.96	ug/kg wet	1.18		94.9	50-150		
PCBs, Total	1.16	J	1.96	ug/kg wet	1.18		98.6	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.494*	*ug/kg wet*	*0.588*		*84.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.527*	*ug/kg wet*	*0.588*		*89.5*	*60-140*		
MRL Check (BFC0070-MRL2)					Prepared: 3/1/2022 Analyzed: 4/6/2022					
Aroclor-1016 (PCB-1016)	1.42	J	1.96	ug/kg wet	1.18		121	50-150		
Aroclor-1221 (PCB-1221)	2.14		1.96	ug/kg wet				50-150		
Aroclor-1232 (PCB-1232)	4.63		1.96	ug/kg wet				50-150		
Aroclor-1242 (PCB-1242)	2.04		1.96	ug/kg wet				50-150		
Aroclor-1248 (PCB-1248)	<1.96	U	1.96	ug/kg wet				50-150		
Aroclor-1254 (PCB-1254)	1.77	J	1.96	ug/kg wet				50-150		
Aroclor-1260 (PCB-1260)	1.05	J	1.96	ug/kg wet	1.18		89.2	50-150		
PCBs, Total	1.16	J	1.96	ug/kg wet	1.18		98.5	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.492*	*ug/kg wet*	*0.588*		*83.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.517*	*ug/kg wet*	*0.588*		*87.9*	*60-140*		
Matrix Spike (BFC0070-MS1)		**Source: 22A3944-28**			Prepared: 3/1/2022 Analyzed: 3/5/2022					
Aroclor-1016 (PCB-1016)	6.99		2.26	ug/kg dry	6.79	<2.26	103	60-140		
Aroclor-1260 (PCB-1260)	5.88		2.26	ug/kg dry	6.79	<2.26	86.6	60-140		
PCBs, Total	6.20		2.26	ug/kg dry	6.79	<2.26	91.2	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.580*	*ug/kg dry*	*0.679*		*85.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.599*	*ug/kg dry*	*0.679*		*88.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0070 - SW-3570 (Continued)										
Matrix Spike Dup (BFC0070-MSD1)	**Source: 22A3944-28**				Prepared: 3/1/2022 Analyzed: 3/5/2022					
Aroclor-1016 (PCB-1016)	8.44		2.20	ug/kg dry	6.59	<2.20	128	60-140	18.7	40
Aroclor-1260 (PCB-1260)	7.43		2.20	ug/kg dry	6.59	<2.20	113	60-140	23.3	40
PCBs, Total	7.72		2.20	ug/kg dry	6.59	<2.20	117	60-140	21.9	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.729*	*ug/kg dry*	*0.659*		*111*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.771*	*ug/kg dry*	*0.659*		*117*	*60-140*		
Batch: BFC0541 - SW-3511										
Blank (BFC0541-BLK1)					Prepared: 3/3/2022 Analyzed: 3/10/2022					
4,4'-DDD	<0.00596	U	0.00596	ug/L						
4,4'-DDE	<0.00596	U	0.00596	ug/L						
4,4'-DDT	<0.00596	U	0.00596	ug/L						
Aldrin	<0.00596	U	0.00596	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00596	U	0.00596	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00596	U	0.00596	ug/L						
Chlordane (tech.)	<0.00596	U	0.00596	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00596	U	0.00596	ug/L						
delta-BHC	<0.00596	U	0.00596	ug/L						
Dieldrin	<0.00596	U	0.00596	ug/L						
Endosulfan I	<0.00596	U	0.00596	ug/L						
Endosulfan II	<0.00596	U	0.00596	ug/L						
Endosulfan sulfate	<0.00596	U	0.00596	ug/L						
Endrin	<0.00596	U	0.00596	ug/L						
Endrin aldehyde	<0.00596	U	0.00596	ug/L						
Endrin ketone	<0.00596	U	0.00596	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00596	U	0.00596	ug/L						
gamma-Chlordane	<0.00596	U	0.00596	ug/L						
Heptachlor	<0.00596	U	0.00596	ug/L						
Heptachlor epoxide	<0.00596	U	0.00596	ug/L						
Methoxychlor	<0.00596	U	0.00596	ug/L						
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.118*	*ug/L*	*0.119*		*98.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.125*	*ug/L*	*0.119*		*105*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0541 - SW-3511 (Continued)										
LCS TOX (BFC0541-BS1)					Prepared: 3/3/2022 Analyzed: 3/10/2022					
4,4'-DDD	<0.00600	U	0.00600	ug/L				60-140		
4,4'-DDE	<0.00600	U	0.00600	ug/L				60-140		
4,4'-DDT	<0.00600	U	0.00600	ug/L				60-140		
Aldrin	<0.00600	U	0.00600	ug/L				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		
Chlordane (tech.)	<0.00600	U	0.00600	ug/L				60-140		
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L				60-140		
delta-BHC	<0.00600	U	0.00600	ug/L				60-140		
Dieldrin	<0.00600	U	0.00600	ug/L				60-140		
Endosulfan I	<0.00600	U	0.00600	ug/L				60-140		
Endosulfan II	<0.00600	U	0.00600	ug/L				60-140		
Endosulfan sulfate	<0.00600	U	0.00600	ug/L				60-140		
Endrin	<0.00600	U	0.00600	ug/L				60-140		
Endrin aldehyde	<0.00600	U	0.00600	ug/L				60-140		
Endrin ketone	<0.00600	U	0.00600	ug/L				60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00600	U	0.00600	ug/L				60-140		
gamma-Chlordane	<0.00600	U	0.00600	ug/L				60-140		
Heptachlor	<0.00600	U	0.00600	ug/L				60-140		
Heptachlor epoxide	<0.00600	U	0.00600	ug/L				60-140		
Methoxychlor	<0.00600	U	0.00600	ug/L				60-140		
Toxaphene (Chlorinated Camphene)	1.40		0.300	ug/L	1.20		116	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.138*	*ug/L*	*0.120*		*115*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.146*	*ug/L*	*0.120*		*121*	*60-140*		
LCS (BFC0541-BS2)					Prepared: 3/3/2022 Analyzed: 3/10/2022					
4,4'-DDD	0.0983		0.00593	ug/L	0.119		82.8	60-140		
4,4'-DDE	0.0895		0.00593	ug/L	0.119		75.4	60-140		
4,4'-DDT	0.0927		0.00593	ug/L	0.119		78.1	60-140		
Aldrin	0.0905		0.00593	ug/L	0.119		76.2	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.131		0.00593	ug/L	0.119		111	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.117		0.00593	ug/L	0.119		98.4	60-140		
Chlordane (tech.)	0.375		0.00593	ug/L	0.475		79.0	60-140		
cis-Chlordane (alpha-Chlordane)	0.0805		0.00593	ug/L	0.119		67.8	60-140		
delta-BHC	0.112		0.00593	ug/L	0.119		94.2	60-140		
Dieldrin	0.0925		0.00593	ug/L	0.119		77.9	60-140		
Endosulfan I	0.0747		0.00593	ug/L	0.119		62.9	60-140		
Endosulfan II	0.0890		0.00593	ug/L	0.119		75.0	60-140		
Endosulfan sulfate	0.106		0.00593	ug/L	0.119		89.2	60-140		
Endrin	0.0896		0.00593	ug/L	0.119		75.5	60-140		
Endrin aldehyde	0.107		0.00593	ug/L	0.119		89.8	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0541 - SW-3511 (Continued)										
LCS (BFC0541-BS2)					Prepared: 3/3/2022 Analyzed: 3/10/2022					
Endrin ketone	0.113		0.00593	ug/L	0.119		95.1	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.119		0.00593	ug/L	0.119		99.9	60-140		
gamma-Chlordane	0.0849		0.00593	ug/L	0.119		71.5	60-140		
Heptachlor	0.115		0.00593	ug/L	0.119		96.8	60-140		
Heptachlor epoxide	0.0947		0.00593	ug/L	0.119		79.8	60-140		
Methoxychlor	0.102		0.00593	ug/L	0.119		85.8	60-140		
Toxaphene (Chlorinated Camphene)	<0.297	U	0.297	ug/L				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.128*	*ug/L*	*0.119*		*107*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.132*	*ug/L*	*0.119*		*111*	*60-140*		
LCS Dup TOX (BFC0541-BSD1)					Prepared: 3/3/2022 Analyzed: 3/10/2022					
4,4'-DDD	<0.00598	U	0.00598	ug/L				60-140		40
4,4'-DDE	<0.00598	U	0.00598	ug/L				60-140		40
4,4'-DDT	<0.00598	U	0.00598	ug/L				60-140		40
Aldrin	<0.00598	U	0.00598	ug/L				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L				60-140		40
Chlordane (tech.)	<0.00598	U	0.00598	ug/L				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.00598	U	0.00598	ug/L				60-140		40
delta-BHC	<0.00598	U	0.00598	ug/L				60-140		40
Dieldrin	<0.00598	U	0.00598	ug/L				60-140		40
Endosulfan I	<0.00598	U	0.00598	ug/L				60-140		40
Endosulfan II	<0.00598	U	0.00598	ug/L				60-140		40
Endosulfan sulfate	<0.00598	U	0.00598	ug/L				60-140		40
Endrin	<0.00598	U	0.00598	ug/L				60-140		40
Endrin aldehyde	<0.00598	U	0.00598	ug/L				60-140		40
Endrin ketone	<0.00598	U	0.00598	ug/L				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L				60-140		40
gamma-Chlordane	<0.00598	U	0.00598	ug/L				60-140		40
Heptachlor	<0.00598	U	0.00598	ug/L				60-140		40
Heptachlor epoxide	<0.00598	U	0.00598	ug/L				60-140		40
Methoxychlor	<0.00598	U	0.00598	ug/L				60-140		40
Toxaphene (Chlorinated Camphene)	1.21		0.299	ug/L	1.20		101	60-140	14.4	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.135*	*ug/L*	*0.120*		*113*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.140*	*ug/L*	*0.120*		*117*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0541 - SW-3511 (Continued)										
LCS Dup (BFC0541-BSD2)					Prepared: 3/3/2022 Analyzed: 3/10/2022					
4,4'-DDD	0.101		0.00595	ug/L	0.119		84.8	60-140	2.67	40
4,4'-DDE	0.0897		0.00595	ug/L	0.119		75.4	60-140	0.271	40
4,4'-DDT	0.0927		0.00595	ug/L	0.119		77.9	60-140	0.00343	40
Aldrin	0.0912		0.00595	ug/L	0.119		76.6	60-140	0.795	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.133		0.00595	ug/L	0.119		112	60-140	1.23	40
beta-BHC (beta-Hexachlorocyclohexane)	0.119		0.00595	ug/L	0.119		99.7	60-140	1.68	40
Chlordane (tech.)	0.378		0.00595	ug/L	0.476		79.3	60-140	0.756	40
cis-Chlordane (alpha-Chlordane)	0.0802		0.00595	ug/L	0.119		67.4	60-140	0.260	40
delta-BHC	0.108		0.00595	ug/L	0.119		90.4	60-140	3.74	40
Dieldrin	0.0954		0.00595	ug/L	0.119		80.1	60-140	3.12	40
Endosulfan I	0.0745		0.00595	ug/L	0.119		62.6	60-140	0.185	40
Endosulfan II	0.0890		0.00595	ug/L	0.119		74.8	60-140	0.0168	40
Endosulfan sulfate	0.106		0.00595	ug/L	0.119		88.9	60-140	0.00312	40
Endrin	0.0902		0.00595	ug/L	0.119		75.8	60-140	0.687	40
Endrin aldehyde	0.107		0.00595	ug/L	0.119		90.2	60-140	0.739	40
Endrin ketone	0.112		0.00595	ug/L	0.119		94.1	60-140	0.798	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.121		0.00595	ug/L	0.119		102	60-140	2.35	40
gamma-Chlordane	0.0874		0.00595	ug/L	0.119		73.4	60-140	2.93	40
Heptachlor	0.115		0.00595	ug/L	0.119		96.3	60-140	0.242	40
Heptachlor epoxide	0.0955		0.00595	ug/L	0.119		80.2	60-140	0.848	40
Methoxychlor	0.105		0.00595	ug/L	0.119		88.2	60-140	2.98	40
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.126*	*ug/L*	*0.119*		*106*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.131*	*ug/L*	*0.119*		*110*	*60-140*		
BFB3668-BLK1 (BFC0541-LBK1)					Prepared: 3/3/2022 Analyzed: 3/10/2022					
4,4'-DDD	<0.0293	U	0.0293	ug/L						
4,4'-DDE	<0.0293	U	0.0293	ug/L						
4,4'-DDT	<0.0293	U	0.0293	ug/L						
Aldrin	<0.0293	U	0.0293	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.0293	U	0.0293	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.0293	U	0.0293	ug/L						
Chlordane (tech.)	<0.0293	U	0.0293	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.0293	U	0.0293	ug/L						
delta-BHC	<0.0293	U	0.0293	ug/L						
Dieldrin	<0.0293	U	0.0293	ug/L						
Endosulfan I	<0.0293	U	0.0293	ug/L						
Endosulfan II	<0.0293	U	0.0293	ug/L						
Endosulfan sulfate	<0.0293	U	0.0293	ug/L						
Endrin	<0.0293	U	0.0293	ug/L						
Endrin aldehyde	<0.0293	U	0.0293	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0541 - SW-3511 (Continued)										
BFB3668-BLK1 (BFC0541-LBK1)					Prepared: 3/3/2022 Analyzed: 3/10/2022					
Endrin ketone	<0.0293	U	0.0293	ug/L						
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.0293	U	0.0293	ug/L						
gamma-Chlordane	<0.0293	U	0.0293	ug/L						
Heptachlor	<0.0293	U	0.0293	ug/L						
Heptachlor epoxide	<0.0293	U	0.0293	ug/L						
Methoxychlor	<0.0293	U	0.0293	ug/L						
Toxaphene (Chlorinated Camphene)	<1.46	U	1.46	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.787*	*ug/L*	*0.585*		*134*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.642*	*ug/L*	*0.585*		*110*	*60-140*		
MDL TOX (BFC0541-MRL1)					Prepared: 3/3/2022 Analyzed: 3/10/2022					
4,4'-DDD	<0.00596	U	0.00596	ug/L				50-150		
4,4'-DDE	<0.00596	U	0.00596	ug/L				50-150		
4,4'-DDT	<0.00596	U	0.00596	ug/L				50-150		
Aldrin	<0.00596	U	0.00596	ug/L				50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00596	U	0.00596	ug/L				50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00596	U	0.00596	ug/L				50-150		
Chlordane (tech.)	<0.00596	U	0.00596	ug/L				50-150		
cis-Chlordane (alpha-Chlordane)	<0.00596	U	0.00596	ug/L				50-150		
delta-BHC	<0.00596	U	0.00596	ug/L				50-150		
Dieldrin	<0.00596	U	0.00596	ug/L				50-150		
Endosulfan I	<0.00596	U	0.00596	ug/L				50-150		
Endosulfan II	<0.00596	U	0.00596	ug/L				50-150		
Endosulfan sulfate	<0.00596	U	0.00596	ug/L				50-150		
Endrin	<0.00596	U	0.00596	ug/L				50-150		
Endrin aldehyde	<0.00596	U	0.00596	ug/L				50-150		
Endrin ketone	<0.00596	U	0.00596	ug/L				50-150		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00596	U	0.00596	ug/L				50-150		
gamma-Chlordane	<0.00596	U	0.00596	ug/L				50-150		
Heptachlor	<0.00596	U	0.00596	ug/L				50-150		
Heptachlor epoxide	<0.00596	U	0.00596	ug/L				50-150		
Methoxychlor	<0.00596	U	0.00596	ug/L				50-150		
Toxaphene (Chlorinated Camphene)	0.427		0.298	ug/L	0.298		143	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.130*	*ug/L*	*0.119*		*109*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.131*	*ug/L*	*0.119*		*110*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0541 - SW-3511 (Continued)										
MDL (BFC0541-MRL2)					Prepared: 3/3/2022 Analyzed: 3/10/2022					
4,4'-DDD	0.0101		0.00596	ug/L	0.0119		84.8	50-150		
4,4'-DDE	0.0108		0.00596	ug/L	0.0119		90.5	50-150		
4,4'-DDT	0.0101		0.00596	ug/L	0.0119		84.3	50-150		
Aldrin	0.00832		0.00596	ug/L	0.0119		69.7	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0153		0.00596	ug/L	0.0119		128	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.0130		0.00596	ug/L	0.0119		109	50-150		
Chlordane (tech.)	0.0477		0.00596	ug/L	0.0477		100	50-150		
cis-Chlordane (alpha-Chlordane)	0.00930		0.00596	ug/L	0.0119		78.0	50-150		
delta-BHC	0.0130		0.00596	ug/L	0.0119		109	50-150		
Dieldrin	0.0111		0.00596	ug/L	0.0119		93.0	50-150		
Endosulfan I	0.00895		0.00596	ug/L	0.0119		75.1	50-150		
Endosulfan II	0.0113		0.00596	ug/L	0.0119		94.9	50-150		
Endosulfan sulfate	0.0133		0.00596	ug/L	0.0119		112	50-150		
Endrin	0.0108		0.00596	ug/L	0.0119		90.9	50-150		
Endrin aldehyde	0.0142		0.00596	ug/L	0.0119		119	50-150		
Endrin ketone	0.0149		0.00596	ug/L	0.0119		125	50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0149		0.00596	ug/L	0.0119		125	50-150		
gamma-Chlordane	0.00720		0.00596	ug/L	0.0119		60.3	50-150		
Heptachlor	0.0190	J1	0.00596	ug/L	0.0119		159	50-150		
Heptachlor epoxide	0.0122		0.00596	ug/L	0.0119		102	50-150		
Methoxychlor	0.0138		0.00596	ug/L	0.0119		115	50-150		
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L				50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.124*	*ug/L*	*0.119*		*104*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.132*	*ug/L*	*0.119*		*111*	*60-140*		
Matrix Spike (BFC0541-MS1)		**Source: 22B3792-01**			Prepared: 3/3/2022 Analyzed: 3/10/2022					
4,4'-DDD	0.559		0.0294	ug/L	0.588	<0.0294	95.2	60-140		
4,4'-DDE	0.409		0.0294	ug/L	0.588	0.0423	62.4	60-140		
4,4'-DDT	0.545		0.0294	ug/L	0.588	0.192	60.1	60-140		
Aldrin	0.452		0.0294	ug/L	0.588	<0.0294	77.0	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.712		0.0294	ug/L	0.588	0.0393	115	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.664		0.0294	ug/L	0.588	<0.0294	113	60-140		
Chlordane (tech.)	2.11		0.0294	ug/L	2.35	0.214	80.6	60-140		
cis-Chlordane (alpha-Chlordane)	0.392		0.0294	ug/L	0.588	<0.0294	66.6	60-140		
delta-BHC	0.646		0.0294	ug/L	0.588	0.0685	98.3	60-140		
Dieldrin	0.540		0.0294	ug/L	0.588	0.0315	86.5	60-140		
Endosulfan I	0.377		0.0294	ug/L	0.588	<0.0294	64.2	60-140		
Endosulfan II	0.505		0.0294	ug/L	0.588	<0.0294	86.0	60-140		
Endosulfan sulfate	0.629		0.0294	ug/L	0.588	<0.0294	107	60-140		
Endrin	0.538		0.0294	ug/L	0.588	<0.0294	91.5	60-140		
Endrin aldehyde	0.600		0.0294	ug/L	0.588	<0.0294	102	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0541 - SW-3511 (Continued)										
Matrix Spike (BFC0541-MS1)		**Source: 22B3792-01**			Prepared: 3/3/2022 Analyzed: 3/10/2022					
Endrin ketone	0.669		0.0294	ug/L	0.588	<0.0294	114	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.640		0.0294	ug/L	0.588	<0.0294	109	60-140		
gamma-Chlordane	0.493		0.0294	ug/L	0.588	0.0851	69.4	60-140		
Heptachlor	0.687		0.0294	ug/L	0.588	0.110	98.1	60-140		
Heptachlor epoxide	0.536		0.0294	ug/L	0.588	<0.0294	91.2	60-140		
Methoxychlor	0.652		0.0294	ug/L	0.588	<0.0294	111	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.723*	*ug/L*	*0.588*		*123*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.659*	*ug/L*	*0.588*		*112*	*60-140*		
Matrix Spike Dup (BFC0541-MSD1)		**Source: 22B3792-01**			Prepared: 3/3/2022 Analyzed: 3/10/2022					
4,4'-DDD	0.601		0.0295	ug/L	0.589	<0.0295	102	60-140	7.16	40
4,4'-DDE	0.421		0.0295	ug/L	0.589	0.0423	64.2	60-140	2.88	40
4,4'-DDT	0.565		0.0295	ug/L	0.589	0.192	63.3	60-140	3.52	40
Aldrin	0.465		0.0295	ug/L	0.589	<0.0295	78.8	60-140	2.68	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.764		0.0295	ug/L	0.589	0.0393	123	60-140	6.99	40
beta-BHC (beta-Hexachlorocyclohexane)	0.710		0.0295	ug/L	0.589	<0.0295	120	60-140	6.67	40
Chlordane (tech.)	2.23		0.0295	ug/L	2.36	0.214	85.4	60-140	5.45	40
cis-Chlordane (alpha-Chlordane)	0.412		0.0295	ug/L	0.589	<0.0295	69.9	60-140	5.11	40
delta-BHC	0.704		0.0295	ug/L	0.589	0.0685	108	60-140	8.61	40
Dieldrin	0.583		0.0295	ug/L	0.589	0.0315	93.6	60-140	7.72	40
Endosulfan I	0.413		0.0295	ug/L	0.589	<0.0295	70.1	60-140	9.18	40
Endosulfan II	0.558		0.0295	ug/L	0.589	<0.0295	94.7	60-140	9.90	40
Endosulfan sulfate	0.682		0.0295	ug/L	0.589	<0.0295	116	60-140	8.05	40
Endrin	0.589		0.0295	ug/L	0.589	<0.0295	99.9	60-140	9.03	40
Endrin aldehyde	0.647		0.0295	ug/L	0.589	<0.0295	110	60-140	7.62	40
Endrin ketone	0.729		0.0295	ug/L	0.589	<0.0295	124	60-140	8.59	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.697		0.0295	ug/L	0.589	<0.0295	118	60-140	8.45	40
gamma-Chlordane	0.516		0.0295	ug/L	0.589	0.0851	73.1	60-140	4.55	40
Heptachlor	0.732		0.0295	ug/L	0.589	0.110	106	60-140	6.37	40
Heptachlor epoxide	0.566		0.0295	ug/L	0.589	<0.0295	96.0	60-140	5.34	40
Methoxychlor	0.690		0.0295	ug/L	0.589	<0.0295	117	60-140	5.77	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.794*	*ug/L*	*0.589*		*135*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.658*	*ug/L*	*0.589*		*112*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0727 - TX 1005										
Blank (BFC0727-BLK1)				Prepared: 3/4/2022 Analyzed: 3/11/2022						
Total Petroleum Hydrocarbons (TPH), C6-C35	<8.98	U	8.98	mg/kg wet						
Surrogate: 1-Chlorooctadecane-surr			*206*	*mg/kg wet*	*250*		*82.6*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*244*	*mg/kg wet*	*250*		*97.7*	*70-130*		
Blank (BFC0727-BLK2)				Prepared: 3/4/2022 Analyzed: 3/18/2022						
Total Petroleum Hydrocarbons (TPH), C6-C35	9.14		8.98	mg/kg wet						
Surrogate: 1-Chlorooctadecane-surr			*253*	*mg/kg wet*	*250*		*102*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*240*	*mg/kg wet*	*250*		*96.4*	*70-130*		
LCS (BFC0727-BS1)				Prepared: 3/4/2022 Analyzed: 3/11/2022						
C6-C12	242		4.48	mg/kg wet	249		97.1	75-125		
>C12-C28	128	J1	4.48	mg/kg wet	249		51.4	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	359	J1	8.96	mg/kg wet	498		72.1	75-125		
Surrogate: 1-Chlorooctadecane-surr			*183*	*mg/kg wet*	*249*		*73.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*239*	*mg/kg wet*	*249*		*96.0*	*70-130*		
LCS (BFC0727-BS2)				Prepared: 3/4/2022 Analyzed: 3/18/2022						
C6-C12	254		4.48	mg/kg wet	249		102	75-125		
>C12-C28	191		4.48	mg/kg wet	249		76.6	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	448		8.96	mg/kg wet	498		90.1	75-125		
Surrogate: 1-Chlorooctadecane-surr			*229*	*mg/kg wet*	*249*		*92.2*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*247*	*mg/kg wet*	*249*		*99.1*	*70-130*		
LCS Dup (BFC0727-BSD1)				Prepared: 3/4/2022 Analyzed: 3/11/2022						
C6-C12	247		4.49	mg/kg wet	249		99.3	75-125	2.36	20
>C12-C28	117	J1	4.49	mg/kg wet	249		46.9	75-125	8.83	20
Total Petroleum Hydrocarbons (TPH), C6-C35	352	J1	8.97	mg/kg wet	499		70.6	75-125	1.86	20
Surrogate: 1-Chlorooctadecane-surr			*176*	*mg/kg wet*	*249*		*70.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*231*	*mg/kg wet*	*249*		*92.9*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0727 - TX 1005 (Continued)										
LCS Dup (BFC0727-BSD2)					Prepared: 3/4/2022 Analyzed: 3/18/2022					
C6-C12	268		4.49	mg/kg wet	249		107	75-125	5.18	20
>C12-C28	226		4.49	mg/kg wet	249		90.7	75-125	17.1	20
Total Petroleum Hydrocarbons (TPH), C6-C35	498		8.97	mg/kg wet	499		100	75-125	10.6	20
Surrogate: 1-Chlorooctadecane-surr			*252*	*mg/kg wet*	*249*		*101*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*244*	*mg/kg wet*	*249*		*97.9*	*70-130*		
MRL Check (BFC0727-MRL1)					Prepared: 3/4/2022 Analyzed: 3/11/2022					
C6-C12	10.3	J1	4.46	mg/kg wet	4.96		208	50-150		
>C12-C28	<4.46	J1, U	4.46	mg/kg wet	4.96			50-150		
>C12-C35	<4.46	U	4.46	mg/kg wet				50-150		
>C28-C35	<4.46	U	4.46	mg/kg wet				50-150		
Total Petroleum Hydrocarbons (TPH), C6-C35	5.57	J	8.93	mg/kg wet	9.92		56.1	50-150		
Surrogate: 1-Chlorooctadecane-surr		*S*	*165*	*mg/kg wet*	*248*		*66.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*229*	*mg/kg wet*	*248*		*92.2*	*70-130*		
MRL Check (BFC0727-MRL2)					Prepared: 3/4/2022 Analyzed: 3/18/2022					
C6-C12	4.77		4.46	mg/kg wet	4.96		96.2	50-150		
>C12-C28	13.0	J1	4.46	mg/kg wet	4.96		261	50-150		
>C12-C35	13.0		4.46	mg/kg wet				50-150		
>C28-C35	<4.46	U	4.46	mg/kg wet				50-150		
Total Petroleum Hydrocarbons (TPH), C6-C35	16.6	J1	8.93	mg/kg wet	9.92		168	50-150		
Surrogate: 1-Chlorooctadecane-surr			*253*	*mg/kg wet*	*248*		*102*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*246*	*mg/kg wet*	*248*		*99.3*	*70-130*		
Matrix Spike (BFC0727-MS1)	**Source: 22A3944-29**				Prepared: 3/4/2022 Analyzed: 3/11/2022					
C6-C12	246		5.36	mg/kg dry	298	<5.36	82.5	75-125		
>C12-C28	149	J1	5.36	mg/kg dry	298	<5.36	50.0	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	386	J1	10.7	mg/kg dry	596	<10.7	64.8	75-125		
Surrogate: 1-Chlorooctadecane-surr			*220*	*mg/kg dry*	*298*		*73.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*278*	*mg/kg dry*	*298*		*93.4*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0727 - TX 1005 (Continued)										
Matrix Spike (BFC0727-MS2)			**Source: 22A3944-29RE1**		Prepared: 3/4/2022 Analyzed: 3/18/2022					
C6-C12	267		5.36	mg/kg dry	298	<5.36	89.5	75-125		
>C12-C28	225	J1	5.36	mg/kg dry	298	3.37	74.5	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	494		10.7	mg/kg dry	596	3.81	82.2	75-125		
Surrogate: 1-Chlorooctadecane-surr			*284*	*mg/kg dry*	*298*		*95.2*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*282*	*mg/kg dry*	*298*		*94.6*	*70-130*		
Matrix Spike Dup (BFC0727-MSD1)			**Source: 22A3944-29**		Prepared: 3/4/2022 Analyzed: 3/11/2022					
C6-C12	248		5.41	mg/kg dry	301	<5.41	82.5	75-125	0.892	20
>C12-C28	139	J1	5.41	mg/kg dry	301	<5.41	46.3	75-125	6.93	20
Total Petroleum Hydrocarbons (TPH), C6-C35	377	J1	10.8	mg/kg dry	601	<10.8	62.7	75-125	2.34	20
Surrogate: 1-Chlorooctadecane-surr		*S*	*194*	*mg/kg dry*	*301*		*64.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*270*	*mg/kg dry*	*301*		*89.7*	*70-130*		
Matrix Spike Dup (BFC0727-MSD2)			**Source: 22A3944-29RE1**		Prepared: 3/4/2022 Analyzed: 3/18/2022					
C6-C12	245		5.41	mg/kg dry	301	<5.41	81.6	75-125	8.38	20
>C12-C28	188	J1	5.41	mg/kg dry	301	3.37	61.3	75-125	18.3	20
Total Petroleum Hydrocarbons (TPH), C6-C35	434	J1	10.8	mg/kg dry	601	3.81	71.5	75-125	12.9	20
Surrogate: 1-Chlorooctadecane-surr			*241*	*mg/kg dry*	*301*		*80.3*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*270*	*mg/kg dry*	*301*		*89.7*	*70-130*		
Batch: BFC0779 - SW-3511										
Blank (BFC0779-BLK1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
PCBs, Total	<0.119	U	0.119	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0969*	*ug/L*	*0.119*		*81.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.108*	*ug/L*	*0.119*		*90.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0779 - SW-3511 (Continued)										
LCS (BFC0779-BS1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
Aroclor-1016 (PCB-1016)	1.24		0.119	ug/L	1.19		104	60-140		
Aroclor-1260 (PCB-1260)	1.32		0.119	ug/L	1.19		111	60-140		
PCBs, Total	1.30		0.119	ug/L	1.19		109	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0823*	*ug/L*	*0.119*		*69.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.104*	*ug/L*	*0.119*		*87.0*	*60-140*		
LCS Dup (BFC0779-BSD1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
Aroclor-1016 (PCB-1016)	1.25		0.120	ug/L	1.20		104	60-140	0.892	40
Aroclor-1260 (PCB-1260)	1.34		0.120	ug/L	1.20		112	60-140	1.62	40
PCBs, Total	1.32		0.120	ug/L	1.20		110	60-140	1.47	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.116*	*ug/L*	*0.120*		*96.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.120*	*ug/L*	*0.120*		*100*	*60-140*		
BFB1944-LBK (BFC0779-LBK1)					Prepared: 3/4/2022 Analyzed: 3/9/2022					
Aroclor-1016 (PCB-1016)	<0.120	U	0.120	ug/L						
Aroclor-1221 (PCB-1221)	<0.120	U	0.120	ug/L						
Aroclor-1232 (PCB-1232)	<0.120	U	0.120	ug/L						
Aroclor-1242 (PCB-1242)	<0.120	U	0.120	ug/L						
Aroclor-1248 (PCB-1248)	<0.120	U	0.120	ug/L						
Aroclor-1254 (PCB-1254)	<0.120	U	0.120	ug/L						
Aroclor-1260 (PCB-1260)	<0.120	U	0.120	ug/L						
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.105*	*ug/L*	*0.120*		*87.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0443*	*ug/L*	*0.120*		*36.9*	*60-140*		
BFB3010-LBK (BFC0779-LBK2)					Prepared: 3/4/2022 Analyzed: 3/9/2022					
Aroclor-1016 (PCB-1016)	<0.120	U	0.120	ug/L						
Aroclor-1221 (PCB-1221)	<0.120	U	0.120	ug/L						
Aroclor-1232 (PCB-1232)	<0.120	U	0.120	ug/L						
Aroclor-1242 (PCB-1242)	<0.120	U	0.120	ug/L						
Aroclor-1248 (PCB-1248)	<0.120	U	0.120	ug/L						
Aroclor-1254 (PCB-1254)	<0.120	U	0.120	ug/L						
Aroclor-1260 (PCB-1260)	<0.120	U	0.120	ug/L						
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.100*	*ug/L*	*0.120*		*83.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0250*	*ug/L*	*0.120*		*20.8*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0779 - SW-3511 (Continued)										
BFB3292-LBK (BFC0779-LBK3)					Prepared: 3/4/2022 Analyzed: 3/9/2022					
Aroclor-1016 (PCB-1016)	<0.120	U	0.120	ug/L						
Aroclor-1221 (PCB-1221)	<0.120	U	0.120	ug/L						
Aroclor-1232 (PCB-1232)	<0.120	U	0.120	ug/L						
Aroclor-1242 (PCB-1242)	<0.120	U	0.120	ug/L						
Aroclor-1248 (PCB-1248)	<0.120	U	0.120	ug/L						
Aroclor-1254 (PCB-1254)	<0.120	U	0.120	ug/L						
Aroclor-1260 (PCB-1260)	<0.120	U	0.120	ug/L						
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.106*	*ug/L*	*0.120*		*88.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0337*	*ug/L*	*0.120*		*28.1*	*60-140*		
BFC0552-LBK (BFC0779-LBK4)					Prepared: 3/4/2022 Analyzed: 3/9/2022					
Aroclor-1016 (PCB-1016)	<0.120	U	0.120	ug/L						
Aroclor-1221 (PCB-1221)	<0.120	U	0.120	ug/L						
Aroclor-1232 (PCB-1232)	<0.120	U	0.120	ug/L						
Aroclor-1242 (PCB-1242)	<0.120	U	0.120	ug/L						
Aroclor-1248 (PCB-1248)	<0.120	U	0.120	ug/L						
Aroclor-1254 (PCB-1254)	<0.120	U	0.120	ug/L						
Aroclor-1260 (PCB-1260)	<0.120	U	0.120	ug/L						
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.113*	*ug/L*	*0.120*		*94.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0752*	*ug/L*	*0.120*		*62.6*	*60-140*		
MDL (BFC0779-MRL1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
Aroclor-1016 (PCB-1016)	0.194		0.119	ug/L	0.238		81.3	50-150		
Aroclor-1221 (PCB-1221)	<0.119	U	0.119	ug/L				50-150		
Aroclor-1232 (PCB-1232)	<0.119	U	0.119	ug/L				50-150		
Aroclor-1242 (PCB-1242)	<0.119	U	0.119	ug/L				50-150		
Aroclor-1248 (PCB-1248)	<0.119	U	0.119	ug/L				50-150		
Aroclor-1254 (PCB-1254)	<0.119	U	0.119	ug/L				50-150		
Aroclor-1260 (PCB-1260)	0.280		0.119	ug/L	0.238		118	50-150		
PCBs, Total	0.261		0.119	ug/L	0.238		110	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0979*	*ug/L*	*0.119*		*82.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.108*	*ug/L*	*0.119*		*90.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0779 - SW-3511 (Continued)										
Matrix Spike (BFC0779-MS1)		**Source: 22A3944-21**			Prepared: 3/4/2022 Analyzed: 3/8/2022					
Aroclor-1016 (PCB-1016)	1.22		0.120	ug/L	1.20	<0.120	102	60-140		
Aroclor-1260 (PCB-1260)	1.21		0.120	ug/L	1.20	<0.120	101	60-140		
PCBs, Total	1.21		0.120	ug/L	1.20	<0.120	101	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.104*	*ug/L*	*0.120*		*86.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0939*	*ug/L*	*0.120*		*78.3*	*60-140*		
Matrix Spike Dup (BFC0779-MSD1)		**Source: 22A3944-21**			Prepared: 3/4/2022 Analyzed: 3/9/2022					
Aroclor-1016 (PCB-1016)	1.25		0.120	ug/L	1.20	<0.120	104	60-140	2.74	40
Aroclor-1260 (PCB-1260)	1.19		0.120	ug/L	1.20	<0.120	98.9	60-140	2.29	40
PCBs, Total	1.20		0.120	ug/L	1.20	<0.120	100	60-140	1.15	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.104*	*ug/L*	*0.120*		*86.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0996*	*ug/L*	*0.120*		*83.0*	*60-140*		
Batch: BFC0961 - SW-3570										
Blank (BFC0961-BLK1)					Prepared: 3/7/2022 Analyzed: 3/10/2022					
4,4'-DDD	<0.963	U	0.963	ug/kg wet						
4,4'-DDE	<0.963	U	0.963	ug/kg wet						
4,4'-DDT	<0.963	U	0.963	ug/kg wet						
Aldrin	<0.963	U	0.963	ug/kg wet						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.963	U	0.963	ug/kg wet						
beta-BHC (beta-Hexachlorocyclohexane)	<0.963	U	0.963	ug/kg wet						
Chlordane (tech.)	<0.963	U	0.963	ug/kg wet						
cis-Chlordane (alpha-Chlordane)	<0.963	U	0.963	ug/kg wet						
delta-BHC	<0.963	U	0.963	ug/kg wet						
Dieldrin	<0.963	U	0.963	ug/kg wet						
Endosulfan I	<0.963	U	0.963	ug/kg wet						
Endosulfan II	<0.963	U	0.963	ug/kg wet						
Endosulfan sulfate	<0.963	U	0.963	ug/kg wet						
Endrin	<0.963	U	0.963	ug/kg wet						
Endrin aldehyde	<0.963	U	0.963	ug/kg wet						
Endrin ketone	<0.963	U	0.963	ug/kg wet						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.963	U	0.963	ug/kg wet						
gamma-Chlordane	<0.963	U	0.963	ug/kg wet						
Heptachlor	<0.963	U	0.963	ug/kg wet						
Heptachlor epoxide	<0.963	U	0.963	ug/kg wet						
Methoxychlor	<0.963	U	0.963	ug/kg wet						
Toxaphene (Chlorinated Camphene)	<14.5	U	14.5	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.51*	*ug/kg wet*	*5.78*		*95.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.15*	*ug/kg wet*	*5.78*		*106*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0961 - SW-3570 (Continued)										
LCS (BFC0961-BS1)					Prepared: 3/7/2022 Analyzed: 3/10/2022					
4,4'-DDD	<0.993	U	0.993	ug/kg wet				60-140		
4,4'-DDE	<0.993	U	0.993	ug/kg wet				60-140		
4,4'-DDT	<0.993	U	0.993	ug/kg wet				60-140		
Aldrin	<0.993	U	0.993	ug/kg wet				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.993	U	0.993	ug/kg wet				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.993	U	0.993	ug/kg wet				60-140		
Chlordane (tech.)	<0.993	U	0.993	ug/kg wet				60-140		
cis-Chlordane (alpha-Chlordane)	<0.993	U	0.993	ug/kg wet				60-140		
delta-BHC	<0.993	U	0.993	ug/kg wet				60-140		
Dieldrin	<0.993	U	0.993	ug/kg wet				60-140		
Endosulfan I	<0.993	U	0.993	ug/kg wet				60-140		
Endosulfan II	<0.993	U	0.993	ug/kg wet				60-140		
Endosulfan sulfate	<0.993	U	0.993	ug/kg wet				60-140		
Endrin	<0.993	U	0.993	ug/kg wet				60-140		
Endrin aldehyde	<0.993	U	0.993	ug/kg wet				60-140		
Endrin ketone	<0.993	U	0.993	ug/kg wet				60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.993	U	0.993	ug/kg wet				60-140		
gamma-Chlordane	<0.993	U	0.993	ug/kg wet				60-140		
Heptachlor	<0.993	U	0.993	ug/kg wet				60-140		
Heptachlor epoxide	<0.993	U	0.993	ug/kg wet				60-140		
Methoxychlor	<0.993	U	0.993	ug/kg wet				60-140		
Toxaphene (Chlorinated Camphene)	65.1		14.9	ug/kg wet	59.6		109	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.15*	*ug/kg wet*	*5.96*		*86.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.21*	*ug/kg wet*	*5.96*		*104*	*60-140*		
LCS (BFC0961-BS2)					Prepared: 3/7/2022 Analyzed: 3/10/2022					
4,4'-DDD	5.26		0.982	ug/kg wet	5.89		89.2	60-140		
4,4'-DDE	5.19		0.982	ug/kg wet	5.89		88.0	60-140		
4,4'-DDT	4.51		0.982	ug/kg wet	5.89		76.6	60-140		
Aldrin	5.32		0.982	ug/kg wet	5.89		90.2	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	6.40		0.982	ug/kg wet	5.89		109	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	5.79		0.982	ug/kg wet	5.89		98.2	60-140		
Chlordane (tech.)	20.5		0.982	ug/kg wet	23.6		87.1	60-140		
cis-Chlordane (alpha-Chlordane)	5.43		0.982	ug/kg wet	5.89		92.1	60-140		
delta-BHC	5.56		0.982	ug/kg wet	5.89		94.4	60-140		
Dieldrin	4.94		0.982	ug/kg wet	5.89		83.8	60-140		
Endosulfan I	4.19		0.982	ug/kg wet	5.89		71.1	60-140		
Endosulfan II	4.56		0.982	ug/kg wet	5.89		77.3	60-140		
Endosulfan sulfate	4.92		0.982	ug/kg wet	5.89		83.5	60-140		
Endrin	4.19		0.982	ug/kg wet	5.89		71.2	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0961 - SW-3570 (Continued)										
LCS (BFC0961-BS2)					Prepared: 3/7/2022 Analyzed: 3/10/2022					
Endrin aldehyde	4.48		0.982	ug/kg wet	5.89		76.0	60-140		
Endrin ketone	5.28		0.982	ug/kg wet	5.89		89.6	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	5.76		0.982	ug/kg wet	5.89		97.8	60-140		
gamma-Chlordane	5.17		0.982	ug/kg wet	5.89		87.6	60-140		
Heptachlor	5.11		0.982	ug/kg wet	5.89		86.7	60-140		
Heptachlor epoxide	4.83		0.982	ug/kg wet	5.89		81.9	60-140		
Methoxychlor	4.52		0.982	ug/kg wet	5.89		76.7	60-140		
Toxaphene (Chlorinated Camphene)	<14.7	U	14.7	ug/kg wet				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.23*	*ug/kg wet*	*5.89*		*88.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.42*	*ug/kg wet*	*5.89*		*109*	*60-140*		
LCS Dup (BFC0961-BSD1)					Prepared: 3/7/2022 Analyzed: 3/10/2022					
4,4'-DDD	<0.999	U	0.999	ug/kg wet				60-140		40
4,4'-DDE	<0.999	U	0.999	ug/kg wet				60-140		40
4,4'-DDT	<0.999	U	0.999	ug/kg wet				60-140		40
Aldrin	<0.999	U	0.999	ug/kg wet				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.999	U	0.999	ug/kg wet				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.999	U	0.999	ug/kg wet				60-140		40
Chlordane (tech.)	<0.999	U	0.999	ug/kg wet				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.999	U	0.999	ug/kg wet				60-140		40
delta-BHC	<0.999	U	0.999	ug/kg wet				60-140		40
Dieldrin	<0.999	U	0.999	ug/kg wet				60-140		40
Endosulfan I	<0.999	U	0.999	ug/kg wet				60-140		40
Endosulfan II	<0.999	U	0.999	ug/kg wet				60-140		40
Endosulfan sulfate	<0.999	U	0.999	ug/kg wet				60-140		40
Endrin	<0.999	U	0.999	ug/kg wet				60-140		40
Endrin aldehyde	<0.999	U	0.999	ug/kg wet				60-140		40
Endrin ketone	<0.999	U	0.999	ug/kg wet				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.999	U	0.999	ug/kg wet				60-140		40
gamma-Chlordane	<0.999	U	0.999	ug/kg wet				60-140		40
Heptachlor	<0.999	U	0.999	ug/kg wet				60-140		40
Heptachlor epoxide	<0.999	U	0.999	ug/kg wet				60-140		40
Methoxychlor	<0.999	U	0.999	ug/kg wet				60-140		40
Toxaphene (Chlorinated Camphene)	60.1		15.0	ug/kg wet	59.9		100	60-140	8.06	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.63*	*ug/kg wet*	*5.99*		*77.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.68*	*ug/kg wet*	*5.99*		*94.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0961 - SW-3570 (Continued)										
LCS Dup (BFC0961-BSD2)					Prepared: 3/7/2022 Analyzed: 3/10/2022					
4,4'-DDD	5.05		0.948	ug/kg wet	5.69		88.7	60-140	4.06	40
4,4'-DDE	5.02		0.948	ug/kg wet	5.69		88.3	60-140	3.27	40
4,4'-DDT	4.28		0.948	ug/kg wet	5.69		75.3	60-140	5.23	40
Aldrin	5.11		0.948	ug/kg wet	5.69		89.9	60-140	3.91	40
alpha-BHC (alpha-Hexachlorocyclohexane)	6.23		0.948	ug/kg wet	5.69		110	60-140	2.71	40
beta-BHC (beta-Hexachlorocyclohexane)	5.63		0.948	ug/kg wet	5.69		98.9	60-140	2.82	40
Chlordane (tech.)	19.7		0.948	ug/kg wet	22.7		86.5	60-140	4.29	40
cis-Chlordane (alpha-Chlordane)	5.18		0.948	ug/kg wet	5.69		91.2	60-140	4.57	40
delta-BHC	5.36		0.948	ug/kg wet	5.69		94.2	60-140	3.78	40
Dieldrin	4.72		0.948	ug/kg wet	5.69		83.0	60-140	4.48	40
Endosulfan I	3.94		0.948	ug/kg wet	5.69		69.3	60-140	6.19	40
Endosulfan II	4.34		0.948	ug/kg wet	5.69		76.3	60-140	4.91	40
Endosulfan sulfate	4.71		0.948	ug/kg wet	5.69		82.8	60-140	4.53	40
Endrin	4.00		0.948	ug/kg wet	5.69		70.3	60-140	4.81	40
Endrin aldehyde	4.27		0.948	ug/kg wet	5.69		75.0	60-140	4.87	40
Endrin ketone	5.03		0.948	ug/kg wet	5.69		88.4	60-140	4.94	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	5.59		0.948	ug/kg wet	5.69		98.3	60-140	3.11	40
gamma-Chlordane	4.93		0.948	ug/kg wet	5.69		86.6	60-140	4.72	40
Heptachlor	4.96		0.948	ug/kg wet	5.69		87.3	60-140	2.86	40
Heptachlor epoxide	4.59		0.948	ug/kg wet	5.69		80.7	60-140	5.04	40
Methoxychlor	4.31		0.948	ug/kg wet	5.69		75.9	60-140	4.72	40
Toxaphene (Chlorinated Camphene)	<14.2	U	14.2	ug/kg wet				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.12*	*ug/kg wet*	*5.69*		*90.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.20*	*ug/kg wet*	*5.69*		*109*	*60-140*		
MDL TOX (BFC0961-MRL1)					Prepared: 3/7/2022 Analyzed: 3/10/2022					
4,4'-DDD	<0.985	U	0.985	ug/kg wet				50-150		
4,4'-DDE	<0.985	U	0.985	ug/kg wet				50-150		
4,4'-DDT	<0.985	U	0.985	ug/kg wet				50-150		
Aldrin	<0.985	U	0.985	ug/kg wet				50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.985	U	0.985	ug/kg wet				50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.985	U	0.985	ug/kg wet				50-150		
Chlordane (tech.)	<0.985	U	0.985	ug/kg wet				50-150		
cis-Chlordane (alpha-Chlordane)	<0.985	U	0.985	ug/kg wet				50-150		
delta-BHC	<0.985	U	0.985	ug/kg wet				50-150		
Dieldrin	<0.985	U	0.985	ug/kg wet				50-150		
Endosulfan I	<0.985	U	0.985	ug/kg wet				50-150		
Endosulfan II	<0.985	U	0.985	ug/kg wet				50-150		
Endosulfan sulfate	<0.985	U	0.985	ug/kg wet				50-150		
Endrin	<0.985	U	0.985	ug/kg wet				50-150		
Endrin aldehyde	<0.985	U	0.985	ug/kg wet				50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0961 - SW-3570 (Continued)										
MDL TOX (BFC0961-MRL1)					Prepared: 3/7/2022 Analyzed: 3/10/2022					
Endrin ketone	<0.985	U	0.985	ug/kg wet				50-150		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.985	U	0.985	ug/kg wet				50-150		
gamma-Chlordane	<0.985	U	0.985	ug/kg wet				50-150		
Heptachlor	<0.985	U	0.985	ug/kg wet				50-150		
Heptachlor epoxide	<0.985	U	0.985	ug/kg wet				50-150		
Methoxychlor	<0.985	U	0.985	ug/kg wet				50-150		
Toxaphene (Chlorinated Camphene)	<14.8	U	14.8	ug/kg wet	14.8			50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.81*	*ug/kg wet*	*5.91*		*81.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.71*	*ug/kg wet*	*5.91*		*96.7*	*60-140*		
MDL OCP (BFC0961-MRL2)					Prepared: 3/7/2022 Analyzed: 3/10/2022					
4,4'-DDD	0.303	J	0.985	ug/kg wet	0.394		76.9	50-150		
4,4'-DDE	0.378	J	0.985	ug/kg wet	0.394		96.0	50-150		
4,4'-DDT	<0.985	U	0.985	ug/kg wet	0.394			50-150		
Aldrin	<0.985	U	0.985	ug/kg wet	0.394			50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.430	J	0.985	ug/kg wet	0.394		109	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.985	U	0.985	ug/kg wet	0.394			50-150		
Chlordane (tech.)	1.21		0.985	ug/kg wet	1.58		76.9	50-150		
cis-Chlordane (alpha-Chlordane)	0.402	J	0.985	ug/kg wet	0.394		102	50-150		
delta-BHC	0.325	J	0.985	ug/kg wet	0.394		82.4	50-150		
Dieldrin	0.373	J	0.985	ug/kg wet	0.394		94.6	50-150		
Endosulfan I	0.317	J	0.985	ug/kg wet	0.394		80.3	50-150		
Endosulfan II	0.353	J	0.985	ug/kg wet	0.394		89.6	50-150		
Endosulfan sulfate	0.364	J	0.985	ug/kg wet	0.394		92.3	50-150		
Endrin	0.299	J	0.985	ug/kg wet	0.394		76.0	50-150		
Endrin aldehyde	0.336	J	0.985	ug/kg wet	0.394		85.3	50-150		
Endrin ketone	0.418	J	0.985	ug/kg wet	0.394		106	50-150		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.419	J	0.985	ug/kg wet	0.394		106	50-150		
gamma-Chlordane	<0.985	U	0.985	ug/kg wet	0.394			50-150		
Heptachlor	<0.985	U	0.985	ug/kg wet	0.394			50-150		
Heptachlor epoxide	0.385	J	0.985	ug/kg wet	0.394		97.6	50-150		
Methoxychlor	<0.985	U	0.985	ug/kg wet	0.394			50-150		
Toxaphene (Chlorinated Camphene)	<14.8	U	14.8	ug/kg wet				50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.97*	*ug/kg wet*	*5.91*		*84.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.47*	*ug/kg wet*	*5.91*		*109*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0961 - SW-3570 (Continued)										
Matrix Spike (BFC0961-MS1)	**Source: 22A3944-29**				Prepared: 3/7/2022 Analyzed: 3/10/2022					
4,4'-DDD	6.26		1.15	ug/kg dry	6.91	<1.15	90.6	60-140		
4,4'-DDE	6.16		1.15	ug/kg dry	6.91	<1.15	89.2	60-140		
4,4'-DDT	5.26		1.15	ug/kg dry	6.91	<1.15	76.2	60-140		
Aldrin	6.23		1.15	ug/kg dry	6.91	<1.15	90.2	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	7.79		1.15	ug/kg dry	6.91	<1.15	113	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	7.08		1.15	ug/kg dry	6.91	<1.15	103	60-140		
Chlordane (tech.)	23.8		1.15	ug/kg dry	27.6	<1.15	86.2	60-140		
cis-Chlordane (alpha-Chlordane)	6.26		1.15	ug/kg dry	6.91	<1.15	90.6	60-140		
delta-BHC	6.81		1.15	ug/kg dry	6.91	<1.15	98.6	60-140		
Dieldrin	5.80		1.15	ug/kg dry	6.91	<1.15	84.0	60-140		
Endosulfan I	4.82		1.15	ug/kg dry	6.91	<1.15	69.8	60-140		
Endosulfan II	5.39		1.15	ug/kg dry	6.91	<1.15	78.0	60-140		
Endosulfan sulfate	5.99		1.15	ug/kg dry	6.91	<1.15	86.7	60-140		
Endrin	5.12		1.15	ug/kg dry	6.91	<1.15	74.1	60-140		
Endrin aldehyde	5.38		1.15	ug/kg dry	6.91	<1.15	78.0	60-140		
Endrin ketone	6.31		1.15	ug/kg dry	6.91	<1.15	91.4	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	6.94		1.15	ug/kg dry	6.91	<1.15	100	60-140		
gamma-Chlordane	6.11		1.15	ug/kg dry	6.91	<1.15	88.5	60-140		
Heptachlor	5.62		1.15	ug/kg dry	6.91	<1.15	81.3	60-140		
Heptachlor epoxide	5.82		1.15	ug/kg dry	6.91	<1.15	84.2	60-140		
Methoxychlor	5.59		1.15	ug/kg dry	6.91	<1.15	81.0	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*7.24*	*ug/kg dry*	*6.91*		*105*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*7.33*	*ug/kg dry*	*6.91*		*106*	*60-140*		
Matrix Spike Dup (BFC0961-MSD1)	**Source: 22A3944-29**				Prepared: 3/7/2022 Analyzed: 3/10/2022					
4,4'-DDD	6.28		1.15	ug/kg dry	6.93	<1.15	90.6	60-140	0.286	40
4,4'-DDE	6.19		1.15	ug/kg dry	6.93	<1.15	89.4	60-140	0.572	40
4,4'-DDT	5.32		1.15	ug/kg dry	6.93	<1.15	76.7	60-140	1.05	40
Aldrin	6.25		1.15	ug/kg dry	6.93	<1.15	90.2	60-140	0.231	40
alpha-BHC (alpha-Hexachlorocyclohexane)	7.91		1.15	ug/kg dry	6.93	<1.15	114	60-140	1.49	40
beta-BHC (beta-Hexachlorocyclohexane)	7.06		1.15	ug/kg dry	6.93	<1.15	102	60-140	0.325	40
Chlordane (tech.)	23.8		1.15	ug/kg dry	27.7	<1.15	86.0	60-140	0.0523	40
cis-Chlordane (alpha-Chlordane)	6.29		1.15	ug/kg dry	6.93	<1.15	90.8	60-140	0.424	40
delta-BHC	6.77		1.15	ug/kg dry	6.93	<1.15	97.7	60-140	0.661	40
Dieldrin	5.82		1.15	ug/kg dry	6.93	<1.15	84.0	60-140	0.256	40
Endosulfan I	4.84		1.15	ug/kg dry	6.93	<1.15	69.8	60-140	0.322	40
Endosulfan II	5.37		1.15	ug/kg dry	6.93	<1.15	77.6	60-140	0.305	40
Endosulfan sulfate	6.07		1.15	ug/kg dry	6.93	<1.15	87.6	60-140	1.26	40
Endrin	5.10		1.15	ug/kg dry	6.93	<1.15	73.6	60-140	0.357	40
Endrin aldehyde	5.42		1.15	ug/kg dry	6.93	<1.15	78.3	60-140	0.696	40
Endrin ketone	6.26		1.15	ug/kg dry	6.93	<1.15	90.4	60-140	0.880	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0961 - SW-3570 (Continued)										
Matrix Spike Dup (BFC0961-MSD1)	**Source: 22A3944-29**				Prepared: 3/7/2022 Analyzed: 3/10/2022					
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	6.99		1.15	ug/kg dry	6.93	<1.15	101	60-140	0.738	40
gamma-Chlordane	6.13		1.15	ug/kg dry	6.93	<1.15	88.6	60-140	0.343	40
Heptachlor	5.62		1.15	ug/kg dry	6.93	<1.15	81.2	60-140	0.151	40
Heptachlor epoxide	5.77		1.15	ug/kg dry	6.93	<1.15	83.4	60-140	0.752	40
Methoxychlor	5.55		1.15	ug/kg dry	6.93	<1.15	80.2	60-140	0.682	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*6.91*	*ug/kg dry*	*6.93*		*99.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*7.22*	*ug/kg dry*	*6.93*		*104*	*60-140*		
Batch: BFC1098 - TX 1005 ELUT										
Blank (BFC1098-BLK1)					Prepared: 3/8/2022 Analyzed: 3/11/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.59	U	4.59	mg/L						
Surrogate: 1-Chlorooctadecane-surr		*S*	*18.7*	*mg/L*	*30.6*		*61.1*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.4*	*mg/L*	*30.6*		*89.5*	*70-130*		
Blank (BFC1098-BLK2)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<9.18	U	9.18	mg/L						
Surrogate: 1-Chlorooctadecane-surr			*24.6*	*mg/L*	*30.6*		*80.3*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.7*	*mg/L*	*30.6*		*87.2*	*70-130*		
LCS (BFC1098-BS1)					Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	32.4		2.39	mg/L	31.8		102	75-125		
>C12-C28	21.5	J1	2.39	mg/L	31.8		67.6	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	53.0		4.78	mg/L	63.7		83.2	75-125		
Surrogate: 1-Chlorooctadecane-surr		*S*	*22.1*	*mg/L*	*31.8*		*69.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*29.2*	*mg/L*	*31.8*		*91.7*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1098 - TX 1005 ELUT (Continued)										
LCS (BFC1098-BS2)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
C6-C12	31.3		4.78	mg/L	31.8		98.2	75-125		
>C12-C28	26.8		4.78	mg/L	31.8		84.3	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	59.3		9.55	mg/L	63.7		93.1	75-125		
Surrogate: 1-Chlorooctadecane-surr			*27.9*	*mg/L*	*31.8*		*87.6*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*28.8*	*mg/L*	*31.8*		*90.3*	*70-130*		
LCS Dup (BFC1098-BSD1)					Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	30.6		2.38	mg/L	31.8		96.3	75-125	5.75	20
>C12-C28	19.4	J1	2.38	mg/L	31.8		61.2	75-125	10.1	20
Total Petroleum Hydrocarbons (TPH), C6-C35	49.1		4.77	mg/L	63.6		77.2	75-125	7.69	20
Surrogate: 1-Chlorooctadecane-surr	*S*		*19.1*	*mg/L*	*31.8*		*60.1*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*28.1*	*mg/L*	*31.8*		*88.5*	*70-130*		
LCS Dup (BFC1098-BSD2)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
C6-C12	32.8		4.77	mg/L	31.8		103	75-125	4.89	20
>C12-C28	27.3		4.77	mg/L	31.8		85.9	75-125	1.77	20
Total Petroleum Hydrocarbons (TPH), C6-C35	61.4		9.54	mg/L	63.6		96.6	75-125	3.59	20
Surrogate: 1-Chlorooctadecane-surr			*25.6*	*mg/L*	*31.8*		*80.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*29.0*	*mg/L*	*31.8*		*91.3*	*70-130*		
BFC0552-LBK (BFC1098-LBK1)					Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	<2.30	U	2.30	mg/L						
>C12-C28	<2.30	U	2.30	mg/L						
>C12-C35	<2.30	U	2.30	mg/L						
>C28-C35	<2.30	U	2.30	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.61	U	4.61	mg/L						
Surrogate: 1-Chlorooctadecane-surr	*S*		*19.1*	*mg/L*	*30.7*		*62.3*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.0*	*mg/L*	*30.7*		*84.7*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1098 - TX 1005 ELUT (Continued)										
MDL (BFC1098-MRL1)					Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	0.000954	J1, J	2.38	mg/L	0.238		0.400			
>C12-C28	<2.38	J1, U	2.38	mg/L	0.238					
>C12-C35	<2.38	U	2.38	mg/L						
>C28-C35	<2.38	U	2.38	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.77	U	4.77	mg/L	0.477					
Surrogate: 1-Chlorooctadecane-surr		*S*	*22.2*	*mg/L*	*31.8*		*69.9*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*28.2*	*mg/L*	*31.8*		*88.8*	*70-130*		
MDL (BFC1098-MRL2)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
C6-C12	<4.77	U	4.77	mg/L	0.238					
>C12-C28	0.418	J	4.77	mg/L	0.238		175			
>C12-C35	0.418	J	4.77	mg/L						
>C28-C35	<4.77	U	4.77	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	0.421	J	9.54	mg/L	0.477		88.2	50-150		
Surrogate: 1-Chlorooctadecane-surr			*27.2*	*mg/L*	*31.8*		*85.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.7*	*mg/L*	*31.8*		*87.1*	*70-130*		
Matrix Spike (BFC1098-MS1)		**Source: 22A3944-20**			Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	30.1		2.25	mg/L	30.1	<2.25	100	75-125		
>C12-C28	17.8	J1	2.25	mg/L	30.1	<2.25	59.2	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	46.8		4.51	mg/L	60.1	<4.51	77.9	75-125		
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.2*	*mg/L*	*30.1*		*67.1*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.6*	*mg/L*	*30.1*		*88.4*	*70-130*		
Matrix Spike (BFC1098-MS2)		**Source: 22A3944-20RE1**			Prepared: 3/8/2022 Analyzed: 3/21/2022					
C6-C12	30.9		4.64	mg/L	30.9	<4.64	99.8	75-125		
>C12-C28	25.8		4.64	mg/L	30.9	<4.64	83.3	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	57.7		9.28	mg/L	61.9	<9.28	93.3	75-125		
Surrogate: 1-Chlorooctadecane-surr			*24.0*	*mg/L*	*30.9*		*77.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*28.3*	*mg/L*	*30.9*		*91.6*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1098 - TX 1005 ELUT (Continued)										
Matrix Spike Dup (BFC1098-MSD1)	**Source: 22A3944-20**				Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	29.4		2.32	mg/L	30.9	<2.32	95.1	75-125	2.42	20
>C12-C28	18.8	J1	2.32	mg/L	30.9	<2.32	60.8	75-125	5.47	20
Total Petroleum Hydrocarbons (TPH), C6-C35	47.2		4.64	mg/L	61.9	<4.64	76.4	75-125	0.882	20
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.0*	*mg/L*	*30.9*		*64.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.8*	*mg/L*	*30.9*		*89.9*	*70-130*		
Batch: BFC1112 - SW-3511										
Blank (BFC1112-BLK1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	<0.00595	R, U	0.00595	ug/L						
4,4'-DDE	<0.00595	R, U	0.00595	ug/L						
4,4'-DDT	<0.00595	R, U	0.00595	ug/L						
Aldrin	<0.00595	R, U	0.00595	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00595	R, U	0.00595	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00595	R, U	0.00595	ug/L						
Chlordane (tech.)	0.0161	R	0.00595	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00595	R, U	0.00595	ug/L						
delta-BHC	<0.00595	R, U	0.00595	ug/L						
Dieldrin	<0.00595	R, U	0.00595	ug/L						
Endosulfan I	<0.00595	R, U	0.00595	ug/L						
Endosulfan II	<0.00595	R, U	0.00595	ug/L						
Endosulfan sulfate	<0.00595	R, U	0.00595	ug/L						
Endrin	<0.00595	R, U	0.00595	ug/L						
Endrin aldehyde	<0.00595	R, U	0.00595	ug/L						
Endrin ketone	<0.00595	R, U	0.00595	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00595	R, U	0.00595	ug/L						
gamma-Chlordane	0.00750	R	0.00595	ug/L						
Heptachlor	<0.00595	R, U	0.00595	ug/L						
Heptachlor epoxide	<0.00595	R, U	0.00595	ug/L						
Methoxychlor	<0.00595	R, U	0.00595	ug/L						
Toxaphene (Chlorinated Camphene)	<0.298	R, U	0.298	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R, S*	*0.200*	*ug/L*	*0.119*		*168*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.118*	*ug/L*	*0.119*		*99.0*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
Blank (BFC1112-BLK2)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	<0.00595	U	0.00595	ug/L						
4,4'-DDE	<0.00595	U	0.00595	ug/L						
4,4'-DDT	<0.00595	U	0.00595	ug/L						
Aldrin	<0.00595	U	0.00595	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L						
Chlordane (tech.)	<0.00595	U	0.00595	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00595	U	0.00595	ug/L						
delta-BHC	<0.00595	U	0.00595	ug/L						
Dieldrin	<0.00595	U	0.00595	ug/L						
Endosulfan I	<0.00595	U	0.00595	ug/L						
Endosulfan II	<0.00595	U	0.00595	ug/L						
Endosulfan sulfate	<0.00595	U	0.00595	ug/L						
Endrin	<0.00595	U	0.00595	ug/L						
Endrin aldehyde	<0.00595	U	0.00595	ug/L						
Endrin ketone	<0.00595	U	0.00595	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00595	U	0.00595	ug/L						
gamma-Chlordane	<0.00595	U	0.00595	ug/L						
Heptachlor	<0.00595	U	0.00595	ug/L						
Heptachlor epoxide	<0.00595	U	0.00595	ug/L						
Methoxychlor	<0.00595	U	0.00595	ug/L						
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr	*S*		*0.180*	*ug/L*	*0.119*		*151*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.113*	*ug/L*	*0.119*		*94.8*	*60-140*		
LCS TOX (BFC1112-BS1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	<0.00600	R, U	0.00600	ug/L				60-140		
4,4'-DDE	<0.00600	R, U	0.00600	ug/L				60-140		
4,4'-DDT	<0.00600	R, U	0.00600	ug/L				60-140		
Aldrin	<0.00600	R, U	0.00600	ug/L				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		
Chlordane (tech.)	<0.00600	R, U	0.00600	ug/L				60-140		
cis-Chlordane (alpha-Chlordane)	<0.00600	R, U	0.00600	ug/L				60-140		
delta-BHC	<0.00600	R, U	0.00600	ug/L				60-140		
Dieldrin	<0.00600	R, U	0.00600	ug/L				60-140		
Endosulfan I	<0.00600	R, U	0.00600	ug/L				60-140		
Endosulfan II	<0.00600	R, U	0.00600	ug/L				60-140		
Endosulfan sulfate	<0.00600	R, U	0.00600	ug/L				60-140		
Endrin	<0.00600	R, U	0.00600	ug/L				60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
LCS TOX (BFC1112-BS1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
Endrin aldehyde	<0.00600	R, U	0.00600	ug/L				60-140		
Endrin ketone	<0.00600	R, U	0.00600	ug/L				60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		
gamma-Chlordane	<0.00600	R, U	0.00600	ug/L				60-140		
Heptachlor	<0.00600	R, U	0.00600	ug/L				60-140		
Heptachlor epoxide	<0.00600	R, U	0.00600	ug/L				60-140		
Methoxychlor	<0.00600	R, U	0.00600	ug/L				60-140		
Toxaphene (Chlorinated Camphene)	1.38	R	0.300	ug/L	1.20		115	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R*	*0.125*	*ug/L*	*0.120*		*104*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.101*	*ug/L*	*0.120*		*84.4*	*60-140*		
LCS (BFC1112-BS2)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	0.124	R	0.00593	ug/L	0.119		104	60-140		
4,4'-DDE	<0.00593	J1, R, U	0.00593	ug/L	0.119			60-140		
4,4'-DDT	0.113	R	0.00593	ug/L	0.119		95.1	60-140		
Aldrin	0.121	R	0.00593	ug/L	0.119		102	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.182	J1, R	0.00593	ug/L	0.119		153	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.156	R	0.00593	ug/L	0.119		132	60-140		
Chlordane (tech.)	0.488	R	0.00593	ug/L	0.474		103	60-140		
cis-Chlordane (alpha-Chlordane)	0.103	R	0.00593	ug/L	0.119		87.0	60-140		
delta-BHC	0.143	R	0.00593	ug/L	0.119		121	60-140		
Dieldrin	0.127	R	0.00593	ug/L	0.119		107	60-140		
Endosulfan I	0.00766	J1, R	0.00593	ug/L	0.119		6.46	60-140		
Endosulfan II	0.115	R	0.00593	ug/L	0.119		97.2	60-140		
Endosulfan sulfate	0.125	R	0.00593	ug/L	0.119		106	60-140		
Endrin	0.115	R	0.00593	ug/L	0.119		97.2	60-140		
Endrin aldehyde	0.140	R	0.00593	ug/L	0.119		118	60-140		
Endrin ketone	0.150	R	0.00593	ug/L	0.119		127	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.155	R	0.00593	ug/L	0.119		130	60-140		
gamma-Chlordane	0.134	R	0.00593	ug/L	0.119		113	60-140		
Heptachlor	0.156	R	0.00593	ug/L	0.119		131	60-140		
Heptachlor epoxide	0.0947	R	0.00593	ug/L	0.119		79.8	60-140		
Methoxychlor	0.130	R	0.00593	ug/L	0.119		110	60-140		
Toxaphene (Chlorinated Camphene)	<0.297	R, U	0.297	ug/L				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*J1, R*	*0.181*	*ug/L*	*0.119*		*152*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.111*	*ug/L*	*0.119*		*93.9*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
LCS TOX (BFC1112-BS3)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	<0.00600	U	0.00600	ug/L				60-140		
4,4'-DDE	<0.00600	U	0.00600	ug/L				60-140		
4,4'-DDT	<0.00600	U	0.00600	ug/L				60-140		
Aldrin	<0.00600	U	0.00600	ug/L				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		
Chlordane (tech.)	<0.00600	U	0.00600	ug/L				60-140		
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L				60-140		
delta-BHC	<0.00600	U	0.00600	ug/L				60-140		
Dieldrin	<0.00600	U	0.00600	ug/L				60-140		
Endosulfan I	<0.00600	U	0.00600	ug/L				60-140		
Endosulfan II	<0.00600	U	0.00600	ug/L				60-140		
Endosulfan sulfate	<0.00600	U	0.00600	ug/L				60-140		
Endrin	<0.00600	U	0.00600	ug/L				60-140		
Endrin aldehyde	<0.00600	U	0.00600	ug/L				60-140		
Endrin ketone	<0.00600	U	0.00600	ug/L				60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00600	U	0.00600	ug/L				60-140		
gamma-Chlordane	<0.00600	U	0.00600	ug/L				60-140		
Heptachlor	<0.00600	U	0.00600	ug/L				60-140		
Heptachlor epoxide	<0.00600	U	0.00600	ug/L				60-140		
Methoxychlor	<0.00600	U	0.00600	ug/L				60-140		
Toxaphene (Chlorinated Camphene)	1.28		0.300	ug/L	1.20		107	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.119*	*ug/L*	*0.120*		*99.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.102*	*ug/L*	*0.120*		*85.3*	*60-140*		
LCS (BFC1112-BS4)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	0.129		0.00593	ug/L	0.119		109	60-140		
4,4'-DDE	0.0802		0.00593	ug/L	0.119		67.6	60-140		
4,4'-DDT	0.114		0.00593	ug/L	0.119		96.1	60-140		
Aldrin	0.118		0.00593	ug/L	0.119		99.2	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.138		0.00593	ug/L	0.119		117	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.141		0.00593	ug/L	0.119		119	60-140		
Chlordane (tech.)	0.462		0.00593	ug/L	0.474		97.5	60-140		
cis-Chlordane (alpha-Chlordane)	0.101		0.00593	ug/L	0.119		85.0	60-140		
delta-BHC	0.135		0.00593	ug/L	0.119		114	60-140		
Dieldrin	0.118		0.00593	ug/L	0.119		99.2	60-140		
Endosulfan I	0.0813		0.00593	ug/L	0.119		68.5	60-140		
Endosulfan II	0.114		0.00593	ug/L	0.119		96.5	60-140		
Endosulfan sulfate	0.128		0.00593	ug/L	0.119		108	60-140		
Endrin	0.121		0.00593	ug/L	0.119		102	60-140		
Endrin aldehyde	0.117		0.00593	ug/L	0.119		98.5	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
LCS (BFC1112-BS4)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
Endrin ketone	0.145		0.00593	ug/L	0.119		122	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.135		0.00593	ug/L	0.119		114	60-140		
gamma-Chlordane	0.128		0.00593	ug/L	0.119		108	60-140		
Heptachlor	0.135		0.00593	ug/L	0.119		114	60-140		
Heptachlor epoxide	0.0990		0.00593	ug/L	0.119		83.4	60-140		
Methoxychlor	0.138		0.00593	ug/L	0.119		117	60-140		
Toxaphene (Chlorinated Camphene)	<0.297	U	0.297	ug/L				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.152*	*ug/L*	*0.119*		*128*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.102*	*ug/L*	*0.119*		*86.1*	*60-140*		
LCS Dup TOX (BFC1112-BSD1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	<0.00600	R, U	0.00600	ug/L				60-140		40
4,4'-DDE	<0.00600	R, U	0.00600	ug/L				60-140		40
4,4'-DDT	<0.00600	R, U	0.00600	ug/L				60-140		40
Aldrin	<0.00600	R, U	0.00600	ug/L				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		40
Chlordane (tech.)	<0.00600	R, U	0.00600	ug/L				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.00600	R, U	0.00600	ug/L				60-140		40
delta-BHC	<0.00600	R, U	0.00600	ug/L				60-140		40
Dieldrin	<0.00600	R, U	0.00600	ug/L				60-140		40
Endosulfan I	<0.00600	R, U	0.00600	ug/L				60-140		40
Endosulfan II	<0.00600	R, U	0.00600	ug/L				60-140		40
Endosulfan sulfate	<0.00600	R, U	0.00600	ug/L				60-140		40
Endrin	<0.00600	R, U	0.00600	ug/L				60-140		40
Endrin aldehyde	<0.00600	R, U	0.00600	ug/L				60-140		40
Endrin ketone	<0.00600	R, U	0.00600	ug/L				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		40
gamma-Chlordane	<0.00600	R, U	0.00600	ug/L				60-140		40
Heptachlor	<0.00600	R, U	0.00600	ug/L				60-140		40
Heptachlor epoxide	<0.00600	R, U	0.00600	ug/L				60-140		40
Methoxychlor	<0.00600	R, U	0.00600	ug/L				60-140		40
Toxaphene (Chlorinated Camphene)	1.28	R	0.300	ug/L	1.20		107	60-140	7.79	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R*	*0.119*	*ug/L*	*0.120*		*98.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.0739*	*ug/L*	*0.120*		*61.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
LCS Dup (BFC1112-BSD2)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	0.142	R	0.00598	ug/L	0.120		119	60-140	14.1	40
4,4'-DDE	<0.00598	J1, R, U	0.00598	ug/L	0.120			60-140		40
4,4'-DDT	0.128	R	0.00598	ug/L	0.120		107	60-140	12.3	40
Aldrin	0.131	R	0.00598	ug/L	0.120		110	60-140	8.37	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.202	J1, R	0.00598	ug/L	0.120		169	60-140	10.7	40
beta-BHC (beta-Hexachlorocyclohexane)	0.175	J1, R	0.00598	ug/L	0.120		146	60-140	11.2	40
Chlordane (tech.)	0.591	R	0.00598	ug/L	0.478		123	60-140	19.1	40
cis-Chlordane (alpha-Chlordane)	0.116	R	0.00598	ug/L	0.120		96.9	60-140	11.6	40
delta-BHC	0.172	J1, R	0.00598	ug/L	0.120		144	60-140	18.3	40
Dieldrin	0.143	R	0.00598	ug/L	0.120		119	60-140	11.8	40
Endosulfan I	0.00783	J1, R	0.00598	ug/L	0.120		6.55	60-140	2.14	40
Endosulfan II	0.143	R	0.00598	ug/L	0.120		120	60-140	21.7	40
Endosulfan sulfate	0.154	R	0.00598	ug/L	0.120		129	60-140	20.5	40
Endrin	0.130	R	0.00598	ug/L	0.120		109	60-140	11.9	40
Endrin aldehyde	0.162	R	0.00598	ug/L	0.120		136	60-140	15.2	40
Endrin ketone	0.172	J1, R	0.00598	ug/L	0.120		143	60-140	13.3	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.190	J1, R	0.00598	ug/L	0.120		158	60-140	20.2	40
gamma-Chlordane	0.154	R	0.00598	ug/L	0.120		129	60-140	14.0	40
Heptachlor	0.173	J1, R	0.00598	ug/L	0.120		144	60-140	10.4	40
Heptachlor epoxide	0.148	J1, R	0.00598	ug/L	0.120		123	60-140	43.7	40
Methoxychlor	0.154	R	0.00598	ug/L	0.120		129	60-140	16.6	40
Toxaphene (Chlorinated Camphene)	<0.299	R, U	0.299	ug/L				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*J1, R*	*0.178*	*ug/L*	*0.120*		*149*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.140*	*ug/L*	*0.120*		*117*	*60-140*		
LCS Dup TOX (BFC1112-BSD3)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	<0.00600	U	0.00600	ug/L				60-140		40
4,4'-DDE	<0.00600	U	0.00600	ug/L				60-140		40
4,4'-DDT	<0.00600	U	0.00600	ug/L				60-140		40
Aldrin	<0.00600	U	0.00600	ug/L				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		40
Chlordane (tech.)	<0.00600	U	0.00600	ug/L				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L				60-140		40
delta-BHC	<0.00600	U	0.00600	ug/L				60-140		40
Dieldrin	<0.00600	U	0.00600	ug/L				60-140		40
Endosulfan I	<0.00600	U	0.00600	ug/L				60-140		40
Endosulfan II	<0.00600	U	0.00600	ug/L				60-140		40
Endosulfan sulfate	<0.00600	U	0.00600	ug/L				60-140		40
Endrin	<0.00600	U	0.00600	ug/L				60-140		40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
LCS Dup TOX (BFC1112-BSD3)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
Endrin aldehyde	<0.00600	U	0.00600	ug/L				60-140		40
Endrin ketone	<0.00600	U	0.00600	ug/L				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		40
gamma-Chlordane	<0.00600	U	0.00600	ug/L				60-140		40
Heptachlor	<0.00600	U	0.00600	ug/L				60-140		40
Heptachlor epoxide	<0.00600	U	0.00600	ug/L				60-140		40
Methoxychlor	<0.00600	U	0.00600	ug/L				60-140		40
Toxaphene (Chlorinated Camphene)	1.29		0.300	ug/L	1.20		108	60-140	0.484	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.117*	*ug/L*	*0.120*		*97.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0783*	*ug/L*	*0.120*		*65.2*	*60-140*		
LCS Dup (BFC1112-BSD4)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	0.154		0.00598	ug/L	0.120		129	60-140	17.8	40
4,4'-DDE	0.0983		0.00598	ug/L	0.120		82.2	60-140	20.3	40
4,4'-DDT	0.134		0.00598	ug/L	0.120		112	60-140	15.8	40
Aldrin	0.133		0.00598	ug/L	0.120		111	60-140	12.1	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.160		0.00598	ug/L	0.120		134	60-140	14.6	40
beta-BHC (beta-Hexachlorocyclohexane)	0.163		0.00598	ug/L	0.120		136	60-140	14.1	40
Chlordane (tech.)	0.565		0.00598	ug/L	0.478		118	60-140	20.0	40
cis-Chlordane (alpha-Chlordane)	0.120		0.00598	ug/L	0.120		100	60-140	17.0	40
delta-BHC	0.158		0.00598	ug/L	0.120		132	60-140	15.5	40
Dieldrin	0.139		0.00598	ug/L	0.120		116	60-140	16.5	40
Endosulfan I	0.104		0.00598	ug/L	0.120		86.8	60-140	24.3	40
Endosulfan II	0.143		0.00598	ug/L	0.120		119	60-140	21.9	40
Endosulfan sulfate	0.158		0.00598	ug/L	0.120		132	60-140	20.5	40
Endrin	0.142		0.00598	ug/L	0.120		119	60-140	16.2	40
Endrin aldehyde	0.128		0.00598	ug/L	0.120		107	60-140	9.19	40
Endrin ketone	0.167		0.00598	ug/L	0.120		140	60-140	14.6	40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.159		0.00598	ug/L	0.120		133	60-140	16.3	40
gamma-Chlordane	0.148		0.00598	ug/L	0.120		124	60-140	14.5	40
Heptachlor	0.155		0.00598	ug/L	0.120		130	60-140	14.2	40
Heptachlor epoxide	0.143		0.00598	ug/L	0.120		119	60-140	36.1	40
Methoxychlor	0.168	J1	0.00598	ug/L	0.120		141	60-140	19.3	40
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.150*	*ug/L*	*0.120*		*125*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.128*	*ug/L*	*0.120*		*107*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
BFC0552-BLK1 (BFC1112-LBK1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	<0.00598	R, U	0.00598	ug/L						
4,4'-DDE	<0.00598	R, U	0.00598	ug/L						
4,4'-DDT	<0.00598	R, U	0.00598	ug/L						
Aldrin	<0.00598	R, U	0.00598	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00598	R, U	0.00598	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	0.00795	R	0.00598	ug/L						
Chlordane (tech.)	0.0312	R	0.00598	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00598	R, U	0.00598	ug/L						
delta-BHC	<0.00598	R, U	0.00598	ug/L						
Dieldrin	<0.00598	R, U	0.00598	ug/L						
Endosulfan I	0.00609	R	0.00598	ug/L						
Endosulfan II	<0.00598	R, U	0.00598	ug/L						
Endosulfan sulfate	<0.00598	R, U	0.00598	ug/L						
Endrin	<0.00598	R, U	0.00598	ug/L						
Endrin aldehyde	<0.00598	R, U	0.00598	ug/L						
Endrin ketone	<0.00598	R, U	0.00598	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00598	R, U	0.00598	ug/L						
gamma-Chlordane	0.0159	R	0.00598	ug/L						
Heptachlor	0.0127	R	0.00598	ug/L						
Heptachlor epoxide	<0.00598	R, U	0.00598	ug/L						
Methoxychlor	<0.00598	R, U	0.00598	ug/L						
Toxaphene (Chlorinated Camphene)	<0.299	R, U	0.299	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R*	*0.201*	*ug/L*	*0.120*		*168*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.130*	*ug/L*	*0.120*		*109*	*60-140*		
BFC0552-BLK1 (BFC1112-LBK2)					Prepared: 3/8/2022 Analyzed: 3/22/2022					
4,4'-DDD	<0.00598	CQ, U	0.00598	ug/L						
4,4'-DDE	<0.00598	U	0.00598	ug/L						
4,4'-DDT	<0.00598	U	0.00598	ug/L						
Aldrin	<0.00598	U	0.00598	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00598	CQ, U	0.00598	ug/L						
Chlordane (tech.)	0.0142		0.00598	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00598	U	0.00598	ug/L						
delta-BHC	<0.00598	U	0.00598	ug/L						
Dieldrin	<0.00598	U	0.00598	ug/L						
Endosulfan I	<0.00598	U	0.00598	ug/L						
Endosulfan II	<0.00598	U	0.00598	ug/L						
Endosulfan sulfate	<0.00598	U	0.00598	ug/L						
Endrin	<0.00598	U	0.00598	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
BFC0552-BLK1 (BFC1112-LBK2)					Prepared: 3/8/2022 Analyzed: 3/22/2022					
Endrin aldehyde	<0.00598	U	0.00598	ug/L						
Endrin ketone	<0.00598	U	0.00598	ug/L						
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
gamma-Chlordane	<0.00598	CQ, U	0.00598	ug/L						
Heptachlor	0.0142		0.00598	ug/L						
Heptachlor epoxide	<0.00598	U	0.00598	ug/L						
Methoxychlor	<0.00598	U	0.00598	ug/L						
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.171*	*ug/L*	*0.120*		*143*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.121*	*ug/L*	*0.120*		*101*	*60-140*		
MDL TOX (BFC1112-MRL1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	<0.00600	R, U	0.00600	ug/L				50-150		
4,4'-DDE	<0.00600	R, U	0.00600	ug/L				50-150		
4,4'-DDT	<0.00600	R, U	0.00600	ug/L				50-150		
Aldrin	<0.00600	R, U	0.00600	ug/L				50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				50-150		
Chlordane (tech.)	<0.00600	R, U	0.00600	ug/L				50-150		
cis-Chlordane (alpha-Chlordane)	<0.00600	R, U	0.00600	ug/L				50-150		
delta-BHC	<0.00600	R, U	0.00600	ug/L				50-150		
Dieldrin	<0.00600	R, U	0.00600	ug/L				50-150		
Endosulfan I	<0.00600	R, U	0.00600	ug/L				50-150		
Endosulfan II	<0.00600	R, U	0.00600	ug/L				50-150		
Endosulfan sulfate	<0.00600	R, U	0.00600	ug/L				50-150		
Endrin	<0.00600	R, U	0.00600	ug/L				50-150		
Endrin aldehyde	<0.00600	R, U	0.00600	ug/L				50-150		
Endrin ketone	<0.00600	R, U	0.00600	ug/L				50-150		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				50-150		
gamma-Chlordane	<0.00600	R, U	0.00600	ug/L				50-150		
Heptachlor	<0.00600	R, U	0.00600	ug/L				50-150		
Heptachlor epoxide	<0.00600	R, U	0.00600	ug/L				50-150		
Methoxychlor	<0.00600	R, U	0.00600	ug/L				50-150		
Toxaphene (Chlorinated Camphene)	0.344	R	0.300	ug/L	0.300		115	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R*	*0.114*	*ug/L*	*0.120*		*95.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.0673*	*ug/L*	*0.120*		*56.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
MDL (BFC1112-MRL2)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	0.0141	R	0.00597	ug/L	0.0119		118	50-150		
4,4'-DDE	<0.00597	R, U	0.00597	ug/L	0.0119			50-150		
4,4'-DDT	0.0148	R	0.00597	ug/L	0.0119		124	50-150		
Aldrin	0.0123	R	0.00597	ug/L	0.0119		103	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0229	R	0.00597	ug/L	0.0119		192	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.0185	R	0.00597	ug/L	0.0119		155	50-150		
Chlordane (tech.)	0.0745	R	0.00597	ug/L	0.0477		156	50-150		
cis-Chlordane (alpha-Chlordane)	0.0158	R	0.00597	ug/L	0.0119		132	50-150		
delta-BHC	0.0168	R	0.00597	ug/L	0.0119		141	50-150		
Dieldrin	0.0168	R	0.00597	ug/L	0.0119		141	50-150		
Endosulfan I	<0.00597	R, U	0.00597	ug/L	0.0119			50-150		
Endosulfan II	0.0143	R	0.00597	ug/L	0.0119		120	50-150		
Endosulfan sulfate	0.0169	R	0.00597	ug/L	0.0119		142	50-150		
Endrin	0.0154	R	0.00597	ug/L	0.0119		129	50-150		
Endrin aldehyde	0.0197	R	0.00597	ug/L	0.0119		165	50-150		
Endrin ketone	0.0215	R	0.00597	ug/L	0.0119		180	50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0165	R	0.00597	ug/L	0.0119		138	50-150		
gamma-Chlordane	0.0180	R	0.00597	ug/L	0.0119		151	50-150		
Heptachlor	0.0280	R	0.00597	ug/L	0.0119		235	50-150		
Heptachlor epoxide	0.0128	R	0.00597	ug/L	0.0119		107	50-150		
Methoxychlor	0.0187	R	0.00597	ug/L	0.0119		157	50-150		
Toxaphene (Chlorinated Camphene)	<0.298	R, U	0.298	ug/L				50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R*	*0.175*	*ug/L*	*0.119*		*146*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.112*	*ug/L*	*0.119*		*94.0*	*60-140*		
MDL TOX (BFC1112-MRL3)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	<0.00600	U	0.00600	ug/L				50-150		
4,4'-DDE	<0.00600	U	0.00600	ug/L				50-150		
4,4'-DDT	<0.00600	U	0.00600	ug/L				50-150		
Aldrin	<0.00600	U	0.00600	ug/L				50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				50-150		
Chlordane (tech.)	<0.00600	U	0.00600	ug/L				50-150		
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L				50-150		
delta-BHC	<0.00600	U	0.00600	ug/L				50-150		
Dieldrin	<0.00600	U	0.00600	ug/L				50-150		
Endosulfan I	<0.00600	U	0.00600	ug/L				50-150		
Endosulfan II	<0.00600	U	0.00600	ug/L				50-150		
Endosulfan sulfate	<0.00600	U	0.00600	ug/L				50-150		
Endrin	<0.00600	U	0.00600	ug/L				50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
MDL TOX (BFC1112-MRL3)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
Endrin aldehyde	<0.00600	U	0.00600	ug/L				50-150		
Endrin ketone	<0.00600	U	0.00600	ug/L				50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00600	U	0.00600	ug/L				50-150		
gamma-Chlordane	<0.00600	U	0.00600	ug/L				50-150		
Heptachlor	<0.00600	U	0.00600	ug/L				50-150		
Heptachlor epoxide	<0.00600	U	0.00600	ug/L				50-150		
Methoxychlor	<0.00600	U	0.00600	ug/L				50-150		
Toxaphene (Chlorinated Camphene)	0.368		0.300	ug/L	0.300		123	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.111*	*ug/L*	*0.120*		*92.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0704*	*ug/L*	*0.120*		*58.6*	*60-140*		
MDL (BFC1112-MRL4)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	0.0149		0.00597	ug/L	0.0119		125	50-150		
4,4'-DDE	0.0156		0.00597	ug/L	0.0119		131	50-150		
4,4'-DDT	0.0151		0.00597	ug/L	0.0119		126	50-150		
Aldrin	0.0139		0.00597	ug/L	0.0119		116	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0184	J1	0.00597	ug/L	0.0119		154	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.0190	J1	0.00597	ug/L	0.0119		159	50-150		
Chlordane (tech.)	0.0853	J1	0.00597	ug/L	0.0477		179	50-150		
cis-Chlordane (alpha-Chlordane)	0.0171		0.00597	ug/L	0.0119		143	50-150		
delta-BHC	0.0176		0.00597	ug/L	0.0119		148	50-150		
Dieldrin	0.0167		0.00597	ug/L	0.0119		140	50-150		
Endosulfan I	0.0126		0.00597	ug/L	0.0119		106	50-150		
Endosulfan II	0.0145		0.00597	ug/L	0.0119		122	50-150		
Endosulfan sulfate	0.0185	J1	0.00597	ug/L	0.0119		155	50-150		
Endrin	0.0160		0.00597	ug/L	0.0119		134	50-150		
Endrin aldehyde	0.0192	J1	0.00597	ug/L	0.0119		161	50-150		
Endrin ketone	0.0214	J1	0.00597	ug/L	0.0119		180	50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0167		0.00597	ug/L	0.0119		140	50-150		
gamma-Chlordane	0.0265	J1	0.00597	ug/L	0.0119		222	50-150		
Heptachlor	0.0290	J1	0.00597	ug/L	0.0119		243	50-150		
Heptachlor epoxide	0.0127		0.00597	ug/L	0.0119		106	50-150		
Methoxychlor	0.0189	J1	0.00597	ug/L	0.0119		159	50-150		
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L				50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.147*	*ug/L*	*0.119*		*123*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.104*	*ug/L*	*0.119*		*87.4*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
Matrix Spike (BFC1112-MS1)	**Source: 22A3944-18**				Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	0.159	R	0.00598	ug/L	0.120	<0.00598	133	60-140		
4,4'-DDE	<0.00598	J1, R, U	0.00598	ug/L	0.120	<0.00598		60-140		
4,4'-DDT	0.126	R	0.00598	ug/L	0.120	<0.00598	106	60-140		
Aldrin	0.148	R	0.00598	ug/L	0.120	<0.00598	124	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.263	J1, R	0.00598	ug/L	0.120	0.0406	186	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.214	J1, R	0.00598	ug/L	0.120	<0.00598	179	60-140		
Chlordane (tech.)	0.671	R	0.00598	ug/L	0.478	0.00917	138	60-140		
cis-Chlordane (alpha-Chlordane)	0.128	R	0.00598	ug/L	0.120	<0.00598	107	60-140		
delta-BHC	0.207	J1, R	0.00598	ug/L	0.120	<0.00598	173	60-140		
Dieldrin	0.161	R	0.00598	ug/L	0.120	<0.00598	135	60-140		
Endosulfan I	0.00741	J1, R	0.00598	ug/L	0.120	<0.00598	6.20	60-140		
Endosulfan II	0.162	R	0.00598	ug/L	0.120	<0.00598	135	60-140		
Endosulfan sulfate	0.175	J1, R	0.00598	ug/L	0.120	<0.00598	146	60-140		
Endrin	0.154	R	0.00598	ug/L	0.120	<0.00598	129	60-140		
Endrin aldehyde	0.168	J1, R	0.00598	ug/L	0.120	<0.00598	141	60-140		
Endrin ketone	0.193	J1, R	0.00598	ug/L	0.120	<0.00598	161	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.212	J1, R	0.00598	ug/L	0.120	<0.00598	177	60-140		
gamma-Chlordane	0.169	R	0.00598	ug/L	0.120	0.00708	136	60-140		
Heptachlor	0.193	J1, R	0.00598	ug/L	0.120	<0.00598	162	60-140		
Heptachlor epoxide	0.180	J1, R	0.00598	ug/L	0.120	<0.00598	151	60-140		
Methoxychlor	0.160	R	0.00598	ug/L	0.120	<0.00598	134	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*J1, R*	*0.200*	*ug/L*	*0.120*		*167*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.135*	*ug/L*	*0.120*		*113*	*60-140*		
Matrix Spike (BFC1112-MS2)	**Source: 22A3944-18RE1**				Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	0.167		0.00598	ug/L	0.120	<0.00598	140	60-140		
4,4'-DDE	0.135		0.00598	ug/L	0.120	<0.00598	113	60-140		
4,4'-DDT	0.132		0.00598	ug/L	0.120	<0.00598	110	60-140		
Aldrin	0.148		0.00598	ug/L	0.120	<0.00598	124	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.204	J1	0.00598	ug/L	0.120	0.0314	144	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.191	J1	0.00598	ug/L	0.120	<0.00598	160	60-140		
Chlordane (tech.)	0.640		0.00598	ug/L	0.478	0.0170	130	60-140		
cis-Chlordane (alpha-Chlordane)	0.143		0.00598	ug/L	0.120	<0.00598	120	60-140		
delta-BHC	0.181	J1	0.00598	ug/L	0.120	<0.00598	151	60-140		
Dieldrin	0.155		0.00598	ug/L	0.120	<0.00598	130	60-140		
Endosulfan I	0.144		0.00598	ug/L	0.120	<0.00598	120	60-140		
Endosulfan II	0.155		0.00598	ug/L	0.120	<0.00598	129	60-140		
Endosulfan sulfate	0.170	J1	0.00598	ug/L	0.120	<0.00598	142	60-140		
Endrin	0.161		0.00598	ug/L	0.120	<0.00598	135	60-140		
Endrin aldehyde	0.162		0.00598	ug/L	0.120	<0.00598	135	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
Matrix Spike (BFC1112-MS2)		**Source: 22A3944-18RE1**			Prepared: 3/8/2022 Analyzed: 3/21/2022					
Endrin ketone	0.176	J1	0.00598	ug/L	0.120	<0.00598	147	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.178	J1	0.00598	ug/L	0.120	<0.00598	149	60-140		
gamma-Chlordane	0.163		0.00598	ug/L	0.120	0.0170	122	60-140		
Heptachlor	0.173	J1	0.00598	ug/L	0.120	<0.00598	145	60-140		
Heptachlor epoxide	0.162		0.00598	ug/L	0.120	<0.00598	135	60-140		
Methoxychlor	0.167		0.00598	ug/L	0.120	<0.00598	139	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.171*	*ug/L*	*0.120*		*143*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.125*	*ug/L*	*0.120*		*105*	*60-140*		
Matrix Spike Dup (BFC1112-MSD1)		**Source: 22A3944-18**			Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	0.166	R	0.00597	ug/L	0.119	<0.00597	139	60-140	4.84	40
4,4'-DDE	<0.00597	J1, R, U	0.00597	ug/L	0.119	<0.00597		60-140		40
4,4'-DDT	0.130	R	0.00597	ug/L	0.119	<0.00597	109	60-140	2.43	40
Aldrin	0.150	R	0.00597	ug/L	0.119	<0.00597	126	60-140	1.56	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.283	J1, R	0.00597	ug/L	0.119	0.0406	204	60-140	7.56	40
beta-BHC (beta-Hexachlorocyclohexane)	0.226	J1, R	0.00597	ug/L	0.119	<0.00597	190	60-140	5.55	40
Chlordane (tech.)	0.693	J1, R	0.00597	ug/L	0.477	0.00917	143	60-140	3.22	40
cis-Chlordane (alpha-Chlordane)	0.135	R	0.00597	ug/L	0.119	<0.00597	113	60-140	5.34	40
delta-BHC	0.219	J1, R	0.00597	ug/L	0.119	<0.00597	183	60-140	5.69	40
Dieldrin	0.172	J1, R	0.00597	ug/L	0.119	<0.00597	144	60-140	6.63	40
Endosulfan I	0.00759	J1, R	0.00597	ug/L	0.119	<0.00597	6.36	60-140	2.51	40
Endosulfan II	0.172	J1, R	0.00597	ug/L	0.119	<0.00597	144	60-140	6.29	40
Endosulfan sulfate	0.184	J1, R	0.00597	ug/L	0.119	<0.00597	154	60-140	5.23	40
Endrin	0.166	R	0.00597	ug/L	0.119	<0.00597	139	60-140	7.08	40
Endrin aldehyde	0.183	J1, R	0.00597	ug/L	0.119	<0.00597	154	60-140	8.43	40
Endrin ketone	0.211	J1, R	0.00597	ug/L	0.119	<0.00597	177	60-140	9.06	40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.223	J1, R	0.00597	ug/L	0.119	<0.00597	187	60-140	5.40	40
gamma-Chlordane	0.175	R	0.00597	ug/L	0.119	0.00708	140	60-140	3.27	40
Heptachlor	0.197	J1, R	0.00597	ug/L	0.119	<0.00597	165	60-140	2.05	40
Heptachlor epoxide	0.186	J1, R	0.00597	ug/L	0.119	<0.00597	156	60-140	2.90	40
Methoxychlor	0.163	R	0.00597	ug/L	0.119	<0.00597	137	60-140	1.58	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*J1, R*	*0.198*	*ug/L*	*0.119*		*166*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.131*	*ug/L*	*0.119*		*110*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
Matrix Spike Dup (BFC1112-MSD2)			**Source: 22A3944-18RE1**		Prepared: 3/8/2022 Analyzed: 3/22/2022					
4,4'-DDD	0.169	J1	0.00597	ug/L	0.119	<0.00597	142	60-140	0.891	40
4,4'-DDE	0.136		0.00597	ug/L	0.119	<0.00597	114	60-140	0.747	40
4,4'-DDT	0.134		0.00597	ug/L	0.119	<0.00597	113	60-140	2.03	40
Aldrin	0.144		0.00597	ug/L	0.119	<0.00597	121	60-140	2.58	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.210	J1	0.00597	ug/L	0.119	0.0314	150	60-140	3.13	40
beta-BHC (beta-Hexachlorocyclohexane)	0.198	J1	0.00597	ug/L	0.119	<0.00597	166	60-140	3.82	40
Chlordane (tech.)	0.657		0.00597	ug/L	0.477	0.0170	134	60-140	2.59	40
cis-Chlordane (alpha-Chlordane)	0.149		0.00597	ug/L	0.119	<0.00597	125	60-140	3.77	40
delta-BHC	0.187	J1	0.00597	ug/L	0.119	<0.00597	157	60-140	3.37	40
Dieldrin	0.160		0.00597	ug/L	0.119	<0.00597	134	60-140	2.91	40
Endosulfan I	0.149		0.00597	ug/L	0.119	<0.00597	125	60-140	3.95	40
Endosulfan II	0.161		0.00597	ug/L	0.119	<0.00597	135	60-140	3.83	40
Endosulfan sulfate	0.180	J1	0.00597	ug/L	0.119	<0.00597	151	60-140	5.83	40
Endrin	0.168	J1	0.00597	ug/L	0.119	<0.00597	141	60-140	4.42	40
Endrin aldehyde	0.176	J1	0.00597	ug/L	0.119	<0.00597	147	60-140	8.44	40
Endrin ketone	0.190	J1	0.00597	ug/L	0.119	<0.00597	159	60-140	7.98	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.184	J1	0.00597	ug/L	0.119	<0.00597	154	60-140	2.87	40
gamma-Chlordane	0.170		0.00597	ug/L	0.119	0.0170	128	60-140	4.46	40
Heptachlor	0.171	J1	0.00597	ug/L	0.119	<0.00597	144	60-140	0.875	40
Heptachlor epoxide	0.167		0.00597	ug/L	0.119	<0.00597	140	60-140	3.28	40
Methoxychlor	0.171	J1	0.00597	ug/L	0.119	<0.00597	144	60-140	2.78	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.169*	*ug/L*	*0.119*		*141*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.132*	*ug/L*	*0.119*		*111*	*60-140*		
Batch: BFC1339 - TX 1005										
Blank (BFC1339-BLK1)					Prepared: 3/9/2022 Analyzed: 3/11/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<8.93	U	8.93	mg/kg wet						
Surrogate: 1-Chlorooctadecane-surr			*180*	*mg/kg wet*	*248*		*72.6*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*228*	*mg/kg wet*	*248*		*91.9*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1339 - TX 1005 (Continued)										
LCS (BFC1339-BS1)					Prepared: 3/9/2022 Analyzed: 3/11/2022					
C6-C12	235		4.47	mg/kg wet	249		94.7	75-125		
>C12-C28	140	J1	4.47	mg/kg wet	249		56.4	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	366	J1	8.95	mg/kg wet	497		73.7	75-125		
Surrogate: 1-Chlorooctadecane-surr			*190*	*mg/kg wet*	*249*		*76.6*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*231*	*mg/kg wet*	*249*		*93.1*	*70-130*		
LCS Dup (BFC1339-BSD1)					Prepared: 3/9/2022 Analyzed: 3/11/2022					
C6-C12	229		4.50	mg/kg wet	250		91.6	75-125	2.73	20
>C12-C28	164	J1	4.50	mg/kg wet	250		65.4	75-125	15.4	20
Total Petroleum Hydrocarbons (TPH), C6-C35	386		9.00	mg/kg wet	500		77.3	75-125	5.29	20
Surrogate: 1-Chlorooctadecane-surr			*188*	*mg/kg wet*	*250*		*75.2*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*230*	*mg/kg wet*	*250*		*92.2*	*70-130*		
MRL Check (BFC1339-MRL1)					Prepared: 3/9/2022 Analyzed: 3/11/2022					
C6-C12	7.44		4.50	mg/kg wet	5.00		149	50-150		
>C12-C28	<4.50	J1, U	4.50	mg/kg wet	5.00			50-150		
>C12-C35	<4.50	U	4.50	mg/kg wet				50-150		
>C28-C35	<4.50	U	4.50	mg/kg wet				50-150		
Total Petroleum Hydrocarbons (TPH), C6-C35	6.62	J	9.00	mg/kg wet	10.0		66.2	50-150		
Surrogate: 1-Chlorooctadecane-surr			*185*	*mg/kg wet*	*250*		*73.9*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*230*	*mg/kg wet*	*250*		*92.1*	*70-130*		
Matrix Spike (BFC1339-MS1)	**Source: 22A3944-43**				Prepared: 3/9/2022 Analyzed: 3/11/2022					
C6-C12	<7.71	J1, U	7.71	mg/kg dry	428	<7.71		75-125		
>C12-C28	<7.71	J1, U	7.71	mg/kg dry	428	4.38	NR	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	<15.4	J1, U	15.4	mg/kg dry	856	6.44	NR	75-125		
Surrogate: 1-Chlorooctadecane-surr			*305*	*mg/kg dry*	*428*		*71.3*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*385*	*mg/kg dry*	*428*		*90.0*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1339 - TX 1005 (Continued)										
Matrix Spike Dup (BFC1339-MSD1)			**Source: 22A3944-43**		Prepared: 3/9/2022 Analyzed: 3/11/2022					
C6-C12	<7.63	J1, U	7.63	mg/kg dry	424	<7.63		75-125		20
>C12-C28	<7.63	J1, U	7.63	mg/kg dry	424	4.38	NR	75-125		20
Total Petroleum Hydrocarbons (TPH), C6-C35	<15.3	J1, U	15.3	mg/kg dry	848	6.44	NR	75-125		20
Surrogate: 1-Chlorooctadecane-surr		*S*	*218*	*mg/kg dry*	*424*		*51.4*	*70-130*		
Surrogate: 1-Chlorooctane-surr		*S*	*268*	*mg/kg dry*	*424*		*63.3*	*70-130*		
Batch: BFC1952 - SW-3570										
Blank (BFC1952-BLK1)					Prepared: 3/14/2022 Analyzed: 3/28/2022					
4,4'-DDD	<0.946	U	0.946	ug/kg wet						
4,4'-DDE	<0.946	U	0.946	ug/kg wet						
4,4'-DDT	<0.946	U	0.946	ug/kg wet						
Aldrin	<0.946	U	0.946	ug/kg wet						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.946	U	0.946	ug/kg wet						
beta-BHC (beta-Hexachlorocyclohexane)	<0.946	U	0.946	ug/kg wet						
Chlordane (tech.)	<0.946	U	0.946	ug/kg wet						
cis-Chlordane (alpha-Chlordane)	<0.946	U	0.946	ug/kg wet						
delta-BHC	<0.946	U	0.946	ug/kg wet						
Dieldrin	<0.946	U	0.946	ug/kg wet						
Endosulfan I	<0.946	U	0.946	ug/kg wet						
Endosulfan II	<0.946	U	0.946	ug/kg wet						
Endosulfan sulfate	<0.946	U	0.946	ug/kg wet						
Endrin	<0.946	U	0.946	ug/kg wet						
Endrin aldehyde	<0.946	U	0.946	ug/kg wet						
Endrin ketone	<0.946	U	0.946	ug/kg wet						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.946	U	0.946	ug/kg wet						
gamma-Chlordane	<0.946	U	0.946	ug/kg wet						
Heptachlor	<0.946	U	0.946	ug/kg wet						
Heptachlor epoxide	<0.946	U	0.946	ug/kg wet						
Methoxychlor	<0.946	U	0.946	ug/kg wet						
Toxaphene (Chlorinated Camphene)	<14.2	U	14.2	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.25*	*ug/kg wet*	*5.68*		*74.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.39*	*ug/kg wet*	*5.68*		*95.0*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1952 - SW-3570 (Continued)										
Blank (BFC1952-BLK2)				Prepared: 3/14/2022 Analyzed: 4/8/2022						
Chlordane (tech.)	<0.946	U	0.946	ug/kg wet						
delta-BHC	<0.946	U	0.946	ug/kg wet						
gamma-Chlordane	<0.946	U	0.946	ug/kg wet						
Toxaphene (Chlorinated Camphene)	<14.2	U	14.2	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.08*	*ug/kg wet*	*5.68*		*71.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.78*	*ug/kg wet*	*5.68*		*102*	*60-140*		
LCS TOX (BFC1952-BS1)				Prepared: 3/14/2022 Analyzed: 3/29/2022						
Toxaphene (Chlorinated Camphene)	69.4		14.7	ug/kg wet	58.9		118	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.91*	*ug/kg wet*	*5.89*		*83.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.62*	*ug/kg wet*	*5.89*		*95.4*	*60-140*		
LCS (BFC1952-BS2)				Prepared: 3/14/2022 Analyzed: 3/29/2022						
4,4'-DDD	5.68		0.962	ug/kg wet	5.77		98.5	60-140		
4,4'-DDE	5.77		0.962	ug/kg wet	5.77		100	60-140		
4,4'-DDT	5.51		0.962	ug/kg wet	5.77		95.5	60-140		
Aldrin	5.47		0.962	ug/kg wet	5.77		94.8	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	5.51		0.962	ug/kg wet	5.77		95.5	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	5.23		0.962	ug/kg wet	5.77		90.6	60-140		
Chlordane (tech.)	22.4		0.962	ug/kg wet	23.1		97.0	60-140		
cis-Chlordane (alpha-Chlordane)	5.74		0.962	ug/kg wet	5.77		99.5	60-140		
delta-BHC	5.11		0.962	ug/kg wet	5.77		88.6	60-140		
Dieldrin	5.48		0.962	ug/kg wet	5.77		94.9	60-140		
Endosulfan I	5.29		0.962	ug/kg wet	5.77		91.7	60-140		
Endosulfan II	5.44		0.962	ug/kg wet	5.77		94.2	60-140		
Endosulfan sulfate	4.76		0.962	ug/kg wet	5.77		82.6	60-140		
Endrin	4.91		0.962	ug/kg wet	5.77		85.1	60-140		
Endrin aldehyde	4.11		0.962	ug/kg wet	5.77		71.2	60-140		
Endrin ketone	5.22		0.962	ug/kg wet	5.77		90.4	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	5.10		0.962	ug/kg wet	5.77		88.5	60-140		
gamma-Chlordane	5.73		0.962	ug/kg wet	5.77		99.4	60-140		
Heptachlor	5.61		0.962	ug/kg wet	5.77		97.3	60-140		
Heptachlor epoxide	5.30		0.962	ug/kg wet	5.77		91.9	60-140		
Methoxychlor	5.13		0.962	ug/kg wet	5.77		89.0	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.62*	*ug/kg wet*	*5.77*		*80.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.49*	*ug/kg wet*	*5.77*		*95.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1952 - SW-3570 (Continued)										
LCS (BFC1952-BS3)					Prepared: 3/14/2022 Analyzed: 4/8/2022					
Chlordane (tech.)	21.5		0.962	ug/kg wet	23.1		93.4	60-140		
delta-BHC	0.808	J1, J	0.962	ug/kg wet	5.77		14.0	60-140		
gamma-Chlordane	4.89		0.962	ug/kg wet	5.77		84.7	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.15*	*ug/kg wet*	*5.77*		*71.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.64*	*ug/kg wet*	*5.77*		*97.7*	*60-140*		
LCS Dup TOX (BFC1952-BSD1)					Prepared: 3/14/2022 Analyzed: 3/29/2022					
Toxaphene (Chlorinated Camphene)	62.7		14.3	ug/kg wet	57.3		109	60-140	10.1	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.71*	*ug/kg wet*	*5.73*		*82.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.38*	*ug/kg wet*	*5.73*		*93.9*	*60-140*		
LCS Dup (BFC1952-BSD2)					Prepared: 3/14/2022 Analyzed: 3/29/2022					
4,4'-DDD	5.39		0.935	ug/kg wet	5.61		96.1	60-140	5.21	40
4,4'-DDE	5.39		0.935	ug/kg wet	5.61		96.0	60-140	6.82	40
4,4'-DDT	5.08		0.935	ug/kg wet	5.61		90.4	60-140	8.20	40
Aldrin	5.12		0.935	ug/kg wet	5.61		91.2	60-140	6.70	40
alpha-BHC (alpha-Hexachlorocyclohexane)	5.09		0.935	ug/kg wet	5.61		90.7	60-140	7.86	40
beta-BHC (beta-Hexachlorocyclohexane)	4.82		0.935	ug/kg wet	5.61		85.9	60-140	8.08	40
Chlordane (tech.)	21.0		0.935	ug/kg wet	22.5		93.4	60-140	6.56	40
cis-Chlordane (alpha-Chlordane)	5.32		0.935	ug/kg wet	5.61		94.8	60-140	7.58	40
delta-BHC	4.90		0.935	ug/kg wet	5.61		87.3	60-140	4.23	40
Dieldrin	5.13		0.935	ug/kg wet	5.61		91.4	60-140	6.59	40
Endosulfan I	4.97		0.935	ug/kg wet	5.61		88.6	60-140	6.12	40
Endosulfan II	5.23		0.935	ug/kg wet	5.61		93.1	60-140	3.91	40
Endosulfan sulfate	4.88		0.935	ug/kg wet	5.61		87.0	60-140	2.50	40
Endrin	4.69		0.935	ug/kg wet	5.61		83.6	60-140	4.58	40
Endrin aldehyde	3.95		0.935	ug/kg wet	5.61		70.3	60-140	3.94	40
Endrin ketone	4.96		0.935	ug/kg wet	5.61		88.3	60-140	5.12	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	4.76		0.935	ug/kg wet	5.61		84.8	60-140	6.98	40
gamma-Chlordane	5.35		0.935	ug/kg wet	5.61		95.3	60-140	6.93	40
Heptachlor	5.23		0.935	ug/kg wet	5.61		93.3	60-140	6.94	40
Heptachlor epoxide	5.06		0.935	ug/kg wet	5.61		90.2	60-140	4.69	40
Methoxychlor	4.81		0.935	ug/kg wet	5.61		85.7	60-140	6.53	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.32*	*ug/kg wet*	*5.61*		*77.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.25*	*ug/kg wet*	*5.61*		*93.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1952 - SW-3570 (Continued)										
LCS Dup (BFC1952-BSD3)					Prepared: 3/14/2022 Analyzed: 4/8/2022					
Chlordane (tech.)	20.9		0.935	ug/kg wet	22.5		93.1	60-140	3.07	40
delta-BHC	2.99	J1	0.935	ug/kg wet	5.61		53.3	60-140	115	40
gamma-Chlordane	5.28		0.935	ug/kg wet	5.61		94.0	60-140	7.60	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.19*	*ug/kg wet*	*5.61*		*74.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.67*	*ug/kg wet*	*5.61*		*101*	*60-140*		
MDL TOX (BFC1952-MRL1)					Prepared: 3/14/2022 Analyzed: 3/29/2022					
Toxaphene (Chlorinated Camphene)	15.3		14.7	ug/kg wet	14.7		104	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.65*	*ug/kg wet*	*5.89*		*78.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.56*	*ug/kg wet*	*5.89*		*94.3*	*60-140*		
MDL OCP (BFC1952-MRL2)					Prepared: 3/14/2022 Analyzed: 3/29/2022					
4,4'-DDD	0.302	J	0.931	ug/kg wet	0.372		81.1			
4,4'-DDE	0.246	J	0.931	ug/kg wet	0.372		66.1			
4,4'-DDT	0.275	J	0.931	ug/kg wet	0.372		73.8			
Aldrin	0.229	J	0.931	ug/kg wet	0.372		61.6			
alpha-BHC (alpha-Hexachlorocyclohexane)	0.210	J	0.931	ug/kg wet	0.372		56.4			
beta-BHC (beta-Hexachlorocyclohexane)	0.269	J	0.931	ug/kg wet	0.372		72.3			
Chlordane (tech.)	0.904	J	0.931	ug/kg wet	1.49		60.7	50-150		
cis-Chlordane (alpha-Chlordane)	0.223	J	0.931	ug/kg wet	0.372		59.9			
delta-BHC	0.304	J	0.931	ug/kg wet	0.372		81.5			
Dieldrin	0.284	J	0.931	ug/kg wet	0.372		76.2			
Endosulfan I	0.272	J	0.931	ug/kg wet	0.372		72.9			
Endosulfan II	0.246	J	0.931	ug/kg wet	0.372		66.0			
Endosulfan sulfate	0.261	J	0.931	ug/kg wet	0.372		70.1			
Endrin	0.219	J	0.931	ug/kg wet	0.372		58.9			
Endrin aldehyde	0.213	J	0.931	ug/kg wet	0.372		57.1			
Endrin ketone	0.285	J	0.931	ug/kg wet	0.372		76.6			
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.273	J	0.931	ug/kg wet	0.372		73.3			
gamma-Chlordane	0.228	J	0.931	ug/kg wet	0.372		61.3			
Heptachlor	0.200	J	0.931	ug/kg wet	0.372		53.7			
Heptachlor epoxide	0.253	J	0.931	ug/kg wet	0.372		67.8			
Methoxychlor	0.283	J	0.931	ug/kg wet	0.372		75.9			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*3.97*	*ug/kg wet*	*5.59*		*71.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.29*	*ug/kg wet*	*5.59*		*94.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1952 - SW-3570 (Continued)										
MDL OCP (BFC1952-MRL3)					Prepared: 3/14/2022 Analyzed: 4/8/2022					
Chlordane (tech.)	0.979		0.931	ug/kg wet	1.49		65.7	50-150		
delta-BHC	0.0517	J	0.931	ug/kg wet	0.372		13.9			
gamma-Chlordane	0.303	J	0.931	ug/kg wet	0.372		81.5			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.01*	*ug/kg wet*	*5.59*		*71.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.45*	*ug/kg wet*	*5.59*		*97.6*	*60-140*		
Matrix Spike (BFC1952-MS1)		**Source: 22B3342-11**			Prepared: 3/14/2022 Analyzed: 3/29/2022					
4,4'-DDD	11.5		2.02	ug/kg dry	12.1	<2.02	94.9	60-140		
4,4'-DDE	11.4		2.02	ug/kg dry	12.1	<2.02	94.1	60-140		
4,4'-DDT	10.9		2.02	ug/kg dry	12.1	<2.02	90.6	60-140		
Aldrin	9.88		2.02	ug/kg dry	12.1	<2.02	81.7	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	10.3		2.02	ug/kg dry	12.1	<2.02	84.9	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	7.70		2.02	ug/kg dry	12.1	<2.02	63.7	60-140		
Chlordane (tech.)	131	J1	2.02	ug/kg dry	48.4	<2.02	270	60-140		
cis-Chlordane (alpha-Chlordane)	11.1		2.02	ug/kg dry	12.1	<2.02	91.9	60-140		
delta-BHC	11.1		2.02	ug/kg dry	12.1	0.660	86.1	60-140		
Dieldrin	10.9		2.02	ug/kg dry	12.1	<2.02	90.5	60-140		
Endosulfan I	10.7		2.02	ug/kg dry	12.1	<2.02	88.4	60-140		
Endosulfan II	10.9		2.02	ug/kg dry	12.1	<2.02	90.2	60-140		
Endosulfan sulfate	10.6		2.02	ug/kg dry	12.1	<2.02	87.3	60-140		
Endrin	10.4		2.02	ug/kg dry	12.1	<2.02	86.2	60-140		
Endrin aldehyde	9.09		2.02	ug/kg dry	12.1	<2.02	75.1	60-140		
Endrin ketone	11.5		2.02	ug/kg dry	12.1	<2.02	95.3	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	9.99		2.02	ug/kg dry	12.1	<2.02	82.7	60-140		
gamma-Chlordane	97.5	J1	2.02	ug/kg dry	12.1	<2.02	807	60-140		
Heptachlor	11.5		2.02	ug/kg dry	12.1	<2.02	94.8	60-140		
Heptachlor epoxide	10.5		2.02	ug/kg dry	12.1	<2.02	86.7	60-140		
Methoxychlor	11.0		2.02	ug/kg dry	12.1	<2.02	90.8	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*8.61*	*ug/kg dry*	*12.1*		*71.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*11.7*	*ug/kg dry*	*12.1*		*96.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1952 - SW-3570 (Continued)										
Matrix Spike (BFC1952-MS2)	**Source: 22B3342-11RE1**				Prepared: 3/14/2022 Analyzed: 4/8/2022					
Chlordane (tech.)	43.7		2.02	ug/kg dry	48.4	<2.02	90.4	60-140		
delta-BHC	8.15		2.02	ug/kg dry	12.1	<2.02	67.4	60-140		
gamma-Chlordane	10.7		2.02	ug/kg dry	12.1	<2.02	88.1	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*8.71*	*ug/kg dry*	*12.1*		*72.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*12.0*	*ug/kg dry*	*12.1*		*99.5*	*60-140*		
Matrix Spike Dup (BFC1952-MSD1)	**Source: 22B3342-11**				Prepared: 3/14/2022 Analyzed: 3/29/2022					
4,4'-DDD	11.6		2.06	ug/kg dry	12.4	<2.06	93.8	60-140	1.22	40
4,4'-DDE	12.4		2.06	ug/kg dry	12.4	<2.06	100	60-140	8.89	40
4,4'-DDT	12.7		2.06	ug/kg dry	12.4	<2.06	102	60-140	14.6	40
Aldrin	11.0		2.06	ug/kg dry	12.4	<2.06	89.1	60-140	11.0	40
alpha-BHC (alpha-Hexachlorocyclohexane)	11.2		2.06	ug/kg dry	12.4	<2.06	90.5	60-140	8.75	40
beta-BHC (beta-Hexachlorocyclohexane)	8.86		2.06	ug/kg dry	12.4	<2.06	71.6	60-140	14.0	40
Chlordane (tech.)	36.1	J1	2.06	ug/kg dry	49.5	<2.06	72.9	60-140	113	40
cis-Chlordane (alpha-Chlordane)	12.3		2.06	ug/kg dry	12.4	<2.06	99.1	60-140	9.95	40
delta-BHC	11.5		2.06	ug/kg dry	12.4	0.660	87.4	60-140	3.58	40
Dieldrin	11.7		2.06	ug/kg dry	12.4	<2.06	94.2	60-140	6.29	40
Endosulfan I	12.1		2.06	ug/kg dry	12.4	<2.06	97.4	60-140	12.0	40
Endosulfan II	12.0		2.06	ug/kg dry	12.4	<2.06	97.1	60-140	9.71	40
Endosulfan sulfate	11.3		2.06	ug/kg dry	12.4	<2.06	91.1	60-140	6.54	40
Endrin	12.1		2.06	ug/kg dry	12.4	<2.06	97.8	60-140	15.0	40
Endrin aldehyde	9.53		2.06	ug/kg dry	12.4	<2.06	77.0	60-140	4.77	40
Endrin ketone	12.2		2.06	ug/kg dry	12.4	<2.06	98.3	60-140	5.43	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	11.2		2.06	ug/kg dry	12.4	<2.06	90.4	60-140	11.3	40
gamma-Chlordane	<2.06	J1, U	2.06	ug/kg dry	12.4	<2.06		60-140	200	40
Heptachlor	11.9		2.06	ug/kg dry	12.4	<2.06	96.4	60-140	4.02	40
Heptachlor epoxide	11.9		2.06	ug/kg dry	12.4	<2.06	96.3	60-140	12.8	40
Methoxychlor	12.4		2.06	ug/kg dry	12.4	<2.06	100	60-140	12.3	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*9.20*	*ug/kg dry*	*12.4*		*74.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*12.6*	*ug/kg dry*	*12.4*		*102*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1952 - SW-3570 (Continued)										
Matrix Spike Dup (BFC1952-MSD2)			**Source: 22B3342-11RE1**		Prepared: 3/14/2022 Analyzed: 4/8/2022					
Chlordane (tech.)	47.3		2.06	ug/kg dry	49.5	<2.06	95.5	60-140	7.88	40
delta-BHC	8.39		2.06	ug/kg dry	12.4	<2.06	67.8	60-140	2.84	40
gamma-Chlordane	11.2		2.06	ug/kg dry	12.4	<2.06	90.3	60-140	4.72	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*9.22*	*ug/kg dry*	*12.4*		*74.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*12.3*	*ug/kg dry*	*12.4*		*99.4*	*60-140*		
Batch: BFC1955 - SW-3570										
Blank (BFC1955-BLK1)					Prepared: 3/14/2022 Analyzed: 4/2/2022					
PCBs, Total	<1.95	U	1.95	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.394*	*ug/kg wet*	*0.584*		*67.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.554*	*ug/kg wet*	*0.584*		*94.9*	*60-140*		
LCS (BFC1955-BS1)					Prepared: 3/14/2022 Analyzed: 4/2/2022					
Aroclor-1016 (PCB-1016)	5.66		1.99	ug/kg wet	5.98		94.7	60-140		
Aroclor-1260 (PCB-1260)	5.72		1.99	ug/kg wet	5.98		95.8	60-140		
PCBs, Total	5.71		1.99	ug/kg wet	5.98		95.5	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.510*	*ug/kg wet*	*0.598*		*85.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.656*	*ug/kg wet*	*0.598*		*110*	*60-140*		
LCS Dup (BFC1955-BSD1)					Prepared: 3/14/2022 Analyzed: 4/2/2022					
Aroclor-1016 (PCB-1016)	6.19		1.96	ug/kg wet	5.89		105	60-140	9.00	40
Aroclor-1260 (PCB-1260)	6.31		1.96	ug/kg wet	5.89		107	60-140	9.82	40
PCBs, Total	6.28		1.96	ug/kg wet	5.89		107	60-140	9.60	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.466*	*ug/kg wet*	*0.589*		*79.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.632*	*ug/kg wet*	*0.589*		*107*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1955 - SW-3570 (Continued)										
MDL PCB (BFC1955-MRL1)					Prepared: 3/14/2022 Analyzed: 4/2/2022					
Aroclor-1016 (PCB-1016)	1.41	J	1.98	ug/kg wet	1.19		119	50-150		
Aroclor-1221 (PCB-1221)	2.15		1.98	ug/kg wet				50-150		
Aroclor-1232 (PCB-1232)	4.38		1.98	ug/kg wet				50-150		
Aroclor-1242 (PCB-1242)	2.19		1.98	ug/kg wet				50-150		
Aroclor-1248 (PCB-1248)	<1.98	U	1.98	ug/kg wet				50-150		
Aroclor-1254 (PCB-1254)	1.74	J	1.98	ug/kg wet				50-150		
Aroclor-1260 (PCB-1260)	1.04	J	1.98	ug/kg wet	1.19		87.0	50-150		
PCBs, Total	1.15	J	1.98	ug/kg wet	1.19		96.4	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.481*	*ug/kg wet*	*0.595*		*80.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.641*	*ug/kg wet*	*0.595*		*108*	*60-140*		
Matrix Spike (BFC1955-MS1)		**Source: 22A3944-43**			Prepared: 3/14/2022 Analyzed: 4/2/2022					
Aroclor-1016 (PCB-1016)	9.77		3.38	ug/kg dry	10.1	<3.38	96.3	60-140		
Aroclor-1260 (PCB-1260)	8.21		3.38	ug/kg dry	10.1	<3.38	80.9	60-140		
PCBs, Total	8.64		3.38	ug/kg dry	10.1	<3.38	85.2	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.879*	*ug/kg dry*	*1.01*		*86.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.08*	*ug/kg dry*	*1.01*		*106*	*60-140*		
Matrix Spike Dup (BFC1955-MSD1)		**Source: 22A3944-43**			Prepared: 3/14/2022 Analyzed: 4/2/2022					
Aroclor-1016 (PCB-1016)	9.36		3.43	ug/kg dry	10.3	<3.43	91.0	60-140	4.32	40
Aroclor-1260 (PCB-1260)	8.36		3.43	ug/kg dry	10.3	<3.43	81.3	60-140	1.90	40
PCBs, Total	8.64		3.43	ug/kg dry	10.3	<3.43	84.0	60-140	0.0244	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.918*	*ug/kg dry*	*1.03*		*89.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.03*	*ug/kg dry*	*1.03*		*99.8*	*60-140*		
Batch: BFC2320 - SW-3511										
Blank (BFC2320-BLK1)					Prepared: 3/16/2022 Analyzed: 3/17/2022					
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.144*	*ug/L*	*0.120*		*120*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.102*	*ug/L*	*0.120*		*85.0*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2320 - SW-3511 (Continued)										
LCS (BFC2320-BS1)					Prepared: 3/16/2022 Analyzed: 3/18/2022					
Aroclor-1016 (PCB-1016)	1.51		0.120	ug/L	1.20		126	60-140		
Aroclor-1260 (PCB-1260)	1.23		0.120	ug/L	1.20		103	60-140		
PCBs, Total	1.31		0.120	ug/L	1.20		109	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.128*	*ug/L*	*0.120*		*107*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.107*	*ug/L*	*0.120*		*89.4*	*60-140*		
LCS Dup (BFC2320-BSD1)					Prepared: 3/16/2022 Analyzed: 3/18/2022					
Aroclor-1016 (PCB-1016)	1.47		0.120	ug/L	1.20		123	60-140	2.32	40
Aroclor-1260 (PCB-1260)	1.23		0.120	ug/L	1.20		102	60-140	0.235	40
PCBs, Total	1.30		0.120	ug/L	1.20		108	60-140	0.882	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.138*	*ug/L*	*0.120*		*115*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.115*	*ug/L*	*0.120*		*95.9*	*60-140*		
MDL PCB (BFC2320-MRL1)					Prepared: 3/16/2022 Analyzed: 3/17/2022					
Aroclor-1016 (PCB-1016)	0.501		0.118	ug/L	0.236		212	50-150		
Aroclor-1221 (PCB-1221)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1232 (PCB-1232)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1242 (PCB-1242)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1248 (PCB-1248)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1254 (PCB-1254)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1260 (PCB-1260)	0.226		0.118	ug/L	0.236		95.9	50-150		
PCBs, Total	0.309		0.118	ug/L	0.236		131	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.131*	*ug/L*	*0.118*		*111*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0998*	*ug/L*	*0.118*		*84.7*	*60-140*		
Matrix Spike (BFC2320-MS1)		**Source: 22B3342-02**			Prepared: 3/16/2022 Analyzed: 3/18/2022					
Aroclor-1016 (PCB-1016)	1.24		0.120	ug/L	1.20	<0.120	103	60-140		
Aroclor-1260 (PCB-1260)	0.934		0.120	ug/L	1.20	<0.120	77.9	60-140		
PCBs, Total	1.02		0.120	ug/L	1.20	<0.120	85.1	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.136*	*ug/L*	*0.120*		*113*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0720*	*ug/L*	*0.120*		*60.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2320 - SW-3511 (Continued)										
Matrix Spike Dup (BFC2320-MSD1)	**Source: 22B3342-02**				Prepared: 3/16/2022 Analyzed: 3/18/2022					
Aroclor-1016 (PCB-1016)	1.27		0.120	ug/L	1.20	<0.120	106	60-140	2.46	40
Aroclor-1260 (PCB-1260)	0.938		0.120	ug/L	1.20	<0.120	78.3	60-140	0.416	40
PCBs, Total	1.03		0.120	ug/L	1.20	<0.120	86.1	60-140	1.10	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.133*	*ug/L*	*0.120*		*111*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0633*	*ug/L*	*0.120*		*52.8*	*60-140*		
Batch: BFC3613 - SW-3570										
Blank (BFC3613-BLK1)					Prepared: 3/25/2022 Analyzed: 3/29/2022					
4,4'-DDD	<0.935	U	0.935	ug/kg wet						
4,4'-DDE	<0.935	U	0.935	ug/kg wet						
4,4'-DDT	<0.935	U	0.935	ug/kg wet						
Aldrin	<0.935	U	0.935	ug/kg wet						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.935	U	0.935	ug/kg wet						
beta-BHC (beta-Hexachlorocyclohexane)	<0.935	U	0.935	ug/kg wet						
Chlordane (tech.)	<0.935	U	0.935	ug/kg wet						
cis-Chlordane (alpha-Chlordane)	<0.935	U	0.935	ug/kg wet						
delta-BHC	<0.935	U	0.935	ug/kg wet						
Dieldrin	<0.935	U	0.935	ug/kg wet						
Endosulfan I	<0.935	U	0.935	ug/kg wet						
Endosulfan II	<0.935	U	0.935	ug/kg wet						
Endosulfan sulfate	<0.935	U	0.935	ug/kg wet						
Endrin	<0.935	U	0.935	ug/kg wet						
Endrin aldehyde	<0.935	U	0.935	ug/kg wet						
Endrin ketone	<0.935	U	0.935	ug/kg wet						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.935	U	0.935	ug/kg wet						
gamma-Chlordane	<0.935	U	0.935	ug/kg wet						
Heptachlor	<0.935	U	0.935	ug/kg wet						
Heptachlor epoxide	<0.935	U	0.935	ug/kg wet						
Methoxychlor	<0.935	U	0.935	ug/kg wet						
Toxaphene (Chlorinated Camphene)	<14.0	U	14.0	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.34*	*ug/kg wet*	*5.61*		*77.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.33*	*ug/kg wet*	*5.61*		*95.0*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC3613 - SW-3570 (Continued)										
LCS (BFC3613-BS1)					Prepared: 3/25/2022 Analyzed: 3/29/2022					
Toxaphene (Chlorinated Camphene)	64.8		13.9	ug/kg wet	55.7		116	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.59*	*ug/kg wet*	*5.57*		*82.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.37*	*ug/kg wet*	*5.57*		*96.4*	*60-140*		
LCS (BFC3613-BS2)					Prepared: 3/25/2022 Analyzed: 3/29/2022					
4,4'-DDD	5.50		0.975	ug/kg wet	5.85		94.1	60-140		
4,4'-DDE	5.53		0.975	ug/kg wet	5.85		94.6	60-140		
4,4'-DDT	5.24		0.975	ug/kg wet	5.85		89.6	60-140		
Aldrin	5.16		0.975	ug/kg wet	5.85		88.2	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	4.96		0.975	ug/kg wet	5.85		84.8	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	4.71		0.975	ug/kg wet	5.85		80.6	60-140		
Chlordane (tech.)	21.3		0.975	ug/kg wet	23.4		91.0	60-140		
cis-Chlordane (alpha-Chlordane)	5.51		0.975	ug/kg wet	5.85		94.3	60-140		
delta-BHC	4.72		0.975	ug/kg wet	5.85		80.8	60-140		
Dieldrin	5.16		0.975	ug/kg wet	5.85		88.2	60-140		
Endosulfan I	4.97		0.975	ug/kg wet	5.85		84.9	60-140		
Endosulfan II	5.07		0.975	ug/kg wet	5.85		86.7	60-140		
Endosulfan sulfate	4.68		0.975	ug/kg wet	5.85		80.0	60-140		
Endrin	4.20		0.975	ug/kg wet	5.85		71.8	60-140		
Endrin aldehyde	4.37		0.975	ug/kg wet	5.85		74.8	60-140		
Endrin ketone	5.14		0.975	ug/kg wet	5.85		88.0	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	4.60		0.975	ug/kg wet	5.85		78.7	60-140		
gamma-Chlordane	5.46		0.975	ug/kg wet	5.85		93.3	60-140		
Heptachlor	5.21		0.975	ug/kg wet	5.85		89.0	60-140		
Heptachlor epoxide	5.10		0.975	ug/kg wet	5.85		87.3	60-140		
Methoxychlor	4.66		0.975	ug/kg wet	5.85		79.8	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.35*	*ug/kg wet*	*5.85*		*74.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.50*	*ug/kg wet*	*5.85*		*94.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC3613 - SW-3570 (Continued)										
LCS Dup (BFC3613-BSD1)					Prepared: 3/25/2022 Analyzed: 3/29/2022					
Toxaphene (Chlorinated Camphene)	71.9		14.2	ug/kg wet	56.9		126	60-140	10.4	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.13*	*ug/kg wet*	*5.69*		*90.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.81*	*ug/kg wet*	*5.69*		*102*	*60-140*		
LCS Dup (BFC3613-BSD2)					Prepared: 3/25/2022 Analyzed: 3/29/2022					
4,4'-DDD	5.25		0.967	ug/kg wet	5.80		90.4	60-140	4.80	40
4,4'-DDE	5.23		0.967	ug/kg wet	5.80		90.2	60-140	5.55	40
4,4'-DDT	4.99		0.967	ug/kg wet	5.80		86.0	60-140	4.96	40
Aldrin	5.00		0.967	ug/kg wet	5.80		86.2	60-140	3.03	40
alpha-BHC (alpha-Hexachlorocyclohexane)	5.03		0.967	ug/kg wet	5.80		86.7	60-140	1.44	40
beta-BHC (beta-Hexachlorocyclohexane)	4.56		0.967	ug/kg wet	5.80		78.6	60-140	3.26	40
Chlordane (tech.)	20.2		0.967	ug/kg wet	23.2		87.2	60-140	5.02	40
cis-Chlordane (alpha-Chlordane)	5.21		0.967	ug/kg wet	5.80		89.8	60-140	5.59	40
delta-BHC	4.66		0.967	ug/kg wet	5.80		80.3	60-140	1.36	40
Dieldrin	5.01		0.967	ug/kg wet	5.80		86.3	60-140	2.97	40
Endosulfan I	4.70		0.967	ug/kg wet	5.80		80.9	60-140	5.56	40
Endosulfan II	4.81		0.967	ug/kg wet	5.80		82.9	60-140	5.27	40
Endosulfan sulfate	4.51		0.967	ug/kg wet	5.80		77.7	60-140	3.66	40
Endrin	4.09		0.967	ug/kg wet	5.80		70.4	60-140	2.65	40
Endrin aldehyde	4.17		0.967	ug/kg wet	5.80		71.9	60-140	4.76	40
Endrin ketone	5.21		0.967	ug/kg wet	5.80		89.7	60-140	1.22	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	4.64		0.967	ug/kg wet	5.80		79.9	60-140	0.667	40
gamma-Chlordane	5.15		0.967	ug/kg wet	5.80		88.7	60-140	5.86	40
Heptachlor	5.14		0.967	ug/kg wet	5.80		88.5	60-140	1.32	40
Heptachlor epoxide	4.74		0.967	ug/kg wet	5.80		81.7	60-140	7.39	40
Methoxychlor	4.60		0.967	ug/kg wet	5.80		79.2	60-140	1.47	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.13*	*ug/kg wet*	*5.80*		*71.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.46*	*ug/kg wet*	*5.80*		*94.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC3613 - SW-3570 (Continued)										
MDL TOX (BFC3613-MRL1)					Prepared: 3/25/2022 Analyzed: 3/29/2022					
Toxaphene (Chlorinated Camphene)	15.6		13.9	ug/kg wet	13.9		112	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.54*	*ug/kg wet*	*5.56*		*81.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.45*	*ug/kg wet*	*5.56*		*98.0*	*60-140*		
MDL OCP (BFC3613-MRL2)					Prepared: 3/25/2022 Analyzed: 3/29/2022					
4,4'-DDD	0.365	J	0.955	ug/kg wet	0.382		95.5	50-150		
4,4'-DDE	0.284	J	0.955	ug/kg wet	0.382		74.4			
4,4'-DDT	0.295	J	0.955	ug/kg wet	0.382		77.2			
Aldrin	0.247	J	0.955	ug/kg wet	0.382		64.6			
alpha-BHC (alpha-Hexachlorocyclohexane)	0.236	J	0.955	ug/kg wet	0.382		61.8			
beta-BHC (beta-Hexachlorocyclohexane)	0.285	J	0.955	ug/kg wet	0.382		74.5			
Chlordane (tech.)	1.03		0.955	ug/kg wet	1.53		67.5	50-150		
cis-Chlordane (alpha-Chlordane)	0.262	J	0.955	ug/kg wet	0.382		68.5			
delta-BHC	0.279	J	0.955	ug/kg wet	0.382		73.1			
Dieldrin	0.326	J	0.955	ug/kg wet	0.382		85.4			
Endosulfan I	0.297	J	0.955	ug/kg wet	0.382		77.8			
Endosulfan II	0.281	J	0.955	ug/kg wet	0.382		73.5			
Endosulfan sulfate	0.258	J	0.955	ug/kg wet	0.382		67.4			
Endrin	0.213	J	0.955	ug/kg wet	0.382		55.9			
Endrin aldehyde	0.283	J	0.955	ug/kg wet	0.382		74.2			
Endrin ketone	0.327	J	0.955	ug/kg wet	0.382		85.6			
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.287	J	0.955	ug/kg wet	0.382		75.2			
gamma-Chlordane	0.264	J	0.955	ug/kg wet	0.382		69.2			
Heptachlor	0.236	J	0.955	ug/kg wet	0.382		61.7			
Heptachlor epoxide	0.270	J	0.955	ug/kg wet	0.382		70.6			
Methoxychlor	0.266	J	0.955	ug/kg wet	0.382		69.7			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.29*	*ug/kg wet*	*5.73*		*74.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.47*	*ug/kg wet*	*5.73*		*95.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC3613 - SW-3570 (Continued)										
Matrix Spike (BFC3613-MS1)	**Source: 22A3944-28RE1**			Prepared: 3/25/2022 Analyzed: 3/29/2022						
4,4'-DDD	5.79		1.15	ug/kg dry	6.90	<1.15	84.0	60-140		
4,4'-DDE	5.53		1.15	ug/kg dry	6.90	<1.15	80.3	60-140		
4,4'-DDT	5.49		1.15	ug/kg dry	6.90	<1.15	79.5	60-140		
Aldrin	5.21		1.15	ug/kg dry	6.90	<1.15	75.5	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	5.63		1.15	ug/kg dry	6.90	<1.15	81.7	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	4.94		1.15	ug/kg dry	6.90	<1.15	71.6	60-140		
Chlordane (tech.)	81.9	J1	1.15	ug/kg dry	27.6	<1.15	297	60-140		
cis-Chlordane (alpha-Chlordane)	5.47		1.15	ug/kg dry	6.90	<1.15	79.4	60-140		
delta-BHC	7.81		1.15	ug/kg dry	6.90	<1.15	113	60-140		
Dieldrin	5.39		1.15	ug/kg dry	6.90	<1.15	78.2	60-140		
Endosulfan I	5.35		1.15	ug/kg dry	6.90	<1.15	77.6	60-140		
Endosulfan II	5.41		1.15	ug/kg dry	6.90	<1.15	78.4	60-140		
Endosulfan sulfate	5.22		1.15	ug/kg dry	6.90	<1.15	75.7	60-140		
Endrin	5.10		1.15	ug/kg dry	6.90	<1.15	73.9	60-140		
Endrin aldehyde	4.43		1.15	ug/kg dry	6.90	<1.15	64.3	60-140		
Endrin ketone	5.84		1.15	ug/kg dry	6.90	<1.15	84.7	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	5.14		1.15	ug/kg dry	6.90	<1.15	74.5	60-140		
gamma-Chlordane	61.6	J1	1.15	ug/kg dry	6.90	<1.15	894	60-140		
Heptachlor	6.86		1.15	ug/kg dry	6.90	<1.15	99.4	60-140		
Heptachlor epoxide	7.94		1.15	ug/kg dry	6.90	<1.15	115	60-140		
Methoxychlor	5.44		1.15	ug/kg dry	6.90	<1.15	78.9	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.34*	*ug/kg dry*	*6.90*		*77.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.56*	*ug/kg dry*	*6.90*		*95.2*	*60-140*		
Matrix Spike Dup (BFC3613-MSD1)	**Source: 22A3944-28RE1**			Prepared: 3/25/2022 Analyzed: 3/29/2022						
4,4'-DDD	6.20		1.12	ug/kg dry	6.71	<1.12	92.5	60-140	6.88	40
4,4'-DDE	6.15		1.12	ug/kg dry	6.71	<1.12	91.6	60-140	10.5	40
4,4'-DDT	6.03		1.12	ug/kg dry	6.71	<1.12	89.9	60-140	9.51	40
Aldrin	5.74		1.12	ug/kg dry	6.71	<1.12	85.6	60-140	9.77	40
alpha-BHC (alpha-Hexachlorocyclohexane)	5.84		1.12	ug/kg dry	6.71	<1.12	87.0	60-140	3.56	40
beta-BHC (beta-Hexachlorocyclohexane)	5.19		1.12	ug/kg dry	6.71	<1.12	77.4	60-140	4.96	40
Chlordane (tech.)	24.0	J1	1.12	ug/kg dry	26.8	<1.12	89.4	60-140	109	40
cis-Chlordane (alpha-Chlordane)	6.01		1.12	ug/kg dry	6.71	<1.12	89.6	60-140	9.36	40
delta-BHC	5.71		1.12	ug/kg dry	6.71	<1.12	85.1	60-140	31.1	40
Dieldrin	5.95		1.12	ug/kg dry	6.71	<1.12	88.7	60-140	9.88	40
Endosulfan I	5.79		1.12	ug/kg dry	6.71	<1.12	86.4	60-140	7.98	40
Endosulfan II	5.77		1.12	ug/kg dry	6.71	<1.12	86.1	60-140	6.56	40
Endosulfan sulfate	5.38		1.12	ug/kg dry	6.71	<1.12	80.3	60-140	3.05	40
Endrin	5.12		1.12	ug/kg dry	6.71	<1.12	76.3	60-140	0.433	40
Endrin aldehyde	4.84		1.12	ug/kg dry	6.71	<1.12	72.2	60-140	8.86	40
Endrin ketone	5.78		1.12	ug/kg dry	6.71	<1.12	86.1	60-140	1.06	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC3613 - SW-3570 (Continued)										
Matrix Spike Dup (BFC3613-MSD1)			**Source: 22A3944-28RE1**		Prepared: 3/25/2022 Analyzed: 3/29/2022					
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	5.59		1.12	ug/kg dry	6.71	<1.12	83.3	60-140	8.35	40
gamma-Chlordane	5.99	J1	1.12	ug/kg dry	6.71	<1.12	89.3	60-140	165	40
Heptachlor	6.16		1.12	ug/kg dry	6.71	<1.12	91.9	60-140	10.6	40
Heptachlor epoxide	5.83		1.12	ug/kg dry	6.71	<1.12	87.0	60-140	30.6	40
Methoxychlor	5.53		1.12	ug/kg dry	6.71	<1.12	82.4	60-140	1.61	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.31*	*ug/kg dry*	*6.71*		*79.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.38*	*ug/kg dry*	*6.71*		*95.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2766 - EPA 200.8										
Blank (BFB2766-BLK1)					Prepared & Analyzed: 2/21/2022					
Selenium	<5.00	U	5.00	ug/L						
LCS (BFB2766-BS1)					Prepared & Analyzed: 2/21/2022					
Selenium	201		5.00	ug/L	200		101	85-115		
Duplicate (BFB2766-DUP1)		**Source: 22A3944-01**			Prepared & Analyzed: 2/21/2022					
Selenium	<5.00	U	5.00	ug/L		<5.00				20
MRL Check (BFB2766-MRL1)					Prepared & Analyzed: 2/21/2022					
Selenium	0.266	J	5.00	ug/L	0.330		80.6			
Matrix Spike (BFB2766-MS1)		**Source: 22A3944-01**			Prepared & Analyzed: 2/21/2022					
Selenium	209		5.00	ug/L	200	<5.00	105	75-125		
Batch: BFB2807 - EPA 245.1										
Blank (BFB2807-BLK1)					Prepared: 2/21/2022 Analyzed: 2/22/2022					
Mercury	<0.200	U	0.200	ug/L						
LCS (BFB2807-BS1)					Prepared: 2/21/2022 Analyzed: 2/22/2022					
Mercury	5.12		0.200	ug/L	5.00		102	85-115		
Duplicate (BFB2807-DUP1)		**Source: 22A3944-07**			Prepared: 2/21/2022 Analyzed: 2/22/2022					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
MDL Check (BFB2807-MRL1)					Prepared: 2/21/2022 Analyzed: 2/22/2022					
Mercury	<0.200	U	0.200	ug/L	0.100					

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2807 - EPA 245.1 (Continued)										
Matrix Spike (BFB2807-MS1)		**Source: 22A3944-07**			Prepared: 2/21/2022 Analyzed: 2/22/2022					
Mercury	5.19		0.200	ug/L	5.00	<0.200	104	70-130		
Batch: BFB2873 - EPA 200.8 Solid										
Blank (BFB2873-BLK1)					Prepared & Analyzed: 2/22/2022					
Antimony	<0.100	U	0.100	mg/kg wet						
Arsenic	<0.0500	U	0.0500	mg/kg wet						
Cadmium	<0.100	U	0.100	mg/kg wet						
Chromium	<0.300	U	0.300	mg/kg wet						
Copper	<0.100	U	0.100	mg/kg wet						
Lead	0.00500	J	0.0500	mg/kg wet						
Nickel	<0.100	U	0.100	mg/kg wet						
Selenium	<0.500	U	0.500	mg/kg wet						
Silver	0.00260	J	0.0500	mg/kg wet						
Thallium	<0.0500	U	0.0500	mg/kg wet						
Zinc	0.491		0.200	mg/kg wet						
Blank (BFB2873-BLK2)					Prepared & Analyzed: 2/22/2022					
Beryllium	<0.0200	U	0.0200	mg/kg wet						
Duplicate (BFB2873-DUP1)		**Source: 22A3944-28**			Prepared & Analyzed: 2/22/2022					
Antimony	<0.843	U	0.843	mg/kg dry		<0.843				20
Arsenic	1.06	J1	0.421	mg/kg dry		3.91			115	20
Cadmium	<0.843	U	0.843	mg/kg dry		0.107			200	20
Chromium	3.81		2.52	mg/kg dry		4.76			22.3	20
Copper	2.80		0.843	mg/kg dry		6.15			74.8	20
Lead	4.03	J1	0.421	mg/kg dry		7.04			54.5	20
Nickel	2.75	J1	0.843	mg/kg dry		5.00			58.1	20
Selenium	<4.21	U	4.21	mg/kg dry		0.959			200	20
Silver	<0.421	U	0.421	mg/kg dry		<0.421			200	20
Thallium	0.0640	J	0.421	mg/kg dry		0.0872			30.7	20
Zinc	10.5	J1	1.68	mg/kg dry		15.3			36.9	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2873 - EPA 200.8 Solid (Continued)										
Duplicate (BFB2873-DUP2)			**Source: 22A3944-28**		Prepared & Analyzed: 2/22/2022					
Beryllium	0.173	J1	0.168	mg/kg dry		0.247			35.3	20
MRL Check (BFB2873-MRL1)					Prepared & Analyzed: 2/22/2022					
Antimony	0.0861	J	0.100	mg/kg wet	0.0400		215			
Arsenic	<0.0500	U	0.0500	mg/kg wet	0.0200					
Cadmium	0.00280	J	0.100	mg/kg wet	0.0100		28.0			
Chromium	0.0240	J	0.300	mg/kg wet	0.0160		150			
Copper	0.0166	J	0.100	mg/kg wet	0.0400		41.5			
Lead	0.0111	J	0.0500	mg/kg wet	0.0200		55.5			
Nickel	0.0110	J	0.100	mg/kg wet	0.0100		110			
Selenium	0.102	J	0.500	mg/kg wet	0.0660		155			
Silver	0.00510	J	0.0500	mg/kg wet	0.00600		85.0			
Thallium	0.00430	J	0.0500	mg/kg wet	0.00600		71.7			
Zinc	0.640		0.200	mg/kg wet	0.0400		NR			
MDL Check (BFB2873-MRL2)					Prepared & Analyzed: 2/22/2022					
Beryllium	0.000900	J	0.0200	mg/kg wet	0.00200		45.0			
Batch: BFB2900 - SW-7471										
Blank (BFB2900-BLK1)					Prepared: 2/22/2022 Analyzed: 2/23/2022					
Mercury	<0.0200	U	0.0200	mg/kg wet						
LCS (BFB2900-BS1)					Prepared: 2/22/2022 Analyzed: 2/23/2022					
Mercury	0.264		0.0200	mg/kg wet	0.250		106	80-120		
MDL Check (BFB2900-MRL1)					Prepared: 2/22/2022 Analyzed: 2/23/2022					
Mercury	0.0112	J	0.0200	mg/kg wet	0.0100		112			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2900 - SW-7471 (Continued)										
Matrix Spike (BFB2900-MS1)		**Source: 22A3944-28**			Prepared: 2/22/2022 Analyzed: 2/23/2022					
Mercury	0.152		0.0102	mg/kg dry	0.128	0.00663	113	80-120		
Matrix Spike Dup (BFB2900-MSD1)		**Source: 22A3944-28**			Prepared: 2/22/2022 Analyzed: 2/23/2022					
Mercury	0.142		0.00977	mg/kg dry	0.122	0.00663	111	80-120	6.53	20
Batch: BFB3096 - EPA 245.1										
Blank (BFB3096-BLK1)					Prepared & Analyzed: 2/28/2022					
Mercury	<0.200	U	0.200	ug/L						
LCS (BFB3096-BS1)					Prepared & Analyzed: 2/28/2022					
Mercury	5.41		0.200	ug/L	5.00		108	85-115		
Duplicate (BFB3096-DUP1)		**Source: 22A3944-10**			Prepared & Analyzed: 2/28/2022					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
MDL Check (BFB3096-MRL1)					Prepared & Analyzed: 2/28/2022					
Mercury	<0.200	U	0.200	ug/L	0.100					
Matrix Spike (BFB3096-MS1)		**Source: 22A3944-10**			Prepared & Analyzed: 2/28/2022					
Mercury	5.42		0.200	ug/L	5.00	<0.200	108	70-130		
Batch: BFB3136 - SW-7471										
Blank (BFB3136-BLK1)					Prepared & Analyzed: 3/1/2022					
Mercury	<0.0200	U	0.0200	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3136 - SW-7471 (Continued)										
LCS (BFB3136-BS1)					Prepared & Analyzed: 3/1/2022					
Mercury	0.253		0.0200	mg/kg wet	0.250		101	80-120		
MDL Check (BFB3136-MRL1)					Prepared & Analyzed: 3/1/2022					
Mercury	0.0157	J	0.0200	mg/kg wet	0.0100		157			
Matrix Spike (BFB3136-MS1)		**Source: 22A3944-40**			Prepared & Analyzed: 3/1/2022					
Mercury	0.171	J1	0.00981	mg/kg dry	0.123	0.0127	129	80-120		
Matrix Spike Dup (BFB3136-MSD1)		**Source: 22A3944-40**			Prepared & Analyzed: 3/1/2022					
Mercury	0.182	J1	0.0102	mg/kg dry	0.127	0.0127	134	80-120	6.48	20
Batch: BFB3630 - EPA 200.8										
Blank (BFB3630-BLK1)					Prepared & Analyzed: 2/28/2022					
Selenium	<5.00	U	5.00	ug/L						
LCS (BFB3630-BS1)					Prepared & Analyzed: 2/28/2022					
Selenium	193		5.00	ug/L	200		96.7	85-115		
Duplicate (BFB3630-DUP1)		**Source: 22A3944-10**			Prepared & Analyzed: 2/28/2022					
Selenium	3.52	J	25.0	ug/L		3.07			13.6	20
MRL Check (BFB3630-MRL1)					Prepared & Analyzed: 2/28/2022					
Selenium	0.690	J	5.00	ug/L	0.330		209			
Matrix Spike (BFB3630-MS1)		**Source: 22A3944-10**			Prepared & Analyzed: 2/28/2022					
Selenium	1930	J1	50.0	ug/L	200	<50.0	965	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3694 - Cr VI										
Blank (BFB3694-BLK1)					Prepared: 3/3/2022 Analyzed: 3/9/2022					
Chromium (VI)	<5.17	U	5.17	mg/kg wet						
LCS (BFB3694-BS1)					Prepared: 3/3/2022 Analyzed: 3/9/2022					
Chromium (VI)	7.42	J1	4.90	mg/kg wet	9.80		75.7	80-120		
Duplicate (BFB3694-DUP1)		**Source: 22A3944-28**			Prepared: 3/3/2022 Analyzed: 3/9/2022					
Chromium (VI)	<5.68	U	5.68	mg/kg dry		<5.68				20
Duplicate (BFB3694-DUP2)		**Source: 22A3987-44**			Prepared: 3/3/2022 Analyzed: 3/9/2022					
Chromium (VI)	<5.97	U	5.97	mg/kg dry		<5.97				20
MRL Check (BFB3694-MRL1)					Prepared: 3/3/2022 Analyzed: 3/9/2022					
Chromium (VI)	3.93	J	4.83	mg/kg wet	4.83		81.5	50-150		
Matrix Spike (BFB3694-MS1)		**Source: 22A3944-28**			Prepared: 3/3/2022 Analyzed: 3/9/2022					
Chromium (VI)	8.00	J1	5.57	mg/kg dry	11.1	<5.57	71.9	75-125		
Matrix Spike (BFB3694-MS2)		**Source: 22A3944-28**			Prepared: 3/3/2022 Analyzed: 3/9/2022					
Chromium (VI)	<1450	J1, U	1450	mg/kg dry	375	<1450		75-125		
Post Spike (BFB3694-PS1)		**Source: 22A3944-28**			Prepared: 3/3/2022 Analyzed: 3/9/2022					
Chromium (VI)	142	J1		ug/L	250	5.40	54.5	85-115		
Batch: BFC0003 - EPA 245.1										
Blank (BFC0003-BLK1)					Prepared & Analyzed: 3/8/2022					
Mercury	<0.200	U	0.200	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0003 - EPA 245.1 (Continued)										
LCS (BFC0003-BS1)					Prepared & Analyzed: 3/8/2022					
Mercury	4.52		0.200	ug/L	5.00		90.4	85-115		
Duplicate (BFC0003-DUP1)		**Source: 22A3944-08**			Prepared & Analyzed: 3/8/2022					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
Duplicate (BFC0003-DUP2)		**Source: 22A3944-12**			Prepared & Analyzed: 3/8/2022					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
MRL Check (BFC0003-MRL1)					Prepared & Analyzed: 3/8/2022					
Mercury	0.154	J	0.200	ug/L	0.100		154			
Matrix Spike (BFC0003-MS1)		**Source: 22A3944-08**			Prepared & Analyzed: 3/8/2022					
Mercury	4.95		0.200	ug/L	5.00	<0.200	99.0	70-130		
Matrix Spike (BFC0003-MS2)		**Source: 22A3944-12**			Prepared & Analyzed: 3/8/2022					
Mercury	5.20		0.200	ug/L	5.00	<0.200	104	70-130		
Batch: BFC0177 - SW-7471										
Blank (BFC0177-BLK1)					Prepared & Analyzed: 3/4/2022					
Mercury	<0.0200	U	0.0200	mg/kg wet						
LCS (BFC0177-BS1)					Prepared & Analyzed: 3/4/2022					
Mercury	0.248		0.0200	mg/kg wet	0.250		99.1	80-120		
MDL Check (BFC0177-MRL1)					Prepared & Analyzed: 3/4/2022					
Mercury	0.0138	J	0.0200	mg/kg wet	0.0100		138			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0177 - SW-7471 (Continued)										
Matrix Spike (BFC0177-MS1)		**Source: 22A3944-30**			Prepared & Analyzed: 3/4/2022					
Mercury	0.167	J1	0.00980	mg/kg dry	0.123	<0.00980	136	80-120		
Matrix Spike Dup (BFC0177-MSD1)		**Source: 22A3944-30**			Prepared & Analyzed: 3/4/2022					
Mercury	0.173	J1	0.0102	mg/kg dry	0.127	<0.0102	136	80-120	3.42	20
Batch: BFC0427 - EPA 200.8										
Blank (BFC0427-BLK1)					Prepared & Analyzed: 3/3/2022					
Selenium	<5.00	U	5.00	ug/L						
LCS (BFC0427-BS1)					Prepared & Analyzed: 3/3/2022					
Selenium	209		5.00	ug/L	200		105	85-115		
Duplicate (BFC0427-DUP1)		**Source: 22A3944-08**			Prepared & Analyzed: 3/3/2022					
Selenium	<50.0	U	50.0	ug/L		3.45			200	20
MRL Check (BFC0427-MRL1)					Prepared & Analyzed: 3/3/2022					
Selenium	0.519	J	5.00	ug/L	0.330		157			
Matrix Spike (BFC0427-MS1)		**Source: 22A3944-08**			Prepared & Analyzed: 3/3/2022					
Selenium	197		50.0	ug/L	200	3.45	96.6	75-125		
Batch: BFC0620 - EPA 200.8 Solid										
Blank (BFC0620-BLK1)					Prepared & Analyzed: 3/4/2022					
Antimony	<0.100	U	0.100	mg/kg wet						
Arsenic	<0.0500	U	0.0500	mg/kg wet						
Cadmium	<0.100	U	0.100	mg/kg wet						
Chromium	<0.300	U	0.300	mg/kg wet						
Copper	0.0262	J	0.100	mg/kg wet						
Lead	<0.0500	U	0.0500	mg/kg wet						
Selenium	<0.500	U	0.500	mg/kg wet						
Silver	<0.0500	U	0.0500	mg/kg wet						
Thallium	<0.0500	U	0.0500	mg/kg wet						
Zinc	0.286		0.200	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0620 - EPA 200.8 Solid (Continued)										
Blank (BFC0620-BLK3)					Prepared: 3/4/2022 Analyzed: 3/7/2022					
Beryllium	<0.0200	U	0.0200	mg/kg wet						
Nickel	<0.100	U	0.100	mg/kg wet						
LCS (BFC0620-BS1)					Prepared & Analyzed: 3/4/2022					
Antimony	10.3		0.100	mg/kg wet	10.0		103	85-115		
Arsenic	5.26		0.0500	mg/kg wet	5.00		105	85-115		
Cadmium	10.2		0.100	mg/kg wet	10.0		102	85-115		
Chromium	30.4		0.300	mg/kg wet	30.0		101	85-115		
Copper	11.0		0.100	mg/kg wet	10.0		110	85-115		
Lead	5.22		0.0500	mg/kg wet	5.00		104	85-115		
Selenium	21.3		0.500	mg/kg wet	20.0		107	85-115		
Silver	5.39		0.0500	mg/kg wet	5.00		108	85-115		
Thallium	5.33		0.0500	mg/kg wet	5.00		107	85-115		
Zinc	20.8		0.200	mg/kg wet	20.0		104	85-115		
LCS (BFC0620-BS3)					Prepared: 3/4/2022 Analyzed: 3/7/2022					
Beryllium	1.77		0.0200	mg/kg wet	2.00		88.5	85-115		
Nickel	10.2		0.100	mg/kg wet	10.0		102	85-115		
Duplicate (BFC0620-DUP1)		**Source: 22A3944-30**			Prepared & Analyzed: 3/4/2022					
Antimony	<0.922	U	0.922	mg/kg dry		<0.922				20
Arsenic	0.324	J	0.460	mg/kg dry		0.343			5.70	20
Cadmium	<0.922	U	0.922	mg/kg dry		<0.922				20
Chromium	1.83	J	2.76	mg/kg dry		1.51			19.3	20
Copper	0.484	J	0.922	mg/kg dry		0.549			12.6	20
Lead	1.52		0.460	mg/kg dry		1.58			4.28	20
Selenium	<4.60	U	4.60	mg/kg dry		<4.60				20
Silver	<0.460	U	0.460	mg/kg dry		<0.460				20
Thallium	<0.460	U	0.460	mg/kg dry		<0.460				20
Zinc	3.07	J1	1.84	mg/kg dry		4.76			43.3	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0620 - EPA 200.8 Solid (Continued)										
Duplicate (BFC0620-DUP3)			**Source: 22A3944-30**		Prepared: 3/4/2022 Analyzed: 3/7/2022					
Beryllium	0.0346	J	0.184	mg/kg dry		0.0518			39.9	20
Nickel	<0.922	U	0.922	mg/kg dry		<0.922				20
MRL Check (BFC0620-MRL1)					Prepared & Analyzed: 3/4/2022					
Antimony	0.0585	J	0.100	mg/kg wet	0.0400		146			
Arsenic	0.0103	J	0.0500	mg/kg wet	0.0200		51.5			
Cadmium	0.00330	J	0.100	mg/kg wet	0.0100		33.0			
Chromium	0.0293	J	0.300	mg/kg wet	0.0160		183			
Copper	0.0345	J	0.100	mg/kg wet	0.0400		86.2			
Lead	0.00790	J	0.0500	mg/kg wet	0.0200		39.5			
Selenium	0.0655	J	0.500	mg/kg wet	0.0660		99.2			
Silver	0.00280	J	0.0500	mg/kg wet	0.00600		46.7			
Thallium	0.00370	J	0.0500	mg/kg wet	0.00600		61.7			
Zinc	0.434		0.200	mg/kg wet	0.0400		NR			
MDL Check (BFC0620-MRL3)					Prepared: 3/4/2022 Analyzed: 3/7/2022					
Beryllium	0.00110	J	0.0200	mg/kg wet	0.00200		55.0			
Nickel	0.00480	J	0.100	mg/kg wet	0.0100		48.0			
Matrix Spike (BFC0620-MS1)			**Source: 22A3944-30**		Prepared & Analyzed: 3/4/2022					
Antimony	7.73		0.768	mg/kg dry	7.66	<0.768	101	75-125		
Arsenic	4.24		0.383	mg/kg dry	3.83	0.343	102	75-125		
Cadmium	7.75		0.768	mg/kg dry	7.66	<0.768	101	75-125		
Chromium	25.7		2.30	mg/kg dry	23.0	1.51	105	75-125		
Copper	8.69		0.768	mg/kg dry	7.66	0.549	106	75-125		
Lead	5.58		0.383	mg/kg dry	3.83	1.58	104	75-125		
Selenium	16.9		3.83	mg/kg dry	15.3	<3.83	110	75-125		
Silver	4.23		0.383	mg/kg dry	3.83	<0.383	110	75-125		
Thallium	3.82		0.383	mg/kg dry	3.83	<0.383	99.7	75-125		
Zinc	19.2		1.53	mg/kg dry	15.3	4.76	94.5	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0620 - EPA 200.8 Solid (Continued)										
Matrix Spike (BFC0620-MS3)	**Source: 22A3944-30**				Prepared: 3/4/2022 Analyzed: 3/7/2022					
Beryllium	1.39		0.153	mg/kg dry	1.53	0.0518	87.5	75-125		
Nickel	7.79		0.768	mg/kg dry	7.66	<0.768	102	75-125		
Batch: BFC1059 - EPA 200.8										
Blank (BFC1059-BLK1)					Prepared & Analyzed: 3/8/2022					
Selenium	<5.00	U	5.00	ug/L						
LCS (BFC1059-BS1)					Prepared & Analyzed: 3/8/2022					
Selenium	195		5.00	ug/L	200		97.4	85-115		
Duplicate (BFC1059-DUP1)	**Source: 22B3342-01**				Prepared & Analyzed: 3/8/2022					
Selenium	<5.00	U	5.00	ug/L		<5.00				20
MRL Check (BFC1059-MRL1)					Prepared & Analyzed: 3/8/2022					
Selenium	0.0870	J	5.00	ug/L	0.330		26.4			
Matrix Spike (BFC1059-MS1)	**Source: 22B3342-01**				Prepared & Analyzed: 3/8/2022					
Selenium	181		5.00	ug/L	200	<5.00	90.4	75-125		
Batch: BFC1656 - SW-7471										
Blank (BFC1656-BLK1)					Prepared & Analyzed: 3/17/2022					
Mercury	<0.0200	U	0.0200	mg/kg wet						
LCS (BFC1656-BS1)					Prepared & Analyzed: 3/17/2022					
Mercury	0.250		0.0200	mg/kg wet	0.250		100	80-120		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1656 - SW-7471 (Continued)										
MDL Check (BFC1656-MRL1)					Prepared & Analyzed: 3/17/2022					
Mercury	<0.0200	U	0.0200	mg/kg wet	0.0100					
Matrix Spike (BFC1656-MS1)		**Source: 22C2429-02**			Prepared & Analyzed: 3/17/2022					
Mercury	0.214		0.00823	mg/kg dry	0.103	0.107	104	80-120		
Matrix Spike Dup (BFC1656-MSD1)		**Source: 22C2429-02**			Prepared & Analyzed: 3/17/2022					
Mercury	0.220		0.00869	mg/kg dry	0.109	0.107	103	80-120	2.53	20
Batch: BFC2626 - EPA 200.8 Solid										
Blank (BFC2626-BLK1)					Prepared & Analyzed: 3/18/2022					
Antimony	<0.100	U	0.100	mg/kg wet						
Arsenic	<0.0500	U	0.0500	mg/kg wet						
Beryllium	<0.0200	U	0.0200	mg/kg wet						
Cadmium	<0.100	U	0.100	mg/kg wet						
Chromium	0.0157	J	0.300	mg/kg wet						
Copper	<0.100	U	0.100	mg/kg wet						
Lead	<0.0500	U	0.0500	mg/kg wet						
Nickel	<0.100	U	0.100	mg/kg wet						
Selenium	<0.500	U	0.500	mg/kg wet						
Silver	<0.0500	U	0.0500	mg/kg wet						
Thallium	<0.0500	U	0.0500	mg/kg wet						
Zinc	0.149	J	0.200	mg/kg wet						
LCS (BFC2626-BS1)					Prepared & Analyzed: 3/18/2022					
Antimony	10.6		0.100	mg/kg wet	10.0		106	85-115		
Arsenic	5.14		0.0500	mg/kg wet	5.00		103	85-115		
Beryllium	2.02		0.0200	mg/kg wet	2.00		101	85-115		
Cadmium	10.6		0.100	mg/kg wet	10.0		106	85-115		
Chromium	30.5		0.300	mg/kg wet	30.0		102	85-115		
Copper	8.85		0.100	mg/kg wet	10.0		88.5	85-115		
Lead	5.11		0.0500	mg/kg wet	5.00		102	85-115		
Nickel	8.51		0.100	mg/kg wet	10.0		85.1	85-115		
Selenium	19.4		0.500	mg/kg wet	20.0		97.0	85-115		
Silver	4.74		0.0500	mg/kg wet	5.00		94.9	85-115		
Thallium	5.29		0.0500	mg/kg wet	5.00		106	85-115		
Zinc	20.4		0.200	mg/kg wet	20.0		102	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2626 - EPA 200.8 Solid (Continued)										
Duplicate (BFC2626-DUP1)	**Source: 22A3944-40**				Prepared & Analyzed: 3/18/2022					
Antimony	<0.358	U	0.358	mg/kg dry		<0.358				20
Arsenic	0.829		0.179	mg/kg dry		0.986			17.3	20
Beryllium	0.107		0.0715	mg/kg dry		0.111			2.93	20
Cadmium	0.0636	J	0.358	mg/kg dry		0.0460			32.1	20
Chromium	2.69		1.07	mg/kg dry		2.46			8.77	20
Copper	1.55		0.358	mg/kg dry		1.65			6.34	20
Lead	2.42		0.179	mg/kg dry		2.43			0.208	20
Nickel	2.06		0.358	mg/kg dry		2.07			0.623	20
Selenium	0.456	J	1.79	mg/kg dry		0.847			60.1	20
Silver	<0.179	U	0.179	mg/kg dry		<0.179				20
Thallium	0.0371	J	0.179	mg/kg dry		0.0346			6.90	20
Zinc	7.80		0.715	mg/kg dry		7.27			7.03	20
MDL Check (BFC2626-MRL1)					Prepared & Analyzed: 3/18/2022					
Antimony	0.0595	J	0.100	mg/kg wet	0.0400		149			
Arsenic	0.00720	J	0.0500	mg/kg wet	0.0200		36.0			
Beryllium	0.000700	J	0.0200	mg/kg wet	0.00200		35.0			
Cadmium	0.00480	J	0.100	mg/kg wet	0.0100		48.0			
Chromium	0.0326	J	0.300	mg/kg wet	0.0160		204			
Copper	0.0248	J	0.100	mg/kg wet	0.0400		62.0			
Lead	0.00900	J	0.0500	mg/kg wet	0.0200		45.0			
Nickel	0.00940	J	0.100	mg/kg wet	0.0100		94.0			
Selenium	0.0389	J	0.500	mg/kg wet	0.0660		58.9			
Silver	0.00360	J	0.0500	mg/kg wet	0.00600		60.0			
Thallium	0.00390	J	0.0500	mg/kg wet	0.00600		65.0			
Zinc	0.216		0.200	mg/kg wet	0.0400		540			
Matrix Spike (BFC2626-MS1)	**Source: 22A3944-40**				Prepared & Analyzed: 3/18/2022					
Antimony	3.22		0.378	mg/kg dry	3.78	<0.378	85.2	75-125		
Arsenic	2.47		0.189	mg/kg dry	1.89	0.986	78.6	75-125		
Beryllium	0.697		0.0755	mg/kg dry	0.755	0.111	77.6	75-125		
Cadmium	3.12		0.378	mg/kg dry	3.78	0.0460	81.3	75-125		
Chromium	12.5		1.13	mg/kg dry	11.3	2.46	88.4	75-125		
Copper	4.63		0.378	mg/kg dry	3.78	1.65	78.9	75-125		
Lead	4.28		0.189	mg/kg dry	1.89	2.43	97.8	75-125		
Nickel	5.57		0.378	mg/kg dry	3.78	2.07	92.6	75-125		
Selenium	6.56		1.89	mg/kg dry	7.55	0.847	75.7	75-125		
Silver	1.65		0.189	mg/kg dry	1.89	<0.189	87.2	75-125		
Thallium	1.57		0.189	mg/kg dry	1.89	0.0346	81.1	75-125		
Zinc	14.7		0.755	mg/kg dry	7.55	7.27	99.0	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC3544 - Cr VI										
Blank (BFC3544-BLK1)					Prepared: 3/25/2022 Analyzed: 3/28/2022					
Chromium (VI)	<5.14	U	5.14	mg/kg wet						
LCS (BFC3544-BS1)					Prepared: 3/25/2022 Analyzed: 3/28/2022					
Chromium (VI)	7.21	J1	4.58	mg/kg wet	9.16		78.7	80-120		
Duplicate (BFC3544-DUP1)		**Source: 22A3944-28RE1**			Prepared: 3/25/2022 Analyzed: 3/28/2022					
Chromium (VI)	<5.75	U	5.75	mg/kg dry		<5.75				20
Duplicate (BFC3544-DUP2)		**Source: 22A3944-29**			Prepared: 3/25/2022 Analyzed: 3/28/2022					
Chromium (VI)	<6.14	U	6.14	mg/kg dry		<6.14				20
MRL Check (BFC3544-MRL1)					Prepared: 3/25/2022 Analyzed: 3/28/2022					
Chromium (VI)	4.10	J	5.10	mg/kg wet	5.10		80.3	50-150		
SMS (BFC3544-MS1)		**Source: 22A3944-28RE1**			Prepared: 3/25/2022 Analyzed: 3/28/2022					
Chromium (VI)	7.70	J1	5.94	mg/kg dry	11.9	<5.94	64.9	75-125		
IMS (BFC3544-MS2)		**Source: 22A3944-28RE1**			Prepared: 3/25/2022 Analyzed: 3/28/2022					
Chromium (VI)	<1690	J1, U	1690	mg/kg dry	443	<1690		75-125		
Post Spike (BFC3544-PS1)		**Source: 22A3944-28RE1**			Prepared: 3/25/2022 Analyzed: 3/28/2022					
Chromium (VI)	225	J1		ug/L	250	12.3	84.9	85-115		
Batch: BFD3145 - SW-7471										
Blank (BFD3145-BLK1)					Prepared & Analyzed: 4/27/2022					
Mercury	<0.0200	U	0.0200	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFD3145 - SW-7471 (Continued)										
LCS (BFD3145-BS1)					Prepared & Analyzed: 4/27/2022					
Mercury	0.246		0.0200	mg/kg wet	0.250		98.3	80-120		
MRL Check (BFD3145-MRL1)					Prepared & Analyzed: 4/27/2022					
Mercury	0.0142	J	0.0200	mg/kg wet	0.0100		142	50-150		
Matrix Spike (BFD3145-MS1)		**Source: 22C3116-21**			Prepared & Analyzed: 4/27/2022					
Mercury	0.154		0.0103	mg/kg dry	0.129	0.0142	108	80-120		
Matrix Spike (BFD3145-MS2)		**Source: 22C3938-25**			Prepared: 4/27/2022 Analyzed: 4/28/2022					
Mercury	0.158		0.00996	mg/kg dry	0.125	0.0219	109	80-120		
Matrix Spike Dup (BFD3145-MSD1)		**Source: 22C3116-21**			Prepared & Analyzed: 4/27/2022					
Mercury	0.154		0.0104	mg/kg dry	0.130	0.0142	108	80-120	0.256	20
Matrix Spike Dup (BFD3145-MSD2)		**Source: 22C3938-25**			Prepared: 4/27/2022 Analyzed: 4/28/2022					
Mercury	0.160		0.00993	mg/kg dry	0.124	0.0219	111	80-120	0.928	20
Batch: BFD3610 - EPA 200.8 Solid										
Blank (BFD3610-BLK1)					Prepared: 4/28/2022 Analyzed: 4/29/2022					
Beryllium	<0.0200	U	0.0200	mg/kg wet						
Cadmium	<0.100	U	0.100	mg/kg wet						
Chromium	0.0182	J	0.300	mg/kg wet						
Lead	<0.0500	U	0.0500	mg/kg wet						
Nickel	<0.100	U	0.100	mg/kg wet						
Selenium	<0.500	U	0.500	mg/kg wet						
Silver	<0.0500	U	0.0500	mg/kg wet						
Thallium	<0.0500	U	0.0500	mg/kg wet						
Zinc	<0.200	U	0.200	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFD3610 - EPA 200.8 Solid (Continued)										
Blank (BFD3610-BLK2)					Prepared: 4/28/2022 Analyzed: 5/2/2022					
Arsenic	<0.0500	U	0.0500	mg/kg wet						
Copper	<0.100	U	0.100	mg/kg wet						
LCS (BFD3610-BS1)					Prepared: 4/28/2022 Analyzed: 4/29/2022					
Beryllium	0.0313		0.000333	mg/kg wet	0.0333		93.8	85-115		
Cadmium	0.169		0.00167	mg/kg wet	0.167		101	85-115		
Chromium	0.503		0.00500	mg/kg wet	0.500		101	85-115		
Lead	0.0836		0.000833	mg/kg wet	0.0833		100	85-115		
Nickel	0.170		0.00167	mg/kg wet	0.167		102	85-115		
Selenium	0.331		0.00833	mg/kg wet	0.333		99.4	85-115		
Silver	0.0858		0.000833	mg/kg wet	0.0833		103	85-115		
Thallium	0.0871		0.000833	mg/kg wet	0.0833		105	85-115		
Zinc	0.329		0.00333	mg/kg wet	0.333		98.8	85-115		
LCS (BFD3610-BS2)					Prepared: 4/28/2022 Analyzed: 5/2/2022					
Arsenic	0.0738		0.000833	mg/kg wet	0.0833		88.6	85-115		
Copper	0.156		0.00167	mg/kg wet	0.167		93.4	85-115		
Duplicate (BFD3610-DUP1)			**Source: 22A3944-29RE1**		Prepared: 4/28/2022 Analyzed: 4/29/2022					
Beryllium	0.0695		0.0615	mg/kg dry		0.0769			10.1	20
Cadmium	0.0194	J1, J	0.309	mg/kg dry		0.0221			12.8	20
Chromium	8.91	J1	0.924	mg/kg dry		4.47			66.3	20
Lead	1.78		0.154	mg/kg dry		2.12			17.6	20
Nickel	1.78		0.309	mg/kg dry		1.71			3.73	20
Selenium	<1.54	U	1.54	mg/kg dry		<1.54				20
Silver	0.0107	J	0.154	mg/kg dry		0.0108			0.548	20
Thallium	0.0380	J	0.154	mg/kg dry		0.0395			3.89	20
Zinc	7.22		0.615	mg/kg dry		7.38			2.26	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFD3610 - EPA 200.8 Solid (Continued)										
Duplicate (BFD3610-DUP2)		**Source: 22C3938-19**		Prepared: 4/28/2022 Analyzed: 4/29/2022						
Beryllium	0.244		0.0453	mg/kg dry		0.270			10.4	20
Cadmium	0.0295	J	0.227	mg/kg dry		0.0294			0.0903	20
Chromium	4.75	J1	0.680	mg/kg dry		5.88			21.1	20
Lead	5.46	J1	0.113	mg/kg dry		12.6			79.1	20
Nickel	3.67	J1	0.227	mg/kg dry		4.77			26.1	20
Selenium	0.617	J	1.13	mg/kg dry		0.673			8.61	20
Silver	0.00898	J	0.113	mg/kg dry		0.0102			12.7	20
Thallium	0.0346	J	0.113	mg/kg dry		0.0372			7.30	20
Zinc	18.5		0.453	mg/kg dry		22.5			19.7	20
Duplicate (BFD3610-DUP3)		**Source: 22A3944-29RE1**		Prepared: 4/28/2022 Analyzed: 5/2/2022						
Arsenic	1.02		0.154	mg/kg dry		1.13			10.5	20
Copper	1.52	J1	0.309	mg/kg dry		1.18			24.9	20
Duplicate (BFD3610-DUP4)		**Source: 22C3938-19**		Prepared: 4/28/2022 Analyzed: 5/2/2022						
Arsenic	2.30	J1	0.174	mg/kg dry		1.50			42.5	20
Copper	7.09	J1	0.350	mg/kg dry		5.69			21.9	20
MDL Check (BFD3610-MRL1)				Prepared: 4/28/2022 Analyzed: 4/29/2022						
Beryllium	3.17E-5	J	0.000333	mg/kg wet	3.33E-5		95.0			
Cadmium	0.000183	J	0.00167	mg/kg wet	0.000167		110			
Chromium	0.000980	J	0.00500	mg/kg wet	0.000267		368			
Lead	0.000237	J	0.000833	mg/kg wet	0.000333		71.0			
Nickel	5.50E-5	J	0.00167	mg/kg wet	0.000167		33.0			
Selenium	0.00207	J	0.00833	mg/kg wet	0.00110		188			
Silver	0.000115	J	0.000833	mg/kg wet	0.000100		115			
Thallium	0.000145	J	0.000833	mg/kg wet	0.000100		145			
Zinc	0.00401		0.00333	mg/kg wet	0.000667		602			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFD3610 - EPA 200.8 Solid (Continued)										
MDL Check (BFD3610-MRL2)					Prepared: 4/28/2022 Analyzed: 5/2/2022					
Arsenic	0.000233	J	0.000833	mg/kg wet	0.000333		70.0			
Copper	0.000733	J	0.00167	mg/kg wet	0.000667		110			
Matrix Spike (BFD3610-MS1)			**Source: 22A3944-29RE1**		Prepared: 4/28/2022 Analyzed: 4/29/2022					
Beryllium	0.920		0.0499	mg/kg dry	0.998	0.0769	84.4	75-125		
Cadmium	4.55		0.250	mg/kg dry	4.99	0.0221	90.7	75-125		
Chromium	19.0		0.749	mg/kg dry	15.0	4.47	96.9	75-125		
Lead	4.23		0.125	mg/kg dry	2.50	2.12	84.6	75-125		
Nickel	6.29		0.250	mg/kg dry	4.99	1.71	91.6	75-125		
Selenium	8.72		1.25	mg/kg dry	9.98	<1.25	87.4	75-125		
Silver	2.58		0.125	mg/kg dry	2.50	0.0108	103	75-125		
Thallium	2.38		0.125	mg/kg dry	2.50	0.0395	93.9	75-125		
Zinc	16.4		0.499	mg/kg dry	9.98	7.38	90.7	75-125		
Matrix Spike (BFD3610-MS2)			**Source: 22C3938-19**		Prepared: 4/28/2022 Analyzed: 4/29/2022					
Beryllium	1.02		0.0422	mg/kg dry	0.845	0.270	88.1	75-125		
Cadmium	4.20		0.212	mg/kg dry	4.23	0.0294	98.7	75-125		
Chromium	19.0		0.634	mg/kg dry	12.7	5.88	104	75-125		
Lead	16.2	J1	0.106	mg/kg dry	2.11	12.6	168	75-125		
Nickel	8.22		0.212	mg/kg dry	4.23	4.77	81.5	75-125		
Selenium	8.31		1.06	mg/kg dry	8.45	0.673	90.3	75-125		
Silver	2.32		0.106	mg/kg dry	2.11	0.0102	110	75-125		
Thallium	2.24		0.106	mg/kg dry	2.11	0.0372	104	75-125		
Zinc	25.7	J1	0.422	mg/kg dry	8.45	22.5	38.3	75-125		
Matrix Spike (BFD3610-MS3)			**Source: 22A3944-29RE1**		Prepared: 4/28/2022 Analyzed: 5/2/2022					
Arsenic	3.41		0.125	mg/kg dry	2.50	1.13	91.2	75-125		
Copper	5.99		0.250	mg/kg dry	4.99	1.18	96.3	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFD3610 - EPA 200.8 Solid (Continued)										
Matrix Spike (BFD3610-MS4)	**Source: 22C3938-19**				Prepared: 4/28/2022 Analyzed: 5/2/2022					
Arsenic	4.97		0.141	mg/kg dry	2.83	1.50	123	75-125		
Copper	29.0	J1	0.283	mg/kg dry	5.65	5.69	412	75-125		
Batch: SFB0279 - BFB2766										
Interference Check A (SFB0279-IFA1)					Prepared & Analyzed: 2/21/2022					
Selenium	0.257			ug/L				70-130		
Interference Check B (SFB0279-IFB1)					Prepared & Analyzed: 2/21/2022					
Selenium	191			ug/L	200		95.5	70-130		
Batch: SFB0291 - BFB2762										
Interference Check A (SFB0291-IFA1)					Prepared & Analyzed: 2/22/2022					
Antimony	0.256			ug/L				70-130		
Arsenic	0.0910			ug/L				70-130		
Cadmium	0.0720			ug/L				70-130		
Chromium	3.90			ug/L				70-130		
Copper	0.168			ug/L				70-130		
Lead	0.0650			ug/L				70-130		
Nickel	0.497			ug/L				70-130		
Selenium	0.257			ug/L				70-130		
Silver	0.0330			ug/L				70-130		
Thallium	0.0230			ug/L				70-130		
Zinc	0.799			ug/L				70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFB0291 - BFB2762 (Continued)										
Interference Check B (SFB0291-IFB1)					Prepared & Analyzed: 2/22/2022					
Antimony	104			ug/L	100		104	70-130		
Arsenic	52.8			ug/L	50.0		106	70-130		
Cadmium	92.6			ug/L	100		92.6	70-130		
Chromium	266			ug/L	300		88.8	70-130		
Copper	87.5			ug/L	100		87.5	70-130		
Lead	46.1			ug/L	50.0		92.1	70-130		
Nickel	85.5			ug/L	100		85.5	70-130		
Selenium	213			ug/L	200		107	70-130		
Silver	45.4			ug/L	50.0		90.8	70-130		
Thallium	48.1			ug/L	50.0		96.2	70-130		
Zinc	176			ug/L	200		88.0	70-130		
Batch: SFB0299 - BFB2807										
Interference Check A (SFB0299-IFA1)					Prepared & Analyzed: 2/22/2022					
Beryllium	0.00100			ug/L				70-130		
Interference Check B (SFB0299-IFB1)					Prepared & Analyzed: 2/22/2022					
Beryllium	15.7			ug/L	20.0		78.7	70-130		
Batch: SFB0359 - BFB2979										
Interference Check A (SFB0359-IFA1)					Prepared & Analyzed: 2/28/2022					
Selenium	0.0210			ug/L				70-130		
Interference Check B (SFB0359-IFB1)					Prepared & Analyzed: 2/28/2022					
Selenium	189			ug/L	200		94.6	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFC0031 - BFC0429										
Interference Check A (SFC0031-IFA1)					Prepared & Analyzed: 3/3/2022					
Selenium	0.421			ug/L				70-130		
Interference Check B (SFC0031-IFB1)					Prepared & Analyzed: 3/3/2022					
Selenium	211			ug/L	200		105	70-130		
Batch: SFC0037 - BFC0620										
Interference Check A (SFC0037-IFA1)					Prepared & Analyzed: 3/4/2022					
Antimony	0.212			ug/L				70-130		
Arsenic	0.124			ug/L				70-130		
Cadmium	0.0320			ug/L				70-130		
Chromium	5.11			ug/L				70-130		
Copper	0.333			ug/L				70-130		
Lead	0.0500			ug/L				70-130		
Selenium	0.213			ug/L				70-130		
Silver	0.00500			ug/L				70-130		
Thallium	0.00300			ug/L				70-130		
Zinc	1.17			ug/L				70-130		
Interference Check B (SFC0037-IFB1)					Prepared & Analyzed: 3/4/2022					
Antimony	108			ug/L	100		108	70-130		
Arsenic	52.3			ug/L	50.0		105	70-130		
Cadmium	96.4			ug/L	100		96.4	70-130		
Chromium	290			ug/L	300		96.7	70-130		
Copper	89.7			ug/L	100		89.7	70-130		
Lead	47.3			ug/L	50.0		94.7	70-130		
Selenium	203			ug/L	200		101	70-130		
Silver	51.0			ug/L	50.0		102	70-130		
Thallium	47.2			ug/L	50.0		94.3	70-130		
Zinc	181			ug/L	200		90.3	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFC0050 - BFC0177										
Interference Check A (SFC0050-IFA1)					Prepared & Analyzed: 3/7/2022					
Beryllium	0.00100			ug/L				70-130		
Nickel	0.527			ug/L				70-130		
Interference Check B (SFC0050-IFB1)					Prepared & Analyzed: 3/7/2022					
Beryllium	18.3			ug/L	20.0		91.7	70-130		
Nickel	99.7			ug/L	100		99.7	70-130		
Batch: SFC0069 - BFC0948										
Interference Check A (SFC0069-IFA1)					Prepared & Analyzed: 3/8/2022					
Selenium	-0.381	U		ug/L				70-130		
Interference Check B (SFC0069-IFB1)					Prepared & Analyzed: 3/8/2022					
Selenium	202			ug/L	200		101	70-130		
Batch: SFC0199 - BFC2626										
Interference Check A (SFC0199-IFA1)					Prepared & Analyzed: 3/18/2022					
Antimony	0.225			ug/L				70-130		
Arsenic	0.0340			ug/L				70-130		
Beryllium	0.00200			ug/L				70-130		
Cadmium	0.0420			ug/L				70-130		
Chromium	5.01			ug/L				70-130		
Copper	0.201			ug/L				70-130		
Lead	0.0570			ug/L				70-130		
Nickel	0.530			ug/L				70-130		
Selenium	-0.305	U		ug/L				70-130		
Silver	0.0250			ug/L				70-130		
Thallium	0.00700			ug/L				70-130		
Zinc	3.97			ug/L				70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFC0199 - BFC2626 (Continued)										
Interference Check B (SFC0199-IFB1)					Prepared & Analyzed: 3/18/2022					
Antimony	102			ug/L	100		102	70-130		
Arsenic	50.1			ug/L	50.0		100	70-130		
Beryllium	18.0			ug/L	20.0		90.2	70-130		
Cadmium	93.2			ug/L	100		93.2	70-130		
Chromium	301			ug/L	300		100	70-130		
Copper	89.0			ug/L	100		89.0	70-130		
Lead	46.0			ug/L	50.0		92.0	70-130		
Nickel	89.3			ug/L	100		89.3	70-130		
Selenium	195			ug/L	200		97.4	70-130		
Silver	48.3			ug/L	50.0		96.5	70-130		
Thallium	47.3			ug/L	50.0		94.7	70-130		
Zinc	180			ug/L	200		90.1	70-130		
Batch: SFE0004 - BFD3545										
Interference Check A (SFE0004-IFA1)					Prepared: 5/2/2022 Analyzed: 4/29/2022					
Beryllium	0.00500			ug/L				70-130		
Cadmium	0.0550			ug/L				70-130		
Chromium	4.78			ug/L				70-130		
Lead	0.0520			ug/L				70-130		
Nickel	0.351			ug/L				70-130		
Selenium	-1.00	U		ug/L				70-130		
Silver	0.0270			ug/L				70-130		
Thallium	0.00500			ug/L				70-130		
Zinc	0.512			ug/L				70-130		
Interference Check B (SFE0004-IFB1)					Prepared: 5/2/2022 Analyzed: 4/29/2022					
Beryllium	18.1			ug/L	20.0		90.7	70-130		
Cadmium	92.7			ug/L	100		92.7	70-130		
Chromium	299			ug/L	300		99.6	70-130		
Lead	45.8			ug/L	50.0		91.6	70-130		
Nickel	90.2			ug/L	100		90.2	70-130		
Selenium	190			ug/L	200		95.1	70-130		
Silver	50.8			ug/L	50.0		102	70-130		
Thallium	47.2			ug/L	50.0		94.4	70-130		
Zinc	174			ug/L	200		87.2	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFE0009 - BFD3545										
Interference Check A (SFE0009-IFA1)					Prepared & Analyzed: 5/2/2022					
Arsenic	-0.390	U		ug/L				70-130		
Copper	0.141			ug/L				70-130		
Interference Check B (SFE0009-IFB1)					Prepared & Analyzed: 5/2/2022					
Arsenic	49.2			ug/L	50.0		98.4	70-130		
Copper	91.2			ug/L	100		91.2	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB1206 - Cr VI										
Matrix Spike (BFB1206-MS1)		**Source: 22A3944-01**			Prepared & Analyzed: 2/9/2022					
Chromium (VI)	16.4	J1	5.00	ug/L	417	<5.00	3.94	70-130		
Matrix Spike Dup (BFB1206-MSD1)		**Source: 22A3944-01**			Prepared & Analyzed: 2/9/2022					
Chromium (VI)	23.3	J1	5.00	ug/L	417	<5.00	5.58	70-130	34.6	20
Batch: BFB2773 - EPA 200.8 Dissolved										
Blank (BFB2773-BLK1)					Prepared & Analyzed: 2/21/2022					
Antimony	<1.00	U	1.00	ug/L						
Arsenic	<0.500	U	0.500	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Chromium	<3.00	U	3.00	ug/L						
Copper	<1.00	U	1.00	ug/L						
Lead	<0.500	U	0.500	ug/L						
Nickel	<1.00	U	1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						
Blank (BFB2773-BLK2)					Prepared: 2/21/2022 Analyzed: 2/22/2022					
Beryllium	<0.200	U	0.200	ug/L						
Zinc	<2.00	U	2.00	ug/L						
LCS (BFB2773-BS1)					Prepared & Analyzed: 2/21/2022					
Antimony	106		1.00	ug/L	100		106	85-115		
Arsenic	53.1		0.500	ug/L	50.0		106	85-115		
Cadmium	102		1.00	ug/L	100		102	85-115		
Chromium	290		3.00	ug/L	300		96.7	85-115		
Copper	98.0		1.00	ug/L	100		98.0	85-115		
Lead	50.0		0.500	ug/L	50.0		100	85-115		
Nickel	99.3		1.00	ug/L	100		99.3	85-115		
Silver	53.2		0.500	ug/L	50.0		106	85-115		
Thallium	51.4		0.500	ug/L	50.0		103	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2773 - EPA 200.8 Dissolved (Continued)										
LCS (BFB2773-BS2)					Prepared: 2/21/2022 Analyzed: 2/22/2022					
Beryllium	18.4		0.200	ug/L	20.0		92.2	85-115		
Zinc	206		2.00	ug/L	200		103	85-115		
Duplicate (BFB2773-DUP1)			**Source: 22A3944-01**		Prepared & Analyzed: 2/21/2022					
Antimony	<1.00	U	1.00	ug/L		<1.00				20
Arsenic	<0.500	U	0.500	ug/L		<0.500				20
Cadmium	<1.00	U	1.00	ug/L		<1.00				20
Chromium	0.259	J	3.00	ug/L		0.186			32.8	20
Copper	0.316	J	1.00	ug/L		0.243			26.1	20
Lead	<0.500	U	0.500	ug/L		<0.500				20
Nickel	0.444	J	1.00	ug/L		0.0790			140	20
Silver	<0.500	U	0.500	ug/L		<0.500				20
Thallium	<0.500	U	0.500	ug/L		<0.500				20
Duplicate (BFB2773-DUP2)			**Source: 22A3944-01**		Prepared: 2/21/2022 Analyzed: 2/22/2022					
Beryllium	<0.200	U	0.200	ug/L		<0.200				20
Zinc	1.20	J	2.00	ug/L		1.26			5.12	20
MRL Check (BFB2773-MRL1)					Prepared & Analyzed: 2/21/2022					
Antimony	0.286	J	1.00	ug/L	0.200		143			
Arsenic	0.141	J	0.500	ug/L	0.100		141			
Cadmium	0.0580	J	1.00	ug/L	0.0500		116			
Chromium	0.134	J	3.00	ug/L	0.0800		168			
Copper	0.347	J	1.00	ug/L	0.200		174			
Lead	0.132	J	0.500	ug/L	0.100		132			
Nickel	0.0130	J	1.00	ug/L	0.0500		26.0			
Silver	0.0430	J	0.500	ug/L	0.0300		143			
Thallium	0.0480	J	0.500	ug/L	0.0300		160			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2773 - EPA 200.8 Dissolved (Continued)										
MRL Check (BFB2773-MRL2)					Prepared: 2/21/2022 Analyzed: 2/22/2022					
Beryllium	0.0150	J	0.200	ug/L	0.0100		150			
Zinc	0.484	J	2.00	ug/L	0.200		242			
Matrix Spike (BFB2773-MS1)			**Source: 22A3944-01**		Prepared & Analyzed: 2/21/2022					
Antimony	106		1.00	ug/L	100	<1.00	106	75-125		
Arsenic	53.0		0.500	ug/L	50.0	<0.500	106	75-125		
Cadmium	107		1.00	ug/L	100	<1.00	107	75-125		
Chromium	296		3.00	ug/L	300	0.186	98.5	75-125		
Copper	107		1.00	ug/L	100	0.243	107	75-125		
Lead	52.7		0.500	ug/L	50.0	<0.500	105	75-125		
Nickel	99.2		1.00	ug/L	100	0.0790	99.1	75-125		
Silver	56.5		0.500	ug/L	50.0	<0.500	113	75-125		
Thallium	52.8		0.500	ug/L	50.0	<0.500	106	75-125		
Matrix Spike (BFB2773-MS2)			**Source: 22A3944-01**		Prepared: 2/21/2022 Analyzed: 2/22/2022					
Beryllium	19.8		0.200	ug/L	20.0	<0.200	99.0	75-125		
Zinc	209		2.00	ug/L	200	1.26	104	75-125		
Batch: BFC0122 - Cr VI										
Blank (BFC0122-BLK1)					Prepared & Analyzed: 3/1/2022					
Chromium (VI)	<3.00	U	3.00	ug/L						
Blank (BFC0122-BLK2)					Prepared & Analyzed: 3/1/2022					
Chromium (VI)	<3.00	U	3.00	ug/L						
Blank (BFC0122-BLK3)					Prepared & Analyzed: 3/1/2022					
Chromium (VI)	<3.00	U	3.00	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0122 - Cr VI (Continued)										
LCS (BFC0122-BS1)					Prepared & Analyzed: 3/1/2022					
Chromium (VI)	248		3.00	ug/L	250		99.1	85-115		
LCS (BFC0122-BS2)					Prepared & Analyzed: 3/1/2022					
Chromium (VI)	251		3.00	ug/L	250		100	85-115		
LCS (BFC0122-BS3)					Prepared & Analyzed: 3/1/2022					
Chromium (VI)	250		3.00	ug/L	250		99.8	85-115		
Matrix Spike (BFC0122-MS1)		**Source: 22A3987-13**			Prepared & Analyzed: 3/1/2022					
Chromium (VI)	247		3.00	ug/L	250	3.06	97.4	70-130		
Matrix Spike Dup (BFC0122-MSD1)		**Source: 22A3987-13**			Prepared & Analyzed: 3/1/2022					
Chromium (VI)	256		3.00	ug/L	250	3.06	101	70-130	3.61	20
Batch: BFC0228 - EPA 200.8 Dissolved										
Blank (BFC0228-BLK1)					Prepared & Analyzed: 3/2/2022					
Antimony	<1.00	U	1.00	ug/L						
Arsenic	<0.500	U	0.500	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Chromium	<3.00	U	3.00	ug/L						
Copper	<1.00	U	1.00	ug/L						
Lead	<0.500	U	0.500	ug/L						
Nickel	0.321	J	1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						
Zinc	<2.00	U	2.00	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0228 - EPA 200.8 Dissolved (Continued)										
Blank (BFC0228-BLK2)					Prepared & Analyzed: 3/2/2022					
Beryllium	<0.200	U	0.200	ug/L						
LCS (BFC0228-BS1)					Prepared & Analyzed: 3/2/2022					
Antimony	104		1.00	ug/L	100		104	85-115		
Arsenic	50.9		0.500	ug/L	50.0		102	85-115		
Cadmium	98.9		1.00	ug/L	100		98.9	85-115		
Chromium	298		3.00	ug/L	300		99.3	85-115		
Copper	101		1.00	ug/L	100		101	85-115		
Lead	50.1		0.500	ug/L	50.0		100	85-115		
Nickel	97.2		1.00	ug/L	100		97.2	85-115		
Silver	51.0		0.500	ug/L	50.0		102	85-115		
Thallium	50.2		0.500	ug/L	50.0		100	85-115		
Zinc	202		2.00	ug/L	200		101	85-115		
LCS (BFC0228-BS2)					Prepared & Analyzed: 3/2/2022					
Beryllium	18.3		0.200	ug/L	20.0		91.3	85-115		
Duplicate (BFC0228-DUP1)		**Source: 22A3944-08**			Prepared & Analyzed: 3/2/2022					
Antimony	<10.0	U	10.0	ug/L		<10.0				20
Arsenic	6.99		5.00	ug/L		7.21			3.03	20
Cadmium	<10.0	U	10.0	ug/L		<10.0				20
Chromium	<30.0	U	30.0	ug/L		<30.0				20
Copper	4.88	J	10.0	ug/L		4.90			0.409	20
Lead	<5.00	U	5.00	ug/L		<5.00				20
Nickel	0.752	J	10.0	ug/L		0.893			17.1	20
Silver	<5.00	U	5.00	ug/L		<5.00				20
Thallium	<5.00	U	5.00	ug/L		<5.00				20
Zinc	<20.0	U	20.0	ug/L		<20.0				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0228 - EPA 200.8 Dissolved (Continued)										
Duplicate (BFC0228-DUP2)			**Source: 22A3944-08**		Prepared & Analyzed: 3/2/2022					
Beryllium	<2.00	U	2.00	ug/L		<2.00				20
MRL Check (BFC0228-MRL1)					Prepared & Analyzed: 3/2/2022					
Antimony	0.274	J	1.00	ug/L	0.200		137			
Arsenic	0.171	J	0.500	ug/L	0.100		171			
Cadmium	0.0750	J	1.00	ug/L	0.0500		150			
Chromium	0.267	J	3.00	ug/L	0.0800		334			
Copper	0.637	J	1.00	ug/L	0.200		318			
Lead	0.133	J	0.500	ug/L	0.100		133			
Nickel	0.819	J	1.00	ug/L	0.0500		NR			
Silver	0.0440	J	0.500	ug/L	0.0300		147			
Thallium	0.0630	J	0.500	ug/L	0.0300		210			
Zinc	0.0320	J	2.00	ug/L	0.200		16.0			
MRL Check (BFC0228-MRL2)					Prepared & Analyzed: 3/2/2022					
Beryllium	0.0190	J	0.200	ug/L	0.0100		190			
Matrix Spike (BFC0228-MS1)			**Source: 22A3944-08**		Prepared & Analyzed: 3/2/2022					
Antimony	97.5		10.0	ug/L	100	<10.0	97.5	75-125		
Arsenic	58.7		5.00	ug/L	50.0	7.21	103	75-125		
Cadmium	88.2		10.0	ug/L	100	<10.0	88.2	75-125		
Chromium	309		30.0	ug/L	300	<30.0	103	75-125		
Copper	93.1		10.0	ug/L	100	4.90	88.2	75-125		
Lead	43.2		5.00	ug/L	50.0	<5.00	86.3	75-125		
Nickel	91.2		10.0	ug/L	100	0.893	90.3	75-125		
Silver	44.0		5.00	ug/L	50.0	<5.00	88.0	75-125		
Thallium	41.0		5.00	ug/L	50.0	<5.00	82.1	75-125		
Zinc	186		20.0	ug/L	200	<20.0	92.8	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0228 - EPA 200.8 Dissolved (Continued)										
Matrix Spike (BFC0228-MS2)	**Source: 22A3944-08**				Prepared & Analyzed: 3/2/2022					
Beryllium	12.7	J1	2.00	ug/L	20.0	<2.00	63.5	75-125		
Batch: BFC0429 - EPA 200.8 Dissolved										
Blank (BFC0429-BLK1)					Prepared & Analyzed: 3/3/2022					
Antimony	<1.00	U	1.00	ug/L						
Arsenic	<0.500	U	0.500	ug/L						
Beryllium	0.0140	J	0.200	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Chromium	<3.00	U	3.00	ug/L						
Copper	0.837	J	1.00	ug/L						
Lead	<0.500	U	0.500	ug/L						
Nickel	0.317	J	1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						
Zinc	<2.00	U	2.00	ug/L						
LCS (BFC0429-BS1)					Prepared & Analyzed: 3/3/2022					
Antimony	88.6		1.00	ug/L	100		88.6	85-115		
Arsenic	49.6		0.500	ug/L	50.0		99.1	85-115		
Beryllium	22.3		0.200	ug/L	20.0		111	85-115		
Cadmium	102		1.00	ug/L	100		102	85-115		
Chromium	329		3.00	ug/L	300		110	85-115		
Copper	99.3		1.00	ug/L	100		99.3	85-115		
Lead	48.0		0.500	ug/L	50.0		96.0	85-115		
Nickel	108		1.00	ug/L	100		108	85-115		
Silver	50.4		0.500	ug/L	50.0		101	85-115		
Thallium	50.1		0.500	ug/L	50.0		100	85-115		
Zinc	206		2.00	ug/L	200		103	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0429 - EPA 200.8 Dissolved (Continued)										
Duplicate (BFC0429-DUP1)		**Source: 22A3944-09**			Prepared & Analyzed: 3/3/2022					
Antimony	<10.0	U	10.0	ug/L		<10.0				20
Arsenic	7.75		5.00	ug/L		6.70			14.5	20
Beryllium	<2.00	U	2.00	ug/L		<2.00				20
Cadmium	<10.0	U	10.0	ug/L		<10.0				20
Chromium	<30.0	U	30.0	ug/L		<30.0				20
Copper	<10.0	U	10.0	ug/L		<10.0				20
Lead	<5.00	U	5.00	ug/L		<5.00				20
Nickel	0.663	J	10.0	ug/L		<10.0			200	20
Silver	<5.00	U	5.00	ug/L		<5.00				20
Thallium	<5.00	U	5.00	ug/L		<5.00				20
Zinc	<20.0	U	20.0	ug/L		<20.0				20
MRL Check (BFC0429-MRL1)					Prepared & Analyzed: 3/3/2022					
Antimony	0.244	J	1.00	ug/L	0.200		122			
Arsenic	0.0610	J	0.500	ug/L	0.100		61.0			
Beryllium	0.0150	J	0.200	ug/L	0.0100		150			
Cadmium	0.0490	J	1.00	ug/L	0.0500		98.0			
Chromium	0.0930	J	3.00	ug/L	0.0800		116			
Copper	0.169	J	1.00	ug/L	0.200		84.5			
Lead	0.100	J	0.500	ug/L	0.100		100			
Nickel	0.338	J	1.00	ug/L	0.0500		676			
Silver	0.0310	J	0.500	ug/L	0.0300		103			
Thallium	0.0350	J	0.500	ug/L	0.0300		117			
Zinc	4.33		2.00	ug/L	0.200		NR			
Matrix Spike (BFC0429-MS1)		**Source: 22A3944-09**			Prepared & Analyzed: 3/3/2022					
Antimony	74.1	J1	10.0	ug/L	100	<10.0	74.1	75-125		
Arsenic	53.1		5.00	ug/L	50.0	6.70	92.8	75-125		
Beryllium	18.5		2.00	ug/L	20.0	<2.00	92.3	75-125		
Cadmium	80.6		10.0	ug/L	100	<10.0	80.6	75-125		
Chromium	257		30.0	ug/L	300	<30.0	85.7	75-125		
Copper	82.3		10.0	ug/L	100	<10.0	82.3	75-125		
Lead	41.3		5.00	ug/L	50.0	<5.00	82.7	75-125		
Nickel	87.7		10.0	ug/L	100	<10.0	87.7	75-125		
Silver	38.6		5.00	ug/L	50.0	<5.00	77.1	75-125		
Thallium	40.4		5.00	ug/L	50.0	<5.00	80.9	75-125		
Zinc	166		20.0	ug/L	200	<20.0	82.8	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1109 - EPA 200.8 Dissolved										
Blank (BFC1109-BLK1)					Prepared: 3/8/2022 Analyzed: 3/9/2022					
Antimony	<1.00	U	1.00	ug/L						
Arsenic	<0.500	U	0.500	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Chromium	<3.00	U	3.00	ug/L						
Copper	0.391	J	1.00	ug/L						
Lead	<0.500	U	0.500	ug/L						
Nickel	0.377	J	1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						
Blank (BFC1109-BLK2)					Prepared: 3/8/2022 Analyzed: 3/9/2022					
Zinc	<2.00	U	2.00	ug/L						
Blank (BFC1109-BLK3)					Prepared: 3/8/2022 Analyzed: 3/10/2022					
Beryllium	<0.200	U	0.200	ug/L						
LCS (BFC1109-BS1)					Prepared: 3/8/2022 Analyzed: 3/9/2022					
Antimony	103		1.00	ug/L	100		103	85-115		
Arsenic	48.6		0.500	ug/L	50.0		97.2	85-115		
Cadmium	98.9		1.00	ug/L	100		98.9	85-115		
Chromium	301		3.00	ug/L	300		100	85-115		
Copper	99.6		1.00	ug/L	100		99.6	85-115		
Lead	48.9		0.500	ug/L	50.0		97.8	85-115		
Nickel	96.8		1.00	ug/L	100		96.8	85-115		
Silver	52.0		0.500	ug/L	50.0		104	85-115		
Thallium	50.5		0.500	ug/L	50.0		101	85-115		
LCS (BFC1109-BS2)					Prepared: 3/8/2022 Analyzed: 3/9/2022					
Zinc	196		2.00	ug/L	200		98.2	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1109 - EPA 200.8 Dissolved (Continued)										
LCS (BFC1109-BS3)					Prepared: 3/8/2022 Analyzed: 3/10/2022					
Beryllium	17.7		0.200	ug/L	20.0		88.5	85-115		
Duplicate (BFC1109-DUP1)			**Source: 22B3342-01**		Prepared: 3/8/2022 Analyzed: 3/9/2022					
Antimony	0.871	J	1.00	ug/L		0.943			7.94	20
Arsenic	<0.500	U	0.500	ug/L		<0.500				20
Cadmium	<1.00	U	1.00	ug/L		<1.00				20
Chromium	0.152	J	3.00	ug/L		0.135			11.8	20
Copper	1.84		1.00	ug/L		1.94			5.40	20
Lead	0.168	J	0.500	ug/L		0.191			12.8	20
Nickel	0.571	J	1.00	ug/L		0.561			1.77	20
Silver	<0.500	U	0.500	ug/L		<0.500				20
Thallium	<0.500	U	0.500	ug/L		<0.500				20
Duplicate (BFC1109-DUP2)			**Source: 22B3342-01**		Prepared: 3/8/2022 Analyzed: 3/9/2022					
Zinc	11.3		2.00	ug/L		12.0			5.80	20
Duplicate (BFC1109-DUP3)			**Source: 22B3342-01**		Prepared: 3/8/2022 Analyzed: 3/10/2022					
Beryllium	<0.200	U	0.200	ug/L		<0.200				20
MRL Check (BFC1109-MRL1)					Prepared: 3/8/2022 Analyzed: 3/9/2022					
Antimony	0.240	J	1.00	ug/L	0.200		120			
Arsenic	0.101	J	0.500	ug/L	0.100		101			
Cadmium	0.0450	J	1.00	ug/L	0.0500		90.0			
Chromium	0.138	J	3.00	ug/L	0.0800		172			
Copper	0.458	J	1.00	ug/L	0.200		229			
Lead	0.128	J	0.500	ug/L	0.100		128			
Nickel	0.472	J	1.00	ug/L	0.0500		944			
Silver	0.0420	J	0.500	ug/L	0.0300		140			
Thallium	0.0460	J	0.500	ug/L	0.0300		153			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1109 - EPA 200.8 Dissolved (Continued)										
MRL Check (BFC1109-MRL2)					Prepared: 3/8/2022 Analyzed: 3/9/2022					
Zinc	0.295	J	2.00	ug/L	0.200		148	70-130		
MRL Check (BFC1109-MRL3)					Prepared: 3/8/2022 Analyzed: 3/10/2022					
Beryllium	0.0140	J	0.200	ug/L	0.0100		140			
Matrix Spike (BFC1109-MS1)		**Source: 22B3342-01**			Prepared: 3/8/2022 Analyzed: 3/9/2022					
Antimony	99.7		1.00	ug/L	100	0.943	98.7	75-125		
Arsenic	46.7		0.500	ug/L	50.0	<0.500	93.4	75-125		
Cadmium	94.7		1.00	ug/L	100	<1.00	94.7	75-125		
Chromium	297		3.00	ug/L	300	0.135	99.0	75-125		
Copper	99.5		1.00	ug/L	100	1.94	97.6	75-125		
Lead	46.8		0.500	ug/L	50.0	0.191	93.1	75-125		
Nickel	93.5		1.00	ug/L	100	0.561	92.9	75-125		
Silver	49.9		0.500	ug/L	50.0	<0.500	99.7	75-125		
Thallium	47.5		0.500	ug/L	50.0	<0.500	95.0	75-125		
Matrix Spike (BFC1109-MS2)		**Source: 22B3342-01**			Prepared: 3/8/2022 Analyzed: 3/9/2022					
Zinc	212		2.00	ug/L	200	12.0	100	75-125		
Matrix Spike (BFC1109-MS3)		**Source: 22B3342-01**			Prepared: 3/8/2022 Analyzed: 3/10/2022					
Beryllium	18.2		0.200	ug/L	20.0	<0.200	91.0	75-125		
Batch: BFC1350 - Cr VI										
Blank (BFC1350-BLK1)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	<3.00	U	3.00	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1350 - Cr VI (Continued)										
Blank (BFC1350-BLK2)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	<3.00	U	3.00	ug/L						
Blank (BFC1350-BLK3)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	<3.00	U	3.00	ug/L						
LCS (BFC1350-BS1)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	238		3.00	ug/L	250		95.3	85-115		
LCS (BFC1350-BS2)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	244		3.00	ug/L	250		97.8	85-115		
LCS (BFC1350-BS3)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	245		3.00	ug/L	250		97.8	85-115		
BFC0552-BLK1 (BFC1350-LBK1)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	20.6		3.00	ug/L						
BFC1063-BLK1 (BFC1350-LBK2)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	19.3		3.00	ug/L						
Matrix Spike (BFC1350-MS1)		**Source: 22A3987-01**			Prepared & Analyzed: 3/9/2022					
Chromium (VI)	642	J1	3.00	ug/L	250	<3.00	257	70-130		
Matrix Spike Dup (BFC1350-MSD1)		**Source: 22A3987-01**			Prepared & Analyzed: 3/9/2022					
Chromium (VI)	663	J1	3.00	ug/L	250	<3.00	265	70-130	3.31	20
Batch: BFC1943 - Cr VI										
BFB3010-BLK1 (BFC1943-LBK1)					Prepared & Analyzed: 3/14/2022					
Chromium (VI)	9.65		3.00	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1943 - Cr VI (Continued)										
BFB3292-BLK1 (BFC1943-LBK2)					Prepared & Analyzed: 3/14/2022					
Chromium (VI)	6.22		3.00	ug/L						
Matrix Spike (BFC1943-MS1)		**Source: 22C2241-02**			Prepared & Analyzed: 3/14/2022					
Chromium (VI)	256		3.00	ug/L	250	1.80	102	70-130		
Matrix Spike Dup (BFC1943-MSD1)		**Source: 22C2241-02**			Prepared & Analyzed: 3/14/2022					
Chromium (VI)	256		3.00	ug/L	250	1.80	102	70-130	0.203	20
Batch: SFB0281 - BFB1613										
Interference Check A (SFB0281-IFA1)					Prepared & Analyzed: 2/21/2022					
Antimony	0.263			ug/L				70-130		
Arsenic	0.203			ug/L				70-130		
Cadmium	0.0880			ug/L				70-130		
Chromium	3.93			ug/L				70-130		
Copper	0.149			ug/L				70-130		
Lead	0.0590			ug/L				70-130		
Nickel	0.346			ug/L				70-130		
Silver	0.0360			ug/L				70-130		
Thallium	0.0110			ug/L				70-130		
Interference Check B (SFB0281-IFB1)					Prepared & Analyzed: 2/21/2022					
Antimony	111			ug/L	100		111	70-130		
Arsenic	50.6			ug/L	50.0		101	70-130		
Cadmium	103			ug/L	100		103	70-130		
Chromium	257			ug/L	300		85.6	70-130		
Copper	90.6			ug/L	100		90.6	70-130		
Lead	45.2			ug/L	50.0		90.5	70-130		
Nickel	88.1			ug/L	100		88.1	70-130		
Silver	55.9			ug/L	50.0		112	70-130		
Thallium	47.3			ug/L	50.0		94.5	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFB0288 - BFB2773										
Interference Check A (SFB0288-IFA1)					Prepared & Analyzed: 2/22/2022					
Beryllium	0.00200			ug/L				70-130		
Zinc	0.776			ug/L				70-130		
Interference Check B (SFB0288-IFB1)					Prepared & Analyzed: 2/22/2022					
Beryllium	15.1			ug/L	20.0		75.7	70-130		
Zinc	171			ug/L	200		85.3	70-130		
Batch: SFC0024 - BFB3136										
Interference Check A (SFC0024-IFA1)					Prepared & Analyzed: 3/2/2022					
Antimony	0.221			ug/L				70-130		
Arsenic	0.100			ug/L				70-130		
Cadmium	0.0930			ug/L				70-130		
Chromium	4.45			ug/L				70-130		
Copper	0.197			ug/L				70-130		
Lead	0.0710			ug/L				70-130		
Nickel	0.516			ug/L				70-130		
Silver	0.0380			ug/L				70-130		
Thallium	0.0180			ug/L				70-130		
Zinc	0.997			ug/L				70-130		
Interference Check B (SFC0024-IFB1)					Prepared & Analyzed: 3/2/2022					
Antimony	107			ug/L	100		107	70-130		
Arsenic	50.2			ug/L	50.0		100	70-130		
Cadmium	98.0			ug/L	100		98.0	70-130		
Chromium	275			ug/L	300		91.8	70-130		
Copper	88.1			ug/L	100		88.1	70-130		
Lead	44.5			ug/L	50.0		88.9	70-130		
Nickel	85.6			ug/L	100		85.6	70-130		
Silver	50.2			ug/L	50.0		100	70-130		
Thallium	44.8			ug/L	50.0		89.5	70-130		
Zinc	170			ug/L	200		84.8	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFC0025 - BFC0175										
Interference Check A (SFC0025-IFA1)					Prepared & Analyzed: 3/2/2022					
Beryllium	0.0110			ug/L				70-130		
Interference Check B (SFC0025-IFB1)					Prepared & Analyzed: 3/2/2022					
Beryllium	14.9			ug/L	20.0		74.6	70-130		
Batch: SFC0031 - BFC0429										
Interference Check A (SFC0031-IFA1)					Prepared & Analyzed: 3/3/2022					
Antimony	0.210			ug/L				70-130		
Arsenic	0.0750			ug/L				70-130		
Cadmium	0.0520			ug/L				70-130		
Chromium	4.13			ug/L				70-130		
Copper	0.263			ug/L				70-130		
Lead	0.0520			ug/L				70-130		
Nickel	0.478			ug/L				70-130		
Silver	0.0190			ug/L				70-130		
Thallium	0.00100			ug/L				70-130		
Zinc	0.839			ug/L				70-130		
Interference Check B (SFC0031-IFB1)					Prepared & Analyzed: 3/3/2022					
Antimony	108			ug/L	100		108	70-130		
Arsenic	54.1			ug/L	50.0		108	70-130		
Cadmium	94.5			ug/L	100		94.5	70-130		
Chromium	260			ug/L	300		86.7	70-130		
Copper	84.4			ug/L	100		84.4	70-130		
Lead	49.4			ug/L	50.0		98.9	70-130		
Nickel	87.4			ug/L	100		87.4	70-130		
Silver	44.7			ug/L	50.0		89.5	70-130		
Thallium	50.2			ug/L	50.0		100	70-130		
Zinc	173			ug/L	200		86.7	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFC0084 - BFC0618										
Interference Check A (SFC0084-IFA1)					Prepared & Analyzed: 3/9/2022					
Antimony	0.242			ug/L				70-130		
Arsenic	0.0440			ug/L				70-130		
Cadmium	0.0400			ug/L				70-130		
Chromium	4.15			ug/L				70-130		
Copper	0.375			ug/L				70-130		
Lead	0.0590			ug/L				70-130		
Nickel	0.936			ug/L				70-130		
Silver	-0.0220	U		ug/L				70-130		
Thallium	0.0150			ug/L				70-130		
Interference Check B (SFC0084-IFB1)					Prepared & Analyzed: 3/9/2022					
Antimony	107			ug/L	100		107	70-130		
Arsenic	52.0			ug/L	50.0		104	70-130		
Cadmium	95.6			ug/L	100		95.6	70-130		
Chromium	272			ug/L	300		90.6	70-130		
Copper	83.4			ug/L	100		83.4	70-130		
Lead	46.3			ug/L	50.0		92.5	70-130		
Nickel	82.8			ug/L	100		82.8	70-130		
Silver	48.2			ug/L	50.0		96.5	70-130		
Thallium	47.9			ug/L	50.0		95.7	70-130		
Batch: SFC0092 - BFC1109										
Interference Check A (SFC0092-IFA1)					Prepared & Analyzed: 3/9/2022					
Zinc	3.51			ug/L				70-130		
Interference Check B (SFC0092-IFB1)					Prepared & Analyzed: 3/9/2022					
Zinc	178			ug/L	200		89.1	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFC0104 - BFC1109										
Interference Check A (SFC0104-IFA1)					Prepared & Analyzed: 3/10/2022					
Beryllium	0.00200			ug/L				70-130		
Interference Check B (SFC0104-IFB1)					Prepared & Analyzed: 3/10/2022					
Beryllium	16.1			ug/L	20.0		80.5	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2600 - Percent Solids										
Blank (BFB2600-BLK1)					Prepared: 2/18/2022 Analyzed: 2/21/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFB2600-DUP1)			**Source: 22B3021-07**		Prepared: 2/18/2022 Analyzed: 2/21/2022					
% Solids	1.99		0.100	%		2.02			1.47	10
Duplicate (BFB2600-DUP2)			**Source: 22B3133-07**		Prepared: 2/18/2022 Analyzed: 2/21/2022					
% Solids	1.75		0.100	%		1.76			0.316	10
Reference (BFB2600-SRM1)					Prepared: 2/18/2022 Analyzed: 2/21/2022					
% Solids	0.352		0.100	%	0.350		100	78.9-118		
Batch: BFB2790 - TSS										
Blank (BFB2790-BLK1)					Prepared: 2/21/2022 Analyzed: 2/22/2022					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
LCS (BFB2790-BS1)					Prepared: 2/21/2022 Analyzed: 2/22/2022					
Residue-nonfilterable (TSS)	101		1.00	mg/L	100		101	85-115		
Duplicate (BFB2790-DUP1)			**Source: 22A3987-04**		Prepared: 2/21/2022 Analyzed: 2/22/2022					
Residue-nonfilterable (TSS)	19.1		1.00	mg/L		16.9			12.3	20
Duplicate (BFB2790-DUP2)			**Source: 22B3183-01**		Prepared: 2/21/2022 Analyzed: 2/22/2022					
Residue-nonfilterable (TSS)	24.5		1.00	mg/L		24.2			1.03	10
Batch: BFB2875 - Percent Solids										
Blank (BFB2875-BLK1)					Prepared: 2/22/2022 Analyzed: 2/23/2022					
% Solids	<0.100	U	0.100	%						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2875 - Percent Solids (Continued)										
Duplicate (BFB2875-DUP1)		**Source: 22B3228-01**			Prepared: 2/22/2022 Analyzed: 2/23/2022					
% Solids	1.74		0.100	%		1.74			0.145	10
Duplicate (BFB2875-DUP2)		**Source: 22B3309-06**			Prepared: 2/22/2022 Analyzed: 2/23/2022					
% Solids	1.58		0.100	%		1.59			0.655	10
Reference (BFB2875-SRM1)					Prepared: 2/22/2022 Analyzed: 2/23/2022					
% Solids	0.349		0.100	%	0.350		99.8	78.9-118		
Batch: BFB2941 - NH3-N SEAL-350.1										
MRL Check (BFB2941-MRL1)					Prepared & Analyzed: 2/24/2022					
Ammonia as N	0.0437			mg/L	0.0500		87.4	50-150		
Matrix Spike (BFB2941-MS1)		**Source: 22B0311-01**			Prepared & Analyzed: 2/24/2022					
Ammonia as N	1.53	J1	0.100	mg/L	0.400	0.930	150	90-110		
Matrix Spike (BFB2941-MS2)		**Source: 22A3944-07**			Prepared & Analyzed: 2/24/2022					
Ammonia as N	1.04	J1	0.100	mg/L	0.400	0.375	166	90-110		
Matrix Spike Dup (BFB2941-MSD1)		**Source: 22B0311-01**			Prepared & Analyzed: 2/24/2022					
Ammonia as N	1.56	J1	0.100	mg/L	0.400	0.930	157	90-110	1.56	20
Matrix Spike Dup (BFB2941-MSD2)		**Source: 22A3944-07**			Prepared & Analyzed: 2/24/2022					
Ammonia as N	1.11	J1	0.100	mg/L	0.400	0.375	183	90-110	6.36	20
Batch: BFB2981 - Percent Solids										
Blank (BFB2981-BLK1)					Prepared: 2/23/2022 Analyzed: 2/24/2022					
% Solids	<0.100	U	0.100	%						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB2981 - Percent Solids (Continued)										
Duplicate (BFB2981-DUP1)		**Source: 22B3275-08**			Prepared: 2/23/2022 Analyzed: 2/24/2022					
% Solids	0.939		0.100	%		0.940			0.152	10
Duplicate (BFB2981-DUP2)		**Source: 22B3417-05**			Prepared: 2/23/2022 Analyzed: 2/24/2022					
% Solids	1.51		0.100	%		1.51			0.529	10
Reference (BFB2981-SRM1)					Prepared: 2/23/2022 Analyzed: 2/24/2022					
% Solids	0.348		0.100	%	0.350		99.4	78.9-118		
Batch: BFB3065 - TSS										
Blank (BFB3065-BLK1)					Prepared: 2/23/2022 Analyzed: 2/24/2022					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
LCS (BFB3065-BS1)					Prepared: 2/23/2022 Analyzed: 2/24/2022					
Residue-nonfilterable (TSS)	91.5		1.00	mg/L	100		91.5	85-115		
Duplicate (BFB3065-DUP1)		**Source: 22A3944-10**			Prepared: 2/23/2022 Analyzed: 2/24/2022					
Residue-nonfilterable (TSS)	73.2	J1	1.00	mg/L		33.8			73.8	20
Duplicate (BFB3065-DUP2)		**Source: 22B3382-01**			Prepared: 2/23/2022 Analyzed: 2/24/2022					
Residue-nonfilterable (TSS)	6.89		1.00	mg/L		6.44			6.67	10
Batch: BFB3066 - pH										
LCS (BFB3066-BS1)					Prepared & Analyzed: 2/23/2022					
pH	6.90			pH Units @ 25 °C	6.86		101	98.6-101.4		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3066 - pH (Continued)										
Duplicate (BFB3066-DUP1)		**Source: 22A3944-28**			Prepared & Analyzed: 2/23/2022					
pH	8.71		0.100	pH Units @ 25 °C		8.74			0.344	200
Batch: BFB3287 - CN-9014										
Blank (BFB3287-BLK1)					Prepared: 2/24/2022 Analyzed: 2/25/2022					
Total Cyanide	<0.0505	U	0.0505	mg/kg wet						
QCS (BFB3287-BS1)					Prepared: 2/24/2022 Analyzed: 2/25/2022					
Total Cyanide	0.955		0.0500	mg/kg wet	1.00		95.5	90-110		
MRL Check (BFB3287-MRL1)					Prepared: 2/24/2022 Analyzed: 2/25/2022					
Total Cyanide	0.0509		0.0490	mg/kg wet	0.0980		51.9	50-150		
Matrix Spike (BFB3287-MS1)		**Source: 22A3944-28**			Prepared: 2/24/2022 Analyzed: 2/25/2022					
Total Cyanide	1.01		0.0547	mg/kg dry	1.09	<0.0547	92.7	80-120		
Matrix Spike Dup (BFB3287-MSD1)		**Source: 22A3944-28**			Prepared: 2/24/2022 Analyzed: 2/25/2022					
Total Cyanide	1.08		0.0580	mg/kg dry	1.16	<0.0580	92.7	80-120	5.86	20
Batch: BFB3351 - Percent Solids										
Blank (BFB3351-BLK1)					Prepared: 2/25/2022 Analyzed: 2/28/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFB3351-DUP1)		**Source: 22B3738-03**			Prepared: 2/25/2022 Analyzed: 2/28/2022					
% Solids	1.56		0.100	%		1.58			1.32	10

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3351 - Percent Solids (Continued)										
Duplicate (BFB3351-DUP2)		**Source: 22B3792-01**			Prepared: 2/25/2022 Analyzed: 2/28/2022					
% Solids	14.6		0.100	%		14.7			0.237	10
Reference (BFB3351-SRM1)					Prepared: 2/25/2022 Analyzed: 2/28/2022					
% Solids	0.356		0.100	%	0.350		102	78.9-118		
Batch: BFB3688 - TSS										
Blank (BFB3688-BLK1)					Prepared: 2/28/2022 Analyzed: 3/1/2022					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
LCS (BFB3688-BS1)					Prepared: 2/28/2022 Analyzed: 3/1/2022					
Residue-nonfilterable (TSS)	96.3		1.00	mg/L	100		96.3	85-115		
Duplicate (BFB3688-DUP1)		**Source: 22B3633-01**			Prepared: 2/28/2022 Analyzed: 3/1/2022					
Residue-nonfilterable (TSS)	1.68		1.00	mg/L		1.68			0.00	10
Duplicate (BFB3688-DUP2)		**Source: 22B3791-01**			Prepared: 2/28/2022 Analyzed: 3/1/2022					
Residue-nonfilterable (TSS)	4.00		1.00	mg/L		3.79			5.41	10
Batch: BFC0103 - pH										
LCS (BFC0103-BS1)					Prepared & Analyzed: 3/1/2022					
pH	6.87			pH Units @ 25 °C	6.86		100	98.6-101.4		
Duplicate (BFC0103-DUP1)		**Source: 22A3944-36**			Prepared & Analyzed: 3/1/2022					
pH	8.40		0.100	pH Units @ 25 °C		8.34			0.717	200

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0271 - CN-9014										
Blank (BFC0271-BLK1)					Prepared: 3/2/2022 Analyzed: 3/4/2022					
Total Cyanide	<0.0495	U	0.0495	mg/kg wet						
QCS (BFC0271-BS1)					Prepared: 3/2/2022 Analyzed: 3/4/2022					
Total Cyanide	0.961		0.0485	mg/kg wet	0.971		99.0	90-110		
MRL Check (BFC0271-MRL1)					Prepared: 3/2/2022 Analyzed: 3/4/2022					
Total Cyanide	0.0582		0.0521	mg/kg wet	0.104		55.9	50-150		
Matrix Spike (BFC0271-MS1)		**Source: 22B3776-01**			Prepared: 3/2/2022 Analyzed: 3/4/2022					
Total Cyanide	14.1	J1	0.357	mg/kg wet	7.14	26.0	NR	80-120		
Matrix Spike Dup (BFC0271-MSD1)		**Source: 22B3776-01**			Prepared: 3/2/2022 Analyzed: 3/4/2022					
Total Cyanide	27.5	J1, L	0.385	mg/kg wet	7.69	26.0	20.0	80-120	64.7	20
Batch: BFC0534 - Percent Solids										
Blank (BFC0534-BLK1)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFC0534-DUP1)		**Source: 22C0820-03**			Prepared: 3/3/2022 Analyzed: 3/4/2022					
% Solids	2.41		0.100	%		2.42			0.311	10
Duplicate (BFC0534-DUP2)		**Source: 22C0887-07**			Prepared: 3/3/2022 Analyzed: 3/4/2022					
% Solids	1.80		0.100	%		1.81			0.159	10
Reference (BFC0534-SRM1)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
% Solids	0.339		0.100	%	0.350		96.7	78.9-118		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0540 - TSS										
Blank (BFC0540-BLK1)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
LCS (BFC0540-BS1)					Prepared: 3/3/2022 Analyzed: 3/4/2022					
Residue-nonfilterable (TSS)	97.8		1.00	mg/L	100		97.8	85-115		
Duplicate (BFC0540-DUP1)		**Source: 22A3944-09**			Prepared: 3/3/2022 Analyzed: 3/4/2022					
Residue-nonfilterable (TSS)	100		1.00	mg/L		99.2			1.25	10
Duplicate (BFC0540-DUP2)		**Source: 22C1099-01**			Prepared: 3/3/2022 Analyzed: 3/4/2022					
Residue-nonfilterable (TSS)	12.2		1.00	mg/L		12.2			0.00	10
Batch: BFC0646 - Percent Solids										
Blank (BFC0646-BLK1)					Prepared: 3/4/2022 Analyzed: 3/7/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFC0646-DUP1)		**Source: 22C1259-01**			Prepared: 3/4/2022 Analyzed: 3/7/2022					
% Solids	2.36		0.100	%		2.36			0.0456	10
Duplicate (BFC0646-DUP2)		**Source: 22C1361-07**			Prepared: 3/4/2022 Analyzed: 3/7/2022					
% Solids	2.01		0.100	%		2.02			0.302	10
Reference (BFC0646-SRM1)					Prepared: 3/4/2022 Analyzed: 3/7/2022					
% Solids	0.352		0.100	%	0.350		101	78.9-118		
Batch: BFC0772 - NH3-N T										
Blank (BFC0772-BLK1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
Ammonia as N	<19.9	U	19.9	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0772 - NH3-N T (Continued)										
LCS (BFC0772-BS1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
Ammonia as N	204		20.0	mg/kg wet	200		102	85-115		
Duplicate (BFC0772-DUP1)		**Source: 22A3944-28**			Prepared: 3/4/2022 Analyzed: 3/8/2022					
Ammonia as N	<23.0	U	23.0	mg/kg dry		<23.0				20
MRL Check (BFC0772-MRL1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
Ammonia as N	18.9	J	19.9	mg/kg wet	19.9		95.2	50-150		
Matrix Spike (BFC0772-MS1)		**Source: 22A3944-28**			Prepared: 3/4/2022 Analyzed: 3/8/2022					
Ammonia as N	235		22.7	mg/kg dry	227	<22.7	104	85-115		
Batch: BFC0778 - pH										
LCS (BFC0778-BS1)					Prepared & Analyzed: 3/4/2022					
pH	6.88			pH Units @ 25 °C	6.86		100	98.6-101.4		
Duplicate (BFC0778-DUP1)		**Source: 22A3944-29**			Prepared & Analyzed: 3/4/2022					
pH	8.24		0.100	pH Units @ 25 °C		8.25			0.121	200
Batch: BFC1054 - Percent Solids										
Blank (BFC1054-BLK1)					Prepared: 3/7/2022 Analyzed: 3/8/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFC1054-DUP1)		**Source: 22C1409-06**			Prepared: 3/7/2022 Analyzed: 3/8/2022					
% Solids	0.813		0.100	%		0.843			3.58	10

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1054 - Percent Solids (Continued)										
Duplicate (BFC1054-DUP2)		**Source: 22C1705-01**			Prepared: 3/7/2022 Analyzed: 3/8/2022					
% Solids	1.81		0.100	%		1.81			0.00823	10
Reference (BFC1054-SRM1)					Prepared: 3/7/2022 Analyzed: 3/8/2022					
% Solids	0.347		0.100	%	0.350		99.1	78.9-118		
Batch: BFC1138 - pH										
LCS (BFC1138-BS1)					Prepared & Analyzed: 3/8/2022					
pH	6.88			pH Units @ 25 °C	6.86		100	98.6-101.4		
Duplicate (BFC1138-DUP1)		**Source: 22A3944-43**			Prepared & Analyzed: 3/8/2022					
pH	8.59		0.100	pH Units @ 25 °C		8.58			0.116	200
Batch: BFC1141 - TSS										
Blank (BFC1141-BLK1)					Prepared: 3/8/2022 Analyzed: 3/9/2022					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
LCS (BFC1141-BS1)					Prepared: 3/8/2022 Analyzed: 3/9/2022					
Residue-nonfilterable (TSS)	100		1.00	mg/L	100		100	85-115		
Duplicate (BFC1141-DUP1)		**Source: 22C1494-01**			Prepared: 3/8/2022 Analyzed: 3/9/2022					
Residue-nonfilterable (TSS)	2.11		1.00	mg/L		2.11			0.00	10
Duplicate (BFC1141-DUP2)		**Source: 22C1652-02**			Prepared: 3/8/2022 Analyzed: 3/9/2022					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L		1.05			200	30

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1222 - Percent Solids										
Blank (BFC1222-BLK1)					Prepared: 3/9/2022 Analyzed: 3/10/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFC1222-DUP1)		**Source: 22C1501-06**			Prepared: 3/9/2022 Analyzed: 3/10/2022					
% Solids	1.17		0.100	%		1.17			0.0691	10
Duplicate (BFC1222-DUP2)		**Source: 22C1863-01**			Prepared: 3/9/2022 Analyzed: 3/10/2022					
% Solids	1.72		0.100	%		1.73			0.767	10
Reference (BFC1222-SRM1)					Prepared: 3/9/2022 Analyzed: 3/10/2022					
% Solids	0.353		0.100	%	0.350		101	78.9-118		
Batch: BFC1379 - Alkalinity										
Blank (BFC1379-BLK1)					Prepared & Analyzed: 3/10/2022					
Salinity	<1.00	U	1.00	Salinity units						
LCS (BFC1379-BS3)					Prepared & Analyzed: 3/10/2022					
Salinity	32.1			Salinity units	35.0		91.8	90-110		
Duplicate (BFC1379-DUP1)		**Source: 22C0062-01**			Prepared & Analyzed: 3/10/2022					
Salinity	<1.00	U	1.00	Salinity units		<1.00				15
Duplicate (BFC1379-DUP2)		**Source: 22C0411-01**			Prepared & Analyzed: 3/10/2022					
Salinity	1.78		1.00	Salinity units		1.78			0.00	15
Batch: BFC1476 - CN-9014										
Blank (BFC1476-BLK1)					Prepared: 3/10/2022 Analyzed: 3/11/2022					
Total Cyanide	<0.0505	U	0.0505	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1476 - CN-9014 (Continued)										
QCS (BFC1476-BS1)					Prepared: 3/10/2022 Analyzed: 3/11/2022					
Total Cyanide	0.895		0.0490	mg/kg wet	0.980		91.3	90-110		
MRL Check (BFC1476-MRL1)					Prepared: 3/10/2022 Analyzed: 3/11/2022					
Total Cyanide	0.107		0.0472	mg/kg wet	0.0943		114	50-150		
Matrix Spike (BFC1476-MS1)		**Source: 22A1433-59**			Prepared: 3/10/2022 Analyzed: 3/11/2022					
Total Cyanide	0.712	J1	0.104	mg/kg dry	2.08	<0.104	34.2	80-120		
Matrix Spike Dup (BFC1476-MSD1)		**Source: 22A1433-59**			Prepared: 3/10/2022 Analyzed: 3/11/2022					
Total Cyanide	1.37	J1	0.112	mg/kg dry	2.24	<0.112	61.1	80-120	62.9	20
Batch: BFC2072 - NH3-N SEAL-350.1										
BFC0552-LBK1 (BFC2072-LBK1)					Prepared & Analyzed: 3/16/2022					
Ammonia as N	<0.0500	U	0.0500	mg/L						
MRL Check (BFC2072-MRL1)					Prepared & Analyzed: 3/16/2022					
Ammonia as N	0.0378			mg/L	0.0500		75.6	50-150		
Matrix Spike (BFC2072-MS1)		**Source: 22A3944-19**			Prepared & Analyzed: 3/16/2022					
Ammonia as N	0.111	J1	0.0500	mg/L	0.400	0.0552	14.0	90-110		
Matrix Spike (BFC2072-MS2)		**Source: 22B3342-06**			Prepared & Analyzed: 3/16/2022					
Ammonia as N	0.905		0.0500	mg/L	0.400	0.520	96.2	90-110		
Matrix Spike Dup (BFC2072-MSD1)		**Source: 22A3944-19**			Prepared & Analyzed: 3/16/2022					
Ammonia as N	0.0486	J1, J	0.0500	mg/L	0.400	0.0552	NR	90-110	78.5	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2072 - NH3-N SEAL-350.1 (Continued)										
Matrix Spike Dup (BFC2072-MSD2)		**Source: 22B3342-06**			Prepared & Analyzed: 3/16/2022					
Ammonia as N	0.892		0.0500	mg/L	0.400	0.520	93.1	90-110	1.38	20
Batch: BFC2785 - NH3-N SEAL-350.1										
MRL Check (BFC2785-MRL1)					Prepared & Analyzed: 3/21/2022					
Ammonia as N	0.0478			mg/L	0.0500		95.6	50-150		
Matrix Spike (BFC2785-MS1)		**Source: 22C3022-03**			Prepared & Analyzed: 3/21/2022					
Ammonia as N	47.2		2.50	mg/L	0.400	46.8	101	90-110		
Matrix Spike (BFC2785-MS2)		**Source: 22C3124-05**			Prepared & Analyzed: 3/21/2022					
Ammonia as N	56.3		5.00	mg/L	0.400	55.9	106	90-110		
Matrix Spike Dup (BFC2785-MSD1)		**Source: 22C3022-03**			Prepared & Analyzed: 3/21/2022					
Ammonia as N	47.2		2.50	mg/L	0.400	46.8	98.0	90-110	0.0263	20
Matrix Spike Dup (BFC2785-MSD2)		**Source: 22C3124-05**			Prepared & Analyzed: 3/21/2022					
Ammonia as N	56.3		5.00	mg/L	0.400	55.9	94.7	90-110	0.0815	20
Batch: BFC3789 - NH3-N T										
Blank (BFC3789-BLK1)					Prepared: 3/27/2022 Analyzed: 3/29/2022					
Ammonia as N	<20.0	U	20.0	mg/kg wet						
LCS (BFC3789-BS1)					Prepared: 3/27/2022 Analyzed: 3/29/2022					
Ammonia as N	187		20.0	mg/kg wet	200		93.8	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC3789 - NH3-N T (Continued)										
Duplicate (BFC3789-DUP1)		**Source: 22A3944-43**			Prepared: 3/27/2022 Analyzed: 3/29/2022					
Ammonia as N	39.3		34.2	mg/kg dry		42.2			7.26	20
MRL Check (BFC3789-MRL1)					Prepared: 3/27/2022 Analyzed: 3/29/2022					
Ammonia as N	19.0	J	20.0	mg/kg wet	20.0		95.2	50-150		
Matrix Spike (BFC3789-MS1)		**Source: 22A3944-43**			Prepared: 3/27/2022 Analyzed: 3/29/2022					
Ammonia as N	362		34.0	mg/kg dry	340	42.2	94.0	85-115		
Batch: BFE3293 - Percent Solids										
Blank (BFE3293-BLK1)					Prepared: 5/25/2022 Analyzed: 5/26/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFE3293-DUP1)		**Source: 22E3599-07**			Prepared: 5/25/2022 Analyzed: 5/26/2022					
% Solids	1.22		0.100	%		1.23			0.789	10
Duplicate (BFE3293-DUP2)		**Source: 22E3683-04**			Prepared: 5/25/2022 Analyzed: 5/26/2022					
% Solids	0.689		0.100	%		0.684			0.699	10
Reference (BFE3293-SRM1)					Prepared: 5/25/2022 Analyzed: 5/26/2022					
% Solids	0.325		0.100	%	0.350		92.9	78.9-118		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511										
Blank (BFB3690-BLK1)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	<0.549	U	0.549	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.549	U	0.549	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.549	U	0.549	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.549	U	0.549	ug/L						
2,4-Dichlorophenol	<0.549	U	0.549	ug/L						
2,4-Dimethylphenol	<1.10	U	1.10	ug/L						
2,4-Dinitrophenol	<4.40	U	4.40	ug/L						
Acenaphthene	<0.549	U	0.549	ug/L						
Acenaphthylene	<0.549	U	0.549	ug/L						
Anthracene	<0.549	U	0.549	ug/L						
Benzo(a)anthracene	<0.549	U	0.549	ug/L						
Benzo(a)pyrene	<0.549	U	0.549	ug/L						
benzo(b&k)fluoranthene	<1.10	U	1.10	ug/L						
Benzo(g,h,i)perylene	<0.549	U	0.549	ug/L						
Chrysene	<0.549	U	0.549	ug/L						
Dibenzo(a,h)anthracene	<0.549	U	0.549	ug/L						
Diethyl phthalate	<0.549	U	0.549	ug/L						
Fluoranthene	<0.549	U	0.549	ug/L						
Fluorene	<0.549	U	0.549	ug/L						
Hexachlorobenzene	<0.549	U	0.549	ug/L						
Indeno(1,2,3-cd) pyrene	<0.549	U	0.549	ug/L						
Naphthalene	<0.549	U	0.549	ug/L						
Pentachlorophenol	<1.10	U	1.10	ug/L						
Phenanthrene	<0.549	U	0.549	ug/L						
Phenol, Total	<1.10	U	1.10	ug/L						
Pyrene	<0.549	U	0.549	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*10.9*	*ug/L*	*9.77*		*111*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.0*	*ug/L*	*19.5*		*118*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.1*	*ug/L*	*19.5*		*97.6*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.8*	*ug/L*	*9.77*		*121*	*52-162*		
Surrogate: Phenol-d5-surr			*22.5*	*ug/L*	*19.5*		*115*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*13.8*	*ug/L*	*9.77*		*142*	*51.9-147*		

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
Blank (BFB3690-BLK2)					Prepared: 2/28/2022 Analyzed: 3/23/2022					
Surrogate: 2-Fluorobiphenyl-surr			*9.82*	*ug/L*	*9.77*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.9*	*ug/L*	*19.5*		*112*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.2*	*ug/L*	*19.5*		*88.0*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.2*	*ug/L*	*9.77*		*125*	*52-162*		
Surrogate: Phenol-d5-surr			*25.2*	*ug/L*	*19.5*		*129*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.82*	*ug/L*	*9.77*		*101*	*51.9-147*		
Blank (BFB3690-BLK3)					Prepared: 2/28/2022 Analyzed: 3/25/2022					
Surrogate: 2-Fluorobiphenyl-surr			*8.71*	*ug/L*	*9.77*		*89.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*12.4*	*ug/L*	*19.5*		*63.4*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*13.1*	*ug/L*	*19.5*		*67.0*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.79*	*ug/L*	*9.77*		*100*	*52-162*		
Surrogate: Phenol-d5-surr			*13.9*	*ug/L*	*19.5*		*71.0*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.39*	*ug/L*	*9.77*		*85.9*	*51.9-147*		
LCS (BFB3690-BS1)					Prepared: 2/28/2022 Analyzed: 3/25/2022					
Surrogate: 2-Fluorobiphenyl-surr			*9.33*	*ug/L*	*9.89*		*94.4*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*12.8*	*ug/L*	*19.8*		*64.5*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*13.5*	*ug/L*	*19.8*		*68.3*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.7*	*ug/L*	*9.89*		*108*	*52-162*		
Surrogate: Phenol-d5-surr			*15.9*	*ug/L*	*19.8*		*80.4*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.95*	*ug/L*	*9.89*		*80.4*	*51.9-147*		
LCS (BFB3690-BS2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	8.03		0.557	ug/L	9.91		81.1	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.18		0.557	ug/L	9.91		82.6	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.74		0.557	ug/L	9.91		68.0	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	8.06		0.557	ug/L	9.91		81.4	60-140		
2,4-Dichlorophenol	23.4		0.557	ug/L	19.8		118	60-140		
2,4-Dimethylphenol	19.0		1.11	ug/L	19.8		95.9	35.9-153		
2,4-Dinitrophenol	46.9		4.46	ug/L	49.5		94.7	60-140		
Acenaphthene	7.55		0.557	ug/L	9.91		76.2	60-140		
Acenaphthylene	7.99		0.557	ug/L	9.91		80.6	60-140		
Anthracene	8.52		0.557	ug/L	9.91		86.0	60-140		
Benzo(a)anthracene	7.60		0.557	ug/L	9.91		76.7	60-140		
Benzo(a)pyrene	8.21		0.557	ug/L	9.91		82.8	60-140		
benzo(b&k)fluoranthene	17.1		1.11	ug/L	19.8		86.2	60-140		
Benzo(g,h,i)perylene	8.63		0.557	ug/L	9.91		87.1	60-140		
Chrysene	9.00		0.557	ug/L	9.91		90.8	60-140		
Dibenzo(a,h)anthracene	8.42		0.557	ug/L	9.91		85.0	60-140		
Diethyl phthalate	8.43		0.557	ug/L	9.91		85.1	60-140		
Fluoranthene	7.97		0.557	ug/L	9.91		80.4	60-140		
Fluorene	8.60		0.557	ug/L	9.91		86.8	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
LCS (BFB3690-BS2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
Hexachlorobenzene	8.15		0.557	ug/L	9.91		82.2	60-140		
Indeno(1,2,3-cd) pyrene	8.82		0.557	ug/L	9.91		89.1	60-140		
Naphthalene	9.27		0.557	ug/L	9.91		93.6	60-140		
Pentachlorophenol	18.6		1.11	ug/L	19.8		94.1	36.8-149		
Phenanthrene	8.27		0.557	ug/L	9.91		83.4	60-140		
Phenol, Total	22.1		1.11	ug/L	19.8		111	60-140		
Pyrene	8.45		0.557	ug/L	9.91		85.3	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*10.8*	*ug/L*	*9.91*		*109*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.2*	*ug/L*	*19.8*		*102*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.5*	*ug/L*	*19.8*		*93.4*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.26*	*ug/L*	*9.91*		*93.5*	*52-162*		
Surrogate: Phenol-d5-surr			*17.1*	*ug/L*	*19.8*		*86.4*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.6*	*ug/L*	*9.91*		*107*	*51.9-147*		
LCS (BFB3690-BS3)					Prepared: 2/28/2022 Analyzed: 3/23/2022					
Surrogate: 2-Fluorobiphenyl-surr			*10.5*	*ug/L*	*9.91*		*106*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.5*	*ug/L*	*19.8*		*108*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.1*	*ug/L*	*19.8*		*107*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.9*	*ug/L*	*9.91*		*120*	*52-162*		
Surrogate: Phenol-d5-surr			*27.3*	*ug/L*	*19.8*		*138*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.55*	*ug/L*	*9.91*		*86.3*	*51.9-147*		
LCS Dup (BFB3690-BSD1)					Prepared: 2/28/2022 Analyzed: 3/25/2022					
Surrogate: 2-Fluorobiphenyl-surr			*9.60*	*ug/L*	*9.89*		*97.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*15.1*	*ug/L*	*19.8*		*76.3*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*15.1*	*ug/L*	*19.8*		*76.4*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.4*	*ug/L*	*9.89*		*116*	*52-162*		
Surrogate: Phenol-d5-surr			*18.4*	*ug/L*	*19.8*		*92.8*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.96*	*ug/L*	*9.89*		*90.6*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
LCS Dup (BFB3690-BSD2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	9.39		0.553	ug/L	9.82		95.5	60-140	15.5	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.54		0.553	ug/L	9.82		87.0	60-140	4.29	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	7.41		0.553	ug/L	9.82		75.4	60-140	9.50	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	10.5		0.553	ug/L	9.82		107	60-140	26.5	40
2,4-Dichlorophenol	24.5		0.553	ug/L	19.6		125	60-140	4.57	40
2,4-Dimethylphenol	22.0		1.11	ug/L	19.6		112	35.9-153	14.7	40
2,4-Dinitrophenol	47.7		4.42	ug/L	49.1		97.2	60-140	1.72	40
Acenaphthene	9.16		0.553	ug/L	9.82		93.2	60-140	19.3	40
Acenaphthylene	8.43		0.553	ug/L	9.82		85.9	60-140	5.44	40
Anthracene	8.32		0.553	ug/L	9.82		84.7	60-140	2.38	40
Benzo(a)anthracene	8.82		0.553	ug/L	9.82		89.7	60-140	14.8	40
Benzo(a)pyrene	9.35		0.553	ug/L	9.82		95.2	60-140	13.0	40
benzo(b&k)fluoranthene	18.2		1.11	ug/L	19.6		92.9	60-140	6.59	40
Benzo(g,h,i)perylene	9.37		0.553	ug/L	9.82		95.4	60-140	8.21	40
Chrysene	9.67		0.553	ug/L	9.82		98.5	60-140	7.25	40
Dibenzo(a,h)anthracene	9.21		0.553	ug/L	9.82		93.8	60-140	8.96	40
Diethyl phthalate	9.02		0.553	ug/L	9.82		91.8	60-140	6.73	40
Fluoranthene	9.53		0.553	ug/L	9.82		97.0	60-140	17.8	40
Fluorene	10.2		0.553	ug/L	9.82		104	60-140	17.1	40
Hexachlorobenzene	8.91		0.553	ug/L	9.82		90.7	60-140	8.94	40
Indeno(1,2,3-cd) pyrene	9.23		0.553	ug/L	9.82		93.9	60-140	4.45	40
Naphthalene	9.80		0.553	ug/L	9.82		99.8	60-140	5.55	40
Pentachlorophenol	21.1		1.11	ug/L	19.6		107	36.8-149	12.5	40
Phenanthrene	9.58		0.553	ug/L	9.82		97.5	60-140	14.7	40
Phenol, Total	23.6		1.11	ug/L	19.6		120	60-140	6.57	40
Pyrene	9.65		0.553	ug/L	9.82		98.3	60-140	13.3	40
Surrogate: 2-Fluorobiphenyl-surr			*12.7*	*ug/L*	*9.82*		*130*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*24.3*	*ug/L*	*19.6*		*124*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.1*	*ug/L*	*19.6*		*108*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.2*	*ug/L*	*9.82*		*124*	*52-162*		
Surrogate: Phenol-d5-surr			*23.1*	*ug/L*	*19.6*		*118*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*11.9*	*ug/L*	*9.82*		*121*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
LCS Dup (BFB3690-BSD3)					Prepared: 2/28/2022 Analyzed: 3/23/2022					
Surrogate: 2-Fluorobiphenyl-surr			*10.9*	*ug/L*	*9.82*		*111*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.8*	*ug/L*	*19.6*		*111*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.2*	*ug/L*	*19.6*		*113*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*13.3*	*ug/L*	*9.82*		*135*	*52-162*		
Surrogate: Phenol-d5-surr			*29.1*	*ug/L*	*19.6*		*148*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.51*	*ug/L*	*9.82*		*96.9*	*51.9-147*		
BFB3292-BLK1 (BFB3690-LBK1)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	<0.561	U	0.561	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.561	U	0.561	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.561	U	0.561	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.561	U	0.561	ug/L						
2,4-Dichlorophenol	<0.561	U	0.561	ug/L						
2,4-Dimethylphenol	<1.12	U	1.12	ug/L						
2,4-Dinitrophenol	<4.49	U	4.49	ug/L						
Acenaphthene	<0.561	U	0.561	ug/L						
Acenaphthylene	<0.561	U	0.561	ug/L						
Anthracene	<0.561	U	0.561	ug/L						
Benzo(a)anthracene	<0.561	U	0.561	ug/L						
Benzo(a)pyrene	<0.561	U	0.561	ug/L						
benzo(b&k)fluoranthene	<1.12	U	1.12	ug/L						
Benzo(g,h,i)perylene	<0.561	U	0.561	ug/L						
Chrysene	<0.561	U	0.561	ug/L						
Dibenzo(a,h)anthracene	<0.561	U	0.561	ug/L						
Diethyl phthalate	1.18		0.561	ug/L						
Fluoranthene	<0.561	U	0.561	ug/L						
Fluorene	<0.561	U	0.561	ug/L						
Hexachlorobenzene	<0.561	U	0.561	ug/L						
Indeno(1,2,3-cd) pyrene	<0.561	U	0.561	ug/L						
Naphthalene	<0.561	U	0.561	ug/L						
Pentachlorophenol	<1.12	U	1.12	ug/L						
Phenanthrene	<0.561	U	0.561	ug/L						
Phenol, Total	1.76		1.12	ug/L						
Pyrene	<0.561	U	0.561	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*13.0*	*ug/L*	*9.97*		*131*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*25.2*	*ug/L*	*19.9*		*126*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*23.1*	*ug/L*	*19.9*		*116*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*13.0*	*ug/L*	*9.97*		*131*	*52-162*		
Surrogate: Phenol-d5-surr			*24.2*	*ug/L*	*19.9*		*121*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*11.5*	*ug/L*	*9.97*		*115*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
BFB3010-BLK1 (BFB3690-LBK3)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	<0.552	U	0.552	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.552	U	0.552	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.552	U	0.552	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.552	U	0.552	ug/L						
2,4-Dichlorophenol	<0.552	U	0.552	ug/L						
2,4-Dimethylphenol	<1.10	U	1.10	ug/L						
2,4-Dinitrophenol	<4.42	U	4.42	ug/L						
Acenaphthene	<0.552	U	0.552	ug/L						
Acenaphthylene	<0.552	U	0.552	ug/L						
Anthracene	<0.552	U	0.552	ug/L						
Benzo(a)anthracene	<0.552	U	0.552	ug/L						
Benzo(a)pyrene	<0.552	U	0.552	ug/L						
benzo(b&k)fluoranthene	<1.10	U	1.10	ug/L						
Benzo(g,h,i)perylene	<0.552	U	0.552	ug/L						
Chrysene	<0.552	U	0.552	ug/L						
Dibenzo(a,h)anthracene	<0.552	U	0.552	ug/L						
Diethyl phthalate	0.902		0.552	ug/L						
Fluoranthene	<0.552	U	0.552	ug/L						
Fluorene	<0.552	U	0.552	ug/L						
Hexachlorobenzene	<0.552	U	0.552	ug/L						
Indeno(1,2,3-cd) pyrene	<0.552	U	0.552	ug/L						
Naphthalene	<0.552	U	0.552	ug/L						
Pentachlorophenol	<1.10	U	1.10	ug/L						
Phenanthrene	<0.552	U	0.552	ug/L						
Phenol, Total	1.03	J	1.10	ug/L						
Pyrene	<0.552	U	0.552	ug/L						
Surrogate: 2-Fluorobiphenyl-surr	*S*		*15.6*	*ug/L*	*9.82*		*159*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*27.8*	*ug/L*	*19.6*		*141*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*25.6*	*ug/L*	*19.6*		*130*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*13.6*	*ug/L*	*9.82*		*139*	*52-162*		
Surrogate: Phenol-d5-surr			*25.4*	*ug/L*	*19.6*		*129*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*11.8*	*ug/L*	*9.82*		*120*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
BFB3292-BLK1 (BFB3690-LBK4)					Prepared: 2/28/2022 Analyzed: 3/23/2022					
Surrogate: 2-Fluorobiphenyl-surr			*10.9*	*ug/L*	*9.97*		*109*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*24.9*	*ug/L*	*19.9*		*125*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.8*	*ug/L*	*19.9*		*105*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*13.5*	*ug/L*	*9.97*		*135*	*52-162*		
Surrogate: Phenol-d5-surr			*28.7*	*ug/L*	*19.9*		*144*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.96*	*ug/L*	*9.97*		*99.8*	*51.9-147*		
BFB3292-BLK1 (BFB3690-LBK5)					Prepared: 2/28/2022 Analyzed: 3/25/2022					
Surrogate: 2-Fluorobiphenyl-surr			*9.23*	*ug/L*	*9.97*		*92.6*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*16.4*	*ug/L*	*19.9*		*82.0*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*6.53*	*ug/L*	*19.9*		*32.7*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.8*	*ug/L*	*9.97*		*108*	*52-162*		
Surrogate: Phenol-d5-surr			*16.2*	*ug/L*	*19.9*		*81.2*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.59*	*ug/L*	*9.97*		*96.2*	*51.9-147*		
MDL BENZ (BFB3690-MRL1)					Prepared: 2/28/2022 Analyzed: 3/25/2022					
Surrogate: 2-Fluorobiphenyl-surr			*9.47*	*ug/L*	*9.76*		*97.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*12.9*	*ug/L*	*19.5*		*66.2*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*15.0*	*ug/L*	*19.5*		*77.1*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.1*	*ug/L*	*9.76*		*114*	*52-162*		
Surrogate: Phenol-d5-surr			*17.9*	*ug/L*	*19.5*		*92.0*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.97*	*ug/L*	*9.76*		*81.7*	*51.9-147*		
MDL SV (BFB3690-MRL2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	0.834	J1	0.555	ug/L	0.493		169	50-150		
1,2-Dichlorobenzene (o-Dichlorobenzene)	0.375	J	0.555	ug/L	0.493		75.9	50-150		
1,3-Dichlorobenzene (m-Dichlorobenzene)	0.323	J	0.555	ug/L	0.493		65.4	50-150		
1,4-Dichlorobenzene (p-Dichlorobenzene)	0.296	J	0.555	ug/L	0.493		60.0	50-150		
2,4-Dichlorophenol	1.13		0.555	ug/L	0.987		114	50-150		
2,4-Dimethylphenol	1.76	J1	1.11	ug/L	0.987		178	50-150		
2,4-Dinitrophenol	<4.44	J1, U	4.44	ug/L	2.47			50-150		
Acenaphthene	0.451	J	0.555	ug/L	0.493		91.4	50-150		
Acenaphthylene	0.536	J	0.555	ug/L	0.493		109	50-150		
Anthracene	0.517	J	0.555	ug/L	0.493		105	50-150		
Benzo(a)anthracene	0.461	J	0.555	ug/L	0.493		93.5	50-150		
Benzo(a)pyrene	0.542	J	0.555	ug/L	0.493		110	50-150		
benzo(b&k)fluoranthene	1.12		1.11	ug/L	0.987		113	50-150		
Benzo(g,h,i)perylene	0.486	J	0.555	ug/L	0.493		98.5	50-150		
Chrysene	0.495	J	0.555	ug/L	0.493		100	50-150		
Dibenzo(a,h)anthracene	0.496	J	0.555	ug/L	0.493		101	50-150		
Diethyl phthalate	0.361	J	0.555	ug/L	0.493		73.2	50-150		
Fluoranthene	<0.555	J1, U	0.555	ug/L	0.493			50-150		
Fluorene	0.490	J	0.555	ug/L	0.493		99.4	50-150		

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
MDL SV (BFB3690-MRL2)					Prepared: 2/28/2022 Analyzed: 3/4/2022					
Hexachlorobenzene	0.576		0.555	ug/L	0.493		117	50-150		
Indeno(1,2,3-cd) pyrene	0.636		0.555	ug/L	0.493		129	50-150		
Naphthalene	0.501	J	0.555	ug/L	0.493		102	50-150		
Pentachlorophenol	1.43		1.11	ug/L	0.987		145	50-150		
Phenanthrene	0.415	J	0.555	ug/L	0.493		84.2	50-150		
Phenol, Total	1.63	J1	1.11	ug/L	0.987		165	50-150		
Pyrene	0.586		0.555	ug/L	0.493		119	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*11.8*	*ug/L*	*9.87*		*120*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.9*	*ug/L*	*19.7*		*116*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.7*	*ug/L*	*19.7*		*99.6*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.3*	*ug/L*	*9.87*		*104*	*52-162*		
Surrogate: Phenol-d5-surr			*20.2*	*ug/L*	*19.7*		*102*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*12.7*	*ug/L*	*9.87*		*129*	*51.9-147*		
MDL SV (BFB3690-MRL3)					Prepared: 2/28/2022 Analyzed: 3/23/2022					
Surrogate: 2-Fluorobiphenyl-surr			*10.2*	*ug/L*	*9.87*		*104*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.6*	*ug/L*	*19.7*		*110*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.6*	*ug/L*	*19.7*		*89.1*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.6*	*ug/L*	*9.87*		*128*	*52-162*		
Surrogate: Phenol-d5-surr			*27.1*	*ug/L*	*19.7*		*137*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.89*	*ug/L*	*9.87*		*100*	*51.9-147*		
Matrix Spike (BFB3690-MS1)		**Source: 22B3212-01**			Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	29.1		2.16	ug/L	38.5	<2.16	75.6	35.3-142		
1,2-Dichlorobenzene (o-Dichlorobenzene)	31.2		2.16	ug/L	38.5	<2.16	81.0	31.4-142		
1,3-Dichlorobenzene (m-Dichlorobenzene)	27.0		2.16	ug/L	38.5	<2.16	70.3	30.5-135		
1,4-Dichlorobenzene (p-Dichlorobenzene)	26.8		2.16	ug/L	38.5	<2.16	69.6	37.2-133		
2,4-Dichlorophenol	109		2.16	ug/L	76.9	<2.16	142	42.7-158		
2,4-Dimethylphenol	79.4		4.33	ug/L	76.9	<4.33	103	38.4-170		
2,4-Dinitrophenol	221		17.3	ug/L	192	<17.3	115	60-140		
Acenaphthene	35.0		2.16	ug/L	38.5	<2.16	91.0	47.3-149		
Acenaphthylene	34.3		2.16	ug/L	38.5	<2.16	89.1	56.5-173		
Anthracene	33.7		2.16	ug/L	38.5	<2.16	87.5	49.7-160		
Benzo(a)anthracene	33.8		2.16	ug/L	38.5	<2.16	87.8	41.7-151		
Benzo(a)pyrene	36.5		2.16	ug/L	38.5	<2.16	94.9	45.4-133		
benzo(b&k)fluoranthene	72.9		4.33	ug/L	76.9	<4.33	94.7	55.3-137		
Benzo(g,h,i)perylene	35.0		2.16	ug/L	38.5	<2.16	91.1	37.9-152		
Chrysene	36.3		2.16	ug/L	38.5	<2.16	94.4	51-147		
Dibenzo(a,h)anthracene	34.4		2.16	ug/L	38.5	<2.16	89.3	27.5-156		
Diethyl phthalate	36.8		2.16	ug/L	38.5	<2.16	95.8	53.4-146		
Fluoranthene	34.1		2.16	ug/L	38.5	<2.16	88.6	45.3-156		
Fluorene	40.4		2.16	ug/L	38.5	<2.16	105	56.3-145		
Hexachlorobenzene	38.7		2.16	ug/L	38.5	<2.16	101	56.1-137		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
Matrix Spike (BFB3690-MS1)	**Source: 22B3212-01**				Prepared: 2/28/2022 Analyzed: 3/4/2022					
Indeno(1,2,3-cd) pyrene	36.2		2.16	ug/L	38.5	<2.16	94.2	33.4-153		
Naphthalene	40.5		2.16	ug/L	38.5	<2.16	105	45.1-153		
Pentachlorophenol	91.6		4.33	ug/L	76.9	<4.33	119	42.2-151		
Phenanthrene	34.3		2.16	ug/L	38.5	<2.16	89.2	45.3-165		
Phenol, Total	98.5		4.33	ug/L	76.9	<4.33	128	39.8-164		
Pyrene	37.8		2.16	ug/L	38.5	<2.16	98.4	46.3-149		
Surrogate: 2-Fluorobiphenyl-surr			*51.1*	*ug/L*	*38.5*		*133*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*86.3*	*ug/L*	*76.9*		*112*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*109*	*ug/L*	*76.9*		*142*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*53.3*	*ug/L*	*38.5*		*139*	*52-162*		
Surrogate: Phenol-d5-surr			*95.6*	*ug/L*	*76.9*		*124*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*44.6*	*ug/L*	*38.5*		*116*	*51.9-147*		
Matrix Spike (BFB3690-MS2)	**Source: 22B3212-01RE1**				Prepared: 2/28/2022 Analyzed: 3/23/2022					
Surrogate: 2-Fluorobiphenyl-surr			*38.9*	*ug/L*	*38.5*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*85.6*	*ug/L*	*76.9*		*111*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*97.7*	*ug/L*	*76.9*		*127*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*47.3*	*ug/L*	*38.5*		*123*	*52-162*		
Surrogate: Phenol-d5-surr			*102*	*ug/L*	*76.9*		*133*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*37.6*	*ug/L*	*38.5*		*97.6*	*51.9-147*		
Matrix Spike Dup (BFB3690-MSD1)	**Source: 22B3212-01**				Prepared: 2/28/2022 Analyzed: 3/4/2022					
1,2,4-Trichlorobenzene	31.6		2.21	ug/L	39.2	<2.21	80.6	35.3-142	8.33	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	30.0		2.21	ug/L	39.2	<2.21	76.5	31.4-142	3.76	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	28.5		2.21	ug/L	39.2	<2.21	72.7	30.5-135	5.28	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	27.4		2.21	ug/L	39.2	<2.21	70.0	37.2-133	2.52	40
2,4-Dichlorophenol	144	J1	2.21	ug/L	78.4	<2.21	184	42.7-158	27.6	40
2,4-Dimethylphenol	88.5		4.41	ug/L	78.4	<4.41	113	38.4-170	10.8	40
2,4-Dinitrophenol	230		17.6	ug/L	196	<17.6	117	60-140	3.74	40
Acenaphthene	35.2		2.21	ug/L	39.2	<2.21	89.7	47.3-149	0.489	40
Acenaphthylene	33.7		2.21	ug/L	39.2	<2.21	85.9	56.5-173	1.70	40
Anthracene	37.6		2.21	ug/L	39.2	<2.21	96.0	49.7-160	11.1	40
Benzo(a)anthracene	29.7		2.21	ug/L	39.2	<2.21	75.7	41.7-151	12.9	40
Benzo(a)pyrene	36.0		2.21	ug/L	39.2	<2.21	91.8	45.4-133	1.38	40
benzo(b&k)fluoranthene	73.7		4.41	ug/L	78.4	<4.41	93.9	55.3-137	1.10	40
Benzo(g,h,i)perylene	38.4		2.21	ug/L	39.2	<2.21	97.8	37.9-152	9.07	40
Chrysene	39.7		2.21	ug/L	39.2	<2.21	101	51-147	8.99	40
Dibenzo(a,h)anthracene	36.5		2.21	ug/L	39.2	<2.21	93.1	27.5-156	6.02	40
Diethyl phthalate	37.0		2.21	ug/L	39.2	<2.21	94.3	53.4-146	0.362	40
Fluoranthene	39.2		2.21	ug/L	39.2	<2.21	100	45.3-156	14.0	40
Fluorene	39.5		2.21	ug/L	39.2	<2.21	101	56.3-145	2.25	40
Hexachlorobenzene	34.7		2.21	ug/L	39.2	<2.21	88.4	56.1-137	10.9	40
Indeno(1,2,3-cd) pyrene	38.5		2.21	ug/L	39.2	<2.21	98.3	33.4-153	6.24	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3690 - SW-3511 (Continued)										
Matrix Spike Dup (BFB3690-MSD1)	**Source: 22B3212-01**				Prepared: 2/28/2022 Analyzed: 3/4/2022					
Naphthalene	39.1		2.21	ug/L	39.2	<2.21	99.6	45.1-153	3.55	40
Pentachlorophenol	92.2		4.41	ug/L	78.4	<4.41	118	42.2-151	0.633	40
Phenanthrene	33.7		2.21	ug/L	39.2	<2.21	85.9	45.3-165	1.81	40
Phenol, Total	100		4.41	ug/L	78.4	<4.41	128	39.8-164	1.91	40
Pyrene	38.3		2.21	ug/L	39.2	<2.21	97.6	46.3-149	1.20	40
Surrogate: 2-Fluorobiphenyl-surr			*53.7*	*ug/L*	*39.2*		*137*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*92.9*	*ug/L*	*78.4*		*118*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*102*	*ug/L*	*78.4*		*130*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*46.9*	*ug/L*	*39.2*		*120*	*52-162*		
Surrogate: Phenol-d5-surr			*87.8*	*ug/L*	*78.4*		*112*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*45.9*	*ug/L*	*39.2*		*117*	*51.9-147*		
Matrix Spike Dup (BFB3690-MSD2)	**Source: 22B3212-01RE1**				Prepared: 2/28/2022 Analyzed: 3/23/2022					
Surrogate: 2-Fluorobiphenyl-surr			*42.9*	*ug/L*	*39.2*		*109*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*88.8*	*ug/L*	*78.4*		*113*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*88.4*	*ug/L*	*78.4*		*113*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*47.6*	*ug/L*	*39.2*		*121*	*52-162*		
Surrogate: Phenol-d5-surr			*112*	*ug/L*	*78.4*		*143*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*37.9*	*ug/L*	*39.2*		*96.7*	*51.9-147*		
Batch: BFC1100 - SW-3511										
Blank (BFC1100-BLK2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
1,2,4-Trichlorobenzene	<0.559	U	0.559	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.559	U	0.559	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.559	U	0.559	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.559	U	0.559	ug/L						
2,4-Dichlorophenol	<0.559	U	0.559	ug/L						
2,4-Dimethylphenol	<1.12	U	1.12	ug/L						
2,4-Dinitrophenol	<4.47	U	4.47	ug/L						
Acenaphthene	<0.559	U	0.559	ug/L						
Acenaphthylene	<0.559	U	0.559	ug/L						
Anthracene	<0.559	U	0.559	ug/L						
Benzo(a)anthracene	<0.559	U	0.559	ug/L						
Benzo(a)pyrene	<0.559	U	0.559	ug/L						
benzo(b&k)fluoranthene	<1.12	U	1.12	ug/L						
Benzo(g,h,i)perylene	<0.559	U	0.559	ug/L						
Chrysene	<0.559	U	0.559	ug/L						
Dibenzo(a,h)anthracene	<0.559	U	0.559	ug/L						
Diethyl phthalate	0.312	J	0.559	ug/L						
Fluoranthene	<0.559	U	0.559	ug/L						
Fluorene	<0.559	U	0.559	ug/L						
Hexachlorobenzene	<0.559	U	0.559	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
Blank (BFC1100-BLK2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
Indeno(1,2,3-cd) pyrene	<0.559	U	0.559	ug/L						
Naphthalene	<0.559	U	0.559	ug/L						
Pentachlorophenol	<1.12	U	1.12	ug/L						
Phenanthrene	<0.559	U	0.559	ug/L						
Phenol, Total	<1.12	U	1.12	ug/L						
Pyrene	<0.559	U	0.559	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*11.0*	*ug/L*	*9.94*		*111*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*25.2*	*ug/L*	*19.9*		*127*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*22.9*	*ug/L*	*19.9*		*115*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.2*	*ug/L*	*9.94*		*123*	*52-162*		
Surrogate: Phenol-d5-surr			*23.5*	*ug/L*	*19.9*		*118*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*13.0*	*ug/L*	*9.94*		*131*	*51.9-147*		
LCS Benz (BFC1100-BS1)					Prepared: 3/8/2022 Analyzed: 3/31/2022					
Surrogate: 2-Fluorobiphenyl-surr			*10.8*	*ug/L*	*9.94*		*109*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.5*	*ug/L*	*19.9*		*108*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.9*	*ug/L*	*19.9*		*94.9*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*12.3*	*ug/L*	*9.94*		*124*	*52-162*		
Surrogate: Phenol-d5-surr			*19.8*	*ug/L*	*19.9*		*99.5*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.20*	*ug/L*	*9.94*		*92.5*	*51.9-147*		
LCS (BFC1100-BS2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
1,2,4-Trichlorobenzene	8.12		0.561	ug/L	9.97		81.4	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.06		0.561	ug/L	9.97		80.8	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	7.11		0.561	ug/L	9.97		71.3	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.15		0.561	ug/L	9.97		71.7	60-140		
2,4-Dichlorophenol	23.2		0.561	ug/L	19.9		116	60-140		
2,4-Dimethylphenol	21.4		1.12	ug/L	19.9		107	35.9-153		
2,4-Dinitrophenol	41.3		4.49	ug/L	49.9		82.8	60-140		
Acenaphthene	8.69		0.561	ug/L	9.97		87.1	60-140		
Acenaphthylene	7.69		0.561	ug/L	9.97		77.1	60-140		
Anthracene	8.90		0.561	ug/L	9.97		89.3	60-140		
Benzo(a)anthracene	8.02		0.561	ug/L	9.97		80.4	60-140		
Benzo(a)pyrene	8.20		0.561	ug/L	9.97		82.2	60-140		
benzo(b&k)fluoranthene	18.1		1.12	ug/L	19.9		90.9	60-140		
Benzo(g,h,i)perylene	8.88		0.561	ug/L	9.97		89.0	60-140		
Chrysene	8.85		0.561	ug/L	9.97		88.7	60-140		
Dibenzo(a,h)anthracene	8.98		0.561	ug/L	9.97		90.1	60-140		
Diethyl phthalate	9.69		0.561	ug/L	9.97		97.2	60-140		
Fluoranthene	9.07		0.561	ug/L	9.97		91.0	60-140		
Fluorene	9.60		0.561	ug/L	9.97		96.3	60-140		
Hexachlorobenzene	8.25		0.561	ug/L	9.97		82.7	60-140		
Indeno(1,2,3-cd) pyrene	8.94		0.561	ug/L	9.97		89.7	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
LCS (BFC1100-BS2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
Naphthalene	8.41		0.561	ug/L	9.97		84.3	60-140		
Pentachlorophenol	20.4		1.12	ug/L	19.9		102	36.8-149		
Phenanthrene	8.66		0.561	ug/L	9.97		86.9	60-140		
Phenol, Total	22.0		1.12	ug/L	19.9		111	60-140		
Pyrene	9.01		0.561	ug/L	9.97		90.4	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*10.1*	*ug/L*	*9.97*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.1*	*ug/L*	*19.9*		*111*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.6*	*ug/L*	*19.9*		*103*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.0*	*ug/L*	*9.97*		*111*	*52-162*		
Surrogate: Phenol-d5-surr			*23.0*	*ug/L*	*19.9*		*115*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.4*	*ug/L*	*9.97*		*105*	*51.9-147*		
LCS Benz Dup (BFC1100-BSD1)					Prepared: 3/8/2022 Analyzed: 3/31/2022					
Surrogate: 2-Fluorobiphenyl-surr			*7.73*	*ug/L*	*9.90*		*78.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.0*	*ug/L*	*19.8*		*106*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.2*	*ug/L*	*19.8*		*96.8*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.7*	*ug/L*	*9.90*		*118*	*52-162*		
Surrogate: Phenol-d5-surr			*18.7*	*ug/L*	*19.8*		*94.2*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.79*	*ug/L*	*9.90*		*78.7*	*51.9-147*		
LCS Dup (BFC1100-BSD2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
1,2,4-Trichlorobenzene	7.66		0.557	ug/L	9.91		77.3	60-140	5.82	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	5.27	J1	0.557	ug/L	9.91		53.2	60-140	41.8	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.39		0.557	ug/L	9.91		64.4	60-140	10.7	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.11		0.557	ug/L	9.91		71.7	60-140	0.613	40
2,4-Dichlorophenol	23.3		0.557	ug/L	19.8		118	60-140	0.490	40
2,4-Dimethylphenol	21.3		1.11	ug/L	19.8		108	35.9-153	0.355	40
2,4-Dinitrophenol	39.0		4.46	ug/L	49.6		78.7	60-140	5.70	40
Acenaphthene	8.30		0.557	ug/L	9.91		83.7	60-140	4.55	40
Acenaphthylene	7.45		0.557	ug/L	9.91		75.2	60-140	3.14	40
Anthracene	8.41		0.557	ug/L	9.91		84.9	60-140	5.63	40
Benzo(a)anthracene	7.56		0.557	ug/L	9.91		76.3	60-140	5.89	40
Benzo(a)pyrene	7.94		0.557	ug/L	9.91		80.1	60-140	3.15	40
benzo(b&k)fluoranthene	17.9		1.11	ug/L	19.8		90.1	60-140	1.52	40
Benzo(g,h,i)perylene	8.65		0.557	ug/L	9.91		87.3	60-140	2.60	40
Chrysene	8.66		0.557	ug/L	9.91		87.4	60-140	2.12	40
Dibenzo(a,h)anthracene	8.65		0.557	ug/L	9.91		87.3	60-140	3.79	40
Diethyl phthalate	7.70		0.557	ug/L	9.91		77.7	60-140	22.9	40
Fluoranthene	8.49		0.557	ug/L	9.91		85.6	60-140	6.67	40
Fluorene	8.78		0.557	ug/L	9.91		88.6	60-140	9.00	40
Hexachlorobenzene	8.08		0.557	ug/L	9.91		81.5	60-140	2.06	40
Indeno(1,2,3-cd) pyrene	8.63		0.557	ug/L	9.91		87.1	60-140	3.55	40
Naphthalene	8.13		0.557	ug/L	9.91		82.0	60-140	3.34	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
LCS Dup (BFC1100-BSD2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
Pentachlorophenol	17.1		1.11	ug/L	19.8		86.2	36.8-149	17.8	40
Phenanthrene	7.97		0.557	ug/L	9.91		80.4	60-140	8.33	40
Phenol, Total	25.9		1.11	ug/L	19.8		131	60-140	16.0	40
Pyrene	8.54		0.557	ug/L	9.91		86.2	60-140	5.43	40
Surrogate: 2-Fluorobiphenyl-surr			*10.0*	*ug/L*	*9.91*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.6*	*ug/L*	*19.8*		*104*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.1*	*ug/L*	*19.8*		*91.5*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.5*	*ug/L*	*9.91*		*106*	*52-162*		
Surrogate: Phenol-d5-surr			*26.9*	*ug/L*	*19.8*		*135*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.0*	*ug/L*	*9.91*		*101*	*51.9-147*		
BFC0552-BLK1 (BFC1100-LBK1)					Prepared: 3/8/2022 Analyzed: 4/1/2022					
Surrogate: 2-Fluorobiphenyl-surr			*9.88*	*ug/L*	*9.90*		*99.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*17.1*	*ug/L*	*19.8*		*86.6*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*9.57*	*ug/L*	*19.8*		*48.3*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.8*	*ug/L*	*9.90*		*119*	*52-162*		
Surrogate: Phenol-d5-surr			*18.3*	*ug/L*	*19.8*		*92.5*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.84*	*ug/L*	*9.90*		*79.1*	*51.9-147*		
BFC0552-BLK1 (BFC1100-LBK2)					Prepared: 3/8/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	<0.557	U	0.557	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.557	U	0.557	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.557	U	0.557	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.557	U	0.557	ug/L						
2,4-Dichlorophenol	<0.557	U	0.557	ug/L						
2,4-Dimethylphenol	<1.11	U	1.11	ug/L						
2,4-Dinitrophenol	<4.46	U	4.46	ug/L						
Acenaphthene	<0.557	U	0.557	ug/L						
Acenaphthylene	<0.557	U	0.557	ug/L						
Anthracene	<0.557	U	0.557	ug/L						
Benzo(a)anthracene	<0.557	U	0.557	ug/L						
Benzo(a)pyrene	<0.557	U	0.557	ug/L						
benzo(b&k)fluoranthene	<1.11	U	1.11	ug/L						
Benzo(g,h,i)perylene	<0.557	U	0.557	ug/L						
Chrysene	<0.557	U	0.557	ug/L						
Dibenzo(a,h)anthracene	<0.557	U	0.557	ug/L						
Diethyl phthalate	1.63		0.557	ug/L						
Fluoranthene	<0.557	U	0.557	ug/L						
Fluorene	<0.557	U	0.557	ug/L						
Hexachlorobenzene	<0.557	U	0.557	ug/L						
Indeno(1,2,3-cd) pyrene	<0.557	U	0.557	ug/L						
Naphthalene	<0.557	U	0.557	ug/L						
Pentachlorophenol	<1.11	U	1.11	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
BFC0552-BLK1 (BFC1100-LBK2)					Prepared: 3/8/2022 Analyzed: 4/12/2022					
Phenanthrene	<0.557	U	0.557	ug/L						
Phenol, Total	0.864	J	1.11	ug/L						
Pyrene	<0.557	U	0.557	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*10.5*	*ug/L*	*9.90*		*106*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*26.0*	*ug/L*	*19.8*		*131*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.6*	*ug/L*	*19.8*		*104*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.9*	*ug/L*	*9.90*		*120*	*52-162*		
Surrogate: Phenol-d5-surr		*S*	*30.6*	*ug/L*	*19.8*		*155*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*11.8*	*ug/L*	*9.90*		*119*	*51.9-147*		
MRL Benz Check (BFC1100-MRL1)					Prepared: 3/8/2022 Analyzed: 3/31/2022					
Surrogate: 2-Fluorobiphenyl-surr			*14.5*	*ug/L*	*9.86*		*147*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*19.8*	*ug/L*	*19.7*		*100*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*24.3*	*ug/L*	*19.7*		*123*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.6*	*ug/L*	*9.86*		*107*	*52-162*		
Surrogate: Phenol-d5-surr			*18.2*	*ug/L*	*19.7*		*92.2*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.7*	*ug/L*	*9.86*		*109*	*51.9-147*		
MRL Check (BFC1100-MRL2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
1,2,4-Trichlorobenzene	0.411	J	0.560	ug/L	0.498		82.7	50-150		
1,2-Dichlorobenzene (o-Dichlorobenzene)	0.415	J	0.560	ug/L	0.498		83.3	50-150		
1,3-Dichlorobenzene (m-Dichlorobenzene)	0.334	J	0.560	ug/L	0.498		67.1	50-150		
1,4-Dichlorobenzene (p-Dichlorobenzene)	0.358	J	0.560	ug/L	0.498		71.9	50-150		
2,4-Dichlorophenol	1.03		0.560	ug/L	0.995		104	50-150		
2,4-Dimethylphenol	1.12		1.12	ug/L	0.995		113	50-150		
2,4-Dinitrophenol	<4.48	U	4.48	ug/L	2.49			50-150		
Acenaphthene	0.431	J	0.560	ug/L	0.498		86.6	50-150		
Acenaphthylene	0.333	J	0.560	ug/L	0.498		66.9	50-150		
Anthracene	0.461	J	0.560	ug/L	0.498		92.7	50-150		
Benzo(a)anthracene	0.412	J	0.560	ug/L	0.498		82.9	50-150		
Benzo(a)pyrene	0.421	J	0.560	ug/L	0.498		84.6	50-150		
benzo(b&k)fluoranthene	0.871	J	1.12	ug/L	0.995		87.5	50-150		
Benzo(g,h,i)perylene	0.438	J	0.560	ug/L	0.498		88.0	50-150		
Chrysene	0.502	J	0.560	ug/L	0.498		101	50-150		
Dibenzo(a,h)anthracene	0.377	J	0.560	ug/L	0.498		75.8	50-150		
Diethyl phthalate	0.704		0.560	ug/L	0.498		141	50-150		
Fluoranthene	0.461	J	0.560	ug/L	0.498		92.7	50-150		
Fluorene	0.419	J	0.560	ug/L	0.498		84.3	50-150		
Hexachlorobenzene	0.417	J	0.560	ug/L	0.498		83.7	50-150		
Indeno(1,2,3-cd) pyrene	0.385	J	0.560	ug/L	0.498		77.3	50-150		
Naphthalene	0.459	J	0.560	ug/L	0.498		92.2	50-150		
Pentachlorophenol	0.778	J	1.12	ug/L	0.995		78.1	50-150		
Phenanthrene	0.442	J	0.560	ug/L	0.498		88.9	50-150		

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
MRL Check (BFC1100-MRL2)					Prepared: 3/8/2022 Analyzed: 4/11/2022					
Phenol, Total	1.41		1.12	ug/L	0.995		141	50-150		
Pyrene	0.472	J	0.560	ug/L	0.498		94.8	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*9.82*	*ug/L*	*9.95*		*98.7*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.5*	*ug/L*	*19.9*		*113*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.4*	*ug/L*	*19.9*		*102*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.5*	*ug/L*	*9.95*		*105*	*52-162*		
Surrogate: Phenol-d5-surr			*22.0*	*ug/L*	*19.9*		*110*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*11.6*	*ug/L*	*9.95*		*117*	*51.9-147*		
Matrix Spike (BFC1100-MS1)			**Source: 22A3944-18**		Prepared: 3/8/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	7.52		0.560	ug/L	9.95	<0.560	75.6	35.3-142		
1,2-Dichlorobenzene (o-Dichlorobenzene)	7.55		0.560	ug/L	9.95	<0.560	75.9	31.4-142		
1,3-Dichlorobenzene (m-Dichlorobenzene)	5.49		0.560	ug/L	9.95	<0.560	55.1	30.5-135		
1,4-Dichlorobenzene (p-Dichlorobenzene)	6.43		0.560	ug/L	9.95	<0.560	64.7	37.2-133		
2,4-Dichlorophenol	22.4		0.560	ug/L	19.9	<0.560	113	42.7-158		
2,4-Dimethylphenol	20.8		1.12	ug/L	19.9	<1.12	104	38.4-170		
2,4-Dinitrophenol	43.9		4.48	ug/L	49.8	<4.48	88.2	60-140		
Acenaphthene	8.20		0.560	ug/L	9.95	<0.560	82.4	47.3-149		
Acenaphthylene	7.28		0.560	ug/L	9.95	<0.560	73.2	56.5-173		
Anthracene	8.64		0.560	ug/L	9.95	<0.560	86.8	49.7-160		
Benzo(a)anthracene	7.84		0.560	ug/L	9.95	<0.560	78.8	41.7-151		
Benzo(a)pyrene	7.81		0.560	ug/L	9.95	<0.560	78.5	45.4-133		
benzo(b&k)fluoranthene	17.1		1.12	ug/L	19.9	<1.12	86.1	55.3-137		
Benzo(g,h,i)perylene	8.31		0.560	ug/L	9.95	<0.560	83.5	37.9-152		
Chrysene	8.51		0.560	ug/L	9.95	<0.560	85.5	51-147		
Dibenzo(a,h)anthracene	8.19		0.560	ug/L	9.95	<0.560	82.3	27.5-156		
Diethyl phthalate	9.34		0.560	ug/L	9.95	0.973	84.1	53.4-146		
Fluoranthene	8.89		0.560	ug/L	9.95	<0.560	89.4	45.3-156		
Fluorene	9.09		0.560	ug/L	9.95	<0.560	91.4	56.3-145		
Hexachlorobenzene	7.75		0.560	ug/L	9.95	<0.560	77.9	56.1-137		
Indeno(1,2,3-cd) pyrene	8.18		0.560	ug/L	9.95	<0.560	82.2	33.4-153		
Naphthalene	7.86		0.560	ug/L	9.95	<0.560	79.0	45.1-153		
Pentachlorophenol	20.3		1.12	ug/L	19.9	<1.12	102	42.2-151		
Phenanthrene	8.32		0.560	ug/L	9.95	<0.560	83.6	45.3-165		
Phenol, Total	23.6		1.12	ug/L	19.9	0.921	114	39.8-164		
Pyrene	8.83		0.560	ug/L	9.95	<0.560	88.7	46.3-149		
Surrogate: 2-Fluorobiphenyl-surr			*9.69*	*ug/L*	*9.95*		*97.4*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.3*	*ug/L*	*19.9*		*107*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.0*	*ug/L*	*19.9*		*100*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.4*	*ug/L*	*9.95*		*105*	*52-162*		
Surrogate: Phenol-d5-surr			*24.5*	*ug/L*	*19.9*		*123*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.73*	*ug/L*	*9.95*		*97.8*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1100 - SW-3511 (Continued)										
Matrix Spike Dup (BFC1100-MSD1)		**Source: 22A3944-18**			Prepared: 3/8/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	7.62		0.559	ug/L	9.94	<0.559	76.7	35.3-142	1.30	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	7.59		0.559	ug/L	9.94	<0.559	76.4	31.4-142	0.489	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.05		0.559	ug/L	9.94	<0.559	60.9	30.5-135	9.87	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	6.62		0.559	ug/L	9.94	<0.559	66.6	37.2-133	2.83	40
2,4-Dichlorophenol	22.4		0.559	ug/L	19.9	<0.559	113	42.7-158	0.344	40
2,4-Dimethylphenol	21.1		1.12	ug/L	19.9	<1.12	106	38.4-170	1.57	40
2,4-Dinitrophenol	42.1		4.47	ug/L	49.7	<4.47	84.7	60-140	4.24	40
Acenaphthene	8.19		0.559	ug/L	9.94	<0.559	82.4	47.3-149	0.172	40
Acenaphthylene	7.39		0.559	ug/L	9.94	<0.559	74.4	56.5-173	1.58	40
Anthracene	8.57		0.559	ug/L	9.94	<0.559	86.3	49.7-160	0.778	40
Benzo(a)anthracene	7.69		0.559	ug/L	9.94	<0.559	77.4	41.7-151	1.99	40
Benzo(a)pyrene	7.66		0.559	ug/L	9.94	<0.559	77.1	45.4-133	1.96	40
benzo(b&k)fluoranthene	16.9		1.12	ug/L	19.9	<1.12	84.8	55.3-137	1.61	40
Benzo(g,h,i)perylene	8.09		0.559	ug/L	9.94	<0.559	81.4	37.9-152	2.63	40
Chrysene	8.45		0.559	ug/L	9.94	<0.559	85.1	51-147	0.698	40
Dibenzo(a,h)anthracene	7.95		0.559	ug/L	9.94	<0.559	80.0	27.5-156	2.95	40
Diethyl phthalate	9.02		0.559	ug/L	9.94	0.973	81.0	53.4-146	3.46	40
Fluoranthene	8.93		0.559	ug/L	9.94	<0.559	89.9	45.3-156	0.463	40
Fluorene	8.84		0.559	ug/L	9.94	<0.559	89.0	56.3-145	2.82	40
Hexachlorobenzene	7.73		0.559	ug/L	9.94	<0.559	77.8	56.1-137	0.329	40
Indeno(1,2,3-cd) pyrene	8.00		0.559	ug/L	9.94	<0.559	80.5	33.4-153	2.21	40
Naphthalene	7.92		0.559	ug/L	9.94	<0.559	79.7	45.1-153	0.706	40
Pentachlorophenol	19.4		1.12	ug/L	19.9	<1.12	97.4	42.2-151	4.57	40
Phenanthrene	8.34		0.559	ug/L	9.94	<0.559	83.9	45.3-165	0.238	40
Phenol, Total	22.6		1.12	ug/L	19.9	0.921	109	39.8-164	4.21	40
Pyrene	8.74		0.559	ug/L	9.94	<0.559	87.9	46.3-149	1.06	40
Surrogate: 2-Fluorobiphenyl-surr			*9.67*	*ug/L*	*9.94*		*97.3*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.8*	*ug/L*	*19.9*		*109*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.6*	*ug/L*	*19.9*		*98.7*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.5*	*ug/L*	*9.94*		*105*	*52-162*		
Surrogate: Phenol-d5-surr			*23.4*	*ug/L*	*19.9*		*118*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.57*	*ug/L*	*9.94*		*96.3*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1759 - SW-3511										
Blank (BFC1759-BLK1)					Prepared: 3/11/2022 Analyzed: 4/1/2022					
Surrogate: 2-Fluorobiphenyl-surr			*10.7*	*ug/L*	*9.85*		*109*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*18.6*	*ug/L*	*19.7*		*94.3*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*12.8*	*ug/L*	*19.7*		*65.1*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.6*	*ug/L*	*9.85*		*118*	*52-162*		
Surrogate: Phenol-d5-surr			*15.3*	*ug/L*	*19.7*		*77.4*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.06*	*ug/L*	*9.85*		*92.0*	*51.9-147*		
Blank (BFC1759-BLK2)					Prepared: 3/11/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	<0.554	U	0.554	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.554	U	0.554	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.554	U	0.554	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.554	U	0.554	ug/L						
2,4-Dichlorophenol	<0.554	U	0.554	ug/L						
2,4-Dimethylphenol	<1.11	U	1.11	ug/L						
2,4-Dinitrophenol	<4.43	U	4.43	ug/L						
Acenaphthene	<0.554	U	0.554	ug/L						
Acenaphthylene	<0.554	U	0.554	ug/L						
Anthracene	<0.554	U	0.554	ug/L						
Benzo(a)anthracene	<0.554	U	0.554	ug/L						
Benzo(a)pyrene	<0.554	U	0.554	ug/L						
benzo(b&k)fluoranthene	<1.11	U	1.11	ug/L						
Benzo(g,h,i)perylene	<0.554	U	0.554	ug/L						
Chrysene	<0.554	U	0.554	ug/L						
Dibenzo(a,h)anthracene	<0.554	U	0.554	ug/L						
Diethyl phthalate	<0.554	U	0.554	ug/L						
Fluoranthene	<0.554	U	0.554	ug/L						
Fluorene	<0.554	U	0.554	ug/L						
Hexachlorobenzene	<0.554	U	0.554	ug/L						
Indeno(1,2,3-cd) pyrene	<0.554	U	0.554	ug/L						
Naphthalene	<0.554	U	0.554	ug/L						
Pentachlorophenol	<1.11	U	1.11	ug/L						
Phenanthrene	<0.554	U	0.554	ug/L						
Phenol, Total	0.672	J	1.11	ug/L						
Pyrene	<0.554	U	0.554	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*10.3*	*ug/L*	*9.85*		*104*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*25.0*	*ug/L*	*19.7*		*127*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.2*	*ug/L*	*19.7*		*102*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.7*	*ug/L*	*9.85*		*118*	*52-162*		
Surrogate: Phenol-d5-surr			*27.3*	*ug/L*	*19.7*		*139*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*11.7*	*ug/L*	*9.85*		*118*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1759 - SW-3511 (Continued)										
LCS (BFC1759-BS1)					Prepared: 3/11/2022 Analyzed: 4/1/2022					
Surrogate: 2-Fluorobiphenyl-surr			*10.5*	*ug/L*	*9.93*		*105*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*13.7*	*ug/L*	*19.9*		*68.8*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*11.8*	*ug/L*	*19.9*		*59.6*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.3*	*ug/L*	*9.93*		*114*	*52-162*		
Surrogate: Phenol-d5-surr			*17.9*	*ug/L*	*19.9*		*90.0*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.65*	*ug/L*	*9.93*		*77.1*	*51.9-147*		
LCS (BFC1759-BS2)					Prepared: 3/11/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	9.12		0.562	ug/L	9.98		91.3	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.95		0.562	ug/L	9.98		89.6	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.09		0.562	ug/L	9.98		61.0	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.20		0.562	ug/L	9.98		72.1	60-140		
2,4-Dichlorophenol	23.5		0.562	ug/L	20.0		118	60-140		
2,4-Dimethylphenol	23.5		1.12	ug/L	20.0		118	35.9-153		
2,4-Dinitrophenol	38.1		4.49	ug/L	49.9		76.4	60-140		
Acenaphthene	9.97		0.562	ug/L	9.98		99.8	60-140		
Acenaphthylene	10.7		0.562	ug/L	9.98		107	60-140		
Anthracene	10.1		0.562	ug/L	9.98		102	60-140		
Benzo(a)anthracene	9.48		0.562	ug/L	9.98		95.0	60-140		
Benzo(a)pyrene	10.5		0.562	ug/L	9.98		105	60-140		
benzo(b&k)fluoranthene	20.0		1.12	ug/L	20.0		100	60-140		
Benzo(g,h,i)perylene	9.51		0.562	ug/L	9.98		95.2	60-140		
Chrysene	9.42		0.562	ug/L	9.98		94.3	60-140		
Dibenzo(a,h)anthracene	9.65		0.562	ug/L	9.98		96.6	60-140		
Diethyl phthalate	10.0		0.562	ug/L	9.98		100	60-140		
Fluoranthene	9.87		0.562	ug/L	9.98		98.9	60-140		
Fluorene	10.5		0.562	ug/L	9.98		105	60-140		
Hexachlorobenzene	9.18		0.562	ug/L	9.98		92.0	60-140		
Indeno(1,2,3-cd) pyrene	9.81		0.562	ug/L	9.98		98.3	60-140		
Naphthalene	9.94		0.562	ug/L	9.98		99.5	60-140		
Pentachlorophenol	18.6		1.12	ug/L	20.0		93.3	36.8-149		
Phenanthrene	9.70		0.562	ug/L	9.98		97.2	60-140		
Phenol, Total	27.1		1.12	ug/L	20.0		136	60-140		
Pyrene	9.96		0.562	ug/L	9.98		99.8	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*9.76*	*ug/L*	*9.98*		*97.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.9*	*ug/L*	*20.0*		*110*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.2*	*ug/L*	*20.0*		*91.2*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.5*	*ug/L*	*9.98*		*106*	*52-162*		
Surrogate: Phenol-d5-surr			*26.9*	*ug/L*	*20.0*		*135*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.86*	*ug/L*	*9.98*		*98.8*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1759 - SW-3511 (Continued)										
LCS Dup (BFC1759-BSD1)					Prepared: 3/11/2022 Analyzed: 4/1/2022					
Surrogate: 2-Fluorobiphenyl-surr			*9.77*	*ug/L*	*9.98*		*98.0*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*13.2*	*ug/L*	*20.0*		*65.9*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*9.29*	*ug/L*	*20.0*		*46.6*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.5*	*ug/L*	*9.98*		*116*	*52-162*		
Surrogate: Phenol-d5-surr			*17.6*	*ug/L*	*20.0*		*88.0*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.09*	*ug/L*	*9.98*		*91.1*	*51.9-147*		
LCS Dup (BFC1759-BSD2)					Prepared: 3/11/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	9.16		0.560	ug/L	9.96		92.0	60-140	0.514	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	10.3		0.560	ug/L	9.96		103	60-140	13.8	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	8.23		0.560	ug/L	9.96		82.7	60-140	29.9	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	8.37		0.560	ug/L	9.96		84.1	60-140	15.1	40
2,4-Dichlorophenol	21.8		0.560	ug/L	19.9		109	60-140	7.45	40
2,4-Dimethylphenol	22.5		1.12	ug/L	19.9		113	35.9-153	4.62	40
2,4-Dinitrophenol	41.6		4.48	ug/L	49.8		83.6	60-140	8.75	40
Acenaphthene	9.77		0.560	ug/L	9.96		98.1	60-140	1.99	40
Acenaphthylene	10.4		0.560	ug/L	9.96		104	60-140	2.82	40
Anthracene	9.63		0.560	ug/L	9.96		96.7	60-140	5.25	40
Benzo(a)anthracene	9.16		0.560	ug/L	9.96		92.0	60-140	3.45	40
Benzo(a)pyrene	10.0		0.560	ug/L	9.96		100	60-140	4.95	40
benzo(b&k)fluoranthene	20.6		1.12	ug/L	19.9		104	60-140	3.23	40
Benzo(g,h,i)perylene	9.55		0.560	ug/L	9.96		95.9	60-140	0.409	40
Chrysene	9.15		0.560	ug/L	9.96		91.9	60-140	2.87	40
Dibenzo(a,h)anthracene	9.81		0.560	ug/L	9.96		98.5	60-140	1.69	40
Diethyl phthalate	10.2		0.560	ug/L	9.96		103	60-140	1.84	40
Fluoranthene	9.95		0.560	ug/L	9.96		99.9	60-140	0.805	40
Fluorene	10.3		0.560	ug/L	9.96		103	60-140	2.00	40
Hexachlorobenzene	9.18		0.560	ug/L	9.96		92.2	60-140	0.0335	40
Indeno(1,2,3-cd) pyrene	9.81		0.560	ug/L	9.96		98.5	60-140	0.00546	40
Naphthalene	10.0		0.560	ug/L	9.96		101	60-140	0.736	40
Pentachlorophenol	19.4		1.12	ug/L	19.9		97.6	36.8-149	4.27	40
Phenanthrene	9.33		0.560	ug/L	9.96		93.7	60-140	3.85	40
Phenol, Total	19.8		1.12	ug/L	19.9		99.2	60-140	31.4	40
Pyrene	9.98		0.560	ug/L	9.96		100	60-140	0.242	40
Surrogate: 2-Fluorobiphenyl-surr			*9.52*	*ug/L*	*9.96*		*95.6*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.8*	*ug/L*	*19.9*		*110*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.9*	*ug/L*	*19.9*		*89.9*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.90*	*ug/L*	*9.96*		*99.4*	*52-162*		
Surrogate: Phenol-d5-surr			*20.1*	*ug/L*	*19.9*		*101*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.02*	*ug/L*	*9.96*		*80.5*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1759 - SW-3511 (Continued)										
BFC1063-BLK1 (BFC1759-LBK1)					Prepared: 3/11/2022 Analyzed: 4/2/2022					
Surrogate: 2-Fluorobiphenyl-surr			*9.04*	*ug/L*	*10.0*		*90.4*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*18.6*	*ug/L*	*20.0*		*93.2*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*16.6*	*ug/L*	*20.0*		*83.2*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*13.7*	*ug/L*	*10.0*		*137*	*52-162*		
Surrogate: Phenol-d5-surr			*18.7*	*ug/L*	*20.0*		*93.3*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.17*	*ug/L*	*10.0*		*81.7*	*51.9-147*		
BFC1063-BLK1 (BFC1759-LBK2)					Prepared: 3/11/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	<0.562	U	0.562	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.562	U	0.562	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.562	U	0.562	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.562	U	0.562	ug/L						
2,4-Dichlorophenol	<0.562	U	0.562	ug/L						
2,4-Dimethylphenol	<1.12	U	1.12	ug/L						
2,4-Dinitrophenol	<4.50	U	4.50	ug/L						
Acenaphthene	<0.562	U	0.562	ug/L						
Acenaphthylene	<0.562	U	0.562	ug/L						
Anthracene	<0.562	U	0.562	ug/L						
Benzo(a)anthracene	<0.562	U	0.562	ug/L						
Benzo(a)pyrene	<0.562	U	0.562	ug/L						
benzo(b&k)fluoranthene	<1.12	U	1.12	ug/L						
Benzo(g,h,i)perylene	<0.562	U	0.562	ug/L						
Chrysene	<0.562	U	0.562	ug/L						
Dibenzo(a,h)anthracene	<0.562	U	0.562	ug/L						
Diethyl phthalate	<0.562	U	0.562	ug/L						
Fluoranthene	<0.562	U	0.562	ug/L						
Fluorene	<0.562	U	0.562	ug/L						
Hexachlorobenzene	<0.562	U	0.562	ug/L						
Indeno(1,2,3-cd) pyrene	<0.562	U	0.562	ug/L						
Naphthalene	<0.562	U	0.562	ug/L						
Pentachlorophenol	<1.12	U	1.12	ug/L						
Phenanthrene	<0.562	U	0.562	ug/L						
Phenol, Total	0.580	J	1.12	ug/L						
Pyrene	<0.562	U	0.562	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*11.1*	*ug/L*	*10.0*		*111*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*26.7*	*ug/L*	*20.0*		*134*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.5*	*ug/L*	*20.0*		*103*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.4*	*ug/L*	*10.0*		*114*	*52-162*		
Surrogate: Phenol-d5-surr		*S*	*33.8*	*ug/L*	*20.0*		*169*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.4*	*ug/L*	*10.0*		*104*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1759 - SW-3511 (Continued)										
MDL BENZ (BFC1759-MRL1)					Prepared: 3/11/2022 Analyzed: 4/1/2022					
Surrogate: 2-Fluorobiphenyl-surr			*11.5*	*ug/L*	*9.82*		*117*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*17.4*	*ug/L*	*19.6*		*88.6*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*12.0*	*ug/L*	*19.6*		*60.9*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.8*	*ug/L*	*9.82*		*110*	*52-162*		
Surrogate: Phenol-d5-surr			*12.6*	*ug/L*	*19.6*		*64.3*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.78*	*ug/L*	*9.82*		*89.4*	*51.9-147*		
MDL SV (BFC1759-MRL2)					Prepared: 3/11/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	0.464	J	0.556	ug/L	0.494		93.9	50-150		
1,2-Dichlorobenzene (o-Dichlorobenzene)	0.509	J	0.556	ug/L	0.494		103	50-150		
1,3-Dichlorobenzene (m-Dichlorobenzene)	0.334	J	0.556	ug/L	0.494		67.6	50-150		
1,4-Dichlorobenzene (p-Dichlorobenzene)	0.417	J	0.556	ug/L	0.494		84.5	50-150		
2,4-Dichlorophenol	1.09		0.556	ug/L	0.988		110	50-150		
2,4-Dimethylphenol	1.17		1.11	ug/L	0.988		119	50-150		
2,4-Dinitrophenol	4.15	J	4.45	ug/L	2.47		168			
Acenaphthene	0.528	J	0.556	ug/L	0.494		107	50-150		
Acenaphthylene	0.512	J	0.556	ug/L	0.494		104	50-150		
Anthracene	0.531	J	0.556	ug/L	0.494		108	50-150		
Benzo(a)anthracene	0.512	J	0.556	ug/L	0.494		104	50-150		
Benzo(a)pyrene	0.541	J	0.556	ug/L	0.494		109	50-150		
benzo(b&k)fluoranthene	1.07	J	1.11	ug/L	0.988		108	50-150		
Benzo(g,h,i)perylene	0.478	J	0.556	ug/L	0.494		96.8	50-150		
Chrysene	0.550	J	0.556	ug/L	0.494		111	50-150		
Dibenzo(a,h)anthracene	0.438	J	0.556	ug/L	0.494		88.6	50-150		
Diethyl phthalate	0.544	J	0.556	ug/L	0.494		110	50-150		
Fluoranthene	0.497	J	0.556	ug/L	0.494		101	50-150		
Fluorene	0.536	J	0.556	ug/L	0.494		109	50-150		
Hexachlorobenzene	0.459	J	0.556	ug/L	0.494		93.0	50-150		
Indeno(1,2,3-cd) pyrene	0.438	J	0.556	ug/L	0.494		88.7	50-150		
Naphthalene	0.555	J	0.556	ug/L	0.494		112	50-150		
Pentachlorophenol	0.823	J	1.11	ug/L	0.988		83.3	50-150		
Phenanthrene	0.496	J	0.556	ug/L	0.494		100	50-150		
Phenol, Total	2.05	J1	1.11	ug/L	0.988		207	50-150		
Pyrene	0.522	J	0.556	ug/L	0.494		106	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*9.59*	*ug/L*	*9.88*		*97.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.1*	*ug/L*	*19.8*		*117*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.9*	*ug/L*	*19.8*		*90.5*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.9*	*ug/L*	*9.88*		*110*	*52-162*		
Surrogate: Phenol-d5-surr			*27.6*	*ug/L*	*19.8*		*140*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.6*	*ug/L*	*9.88*		*107*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1759 - SW-3511 (Continued)										
Matrix Spike (BFC1759-MS1)		**Source: 22B3342-08RE1**			Prepared: 3/11/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	9.41		0.560	ug/L	9.95	<0.560	94.5	35.3-142		
1,2-Dichlorobenzene (o-Dichlorobenzene)	10.4		0.560	ug/L	9.95	<0.560	104	31.4-142		
1,3-Dichlorobenzene (m-Dichlorobenzene)	7.15		0.560	ug/L	9.95	<0.560	71.9	30.5-135		
1,4-Dichlorobenzene (p-Dichlorobenzene)	8.56		0.560	ug/L	9.95	<0.560	86.0	37.2-133		
2,4-Dichlorophenol	24.6		0.560	ug/L	19.9	<0.560	123	42.7-158		
2,4-Dimethylphenol	26.2		1.12	ug/L	19.9	<1.12	131	38.4-170		
2,4-Dinitrophenol	43.0		4.48	ug/L	49.8	<4.48	86.4	60-140		
Acenaphthene	10.7		0.560	ug/L	9.95	<0.560	107	47.3-149		
Acenaphthylene	11.5		0.560	ug/L	9.95	<0.560	115	56.5-173		
Anthracene	11.0		0.560	ug/L	9.95	<0.560	110	49.7-160		
Benzo(a)anthracene	10.6		0.560	ug/L	9.95	<0.560	107	41.7-151		
Benzo(a)pyrene	11.4		0.560	ug/L	9.95	<0.560	114	45.4-133		
benzo(b&k)fluoranthene	23.1		1.12	ug/L	19.9	<1.12	116	55.3-137		
Benzo(g,h,i)perylene	10.8		0.560	ug/L	9.95	<0.560	109	37.9-152		
Chrysene	10.3		0.560	ug/L	9.95	<0.560	103	51-147		
Dibenzo(a,h)anthracene	11.1		0.560	ug/L	9.95	<0.560	112	27.5-156		
Diethyl phthalate	10.9		0.560	ug/L	9.95	<0.560	109	53.4-146		
Fluoranthene	10.9		0.560	ug/L	9.95	<0.560	110	45.3-156		
Fluorene	11.0		0.560	ug/L	9.95	<0.560	111	56.3-145		
Hexachlorobenzene	9.91		0.560	ug/L	9.95	<0.560	99.6	56.1-137		
Indeno(1,2,3-cd) pyrene	11.1		0.560	ug/L	9.95	<0.560	111	33.4-153		
Naphthalene	10.5		0.560	ug/L	9.95	<0.560	105	45.1-153		
Pentachlorophenol	20.5		1.12	ug/L	19.9	<1.12	103	42.2-151		
Phenanthrene	10.6		0.560	ug/L	9.95	<0.560	107	45.3-165		
Phenol, Total	26.3		1.12	ug/L	19.9	0.571	129	39.8-164		
Pyrene	10.7		0.560	ug/L	9.95	<0.560	108	46.3-149		
Surrogate: 2-Fluorobiphenyl-surr			*10.5*	*ug/L*	*9.95*		*106*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*24.0*	*ug/L*	*19.9*		*121*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.3*	*ug/L*	*19.9*		*102*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.9*	*ug/L*	*9.95*		*110*	*52-162*		
Surrogate: Phenol-d5-surr			*26.6*	*ug/L*	*19.9*		*133*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.32*	*ug/L*	*9.95*		*93.7*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1759 - SW-3511 (Continued)										
Matrix Spike Dup (BFC1759-MSD1)		**Source: 22B3342-08RE1**			Prepared: 3/11/2022 Analyzed: 4/12/2022					
1,2,4-Trichlorobenzene	8.86		0.558	ug/L	9.93	<0.558	89.3	35.3-142	5.98	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	9.63		0.558	ug/L	9.93	<0.558	97.0	31.4-142	7.43	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	6.45		0.558	ug/L	9.93	<0.558	65.0	30.5-135	10.3	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	7.87		0.558	ug/L	9.93	<0.558	79.2	37.2-133	8.41	40
2,4-Dichlorophenol	23.7		0.558	ug/L	19.9	<0.558	119	42.7-158	3.63	40
2,4-Dimethylphenol	25.0		1.12	ug/L	19.9	<1.12	126	38.4-170	4.38	40
2,4-Dinitrophenol	36.2		4.47	ug/L	49.6	<4.47	73.0	60-140	17.0	40
Acenaphthene	10.2		0.558	ug/L	9.93	<0.558	102	47.3-149	4.99	40
Acenaphthylene	10.8		0.558	ug/L	9.93	<0.558	109	56.5-173	5.66	40
Anthracene	10.8		0.558	ug/L	9.93	<0.558	109	49.7-160	1.71	40
Benzo(a)anthracene	9.94		0.558	ug/L	9.93	<0.558	100	41.7-151	6.55	40
Benzo(a)pyrene	11.1		0.558	ug/L	9.93	<0.558	111	45.4-133	2.68	40
benzo(b&k)fluoranthene	22.7		1.12	ug/L	19.9	<1.12	114	55.3-137	1.87	40
Benzo(g,h,i)perylene	10.7		0.558	ug/L	9.93	<0.558	108	37.9-152	1.28	40
Chrysene	10.0		0.558	ug/L	9.93	<0.558	101	51-147	2.52	40
Dibenzo(a,h)anthracene	10.5		0.558	ug/L	9.93	<0.558	106	27.5-156	6.13	40
Diethyl phthalate	9.73		0.558	ug/L	9.93	<0.558	98.0	53.4-146	11.0	40
Fluoranthene	11.1		0.558	ug/L	9.93	<0.558	111	45.3-156	1.30	40
Fluorene	10.2		0.558	ug/L	9.93	<0.558	102	56.3-145	8.08	40
Hexachlorobenzene	10.3		0.558	ug/L	9.93	<0.558	104	56.1-137	3.68	40
Indeno(1,2,3-cd) pyrene	10.6		0.558	ug/L	9.93	<0.558	107	33.4-153	3.91	40
Naphthalene	9.94		0.558	ug/L	9.93	<0.558	100	45.1-153	5.14	40
Pentachlorophenol	18.3		1.12	ug/L	19.9	<1.12	92.0	42.2-151	11.7	40
Phenanthrene	10.4		0.558	ug/L	9.93	<0.558	105	45.3-165	2.48	40
Phenol, Total	27.3		1.12	ug/L	19.9	0.571	135	39.8-164	3.57	40
Pyrene	11.5		0.558	ug/L	9.93	<0.558	116	46.3-149	7.01	40
Surrogate: 2-Fluorobiphenyl-surr			*10.1*	*ug/L*	*9.93*		*101*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.8*	*ug/L*	*19.9*		*115*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.6*	*ug/L*	*19.9*		*98.6*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.2*	*ug/L*	*9.93*		*103*	*52-162*		
Surrogate: Phenol-d5-surr			*27.5*	*ug/L*	*19.9*		*139*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.20*	*ug/L*	*9.93*		*92.7*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3481 - TX 1005 ELUT										
Blank (BFB3481-BLK1)					Prepared & Analyzed: 2/25/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.60	U	4.60	mg/L						
Surrogate: 1-Chlorooctadecane-surr		*S*	*18.3*	*mg/L*	*30.7*		*59.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.8*	*mg/L*	*30.7*		*90.7*	*70-130*		
LCS (BFB3481-BS1)					Prepared & Analyzed: 2/25/2022					
C6-C12	26.0		2.33	mg/L	31.1		83.5	75-125		
>C12-C28	19.8	J1	2.33	mg/L	31.1		63.6	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	45.3	J1	4.67	mg/L	62.2		72.8	75-125		
Surrogate: 1-Chlorooctadecane-surr		*S*	*21.1*	*mg/L*	*31.1*		*67.9*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.6*	*mg/L*	*31.1*		*88.6*	*70-130*		
LCS Dup (BFB3481-BSD1)					Prepared & Analyzed: 2/25/2022					
C6-C12	24.9		2.33	mg/L	31.0		80.2	75-125	4.42	20
>C12-C28	18.5	J1	2.33	mg/L	31.0		59.6	75-125	6.85	20
Total Petroleum Hydrocarbons (TPH), C6-C35	42.9	J1	4.65	mg/L	62.0		69.1	75-125	5.56	20
Surrogate: 1-Chlorooctadecane-surr		*S*	*19.3*	*mg/L*	*31.0*		*62.2*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.5*	*mg/L*	*31.0*		*85.5*	*70-130*		
BFB1944-BLK1 (BFB3481-LBK1)					Prepared & Analyzed: 2/25/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.61	U	4.61	mg/L						
Surrogate: 1-Chlorooctadecane-surr		*S*	*19.8*	*mg/L*	*30.8*		*64.3*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.6*	*mg/L*	*30.8*		*86.4*	*70-130*		
BFB3010-BLK1 (BFB3481-LBK2)					Prepared & Analyzed: 2/25/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.66	U	4.66	mg/L						
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.1*	*mg/L*	*31.0*		*64.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.1*	*mg/L*	*31.0*		*87.4*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3481 - TX 1005 ELUT (Continued)										
MDL (BFB3481-MRL1)					Prepared & Analyzed: 2/25/2022					
C6-C12	<2.38	U	2.38	mg/L	0.238					
>C12-C28	<2.38	U	2.38	mg/L	0.238					
>C12-C35	<2.38	U	2.38	mg/L						
>C28-C35	<2.38	U	2.38	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.76	U	4.76	mg/L	0.476					
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.6*	*mg/L*	*31.7*		*65.0*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.7*	*mg/L*	*31.7*		*84.2*	*70-130*		
Matrix Spike (BFB3481-MS1)	**Source: 22A3987-14**				Prepared & Analyzed: 2/25/2022					
C6-C12	23.4		2.23	mg/L	29.7	<2.23	78.9	75-125		
>C12-C28	16.2	J1	2.23	mg/L	29.7	<2.23	54.6	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	39.0	J1	4.45	mg/L	59.4	<4.45	65.7	75-125		
Surrogate: 1-Chlorooctadecane-surr		*S*	*18.3*	*mg/L*	*29.7*		*61.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*25.6*	*mg/L*	*29.7*		*86.3*	*70-130*		
Matrix Spike Dup (BFB3481-MSD1)	**Source: 22A3987-14**				Prepared & Analyzed: 2/25/2022					
C6-C12	24.6		2.24	mg/L	29.8	<2.24	82.4	75-125	4.71	20
>C12-C28	19.9	J1	2.24	mg/L	29.8	<2.24	66.6	75-125	20.3	20
Total Petroleum Hydrocarbons (TPH), C6-C35	44.1	J1	4.47	mg/L	59.6	<4.47	73.9	75-125	12.2	20
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.1*	*mg/L*	*29.8*		*67.4*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.7*	*mg/L*	*29.8*		*89.5*	*70-130*		
Batch: BFB3715 - SW-3511										
Blank (BFB3715-BLK1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	<0.00599	U	0.00599	ug/L						
4,4'-DDE	<0.00599	U	0.00599	ug/L						
4,4'-DDT	<0.00599	U	0.00599	ug/L						
Aldrin	<0.00599	U	0.00599	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00599	U	0.00599	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00599	U	0.00599	ug/L						
Chlordane (tech.)	<0.00599	U	0.00599	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00599	U	0.00599	ug/L						
delta-BHC	<0.00599	U	0.00599	ug/L						
Dieldrin	<0.00599	U	0.00599	ug/L						
Endosulfan I	<0.00599	U	0.00599	ug/L						
Endosulfan II	<0.00599	U	0.00599	ug/L						
Endosulfan sulfate	<0.00599	U	0.00599	ug/L						
Endrin	<0.00599	U	0.00599	ug/L						
Endrin aldehyde	<0.00599	U	0.00599	ug/L						
Endrin ketone	<0.00599	U	0.00599	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
Blank (BFB3715-BLK1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00599	U	0.00599	ug/L						
gamma-Chlordane	<0.00599	U	0.00599	ug/L						
Heptachlor	<0.00599	U	0.00599	ug/L						
Heptachlor epoxide	<0.00599	U	0.00599	ug/L						
Methoxychlor	<0.00599	U	0.00599	ug/L						
Toxaphene (Chlorinated Camphene)	<0.300	U	0.300	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.139*	*ug/L*	*0.120*		*116*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.135*	*ug/L*	*0.120*		*113*	*60-140*		
LCS TOX (BFB3715-BS1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	<0.00594	U	0.00594	ug/L				60-140		
4,4'-DDE	<0.00594	U	0.00594	ug/L				60-140		
4,4'-DDT	<0.00594	U	0.00594	ug/L				60-140		
Aldrin	<0.00594	U	0.00594	ug/L				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00594	U	0.00594	ug/L				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00594	U	0.00594	ug/L				60-140		
Chlordane (tech.)	<0.00594	U	0.00594	ug/L				60-140		
cis-Chlordane (alpha-Chlordane)	<0.00594	U	0.00594	ug/L				60-140		
delta-BHC	<0.00594	U	0.00594	ug/L				60-140		
Dieldrin	<0.00594	U	0.00594	ug/L				60-140		
Endosulfan I	<0.00594	U	0.00594	ug/L				60-140		
Endosulfan II	<0.00594	U	0.00594	ug/L				60-140		
Endosulfan sulfate	<0.00594	U	0.00594	ug/L				60-140		
Endrin	<0.00594	U	0.00594	ug/L				60-140		
Endrin aldehyde	<0.00594	U	0.00594	ug/L				60-140		
Endrin ketone	<0.00594	U	0.00594	ug/L				60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00594	U	0.00594	ug/L				60-140		
gamma-Chlordane	<0.00594	U	0.00594	ug/L				60-140		
Heptachlor	<0.00594	U	0.00594	ug/L				60-140		
Heptachlor epoxide	<0.00594	U	0.00594	ug/L				60-140		
Methoxychlor	<0.00594	U	0.00594	ug/L				60-140		
Toxaphene (Chlorinated Camphene)	1.36		0.297	ug/L	1.19		115	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.151*	*ug/L*	*0.119*		*127*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.133*	*ug/L*	*0.119*		*112*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
LCS (BFB3715-BS2)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	0.118		0.00599	ug/L	0.120		98.4	60-140		
4,4'-DDE	0.103		0.00599	ug/L	0.120		85.6	60-140		
4,4'-DDT	0.104		0.00599	ug/L	0.120		86.7	60-140		
Aldrin	0.101		0.00599	ug/L	0.120		84.0	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.129		0.00599	ug/L	0.120		108	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.117		0.00599	ug/L	0.120		97.7	60-140		
Chlordane (tech.)	0.402		0.00599	ug/L	0.479		83.9	60-140		
cis-Chlordane (alpha-Chlordane)	0.0991		0.00599	ug/L	0.120		82.7	60-140		
delta-BHC	0.108		0.00599	ug/L	0.120		90.4	60-140		
Dieldrin	0.104		0.00599	ug/L	0.120		86.8	60-140		
Endosulfan I	0.0891		0.00599	ug/L	0.120		74.3	60-140		
Endosulfan II	0.101		0.00599	ug/L	0.120		84.0	60-140		
Endosulfan sulfate	0.112		0.00599	ug/L	0.120		93.2	60-140		
Endrin	0.0948		0.00599	ug/L	0.120		79.1	60-140		
Endrin aldehyde	0.121		0.00599	ug/L	0.120		101	60-140		
Endrin ketone	0.112		0.00599	ug/L	0.120		93.2	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.120		0.00599	ug/L	0.120		100	60-140		
gamma-Chlordane	0.0980		0.00599	ug/L	0.120		81.8	60-140		
Heptachlor	0.106		0.00599	ug/L	0.120		88.5	60-140		
Heptachlor epoxide	0.0988		0.00599	ug/L	0.120		82.5	60-140		
Methoxychlor	0.108		0.00599	ug/L	0.120		89.9	60-140		
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.134*	*ug/L*	*0.120*		*112*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.137*	*ug/L*	*0.120*		*114*	*60-140*		
LCS Dup TOX (BFB3715-BSD1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	<0.00591	U	0.00591	ug/L				60-140		40
4,4'-DDE	<0.00591	U	0.00591	ug/L				60-140		40
4,4'-DDT	<0.00591	U	0.00591	ug/L				60-140		40
Aldrin	<0.00591	U	0.00591	ug/L				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00591	U	0.00591	ug/L				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.00591	U	0.00591	ug/L				60-140		40
Chlordane (tech.)	<0.00591	U	0.00591	ug/L				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.00591	U	0.00591	ug/L				60-140		40
delta-BHC	<0.00591	U	0.00591	ug/L				60-140		40
Dieldrin	<0.00591	U	0.00591	ug/L				60-140		40
Endosulfan I	<0.00591	U	0.00591	ug/L				60-140		40
Endosulfan II	<0.00591	U	0.00591	ug/L				60-140		40
Endosulfan sulfate	<0.00591	U	0.00591	ug/L				60-140		40
Endrin	<0.00591	U	0.00591	ug/L				60-140		40
Endrin aldehyde	<0.00591	U	0.00591	ug/L				60-140		40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
LCS Dup TOX (BFB3715-BSD1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
Endrin ketone	<0.00591	U	0.00591	ug/L				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00591	U	0.00591	ug/L				60-140		40
gamma-Chlordane	<0.00591	U	0.00591	ug/L				60-140		40
Heptachlor	<0.00591	U	0.00591	ug/L				60-140		40
Heptachlor epoxide	<0.00591	U	0.00591	ug/L				60-140		40
Methoxychlor	<0.00591	U	0.00591	ug/L				60-140		40
Toxaphene (Chlorinated Camphene)	1.18		0.295	ug/L	1.18		99.8	60-140	14.6	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.132*	*ug/L*	*0.118*		*112*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.120*	*ug/L*	*0.118*		*101*	*60-140*		
LCS Dup (BFB3715-BSD2)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	0.0990		0.00592	ug/L	0.118		83.7	60-140	17.4	40
4,4'-DDE	0.105		0.00592	ug/L	0.118		88.8	60-140	2.44	40
4,4'-DDT	0.110		0.00592	ug/L	0.118		92.9	60-140	5.62	40
Aldrin	0.107		0.00592	ug/L	0.118		90.1	60-140	5.71	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.134		0.00592	ug/L	0.118		113	60-140	3.97	40
beta-BHC (beta-Hexachlorocyclohexane)	0.121		0.00592	ug/L	0.118		102	60-140	3.21	40
Chlordane (tech.)	0.425		0.00592	ug/L	0.473		89.8	60-140	5.59	40
cis-Chlordane (alpha-Chlordane)	0.106		0.00592	ug/L	0.118		89.3	60-140	6.48	40
delta-BHC	0.115		0.00592	ug/L	0.118		96.8	60-140	5.69	40
Dieldrin	0.110		0.00592	ug/L	0.118		92.6	60-140	5.32	40
Endosulfan I	0.0962		0.00592	ug/L	0.118		81.3	60-140	7.75	40
Endosulfan II	0.102		0.00592	ug/L	0.118		86.3	60-140	1.43	40
Endosulfan sulfate	0.104		0.00592	ug/L	0.118		87.9	60-140	7.06	40
Endrin	0.0992		0.00592	ug/L	0.118		83.8	60-140	4.51	40
Endrin aldehyde	0.124		0.00592	ug/L	0.118		105	60-140	2.80	40
Endrin ketone	0.102		0.00592	ug/L	0.118		86.4	60-140	8.74	40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.124		0.00592	ug/L	0.118		105	60-140	3.34	40
gamma-Chlordane	0.103		0.00592	ug/L	0.118		87.4	60-140	5.40	40
Heptachlor	0.112		0.00592	ug/L	0.118		95.0	60-140	5.80	40
Heptachlor epoxide	0.104		0.00592	ug/L	0.118		87.5	60-140	4.66	40
Methoxychlor	0.116		0.00592	ug/L	0.118		98.3	60-140	7.65	40
Toxaphene (Chlorinated Camphene)	<0.296	U	0.296	ug/L				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.136*	*ug/L*	*0.118*		*115*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.136*	*ug/L*	*0.118*		*115*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
BFB3010-BLK1 (BFB3715-LBK1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	<0.00598	U	0.00598	ug/L						
4,4'-DDE	<0.00598	U	0.00598	ug/L						
4,4'-DDT	<0.00598	U	0.00598	ug/L						
Aldrin	<0.00598	U	0.00598	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
Chlordane (tech.)	<0.00598	U	0.00598	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00598	U	0.00598	ug/L						
delta-BHC	<0.00598	U	0.00598	ug/L						
Dieldrin	<0.00598	U	0.00598	ug/L						
Endosulfan I	<0.00598	U	0.00598	ug/L						
Endosulfan II	<0.00598	U	0.00598	ug/L						
Endosulfan sulfate	<0.00598	U	0.00598	ug/L						
Endrin	<0.00598	U	0.00598	ug/L						
Endrin aldehyde	<0.00598	U	0.00598	ug/L						
Endrin ketone	<0.00598	U	0.00598	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00598	U	0.00598	ug/L						
gamma-Chlordane	<0.00598	U	0.00598	ug/L						
Heptachlor	<0.00598	U	0.00598	ug/L						
Heptachlor epoxide	<0.00598	U	0.00598	ug/L						
Methoxychlor	<0.00598	U	0.00598	ug/L						
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr	*S*		*0.368*	*ug/L*	*0.120*		*308*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.116*	*ug/L*	*0.120*		*96.8*	*60-140*		
BFB3292-BLK1 (BFB3715-LBK3)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	<0.00598	U	0.00598	ug/L						
4,4'-DDE	<0.00598	U	0.00598	ug/L						
4,4'-DDT	<0.00598	U	0.00598	ug/L						
Aldrin	<0.00598	U	0.00598	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
Chlordane (tech.)	<0.00598	U	0.00598	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00598	U	0.00598	ug/L						
delta-BHC	<0.00598	U	0.00598	ug/L						
Dieldrin	<0.00598	U	0.00598	ug/L						
Endosulfan I	<0.00598	U	0.00598	ug/L						
Endosulfan II	<0.00598	U	0.00598	ug/L						
Endosulfan sulfate	<0.00598	U	0.00598	ug/L						
Endrin	<0.00598	U	0.00598	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
BFB3292-BLK1 (BFB3715-LBK3)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
Endrin aldehyde	<0.00598	U	0.00598	ug/L						
Endrin ketone	<0.00598	U	0.00598	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00598	U	0.00598	ug/L						
gamma-Chlordane	<0.00598	U	0.00598	ug/L						
Heptachlor	<0.00598	U	0.00598	ug/L						
Heptachlor epoxide	<0.00598	U	0.00598	ug/L						
Methoxychlor	<0.00598	U	0.00598	ug/L						
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr	*S*		*0.288*	*ug/L*	*0.120*		*240*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.125*	*ug/L*	*0.120*		*105*	*60-140*		
MDL TOX (BFB3715-MRL1)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	<0.00595	U	0.00595	ug/L						
4,4'-DDE	<0.00595	U	0.00595	ug/L						
4,4'-DDT	<0.00595	U	0.00595	ug/L						
Aldrin	<0.00595	U	0.00595	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L						
Chlordane (tech.)	<0.00595	U	0.00595	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00595	U	0.00595	ug/L						
delta-BHC	<0.00595	U	0.00595	ug/L						
Dieldrin	<0.00595	U	0.00595	ug/L						
Endosulfan I	<0.00595	U	0.00595	ug/L						
Endosulfan II	<0.00595	U	0.00595	ug/L						
Endosulfan sulfate	<0.00595	U	0.00595	ug/L						
Endrin	<0.00595	U	0.00595	ug/L						
Endrin aldehyde	<0.00595	U	0.00595	ug/L						
Endrin ketone	<0.00595	U	0.00595	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00595	U	0.00595	ug/L						
gamma-Chlordane	<0.00595	U	0.00595	ug/L						
Heptachlor	<0.00595	U	0.00595	ug/L						
Heptachlor epoxide	<0.00595	U	0.00595	ug/L						
Methoxychlor	<0.00595	U	0.00595	ug/L						
Toxaphene (Chlorinated Camphene)	0.359		0.297	ug/L	0.297		121			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.143*	*ug/L*	*0.119*		*120*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.127*	*ug/L*	*0.119*		*107*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
MDL (BFB3715-MRL2)					Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	0.00921		0.00599	ug/L	0.0120		76.8			
4,4'-DDE	0.0112		0.00599	ug/L	0.0120		93.3			
4,4'-DDT	0.0108		0.00599	ug/L	0.0120		89.8			
Aldrin	0.0114		0.00599	ug/L	0.0120		94.8			
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0141		0.00599	ug/L	0.0120		118			
beta-BHC (beta-Hexachlorocyclohexane)	0.0144		0.00599	ug/L	0.0120		120			
Chlordane (tech.)	0.0428		0.00599	ug/L	0.0479		89.3			
cis-Chlordane (alpha-Chlordane)	0.0122		0.00599	ug/L	0.0120		102			
delta-BHC	0.00542	J	0.00599	ug/L	0.0120		45.2			
Dieldrin	0.0112		0.00599	ug/L	0.0120		93.7			
Endosulfan I	0.0111		0.00599	ug/L	0.0120		92.4			
Endosulfan II	0.0116		0.00599	ug/L	0.0120		97.2			
Endosulfan sulfate	0.0126		0.00599	ug/L	0.0120		105			
Endrin	0.0102		0.00599	ug/L	0.0120		85.4			
Endrin aldehyde	0.0142		0.00599	ug/L	0.0120		119			
Endrin ketone	0.0126		0.00599	ug/L	0.0120		105			
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0142		0.00599	ug/L	0.0120		118			
gamma-Chlordane	0.0109		0.00599	ug/L	0.0120		91.2			
Heptachlor	0.0102		0.00599	ug/L	0.0120		85.6			
Heptachlor epoxide	0.00941		0.00599	ug/L	0.0120		78.6			
Methoxychlor	0.00518	J	0.00599	ug/L	0.0120		43.2			
Toxaphene (Chlorinated Camphene)	<0.300	U	0.300	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.135*	*ug/L*	*0.120*		*113*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.133*	*ug/L*	*0.120*		*111*	*60-140*		
Matrix Spike (BFB3715-MS1)		**Source: 22B3212-01**			Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	0.778		0.0293	ug/L	0.585	<0.0293	133	60-140		
4,4'-DDE	0.572		0.0293	ug/L	0.585	<0.0293	97.7	60-140		
4,4'-DDT	0.598		0.0293	ug/L	0.585	<0.0293	102	60-140		
Aldrin	0.588		0.0293	ug/L	0.585	<0.0293	101	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.956	J1	0.0293	ug/L	0.585	0.0301	158	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.856	J1	0.0293	ug/L	0.585	<0.0293	146	60-140		
Chlordane (tech.)	2.72		0.0293	ug/L	2.34	<0.0293	116	60-140		
cis-Chlordane (alpha-Chlordane)	0.660		0.0293	ug/L	0.585	<0.0293	113	60-140		
delta-BHC	0.818		0.0293	ug/L	0.585	<0.0293	140	60-140		
Dieldrin	0.767		0.0293	ug/L	0.585	<0.0293	131	60-140		
Endosulfan I	0.672		0.0293	ug/L	0.585	<0.0293	115	60-140		
Endosulfan II	0.726		0.0293	ug/L	0.585	<0.0293	124	60-140		
Endosulfan sulfate	0.849	J1	0.0293	ug/L	0.585	<0.0293	145	60-140		
Endrin	0.695		0.0293	ug/L	0.585	<0.0293	119	60-140		
Endrin aldehyde	0.881	J1	0.0293	ug/L	0.585	<0.0293	150	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3715 - SW-3511 (Continued)										
Matrix Spike (BFB3715-MS1)		**Source: 22B3212-01**			Prepared: 2/28/2022 Analyzed: 3/8/2022					
Endrin ketone	0.858	J1	0.0293	ug/L	0.585	<0.0293	147	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.887	J1	0.0293	ug/L	0.585	<0.0293	152	60-140		
gamma-Chlordane	0.628		0.0293	ug/L	0.585	<0.0293	107	60-140		
Heptachlor	0.706		0.0293	ug/L	0.585	<0.0293	121	60-140		
Heptachlor epoxide	0.722		0.0293	ug/L	0.585	<0.0293	123	60-140		
Methoxychlor	0.812		0.0293	ug/L	0.585	<0.0293	139	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.848*	*ug/L*	*0.585*		*145*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.673*	*ug/L*	*0.585*		*115*	*60-140*		
Matrix Spike Dup (BFB3715-MSD1)		**Source: 22B3212-01**			Prepared: 2/28/2022 Analyzed: 3/8/2022					
4,4'-DDD	0.672		0.0289	ug/L	0.579	<0.0289	116	60-140	14.6	40
4,4'-DDE	0.501		0.0289	ug/L	0.579	<0.0289	86.6	60-140	13.3	40
4,4'-DDT	0.540		0.0289	ug/L	0.579	<0.0289	93.4	60-140	10.2	40
Aldrin	0.549		0.0289	ug/L	0.579	<0.0289	95.0	60-140	6.86	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.982	J1	0.0289	ug/L	0.579	0.0301	165	60-140	2.69	40
beta-BHC (beta-Hexachlorocyclohexane)	0.875	J1	0.0289	ug/L	0.579	<0.0289	151	60-140	2.12	40
Chlordane (tech.)	2.65		0.0289	ug/L	2.31	<0.0289	115	60-140	2.37	40
cis-Chlordane (alpha-Chlordane)	0.630		0.0289	ug/L	0.579	<0.0289	109	60-140	4.64	40
delta-BHC	0.853	J1	0.0289	ug/L	0.579	<0.0289	147	60-140	4.16	40
Dieldrin	0.775		0.0289	ug/L	0.579	<0.0289	134	60-140	1.02	40
Endosulfan I	0.701		0.0289	ug/L	0.579	<0.0289	121	60-140	4.18	40
Endosulfan II	0.746		0.0289	ug/L	0.579	<0.0289	129	60-140	2.72	40
Endosulfan sulfate	0.871	J1	0.0289	ug/L	0.579	<0.0289	151	60-140	2.60	40
Endrin	0.690		0.0289	ug/L	0.579	<0.0289	119	60-140	0.710	40
Endrin aldehyde	0.929	J1	0.0289	ug/L	0.579	<0.0289	161	60-140	5.27	40
Endrin ketone	0.848	J1	0.0289	ug/L	0.579	<0.0289	147	60-140	1.11	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.917	J1	0.0289	ug/L	0.579	<0.0289	158	60-140	3.28	40
gamma-Chlordane	0.585		0.0289	ug/L	0.579	<0.0289	101	60-140	7.14	40
Heptachlor	0.689		0.0289	ug/L	0.579	<0.0289	119	60-140	2.43	40
Heptachlor epoxide	0.748		0.0289	ug/L	0.579	<0.0289	129	60-140	3.60	40
Methoxychlor	0.809		0.0289	ug/L	0.579	<0.0289	140	60-140	0.421	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.888*	*ug/L*	*0.579*		*153*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.686*	*ug/L*	*0.579*		*119*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0779 - SW-3511										
Blank (BFC0779-BLK1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
PCBs, Total	<0.119	U	0.119	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0969*	*ug/L*	*0.119*		*81.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.108*	*ug/L*	*0.119*		*90.7*	*60-140*		
LCS (BFC0779-BS1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
Aroclor-1016 (PCB-1016)	1.24		0.119	ug/L	1.19		104	60-140		
Aroclor-1260 (PCB-1260)	1.32		0.119	ug/L	1.19		111	60-140		
PCBs, Total	1.30		0.119	ug/L	1.19		109	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0823*	*ug/L*	*0.119*		*69.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.104*	*ug/L*	*0.119*		*87.0*	*60-140*		
LCS Dup (BFC0779-BSD1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
Aroclor-1016 (PCB-1016)	1.25		0.120	ug/L	1.20		104	60-140	0.892	40
Aroclor-1260 (PCB-1260)	1.34		0.120	ug/L	1.20		112	60-140	1.62	40
PCBs, Total	1.32		0.120	ug/L	1.20		110	60-140	1.47	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.116*	*ug/L*	*0.120*		*96.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.120*	*ug/L*	*0.120*		*100*	*60-140*		
BFB1944-LBK (BFC0779-LBK1)					Prepared: 3/4/2022 Analyzed: 3/9/2022					
Aroclor-1016 (PCB-1016)	<0.0120	U	0.0120	ug/L						
Aroclor-1221 (PCB-1221)	<0.0120	U	0.0120	ug/L						
Aroclor-1232 (PCB-1232)	<0.0120	U	0.0120	ug/L						
Aroclor-1242 (PCB-1242)	<0.0120	U	0.0120	ug/L						
Aroclor-1248 (PCB-1248)	<0.0120	U	0.0120	ug/L						
Aroclor-1254 (PCB-1254)	<0.0120	U	0.0120	ug/L						
Aroclor-1260 (PCB-1260)	<0.0120	U	0.0120	ug/L						
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.105*	*ug/L*	*0.120*		*87.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0443*	*ug/L*	*0.120*		*36.9*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0779 - SW-3511 (Continued)										
BFB3010-LBK (BFC0779-LBK2)					Prepared: 3/4/2022 Analyzed: 3/9/2022					
Aroclor-1016 (PCB-1016)	<0.0120	U	0.0120	ug/L						
Aroclor-1221 (PCB-1221)	<0.0120	U	0.0120	ug/L						
Aroclor-1232 (PCB-1232)	<0.0120	U	0.0120	ug/L						
Aroclor-1242 (PCB-1242)	<0.0120	U	0.0120	ug/L						
Aroclor-1248 (PCB-1248)	<0.0120	U	0.0120	ug/L						
Aroclor-1254 (PCB-1254)	<0.0120	U	0.0120	ug/L						
Aroclor-1260 (PCB-1260)	<0.0120	U	0.0120	ug/L						
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.100*	*ug/L*	*0.120*		*83.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0250*	*ug/L*	*0.120*		*20.8*	*60-140*		
BFB3292-LBK (BFC0779-LBK3)					Prepared: 3/4/2022 Analyzed: 3/9/2022					
Aroclor-1016 (PCB-1016)	<0.0120	U	0.0120	ug/L						
Aroclor-1221 (PCB-1221)	<0.0120	U	0.0120	ug/L						
Aroclor-1232 (PCB-1232)	<0.0120	U	0.0120	ug/L						
Aroclor-1242 (PCB-1242)	<0.0120	U	0.0120	ug/L						
Aroclor-1248 (PCB-1248)	<0.0120	U	0.0120	ug/L						
Aroclor-1254 (PCB-1254)	<0.0120	U	0.0120	ug/L						
Aroclor-1260 (PCB-1260)	<0.0120	U	0.0120	ug/L						
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.106*	*ug/L*	*0.120*		*88.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0337*	*ug/L*	*0.120*		*28.1*	*60-140*		
BFC0552-LBK (BFC0779-LBK4)					Prepared: 3/4/2022 Analyzed: 3/9/2022					
Aroclor-1016 (PCB-1016)	<0.0120	U	0.0120	ug/L						
Aroclor-1221 (PCB-1221)	<0.0120	U	0.0120	ug/L						
Aroclor-1232 (PCB-1232)	<0.0120	U	0.0120	ug/L						
Aroclor-1242 (PCB-1242)	<0.0120	U	0.0120	ug/L						
Aroclor-1248 (PCB-1248)	<0.0120	U	0.0120	ug/L						
Aroclor-1254 (PCB-1254)	<0.0120	U	0.0120	ug/L						
Aroclor-1260 (PCB-1260)	<0.0120	U	0.0120	ug/L						
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.113*	*ug/L*	*0.120*		*94.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0752*	*ug/L*	*0.120*		*62.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0779 - SW-3511 (Continued)										
MDL (BFC0779-MRL1)					Prepared: 3/4/2022 Analyzed: 3/8/2022					
Aroclor-1016 (PCB-1016)	0.194		0.119	ug/L	0.238		81.3	50-150		
Aroclor-1221 (PCB-1221)	<0.119	U	0.119	ug/L				50-150		
Aroclor-1232 (PCB-1232)	<0.119	U	0.119	ug/L				50-150		
Aroclor-1242 (PCB-1242)	<0.119	U	0.119	ug/L				50-150		
Aroclor-1248 (PCB-1248)	<0.119	U	0.119	ug/L				50-150		
Aroclor-1254 (PCB-1254)	<0.119	U	0.119	ug/L				50-150		
Aroclor-1260 (PCB-1260)	0.280		0.119	ug/L	0.238		118	50-150		
PCBs, Total	0.261		0.119	ug/L	0.238		110	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0979*	*ug/L*	*0.119*		*82.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.108*	*ug/L*	*0.119*		*90.3*	*60-140*		
Matrix Spike (BFC0779-MS1)		**Source: 22A3944-21**			Prepared: 3/4/2022 Analyzed: 3/8/2022					
Aroclor-1016 (PCB-1016)	1.22		0.120	ug/L	1.20	<0.120	102	60-140		
Aroclor-1260 (PCB-1260)	1.21		0.120	ug/L	1.20	<0.120	101	60-140		
PCBs, Total	1.21		0.120	ug/L	1.20	<0.120	101	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.104*	*ug/L*	*0.120*		*86.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0939*	*ug/L*	*0.120*		*78.3*	*60-140*		
Matrix Spike Dup (BFC0779-MSD1)		**Source: 22A3944-21**			Prepared: 3/4/2022 Analyzed: 3/9/2022					
Aroclor-1016 (PCB-1016)	1.25		0.120	ug/L	1.20	<0.120	104	60-140	2.74	40
Aroclor-1260 (PCB-1260)	1.19		0.120	ug/L	1.20	<0.120	98.9	60-140	2.29	40
PCBs, Total	1.20		0.120	ug/L	1.20	<0.120	100	60-140	1.15	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.104*	*ug/L*	*0.120*		*86.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0996*	*ug/L*	*0.120*		*83.0*	*60-140*		
Batch: BFC1098 - TX 1005 ELUT										
Blank (BFC1098-BLK1)					Prepared: 3/8/2022 Analyzed: 3/11/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.59	U	4.59	mg/L						
Surrogate: 1-Chlorooctadecane-surr		*S*	*18.7*	*mg/L*	*30.6*		*61.1*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.4*	*mg/L*	*30.6*		*89.5*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1098 - TX 1005 ELUT (Continued)										
Blank (BFC1098-BLK2)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<9.18	U	9.18	mg/L						
Surrogate: 1-Chlorooctadecane-surr			*24.6*	*mg/L*	*30.6*		*80.3*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.7*	*mg/L*	*30.6*		*87.2*	*70-130*		
LCS (BFC1098-BS1)					Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	32.4		2.39	mg/L	31.8		102	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	53.0		4.78	mg/L	63.7		83.2	75-125		
Surrogate: 1-Chlorooctadecane-surr		*S*	*22.1*	*mg/L*	*31.8*		*69.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*29.2*	*mg/L*	*31.8*		*91.7*	*70-130*		
LCS (BFC1098-BS2)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
C6-C12	31.3		4.78	mg/L	31.8		98.2	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	59.3		9.55	mg/L	63.7		93.1	75-125		
Surrogate: 1-Chlorooctadecane-surr			*27.9*	*mg/L*	*31.8*		*87.6*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*28.8*	*mg/L*	*31.8*		*90.3*	*70-130*		
LCS Dup (BFC1098-BSD1)					Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	30.6		2.38	mg/L	31.8		96.3	75-125	5.75	20
Total Petroleum Hydrocarbons (TPH), C6-C35	49.1		4.77	mg/L	63.6		77.2	75-125	7.69	20
Surrogate: 1-Chlorooctadecane-surr		*S*	*19.1*	*mg/L*	*31.8*		*60.1*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*28.1*	*mg/L*	*31.8*		*88.5*	*70-130*		
LCS Dup (BFC1098-BSD2)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
C6-C12	32.8		4.77	mg/L	31.8		103	75-125	4.89	20
>C12-C28	27.3		4.77	mg/L	31.8		85.9	75-125	1.77	20
Total Petroleum Hydrocarbons (TPH), C6-C35	61.4		9.54	mg/L	63.6		96.6	75-125	3.59	20
Surrogate: 1-Chlorooctadecane-surr			*25.6*	*mg/L*	*31.8*		*80.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*29.0*	*mg/L*	*31.8*		*91.3*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1098 - TX 1005 ELUT (Continued)										
BFC0552-LBK (BFC1098-LBK1)					Prepared: 3/8/2022 Analyzed: 3/11/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.61	U	4.61	mg/L						
Surrogate: 1-Chlorooctadecane-surr		*S*	*19.1*	*mg/L*	*30.7*		*62.3*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.0*	*mg/L*	*30.7*		*84.7*	*70-130*		
MDL (BFC1098-MRL1)					Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	0.000954	J	2.38	mg/L	0.238		0.400			
>C12-C35	<2.38	U	2.38	mg/L						
>C28-C35	<2.38	U	2.38	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	<4.77	U	4.77	mg/L	0.477					
Surrogate: 1-Chlorooctadecane-surr		*S*	*22.2*	*mg/L*	*31.8*		*69.9*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*28.2*	*mg/L*	*31.8*		*88.8*	*70-130*		
MDL (BFC1098-MRL2)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
C6-C12	<4.77	U	4.77	mg/L	0.238					
>C12-C28	0.418	J	4.77	mg/L	0.238		175			
>C12-C35	0.418	J	4.77	mg/L						
>C28-C35	<4.77	U	4.77	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	0.421	J	9.54	mg/L	0.477		88.2	50-150		
Surrogate: 1-Chlorooctadecane-surr			*27.2*	*mg/L*	*31.8*		*85.5*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.7*	*mg/L*	*31.8*		*87.1*	*70-130*		
Matrix Spike (BFC1098-MS1)		**Source: 22A3944-20**			Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	30.1		2.25	mg/L	30.1	<2.25	100	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	46.8		4.51	mg/L	60.1	<4.51	77.9	75-125		
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.2*	*mg/L*	*30.1*		*67.1*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.6*	*mg/L*	*30.1*		*88.4*	*70-130*		
Matrix Spike (BFC1098-MS2)		**Source: 22A3944-20RE1**			Prepared: 3/8/2022 Analyzed: 3/21/2022					
C6-C12	30.9		4.64	mg/L	30.9	<4.64	99.8	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	57.7		9.28	mg/L	61.9	<9.28	93.3	75-125		
Surrogate: 1-Chlorooctadecane-surr			*24.0*	*mg/L*	*30.9*		*77.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*28.3*	*mg/L*	*30.9*		*91.6*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1098 - TX 1005 ELUT (Continued)										
Matrix Spike Dup (BFC1098-MSD1)	**Source: 22A3944-20**				Prepared: 3/8/2022 Analyzed: 3/11/2022					
C6-C12	29.4		2.32	mg/L	30.9	<2.32	95.1	75-125	2.42	20
Total Petroleum Hydrocarbons (TPH), C6-C35	47.2		4.64	mg/L	61.9	<4.64	76.4	75-125	0.882	20
Surrogate: 1-Chlorooctadecane-surr		*S*	*20.0*	*mg/L*	*30.9*		*64.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*27.8*	*mg/L*	*30.9*		*89.9*	*70-130*		
Batch: BFC1112 - SW-3511										
Blank (BFC1112-BLK1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	<0.00595	R, U	0.00595	ug/L						
4,4'-DDE	<0.00595	R, U	0.00595	ug/L						
4,4'-DDT	<0.00595	R, U	0.00595	ug/L						
Aldrin	<0.00595	R, U	0.00595	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00595	R, U	0.00595	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00595	R, U	0.00595	ug/L						
Chlordane (tech.)	0.0161	R	0.00595	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00595	R, U	0.00595	ug/L						
delta-BHC	<0.00595	R, U	0.00595	ug/L						
Dieldrin	<0.00595	R, U	0.00595	ug/L						
Endosulfan I	<0.00595	R, U	0.00595	ug/L						
Endosulfan II	<0.00595	R, U	0.00595	ug/L						
Endosulfan sulfate	<0.00595	R, U	0.00595	ug/L						
Endrin	<0.00595	R, U	0.00595	ug/L						
Endrin aldehyde	<0.00595	R, U	0.00595	ug/L						
Endrin ketone	<0.00595	R, U	0.00595	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00595	R, U	0.00595	ug/L						
gamma-Chlordane	0.00750	R	0.00595	ug/L						
Heptachlor	<0.00595	R, U	0.00595	ug/L						
Heptachlor epoxide	<0.00595	R, U	0.00595	ug/L						
Methoxychlor	<0.00595	R, U	0.00595	ug/L						
Toxaphene (Chlorinated Camphene)	<0.298	R, U	0.298	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R, S*	*0.200*	*ug/L*	*0.119*		*168*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.118*	*ug/L*	*0.119*		*99.0*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
Blank (BFC1112-BLK2)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	<0.00595	U	0.00595	ug/L						
4,4'-DDE	<0.00595	U	0.00595	ug/L						
4,4'-DDT	<0.00595	U	0.00595	ug/L						
Aldrin	<0.00595	U	0.00595	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L						
Chlordane (tech.)	<0.00595	U	0.00595	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00595	U	0.00595	ug/L						
delta-BHC	<0.00595	U	0.00595	ug/L						
Dieldrin	<0.00595	U	0.00595	ug/L						
Endosulfan I	<0.00595	U	0.00595	ug/L						
Endosulfan II	<0.00595	U	0.00595	ug/L						
Endosulfan sulfate	<0.00595	U	0.00595	ug/L						
Endrin	<0.00595	U	0.00595	ug/L						
Endrin aldehyde	<0.00595	U	0.00595	ug/L						
Endrin ketone	<0.00595	U	0.00595	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00595	U	0.00595	ug/L						
gamma-Chlordane	<0.00595	U	0.00595	ug/L						
Heptachlor	<0.00595	U	0.00595	ug/L						
Heptachlor epoxide	<0.00595	U	0.00595	ug/L						
Methoxychlor	<0.00595	U	0.00595	ug/L						
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr	*S*		*0.180*	*ug/L*	*0.119*		*151*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.113*	*ug/L*	*0.119*		*94.8*	*60-140*		
LCS TOX (BFC1112-BS1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	<0.00600	R, U	0.00600	ug/L				60-140		
4,4'-DDE	<0.00600	R, U	0.00600	ug/L				60-140		
4,4'-DDT	<0.00600	R, U	0.00600	ug/L				60-140		
Aldrin	<0.00600	R, U	0.00600	ug/L				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		
Chlordane (tech.)	<0.00600	R, U	0.00600	ug/L				60-140		
cis-Chlordane (alpha-Chlordane)	<0.00600	R, U	0.00600	ug/L				60-140		
delta-BHC	<0.00600	R, U	0.00600	ug/L				60-140		
Dieldrin	<0.00600	R, U	0.00600	ug/L				60-140		
Endosulfan I	<0.00600	R, U	0.00600	ug/L				60-140		
Endosulfan II	<0.00600	R, U	0.00600	ug/L				60-140		
Endosulfan sulfate	<0.00600	R, U	0.00600	ug/L				60-140		
Endrin	<0.00600	R, U	0.00600	ug/L				60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
LCS TOX (BFC1112-BS1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
Endrin aldehyde	<0.00600	R, U	0.00600	ug/L				60-140		
Endrin ketone	<0.00600	R, U	0.00600	ug/L				60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		
gamma-Chlordane	<0.00600	R, U	0.00600	ug/L				60-140		
Heptachlor	<0.00600	R, U	0.00600	ug/L				60-140		
Heptachlor epoxide	<0.00600	R, U	0.00600	ug/L				60-140		
Methoxychlor	<0.00600	R, U	0.00600	ug/L				60-140		
Toxaphene (Chlorinated Camphene)	1.38	R	0.300	ug/L	1.20		115	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R*	*0.125*	*ug/L*	*0.120*		*104*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.101*	*ug/L*	*0.120*		*84.4*	*60-140*		
LCS (BFC1112-BS2)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	0.124	R	0.00593	ug/L	0.119		104	60-140		
4,4'-DDE	<0.00593	R, J1, U	0.00593	ug/L	0.119			60-140		
4,4'-DDT	0.113	R	0.00593	ug/L	0.119		95.1	60-140		
Aldrin	0.121	R	0.00593	ug/L	0.119		102	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.182	J1, R	0.00593	ug/L	0.119		153	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.156	R	0.00593	ug/L	0.119		132	60-140		
Chlordane (tech.)	0.488	R	0.00593	ug/L	0.474		103	60-140		
cis-Chlordane (alpha-Chlordane)	0.103	R	0.00593	ug/L	0.119		87.0	60-140		
delta-BHC	0.143	R	0.00593	ug/L	0.119		121	60-140		
Dieldrin	0.127	R	0.00593	ug/L	0.119		107	60-140		
Endosulfan I	0.00766	J1, R	0.00593	ug/L	0.119		6.46	60-140		
Endosulfan II	0.115	R	0.00593	ug/L	0.119		97.2	60-140		
Endosulfan sulfate	0.125	R	0.00593	ug/L	0.119		106	60-140		
Endrin	0.115	R	0.00593	ug/L	0.119		97.2	60-140		
Endrin aldehyde	0.140	R	0.00593	ug/L	0.119		118	60-140		
Endrin ketone	0.150	R	0.00593	ug/L	0.119		127	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.155	R	0.00593	ug/L	0.119		130	60-140		
gamma-Chlordane	0.134	R	0.00593	ug/L	0.119		113	60-140		
Heptachlor	0.156	R	0.00593	ug/L	0.119		131	60-140		
Heptachlor epoxide	0.0947	R	0.00593	ug/L	0.119		79.8	60-140		
Methoxychlor	0.130	R	0.00593	ug/L	0.119		110	60-140		
Toxaphene (Chlorinated Camphene)	<0.297	R, U	0.297	ug/L				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*J1, R*	*0.181*	*ug/L*	*0.119*		*152*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.111*	*ug/L*	*0.119*		*93.9*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
LCS TOX (BFC1112-BS3)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	<0.00600	U	0.00600	ug/L				60-140		
4,4'-DDE	<0.00600	U	0.00600	ug/L				60-140		
4,4'-DDT	<0.00600	U	0.00600	ug/L				60-140		
Aldrin	<0.00600	U	0.00600	ug/L				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		
Chlordane (tech.)	<0.00600	U	0.00600	ug/L				60-140		
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L				60-140		
delta-BHC	<0.00600	U	0.00600	ug/L				60-140		
Dieldrin	<0.00600	U	0.00600	ug/L				60-140		
Endosulfan I	<0.00600	U	0.00600	ug/L				60-140		
Endosulfan II	<0.00600	U	0.00600	ug/L				60-140		
Endosulfan sulfate	<0.00600	U	0.00600	ug/L				60-140		
Endrin	<0.00600	U	0.00600	ug/L				60-140		
Endrin aldehyde	<0.00600	U	0.00600	ug/L				60-140		
Endrin ketone	<0.00600	U	0.00600	ug/L				60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00600	U	0.00600	ug/L				60-140		
gamma-Chlordane	<0.00600	U	0.00600	ug/L				60-140		
Heptachlor	<0.00600	U	0.00600	ug/L				60-140		
Heptachlor epoxide	<0.00600	U	0.00600	ug/L				60-140		
Methoxychlor	<0.00600	U	0.00600	ug/L				60-140		
Toxaphene (Chlorinated Camphene)	1.28		0.300	ug/L	1.20		107	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.119*	*ug/L*	*0.120*		*99.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.102*	*ug/L*	*0.120*		*85.3*	*60-140*		
LCS (BFC1112-BS4)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	0.129		0.00593	ug/L	0.119		109	60-140		
4,4'-DDE	0.0802		0.00593	ug/L	0.119		67.6	60-140		
4,4'-DDT	0.114		0.00593	ug/L	0.119		96.1	60-140		
Aldrin	0.118		0.00593	ug/L	0.119		99.2	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.138		0.00593	ug/L	0.119		117	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.141		0.00593	ug/L	0.119		119	60-140		
Chlordane (tech.)	0.462		0.00593	ug/L	0.474		97.5	60-140		
cis-Chlordane (alpha-Chlordane)	0.101		0.00593	ug/L	0.119		85.0	60-140		
delta-BHC	0.135		0.00593	ug/L	0.119		114	60-140		
Dieldrin	0.118		0.00593	ug/L	0.119		99.2	60-140		
Endosulfan I	0.0813		0.00593	ug/L	0.119		68.5	60-140		
Endosulfan II	0.114		0.00593	ug/L	0.119		96.5	60-140		
Endosulfan sulfate	0.128		0.00593	ug/L	0.119		108	60-140		
Endrin	0.121		0.00593	ug/L	0.119		102	60-140		
Endrin aldehyde	0.117		0.00593	ug/L	0.119		98.5	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
LCS (BFC1112-BS4)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
Endrin ketone	0.145		0.00593	ug/L	0.119		122	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.135		0.00593	ug/L	0.119		114	60-140		
gamma-Chlordane	0.128		0.00593	ug/L	0.119		108	60-140		
Heptachlor	0.135		0.00593	ug/L	0.119		114	60-140		
Heptachlor epoxide	0.0990		0.00593	ug/L	0.119		83.4	60-140		
Methoxychlor	0.138		0.00593	ug/L	0.119		117	60-140		
Toxaphene (Chlorinated Camphene)	<0.297	U	0.297	ug/L				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.152*	*ug/L*	*0.119*		*128*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.102*	*ug/L*	*0.119*		*86.1*	*60-140*		
LCS Dup TOX (BFC1112-BSD1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	<0.00600	R, U	0.00600	ug/L				60-140		40
4,4'-DDE	<0.00600	R, U	0.00600	ug/L				60-140		40
4,4'-DDT	<0.00600	R, U	0.00600	ug/L				60-140		40
Aldrin	<0.00600	R, U	0.00600	ug/L				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		40
Chlordane (tech.)	<0.00600	R, U	0.00600	ug/L				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.00600	R, U	0.00600	ug/L				60-140		40
delta-BHC	<0.00600	R, U	0.00600	ug/L				60-140		40
Dieldrin	<0.00600	R, U	0.00600	ug/L				60-140		40
Endosulfan I	<0.00600	R, U	0.00600	ug/L				60-140		40
Endosulfan II	<0.00600	R, U	0.00600	ug/L				60-140		40
Endosulfan sulfate	<0.00600	R, U	0.00600	ug/L				60-140		40
Endrin	<0.00600	R, U	0.00600	ug/L				60-140		40
Endrin aldehyde	<0.00600	R, U	0.00600	ug/L				60-140		40
Endrin ketone	<0.00600	R, U	0.00600	ug/L				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				60-140		40
gamma-Chlordane	<0.00600	R, U	0.00600	ug/L				60-140		40
Heptachlor	<0.00600	R, U	0.00600	ug/L				60-140		40
Heptachlor epoxide	<0.00600	R, U	0.00600	ug/L				60-140		40
Methoxychlor	<0.00600	R, U	0.00600	ug/L				60-140		40
Toxaphene (Chlorinated Camphene)	1.28	R	0.300	ug/L	1.20		107	60-140	7.79	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R*	*0.119*	*ug/L*	*0.120*		*98.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.0739*	*ug/L*	*0.120*		*61.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
LCS Dup (BFC1112-BSD2)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	0.142	R	0.00598	ug/L	0.120		119	60-140	14.1	40
4,4'-DDE	<0.00598	J1, R, U	0.00598	ug/L	0.120			60-140		40
4,4'-DDT	0.128	R	0.00598	ug/L	0.120		107	60-140	12.3	40
Aldrin	0.131	R	0.00598	ug/L	0.120		110	60-140	8.37	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.202	J1, R	0.00598	ug/L	0.120		169	60-140	10.7	40
beta-BHC (beta-Hexachlorocyclohexane)	0.175	J1, R	0.00598	ug/L	0.120		146	60-140	11.2	40
Chlordane (tech.)	0.591	R	0.00598	ug/L	0.478		123	60-140	19.1	40
cis-Chlordane (alpha-Chlordane)	0.116	R	0.00598	ug/L	0.120		96.9	60-140	11.6	40
delta-BHC	0.172	J1, R	0.00598	ug/L	0.120		144	60-140	18.3	40
Dieldrin	0.143	R	0.00598	ug/L	0.120		119	60-140	11.8	40
Endosulfan I	0.00783	J1, R	0.00598	ug/L	0.120		6.55	60-140	2.14	40
Endosulfan II	0.143	R	0.00598	ug/L	0.120		120	60-140	21.7	40
Endosulfan sulfate	0.154	R	0.00598	ug/L	0.120		129	60-140	20.5	40
Endrin	0.130	R	0.00598	ug/L	0.120		109	60-140	11.9	40
Endrin aldehyde	0.162	R	0.00598	ug/L	0.120		136	60-140	15.2	40
Endrin ketone	0.172	J1, R	0.00598	ug/L	0.120		143	60-140	13.3	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.190	J1, R	0.00598	ug/L	0.120		158	60-140	20.2	40
gamma-Chlordane	0.154	R	0.00598	ug/L	0.120		129	60-140	14.0	40
Heptachlor	0.173	J1, R	0.00598	ug/L	0.120		144	60-140	10.4	40
Heptachlor epoxide	0.148	J1, R	0.00598	ug/L	0.120		123	60-140	43.7	40
Methoxychlor	0.154	R	0.00598	ug/L	0.120		129	60-140	16.6	40
Toxaphene (Chlorinated Camphene)	<0.299	R, U	0.299	ug/L				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*J1, R*	*0.178*	*ug/L*	*0.120*		*149*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.140*	*ug/L*	*0.120*		*117*	*60-140*		
LCS Dup TOX (BFC1112-BSD3)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	<0.00600	U	0.00600	ug/L				60-140		40
4,4'-DDE	<0.00600	U	0.00600	ug/L				60-140		40
4,4'-DDT	<0.00600	U	0.00600	ug/L				60-140		40
Aldrin	<0.00600	U	0.00600	ug/L				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		40
Chlordane (tech.)	<0.00600	U	0.00600	ug/L				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L				60-140		40
delta-BHC	<0.00600	U	0.00600	ug/L				60-140		40
Dieldrin	<0.00600	U	0.00600	ug/L				60-140		40
Endosulfan I	<0.00600	U	0.00600	ug/L				60-140		40
Endosulfan II	<0.00600	U	0.00600	ug/L				60-140		40
Endosulfan sulfate	<0.00600	U	0.00600	ug/L				60-140		40
Endrin	<0.00600	U	0.00600	ug/L				60-140		40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
LCS Dup TOX (BFC1112-BSD3)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
Endrin aldehyde	<0.00600	U	0.00600	ug/L				60-140		40
Endrin ketone	<0.00600	U	0.00600	ug/L				60-140		40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				60-140		40
gamma-Chlordane	<0.00600	U	0.00600	ug/L				60-140		40
Heptachlor	<0.00600	U	0.00600	ug/L				60-140		40
Heptachlor epoxide	<0.00600	U	0.00600	ug/L				60-140		40
Methoxychlor	<0.00600	U	0.00600	ug/L				60-140		40
Toxaphene (Chlorinated Camphene)	1.29		0.300	ug/L	1.20		108	60-140	0.484	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.117*	*ug/L*	*0.120*		*97.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0783*	*ug/L*	*0.120*		*65.2*	*60-140*		
LCS Dup (BFC1112-BSD4)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	0.154		0.00598	ug/L	0.120		129	60-140	17.8	40
4,4'-DDE	0.0983		0.00598	ug/L	0.120		82.2	60-140	20.3	40
4,4'-DDT	0.134		0.00598	ug/L	0.120		112	60-140	15.8	40
Aldrin	0.133		0.00598	ug/L	0.120		111	60-140	12.1	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.160		0.00598	ug/L	0.120		134	60-140	14.6	40
beta-BHC (beta-Hexachlorocyclohexane)	0.163		0.00598	ug/L	0.120		136	60-140	14.1	40
Chlordane (tech.)	0.565		0.00598	ug/L	0.478		118	60-140	20.0	40
cis-Chlordane (alpha-Chlordane)	0.120		0.00598	ug/L	0.120		100	60-140	17.0	40
delta-BHC	0.158		0.00598	ug/L	0.120		132	60-140	15.5	40
Dieldrin	0.139		0.00598	ug/L	0.120		116	60-140	16.5	40
Endosulfan I	0.104		0.00598	ug/L	0.120		86.8	60-140	24.3	40
Endosulfan II	0.143		0.00598	ug/L	0.120		119	60-140	21.9	40
Endosulfan sulfate	0.158		0.00598	ug/L	0.120		132	60-140	20.5	40
Endrin	0.142		0.00598	ug/L	0.120		119	60-140	16.2	40
Endrin aldehyde	0.128		0.00598	ug/L	0.120		107	60-140	9.19	40
Endrin ketone	0.167		0.00598	ug/L	0.120		140	60-140	14.6	40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.159		0.00598	ug/L	0.120		133	60-140	16.3	40
gamma-Chlordane	0.148		0.00598	ug/L	0.120		124	60-140	14.5	40
Heptachlor	0.155		0.00598	ug/L	0.120		130	60-140	14.2	40
Heptachlor epoxide	0.143		0.00598	ug/L	0.120		119	60-140	36.1	40
Methoxychlor	0.168	J1	0.00598	ug/L	0.120		141	60-140	19.3	40
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.150*	*ug/L*	*0.120*		*125*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.128*	*ug/L*	*0.120*		*107*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
BFC0552-BLK1 (BFC1112-LBK1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	<0.00598	R, U	0.00598	ug/L						
4,4'-DDE	<0.00598	R, U	0.00598	ug/L						
4,4'-DDT	<0.00598	R, U	0.00598	ug/L						
Aldrin	<0.00598	R, U	0.00598	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00598	R, U	0.00598	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	0.00795	R	0.00598	ug/L						
Chlordane (tech.)	0.0312	R	0.00598	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00598	R, U	0.00598	ug/L						
delta-BHC	<0.00598	R, U	0.00598	ug/L						
Dieldrin	<0.00598	R, U	0.00598	ug/L						
Endosulfan I	0.00609	R	0.00598	ug/L						
Endosulfan II	<0.00598	R, U	0.00598	ug/L						
Endosulfan sulfate	<0.00598	R, U	0.00598	ug/L						
Endrin	<0.00598	R, U	0.00598	ug/L						
Endrin aldehyde	<0.00598	R, U	0.00598	ug/L						
Endrin ketone	<0.00598	R, U	0.00598	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00598	R, U	0.00598	ug/L						
gamma-Chlordane	0.0159	R	0.00598	ug/L						
Heptachlor	0.0127	R	0.00598	ug/L						
Heptachlor epoxide	<0.00598	R, U	0.00598	ug/L						
Methoxychlor	<0.00598	R, U	0.00598	ug/L						
Toxaphene (Chlorinated Camphene)	<0.299	R, U	0.299	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R*	*0.201*	*ug/L*	*0.120*		*168*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.130*	*ug/L*	*0.120*		*109*	*60-140*		
BFC0552-BLK1 (BFC1112-LBK2)					Prepared: 3/8/2022 Analyzed: 3/22/2022					
4,4'-DDD	<0.00598	CQ, U	0.00598	ug/L						
4,4'-DDE	<0.00598	U	0.00598	ug/L						
4,4'-DDT	<0.00598	U	0.00598	ug/L						
Aldrin	<0.00598	U	0.00598	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00598	CQ, U	0.00598	ug/L						
Chlordane (tech.)	0.0142		0.00598	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00598	U	0.00598	ug/L						
delta-BHC	<0.00598	U	0.00598	ug/L						
Dieldrin	<0.00598	U	0.00598	ug/L						
Endosulfan I	<0.00598	U	0.00598	ug/L						
Endosulfan II	<0.00598	U	0.00598	ug/L						
Endosulfan sulfate	<0.00598	U	0.00598	ug/L						
Endrin	<0.00598	U	0.00598	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
BFC0552-BLK1 (BFC1112-LBK2)					Prepared: 3/8/2022 Analyzed: 3/22/2022					
Endrin aldehyde	<0.00598	U	0.00598	ug/L						
Endrin ketone	<0.00598	U	0.00598	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00598	U	0.00598	ug/L						
gamma-Chlordane	<0.00598	CQ, U	0.00598	ug/L						
Heptachlor	0.0142		0.00598	ug/L						
Heptachlor epoxide	<0.00598	U	0.00598	ug/L						
Methoxychlor	<0.00598	U	0.00598	ug/L						
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.171*	*ug/L*	*0.120*		*143*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.121*	*ug/L*	*0.120*		*101*	*60-140*		
MDL TOX (BFC1112-MRL1)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	<0.00600	R, U	0.00600	ug/L				50-150		
4,4'-DDE	<0.00600	R, U	0.00600	ug/L				50-150		
4,4'-DDT	<0.00600	R, U	0.00600	ug/L				50-150		
Aldrin	<0.00600	R, U	0.00600	ug/L				50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	R, U	0.00600	ug/L				50-150		
Chlordane (tech.)	<0.00600	R, U	0.00600	ug/L				50-150		
cis-Chlordane (alpha-Chlordane)	<0.00600	R, U	0.00600	ug/L				50-150		
delta-BHC	<0.00600	R, U	0.00600	ug/L				50-150		
Dieldrin	<0.00600	R, U	0.00600	ug/L				50-150		
Endosulfan I	<0.00600	R, U	0.00600	ug/L				50-150		
Endosulfan II	<0.00600	R, U	0.00600	ug/L				50-150		
Endosulfan sulfate	<0.00600	R, U	0.00600	ug/L				50-150		
Endrin	<0.00600	R, U	0.00600	ug/L				50-150		
Endrin aldehyde	<0.00600	R, U	0.00600	ug/L				50-150		
Endrin ketone	<0.00600	R, U	0.00600	ug/L				50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00600	R, U	0.00600	ug/L				50-150		
gamma-Chlordane	<0.00600	R, U	0.00600	ug/L				50-150		
Heptachlor	<0.00600	R, U	0.00600	ug/L				50-150		
Heptachlor epoxide	<0.00600	R, U	0.00600	ug/L				50-150		
Methoxychlor	<0.00600	R, U	0.00600	ug/L				50-150		
Toxaphene (Chlorinated Camphene)	0.344	R	0.300	ug/L	0.300		115	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*R*	*0.114*	*ug/L*	*0.120*		*95.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.0673*	*ug/L*	*0.120*		*56.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
MDL (BFC1112-MRL2)					Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	0.0141	R	0.00597	ug/L	0.0119		118	50-150		
4,4'-DDE	<0.00597	R, U	0.00597	ug/L	0.0119			50-150		
4,4'-DDT	0.0148	R	0.00597	ug/L	0.0119		124	50-150		
Aldrin	0.0123	R	0.00597	ug/L	0.0119		103	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0229	R	0.00597	ug/L	0.0119		192	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.0185	R	0.00597	ug/L	0.0119		155	50-150		
Chlordane (tech.)	0.0745	R	0.00597	ug/L	0.0477		156	50-150		
cis-Chlordane (alpha-Chlordane)	0.0158	R	0.00597	ug/L	0.0119		132	50-150		
delta-BHC	0.0168	R	0.00597	ug/L	0.0119		141	50-150		
Dieldrin	0.0168	R	0.00597	ug/L	0.0119		141	50-150		
Endosulfan I	<0.00597	R, U	0.00597	ug/L	0.0119			50-150		
Endosulfan II	0.0143	R	0.00597	ug/L	0.0119		120	50-150		
Endosulfan sulfate	0.0169	R	0.00597	ug/L	0.0119		142	50-150		
Endrin	0.0154	R	0.00597	ug/L	0.0119		129	50-150		
Endrin aldehyde	0.0197	R	0.00597	ug/L	0.0119		165	50-150		
Endrin ketone	0.0215	R	0.00597	ug/L	0.0119		180	50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0165	R	0.00597	ug/L	0.0119		138	50-150		
gamma-Chlordane	0.0180	R	0.00597	ug/L	0.0119		151	50-150		
Heptachlor	0.0280	R	0.00597	ug/L	0.0119		235	50-150		
Heptachlor epoxide	0.0128	R	0.00597	ug/L	0.0119		107	50-150		
Methoxychlor	0.0187	R	0.00597	ug/L	0.0119		157	50-150		
Toxaphene (Chlorinated Camphene)	<0.298	R, U	0.298	ug/L				50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr	*R*		*0.175*	*ug/L*	*0.119*		*146*	*60-140*		
Surrogate: Decachlorobiphenyl-surr	*R*		*0.112*	*ug/L*	*0.119*		*94.0*	*60-140*		
MDL TOX (BFC1112-MRL3)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	<0.00600	U	0.00600	ug/L				50-150		
4,4'-DDE	<0.00600	U	0.00600	ug/L				50-150		
4,4'-DDT	<0.00600	U	0.00600	ug/L				50-150		
Aldrin	<0.00600	U	0.00600	ug/L				50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				50-150		
Chlordane (tech.)	<0.00600	U	0.00600	ug/L				50-150		
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L				50-150		
delta-BHC	<0.00600	U	0.00600	ug/L				50-150		
Dieldrin	<0.00600	U	0.00600	ug/L				50-150		
Endosulfan I	<0.00600	U	0.00600	ug/L				50-150		
Endosulfan II	<0.00600	U	0.00600	ug/L				50-150		
Endosulfan sulfate	<0.00600	U	0.00600	ug/L				50-150		
Endrin	<0.00600	U	0.00600	ug/L				50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
MDL TOX (BFC1112-MRL3)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
Endrin aldehyde	<0.00600	U	0.00600	ug/L				50-150		
Endrin ketone	<0.00600	U	0.00600	ug/L				50-150		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				50-150		
gamma-Chlordane	<0.00600	U	0.00600	ug/L				50-150		
Heptachlor	<0.00600	U	0.00600	ug/L				50-150		
Heptachlor epoxide	<0.00600	U	0.00600	ug/L				50-150		
Methoxychlor	<0.00600	U	0.00600	ug/L				50-150		
Toxaphene (Chlorinated Camphene)	0.368		0.300	ug/L	0.300		123	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.111*	*ug/L*	*0.120*		*92.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0704*	*ug/L*	*0.120*		*58.6*	*60-140*		
MDL (BFC1112-MRL4)					Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	0.0149		0.00597	ug/L	0.0119		125	50-150		
4,4'-DDE	0.0156		0.00597	ug/L	0.0119		131	50-150		
4,4'-DDT	0.0151		0.00597	ug/L	0.0119		126	50-150		
Aldrin	0.0139		0.00597	ug/L	0.0119		116	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0184	J1	0.00597	ug/L	0.0119		154	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.0190	J1	0.00597	ug/L	0.0119		159	50-150		
Chlordane (tech.)	0.0853	J1	0.00597	ug/L	0.0477		179	50-150		
cis-Chlordane (alpha-Chlordane)	0.0171		0.00597	ug/L	0.0119		143	50-150		
delta-BHC	0.0176		0.00597	ug/L	0.0119		148	50-150		
Dieldrin	0.0167		0.00597	ug/L	0.0119		140	50-150		
Endosulfan I	0.0126		0.00597	ug/L	0.0119		106	50-150		
Endosulfan II	0.0145		0.00597	ug/L	0.0119		122	50-150		
Endosulfan sulfate	0.0185	J1	0.00597	ug/L	0.0119		155	50-150		
Endrin	0.0160		0.00597	ug/L	0.0119		134	50-150		
Endrin aldehyde	0.0192	J1	0.00597	ug/L	0.0119		161	50-150		
Endrin ketone	0.0214	J1	0.00597	ug/L	0.0119		180	50-150		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.0167		0.00597	ug/L	0.0119		140	50-150		
gamma-Chlordane	0.0265	J1	0.00597	ug/L	0.0119		222	50-150		
Heptachlor	0.0290	J1	0.00597	ug/L	0.0119		243	50-150		
Heptachlor epoxide	0.0127		0.00597	ug/L	0.0119		106	50-150		
Methoxychlor	0.0189	J1	0.00597	ug/L	0.0119		159	50-150		
Toxaphene (Chlorinated Camphene)	<0.298	U	0.298	ug/L				50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.147*	*ug/L*	*0.119*		*123*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.104*	*ug/L*	*0.119*		*87.4*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
Matrix Spike (BFC1112-MS1)	**Source: 22A3944-18**				Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	0.159	R	0.00598	ug/L	0.120	<0.00598	133	60-140		
4,4'-DDE	<0.00598	J1, R, U	0.00598	ug/L	0.120	<0.00598		60-140		
4,4'-DDT	0.126	R	0.00598	ug/L	0.120	<0.00598	106	60-140		
Aldrin	0.148	R	0.00598	ug/L	0.120	<0.00598	124	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.263	J1, R	0.00598	ug/L	0.120	0.0406	186	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.214	J1, R	0.00598	ug/L	0.120	<0.00598	179	60-140		
Chlordane (tech.)	0.671	R	0.00598	ug/L	0.478	0.00917	138	60-140		
cis-Chlordane (alpha-Chlordane)	0.128	R	0.00598	ug/L	0.120	<0.00598	107	60-140		
delta-BHC	0.207	J1, R	0.00598	ug/L	0.120	<0.00598	173	60-140		
Dieldrin	0.161	R	0.00598	ug/L	0.120	<0.00598	135	60-140		
Endosulfan I	0.00741	J1, R	0.00598	ug/L	0.120	<0.00598	6.20	60-140		
Endosulfan II	0.162	R	0.00598	ug/L	0.120	<0.00598	135	60-140		
Endosulfan sulfate	0.175	J1, R	0.00598	ug/L	0.120	<0.00598	146	60-140		
Endrin	0.154	R	0.00598	ug/L	0.120	<0.00598	129	60-140		
Endrin aldehyde	0.168	J1, R	0.00598	ug/L	0.120	<0.00598	141	60-140		
Endrin ketone	0.193	J1, R	0.00598	ug/L	0.120	<0.00598	161	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.212	J1, R	0.00598	ug/L	0.120	<0.00598	177	60-140		
gamma-Chlordane	0.169	R	0.00598	ug/L	0.120	0.00708	136	60-140		
Heptachlor	0.193	J1, R	0.00598	ug/L	0.120	<0.00598	162	60-140		
Heptachlor epoxide	0.180	J1, R	0.00598	ug/L	0.120	<0.00598	151	60-140		
Methoxychlor	0.160	R	0.00598	ug/L	0.120	<0.00598	134	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*J1, R*	*0.200*	*ug/L*	*0.120*		*167*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.135*	*ug/L*	*0.120*		*113*	*60-140*		
Matrix Spike (BFC1112-MS2)	**Source: 22A3944-18RE1**				Prepared: 3/8/2022 Analyzed: 3/21/2022					
4,4'-DDD	0.167		0.00598	ug/L	0.120	<0.00598	140	60-140		
4,4'-DDE	0.135		0.00598	ug/L	0.120	<0.00598	113	60-140		
4,4'-DDT	0.132		0.00598	ug/L	0.120	<0.00598	110	60-140		
Aldrin	0.148		0.00598	ug/L	0.120	<0.00598	124	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.204	J1	0.00598	ug/L	0.120	<0.00598	170	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.191	J1	0.00598	ug/L	0.120	<0.00598	160	60-140		
Chlordane (tech.)	0.640		0.00598	ug/L	0.478	<0.00598	134	60-140		
cis-Chlordane (alpha-Chlordane)	0.143		0.00598	ug/L	0.120	<0.00598	120	60-140		
delta-BHC	0.181	J1	0.00598	ug/L	0.120	<0.00598	151	60-140		
Dieldrin	0.155		0.00598	ug/L	0.120	<0.00598	130	60-140		
Endosulfan I	0.144		0.00598	ug/L	0.120	<0.00598	120	60-140		
Endosulfan II	0.155		0.00598	ug/L	0.120	<0.00598	129	60-140		
Endosulfan sulfate	0.170	J1	0.00598	ug/L	0.120	<0.00598	142	60-140		
Endrin	0.161		0.00598	ug/L	0.120	<0.00598	135	60-140		
Endrin aldehyde	0.162		0.00598	ug/L	0.120	<0.00598	135	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
Matrix Spike (BFC1112-MS2)		**Source: 22A3944-18RE1**			Prepared: 3/8/2022 Analyzed: 3/21/2022					
Endrin ketone	0.176	J1	0.00598	ug/L	0.120	<0.00598	147	60-140		
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.178	J1	0.00598	ug/L	0.120	<0.00598	149	60-140		
gamma-Chlordane	0.163		0.00598	ug/L	0.120	<0.00598	136	60-140		
Heptachlor	0.173	J1	0.00598	ug/L	0.120	<0.00598	145	60-140		
Heptachlor epoxide	0.162		0.00598	ug/L	0.120	<0.00598	135	60-140		
Methoxychlor	0.167		0.00598	ug/L	0.120	<0.00598	139	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.171*	*ug/L*	*0.120*		*143*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.125*	*ug/L*	*0.120*		*105*	*60-140*		
Matrix Spike Dup (BFC1112-MSD1)		**Source: 22A3944-18**			Prepared: 3/8/2022 Analyzed: 3/12/2022					
4,4'-DDD	0.166	R	0.00597	ug/L	0.119	<0.00597	139	60-140	4.84	40
4,4'-DDE	<0.00597	J1, R, U	0.00597	ug/L	0.119	<0.00597		60-140		40
4,4'-DDT	0.130	R	0.00597	ug/L	0.119	<0.00597	109	60-140	2.43	40
Aldrin	0.150	R	0.00597	ug/L	0.119	<0.00597	126	60-140	1.56	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.283	J1, R	0.00597	ug/L	0.119	0.0406	204	60-140	7.56	40
beta-BHC (beta-Hexachlorocyclohexane)	0.226	J1, R	0.00597	ug/L	0.119	<0.00597	190	60-140	5.55	40
Chlordane (tech.)	0.693	J1, R	0.00597	ug/L	0.477	0.00917	143	60-140	3.22	40
cis-Chlordane (alpha-Chlordane)	0.135	R	0.00597	ug/L	0.119	<0.00597	113	60-140	5.34	40
delta-BHC	0.219	J1, R	0.00597	ug/L	0.119	<0.00597	183	60-140	5.69	40
Dieldrin	0.172	J1, R	0.00597	ug/L	0.119	<0.00597	144	60-140	6.63	40
Endosulfan I	0.00759	J1, R	0.00597	ug/L	0.119	<0.00597	6.36	60-140	2.51	40
Endosulfan II	0.172	J1, R	0.00597	ug/L	0.119	<0.00597	144	60-140	6.29	40
Endosulfan sulfate	0.184	J1, R	0.00597	ug/L	0.119	<0.00597	154	60-140	5.23	40
Endrin	0.166	R	0.00597	ug/L	0.119	<0.00597	139	60-140	7.08	40
Endrin aldehyde	0.183	J1, R	0.00597	ug/L	0.119	<0.00597	154	60-140	8.43	40
Endrin ketone	0.211	J1, R	0.00597	ug/L	0.119	<0.00597	177	60-140	9.06	40
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.223	J1, R	0.00597	ug/L	0.119	<0.00597	187	60-140	5.40	40
gamma-Chlordane	0.175	R	0.00597	ug/L	0.119	0.00708	140	60-140	3.27	40
Heptachlor	0.197	J1, R	0.00597	ug/L	0.119	<0.00597	165	60-140	2.05	40
Heptachlor epoxide	0.186	J1, R	0.00597	ug/L	0.119	<0.00597	156	60-140	2.90	40
Methoxychlor	0.163	R	0.00597	ug/L	0.119	<0.00597	137	60-140	1.58	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*J1, R*	*0.198*	*ug/L*	*0.119*		*166*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*R*	*0.131*	*ug/L*	*0.119*		*110*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1112 - SW-3511 (Continued)										
Matrix Spike Dup (BFC1112-MSD2)	**Source: 22A3944-18RE1**				Prepared: 3/8/2022 Analyzed: 3/22/2022					
4,4'-DDD	0.169	J1	0.00597	ug/L	0.119	<0.00597	142	60-140	0.891	40
4,4'-DDE	0.136		0.00597	ug/L	0.119	<0.00597	114	60-140	0.747	40
4,4'-DDT	0.134		0.00597	ug/L	0.119	<0.00597	113	60-140	2.03	40
Aldrin	0.144		0.00597	ug/L	0.119	<0.00597	121	60-140	2.58	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.210	J1	0.00597	ug/L	0.119	<0.00597	176	60-140	3.13	40
beta-BHC (beta-Hexachlorocyclohexane)	0.198	J1	0.00597	ug/L	0.119	<0.00597	166	60-140	3.82	40
Chlordane (tech.)	0.657		0.00597	ug/L	0.477	<0.00597	138	60-140	2.59	40
cis-Chlordane (alpha-Chlordane)	0.149		0.00597	ug/L	0.119	<0.00597	125	60-140	3.77	40
delta-BHC	0.187	J1	0.00597	ug/L	0.119	<0.00597	157	60-140	3.37	40
Dieldrin	0.160		0.00597	ug/L	0.119	<0.00597	134	60-140	2.91	40
Endosulfan I	0.149		0.00597	ug/L	0.119	<0.00597	125	60-140	3.95	40
Endosulfan II	0.161		0.00597	ug/L	0.119	<0.00597	135	60-140	3.83	40
Endosulfan sulfate	0.180	J1	0.00597	ug/L	0.119	<0.00597	151	60-140	5.83	40
Endrin	0.168	J1	0.00597	ug/L	0.119	<0.00597	141	60-140	4.42	40
Endrin aldehyde	0.176	J1	0.00597	ug/L	0.119	<0.00597	147	60-140	8.44	40
Endrin ketone	0.190	J1	0.00597	ug/L	0.119	<0.00597	159	60-140	7.98	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.184	J1	0.00597	ug/L	0.119	<0.00597	154	60-140	2.87	40
gamma-Chlordane	0.170	J1	0.00597	ug/L	0.119	<0.00597	142	60-140	4.46	40
Heptachlor	0.171	J1	0.00597	ug/L	0.119	<0.00597	144	60-140	0.875	40
Heptachlor epoxide	0.167		0.00597	ug/L	0.119	<0.00597	140	60-140	3.28	40
Methoxychlor	0.171	J1	0.00597	ug/L	0.119	<0.00597	144	60-140	2.78	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr	*S*		*0.169*	*ug/L*	*0.119*		*141*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.132*	*ug/L*	*0.119*		*111*	*60-140*		

Batch: BFC2100 - SW-3511

Analyte	Result	Qual	Reporting Limit	Units
Blank (BFC2100-BLK1)			Prepared: 3/15/2022 Analyzed: 3/19/2022	
4,4'-DDD	<0.00591	U	0.00591	ug/L
4,4'-DDE	<0.00591	U	0.00591	ug/L
4,4'-DDT	<0.00591	U	0.00591	ug/L
Aldrin	<0.00591	U	0.00591	ug/L
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00591	U	0.00591	ug/L
beta-BHC (beta-Hexachlorocyclohexane)	<0.00591	U	0.00591	ug/L
Chlordane (tech.)	<0.00591	U	0.00591	ug/L
cis-Chlordane (alpha-Chlordane)	<0.00591	U	0.00591	ug/L
delta-BHC	<0.00591	U	0.00591	ug/L
Dieldrin	<0.00591	U	0.00591	ug/L
Endosulfan I	<0.00591	U	0.00591	ug/L
Endosulfan II	<0.00591	U	0.00591	ug/L
Endosulfan sulfate	<0.00591	U	0.00591	ug/L

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2100 - SW-3511 (Continued)										
Blank (BFC2100-BLK1)					Prepared: 3/15/2022 Analyzed: 3/19/2022					
Endrin	<0.00591	U	0.00591	ug/L						
Endrin aldehyde	<0.00591	U	0.00591	ug/L						
Endrin ketone	<0.00591	U	0.00591	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00591	U	0.00591	ug/L						
gamma-Chlordane	<0.00591	U	0.00591	ug/L						
Heptachlor	<0.00591	U	0.00591	ug/L						
Heptachlor epoxide	<0.00591	U	0.00591	ug/L						
Methoxychlor	<0.00591	U	0.00591	ug/L						
Toxaphene (Chlorinated Camphene)	<0.295	U	0.295	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.120*	*ug/L*	*0.118*		*101*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0985*	*ug/L*	*0.118*		*83.3*	*60-140*		
LCS TOX (BFC2100-BS1)					Prepared: 3/15/2022 Analyzed: 3/19/2022					
4,4'-DDD	<0.00597	U	0.00597	ug/L				60-140		
4,4'-DDE	<0.00597	U	0.00597	ug/L				60-140		
4,4'-DDT	<0.00597	U	0.00597	ug/L				60-140		
Aldrin	<0.00597	U	0.00597	ug/L				60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00597	U	0.00597	ug/L				60-140		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00597	U	0.00597	ug/L				60-140		
Chlordane (tech.)	<0.00597	U	0.00597	ug/L				60-140		
cis-Chlordane (alpha-Chlordane)	<0.00597	U	0.00597	ug/L				60-140		
delta-BHC	<0.00597	U	0.00597	ug/L				60-140		
Dieldrin	<0.00597	U	0.00597	ug/L				60-140		
Endosulfan I	<0.00597	U	0.00597	ug/L				60-140		
Endosulfan II	<0.00597	U	0.00597	ug/L				60-140		
Endosulfan sulfate	<0.00597	U	0.00597	ug/L				60-140		
Endrin	<0.00597	U	0.00597	ug/L				60-140		
Endrin aldehyde	<0.00597	U	0.00597	ug/L				60-140		
Endrin ketone	<0.00597	U	0.00597	ug/L				60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00597	U	0.00597	ug/L				60-140		
gamma-Chlordane	<0.00597	U	0.00597	ug/L				60-140		
Heptachlor	<0.00597	U	0.00597	ug/L				60-140		
Heptachlor epoxide	<0.00597	U	0.00597	ug/L				60-140		
Methoxychlor	<0.00597	U	0.00597	ug/L				60-140		
Toxaphene (Chlorinated Camphene)	1.24		0.299	ug/L	1.19		104	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.111*	*ug/L*	*0.119*		*93.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0761*	*ug/L*	*0.119*		*63.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2100 - SW-3511 (Continued)										
LCS (BFC2100-BS2)					Prepared: 3/15/2022 Analyzed: 3/19/2022					
4,4'-DDD	0.0958		0.00594	ug/L	0.119		80.6	60-140		
4,4'-DDE	0.0777		0.00594	ug/L	0.119		65.5	60-140		
4,4'-DDT	0.110		0.00594	ug/L	0.119		92.5	60-140		
Aldrin	0.0843		0.00594	ug/L	0.119		71.0	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.117		0.00594	ug/L	0.119		98.7	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.0986		0.00594	ug/L	0.119		83.0	60-140		
Chlordane (tech.)	0.359		0.00594	ug/L	0.475		75.5	60-140		
cis-Chlordane (alpha-Chlordane)	0.0801		0.00594	ug/L	0.119		67.5	60-140		
delta-BHC	0.105		0.00594	ug/L	0.119		88.2	60-140		
Dieldrin	0.0913		0.00594	ug/L	0.119		76.9	60-140		
Endosulfan I	0.0666	J1	0.00594	ug/L	0.119		56.1	60-140		
Endosulfan II	0.0849		0.00594	ug/L	0.119		71.4	60-140		
Endosulfan sulfate	0.0974		0.00594	ug/L	0.119		82.0	60-140		
Endrin	0.0893		0.00594	ug/L	0.119		75.2	60-140		
Endrin aldehyde	0.0965		0.00594	ug/L	0.119		81.3	60-140		
Endrin ketone	0.108		0.00594	ug/L	0.119		90.6	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.110		0.00594	ug/L	0.119		92.3	60-140		
gamma-Chlordane	0.0821		0.00594	ug/L	0.119		69.1	60-140		
Heptachlor	0.103		0.00594	ug/L	0.119		86.5	60-140		
Heptachlor epoxide	0.0936		0.00594	ug/L	0.119		78.8	60-140		
Methoxychlor	0.100		0.00594	ug/L	0.119		84.2	60-140		
Toxaphene (Chlorinated Camphene)	<0.297	U	0.297	ug/L				60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.122*	*ug/L*	*0.119*		*102*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.114*	*ug/L*	*0.119*		*96.2*	*60-140*		
LCS Dup TOX (BFC2100-BSD1)					Prepared: 3/15/2022 Analyzed: 3/19/2022					
4,4'-DDD	<0.00595	U	0.00595	ug/L				60-140		40
4,4'-DDE	<0.00595	U	0.00595	ug/L				60-140		40
4,4'-DDT	<0.00595	U	0.00595	ug/L				60-140		40
Aldrin	<0.00595	U	0.00595	ug/L				60-140		40
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L				60-140		40
beta-BHC (beta-Hexachlorocyclohexane)	<0.00595	U	0.00595	ug/L				60-140		40
Chlordane (tech.)	<0.00595	U	0.00595	ug/L				60-140		40
cis-Chlordane (alpha-Chlordane)	<0.00595	U	0.00595	ug/L				60-140		40
delta-BHC	<0.00595	U	0.00595	ug/L				60-140		40
Dieldrin	<0.00595	U	0.00595	ug/L				60-140		40
Endosulfan I	<0.00595	U	0.00595	ug/L				60-140		40
Endosulfan II	<0.00595	U	0.00595	ug/L				60-140		40
Endosulfan sulfate	<0.00595	U	0.00595	ug/L				60-140		40
Endrin	<0.00595	U	0.00595	ug/L				60-140		40
Endrin aldehyde	<0.00595	U	0.00595	ug/L				60-140		40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2100 - SW-3511 (Continued)										
LCS Dup TOX (BFC2100-BSD1)					Prepared: 3/15/2022 Analyzed: 3/19/2022					
Endrin ketone	<0.00595	U	0.00595	ug/L				60-140		40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00595	U	0.00595	ug/L				60-140		40
gamma-Chlordane	<0.00595	U	0.00595	ug/L				60-140		40
Heptachlor	<0.00595	U	0.00595	ug/L				60-140		40
Heptachlor epoxide	<0.00595	U	0.00595	ug/L				60-140		40
Methoxychlor	<0.00595	U	0.00595	ug/L				60-140		40
Toxaphene (Chlorinated Camphene)	1.24		0.297	ug/L	1.19		104	60-140	0.0342	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.112*	*ug/L*	*0.119*		*94.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0902*	*ug/L*	*0.119*		*75.9*	*60-140*		
LCS Dup (BFC2100-BSD2)					Prepared: 3/15/2022 Analyzed: 3/19/2022					
4,4'-DDD	0.0970		0.00598	ug/L	0.120		81.1	60-140	1.30	40
4,4'-DDE	0.0820		0.00598	ug/L	0.120		68.5	60-140	5.33	40
4,4'-DDT	0.0981		0.00598	ug/L	0.120		82.0	60-140	11.4	40
Aldrin	0.0828		0.00598	ug/L	0.120		69.2	60-140	1.72	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.117		0.00598	ug/L	0.120		98.0	60-140	0.0389	40
beta-BHC (beta-Hexachlorocyclohexane)	0.102		0.00598	ug/L	0.120		85.3	60-140	3.47	40
Chlordane (tech.)	0.348		0.00598	ug/L	0.478		72.8	60-140	2.89	40
cis-Chlordane (alpha-Chlordane)	0.0847		0.00598	ug/L	0.120		70.8	60-140	5.55	40
delta-BHC	0.103		0.00598	ug/L	0.120		86.2	60-140	1.56	40
Dieldrin	0.0927		0.00598	ug/L	0.120		77.5	60-140	1.49	40
Endosulfan I	0.0703	J1	0.00598	ug/L	0.120		58.8	60-140	5.50	40
Endosulfan II	0.0792		0.00598	ug/L	0.120		66.2	60-140	6.95	40
Endosulfan sulfate	0.0935		0.00598	ug/L	0.120		78.2	60-140	4.09	40
Endrin	0.0882		0.00598	ug/L	0.120		73.8	60-140	1.26	40
Endrin aldehyde	0.108		0.00598	ug/L	0.120		90.4	60-140	11.4	40
Endrin ketone	0.108		0.00598	ug/L	0.120		90.6	60-140	0.715	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.109		0.00598	ug/L	0.120		90.8	60-140	0.836	40
gamma-Chlordane	0.0860		0.00598	ug/L	0.120		71.9	60-140	4.64	40
Heptachlor	0.102		0.00598	ug/L	0.120		85.4	60-140	0.594	40
Heptachlor epoxide	0.0755		0.00598	ug/L	0.120		63.1	60-140	21.4	40
Methoxychlor	0.0955		0.00598	ug/L	0.120		79.8	60-140	4.63	40
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L				60-140		40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.120*	*ug/L*	*0.120*		*101*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0809*	*ug/L*	*0.120*		*67.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2100 - SW-3511 (Continued)										
MDL TOX (BFC2100-MRL1)					Prepared: 3/15/2022 Analyzed: 3/19/2022					
4,4'-DDD	<0.00600	U	0.00600	ug/L				50-150		
4,4'-DDE	<0.00600	U	0.00600	ug/L				50-150		
4,4'-DDT	<0.00600	U	0.00600	ug/L				50-150		
Aldrin	<0.00600	U	0.00600	ug/L				50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				50-150		
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L				50-150		
Chlordane (tech.)	<0.00600	U	0.00600	ug/L				50-150		
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L				50-150		
delta-BHC	<0.00600	U	0.00600	ug/L				50-150		
Dieldrin	<0.00600	U	0.00600	ug/L				50-150		
Endosulfan I	<0.00600	U	0.00600	ug/L				50-150		
Endosulfan II	<0.00600	U	0.00600	ug/L				50-150		
Endosulfan sulfate	<0.00600	U	0.00600	ug/L				50-150		
Endrin	<0.00600	U	0.00600	ug/L				50-150		
Endrin aldehyde	<0.00600	U	0.00600	ug/L				50-150		
Endrin ketone	<0.00600	U	0.00600	ug/L				50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00600	U	0.00600	ug/L				50-150		
gamma-Chlordane	<0.00600	U	0.00600	ug/L				50-150		
Heptachlor	<0.00600	U	0.00600	ug/L				50-150		
Heptachlor epoxide	<0.00600	U	0.00600	ug/L				50-150		
Methoxychlor	<0.00600	U	0.00600	ug/L				50-150		
Toxaphene (Chlorinated Camphene)	0.324		0.300	ug/L	0.300		108	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.105*	*ug/L*	*0.120*		*87.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0713*	*ug/L*	*0.120*		*59.5*	*60-140*		
MDL (BFC2100-MRL2)					Prepared: 3/15/2022 Analyzed: 3/19/2022					
4,4'-DDD	0.0104		0.00594	ug/L	0.0119		87.3	50-150		
4,4'-DDE	0.0112		0.00594	ug/L	0.0119		94.6	50-150		
4,4'-DDT	0.0806		0.00594	ug/L	0.0119		678	50-150		
Aldrin	0.00805		0.00594	ug/L	0.0119		67.7	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0193		0.00594	ug/L	0.0119		162	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.0144		0.00594	ug/L	0.0119		121	50-150		
Chlordane (tech.)	0.0486		0.00594	ug/L	0.0475		102	50-150		
cis-Chlordane (alpha-Chlordane)	0.0113		0.00594	ug/L	0.0119		94.8	50-150		
delta-BHC	0.0125		0.00594	ug/L	0.0119		105	50-150		
Dieldrin	0.0119		0.00594	ug/L	0.0119		100	50-150		
Endosulfan I	0.00834		0.00594	ug/L	0.0119		70.2	50-150		
Endosulfan II	0.0118		0.00594	ug/L	0.0119		99.4	50-150		
Endosulfan sulfate	0.0134		0.00594	ug/L	0.0119		113	50-150		
Endrin	0.0110		0.00594	ug/L	0.0119		92.9	50-150		
Endrin aldehyde	0.0146		0.00594	ug/L	0.0119		123	50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2100 - SW-3511 (Continued)										
MDL (BFC2100-MRL2)					Prepared: 3/15/2022 Analyzed: 3/19/2022					
Endrin ketone	0.0156		0.00594	ug/L	0.0119		131	50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0149		0.00594	ug/L	0.0119		125	50-150		
gamma-Chlordane	0.00837		0.00594	ug/L	0.0119		70.4	50-150		
Heptachlor	0.0166		0.00594	ug/L	0.0119		140	50-150		
Heptachlor epoxide	0.0124		0.00594	ug/L	0.0119		104	50-150		
Methoxychlor	0.0137		0.00594	ug/L	0.0119		115	50-150		
Toxaphene (Chlorinated Camphene)	<0.297	U	0.297	ug/L				50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.118*	*ug/L*	*0.119*		*99.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0982*	*ug/L*	*0.119*		*82.6*	*60-140*		
Matrix Spike (BFC2100-MS1)		**Source: 22B3342-07**			Prepared: 3/15/2022 Analyzed: 3/19/2022					
4,4'-DDD	0.101		0.00598	ug/L	0.120	<0.00598	84.3	60-140		
4,4'-DDE	0.0674	J1	0.00598	ug/L	0.120	<0.00598	56.4	60-140		
4,4'-DDT	0.0703	J1	0.00598	ug/L	0.120	<0.00598	58.8	60-140		
Aldrin	0.0876		0.00598	ug/L	0.120	<0.00598	73.3	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.128		0.00598	ug/L	0.120	<0.00598	107	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.118		0.00598	ug/L	0.120	<0.00598	98.5	60-140		
Chlordane (tech.)	0.385		0.00598	ug/L	0.478	<0.00598	80.6	60-140		
cis-Chlordane (alpha-Chlordane)	0.0846		0.00598	ug/L	0.120	<0.00598	70.8	60-140		
delta-BHC	0.121		0.00598	ug/L	0.120	<0.00598	101	60-140		
Dieldrin	0.0972		0.00598	ug/L	0.120	<0.00598	81.4	60-140		
Endosulfan I	0.0679	J1	0.00598	ug/L	0.120	<0.00598	56.8	60-140		
Endosulfan II	0.0920		0.00598	ug/L	0.120	<0.00598	76.9	60-140		
Endosulfan sulfate	0.107		0.00598	ug/L	0.120	<0.00598	89.3	60-140		
Endrin	0.0921		0.00598	ug/L	0.120	<0.00598	77.1	60-140		
Endrin aldehyde	0.0984		0.00598	ug/L	0.120	<0.00598	82.3	60-140		
Endrin ketone	0.117		0.00598	ug/L	0.120	<0.00598	98.0	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.123		0.00598	ug/L	0.120	<0.00598	103	60-140		
gamma-Chlordane	0.0908		0.00598	ug/L	0.120	<0.00598	76.0	60-140		
Heptachlor	0.104		0.00598	ug/L	0.120	<0.00598	87.2	60-140		
Heptachlor epoxide	0.106		0.00598	ug/L	0.120	<0.00598	88.3	60-140		
Methoxychlor	0.0779		0.00598	ug/L	0.120	<0.00598	65.2	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.118*	*ug/L*	*0.120*		*98.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0923*	*ug/L*	*0.120*		*77.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2100 - SW-3511 (Continued)										
Matrix Spike Dup (BFC2100-MSD1)			**Source: 22B3342-07**		Prepared: 3/15/2022 Analyzed: 3/19/2022					
4,4'-DDD	0.0964		0.00598	ug/L	0.120	<0.00598	80.6	60-140	4.41	40
4,4'-DDE	0.0778		0.00598	ug/L	0.120	<0.00598	65.1	60-140	14.3	40
4,4'-DDT	0.0706	J1	0.00598	ug/L	0.120	<0.00598	59.0	60-140	0.377	40
Aldrin	0.0822		0.00598	ug/L	0.120	<0.00598	68.7	60-140	6.38	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.121		0.00598	ug/L	0.120	<0.00598	101	60-140	5.66	40
beta-BHC (beta-Hexachlorocyclohexane)	0.110		0.00598	ug/L	0.120	<0.00598	92.4	60-140	6.32	40
Chlordane (tech.)	0.365		0.00598	ug/L	0.478	<0.00598	76.4	60-140	5.25	40
cis-Chlordane (alpha-Chlordane)	0.0845		0.00598	ug/L	0.120	<0.00598	70.7	60-140	0.0546	40
delta-BHC	0.112		0.00598	ug/L	0.120	<0.00598	93.8	60-140	7.20	40
Dieldrin	0.0926		0.00598	ug/L	0.120	<0.00598	77.4	60-140	4.92	40
Endosulfan I	0.0764		0.00598	ug/L	0.120	<0.00598	63.8	60-140	11.8	40
Endosulfan II	0.0873		0.00598	ug/L	0.120	<0.00598	73.0	60-140	5.24	40
Endosulfan sulfate	0.103		0.00598	ug/L	0.120	<0.00598	85.7	60-140	4.01	40
Endrin	0.0880		0.00598	ug/L	0.120	<0.00598	73.6	60-140	4.58	40
Endrin aldehyde	0.111		0.00598	ug/L	0.120	<0.00598	93.1	60-140	12.4	40
Endrin ketone	0.111		0.00598	ug/L	0.120	<0.00598	92.9	60-140	5.24	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.116		0.00598	ug/L	0.120	<0.00598	97.2	60-140	5.97	40
gamma-Chlordane	0.0847		0.00598	ug/L	0.120	<0.00598	70.8	60-140	7.02	40
Heptachlor	0.0959		0.00598	ug/L	0.120	<0.00598	80.2	60-140	8.33	40
Heptachlor epoxide	0.100		0.00598	ug/L	0.120	<0.00598	84.0	60-140	5.00	40
Methoxychlor	0.0782		0.00598	ug/L	0.120	<0.00598	65.3	60-140	0.302	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.121*	*ug/L*	*0.120*		*101*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0965*	*ug/L*	*0.120*		*80.7*	*60-140*		
Batch: BFC2320 - SW-3511										
Blank (BFC2320-BLK1)					Prepared: 3/16/2022 Analyzed: 3/17/2022					
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.144*	*ug/L*	*0.120*		*120*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.102*	*ug/L*	*0.120*		*85.0*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2320 - SW-3511 (Continued)										
LCS (BFC2320-BS1)					Prepared: 3/16/2022 Analyzed: 3/18/2022					
Aroclor-1016 (PCB-1016)	1.51		0.120	ug/L	1.20		126	60-140		
Aroclor-1260 (PCB-1260)	1.23		0.120	ug/L	1.20		103	60-140		
PCBs, Total	1.31		0.120	ug/L	1.20		109	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.128*	*ug/L*	*0.120*		*107*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.107*	*ug/L*	*0.120*		*89.4*	*60-140*		
LCS Dup (BFC2320-BSD1)					Prepared: 3/16/2022 Analyzed: 3/18/2022					
Aroclor-1016 (PCB-1016)	1.47		0.120	ug/L	1.20		123	60-140	2.32	40
Aroclor-1260 (PCB-1260)	1.23		0.120	ug/L	1.20		102	60-140	0.235	40
PCBs, Total	1.30		0.120	ug/L	1.20		108	60-140	0.882	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.138*	*ug/L*	*0.120*		*115*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.115*	*ug/L*	*0.120*		*95.9*	*60-140*		
MDL PCB (BFC2320-MRL1)					Prepared: 3/16/2022 Analyzed: 3/17/2022					
Aroclor-1016 (PCB-1016)	0.501		0.118	ug/L	0.236		212	50-150		
Aroclor-1221 (PCB-1221)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1232 (PCB-1232)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1242 (PCB-1242)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1248 (PCB-1248)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1254 (PCB-1254)	<0.118	U	0.118	ug/L				50-150		
Aroclor-1260 (PCB-1260)	0.226		0.118	ug/L	0.236		95.9	50-150		
PCBs, Total	0.309		0.118	ug/L	0.236		131	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.131*	*ug/L*	*0.118*		*111*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0998*	*ug/L*	*0.118*		*84.7*	*60-140*		
Matrix Spike (BFC2320-MS1)		**Source: 22B3342-02**			Prepared: 3/16/2022 Analyzed: 3/18/2022					
Aroclor-1016 (PCB-1016)	1.24		0.120	ug/L	1.20	<0.120	103	60-140		
Aroclor-1260 (PCB-1260)	0.934		0.120	ug/L	1.20	<0.120	77.9	60-140		
PCBs, Total	1.02		0.120	ug/L	1.20	<0.120	85.1	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.136*	*ug/L*	*0.120*		*113*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0720*	*ug/L*	*0.120*		*60.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2320 - SW-3511 (Continued)										
Matrix Spike Dup (BFC2320-MSD1)	**Source: 22B3342-02**				Prepared: 3/16/2022 Analyzed: 3/18/2022					
Aroclor-1016 (PCB-1016)	1.27		0.120	ug/L	1.20	<0.120	106	60-140	2.46	40
Aroclor-1260 (PCB-1260)	0.938		0.120	ug/L	1.20	<0.120	78.3	60-140	0.416	40
PCBs, Total	1.03		0.120	ug/L	1.20	<0.120	86.1	60-140	1.10	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.133*	*ug/L*	*0.120*		*111*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0633*	*ug/L*	*0.120*		*52.8*	*60-140*		
Batch: BFC2789 - TX 1005 ELUT										
Blank (BFC2789-BLK1)					Prepared: 3/18/2022 Analyzed: 3/22/2022					
Total Petroleum Hydrocarbons (TPH), C6-C35	0.578	A, J	9.44	mg/L						
Surrogate: 1-Chlorooctadecane-surr			*26.3*	*mg/L*	*31.5*		*83.6*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*26.2*	*mg/L*	*31.5*		*83.4*	*70-130*		
LCS (BFC2789-BS1)					Prepared: 3/18/2022 Analyzed: 3/22/2022					
C6-C12	25.0	A	4.70	mg/L	31.3		79.8	75-125		
>C12-C28	23.8	A	4.70	mg/L	31.3		75.9	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	49.4	A	9.40	mg/L	62.7		78.7	75-125		
Surrogate: 1-Chlorooctadecane-surr			*24.6*	*mg/L*	*31.3*		*78.4*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*25.9*	*mg/L*	*31.3*		*82.6*	*70-130*		
LCS Dup (BFC2789-BSD1)					Prepared: 3/18/2022 Analyzed: 3/22/2022					
C6-C12	32.2	A, J1	4.82	mg/L	32.2		100	75-125	25.2	20
>C12-C28	25.8	A	4.82	mg/L	32.2		80.3	75-125	8.16	20
Total Petroleum Hydrocarbons (TPH), C6-C35	59.2	A	9.65	mg/L	64.3		92.0	75-125	18.1	20
Surrogate: 1-Chlorooctadecane-surr			*26.5*	*mg/L*	*32.2*		*82.2*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*28.1*	*mg/L*	*32.2*		*87.4*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC2789 - TX 1005 ELUT (Continued)										
MDL Check (BFC2789-MRL1)					Prepared: 3/18/2022 Analyzed: 3/22/2022					
C6-C12	0.187	A, J	4.78	mg/L	0.239		78.0			
>C12-C28	0.279	A, J	4.78	mg/L	0.239		117			
>C12-C35	0.279	A, J	4.78	mg/L						
>C28-C35	<4.78	A, U	4.78	mg/L						
Total Petroleum Hydrocarbons (TPH), C6-C35	0.639	A, J	9.57	mg/L	0.478		134			
Surrogate: 1-Chlorooctadecane-surr			*26.1*	*mg/L*	*31.9*		*81.7*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*25.7*	*mg/L*	*31.9*		*80.6*	*70-130*		
Matrix Spike (BFC2789-MS1)		**Source: 22A3944-19**			Prepared: 3/18/2022 Analyzed: 3/22/2022					
C6-C12	<4.51	A, J1, U	4.51	mg/L	30.1	<4.51		75-125		
>C12-C28	0.780	A, J1, J	4.51	mg/L	30.1	0.429	1.17	75-125		
Total Petroleum Hydrocarbons (TPH), C6-C35	1.01	A, J1, J	9.02	mg/L	60.2	0.481	0.874	75-125		
Surrogate: 1-Chlorooctadecane-surr			*24.2*	*mg/L*	*30.1*		*80.4*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*25.3*	*mg/L*	*30.1*		*84.2*	*70-130*		
Matrix Spike Dup (BFC2789-MSD1)		**Source: 22A3944-19**			Prepared: 3/18/2022 Analyzed: 3/22/2022					
C6-C12	25.5	A, J1	4.42	mg/L	29.5	<4.42	86.3	75-125	200	20
>C12-C28	22.3	A, J1	4.42	mg/L	29.5	0.429	74.3	75-125	186	20
Total Petroleum Hydrocarbons (TPH), C6-C35	48.5	A, J1	8.84	mg/L	59.0	0.481	81.4	75-125	192	20
Surrogate: 1-Chlorooctadecane-surr			*23.6*	*mg/L*	*29.5*		*80.0*	*70-130*		
Surrogate: 1-Chlorooctane-surr			*24.1*	*mg/L*	*29.5*		*81.8*	*70-130*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0228 - EPA 200.8 Dissolved										
Blank (BFC0228-BLK1)					Prepared & Analyzed: 3/2/2022					
Antimony	<1.00	U	1.00	ug/L						
Arsenic	<0.500	U	0.500	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Chromium	<3.00	U	3.00	ug/L						
Copper	<1.00	U	1.00	ug/L						
Lead	<0.500	U	0.500	ug/L						
Nickel	0.321	J	1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						
Zinc	<2.00	U	2.00	ug/L						
Blank (BFC0228-BLK2)					Prepared & Analyzed: 3/2/2022					
Beryllium	<0.200	U	0.200	ug/L						
LCS (BFC0228-BS1)					Prepared & Analyzed: 3/2/2022					
Antimony	104		1.00	ug/L	100		104	85-115		
Arsenic	50.9		0.500	ug/L	50.0		102	85-115		
Cadmium	98.9		1.00	ug/L	100		98.9	85-115		
Chromium	298		3.00	ug/L	300		99.3	85-115		
Copper	101		1.00	ug/L	100		101	85-115		
Lead	50.1		0.500	ug/L	50.0		100	85-115		
Nickel	97.2		1.00	ug/L	100		97.2	85-115		
Silver	51.0		0.500	ug/L	50.0		102	85-115		
Thallium	50.2		0.500	ug/L	50.0		100	85-115		
Zinc	202		2.00	ug/L	200		101	85-115		
LCS (BFC0228-BS2)					Prepared & Analyzed: 3/2/2022					
Beryllium	18.3		0.200	ug/L	20.0		91.3	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0228 - EPA 200.8 Dissolved (Continued)										
Duplicate (BFC0228-DUP1)	**Source: 22A3944-08**				Prepared & Analyzed: 3/2/2022					
Antimony	<10.0	U	10.0	ug/L		<10.0				20
Arsenic	6.99		5.00	ug/L		7.21			3.03	20
Cadmium	<10.0	U	10.0	ug/L		<10.0				20
Chromium	<30.0	U	30.0	ug/L		<30.0				20
Copper	4.88	J	10.0	ug/L		4.90			0.409	20
Lead	<5.00	U	5.00	ug/L		<5.00				20
Nickel	0.752	J	10.0	ug/L		0.893			17.1	20
Silver	<5.00	U	5.00	ug/L		<5.00				20
Thallium	<5.00	U	5.00	ug/L		<5.00				20
Zinc	<20.0	U	20.0	ug/L		<20.0				20
Duplicate (BFC0228-DUP2)	**Source: 22A3944-08**				Prepared & Analyzed: 3/2/2022					
Beryllium	<2.00	U	2.00	ug/L		<2.00				20
MRL Check (BFC0228-MRL1)					Prepared & Analyzed: 3/2/2022					
Antimony	0.274	J	1.00	ug/L	0.200		137			
Arsenic	0.171	J	0.500	ug/L	0.100		171			
Cadmium	0.0750	J	1.00	ug/L	0.0500		150			
Chromium	0.267	J	3.00	ug/L	0.0800		334			
Copper	0.637	J	1.00	ug/L	0.200		318			
Lead	0.133	J	0.500	ug/L	0.100		133			
Nickel	0.819	J	1.00	ug/L	0.0500		NR			
Silver	0.0440	J	0.500	ug/L	0.0300		147			
Thallium	0.0630	J	0.500	ug/L	0.0300		210			
Zinc	0.0320	J	2.00	ug/L	0.200		16.0			
MRL Check (BFC0228-MRL2)					Prepared & Analyzed: 3/2/2022					
Beryllium	0.0190	J	0.200	ug/L	0.0100		190			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0228 - EPA 200.8 Dissolved (Continued)										
Matrix Spike (BFC0228-MS1)		**Source: 22A3944-08**			Prepared & Analyzed: 3/2/2022					
Antimony	97.5		10.0	ug/L	100	<10.0	97.5	75-125		
Arsenic	58.7		5.00	ug/L	50.0	7.21	103	75-125		
Cadmium	88.2		10.0	ug/L	100	<10.0	88.2	75-125		
Chromium	309		30.0	ug/L	300	<30.0	103	75-125		
Copper	93.1		10.0	ug/L	100	4.90	88.2	75-125		
Lead	43.2		5.00	ug/L	50.0	<5.00	86.3	75-125		
Nickel	91.2		10.0	ug/L	100	0.893	90.3	75-125		
Silver	44.0		5.00	ug/L	50.0	<5.00	88.0	75-125		
Thallium	41.0		5.00	ug/L	50.0	<5.00	82.1	75-125		
Zinc	186		20.0	ug/L	200	<20.0	92.8	75-125		
Matrix Spike (BFC0228-MS2)		**Source: 22A3944-08**			Prepared & Analyzed: 3/2/2022					
Beryllium	12.7	J1	2.00	ug/L	20.0	<2.00	63.5	75-125		
Batch: BFC0948 - EPA 200.8 Dissolved										
Blank (BFC0948-BLK1)					Prepared & Analyzed: 3/7/2022					
Antimony	<1.00	U	1.00	ug/L						
Arsenic	<0.500	U	0.500	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Chromium	<3.00	U	3.00	ug/L						
Copper	0.581	J	1.00	ug/L						
Lead	<0.500	U	0.500	ug/L						
Nickel	0.305	J	1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0948 - EPA 200.8 Dissolved (Continued)										
Blank (BFC0948-BLK2)					Prepared: 3/7/2022 Analyzed: 3/8/2022					
Beryllium	<0.200	U	0.200	ug/L						
Zinc	0.274	J	2.00	ug/L						
LCS (BFC0948-BS1)					Prepared & Analyzed: 3/7/2022					
Antimony	96.8		1.00	ug/L	100		96.8	85-115		
Arsenic	49.4		0.500	ug/L	50.0		98.8	85-115		
Cadmium	97.9		1.00	ug/L	100		97.9	85-115		
Chromium	313		3.00	ug/L	300		104	85-115		
Copper	102		1.00	ug/L	100		102	85-115		
Lead	49.4		0.500	ug/L	50.0		98.9	85-115		
Nickel	98.1		1.00	ug/L	100		98.1	85-115		
Silver	47.8		0.500	ug/L	50.0		95.6	85-115		
Thallium	49.8		0.500	ug/L	50.0		99.6	85-115		
LCS (BFC0948-BS2)					Prepared: 3/7/2022 Analyzed: 3/8/2022					
Beryllium	18.4		0.200	ug/L	20.0		92.2	85-115		
Zinc	192		2.00	ug/L	200		96.2	85-115		
Duplicate (BFC0948-DUP1)		**Source: 22A3944-18**			Prepared & Analyzed: 3/7/2022					
Antimony	<10.0	U	10.0	ug/L		<10.0				20
Arsenic	6.03	J1	5.00	ug/L		7.84			26.1	20
Cadmium	<10.0	U	10.0	ug/L		<10.0				20
Chromium	<30.0	U	30.0	ug/L		<30.0				20
Copper	<10.0	U	10.0	ug/L		<10.0				20
Lead	<5.00	U	5.00	ug/L		<5.00				20
Nickel	2.58	J	10.0	ug/L		2.60			0.810	20
Silver	<5.00	U	5.00	ug/L		<5.00				20
Thallium	<5.00	U	5.00	ug/L		<5.00				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0948 - EPA 200.8 Dissolved (Continued)										
Duplicate (BFC0948-DUP2)			**Source: 22A3944-18**		Prepared: 3/7/2022 Analyzed: 3/8/2022					
Beryllium	<2.00	U	2.00	ug/L		<2.00				20
Zinc	<20.0	U	20.0	ug/L		<20.0				20
MRL Check (BFC0948-MRL1)					Prepared & Analyzed: 3/7/2022					
Antimony	0.227	J	1.00	ug/L	0.200		114			
Arsenic	0.0620	J	0.500	ug/L	0.100		62.0			
Cadmium	0.0440	J	1.00	ug/L	0.0500		88.0			
Chromium	0.104	J	3.00	ug/L	0.0800		130			
Copper	0.322	J	1.00	ug/L	0.200		161			
Lead	0.0980	J	0.500	ug/L	0.100		98.0			
Nickel	0.351	J	1.00	ug/L	0.0500		702			
Silver	0.0350	J	0.500	ug/L	0.0300		117			
Thallium	0.0380	J	0.500	ug/L	0.0300		127			
MRL Check (BFC0948-MRL2)					Prepared: 3/7/2022 Analyzed: 3/8/2022					
Beryllium	0.0150	J	0.200	ug/L	0.0100		150			
Zinc	0.488	J	2.00	ug/L	0.200		244			
Matrix Spike (BFC0948-MS1)			**Source: 22A3944-18**		Prepared & Analyzed: 3/7/2022					
Antimony	90.6		10.0	ug/L	100	<10.0	90.6	75-125		
Arsenic	54.6		5.00	ug/L	50.0	7.84	93.4	75-125		
Cadmium	82.8		10.0	ug/L	100	<10.0	82.8	75-125		
Chromium	332		30.0	ug/L	300	<30.0	111	75-125		
Copper	92.5		10.0	ug/L	100	<10.0	92.5	75-125		
Lead	41.4		5.00	ug/L	50.0	<5.00	82.7	75-125		
Nickel	93.1		10.0	ug/L	100	2.60	90.5	75-125		
Silver	39.9		5.00	ug/L	50.0	<5.00	79.7	75-125		
Thallium	41.4		5.00	ug/L	50.0	<5.00	82.8	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0948 - EPA 200.8 Dissolved (Continued)										
Matrix Spike (BFC0948-MS2)	**Source: 22A3944-18**				Prepared: 3/7/2022 Analyzed: 3/8/2022					
Beryllium	19.1		2.00	ug/L	20.0	<2.00	95.4	75-125		
Zinc	180		20.0	ug/L	200	<20.0	89.9	75-125		
Batch: BFC1350 - Cr VI										
Blank (BFC1350-BLK1)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	<0.00300	U	0.00300	mg/L						
Blank (BFC1350-BLK2)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	<0.00300	U	0.00300	mg/L						
Blank (BFC1350-BLK3)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	<0.00300	U	0.00300	mg/L						
LCS (BFC1350-BS1)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	0.238		0.00300	mg/L	0.250		95.3	85-115		
LCS (BFC1350-BS2)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	0.244		0.00300	mg/L	0.250		97.8	85-115		
LCS (BFC1350-BS3)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	0.245		0.00300	mg/L	0.250		97.8	85-115		
BFC0552-BLK1 (BFC1350-LBK1)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	0.0206		0.00300	mg/L						
BFC1063-BLK1 (BFC1350-LBK2)					Prepared & Analyzed: 3/9/2022					
Chromium (VI)	0.0193		0.00300	mg/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1350 - Cr VI (Continued)										
Matrix Spike (BFC1350-MS1)		**Source: 22A3987-01**			Prepared & Analyzed: 3/9/2022					
Chromium (VI)	0.642	J1	0.00300	mg/L	0.250	<0.00300	257	70-130		
Matrix Spike Dup (BFC1350-MSD1)		**Source: 22A3987-01**			Prepared & Analyzed: 3/9/2022					
Chromium (VI)	0.663	J1	0.00300	mg/L	0.250	<0.00300	265	70-130	3.31	20
Batch: BFC1435 - EPA 200.8 Dissolved										
Blank (BFC1435-BLK1)					Prepared: 3/10/2022 Analyzed: 3/14/2022					
Antimony	<1.00	U	1.00	ug/L						
Arsenic	<0.500	U	0.500	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Chromium	<3.00	U	3.00	ug/L						
Copper	<1.00	U	1.00	ug/L						
Lead	<0.500	U	0.500	ug/L						
Nickel	<1.00	U	1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						
Blank (BFC1435-BLK2)					Prepared: 3/10/2022 Analyzed: 3/14/2022					
Beryllium	<0.200	U	0.200	ug/L						
Zinc	<2.00	U	2.00	ug/L						
LCS (BFC1435-BS1)					Prepared: 3/10/2022 Analyzed: 3/14/2022					
Antimony	87.7		1.00	ug/L	100		87.7	85-115		
Arsenic	51.2		0.500	ug/L	50.0		102	85-115		
Cadmium	95.6		1.00	ug/L	100		95.6	85-115		
Chromium	281		3.00	ug/L	300		93.7	85-115		
Copper	98.7		1.00	ug/L	100		98.7	85-115		
Lead	47.8		0.500	ug/L	50.0		95.7	85-115		
Nickel	95.6		1.00	ug/L	100		95.6	85-115		
Silver	47.3		0.500	ug/L	50.0		94.5	85-115		
Thallium	48.6		0.500	ug/L	50.0		97.2	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1435 - EPA 200.8 Dissolved (Continued)										
LCS (BFC1435-BS2)					Prepared: 3/10/2022 Analyzed: 3/14/2022					
Beryllium	21.8		0.200	ug/L	20.0		109	85-115		
Zinc	213		2.00	ug/L	200		107	85-115		
Duplicate (BFC1435-DUP1)			**Source: 22A3944-19**		Prepared: 3/10/2022 Analyzed: 3/14/2022					
Antimony	<10.0	U	10.0	ug/L		<10.0				20
Arsenic	6.97		5.00	ug/L		8.37			18.3	20
Cadmium	<10.0	U	10.0	ug/L		<10.0				20
Chromium	<30.0	U	30.0	ug/L		<30.0				20
Copper	<10.0	U	10.0	ug/L		<10.0				20
Lead	<5.00	U	5.00	ug/L		<5.00				20
Nickel	4.17	J	10.0	ug/L		4.07			2.43	20
Silver	<5.00	U	5.00	ug/L		<5.00				20
Thallium	<5.00	U	5.00	ug/L		<5.00				20
Duplicate (BFC1435-DUP2)			**Source: 22A3944-19**		Prepared: 3/10/2022 Analyzed: 3/14/2022					
Beryllium	<2.00	U	2.00	ug/L		<2.00				20
Zinc	<20.0	U	20.0	ug/L		<20.0				20
MRL Check (BFC1435-MRL1)					Prepared: 3/10/2022 Analyzed: 3/14/2022					
Antimony	0.225	J	1.00	ug/L	0.200		112			
Arsenic	0.0850	J	0.500	ug/L	0.100		85.0			
Cadmium	0.0460	J	1.00	ug/L	0.0500		92.0			
Chromium	0.0900	J	3.00	ug/L	0.0800		112			
Copper	0.197	J	1.00	ug/L	0.200		98.5			
Lead	0.110	J	0.500	ug/L	0.100		110			
Nickel	1.06		1.00	ug/L	0.0500		NR			
Silver	0.0230	J	0.500	ug/L	0.0300		76.7			
Thallium	0.0470	J	0.500	ug/L	0.0300		157			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1435 - EPA 200.8 Dissolved (Continued)										
MRL Check (BFC1435-MRL2)					Prepared: 3/10/2022 Analyzed: 3/14/2022					
Beryllium	0.0100	J	0.200	ug/L	0.0100		100			
Zinc	0.793	J	2.00	ug/L	0.200		396			
Matrix Spike (BFC1435-MS1)			**Source: 22A3944-19**		Prepared: 3/10/2022 Analyzed: 3/14/2022					
Antimony	108		10.0	ug/L	100	<10.0	108	75-125		
Arsenic	56.2		5.00	ug/L	50.0	8.37	95.7	75-125		
Cadmium	87.0		10.0	ug/L	100	<10.0	87.0	75-125		
Chromium	305		30.0	ug/L	300	<30.0	102	75-125		
Copper	93.3		10.0	ug/L	100	<10.0	93.3	75-125		
Lead	42.8		5.00	ug/L	50.0	<5.00	85.6	75-125		
Nickel	94.5		10.0	ug/L	100	4.07	90.4	75-125		
Silver	41.2		5.00	ug/L	50.0	<5.00	82.5	75-125		
Thallium	43.3		5.00	ug/L	50.0	<5.00	86.7	75-125		
Matrix Spike (BFC1435-MS2)			**Source: 22A3944-19**		Prepared: 3/10/2022 Analyzed: 3/14/2022					
Beryllium	19.0		2.00	ug/L	20.0	<2.00	95.1	75-125		
Zinc	175		20.0	ug/L	200	<20.0	87.5	75-125		
Batch: BFC1943 - Cr VI										
BFB3010-BLK1 (BFC1943-LBK1)					Prepared & Analyzed: 3/14/2022					
Chromium (VI)	0.00965		0.00300	mg/L						
BFB3292-BLK1 (BFC1943-LBK2)					Prepared & Analyzed: 3/14/2022					
Chromium (VI)	0.00622		0.00300	mg/L						
Matrix Spike (BFC1943-MS1)			**Source: 22C2241-02**		Prepared & Analyzed: 3/14/2022					
Chromium (VI)	0.256		0.00300	mg/L	0.250	0.00180	102	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1943 - Cr VI (Continued)										
Matrix Spike Dup (BFC1943-MSD1)		**Source: 22C2241-02**			Prepared & Analyzed: 3/14/2022					
Chromium (VI)	0.256		0.00300	mg/L	0.250	0.00180	102	70-130	0.203	20
Batch: SFC0024 - BFB3136										
Interference Check A (SFC0024-IFA1)					Prepared & Analyzed: 3/2/2022					
Antimony	0.221			ug/L				70-130		
Arsenic	0.100			ug/L				70-130		
Cadmium	0.0930			ug/L				70-130		
Chromium	4.45			ug/L				70-130		
Copper	0.197			ug/L				70-130		
Lead	0.0710			ug/L				70-130		
Nickel	0.516			ug/L				70-130		
Silver	0.0380			ug/L				70-130		
Thallium	0.0180			ug/L				70-130		
Zinc	0.997			ug/L				70-130		
Interference Check B (SFC0024-IFB1)					Prepared & Analyzed: 3/2/2022					
Antimony	107			ug/L	100		107	70-130		
Arsenic	50.2			ug/L	50.0		100	70-130		
Cadmium	98.0			ug/L	100		98.0	70-130		
Chromium	275			ug/L	300		91.8	70-130		
Copper	88.1			ug/L	100		88.1	70-130		
Lead	44.5			ug/L	50.0		88.9	70-130		
Nickel	85.6			ug/L	100		85.6	70-130		
Silver	50.2			ug/L	50.0		100	70-130		
Thallium	44.8			ug/L	50.0		89.5	70-130		
Zinc	170			ug/L	200		84.8	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFC0025 - BFC0175										
Interference Check A (SFC0025-IFA1)					Prepared & Analyzed: 3/2/2022					
Beryllium	0.0110			ug/L				70-130		
Interference Check B (SFC0025-IFB1)					Prepared & Analyzed: 3/2/2022					
Beryllium	14.9			ug/L	20.0		74.6	70-130		
Batch: SFC0056 - BFC0948										
Interference Check A (SFC0056-IFA1)					Prepared & Analyzed: 3/7/2022					
Antimony	0.184			ug/L				70-130		
Arsenic	0.0450			ug/L				70-130		
Cadmium	0.0500			ug/L				70-130		
Chromium	4.67			ug/L				70-130		
Copper	0.154			ug/L				70-130		
Lead	0.0450			ug/L				70-130		
Nickel	0.486			ug/L				70-130		
Silver	0.0220			ug/L				70-130		
Thallium	0.00600			ug/L				70-130		
Interference Check B (SFC0056-IFB1)					Prepared & Analyzed: 3/7/2022					
Antimony	103			ug/L	100		103	70-130		
Arsenic	53.8			ug/L	50.0		108	70-130		
Cadmium	95.3			ug/L	100		95.3	70-130		
Chromium	327			ug/L	300		109	70-130		
Copper	96.1			ug/L	100		96.1	70-130		
Lead	48.0			ug/L	50.0		95.9	70-130		
Nickel	98.0			ug/L	100		98.0	70-130		
Silver	48.1			ug/L	50.0		96.1	70-130		
Thallium	47.6			ug/L	50.0		95.2	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFC0066 - BFC0948										
Interference Check A (SFC0066-IFA1)					Prepared & Analyzed: 3/8/2022					
Beryllium	0.00	U		ug/L				70-130		
Zinc	3.82			ug/L				70-130		
Interference Check B (SFC0066-IFB1)					Prepared & Analyzed: 3/8/2022					
Beryllium	16.9			ug/L	20.0		84.7	70-130		
Zinc	184			ug/L	200		92.0	70-130		
Batch: SFC0135 - BFC1061										
Interference Check A (SFC0135-IFA1)					Prepared & Analyzed: 3/14/2022					
Antimony	0.186			ug/L				70-130		
Arsenic	0.102			ug/L				70-130		
Cadmium	0.0430			ug/L				70-130		
Chromium	4.33			ug/L				70-130		
Copper	0.182			ug/L				70-130		
Lead	0.0500			ug/L				70-130		
Nickel	0.457			ug/L				70-130		
Silver	0.0170			ug/L				70-130		
Thallium	0.0100			ug/L				70-130		
Interference Check B (SFC0135-IFB1)					Prepared & Analyzed: 3/14/2022					
Antimony	113			ug/L	100		113	70-130		
Arsenic	51.0			ug/L	50.0		102	70-130		
Cadmium	94.6			ug/L	100		94.6	70-130		
Chromium	291			ug/L	300		96.9	70-130		
Copper	93.4			ug/L	100		93.4	70-130		
Lead	44.9			ug/L	50.0		89.8	70-130		
Nickel	92.6			ug/L	100		92.6	70-130		
Silver	46.7			ug/L	50.0		93.3	70-130		
Thallium	46.5			ug/L	50.0		93.0	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFC0138 - BFC1061										
Interference Check A (SFC0138-IFA1)					Prepared & Analyzed: 3/14/2022					
Beryllium	0.00100			ug/L				70-130		
Zinc	3.32			ug/L				70-130		
Interference Check B (SFC0138-IFB1)					Prepared & Analyzed: 3/14/2022					
Beryllium	16.7			ug/L	20.0		83.4	70-130		
Zinc	183			ug/L	200		91.7	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Total

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3096 - EPA 245.1										
Blank (BFB3096-BLK1)					Prepared & Analyzed: 2/28/2022					
Mercury	<0.200	U	0.200	ug/L						
LCS (BFB3096-BS1)					Prepared & Analyzed: 2/28/2022					
Mercury	5.41		0.200	ug/L	5.00		108	85-115		
Duplicate (BFB3096-DUP1)			**Source: 22A3944-10**		Prepared & Analyzed: 2/28/2022					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
MDL Check (BFB3096-MRL1)					Prepared & Analyzed: 2/28/2022					
Mercury	<0.200	U	0.200	ug/L	0.100					
Matrix Spike (BFB3096-MS1)			**Source: 22A3944-10**		Prepared & Analyzed: 2/28/2022					
Mercury	5.42		0.200	ug/L	5.00	<0.200	108	70-130		
Batch: BFB3630 - EPA 200.8										
Blank (BFB3630-BLK1)					Prepared & Analyzed: 2/28/2022					
Selenium	<5.00	U	5.00	ug/L						
LCS (BFB3630-BS1)					Prepared & Analyzed: 2/28/2022					
Selenium	193		5.00	ug/L	200		96.7	85-115		
Duplicate (BFB3630-DUP1)			**Source: 22A3944-10**		Prepared & Analyzed: 2/28/2022					
Selenium	3.52	J	25.0	ug/L		3.07			13.6	20
MRL Check (BFB3630-MRL1)					Prepared & Analyzed: 2/28/2022					
Selenium	0.690	J	5.00	ug/L	0.330		209			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3630 - EPA 200.8 (Continued)										
Matrix Spike (BFB3630-MS1)		**Source: 22A3944-10**			Prepared & Analyzed: 2/28/2022					
Selenium	1930	J1	50.0	ug/L	200	<50.0	965	75-125		
Batch: BFC0003 - EPA 245.1										
Blank (BFC0003-BLK1)					Prepared & Analyzed: 3/8/2022					
Mercury	<0.200	U	0.200	ug/L						
LCS (BFC0003-BS1)					Prepared & Analyzed: 3/8/2022					
Mercury	4.52		0.200	ug/L	5.00		90.4	85-115		
Duplicate (BFC0003-DUP1)		**Source: 22A3944-08**			Prepared & Analyzed: 3/8/2022					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
Duplicate (BFC0003-DUP2)		**Source: 22A3944-12**			Prepared & Analyzed: 3/8/2022					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
MRL Check (BFC0003-MRL1)					Prepared & Analyzed: 3/8/2022					
Mercury	0.154	J	0.200	ug/L	0.100		154			
Matrix Spike (BFC0003-MS1)		**Source: 22A3944-08**			Prepared & Analyzed: 3/8/2022					
Mercury	4.95		0.200	ug/L	5.00	<0.200	99.0	70-130		
Matrix Spike (BFC0003-MS2)		**Source: 22A3944-12**			Prepared & Analyzed: 3/8/2022					
Mercury	5.20		0.200	ug/L	5.00	<0.200	104	70-130		
Batch: BFC0947 - EPA 200.8										
Blank (BFC0947-BLK1)					Prepared & Analyzed: 3/7/2022					
Selenium	<5.00	U	5.00	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0947 - EPA 200.8 (Continued)										
LCS (BFC0947-BS1)					Prepared & Analyzed: 3/7/2022					
Selenium	204		5.00	ug/L	200		102	85-115		
Duplicate (BFC0947-DUP1)		**Source: 22A3944-18**			Prepared & Analyzed: 3/7/2022					
Selenium	<50.0	U	50.0	ug/L		<50.0				20
MRL Check (BFC0947-MRL1)					Prepared & Analyzed: 3/7/2022					
Selenium	0.148	J	5.00	ug/L	0.330		44.8			
Matrix Spike (BFC0947-MS1)		**Source: 22A3944-18**			Prepared & Analyzed: 3/7/2022					
Selenium	206		50.0	ug/L	200	<50.0	103	75-125		
Batch: BFC1270 - EPA 245.1										
Blank (BFC1270-BLK1)					Prepared & Analyzed: 3/16/2022					
Mercury	<0.200	U	0.200	ug/L						
LCS (BFC1270-BS1)					Prepared & Analyzed: 3/16/2022					
Mercury	5.39		0.200	ug/L	5.00		108	85-115		
Duplicate (BFC1270-DUP1)		**Source: 22B3342-08**			Prepared & Analyzed: 3/16/2022					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
MRL Check (BFC1270-MRL1)					Prepared & Analyzed: 3/16/2022					
Mercury	<0.200	U	0.200	ug/L	0.100					
Matrix Spike (BFC1270-MS1)		**Source: 22B3342-08**			Prepared & Analyzed: 3/16/2022					
Mercury	5.10		0.200	ug/L	5.00	<0.200	102	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1393 - EPA 200.8										
Blank (BFC1393-BLK1)					Prepared: 3/10/2022 Analyzed: 3/11/2022					
Selenium	<5.00	U	5.00	ug/L						
LCS (BFC1393-BS1)					Prepared: 3/10/2022 Analyzed: 3/11/2022					
Selenium	205		5.00	ug/L	200		103	85-115		
Duplicate (BFC1393-DUP1)		**Source: 22A3944-19**			Prepared: 3/10/2022 Analyzed: 3/11/2022					
Selenium	<50.0	U	50.0	ug/L		<50.0				20
MRL Check (BFC1393-MRL1)					Prepared: 3/10/2022 Analyzed: 3/11/2022					
Selenium	0.457	J	5.00	ug/L	0.330		138			
Matrix Spike (BFC1393-MS1)		**Source: 22A3944-19**			Prepared: 3/10/2022 Analyzed: 3/11/2022					
Selenium	169		50.0	ug/L	200	<50.0	84.7	75-125		
Batch: SFB0279 - BFB2766										
Interference Check A (SFB0279-IFA1)					Prepared & Analyzed: 2/21/2022					
Selenium	0.257			ug/L				70-130		
Interference Check B (SFB0279-IFB1)					Prepared & Analyzed: 2/21/2022					
Selenium	191			ug/L	200		95.5	70-130		
Batch: SFB0359 - BFB2979										
Interference Check A (SFB0359-IFA1)					Prepared & Analyzed: 2/28/2022					
Selenium	0.0210			ug/L				70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SFB0359 - BFB2979 (Continued)										
Interference Check B (SFB0359-IFB1)					Prepared & Analyzed: 2/28/2022					
Selenium	189			ug/L	200		94.6	70-130		
Batch: SFC0056 - BFC0948										
Interference Check A (SFC0056-IFA1)					Prepared & Analyzed: 3/7/2022					
Selenium	0.0620			ug/L				70-130		
Interference Check B (SFC0056-IFB1)					Prepared & Analyzed: 3/7/2022					
Selenium	215			ug/L	200		108	70-130		
Batch: SFC0123 - BFC1061										
Interference Check A (SFC0123-IFA1)					Prepared & Analyzed: 3/11/2022					
Selenium	-0.180	U		ug/L				70-130		
Interference Check B (SFC0123-IFB1)					Prepared & Analyzed: 3/11/2022					
Selenium	207			ug/L	200		103	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate General Chemistry

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB3631 - NH3-N SEAL-350.1										
BFB3292-LBK1 (BFB3631-LBK1)					Prepared & Analyzed: 2/28/2022					
Ammonia as N	<0.0500	U	0.0500	mg/L						
MRL Check (BFB3631-MRL1)					Prepared & Analyzed: 2/28/2022					
Ammonia as N	0.0325			mg/L	0.0500		65.0	50-150		
Matrix Spike (BFB3631-MS1)		**Source: 22B0339-01**			Prepared & Analyzed: 2/28/2022					
Ammonia as N	17.2	J1	1.00	mg/L	0.400	16.9	75.0	90-110		
Matrix Spike (BFB3631-MS2)		**Source: 22B0053-04**			Prepared & Analyzed: 2/28/2022					
Ammonia as N	1.25	J1	0.100	mg/L	0.400	0.913	83.1	90-110		
Matrix Spike Dup (BFB3631-MSD1)		**Source: 22B0339-01**			Prepared & Analyzed: 2/28/2022					
Ammonia as N	17.3	J1	1.00	mg/L	0.400	16.9	81.8	90-110	0.157	20
Matrix Spike Dup (BFB3631-MSD2)		**Source: 22B0053-04**			Prepared & Analyzed: 2/28/2022					
Ammonia as N	1.22	J1	0.100	mg/L	0.400	0.913	77.2	90-110	1.93	20
Batch: BFC0108 - TSS										
Blank (BFC0108-BLK1)					Prepared: 3/1/2022 Analyzed: 3/2/2022					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
LCS (BFC0108-BS1)					Prepared: 3/1/2022 Analyzed: 3/2/2022					
Residue-nonfilterable (TSS)	98.4		1.00	mg/L	100		98.4	85-115		
Duplicate (BFC0108-DUP1)		**Source: 22C0198-01**			Prepared: 3/1/2022 Analyzed: 3/2/2022					
Residue-nonfilterable (TSS)	1.47		1.00	mg/L		1.47			0.00	10

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC0108 - TSS (Continued)										
Duplicate (BFC0108-DUP2)			**Source: 22C0930-02**		Prepared: 3/1/2022 Analyzed: 3/2/2022					
Residue-nonfilterable (TSS)	3.16		1.00	mg/L		3.16			0.00	10
Batch: BFC0770 - TSS										
Blank (BFC0770-BLK1)					Prepared & Analyzed: 3/4/2022					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
Blank (BFC0770-BLK2)					Prepared & Analyzed: 3/4/2022					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
LCS (BFC0770-BS1)					Prepared & Analyzed: 3/4/2022					
Residue-nonfilterable (TSS)	99.4		1.00	mg/L	100		99.4	85-115		
Duplicate (BFC0770-DUP1)			**Source: 22C0092-02**		Prepared & Analyzed: 3/4/2022					
Residue-nonfilterable (TSS)	6.22		1.00	mg/L		6.00			3.64	10
Duplicate (BFC0770-DUP2)			**Source: 22C1344-07**		Prepared & Analyzed: 3/4/2022					
Residue-nonfilterable (TSS)	2.44		1.00	mg/L		2.66			8.45	10
Batch: BFC1312 - TSS										
Blank (BFC1312-BLK1)					Prepared & Analyzed: 3/9/2022					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
BFC1063 (BFC1312-BLK2)					Prepared & Analyzed: 3/9/2022					
Residue-nonfilterable (TSS)	26.2		1.00	mg/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Quality Control
(Continued)

Elutriate General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFC1312 - TSS (Continued)										
LCS (BFC1312-BS1)					Prepared & Analyzed: 3/9/2022					
Residue-nonfilterable (TSS)	98.8		1.00	mg/L	100		98.8	85-115		
Duplicate (BFC1312-DUP1)		**Source: 22A3944-19**			Prepared & Analyzed: 3/9/2022					
Residue-nonfilterable (TSS)	5.56		1.00	mg/L		5.78			3.92	10
Batch: BFC2072 - NH3-N SEAL-350.1										
BFC0552-LBK1 (BFC2072-LBK1)					Prepared & Analyzed: 3/16/2022					
Ammonia as N	<0.0500	U	0.0500	mg/L						
MRL Check (BFC2072-MRL1)					Prepared & Analyzed: 3/16/2022					
Ammonia as N	0.0378			mg/L	0.0500		75.6	50-150		
Matrix Spike (BFC2072-MS1)		**Source: 22A3944-19**			Prepared & Analyzed: 3/16/2022					
Ammonia as N	0.111	J1	0.0500	mg/L	0.400	0.0552	14.0	90-110		
Matrix Spike (BFC2072-MS2)		**Source: 22B3342-06**			Prepared & Analyzed: 3/16/2022					
Ammonia as N	0.905		0.0500	mg/L	0.400	0.520	96.2	90-110		
Matrix Spike Dup (BFC2072-MSD1)		**Source: 22A3944-19**			Prepared & Analyzed: 3/16/2022					
Ammonia as N	0.0486	J1, J	0.0500	mg/L	0.400	0.0552	NR	90-110	78.5	20
Matrix Spike Dup (BFC2072-MSD2)		**Source: 22B3342-06**			Prepared & Analyzed: 3/16/2022					
Ammonia as N	0.892		0.0500	mg/L	0.400	0.520	93.1	90-110	1.38	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Sample Condition Checklist

Work Order: 22A3944

Check Points	
Yes	Custody Seals
Yes	Containers Intact
Yes	COC/Labels Agree
Yes	Received On Ice
Yes	Appropriate Containers
Yes	Appropriate Sample Volume
Yes	Coolers Intact
Yes	Samples Accepted

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP 2022	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/06/2022 14:37

Term and Qualifier Definitions

Item	Definition
A	Detection limit elevated due to abundance of non-target analyte.
B	Analyte was found in the associated method blank.
B1	Associated method blank is lower than the established quality control criteria.
CQ	Associated calibration QC is higher than the established quality control criteria for accuracy - no hit in samples; data not affected and acceptable to report.
CQa	Calibration R2 less than 0.99
CQb	CCV out of control high, no hit in sample, data unaffected
CQc	ICAL#1 was removed, so the MRL was raised to ICAL#2 (from 0.5625 to 1.125)
CQd	The analyte was detected in both sample and leach blank
CQe	The analyte was found in the associated leach blank.
H	The parameter was analyzed outside the method specified holding time.
HR	The rerun parameter was analyzed outside the method specified holding time.
J	Estimated value - The reported value is between the detection limit and reporting limit.
J1	Estimated value - The reported value is outside the established quality control criteria for accuracy and/or precision.
L	Off scale high - The concentration of the analyte exceeds the linear range.
R	The sample result was rejected. A rerun is being performed.
S	The surrogate recovery was outside the established laboratory recovery limit.
U	Non-detected compound.
V	Analyte was detected in both sample and method blank.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated
*	A = Accredited, N = Not Accredited or Accreditation not available
DF	Dilution Factor - the factor applied to the reported data due to sample preparation, dilution, or moisture content
MDL	Method Detection Limit - The minimum concentration of a substance (or analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. Based on standard deviation of replicate spiked samples take through all steps of the analytical procedure following 40 CFR Part 136 Appendix B.
SDL	Sample Detection Limit - The minimum concentration of a substance (analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. The SDL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MDL = SDL.
MRL	Method Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The MRL is at or above the lowest calibration standard.
LRL	Laboratory Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The LRL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MRL = LRL.

April 1, 2022

Ms. Monica Martin

Re: North Water District Laboratory Services, Inc. (NWDLS)
NWDLS Geosciences Lab Testing – Task Order #01
Project #22A3944

The Taylor Engineering Coastal & Marine Geosciences Laboratory is pleased to submit the following sediment data for NWDLS project #22A3944. Taylor Engineering received 13 samples for analysis in Jacksonville, Florida on March 9th, 2022. Laboratory testing included sieve and hydrometer analysis according to ASTM D-422. Attached to this letter are the individual test results for each sample.


If any additional information is needed or if you have any questions, please contact me at (904) 731-7040 or wwarren@taylorengineering.com.

Sincerely,



William Warren, P.G.
Project Geologist
Coastal & Marine Geosciences Lab Manager

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.2	2.9	11.6	31.9	19.5	32.9

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	98.8		
#10	95.9		
#20	88.5		
#40	84.3		
#50	82.7		
#70	80.9		
#100	72.4		
#140	60.0		
#200	52.4		
0.0418 mm.	45.8		
0.0298 mm.	44.0		
0.0213 mm.	42.3		
0.0112 mm.	38.8		
0.0079 mm.	38.2		
0.0056 mm.	37.5		
0.0033 mm.	7.2		
0.0013 mm.	4.5		

* (no specification provided)

Soil Description

Lean clay, some fine-grained quartz sand, little silt, trace fine gravel-size shell fragments, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 1.0201 D_{85}= 0.4881 D_{60}= 0.1059
D_{50}= 0.0635 D_{30}= 0.0047 D_{15}= 0.0037
D_{10}= 0.0034 C_u= 30.89 C_c= 0.06

Classification

USCS= CL AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 28

Date: 3/24/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.2	61.9	19.7	18.2

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.8		
#50	99.7		
#70	99.1		
#100	85.3		
#140	56.4		
#200	37.9		
0.0462 mm.	28.2		
0.0329 mm.	26.7		
0.0236 mm.	23.8		
0.0123 mm.	20.8		
0.0088 mm.	19.4		
0.0062 mm.	18.8		
0.0031 mm.	16.5		
0.0013 mm.	15.0		

* (no specification provided)

Soil Description

Silty sand, mostly fine-grained quartz sand, little silt, little clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1615 D_{85}= 0.1493 D_{60}= 0.1109
D_{50}= 0.0967 D_{30}= 0.0545 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 29

Date: 3/22/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.7	41.5	31.4	26.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.5		
#40	99.3		
#50	99.2		
#70	98.8		
#100	91.9		
#140	75.5		
#200	57.8		
0.0421 mm.	44.0		
0.0308 mm.	37.6		
0.0222 mm.	34.0		
0.0118 mm.	29.0		
0.0084 mm.	27.6		
0.0059 mm.	26.8		
0.0030 mm.	24.5		
0.0013 mm.	18.0		

* (no specification provided)

Soil Description

Silt, some fine-grained quartz sand, little clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1424 D_{85}= 0.1271 D_{60}= 0.0789
D_{50}= 0.0576 D_{30}= 0.0137 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 30

Date: 3/24/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.3	20.8	38.1	40.8

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.7		
#50	99.6		
#70	99.3		
#100	95.8		
#140	87.2		
#200	78.9		
0.0375 mm.	65.7		
0.0281 mm.	56.8		
0.0206 mm.	50.8		
0.0111 mm.	43.5		
0.0078 mm.	42.8		
0.0056 mm.	41.3		
0.0029 mm.	37.4		
0.0012 mm.	25.6		

* (no specification provided)

Soil Description

Lean clay, some silt, little fine-grained quartz sand, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1177 D_{85}= 0.0976 D_{60}= 0.0314
D_{50}= 0.0195 D_{30}= 0.0016 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= CL AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 32

Date: 3/22/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.9	0.0	0.2	48.2	27.3	22.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	98.1		
#10	98.1		
#20	98.0		
#40	97.9		
#50	97.9		
#70	97.4		
#100	86.5		
#140	62.9		
#200	49.7		
0.0430 mm.	38.5		
0.0313 mm.	33.2		
0.0226 mm.	29.3		
0.0119 mm.	25.3		
0.0085 mm.	24.1		
0.0060 mm.	22.7		
0.0030 mm.	20.8		
0.0013 mm.	8.2		

* (no specification provided)

Soil Description

Silt, some fine-grained quartz sand, little clay, trace fine gravel-size shell fragments, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1606 D_{85}= 0.1463 D_{60}= 0.1006
D_{50}= 0.0759 D_{30}= 0.0243 D_{15}= 0.0019
D_{10}= 0.0015 C_u= 69.23 C_c= 4.04

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 34

Date: 3/22/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.3	1.2	28.6	40.1	29.8

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.7		
#20	99.1		
#40	98.5		
#50	98.2		
#70	97.7		
#100	94.1		
#140	82.8		
#200	69.9		
0.0406 mm.	50.2		
0.0298 mm.	43.8		
0.0217 mm.	38.8		
0.0115 mm.	33.1		
0.0082 mm.	31.7		
0.0058 mm.	30.3		
0.0029 mm.	28.8		
0.0012 mm.	22.9		

* (no specification provided)

Soil Description

Silt, some fine-grianed quartz sand, some clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1293 D_{85}= 0.1123 D_{60}= 0.0566
D_{50}= 0.0403 D_{30}= 0.0054 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 36

Date: 3/22/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.3	2.8	22.3	21.1	53.5

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.7		
#20	98.3		
#40	96.9		
#50	96.2		
#70	95.5		
#100	91.8		
#140	83.0		
#200	74.6		
0.0380 mm.	60.7		
0.0273 mm.	58.6		
0.0195 mm.	57.1		
0.0102 mm.	54.3		
0.0073 mm.	53.9		
0.0052 mm.	53.5		
0.0026 mm.	53.4		
0.0011 mm.	53.4		

* (no specification provided)

Soil Description

Fat clay, little fine-grained quartz sand, little silt, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1382 D_{85}= 0.1144 D_{60}= 0.0353
D_{50}= D_{30}= D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= CH AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 38

Date: 3/23/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: NEL **Checked By:** WFW

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	41.6	22.4	35.9

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.9		
#50	99.8		
#70	99.0		
#100	86.1		
#140	68.6		
#200	58.3		
0.0423 mm.	45.6		
0.0301 mm.	44.1		
0.0215 mm.	42.5		
0.0112 mm.	40.2		
0.0080 mm.	37.8		
0.0057 mm.	36.3		
0.0029 mm.	34.3		
0.0012 mm.	25.8		

* (no specification provided)

Soil Description

Lean clay, some fine-grained quartz sand, little silt, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1623 D_{85}= 0.1469 D_{60}= 0.0802
D_{50}= 0.0541 D_{30}= 0.0018 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= CL AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 40

Date: 3/22/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.0	61.3	15.4	23.3

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	100.0		
#50	100.0		
#70	99.6		
#100	88.6		
#140	60.7		
#200	38.7		
0.0445 mm.	33.6		
0.0320 mm.	30.0		
0.0229 mm.	27.8		
0.0120 mm.	24.9		
0.0085 mm.	23.4		
0.0060 mm.	23.4		
0.0030 mm.	22.6		
0.0013 mm.	20.3		

* (no specification provided)

Soil Description

Clayey sand, mostly fine-grained quartz sand, little clay, little silt, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1536 D_{85}= 0.1420 D_{60}= 0.1052
D_{50}= 0.0923 D_{30}= 0.0322 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= SC AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 41

Date: 3/24/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	63.6	18.2	18.1

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	99.9		
#50	99.9		
#70	99.6		
#100	86.9		
#140	57.1		
#200	36.3		
0.0468 mm.	27.1		
0.0336 mm.	23.0		
0.0240 mm.	20.6		
0.0125 mm.	19.0		
0.0088 mm.	18.2		
0.0063 mm.	18.2		
0.0031 mm.	17.8		
0.0013 mm.	15.7		

* (no specification provided)

Soil Description

Silty sand, mostly fine-grained quartz sand, little silt, little clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1574 D_{85}= 0.1460 D_{60}= 0.1097
D_{50}= 0.0966 D_{30}= 0.0588 D_{15}=
D_{10}= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 42

Date: 3/23/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.2	49.9	30.8	19.1

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.8		
#50	99.7		
#70	99.6		
#100	99.0		
#140	92.8		
#200	49.9		
0.0444 mm.	33.9		
0.0321 mm.	29.5		
0.0230 mm.	26.6		
0.0121 mm.	23.3		
0.0086 mm.	21.9		
0.0061 mm.	20.0		
0.0031 mm.	17.4		
0.0013 mm.	13.2		

* (no specification provided)

Soil Description

Silty sand, mostly fine-grained quartz sand, some silt, little clay, light brown

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1028 D_{85}= 0.0982 D_{60}= 0.0815
D_{50}= 0.0750 D_{30}= 0.0331 D_{15}= 0.0018
D_{10}= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 43

Date: 3/24/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: NEL **Checked By:** WFW

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	2.4	4.7	5.9	79.7	1.4	5.9

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	97.6		
#10	92.9		
#20	88.5		
#40	87.0		
#50	85.7		
#70	74.8		
#100	44.2		
#140	18.2		
#200	7.3		
0.0490 mm.	7.1		
0.0347 mm.	6.9		
0.0246 mm.	6.7		
0.0127 mm.	6.7		
0.0090 mm.	6.7		
0.0064 mm.	6.0		
0.0032 mm.	5.7		
0.0013 mm.	5.6		

* (no specification provided)

Soil Description

Sand, poorly graded, mostly fine-grained quartz sand, trace clay, trace fine gravel-size shell fragments, brown

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 1.2044 D_{85}= 0.2809 D_{60}= 0.1762
D_{50}= 0.1593 D_{30}= 0.1271 D_{15}= 0.0992
D_{10}= 0.0861 C_u= 2.05 C_c= 1.06

Classification

USCS= SP AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 44

Date: 3/24/2022


Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: NEL **Checked By:** WFW

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.2	1.0	22.3	30.7	45.8

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.8		
#20	99.3		
#40	98.8		
#50	98.6		
#70	98.2		
#100	94.7		
#140	85.4		
#200	76.5		
0.0388 mm.	60.4		
0.0281 mm.	56.6		
0.0202 mm.	53.5		
0.0107 mm.	49.7		
0.0076 mm.	48.0		
0.0055 mm.	46.4		
0.0029 mm.	36.9		
0.0013 mm.	7.0		

* (no specification provided)

Soil Description

Fat clay, some silt, little fine-grained quartz sand, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1243 D_{85}= 0.1043 D_{60}= 0.0379
D_{50}= 0.0114 D_{30}= 0.0023 D_{15}= 0.0016
D_{10}= 0.0014 C_u= 26.52 C_c= 0.10

Classification

USCS= CH AASHTO=

Remarks

Source of Sample: 22A3944
Sample Number: 45

Date: 3/24/2022

Taylor Engineering, Inc.

Client: North Water District Labratory Services
Project: 22A3944

Project No: C2022-020 **Figure**

Tested By: WFW **Checked By:** NEL

May 27, 2022 Revised Service Request No: K2202539.02

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 22A3944

Dear Monica,

Enclosed is the revised report of the sample(s) submitted to our laboratory March 10, 2022.

For your reference, these analyses have been assigned our service request number **K2202539.**
Report has been revised to the MDL.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

REVISED
1:25 pm, May 27, 2022

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
Sample Matrix: Elutriate, Liquid

Service Request: K2202539
Date Received: 03/10/2022

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Two elutriate, liquid samples were received for analysis at ALS Environmental on 03/10/2022. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivoa GC:

Method ALS SOP Butyltins, 03/25/2021The analysis of Butyltins by ALS SOP requires the use of dual column confirmation. For the Initial Calibration Verification (ICV) at least one of the analytical systems in a dual column or dual detector system must meet the criteria. This criteria was met on one column for Tri-n-butyltin. The data quality was not affected. No further corrective action was necessary.

Method ALS SOP Butyltins, 03/25/2021:Due to interference introduced in the grignard reaction, some sample analytes and surrogates display retention time shifting outside +/-0.03 normally observed in this method and particular matrix. Note that the samples received all the possible cleanups within the scope of the method, the shifting was still within +/-0.06 threshold. The experience of the analyst in the interpretation of chromatograms and the shifts in the QC confirm the analytes. No further corrective action needed.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by _____ Date 05/27/2022

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 22A3944-19			Lab ID: K2202539-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.091		0.029	0.050	ug/L	ALS SOP
Di-n-butyltin Cation	0.0082	JP	0.0073	0.050	ug/L	ALS SOP

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2202539
Project: 22A3944

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2202539-001	22A3944-19	3/9/2022	0835

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-12 ***Marine Water Sampled: 03/03/2022 12:02***			
Sub_CN T-4500	04/01/2022	03/17/2022 12:02	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	03/10/2022 12:02	
Analyte(s): Dibutyltin Monobutyltin Tributyltin			
Dibutyltin Monobutyltin Tributyltin			
TOC-415.1	04/01/2022	03/31/2022 12:02	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-15 ***Elutriate Sampled: 01/26/2022 00:00***			
Sub_Organotins-TX1001-ELUT	04/01/2022	02/02/2022 00:00	
Analyte(s): Dibutyltin Monobutyltin Tributyltin			
Containers Supplied:			
Sample ID: 22A3944-18 ***Elutriate Sampled: 02/27/2022 12:24***			
Sub_CN T-ELUT	04/01/2022	03/13/2022 12:24	Leached: 03/04/2022 08:25
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	03/06/2022 12:24	Leached: 03/04/2022 08:25
Analyte(s): Dibutyltin Monobutyltin Tributyltin			
TOC-415.1-ELUT	04/01/2022	03/27/2022 12:24	Leached: 03/04/2022 08:25
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-19 ***Elutriate Sampled: 02/16/2022 18:47***			
Sub_CN T-ELUT	04/01/2022	03/02/2022 18:47	Leached: 03/09/2022 08:35
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	02/23/2022 18:47	Leached: 03/09/2022 08:35
Analyte(s): Dibutyltin Monobutyltin Tributyltin			
TOC-415.1-ELUT	04/01/2022	03/16/2022 18:47	Leached: 03/09/2022 08:35
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

NWDLS

K2202539

SUBCONTRACT ORDER
(Continued)

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-20 ***Elutriate Sampled: 02/24/2022 17:50***			
Sub_CN T-ELUT	04/01/2022	03/10/2022 17:50	Leached: 03/04/2022 08:25
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	03/03/2022 17:50	Leached: 03/04/2022 08:25
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/24/2022 17:50	Leached: 03/04/2022 08:25
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-21 ***Elutriate Sampled: 02/20/2022 15:30***			
Sub_CN T-ELUT	04/01/2022	03/06/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	02/27/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/20/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-28 ***Sediment Sampled: 02/11/2022 15:30***			
Sub_Organotins-TX1001	04/01/2022	02/25/2022 15:30	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/11/2022 15:30	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-29 ***Sediment Sampled: 02/26/2022 09:45***			
Sub_Organotins-TX1001	04/01/2022	03/12/2022 09:45	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/26/2022 09:45	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

April Dobbins 3/9/22 UPS 3/9/22

3/10/22 0950

PM LR

Cooler Receipt and Preservation Form

Client NWDLS Service Request K22 02539

Received: 3/10/22 Opened: 3/10/22 By: Unloaded: 3/10/22 By:

1. Samples were received via? *USPS* *Fed Ex* (*UPS*) *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other* _____ *NA*
3. Were custody seals on coolers? NA Y (N) If yes, how many and where? _____
   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
—	2.4	IR02				1Z12W4061019348 7843	

4. Was a Temperature Blank present in cooler? NA Y (N) If yes, notate the temperature in the appropriate column above:
   If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
5. Were samples received within the method specified temperature ranges? NA (Y) N
   If no, were they received on ice and same day as collected? If not, notate the cooler # below and notify the PM. (NA) Y N

If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

6. Packing material: *Inserts* (*Baggies*) (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
8. Were samples received in good condition (unbroken) NA (Y) N
9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA (Y) N
10. Did all sample labels and tags agree with custody papers? NA (Y) N
11. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) (N)
12. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
13. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
14. Was C12/Res negative? (NA) Y N
15. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? (NA) Y N Under filled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: For "22A3944-21" DID NOT Receive bottle for TOC.

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202539
Project:	22A3944/		

Sample Name:	22A3944-19	**Date Collected:**	03/9/22
Lab Code:	K2202539-001	**Date Received:**	03/10/22
Sample Matrix:	Elutriate, Liquid		

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT
ALS SOP	VWILSON	BBRIGHT
SM 4500-CN- E	KCHAN	KCHAN

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202539
Project:	22A3944	**Date Collected:**	03/09/22 08:35
Sample Matrix:	Elutriate, Liquid	**Date Received:**	03/10/22 09:50
Sample Name:	22A3944-19	**Units:**	ug/L
Lab Code:	K2202539-001	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.091**	0.050	0.029	1	03/25/22 17:29	3/10/22	
Di-n-butyltin Cation	**0.0082 JP**	0.050	0.0073	1	03/25/22 17:29	3/10/22	
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/25/22 17:29	3/10/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	113	10 - 195	03/25/22 17:29	

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202539
Project:	22A3944	**Date Collected:**	03/09/22 08:35
Sample Matrix:	Elutriate, Liquid	**Date Received:**	03/10/22 09:50
Sample Name:	22A3944-19	**Basis:**	NA
Lab Code:	K2202539-001		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/22/22 15:30	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/14/22 11:44	03/14/22	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:** K2202539
Project: 22A3944
Sample Matrix: Elutriate, Liquid

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: EPA 3520C

Sample Name	Lab Code	Tri-n-propyltin 10-195
22A3944-19	K2202539-001	113
Method Blank	KQ2203954-03	125
Lab Control Sample	KQ2203954-01	83
Duplicate Lab Control Sample	KQ2203954-02	87

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202539
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	KQ2203954-03	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.050	0.029	1	03/25/22 14:45	3/10/22	
Di-n-butyltin Cation	**0.039**	**J**	0.050	0.0073	1	03/25/22 14:45	3/10/22	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	03/25/22 14:45	3/10/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	125	10 - 195	03/25/22 14:45	

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202539
Project:	22A3944	**Date Analyzed:**	03/25/22
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	03/10/22

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/L
Prep Method:	EPA 3520C	**Basis:**	NA
		Analysis Lot:	758434

	Lab Control Sample KQ2203954-01			Duplicate Lab Control Sample KQ2203954-02					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	0.301	0.383	79	0.348	0.383	91	10-200	14	30
n-Butyltin Cation	0.250	0.312	80	0.273	0.312	88	10-200	9	30
Tri-n-butyltin Cation	0.367	0.446	82	0.370	0.446	83	10-200	<1	30

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2202539
Date Collected: 03/09/22 08:35
Date Received: 3/10/22

Sample Name: 22A3944-19
Lab Code: K2202539-001

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.0082	0.016	64	JP	1	03/25/22 17:29
n-Butyltin Cation	0.029	0.091	0.10	9		1	03/25/22 17:29

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2202539
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2203954-01

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.301	0.344	13		1	03/25/22 15:02
Tri-n-butyltin Cation	0.012	0.367	0.387	5		1	03/25/22 15:02
n-Butyltin Cation	0.029	0.250	0.273	9		1	03/25/22 15:02

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2202539
Date Collected: NA
Date Received:

Sample Name: Duplicate Lab Control Sample
Lab Code: KQ2203954-02

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.348	0.382	9		1	03/25/22 15:18
Tri-n-butyltin Cation	0.012	0.370	0.386	4		1	03/25/22 15:18
n-Butyltin Cation	0.029	0.273	0.275	<1		1	03/25/22 15:18

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2202539
Date Collected: NA
Date Received:

Sample Name: Method Blank
Lab Code: KQ2203954-03

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.039	0.044	12	J	1	03/25/22 14:45

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202539
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2202539-MB1		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/22/22 15:30	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/14/22 11:44	03/14/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202539
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2202539-MB2		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/22/22 15:30	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202539
Project:	22A3944	**Date Analyzed:**	03/22/22
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	415.1	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	758247

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2202539-LCS2	25.3	25.0	101	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202539
Project:	22A3944	**Date Analyzed:**	03/22/22
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	415.1	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	758247

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2202539-LCS3	25.0	25.0	100	83-117

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202539
Project:	22A3944	**Date Analyzed:**	03/14/22
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	03/14/22

Duplicate Lab Control Sample Summary
General Chemistry Parameters

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	757348

	Lab Control Sample K2202539-LCS1			Duplicate Lab Control Sample K2202539-DLCS1					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Cyanide, Total	0.0801	0.075	107	0.0775	0.075	103	84-115	3	20

June 02, 2022

Revised Service Request No: K2202527.01

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 22A3944

Dear Monica,

Enclosed is the revised report of the sample(s) submitted to our laboratory March 09, 2022.

For your reference, these analyses have been assigned our service request number **K2202527.**

Report has been revised to the MDL.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental



Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

REVISED
3:45 pm, Jun 02, 2022

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
Sample Matrix: Sediment, Ocean Water

Service Request: K2202527
Date Received: 03/09/2022

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Seven sediment, ocean water samples were received for analysis at ALS Environmental on 03/09/2022. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivoa GC:

Method ALS SOP Butyltins, 03/25/2021The analysis of Butyltins by ALS SOP requires the use of dual column confirmation. For the Initial Calibration Verification (ICV) at least one of the analytical systems in a dual column or dual detector system must meet the criteria. This criteria was met on one column for Tri-n-butyltin. The data quality was not affected. No further corrective action was necessary.

Method ALS SOP Butyltins, 03/25/2021:Due to interference introduced in the grignard reaction, some sample analytes and surrogates display retention time shifting outside +/-0.03 normally observed in this method and particular matrix. Note that the samples received all the possible cleanups within the scope of the method. The experience of the analyst in the interpretation of chromatograms and the shifts in the QC confirm the analytes. No further corrective action needed.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by  Date 06/02/2022

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 22A3944-11			Lab ID: K2202527-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic	0.22	J	0.07	0.50	mg/L	415.1
n-Butyltin Cation	0.033	J	0.029	0.050	ug/L	ALS SOP
Di-n-butyltin Cation	0.076		0.0073	0.050	ug/L	ALS SOP

CLIENT ID: 22A3944-12			Lab ID: K2202527-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic	0.16	J	0.07	0.50	mg/L	415.1
Di-n-butyltin Cation	0.020	J	0.0073	0.050	ug/L	ALS SOP

CLIENT ID: 22A3944-29			Lab ID: K2202527-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic (TOC)	0.02	J	0.02	0.10	Percent	9060

CLIENT ID: 22A3944-43			Lab ID: K2202527-006			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic (TOC)	0.42		0.02	0.10	Percent	9060
Solids, Total	60.5				Percent	160.3 Modified

CLIENT ID: 22A3944-44			Lab ID: K2202527-007			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic (TOC)	0.10	J	0.02	0.10	Percent	9060
Solids, Total	78.0				Percent	160.3 Modified

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2202527
Project: 22A3944

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2202527-001	22A3944-11	3/3/2022	1025
K2202527-002	22A3944-12	3/3/2022	1202
K2202527-003	22A3944-29	2/26/2022	0945
K2202527-004	22A3944-30	2/27/2022	1224
K2202527-005	22A3944-38	2/24/2022	1750
K2202527-006	22A3944-43	3/3/2022	0940
K2202527-007	22A3944-44	3/3/2022	1138

NWDLS
North Water District Laboratory Services, Inc.

K2202527

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 22A3944

Analysis	Due	Expires	Comments
Sample ID: 22A3944-07 ***Marine Water Sampled: 02/14/2022 17:25***			
Sub_CN T-4500	04/01/2022	02/28/2022 17:25	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	02/21/2022 17:25	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/14/2022 17:25	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-08 ***Marine Water Sampled: 02/22/2022 16:00***			
Sub_CN T-4500	04/01/2022	03/08/2022 16:00	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	03/01/2022 16:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/22/2022 16:00	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-09 ***Marine Water Sampled: 02/24/2022 12:25***			
Sub_CN T-4500	04/01/2022	03/10/2022 12:25	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	03/03/2022 12:25	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/24/2022 12:25	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-10 ***Marine Water Sampled: 02/20/2022 17:25***			
Sub_CN T-4500	04/01/2022	03/06/2022 17:25	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	02/27/2022 17:25	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/20/2022 17:25	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-11 ***Marine Water Sampled: 03/03/2022 10:25***			
Sub_CN T-4500	04/01/2022	03/17/2022 10:25	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	03/10/2022 10:25	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/31/2022 10:25	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-12 ***Marine Water Sampled: 03/03/2022 12:02***			
Sub_CN T-4500	04/01/2022	03/17/2022 12:02	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	03/10/2022 12:02	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/31/2022 12:02	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-15 ***Elutriate Sampled: 01/26/2022 00:00***			
Sub_Organotins-TX1001-ELUT	04/01/2022	02/02/2022 00:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 22A3944-18 ***Elutriate Sampled: 02/27/2022 12:24***			
Sub_CN T-ELUT	04/01/2022	03/13/2022 12:24	Leached: 03/04/2022 08:25
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	03/06/2022 12:24	Leached: 03/04/2022 08:25
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/27/2022 12:24	Leached: 03/04/2022 08:25
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-19 ***Elutriate Sampled: 02/16/2022 18:47***			
Sub_CN T-ELUT	04/01/2022	03/02/2022 18:47	Leached: 03/09/2022 08:35
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	02/23/2022 18:47	Leached: 03/09/2022 08:35
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/16/2022 18:47	Leached: 03/09/2022 08:35
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-20 ***Elutriate Sampled: 02/24/2022 17:50***			
Sub_CN T-ELUT	04/01/2022	03/10/2022 17:50	Leached: 03/04/2022 08:25
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	03/03/2022 17:50	Leached: 03/04/2022 08:25
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/24/2022 17:50	Leached: 03/04/2022 08:25
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-21 ***Elutriate Sampled: 02/20/2022 15:30***			
Sub_CN T-ELUT	04/01/2022	03/06/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	02/27/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/20/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-28 ***Sediment Sampled: 02/11/2022 15:30***			
Sub_Organotins-TX1001	04/01/2022	02/25/2022 15:30	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/11/2022 15:30	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-29 ***Sediment Sampled: 02/26/2022 09:45***			
Sub_Organotins-TX1001	04/01/2022	03/12/2022 09:45	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/26/2022 09:45	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-30 ***Sediment Sampled: 02/27/2022 12:24***			
Sub_Organotins-TX1001	04/01/2022	03/13/2022 12:24	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/27/2022 12:24	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-32 ***Sediment Sampled: 02/15/2022 15:10***			
Sub_Organotins-TX1001	04/01/2022	03/01/2022 15:10	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/15/2022 15:10	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-34 ***Sediment Sampled: 02/16/2022 18:47***			
Sub_Organotins-TX1001	04/01/2022	03/02/2022 18:47	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/16/2022 18:47	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-36 ***Sediment Sampled: 02/22/2022 13:20***			
Sub_Organotins-TX1001	04/01/2022	03/08/2022 13:20	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/22/2022 13:20	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-38 ***Sediment Sampled: 02/24/2022 17:50***			
Sub_Organotins-TX1001	04/01/2022	03/10/2022 17:50	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/24/2022 17:50	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-40 ***Sediment Sampled: 02/18/2022 17:31***			
Sub_Organotins-TX1001	04/01/2022	03/04/2022 17:31	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/18/2022 17:31	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-41 ***Sediment Sampled: 02/19/2022 09:15***			
Sub_Organotins-TX1001	04/01/2022	03/05/2022 09:15	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/19/2022 09:15	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-42 ***Sediment Sampled: 02/20/2022 15:30***			
Sub_Organotins-TX1001	04/01/2022	03/06/2022 15:30	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/20/2022 15:30	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-43 ***Sediment Sampled: 03/03/2022 09:40***			
Sub_Organotins-TX1001	04/01/2022	03/17/2022 09:40	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/31/2022 09:40	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-44 ***Sediment Sampled: 03/03/2022 11:38***			
Sub_Organotins-TX1001	04/01/2022	03/17/2022 11:38	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/31/2022 11:38	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-45 ***Sediment Sampled: 02/11/2022 13:10***			
Sub_Organotins-TX1001	04/01/2022	02/25/2022 13:10	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/11/2022 13:10	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-47 ***Elutriate Sampled: 02/28/2022 14:00***			
Sub_CN T-ELUT	04/01/2022	03/14/2022 14:00	Leached: 03/04/2022 08:25
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	03/07/2022 14:00	Leached: 03/04/2022 08:25
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/28/2022 14:00	Leached: 03/04/2022 08:25
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

K220527

SUBCONTRACT ORDER
(Continued)

April Dobbins 3/8/22
Relinquished By Date

UPS 3/8/22
Received By Date

Received
M. Mulligan ALS
3/9/22 1010

PM LR

Cooler Receipt and Preservation Form

Client NWDLS Service Request K22 02527

Received: 3/9/22 Opened: 3/9/22 By: [illegible] Unloaded: 3/9/22 By: S

1. Samples were received via? *USPS* *Fed Ex* (*UPS*) *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other*_____ *NA*
3. Were custody seals on coolers? NA Y (N) If yes, how many and where? _____
   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
—	2.0	1201				1Z 12W 40V 01 9207	
—	2.8	"				9821	
						" " " " 9498 0834	

4. Was a Temperature Blank present in cooler? NA Y (N) If yes, notate the temperature in the appropriate column above:
   If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
5. Were samples received within the method specified temperature ranges? NA (Y) N
   If no, were they received on ice and same day as collected? If not, notate the cooler # below and notify the PM. (NA) Y N

If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

6. Packing material: *Inserts* (*Baggies*) (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
8. Were samples received in good condition (unbroken) NA (Y) N
9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA (Y) N
10. Did all sample labels and tags agree with custody papers? NA Y (N)
11. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
12. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
13. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
14. Was C12/Res negative? (NA) Y N
15. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? (NA) Y N Under filled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: _____

Cooler Receipt and Preservation Form

Client _____ Service Request *K22*02527

Notes, Discrepancies & Resolutions:

NO COC for: 22A3944-11
22A3944-12
22A3944-43
22A3944-44
22A3987-47
22A3944-29
22A3944-30
22A3944-38

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: North Water District Lab Services (NWDLS) **Service Request:** K2202527
Project: 22A3944/

Sample Name: 22A3944-11 **Date Collected:** 03/3/22
Lab Code: K2202527-001 **Date Received:** 03/9/22
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT
ALS SOP	VWILSON	BBRIGHT
SM 4500-CN- E	KCHAN	KCHAN

Sample Name: 22A3944-12 **Date Collected:** 03/3/22
Lab Code: K2202527-002 **Date Received:** 03/9/22
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT
ALS SOP	VWILSON	BBRIGHT
SM 4500-CN- E	KCHAN	KCHAN

Sample Name: 22A3944-29 **Date Collected:** 02/26/22
Lab Code: K2202527-003 **Date Received:** 03/9/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
9060	DBRADBURY	DBRADBURY

Sample Name: 22A3944-30 **Date Collected:** 02/27/22
Lab Code: K2202527-004 **Date Received:** 03/9/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
9060	DBRADBURY	DBRADBURY

Analyst Summary report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944/		

Sample Name:	22A3944-38	**Date Collected:**	02/24/22
Lab Code:	K2202527-005	**Date Received:**	03/9/22
Sample Matrix:	Sediment		

Analysis Method	Extracted/Digested By	Analyzed By
9060	DBRADBURY	DBRADBURY

Sample Name:	22A3944-43	**Date Collected:**	03/3/22
Lab Code:	K2202527-006	**Date Received:**	03/9/22
Sample Matrix:	Sediment		

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		JBAKER
9060	DBRADBURY	DBRADBURY
ALS SOP	VWILSON	BBRIGHT

Sample Name:	22A3944-44	**Date Collected:**	03/3/22
Lab Code:	K2202527-007	**Date Received:**	03/9/22
Sample Matrix:	Sediment		

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		JBAKER
9060	DBRADBURY	DBRADBURY
ALS SOP	VWILSON	BBRIGHT

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 10:25
Sample Matrix:	Ocean Water	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-11	**Units:**	ug/L
Lab Code:	K2202527-001	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.033** J	0.050	0.029	1	03/25/22 16:56	3/10/22	
Di-n-butyltin Cation	**0.076**	0.050	0.0073	1	03/25/22 16:56	3/10/22	
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/25/22 16:56	3/10/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	109	10 - 195	03/25/22 16:56	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 12:02
Sample Matrix:	Ocean Water	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-12	**Units:**	ug/L
Lab Code:	K2202527-002	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.050	0.029	1	03/25/22 17:13	3/10/22	
Di-n-butyltin Cation	**0.020**	**J**	0.050	0.0073	1	03/25/22 17:13	3/10/22	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	03/25/22 17:13	3/10/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	96	10 - 195	03/25/22 17:13	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 09:40
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-43	**Units:**	ug/Kg
Lab Code:	K2202527-006	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.6	0.43	1	03/25/22 12:10	3/14/22	
Di-n-butyltin Cation	ND U	1.6	0.31	1	03/25/22 12:10	3/14/22	
Tri-n-butyltin Cation	ND U	1.6	0.70	1	03/25/22 12:10	3/14/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	78	10 - 152	03/25/22 12:10	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 09:40
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-43	**Units:**	ug/Kg
Lab Code:	K2202527-006	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.26	1	03/25/22 12:10	3/14/22	
Di-n-butyltin Cation	ND U	0.98	0.19	1	03/25/22 12:10	3/14/22	
Tri-n-butyltin Cation	ND U	0.98	0.43	1	03/25/22 12:10	3/14/22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 11:38
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-44	**Units:**	ug/Kg
Lab Code:	K2202527-007	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.3	0.34	1	03/25/22 12:27	3/14/22	
Di-n-butyltin Cation	ND U	1.3	0.25	1	03/25/22 12:27	3/14/22	
Tri-n-butyltin Cation	ND U	1.3	0.55	1	03/25/22 12:27	3/14/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	47	10 - 152	03/25/22 12:27	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 11:38
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-44	**Units:**	ug/Kg
Lab Code:	K2202527-007	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.99	0.26	1	03/25/22 12:27	3/14/22	
Di-n-butyltin Cation	ND U	0.99	0.19	1	03/25/22 12:27	3/14/22	
Tri-n-butyltin Cation	ND U	0.99	0.43	1	03/25/22 12:27	3/14/22	

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 10:25
Sample Matrix:	Ocean Water	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-11	**Basis:**	NA
Lab Code:	K2202527-001		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	**0.22 J**	mg/L	0.50	0.07	1	03/22/22 15:30	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/14/22 11:44	03/14/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 12:02
Sample Matrix:	Ocean Water	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-12	**Basis:**	NA
Lab Code:	K2202527-002		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	**0.16 J**	mg/L	0.50	0.07	1	03/22/22 15:30	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/14/22 11:44	03/14/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	02/26/22 09:45
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-29	**Basis:**	Dry, per Method
Lab Code:	K2202527-003		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	**0.02 J**	Percent	0.10	0.02	1	03/24/22 11:41	03/23/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	02/27/22 12:24
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-30	**Basis:**	Dry, per Method
Lab Code:	K2202527-004		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	ND U	Percent	0.10	0.02	1	03/24/22 11:41	03/23/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	02/24/22 17:50
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-38	**Basis:**	Dry, per Method
Lab Code:	K2202527-005		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	ND U	Percent	0.10	0.02	1	03/24/22 11:41	03/23/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 09:40
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-43	**Basis:**	Dry, per Method
Lab Code:	K2202527-006		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	**0.42**	Percent	0.10	0.02	1	03/24/22 11:41	03/23/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 09:40
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-43	**Basis:**	As Received
Lab Code:	K2202527-006		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Solids, Total	160.3 Modified	**60.5**	Percent	-	-	1	03/10/22 17:37	NA	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 11:38
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-44	**Basis:**	Dry, per Method
Lab Code:	K2202527-007		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	**0.10 J**	Percent	0.10	0.02	1	03/24/22 11:41	03/23/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	03/03/22 11:38
Sample Matrix:	Sediment	**Date Received:**	03/09/22 10:10
Sample Name:	22A3944-44	**Basis:**	As Received
Lab Code:	K2202527-007		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Solids, Total	160.3 Modified	**78.0**	Percent	-	-	1	03/10/22 17:37	NA	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:** K2202527

Project: 22A3944

Sample Matrix: Ocean Water

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP

Extraction Method: EPA 3520C

Sample Name	Lab Code	Tri-n-propyltin 10-195
22A3944-11	K2202527-001	109
22A3944-12	K2202527-002	96
Method Blank	KQ2203954-03	125
Lab Control Sample	KQ2203954-01	83
Duplicate Lab Control Sample	KQ2203954-02	87

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2202527
Project: 22A3944
Sample Matrix: Sediment

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: Method

Sample Name	Lab Code	Tri-n-propyltin 10-152
22A3944-43	K2202527-006	78
22A3944-44	K2202527-007	47
Method Blank	KQ2204001-04	44
Lab Control Sample	KQ2204001-03	80

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	KQ2203954-03	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.050	0.029	1	03/25/22 14:45	3/10/22	
Di-n-butyltin Cation	**0.039**	**J**	0.050	0.0073	1	03/25/22 14:45	3/10/22	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	03/25/22 14:45	3/10/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	125	10 - 195	03/25/22 14:45	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2204001-04	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.26	1	03/25/22 11:37	3/14/22	
Di-n-butyltin Cation	ND U	0.98	0.19	1	03/25/22 11:37	3/14/22	
Tri-n-butyltin Cation	ND U	0.98	0.43	1	03/25/22 11:37	3/14/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	44	10 - 152	03/25/22 11:37	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2204001-04	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.26	1	03/25/22 11:37	3/14/22	
Di-n-butyltin Cation	ND U	0.98	0.19	1	03/25/22 11:37	3/14/22	
Tri-n-butyltin Cation	ND U	0.98	0.43	1	03/25/22 11:37	3/14/22	

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Analyzed:**	03/25/22
Sample Matrix:	Sediment	**Date Extracted:**	03/14/22

Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Dry
		Analysis Lot:	758432

Lab Control Sample
KQ2204001-03

Analyte Name	Result	Spike Amount	% Rec	% Rec Limits
Di-n-butyltin Cation	11.2	19.2	59	10-190
n-Butyltin Cation	8.35	15.6	54	10-200
Tri-n-butyltin Cation	15.3	22.3	69	10-186

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Analyzed:**	03/25/22
Sample Matrix:	Ocean Water	**Date Extracted:**	03/10/22

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/L
Prep Method:	EPA 3520C	**Basis:**	NA
		Analysis Lot:	758434

	Lab Control Sample KQ2203954-01			Duplicate Lab Control Sample KQ2203954-02					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	0.301	0.383	79	0.348	0.383	91	10-200	14	30
n-Butyltin Cation	0.250	0.312	80	0.273	0.312	88	10-200	9	30
Tri-n-butyltin Cation	0.367	0.446	82	0.370	0.446	83	10-200	<1	30

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202527
Date Collected: 03/03/22 10:25
Date Received: 3/9/22

Sample Name: 22A3944-11
Lab Code: K2202527-001

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.076	0.082	8		1	03/25/22 16:56
n-Butyltin Cation	0.029	0.033	0.039	17	J	1	03/25/22 16:56

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202527
Date Collected: 03/03/22 12:02
Date Received: 3/9/22

Sample Name: 22A3944-12
Lab Code: K2202527-002

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.020	0.022	10	J	1	03/25/22 17:13

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202527
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2203954-01

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.301	0.344	13		1	03/25/22 15:02
Tri-n-butyltin Cation	0.012	0.367	0.387	5		1	03/25/22 15:02
n-Butyltin Cation	0.029	0.250	0.273	9		1	03/25/22 15:02

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202527
Date Collected: NA
Date Received:

Sample Name: Duplicate Lab Control Sample
Lab Code: KQ2203954-02

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.348	0.382	9		1	03/25/22 15:18
Tri-n-butyltin Cation	0.012	0.370	0.386	4		1	03/25/22 15:18
n-Butyltin Cation	0.029	0.273	0.275	<1		1	03/25/22 15:18

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202527
Date Collected: NA
Date Received:

Sample Name: Method Blank
Lab Code: KQ2203954-03

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.039	0.044	12	J	1	03/25/22 14:45

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2202527
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2204001-03

Units: ug/Kg
Basis: Dry

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	11.2	12.6	12		1	03/25/22 11:54
Tri-n-butyltin Cation	0.43	15.3	15.9	4		1	03/25/22 11:54
n-Butyltin Cation	0.26	8.35	9.34	11		1	03/25/22 11:54

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	Dry, per Method
Lab Code:	K2202527-MB1		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	ND U	Percent	0.10	0.02	1	03/24/22 11:41	03/23/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2202527-MB2		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/22/22 15:30	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/14/22 11:44	03/14/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2202527-MB3		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/22/22 15:30	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Collected:**	02/26/22
Sample Matrix:	Sediment	**Date Received:**	03/09/22
		Date Analyzed:	03/24/22
		Date Extracted:	03/23/22

Duplicate Matrix Spike Summary
Carbon, Total Organic (TOC)

Sample Name:	22A3944-29	**Units:**	Percent
Lab Code:	K2202527-003	**Basis:**	Dry, per Method
Analysis Method:	9060		
Prep Method:	Method		

		Matrix Spike			Duplicate Matrix Spike					
		K2202527-003MS			K2202527-003DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Carbon, Total Organic (TOC)	0.02 J	2.46	2.40	101	2.50	2.42	103	70-122	2	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project	22A3944	**Date Collected:**	02/26/22
Sample Matrix:	Sediment	**Date Received:**	03/09/22
		Date Analyzed:	03/24/22

Replicate Sample Summary
General Chemistry Parameters

Sample Name:	22A3944-29	**Units:**	Percent
Lab Code:	K2202527-003	**Basis:**	Dry, per Method

Analyte Name	Analysis Method	MRL	MDL	Sample Result	Duplicate Sample K2202527-003DUP Result	Average	RPD	RPD Limit
Carbon, Total Organic (TOC)	9060	0.10	0.02	0.02 J	ND U	NC	NC	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Analyzed:**	03/22/22
Sample Matrix:	Ocean Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	415.1	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	758247

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2202527-LCS3	25.3	25.0	101	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Analyzed:**	03/22/22
Sample Matrix:	Ocean Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	415.1	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	758247

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2202527-LCS4	25.0	25.0	100	83-117

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Analyzed:**	03/24/22
Sample Matrix:	Sediment	**Date Extracted:**	03/23/22

Duplicate Lab Control Sample Summary
General Chemistry Parameters

Analysis Method:	9060	**Units:**	Percent
Prep Method:	Method	**Basis:**	Dry, per Method
		Analysis Lot:	758643

	Lab Control Sample K2202527-LCS1			Duplicate Lab Control Sample K2202527-DLCS1					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Carbon, Total Organic (TOC)	0.490	0.43	114	0.480	0.43	112	72-122	2	20

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202527
Project:	22A3944	**Date Analyzed:**	03/14/22
Sample Matrix:	Ocean Water	**Date Extracted:**	03/14/22

Duplicate Lab Control Sample Summary
General Chemistry Parameters

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	757348

	Lab Control Sample K2202527-LCS2			Duplicate Lab Control Sample K2202527-DLCS2					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Cyanide, Total	0.0801	0.075	107	0.0775	0.075	103	84-115	3	20

May 27, 2022

Revised Service Request No: K2202313.02

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 22A3944

Dear Monica,

Enclosed is the revised reportt of the sample(s) submitted to our laboratory March 05, 2022.

For your reference, these analyses have been assigned our service request number **K2202313.**

Report has been revised to the MDL.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

REVISED
1:16 pm, May 27, 2022

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
Sample Matrix: Elutriate, Liquid

Service Request: K2202313
Date Received: 03/05/2022

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Three elutriate, liquid samples were received for analysis at ALS Environmental on 03/05/2022. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivoa GC:

Method ALS SOP Butyltins, 03/25/2021The analysis of Butyltins by ALS SOP requires the use of dual column confirmation. For the Initial Calibration Verification (ICV) at least one of the analytical systems in a dual column or dual detector system must meet the criteria. This criteria was met on one column for Tri-n-butyltin. The data quality was not affected. No further corrective action was necessary.

Method ALS SOP Butyltins, 03/25/2021:Due to interference introduced in the grignard reaction, some sample analytes and surrogates display retention time shifting outside +/-0.03 normally observed in this method and particular matrix. Note that the samples received all the possible cleanups within the scope of the method. The experience of the analyst in the interpretation of chromatograms and the shifts in the QC confirm the analytes. No further corrective action needed.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by _____ Date 05/27/2022

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 22A3944-18			Lab ID: K2202313-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic	0.24	J	0.07	0.50	mg/L	415.1
n-Butyltin Cation	0.076		0.029	0.050	ug/L	ALS SOP
Di-n-butyltin Cation	0.0097	J	0.0073	0.050	ug/L	ALS SOP

CLIENT ID: 22A3944-20			Lab ID: K2202313-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic	0.10	J	0.07	0.50	mg/L	415.1
n-Butyltin Cation	0.12		0.029	0.050	ug/L	ALS SOP
Di-n-butyltin Cation	0.012	J	0.0073	0.050	ug/L	ALS SOP

CLIENT ID: 22A3944-47			Lab ID: K2202313-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic	0.08	J	0.07	0.50	mg/L	415.1
n-Butyltin Cation	0.10		0.029	0.050	ug/L	ALS SOP

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2202313
Project: 22A3944

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2202313-001	22A3944-18	3/4/2022	0825
K2202313-002	22A3944-20	3/4/2022	0825
K2202313-003	22A3944-47	3/4/2022	0825

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-09	***Marine Water***	***Sampled: 02/24/2022 12:25***	
Sub_CN T-4500	04/01/2022	03/10/2022 12:25	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	03/03/2022 12:25	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/24/2022 12:25	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-10	***Marine Water***	***Sampled: 02/20/2022 17:25***	
Sub_CN T-4500	04/01/2022	03/06/2022 17:25	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	02/27/2022 17:25	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/20/2022 17:25	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-18	***Elutriate***	***Sampled: 02/27/2022 12:24***	
Sub_CN T-ELUT	04/01/2022	03/13/2022 12:24	Leached: 03/04/2022 08:25
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	03/06/2022 12:24	Leached: 03/04/2022 08:25
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/27/2022 12:24	Leached: 03/04/2022 08:25
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-20 ***Elutriate*** ***Sampled: 02/24/2022 17:50***			
Sub_CN T-ELUT	04/01/2022	03/10/2022 17:50	Leached: 03/04/2022 08:25
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	03/03/2022 17:50	Leached: 03/04/2022 08:25
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/24/2022 17:50	Leached: 03/04/2022 08:25
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-21 ***Elutriate*** ***Sampled: 02/20/2022 15:30***			
Sub_CN T-ELUT	04/01/2022	03/06/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	02/27/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/20/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-28 ***Sediment*** ***Sampled: 02/11/2022 15:30***			
Sub_Organotins-TX1001	04/01/2022	02/25/2022 15:30	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/11/2022 15:30	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-29 ***Sediment*** ***Sampled: 02/26/2022 09:45***			
Sub_Organotins-TX1001	04/01/2022	03/12/2022 09:45	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/26/2022 09:45	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-45 ***Sediment*** ***Sampled: 02/11/2022 13:10***			
Sub_Organotins-TX1001	04/01/2022	02/25/2022 13:10	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/11/2022 13:10	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-47 ***Elutriate*** ***Sampled: 02/28/2022 14:00***			
Sub_CN T-ELUT	04/01/2022	03/14/2022 14:00	Leached: 03/04/2022 08:25
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	03/07/2022 14:00	Leached: 03/04/2022 08:25
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/28/2022 14:00	Leached: 03/04/2022 08:25
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

April Dobbins — Released By — 3/4/22 — Date

UPS — Received By — 3/4/22 — Date

3/4/22 0900

PM LR

Client NWDLS **Cooler Receipt and Preservation Form** Service Request K22 02313

Received: 3/5/22 Opened: 3/5/22 By: ZH Unloaded: 3/5/22 By: ZH

1. Samples were received via? *USPS* *Fed Ex* *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) *Cooler* *Box* *Envelope* *Other*_____ *NA*
3. Were custody seals on coolers? NA Y N If yes, how many and where? _____
   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
	3.0	IR02				1Z 12W 40Y 44 9118 4816	

4. Was a Temperature Blank present in cooler? NA Y N If yes, notate the temperature in the appropriate column above:
   If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
5. Were samples received within the method specified temperature ranges? NA Y N
   If no, were they received on ice and same day as collected? If not, notate the cooler # below and notify the PM. NA Y N

If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

6. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* *Wet Ice* *Dry Ice* *Sleeves* _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA Y N
8. Were samples received in good condition (unbroken) NA Y N
9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA Y N
10. Did all sample labels and tags agree with custody papers? NA Y N
11. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y N
12. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA Y N
13. Were VOA vials received without headspace? *Indicate in the table below.* NA Y N
14. Was C12/Res negative? NA Y N
15. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? NA Y N Under filled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: _____

:_____

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: North Water District Lab Services (NWDLS) **Service Request:** K2202313
Project: 22A3944/

Sample Name: 22A3944-18 **Date Collected:** 03/4/22
Lab Code: K2202313-001 **Date Received:** 03/5/22
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT
ALS SOP	VWILSON	BBRIGHT
SM 4500-CN- E	MRICH	MRICH

Sample Name: 22A3944-20 **Date Collected:** 03/4/22
Lab Code: K2202313-002 **Date Received:** 03/5/22
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT
ALS SOP	VWILSON	BBRIGHT
SM 4500-CN- E	MRICH	MRICH

Sample Name: 22A3944-47 **Date Collected:** 03/4/22
Lab Code: K2202313-003 **Date Received:** 03/5/22
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT
ALS SOP	VWILSON	BBRIGHT
SM 4500-CN- E	MRICH	MRICH

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Collected:**	03/04/22 08:25
Sample Matrix:	Elutriate, Liquid	**Date Received:**	03/05/22 09:00
Sample Name:	22A3944-18	**Units:**	ug/L
Lab Code:	K2202313-001	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.076**		0.050	0.029	1	03/25/22 15:34	3/10/22	
Di-n-butyltin Cation	**0.0097**	**J**	0.050	0.0073	1	03/25/22 15:34	3/10/22	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	03/25/22 15:34	3/10/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	118	10 - 195	03/25/22 15:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Collected:**	03/04/22 08:25
Sample Matrix:	Elutriate, Liquid	**Date Received:**	03/05/22 09:00
Sample Name:	22A3944-20	**Units:**	ug/L
Lab Code:	K2202313-002	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.12**		0.050	0.029	1	03/25/22 15:51	3/10/22	
Di-n-butyltin Cation	**0.012**	**J**	0.050	0.0073	1	03/25/22 15:51	3/10/22	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	03/25/22 15:51	3/10/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	101	10 - 195	03/25/22 15:51	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Collected:**	03/04/22 08:25
Sample Matrix:	Elutriate, Liquid	**Date Received:**	03/05/22 09:00
Sample Name:	22A3944-47	**Units:**	ug/L
Lab Code:	K2202313-003	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.10**	0.050	0.029	1	03/25/22 16:07	3/10/22	
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/25/22 16:07	3/10/22	
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/25/22 16:07	3/10/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	103	10 - 195	03/25/22 16:07	

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Collected:**	03/04/22 08:25
Sample Matrix:	Elutriate, Liquid	**Date Received:**	03/05/22 09:00
Sample Name:	22A3944-18	**Basis:**	NA
Lab Code:	K2202313-001		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	**0.24 J**	mg/L	0.50	0.07	1	03/17/22 18:19	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/07/22 12:24	03/07/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Collected:**	03/04/22 08:25
Sample Matrix:	Elutriate, Liquid	**Date Received:**	03/05/22 09:00
Sample Name:	22A3944-20	**Basis:**	NA
Lab Code:	K2202313-002		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	**0.10 J**	mg/L	0.50	0.07	1	03/17/22 18:19	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/07/22 12:24	03/07/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Collected:**	03/04/22 08:25
Sample Matrix:	Elutriate, Liquid	**Date Received:**	03/05/22 09:00
Sample Name:	22A3944-47	**Basis:**	NA
Lab Code:	K2202313-003		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	**0.08 J**	mg/L	0.50	0.07	1	03/17/22 18:19	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/07/22 12:24	03/07/22	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2202313
Project: 22A3944
Sample Matrix: Elutriate, Liquid

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: EPA 3520C

Sample Name	Lab Code	Tri-n-propyltin 10-195
22A3944-18	K2202313-001	118
22A3944-20	K2202313-002	101
22A3944-47	K2202313-003	103
Method Blank	KQ2203954-03	125
Lab Control Sample	KQ2203954-01	83
Duplicate Lab Control Sample	KQ2203954-02	87

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	KQ2203954-03	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.050	0.029	1	03/25/22 14:45	3/10/22	
Di-n-butyltin Cation	**0.039**	**J**	0.050	0.0073	1	03/25/22 14:45	3/10/22	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	03/25/22 14:45	3/10/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	125	10 - 195	03/25/22 14:45	

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Analyzed:**	03/25/22
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	03/10/22

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/L
Prep Method:	EPA 3520C	**Basis:**	NA
		Analysis Lot:	758434

	Lab Control Sample KQ2203954-01			Duplicate Lab Control Sample KQ2203954-02					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	0.301	0.383	79	0.348	0.383	91	10-200	14	30
n-Butyltin Cation	0.250	0.312	80	0.273	0.312	88	10-200	9	30
Tri-n-butyltin Cation	0.367	0.446	82	0.370	0.446	83	10-200	<1	30

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2202313
Date Collected: 03/04/22 08:25
Date Received: 3/5/22

Sample Name: 22A3944-18
Lab Code: K2202313-001

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.0097	0.014	36	J	1	03/25/22 15:34
n-Butyltin Cation	0.029	0.076	0.077	1		1	03/25/22 15:34

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2202313
Date Collected: 03/04/22 08:25
Date Received: 3/5/22

Sample Name: 22A3944-20
Lab Code: K2202313-002

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.012	0.012	<1	J	1	03/25/22 15:51
n-Butyltin Cation	0.029	0.12	0.13	8		1	03/25/22 15:51

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2202313
Date Collected: 03/04/22 08:25
Date Received: 3/5/22

Sample Name: 22A3944-47
Lab Code: K2202313-003

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.10	0.11	10		1	03/25/22 16:07

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2202313
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2203954-01

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.301	0.344	13		1	03/25/22 15:02
Tri-n-butyltin Cation	0.012	0.367	0.387	5		1	03/25/22 15:02
n-Butyltin Cation	0.029	0.250	0.273	9		1	03/25/22 15:02

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2202313
Date Collected: NA
Date Received:

Sample Name: Duplicate Lab Control Sample
Lab Code: KQ2203954-02

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.348	0.382	9		1	03/25/22 15:18
Tri-n-butyltin Cation	0.012	0.370	0.386	4		1	03/25/22 15:18
n-Butyltin Cation	0.029	0.273	0.275	<1		1	03/25/22 15:18

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2202313
Date Collected: NA
Date Received:

Sample Name: Method Blank
Lab Code: KQ2203954-03

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.039	0.044	12	J	1	03/25/22 14:45

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2202313-MB1		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/17/22 18:19	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/07/22 12:24	03/07/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2202313-MB2		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/17/22 18:19	

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
Sample Matrix: Elutriate, Liquid

Service Request: K2202313
Date Analyzed: 03/07/22 - 03/17/22

Lab Control Sample Summary
General Chemistry Parameters

Units:mg/L
Basis:NA

Lab Control Sample
K2202313-LCS2

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	415.1	24.4	25.0	98	83-117
Cyanide, Total	SM 4500-CN- E	0.0749	0.075	100	84-115

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202313
Project:	22A3944	**Date Analyzed:**	03/17/22
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	NA

Duplicate Lab Control Sample Summary
General Chemistry Parameters

Analysis Method:	415.1	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	757817

	Lab Control Sample K2202313-LCS1			Duplicate Lab Control Sample K2202313-DLCS1					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Carbon, Total Organic	24.7	25.0	99	24.7	25.0	99	83-117	<1	20

June 02, 2022 Revised Service Request No: K2202311.01

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 22A3944

Dear Monica,

Enclosed is the revised report of the sample(s) submitted to our laboratory March 04, 2022.

For your reference, these analyses have been assigned our service request number **K2202311.** Report has been revised to the MDL.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

REVISED
3:34 pm, Jun 02, 2022

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
Sample Matrix: Ocean Water

Service Request: K2202311
Date Received: 03/04/2022

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

One ocean water sample was received for analysis at ALS Environmental on 03/04/2022. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The sample was stored at minimum in accordance with the analytical method requirements.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by _____ Date 06/02/2022

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 22A3944-09			Lab ID: K2202311-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic	0.20	J	0.07	0.50	mg/L	415.1

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2202311
Project: 22A3944

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2202311-001	22A3944-09	2/24/2022	1225

K2202311

SUBCONTRACT ORDER
(Continued)

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-09 ***Marine Water Sampled: 02/24/2022 12:25***			
Sub_CN T-4500	04/01/2022	03/10/2022 12:25	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	03/03/2022 12:25	
Analyte(s): Dibutyltin, Monobutyltin, Tributyltin			
Dibutyltin, Monobutyltin, Tributyltin			
TOC-415.1	04/01/2022	03/24/2022 12:25	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-10 ***Marine Water Sampled: 02/20/2022 17:25***			
Sub_CN T-4500	04/01/2022	03/06/2022 17:25	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	02/27/2022 17:25	
Analyte(s): Dibutyltin, Monobutyltin, Tributyltin			
Dibutyltin, Monobutyltin, Tributyltin			
TOC-415.1	04/01/2022	03/20/2022 17:25	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-21 ***Elutriate Sampled: 02/20/2022 15:30***			
Sub_CN T-ELUT	04/01/2022	03/06/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	02/27/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Dibutyltin, Monobutyltin, Tributyltin			
TOC-415.1-ELUT	04/01/2022	03/20/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

April Dobbins 3/3/22 UPS 3/3/22

Rec'd by NKeulsen 3/4/22 1030

PM LR

Cooler Receipt and Preservation Form

Client NWDLS Service Request K22 02311

Received: 3/14/22 Opened: 3/14/22 By: AP Unloaded: 3/14/22 By: AP

1. Samples were received via? *USPS* *Fed Ex* (*UPS*) *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other*_____ *NA*
3. Were custody seals on coolers? NA Y (N) If yes, how many and where? _____
   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp Indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
	3.9	IR07				1Z 12W 40V 01 9617 3891	

4. Was a Temperature Blank present in cooler? NA Y (N) If yes, notate the temperature in the appropriate column above:
   If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
5. Were samples received within the method specified temperature ranges? NA (Y) N
   If no, were they received on ice and same day as collected? If not, notate the cooler # below and notify the PM. (NA) Y N

If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

6. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
8. Were samples received in good condition (unbroken) NA (Y) N
9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA (Y) N
10. Did all sample labels and tags agree with custody papers? NA (Y) N
11. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
12. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
13. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
14. Was C12/Res negative? (NA) Y N
15. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? (NA) Y N Under filled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: _____

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Analyst Summary report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202311
Project:	22A3944/		

Sample Name:	22A3944-09	**Date Collected:**	02/24/22
Lab Code:	K2202311-001	**Date Received:**	03/4/22
Sample Matrix:	Ocean Water		

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202311
Project:	22A3944	**Date Collected:**	02/24/22 12:25
Sample Matrix:	Ocean Water	**Date Received:**	03/04/22 10:30
Sample Name:	22A3944-09	**Basis:**	NA
Lab Code:	K2202311-001		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Carbon, Total Organic	415.1	**0.20 J**	mg/L	0.50	0.07	1	03/15/22 15:55	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202311
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2202311-MB1		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/15/22 15:55	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202311
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2202311-MB2		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/15/22 15:55	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202311
Project:	22A3944	**Date Analyzed:**	03/15/22
Sample Matrix:	Ocean Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	415.1	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	757491

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2202311-LCS2	24.5	25.0	98	83-117

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202311
Project:	22A3944	**Date Analyzed:**	03/15/22
Sample Matrix:	Ocean Water	**Date Extracted:**	NA

Duplicate Lab Control Sample Summary
General Chemistry Parameters

Analysis Method:	415.1	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	757491

	Lab Control Sample K2202311-LCS1			Duplicate Lab Control Sample K2202311-DLCS1					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Carbon, Total Organic	25.0	25.0	100	25.1	25.0	100	83-117	<1	20

June 02, 2022 Revised Service Request No: K2202218.01

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 22A3944

Dear Monica,

Enclosed is the revised report of the sample(s) submitted to our laboratory March 03, 2022.

For your reference, these analyses have been assigned our service request number **K2202218.**

Report has been revised to the MDL.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

REVISED
3:30 pm, Jun 02, 2022

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
Sample Matrix: Sediment, Ocean Water

Service Request: K2202218
Date Received: 03/03/2022

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Four sediment, ocean water samples were received for analysis at ALS Environmental on 03/03/2022. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.


Semivoa GC:

Method ALS SOP: The analysis of Butyltins by ALS SOP requires the use of dual column confirmation. When the Continuing Calibration Verification (CCV) criterion is met for both columns, the lower of the two sample results is generally reported. The primary evaluation criteria were not met on the confirmation column for the surrogate compound Tri-n-propyltin. The results were reported from the column with an acceptable CCV. The data quality was not affected. No further corrective action was necessary.
Method ALS SOP: The analysis of Butyltins by ALS SOP requires the use of dual column confirmation. For the Initial Calibration Verification (ICV) at least one of the analytical systems in a dual column or dual detector system must meet the criteria. This criteria was met on one column for Tri-n-butyltin. The data quality was not affected. No further corrective action was necessary.

Method ALS SOP:The Relative Percent Difference (RPD) for Di-n-butyltin in the replicate Laboratory Control Sample (LCS) analyses (KQ2203383-01 and -02) was outside control criteria:. Recoveries of the individual analytes were within control criteria. The data was flagged to indicate the problem.
Method ALS SOP:The upper control criterion was exceeded for Tetra-n-butyltin in Continuing Calibration Verification (CCV). The field samples analyzed in this sequence did not contain the analyte in question. Since the apparent problem indicated a potential high bias, the data quality was not affected. No further corrective action was required.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by  Date 06/02/2022

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 22A3944-29			Lab ID: K2202218-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	83.6				Percent	160.3 Modified

CLIENT ID: 22A3944-30			Lab ID: K2202218-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.33	J	0.30	1.1	ug/Kg	ALS SOP
n-Butyltin Cation	0.28	J	0.26	0.96	ug/Kg	ALS SOP
Solids, Total	84.4				Percent	160.3 Modified

CLIENT ID: 22A3944-38			Lab ID: K2202218-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.43	JP	0.30	1.1	ug/Kg	ALS SOP
n-Butyltin Cation	0.37	JP	0.26	0.98	ug/Kg	ALS SOP
Solids, Total	85.7				Percent	160.3 Modified

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2202218
Project: 22A3944

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2202218-001	22A3944-09	2/24/2022	1225
K2202218-002	22A3944-29	2/26/2022	0945
K2202218-003	22A3944-30	2/27/2022	1224
K2202218-004	22A3944-38	2/24/2022	1750

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory: K220 2218

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 22A3944

Analysis	Due	Expires	Comments
Sample ID: 22A3944-07 ***Marine Water Sampled: 02/14/2022 17:25***			
Sub_CN T 4500	04/01/2022	02/28/2022 17:25	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	02/21/2022 17:25	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/14/2022 17:25	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-08 ***Marine Water Sampled: 02/22/2022 16:00***			
Sub_CN T 4500	04/01/2022	03/08/2022 16:00	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	03/01/2022 16:00	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/22/2022 16:00	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 22A3944 (Continued)

IC220218

Analysis	Due	Expires	Comments
Sample ID: 22A3944-09	***Marine Water Sampled: 02/24/2022 12:25***		
Sub_CN T-4500	04/01/2022	03/10/2022 12:25	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	03/03/2022 12:25	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 22A3944-10	***Marine Water Sampled: 02/20/2022 17:25***		
Sub_CN T-4500	04/01/2022	03/06/2022 17:25	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	04/01/2022	02/27/2022 17:25	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	04/01/2022	03/20/2022 17:25	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-21	***Elutriate Sampled: 02/20/2022 15:30***		
Sub_CN T-ELUT	04/01/2022	03/06/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	04/01/2022	02/27/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	04/01/2022	03/20/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

IC 2202218

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-28 ***Sediment Sampled: 02/11/2022 15:30***			
Sub_Organotins-TX1001	04/01/2022	02/25/2022 15:30	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/11/2022 15:30	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-29 ***Sediment Sampled: 02/26/2022 09:45***			
Sub_Organotins-TX1001	04/01/2022	03/12/2022 09:45	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 22A3944-30 ***Sediment Sampled: 02/27/2022 12:24***			
Sub_Organotins-TX1001	04/01/2022	03/13/2022 12:24	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 22A3944-32 ***Sediment Sampled: 02/15/2022 15:10***			
Sub_Organotins-TX1001	04/01/2022	03/01/2022 15:10	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/15/2022 15:10	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

1C2202218

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-34 ***Sediment Sampled: 02/16/2022 18:47***			
Sub_Organotins-TX1001	04/01/2022	03/02/2022 18:47	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/16/2022 18:47	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-36 ***Sediment Sampled: 02/22/2022 13:20***			
Sub_Organotins-TX1001	04/01/2022	03/08/2022 13:20	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/22/2022 13:20	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-38 ***Sediment Sampled: 02/24/2022 17:50***			
Sub_Organotins-TX1001	04/01/2022	03/10/2022 17:50	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 22A3944-40 ***Sediment Sampled: 02/18/2022 17:31***			
Sub_Organotins-TX1001	04/01/2022	03/04/2022 17:31	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/18/2022 17:31	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 22A3944 (Continued)

1C7202218

Analysis	Due	Expires	Comments
Sample ID: 22A3944-41 ***Sediment*** ***Sampled: 02/19/2022 09:15***			
Sub_Organotins-TX1001	04/01/2022	03/05/2022 09:15	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/19/2022 09:15	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-42 ***Sediment*** ***Sampled: 02/20/2022 15:30***			
Sub_Organotins-TX1001	04/01/2022	03/06/2022 15:30	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/20/2022 15:30	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-45 ***Sediment*** ***Sampled: 02/11/2022 13:10***			
Sub_Organotins-TX1001	04/01/2022	02/25/2022 13:10	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	04/01/2022	03/11/2022 13:10	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Released By _____ Date 3/2/22

Received By UPS Date 3/2/22

Released by: UPS 3/3/22 Received by: Cody Cannon ALS 3/3/22 0950

PM Luke

Cooler Receipt and Preservation Form

Client NWDLS Service Request K22 02218

Received: 3/3/22 Opened: 3/3/22 By: CG Unloaded: 3/3/22 By: CG

1. Samples were received via? *USPS* *Fed Ex* (*UPS*) *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other*_____ *NA*
3. Were custody seals on coolers? NA Y (N) If yes, how many and where? _____
   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
—	1.5	IR02		—		1Z12W40V0193695805	

4. Was a Temperature Blank present in cooler? NA Y (N) If yes, notate the temperature in the appropriate column above:
   If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
5. Were samples received within the method specified temperature ranges? NA (Y) N
   If no, were they received on ice and same day as collected? If not, notate the cooler # below and notify the PM. (NA) Y N

If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

6. Packing material: *Inserts* (*Baggies*) (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
8. Were samples received in good condition (unbroken) NA (Y) N
9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA (Y) N
10. Did all sample labels and tags agree with custody papers? NA (Y) N
11. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
12. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA Y N
13. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
14. Was C12/Res negative? (NA) Y N
15. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? (NA) Y N Under filled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time
22A3944-09	250mL			✓	NaOH	5mL	19-CEN07-47-D	CG	1205

Notes, Discrepancies, Resolutions: SHORT HOLD TIME

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: North Water District Lab Services (NWDLS) **Service Request:** K2202218
Project: 22A3944/

Sample Name: 22A3944-09 **Date Collected:** 02/24/22
Lab Code: K2202218-001 **Date Received:** 03/3/22
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	VWILSON	BBRIGHT
SM 4500-CN- E	MRICH	MRICH

Sample Name: 22A3944-29 **Date Collected:** 02/26/22
Lab Code: K2202218-002 **Date Received:** 03/3/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		LAGUILAR
ALS SOP	VWILSON	BBRIGHT

Sample Name: 22A3944-30 **Date Collected:** 02/27/22
Lab Code: K2202218-003 **Date Received:** 03/3/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		LAGUILAR
ALS SOP	VWILSON	BBRIGHT

Sample Name: 22A3944-38 **Date Collected:** 02/24/22
Lab Code: K2202218-004 **Date Received:** 03/3/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		LAGUILAR
ALS SOP	VWILSON	BBRIGHT

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/24/22 12:25
Sample Matrix:	Ocean Water	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-09	**Units:**	ug/L
Lab Code:	K2202218-001	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	03/10/22 17:48	3/2/22	
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/10/22 17:48	3/2/22	
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/10/22 17:48	3/2/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	96	10 - 195	03/10/22 17:48	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/26/22 09:45
Sample Matrix:	Sediment	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-29	**Units:**	ug/Kg
Lab Code:	K2202218-002	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.31	1	03/11/22 13:28	3/7/22	
Di-n-butyltin Cation	ND U	1.2	0.23	1	03/11/22 13:28	3/7/22	
Tri-n-butyltin Cation	ND U	1.2	0.52	1	03/11/22 13:28	3/7/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	73	10 - 152	03/11/22 13:28	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/26/22 09:45
Sample Matrix:	Sediment	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-29	**Units:**	ug/Kg
Lab Code:	K2202218-002	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.99	0.26	1	03/11/22 13:28	3/7/22	
Di-n-butyltin Cation	ND U	0.99	0.19	1	03/11/22 13:28	3/7/22	
Tri-n-butyltin Cation	ND U	0.99	0.43	1	03/11/22 13:28	3/7/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/27/22 12:24
Sample Matrix:	Sediment	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-30	**Units:**	ug/Kg
Lab Code:	K2202218-003	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.33**	**J**	1.1	0.30	1	03/11/22 13:45	3/7/22	
Di-n-butyltin Cation	ND	U	1.1	0.22	1	03/11/22 13:45	3/7/22	
Tri-n-butyltin Cation	ND	U	1.1	0.49	1	03/11/22 13:45	3/7/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	67	10 - 152	03/11/22 13:45	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/27/22 12:24
Sample Matrix:	Sediment	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-30	**Units:**	ug/Kg
Lab Code:	K2202218-003	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.28**	**J**	0.96	0.26	1	03/11/22 13:45	3/7/22	
Di-n-butyltin Cation	ND	U	0.96	0.19	1	03/11/22 13:45	3/7/22	
Tri-n-butyltin Cation	ND	U	0.96	0.43	1	03/11/22 13:45	3/7/22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/24/22 17:50
Sample Matrix:	Sediment	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-38	**Units:**	ug/Kg
Lab Code:	K2202218-004	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.43 JP**	1.1	0.30	1	03/11/22 14:01	3/7/22	
Di-n-butyltin Cation	ND U	1.1	0.22	1	03/11/22 14:01	3/7/22	
Tri-n-butyltin Cation	ND U	1.1	0.50	1	03/11/22 14:01	3/7/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	90	10 - 152	03/11/22 14:01	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/24/22 17:50
Sample Matrix:	Sediment	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-38	**Units:**	ug/Kg
Lab Code:	K2202218-004	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.37**	**JP**	0.98	0.26	1	03/11/22 14:01	3/7/22	
Di-n-butyltin Cation	ND	U	0.98	0.19	1	03/11/22 14:01	3/7/22	
Tri-n-butyltin Cation	ND	U	0.98	0.43	1	03/11/22 14:01	3/7/22	

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/24/22 12:25
Sample Matrix:	Ocean Water	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-09	**Basis:**	NA
Lab Code:	K2202218-001		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/07/22 12:24	03/07/22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/26/22 09:45
Sample Matrix:	Sediment	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-29	**Basis:**	As Received
Lab Code:	K2202218-002		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**83.6**	Percent	-	1	03/03/22 17:01	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/27/22 12:24
Sample Matrix:	Sediment	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-30	**Basis:**	As Received
Lab Code:	K2202218-003		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**84.4**	Percent	-	1	03/03/22 17:01	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/24/22 17:50
Sample Matrix:	Sediment	**Date Received:**	03/03/22 09:50
Sample Name:	22A3944-38	**Basis:**	As Received
Lab Code:	K2202218-004		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**85.7**	Percent	-	1	03/03/22 17:01	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:** K2202218
Project: 22A3944
Sample Matrix: Ocean Water

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: EPA 3520C

Sample Name	Lab Code	Tri-n-propyltin 10-195
22A3944-09	K2202218-001	96
Method Blank	KQ2203383-03	100
Lab Control Sample	KQ2203383-01	127
Duplicate Lab Control Sample	KQ2203383-02	127

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2202218
Project: 22A3944
Sample Matrix: Sediment

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: Method

Sample Name	Lab Code	Tri-n-propyltin 10-152
22A3944-29	K2202218-002	73
22A3944-30	K2202218-003	67
22A3944-38	K2202218-004	90
Method Blank	KQ2203453-04	104
Lab Control Sample	KQ2203453-03	97
22A3944-29	KQ2203453-01	68
22A3944-29	KQ2203453-02	58

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	02/26/22
Sample Matrix:	Sediment	**Date Received:**	03/03/22
		Date Analyzed:	03/11/22
		Date Extracted:	03/7/22

Duplicate Matrix Spike Summary
Butyltins

Sample Name:	22A3944-29	**Units:**	ug/Kg
Lab Code:	K2202218-002	**Basis:**	Dry
Analysis Method:	ALS SOP		
Prep Method:	Method		

		Matrix Spike KQ2203453-01			Duplicate Matrix Spike KQ2203453-02					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
n-Butyltin Cation	ND U	6.32	18.4	34	5.77	18.6	31	10-200	9	40
Di-n-butyltin Cation	ND U	11.7	22.6	52	10.4	22.9	46	10-190	11	40
Tri-n-butyltin Cation	ND U	14.4	26.3	55	12.3	26.6	46	10-186	16	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	KQ2203383-03	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.050	0.029	1	03/10/22 15:53	3/2/22	
Di-n-butyltin Cation	**0.029**	**J**	0.050	0.0073	1	03/10/22 15:53	3/2/22	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	03/10/22 15:53	3/2/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	100	10 - 195	03/10/22 15:53	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2203453-04	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.96	0.26	1	03/11/22 12:56	3/7/22	
Di-n-butyltin Cation	**0.25**	**J**	0.96	0.19	1	03/11/22 12:56	3/7/22	
Tri-n-butyltin Cation	ND	U	0.96	0.43	1	03/11/22 12:56	3/7/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	104	10 - 152	03/11/22 12:56	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2203453-04	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.96	0.26	1	03/11/22 12:56	3/7/22	
Di-n-butyltin Cation	**0.25**	**J**	0.96	0.19	1	03/11/22 12:56	3/7/22	
Tri-n-butyltin Cation	ND	U	0.96	0.43	1	03/11/22 12:56	3/7/22	

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Analyzed:**	03/11/22
Sample Matrix:	Sediment	**Date Extracted:**	03/07/22

Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Dry
		Analysis Lot:	757211

Lab Control Sample
KQ2203453-03

Analyte Name	Result	Spike Amount	% Rec	% Rec Limits
Di-n-butyltin Cation	14.7	19.2	76	10-190
n-Butyltin Cation	10.8	15.6	70	10-200
Tri-n-butyltin Cation	16.9	22.3	76	10-186

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Analyzed:**	03/10/22
Sample Matrix:	Ocean Water	**Date Extracted:**	03/02/22

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/L
Prep Method:	EPA 3520C	**Basis:**	NA
		Analysis Lot:	757128

	Lab Control Sample KQ2203383-01			Duplicate Lab Control Sample KQ2203383-02					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	0.371	0.383	97	0.240 P	0.383	63	10-200	43 *	30
n-Butyltin Cation	0.252	0.312	81	0.282	0.312	90	10-200	11	30
Tri-n-butyltin Cation	0.413	0.446	93	0.457	0.446	103	10-200	10	30

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2202218
Date Collected: 02/27/22 12:24
Date Received: 3/3/22

Sample Name: 22A3944-30
Lab Code: K2202218-003

Units: ug/Kg
Basis: As Received
Percent Solids: 84.4

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.26	0.28	0.35	22	J	1	03/11/22 13:45
n-Butyltin Cation	0.30	0.33	0.42	24	J	1	03/11/22 13:45

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2202218
Date Collected: 02/24/22 17:50
Date Received: 3/3/22

Sample Name: 22A3944-38
Lab Code: K2202218-004

Units: ug/Kg
Basis: As Received
Percent Solids: 85.7

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.26	0.37	0.62	51	JP	1	03/11/22 14:01
n-Butyltin Cation	0.30	0.43	0.72	50	JP	1	03/11/22 14:01

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202218
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2203383-01

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.371	0.497	29		1	03/10/22 16:10
Tri-n-butyltin Cation	0.012	0.413	0.519	23		1	03/10/22 16:10
n-Butyltin Cation	0.029	0.252	0.335	28		1	03/10/22 16:10

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202218
Date Collected: NA
Date Received:

Sample Name: Duplicate Lab Control Sample
Lab Code: KQ2203383-02

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.240	0.447	60	P	1	03/10/22 16:26
Tri-n-butyltin Cation	0.012	0.457	0.574	23		1	03/10/22 16:26
n-Butyltin Cation	0.029	0.282	0.300	6		1	03/10/22 16:26

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202218
Date Collected: NA
Date Received:

Sample Name: Method Blank
Lab Code: KQ2203383-03

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.029	0.035	19	J	1	03/10/22 15:53

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2202218
Date Collected: 02/26/22 09:45
Date Received: 3/3/22

Sample Name: 22A3944-29
Lab Code: KQ2203453-01

Units: ug/Kg
Basis: Dry
Percent Solids: 83.6

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.23	11.7	14.8	23		1	03/11/22 14:18
Tri-n-butyltin Cation	0.51	14.4	18.0	22		1	03/11/22 14:18
n-Butyltin Cation	0.31	6.32	9.07	36		1	03/11/22 14:18

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2202218
Date Collected: 02/26/22 09:45
Date Received: 3/3/22

Sample Name: 22A3944-29
Lab Code: KQ2203453-02

Units: ug/Kg
Basis: Dry
Percent Solids: 83.6

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.23	10.4	12.7	20		1	03/11/22 14:34
Tri-n-butyltin Cation	0.52	12.3	15.4	22		1	03/11/22 14:34
n-Butyltin Cation	0.32	5.77	8.27	36		1	03/11/22 14:34

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2202218
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2203453-03

Units: ug/Kg
Basis: Dry

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	14.7	16.8	13		1	03/11/22 13:12
Tri-n-butyltin Cation	0.43	16.9	20.7	20		1	03/11/22 13:12
n-Butyltin Cation	0.26	10.8	13.6	23		1	03/11/22 13:12

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2202218
Date Collected: NA
Date Received:

Sample Name: Method Blank
Lab Code: KQ2203453-04

Units: ug/Kg
Basis: Dry

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	0.25	0.37	39	J	1	03/11/22 12:56
Di-n-butyltin Cation	0.19	0.25	0.37	39	J	1	03/11/22 12:56

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2202218-MB		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/07/22 12:24	03/07/22	

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project	22A3944	**Date Collected:**	02/26/22
Sample Matrix:	Sediment	**Date Received:**	03/03/22
		Date Analyzed:	03/03/22

Replicate Sample Summary
Inorganic Parameters

Sample Name:	22A3944-29	**Units:**	Percent
Lab Code:	K2202218-002	**Basis:**	As Received

Analyte Name	Analysis Method	MRL	Sample Result	Duplicate Sample K2202218-002DUP Result	Average	RPD	RPD Limit
Solids, Total	160.3 Modified	-	83.6	83.1	83.4	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202218
Project:	22A3944	**Date Analyzed:**	03/07/22
Sample Matrix:	Ocean Water	**Date Extracted:**	03/07/22

Lab Control Sample Summary
Cyanide, Total

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	756752

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2202218-LCS	0.0749	0.075	100	84-115

May 27, 2022 Revised Service Request No: K2202145.01

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 22A3944

Dear Monica,

Enclosed is the revised reort of the sample(s) submitted to our laboratory March 02, 2022.

For your reference, these analyses have been assigned our service request number **K2202145.**

Report has been revised to the MDL.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental



Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

REVISED
1:09 pm, May 27, 2022

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
Sample Matrix: Elutriate, Liquid, Ocean Water

Service Request: K2202145
Date Received: 03/02/2022

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Two elutriate, liquid, ocean water samples were received for analysis at ALS Environmental on 03/02/2022. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivoa GC:

Method ALS SOP:The upper control criterion was exceeded for Tetra-n-butyltin in Continuing Calibration Verification (CCV). The field samples analyzed in this sequence did not contain the analyte in question. Since the apparent problem indicated a potential high bias, the data quality was not affected. No further corrective action was required.

Method ALS SOP:The analysis of Butyltins by ALS SOP requires the use of dual column confirmation. When the Continuing Calibration Verification (CCV) criterion is met for both columns, the lower of the two sample results is generally reported. The primary evaluation criteria were not met on the confirmation column for the surrogate compound Tri-n-propyltin. The results were reported from the column with an acceptable CCV. The data quality was not affected. No further corrective action was necessary.
Method ALS SOP:Sample 22A3944-08 was received past holding time. The analysis was performed as soon as possible after receipt by the laboratory. The data was flagged to indicate the holding time violation.
Method ALS SOP:The analysis of ALS SOP Butyltins requires the use of dual column confirmation. For the Initial Calibration Verification (ICV) at least one of the analytical systems in a dual column or dual detector system must meet the criteria. This criteria was met on one column for Tri-n-butyltin. The data quality was not affected. No further corrective action was necessary.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by _____ Date 05/27/2022

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2202145
Project: 22A3944

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2202145-001	22A3944-08	2/22/2022	1600
K2202145-002	22A3944-21	2/25/2022	0745

K2202145

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 22A3944

Analysis	Due	Expires	Comments
Sample ID: 22A3944-07 ***Marine Water Sampled: 02/14/2022 17:25***			
Sub_CN T-4500	03/18/2022	02/28/2022 17:25	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	03/18/2022	02/21/2022 17:25	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	03/18/2022	03/14/2022 17:25	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-08 ***Marine Water Sampled: 02/22/2022 16:00***			
Sub_CN T-4500	03/18/2022	03/08/2022 16:00	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	03/18/2022	03/01/2022 16:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	03/18/2022	03/22/2022 16:00	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-10 ***Marine Water Sampled: 02/20/2022 17:25***			
Sub_CN T-4500	03/18/2022	03/06/2022 17:25	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	03/18/2022	02/27/2022 17:25	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	03/18/2022	03/20/2022 17:25	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-21 ***Elutriate Sampled: 02/20/2022 15:30***			
Sub_CN T-ELUT	03/18/2022	03/06/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/18/2022	02/27/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1-ELUT	03/18/2022	03/20/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-28 ***Sediment Sampled: 02/11/2022 15:30***			
Sub_Organotins-TX1001	03/18/2022	02/25/2022 15:30	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-9060	03/18/2022	03/11/2022 15:30	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

April Dobbins 3/1/22

UPS 3/1/22

ZH 3/2/22

1010

PM JL

Cooler Receipt and Preservation Form

Client NWDLS Service Request K22 02145

Received: 3/2/22 Opened: 3/2/22 By: ZH Unloaded: 3/2/22 By: ZH

1. Samples were received via? *USPS* *Fed Ex* *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) *Cooler* *Box* *Envelope* *Other* _____ *NA*
3. Were custody seals on coolers? NA Y N If yes, how many and where? _____
   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp Indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
	2.9	IR01				122040v019795 70888	

4. Was a Temperature Blank present in cooler? NA Y N If yes, notate the temperature in the appropriate column above:
   If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
5. Were samples received within the method specified temperature ranges? NA Y N
   If no, were they received on ice and same day as collected? If not, notate the cooler # below and notify the PM. NA Y N

If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

6. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* *Wet Ice* *Dry Ice* *Sleeves* _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA Y N
8. Were samples received in good condition (unbroken) NA Y N
9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA Y N
10. Did all sample labels and tags agree with custody papers? NA Y N
11. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y N
12. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA Y N
13. Were VOA vials received without headspace? *Indicate in the table below.* NA Y N
14. Was C12/Res negative? NA Y N
15. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? NA Y N Under filled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: Did not receive CN or TOC containers for 22A3944-08
:Did not receive SHORT HOLD TIME Dibutyltin & TOC cont For 22A3944-21

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Analyst Summary report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202145
Project:	22A3944/		

Sample Name:	22A3944-08	**Date Collected:**	02/22/22
Lab Code:	K2202145-001	**Date Received:**	03/2/22
Sample Matrix:	Ocean Water		

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	VWILSON	BBRIGHT

Sample Name:	22A3944-21	**Date Collected:**	02/25/22
Lab Code:	K2202145-002	**Date Received:**	03/2/22
Sample Matrix:	Elutriate, Liquid		

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202145
Project:	22A3944	**Date Collected:**	02/22/22 16:00
Sample Matrix:	Ocean Water	**Date Received:**	03/02/22 10:10
Sample Name:	22A3944-08	**Units:**	ug/L
Lab Code:	K2202145-001	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	03/10/22 18:04	3/2/22	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/10/22 18:04	3/2/22	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/10/22 18:04	3/2/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	101	10 - 195	03/10/22 18:04	

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202145
Project:	22A3944	**Date Collected:**	02/25/22 07:45
Sample Matrix:	Elutriate, Liquid	**Date Received:**	03/02/22 10:10
Sample Name:	22A3944-21	**Basis:**	NA
Lab Code:	K2202145-002		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/07/22 12:24	03/07/22	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2202145
Project: 22A3944
Sample Matrix: Ocean Water

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: EPA 3520C

Sample Name	Lab Code	Tri-n-propyltin 10-195
22A3944-08	K2202145-001	101
Method Blank	KQ2203383-03	100
Lab Control Sample	KQ2203383-01	127
Duplicate Lab Control Sample	KQ2203383-02	127

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202145
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	KQ2203383-03	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.050	0.029	1	03/10/22 15:53	3/2/22	
Di-n-butyltin Cation	**0.029**	**J**	0.050	0.0073	1	03/10/22 15:53	3/2/22	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	03/10/22 15:53	3/2/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	100	10 - 195	03/10/22 15:53	

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202145
Project:	22A3944	**Date Analyzed:**	03/10/22
Sample Matrix:	Ocean Water	**Date Extracted:**	03/02/22

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/L
Prep Method:	EPA 3520C	**Basis:**	NA
		Analysis Lot:	757128

	Lab Control Sample KQ2203383-01			Duplicate Lab Control Sample KQ2203383-02					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	0.371	0.383	97	0.240 P	0.383	63	10-200	43 *	30
n-Butyltin Cation	0.252	0.312	81	0.282	0.312	90	10-200	11	30
Tri-n-butyltin Cation	0.413	0.446	93	0.457	0.446	103	10-200	10	30

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202145
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2203383-01

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.371	0.497	29		1	03/10/22 16:10
Tri-n-butyltin Cation	0.012	0.413	0.519	23		1	03/10/22 16:10
n-Butyltin Cation	0.029	0.252	0.335	28		1	03/10/22 16:10

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202145
Date Collected: NA
Date Received:

Sample Name: Duplicate Lab Control Sample
Lab Code: KQ2203383-02

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.240	0.447	60	P	1	03/10/22 16:26
Tri-n-butyltin Cation	0.012	0.457	0.574	23		1	03/10/22 16:26
n-Butyltin Cation	0.029	0.282	0.300	6		1	03/10/22 16:26

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2202145
Date Collected: NA
Date Received:

Sample Name: Method Blank
Lab Code: KQ2203383-03

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.029	0.035	19	J	1	03/10/22 15:53

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202145
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2202145-MB		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/07/22 12:24	03/07/22	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2202145
Project:	22A3944	**Date Analyzed:**	03/07/22
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	03/07/22

Lab Control Sample Summary
Cyanide, Total

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	756752

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2202145-LCS	0.0749	0.075	100	84-115

June 02, 2022

Revised Service Request No: K2201845.01

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 22A3944

Dear Monica,

Enclosed is the revised report of the sample(s) submitted to our laboratory February 26, 2022.

For your reference, these analyses have been assigned our service request number **K2201845.** Report has been revised to the MDL.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental



Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

REVISED
3:02 pm, Jun 02, 2022

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Service Request: K2201845
Project: 22A3944
Date Received: 02/21/2022 - 02/26/2022
Sample Matrix: Sediment, Ocean Water, Elutriate, Liquid

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Twelve sediment, ocean water, elutriate, liquid samples were received for analysis at ALS Environmental on 02/21/2022 - 02/26/2022. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivoa GC:

Method ALS SOP:The upper control criterion was exceeded for surrogate compound, Tri-n-propyltin, and Tetra-n-butlytin in Continuing Calibration Verification (CCV). The field samples analyzed in this sequence did not contain any target analytes. Since the apparent problem indicated a potential high bias, the data quality was not affected. No further corrective action was required.
Method ALS SOP:Samples were received past holding time. The analysis was performed as soon as possible after receipt by the laboratory. The data was flagged to indicate the holding time violation.
Method ALS SOP:The analysis of Butyltins by ALS SOP requires the use of dual column confirmation. When the Continuing Calibration Verification (CCV) criterion is met for both columns, the lower of the two sample results is generally reported. The primary evaluation criteria were not met on the confirmation column for the surrogate compound Tri-n-propyltin. The results were reported from the column with an acceptable CCV. The data quality was not affected. No further corrective action was necessary.
Method ALS SOP:The analysis of ALS SOP Butyltins requires the use of dual column confirmation. For the Initial Calibration Verification (ICV) at least one of the analytical systems in a dual column or dual detector system must meet the criteria. This criteria was met on one column for Tri-n-butyltin. The data quality was not affected. No further corrective action was necessary.
Method ALS SOP:The Relative Percent Difference (RPD) for n-butyltin in the replicate Laboratory Control Sample (LCS) analyses (KQ2203083-01 and -02) was outside control criteria: Recoveries for the individual analytes was within control limits. The data was flagged to indicate the problem.

Method ALS SOP:The Relative Percent Difference (RPD) for Di-n-butyltin in the replicate Laboratory Control Sample (LCS) analyses (KQ2203383-01 and -02) was outside control criteria: Recoveries for the individual analytes was within control limits. The data was flagged to indicate the problem.

Method ALS SOP:Due to a extraction error the Method Blank KQ2203312-04, Laboratory Control Sample KQ2203312-03, Matrix Spike KQ2203312-01, Duplicate Matrix Spike KQ2203312-02 and
sample 22A3944-36 were taken to the incorrect final volume. A dilution was performed on the effected finished samples to correct the error.
Method ALS SOP: Samples 22A3944-10 and 22A3944-21 had retention time shifting outside of 0.03 minutes. The associated Method Blank and Laboratory Control Sample were also shifted outside the 0.03 minute window. Recoveries were within control limits. The data was not significantly effected.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by _____ Date 06/02/2022

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 22A3944-28			Lab ID: K2201845-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic (TOC)	0.05	J	0.02	0.10	Percent	9060
Di-n-butyltin Cation	0.25	JP	0.23	1.2	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.53	JP	0.52	1.2	ug/Kg	ALS SOP
Di-n-butyltin Cation	0.20	JP	0.19	0.99	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.43	U	0.43	0.99	ug/Kg	ALS SOP
Solids, Total	81.5				Percent	160.3 Modified

CLIENT ID: 22A3944-32			Lab ID: K2201845-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic (TOC)	0.03	J	0.02	0.10	Percent	9060
Di-n-butyltin Cation	0.27	J	0.22	1.1	ug/Kg	ALS SOP
Tri-n-butyltin Cation	1.1	J	0.49	1.1	ug/Kg	ALS SOP
Di-n-butyltin Cation	0.24	J	0.19	0.98	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.91	J	0.43	0.98	ug/Kg	ALS SOP
Solids, Total	86.3				Percent	160.3 Modified

CLIENT ID: 22A3944-34			Lab ID: K2201845-005			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	80.0				Percent	160.3 Modified

CLIENT ID: 22A3944-40			Lab ID: K2201845-006			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	74.9				Percent	160.3 Modified

CLIENT ID: 22A3944-41			Lab ID: K2201845-007			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	82.9				Percent	160.3 Modified

CLIENT ID: 22A3944-42			Lab ID: K2201845-008			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	82.0				Percent	160.3 Modified

CLIENT ID: 22A3944-45			Lab ID: K2201845-009			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic (TOC)	0.03	J	0.02	0.10	Percent	9060
Solids, Total	81.7				Percent	160.3 Modified

CLIENT ID: 22A3944-21			Lab ID: K2201845-011			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.16		0.029	0.050	ug/L	ALS SOP
Di-n-butyltin Cation	0.012	J	0.0073	0.050	ug/L	ALS SOP

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 22A3944-36			Lab ID: K2201845-012			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Carbon, Total Organic (TOC)	0.02	J	0.02	0.10	Percent	9060
Solids, Total	76.1				Percent	160.3 Modified

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2201845
Project: 22A3944

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2201845-001	22A3944-07	2/14/2022	1725
K2201845-002	22A3944-10	2/20/2022	1725
K2201845-003	22A3944-28	2/11/2022	1530
K2201845-004	22A3944-32	2/15/2022	1510
K2201845-005	22A3944-34	2/16/2022	1847
K2201845-006	22A3944-40	2/18/2022	1731
K2201845-007	22A3944-41	2/19/2022	0915
K2201845-008	22A3944-42	2/20/2022	1530
K2201845-009	22A3944-45	2/11/2022	1310
K2201845-010	22A3944-08	2/22/2022	1600
K2201845-011	22A3944-21	2/20/2022	1530
K2201845-012	22A3944-36	2/22/2022	1320

NWDLS
Northwest Data Laboratory Services, Inc.

K2201845

SUBCONTRACT ORDER
(Continued)

Work Order: 22A3944 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22A3944-10 *Marine Water* *Sampled: 02/20/2022 17:25*			
Sub_CN T-4500	03/18/2022	03/06/2022 17:25	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	03/18/2022	02/27/2022 17:25	
Analyte(s): Dibutyltin, Monobutyltin, Tributyltin			
Dibutyltin, Monobutyltin, Tributyltin			
TOC-415.1	03/18/2022	03/20/2022 17:25	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-21 *Elutriate* *Sampled: 02/20/2022 15:30*			
Sub_CN T-ELUT	03/18/2022	03/06/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/18/2022	02/27/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Dibutyltin, Monobutyltin, Tributyltin			
TOC-415.1-ELUT	03/18/2022	03/20/2022 15:30	Leached: 02/25/2022 07:45
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-28 *Sediment* *Sampled: 02/11/2022 15:30*			
Sub_Organotins-TX1001	03/18/2022	02/25/2022 15:30	
Analyte(s): Dibutyltin, Monobutyltin, Tributyltin			
Dibutyltin, Monobutyltin, Tributyltin			
TOC-9060	03/18/2022	03/11/2022 15:30	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

April Dobbins 2/28/22

UPS 2/28/22

2/11/22 1015

K22018495

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 22A3944

Analysis	Due	Expires	Comments
Sample ID: 22A3944-07 ***Marine Water Sampled: 02/14/2022 17:25***			
Sub_CN T-4500	03/18/2022	02/28/2022 17:25	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	03/18/2022	02/21/2022 17:25	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	03/18/2022	03/14/2022 17:25	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 22A3944-08 ***Marine Water Sampled: 02/22/2022 16:00***			
Sub_CN T-4500	03/18/2022	03/08/2022 16:00	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	03/18/2022	03/01/2022 16:00	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
TOC-415.1	03/18/2022	03/22/2022 16:00	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

PM LR

Cooler Receipt and Preservation Form

Client NWDLS Service Request K22 01845

Received: 3/1/22 Opened: 3/1/22 By: BR Unloaded: 3/1/22 By: BR

1. Samples were received via? *USPS* *Fed Ex* (*UPS*) *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other*_____ *NA*
3. Were custody seals on coolers? NA Y (N) If yes, how many and where? _____
   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
NA	39	IR01				1Z 12W40V01977 0678	

4. Was a Temperature Blank present in cooler? NA Y (N) If yes, notate the temperature in the appropriate column above:
   If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
5. Were samples received within the method specified temperature ranges? NA (Y) N
   If no, were they received on ice and same day as collected? If not, notate the cooler # below and notify the PM. (NA) Y N

If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

6. Packing material: *Inserts* *Baggies* (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
8. Were samples received in good condition (unbroken) NA (Y) N
9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA (Y) N
10. Did all sample labels and tags agree with custody papers? NA (Y) N
11. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
12. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
13. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
14. Was C12/Res negative? (NA) Y N
15. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? (NA) Y N Under filled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

SHORT HOLD TIME

Notes, Discrepancies, Resolutions: _____

:_____

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: North Water District Lab Services (NWDLS) **Service Request:** K2201845
Project: 22A3944/

Sample Name: 22A3944-07 **Date Collected:** 02/14/22
Lab Code: K2201845-001 **Date Received:** 02/21/22
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT
ALS SOP	VWILSON	BBRIGHT
SM 4500-CN- E	MRICH	MRICH

Sample Name: 22A3944-10 **Date Collected:** 02/20/22
Lab Code: K2201845-002 **Date Received:** 02/24/22
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT
ALS SOP	VWILSON	BBRIGHT
SM 4500-CN- E	KCHAN	KCHAN

Sample Name: 22A3944-28 **Date Collected:** 02/11/22
Lab Code: K2201845-003 **Date Received:** 02/24/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		JBAKER
9060	DBRADBURY	DBRADBURY
ALS SOP	VWILSON	BBRIGHT

Sample Name: 22A3944-32 **Date Collected:** 02/15/22
Lab Code: K2201845-004 **Date Received:** 02/24/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		JBAKER
9060	DBRADBURY	DBRADBURY
ALS SOP	VWILSON	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2201845
Project: 22A3944/

Sample Name: 22A3944-34 **Date Collected:** 02/16/22
Lab Code: K2201845-005 **Date Received:** 02/24/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		JBAKER
9060	DBRADBURY	DBRADBURY
ALS SOP	VWILSON	BBRIGHT

Sample Name: 22A3944-40 **Date Collected:** 02/18/22
Lab Code: K2201845-006 **Date Received:** 02/24/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		JBAKER
9060	DBRADBURY	DBRADBURY
ALS SOP	VWILSON	BBRIGHT

Sample Name: 22A3944-41 **Date Collected:** 02/19/22
Lab Code: K2201845-007 **Date Received:** 02/24/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		JBAKER
9060	DBRADBURY	DBRADBURY
ALS SOP	VWILSON	BBRIGHT

Sample Name: 22A3944-42 **Date Collected:** 02/20/22
Lab Code: K2201845-008 **Date Received:** 02/24/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		JBAKER
9060	DBRADBURY	DBRADBURY
ALS SOP	VWILSON	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2201845
Project: 22A3944/

Sample Name: 22A3944-45 **Date Collected:** 02/11/22
Lab Code: K2201845-009 **Date Received:** 02/24/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		JBAKER
9060	DBRADBURY	DBRADBURY
ALS SOP	VWILSON	BBRIGHT

Sample Name: 22A3944-08 **Date Collected:** 02/22/22
Lab Code: K2201845-010 **Date Received:** 02/26/22
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT
SM 4500-CN- E	MRICH	MRICH

Sample Name: 22A3944-21 **Date Collected:** 02/20/22
Lab Code: K2201845-011 **Date Received:** 02/26/22
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
415.1		MSPECHT
ALS SOP	VWILSON	BBRIGHT

Sample Name: 22A3944-36 **Date Collected:** 02/22/22
Lab Code: K2201845-012 **Date Received:** 02/26/22
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		IRIOS
9060	DBRADBURY	DBRADBURY
ALS SOP	VWILSON	BBRIGHT

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/14/22 17:25
Sample Matrix:	Ocean Water	**Date Received:**	02/21/22 10:00
Sample Name:	22A3944-07	**Units:**	ug/L
Lab Code:	K2201845-001	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	03/08/22 22:40	2/23/22	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/08/22 22:40	2/23/22	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/08/22 22:40	2/23/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	73	10 - 195	03/08/22 22:40	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/20/22 17:25
Sample Matrix:	Ocean Water	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-10	**Units:**	ug/L
Lab Code:	K2201845-002	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	03/10/22 20:31	2/25/22	
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/10/22 20:31	2/25/22	
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/10/22 20:31	2/25/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	65	10 - 195	03/10/22 20:31	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/11/22 15:30
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-28	**Units:**	ug/Kg
Lab Code:	K2201845-003	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.32	1	03/08/22 16:27	2/25/22	
Di-n-butyltin Cation	**0.25 JP**	1.2	0.23	1	03/08/22 16:27	2/25/22	
Tri-n-butyltin Cation	**0.53 JP**	1.2	0.52	1	03/08/22 16:27	2/25/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	82	10 - 152	03/08/22 16:27	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/11/22 15:30
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-28	**Units:**	ug/Kg
Lab Code:	K2201845-003	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.99	0.26	1	03/08/22 16:27	2/25/22	
Di-n-butyltin Cation	**0.20 JP**	0.99	0.19	1	03/08/22 16:27	2/25/22	
Tri-n-butyltin Cation	ND U	0.99	0.43	1	03/08/22 16:27	2/25/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/15/22 15:10
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-32	**Units:**	ug/Kg
Lab Code:	K2201845-004	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	1.1	0.30	1	03/08/22 17:16	2/25/22	
Di-n-butyltin Cation	**0.27**	**J**	1.1	0.22	1	03/08/22 17:16	2/25/22	
Tri-n-butyltin Cation	**1.1**	**J**	1.1	0.49	1	03/08/22 17:16	2/25/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	74	10 - 152	03/08/22 17:16	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/15/22 15:10
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-32	**Units:**	ug/Kg
Lab Code:	K2201845-004	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.98	0.26	1	03/08/22 17:16	2/25/22	
Di-n-butyltin Cation	**0.24**	**J**	0.98	0.19	1	03/08/22 17:16	2/25/22	
Tri-n-butyltin Cation	**0.91**	**J**	0.98	0.43	1	03/08/22 17:16	2/25/22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/16/22 18:47
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-34	**Units:**	ug/Kg
Lab Code:	K2201845-005	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.33	1	03/08/22 17:33	2/25/22	
Di-n-butyltin Cation	ND U	1.2	0.24	1	03/08/22 17:33	2/25/22	
Tri-n-butyltin Cation	ND U	1.2	0.54	1	03/08/22 17:33	2/25/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	81	10 - 152	03/08/22 17:33	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/16/22 18:47
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-34	**Units:**	ug/Kg
Lab Code:	K2201845-005	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.99	0.26	1	03/08/22 17:33	2/25/22	
Di-n-butyltin Cation	ND U	0.99	0.19	1	03/08/22 17:33	2/25/22	
Tri-n-butyltin Cation	ND U	0.99	0.43	1	03/08/22 17:33	2/25/22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/18/22 17:31
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-40	**Units:**	ug/Kg
Lab Code:	K2201845-006	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.3	0.35	1	03/08/22 17:49	2/25/22	
Di-n-butyltin Cation	ND U	1.3	0.26	1	03/08/22 17:49	2/25/22	
Tri-n-butyltin Cation	ND U	1.3	0.58	1	03/08/22 17:49	2/25/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	72	10 - 152	03/08/22 17:49	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/18/22 17:31
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-40	**Units:**	ug/Kg
Lab Code:	K2201845-006	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.0	0.26	1	03/08/22 17:49	2/25/22	
Di-n-butyltin Cation	ND U	1.0	0.19	1	03/08/22 17:49	2/25/22	
Tri-n-butyltin Cation	ND U	1.0	0.43	1	03/08/22 17:49	2/25/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/19/22 09:15
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-41	**Units:**	ug/Kg
Lab Code:	K2201845-007	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.31	1	03/08/22 18:05	2/25/22	
Di-n-butyltin Cation	ND U	1.2	0.23	1	03/08/22 18:05	2/25/22	
Tri-n-butyltin Cation	ND U	1.2	0.51	1	03/08/22 18:05	2/25/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	94	10 - 152	03/08/22 18:05	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/19/22 09:15
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-41	**Units:**	ug/Kg
Lab Code:	K2201845-007	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.26	1	03/08/22 18:05	2/25/22	
Di-n-butyltin Cation	ND U	0.98	0.19	1	03/08/22 18:05	2/25/22	
Tri-n-butyltin Cation	ND U	0.98	0.43	1	03/08/22 18:05	2/25/22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/20/22 15:30
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-42	**Units:**	ug/Kg
Lab Code:	K2201845-008	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.32	1	03/08/22 18:22	2/25/22	
Di-n-butyltin Cation	ND U	1.2	0.24	1	03/08/22 18:22	2/25/22	
Tri-n-butyltin Cation	ND U	1.2	0.53	1	03/08/22 18:22	2/25/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	75	10 - 152	03/08/22 18:22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/20/22 15:30
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-42	**Units:**	ug/Kg
Lab Code:	K2201845-008	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.0	0.26	1	03/08/22 18:22	2/25/22	
Di-n-butyltin Cation	ND U	1.0	0.19	1	03/08/22 18:22	2/25/22	
Tri-n-butyltin Cation	ND U	1.0	0.43	1	03/08/22 18:22	2/25/22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/11/22 13:10
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-45	**Units:**	ug/Kg
Lab Code:	K2201845-009	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.32	1	03/08/22 18:39	2/25/22	
Di-n-butyltin Cation	ND U	1.2	0.23	1	03/08/22 18:39	2/25/22	
Tri-n-butyltin Cation	ND U	1.2	0.53	1	03/08/22 18:39	2/25/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	64	10 - 152	03/08/22 18:39	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/11/22 13:10
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-45	**Units:**	ug/Kg
Lab Code:	K2201845-009	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.99	0.26	1	03/08/22 18:39	2/25/22	
Di-n-butyltin Cation	ND U	0.99	0.19	1	03/08/22 18:39	2/25/22	
Tri-n-butyltin Cation	ND U	0.99	0.43	1	03/08/22 18:39	2/25/22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/20/22 15:30
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/26/22 10:00
Sample Name:	22A3944-21	**Units:**	ug/L
Lab Code:	K2201845-011	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.16**	0.050	0.029	1	03/10/22 16:59	3/2/22	*
Di-n-butyltin Cation	**0.012 J**	0.050	0.0073	1	03/10/22 16:59	3/2/22	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/10/22 16:59	3/2/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	142	10 - 195	03/10/22 16:59	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/22/22 13:20
Sample Matrix:	Sediment	**Date Received:**	02/26/22 10:00
Sample Name:	22A3944-36	**Units:**	ug/Kg
Lab Code:	K2201845-012	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	2.0	1.1	4	03/08/22 13:43	3/3/22	
Di-n-butyltin Cation	ND U	2.4	0.76	4	03/08/22 13:43	3/3/22	
Tri-n-butyltin Cation	ND U	2.8	1.8	4	03/08/22 13:43	3/3/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	87	10 - 152	03/08/22 13:43	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/22/22 13:20
Sample Matrix:	Sediment	**Date Received:**	02/26/22 10:00
Sample Name:	22A3944-36	**Units:**	ug/Kg
Lab Code:	K2201845-012	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	2.0	1.1	4	03/08/22 13:43	3/3/22	
Di-n-butyltin Cation	ND U	2.4	0.76	4	03/08/22 13:43	3/3/22	
Tri-n-butyltin Cation	ND U	2.8	1.8	4	03/08/22 13:43	3/3/22	

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/14/22 17:25
Sample Matrix:	Ocean Water	**Date Received:**	02/21/22 10:00
Sample Name:	22A3944-07	**Basis:**	NA
Lab Code:	K2201845-001		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/07/22 14:48	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/23/22 12:16	02/23/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/20/22 17:25
Sample Matrix:	Ocean Water	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-10	**Basis:**	NA
Lab Code:	K2201845-002		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/07/22 14:48	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/28/22 11:22	02/28/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/11/22 15:30
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-28	**Basis:**	Dry, per Method
Lab Code:	K2201845-003		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	**0.05 J**	Percent	0.10	0.02	1	03/04/22 11:02	03/03/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/11/22 15:30
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-28	**Basis:**	As Received
Lab Code:	K2201845-003		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Solids, Total	160.3 Modified	**81.5**	Percent	-	-	1	02/24/22 14:46	NA	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/15/22 15:10
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-32	**Basis:**	Dry, per Method
Lab Code:	K2201845-004		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	**0.03 J**	Percent	0.10	0.02	1	03/04/22 11:02	03/03/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/15/22 15:10
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-32	**Basis:**	As Received
Lab Code:	K2201845-004		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Solids, Total	160.3 Modified	**86.3**	Percent	-	-	1	02/24/22 14:46	NA	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/16/22 18:47
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-34	**Basis:**	Dry, per Method
Lab Code:	K2201845-005		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	ND U	Percent	0.10	0.02	1	03/04/22 11:02	03/03/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/16/22 18:47
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-34	**Basis:**	As Received
Lab Code:	K2201845-005		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Solids, Total	160.3 Modified	**80.0**	Percent	-	-	1	02/24/22 14:46	NA	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/18/22 17:31
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-40	**Basis:**	Dry, per Method
Lab Code:	K2201845-006		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	ND U	Percent	0.10	0.02	1	03/04/22 11:02	03/03/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/18/22 17:31
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-40	**Basis:**	As Received
Lab Code:	K2201845-006		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Solids, Total	160.3 Modified	**74.9**	Percent	-	-	1	02/24/22 14:46	NA	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/19/22 09:15
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-41	**Basis:**	Dry, per Method
Lab Code:	K2201845-007		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	ND U	Percent	0.10	0.02	1	03/04/22 11:02	03/03/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/19/22 09:15
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-41	**Basis:**	As Received
Lab Code:	K2201845-007		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Solids, Total	160.3 Modified	**82.9**	Percent	-	-	1	02/24/22 14:46	NA	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/20/22 15:30
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-42	**Basis:**	Dry, per Method
Lab Code:	K2201845-008		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	ND U	Percent	0.10	0.02	1	03/04/22 11:02	03/03/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/20/22 15:30
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-42	**Basis:**	As Received
Lab Code:	K2201845-008		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Solids, Total	160.3 Modified	**82.0**	Percent	-	-	1	02/24/22 14:46	NA	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/11/22 13:10
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-45	**Basis:**	Dry, per Method
Lab Code:	K2201845-009		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	**0.03 J**	Percent	0.10	0.02	1	03/04/22 11:02	03/03/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/11/22 13:10
Sample Matrix:	Sediment	**Date Received:**	02/24/22 10:10
Sample Name:	22A3944-45	**Basis:**	As Received
Lab Code:	K2201845-009		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Solids, Total	160.3 Modified	**81.7**	Percent	-	-	1	02/24/22 14:46	NA	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/22/22 16:00
Sample Matrix:	Ocean Water	**Date Received:**	02/26/22 10:00
Sample Name:	22A3944-08	**Basis:**	NA
Lab Code:	K2201845-010		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/07/22 14:48	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/07/22 12:24	03/07/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/20/22 15:30
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/26/22 10:00
Sample Name:	22A3944-21	**Basis:**	NA
Lab Code:	K2201845-011		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/07/22 14:48	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/22/22 13:20
Sample Matrix:	Sediment	**Date Received:**	02/26/22 10:00
Sample Name:	22A3944-36	**Basis:**	Dry, per Method
Lab Code:	K2201845-012		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	**0.02 J**	Percent	0.10	0.02	1	03/04/22 11:02	03/03/22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/22/22 13:20
Sample Matrix:	Sediment	**Date Received:**	02/26/22 10:00
Sample Name:	22A3944-36	**Basis:**	As Received
Lab Code:	K2201845-012		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Solids, Total	160.3 Modified	**76.1**	Percent	-	-	1	03/02/22 16:30	NA	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:** K2201845

Project: 22A3944

Sample Matrix: Ocean Water

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP

Extraction Method: EPA 3520C

Sample Name	Lab Code	Tri-n-propyltin 10-195
22A3944-07	K2201845-001	73
22A3944-10	K2201845-002	65
Method Blank	KQ2202936-03	54
Method Blank	KQ2203083-03	60
Lab Control Sample	KQ2202936-01	78
Duplicate Lab Control Sample	KQ2202936-02	81
Lab Control Sample	KQ2203083-01	46
Duplicate Lab Control Sample	KQ2203083-02	69

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2201845
Project: 22A3944
Sample Matrix: Sediment

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: Method

Sample Name	Lab Code	Tri-n-propyltin 10-152
22A3944-28	K2201845-003	82
22A3944-32	K2201845-004	74
22A3944-34	K2201845-005	81
22A3944-40	K2201845-006	72
22A3944-41	K2201845-007	94
22A3944-42	K2201845-008	75
22A3944-45	K2201845-009	64
22A3944-36	K2201845-012	87
Method Blank	KQ2203058-04	79
Method Blank	KQ2203312-04	122
Lab Control Sample	KQ2203058-03	83
Lab Control Sample	KQ2203312-03	117
22A3944-28	KQ2203058-01	71
22A3944-28	KQ2203058-02	56
22A3944-36	KQ2203312-01	74
22A3944-36	KQ2203312-02	96

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2201845
Project: 22A3944
Sample Matrix: Elutriate, Liquid

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: EPA 3520C

Sample Name	Lab Code	Tri-n-propyltin 10-195
22A3944-21	K2201845-011	142
Method Blank	KQ2203383-03	100
Lab Control Sample	KQ2203383-01	127
Duplicate Lab Control Sample	KQ2203383-02	127

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/11/22
Sample Matrix:	Sediment	**Date Received:**	02/24/22
		Date Analyzed:	03/8/22
		Date Extracted:	02/25/22

Duplicate Matrix Spike Summary
Butyltins

Sample Name:	22A3944-28	**Units:**	ug/Kg
Lab Code:	K2201845-003	**Basis:**	Dry
Analysis Method:	ALS SOP		
Prep Method:	Method		

		Matrix Spike KQ2203058-01			Duplicate Matrix Spike KQ2203058-02					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
n-Butyltin Cation	ND U	3.09	18.9	16	1.44	18.8	8 *	10-200	73*	40
Di-n-butyltin Cation	0.25 J	11.5	23.3	48	9.45	23.1	40	10-190	20	40
Tri-n-butyltin Cation	0.53 J	15.0	27.1	53	13.0	26.8	47	10-186	14	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	02/22/22
Sample Matrix:	Sediment	**Date Received:**	02/26/22
		Date Analyzed:	03/8/22
		Date Extracted:	03/3/22

Duplicate Matrix Spike Summary
Butyltins

Sample Name:	22A3944-36	**Units:**	ug/Kg
Lab Code:	K2201845-012	**Basis:**	Dry
Analysis Method:	ALS SOP		
Prep Method:	Method		

		Matrix Spike KQ2203312-01			Duplicate Matrix Spike KQ2203312-02					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
n-Butyltin Cation	ND U	9.23	20.0	46	10.7	20.1	53	10-200	14	40
Di-n-butyltin Cation	ND U	15.7	24.6	64	18.0	24.7	73	10-190	13	40
Tri-n-butyltin Cation	ND U	18.3	28.6	64	21.4	28.8	74	10-186	15	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	KQ2202936-03	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	03/08/22 19:30	2/23/22	
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/08/22 19:30	2/23/22	
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/08/22 19:30	2/23/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	54	10 - 195	03/08/22 19:30	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2203058-04	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.26	1	03/08/22 15:54	2/25/22	
Di-n-butyltin Cation	ND U	0.98	0.19	1	03/08/22 15:54	2/25/22	
Tri-n-butyltin Cation	ND U	0.98	0.43	1	03/08/22 15:54	2/25/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	79	10 - 152	03/08/22 15:54	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2203058-04	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.26	1	03/08/22 15:54	2/25/22	
Di-n-butyltin Cation	ND U	0.98	0.19	1	03/08/22 15:54	2/25/22	
Tri-n-butyltin Cation	ND U	0.98	0.43	1	03/08/22 15:54	2/25/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	KQ2203083-03	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.050	0.029	1	03/10/22 19:42	2/25/22	
Di-n-butyltin Cation	**0.012**	**J**	0.050	0.0073	1	03/10/22 19:42	2/25/22	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	03/10/22 19:42	2/25/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	60	10 - 195	03/10/22 19:42	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2203312-04	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	2.0	1.1	4	03/08/22 12:54	3/3/22	
Di-n-butyltin Cation	ND U	2.4	0.76	4	03/08/22 12:54	3/3/22	
Tri-n-butyltin Cation	ND U	2.8	1.8	4	03/08/22 12:54	3/3/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	122	10 - 152	03/08/22 12:54	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2203312-04	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	2.0	1.1	4	03/08/22 12:54	3/3/22	
Di-n-butyltin Cation	ND U	2.4	0.76	4	03/08/22 12:54	3/3/22	
Tri-n-butyltin Cation	ND U	2.8	1.8	4	03/08/22 12:54	3/3/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	KQ2203383-03	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.050	0.029	1	03/10/22 15:53	3/2/22	
Di-n-butyltin Cation	**0.029**	**J**	0.050	0.0073	1	03/10/22 15:53	3/2/22	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	03/10/22 15:53	3/2/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	100	10 - 195	03/10/22 15:53	

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Analyzed:**	03/08/22
Sample Matrix:	Sediment	**Date Extracted:**	02/25/22

Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Dry
		Analysis Lot:	756924

Lab Control Sample
KQ2203058-03

Analyte Name	Result	Spike Amount	% Rec	% Rec Limits
Di-n-butyltin Cation	12.6	19.2	66	10-190
n-Butyltin Cation	6.32	15.6	41	10-200
Tri-n-butyltin Cation	14.6	22.3	66	10-186

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Analyzed:**	03/08/22
Sample Matrix:	Sediment	**Date Extracted:**	03/03/22

Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Dry
		Analysis Lot:	756670

Lab Control Sample
KQ2203312-03

Analyte Name	Result	Spike Amount	% Rec	% Rec Limits
Di-n-butyltin Cation	15.0	19.2	78	10-190
n-Butyltin Cation	11.2	15.6	72	10-200
Tri-n-butyltin Cation	19.0	22.3	85	10-186

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Analyzed:**	03/08/22
Sample Matrix:	Ocean Water	**Date Extracted:**	02/23/22

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/L
Prep Method:	EPA 3520C	**Basis:**	NA
		Analysis Lot:	756305

	Lab Control Sample KQ2202936-01			Duplicate Lab Control Sample KQ2202936-02					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	0.237	0.383	62	0.237	0.383	62	10-200	<1	30
n-Butyltin Cation	0.199	0.312	64	0.184	0.312	59	10-200	8	30
Tri-n-butyltin Cation	0.251	0.446	56	0.279	0.446	63	10-200	10	30

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Analyzed:**	03/10/22
Sample Matrix:	Ocean Water	**Date Extracted:**	02/25/22

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/L
Prep Method:	EPA 3520C	**Basis:**	NA
		Analysis Lot:	756982

	Lab Control Sample KQ2203083-01			Duplicate Lab Control Sample KQ2203083-02					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	0.155	0.383	40	0.208	0.383	54	10-200	29	30
n-Butyltin Cation	0.140	0.312	45	0.218	0.312	70	10-200	44 *	30
Tri-n-butyltin Cation	0.186	0.446	42	0.273	0.446	61	10-200	38 *	30

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Analyzed:**	03/10/22
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	03/02/22

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/L
Prep Method:	EPA 3520C	**Basis:**	NA
		Analysis Lot:	757128

	Lab Control Sample KQ2203383-01			Duplicate Lab Control Sample KQ2203383-02					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	0.371	0.383	97	0.240 P	0.383	63	10-200	43 *	30
n-Butyltin Cation	0.252	0.312	81	0.282	0.312	90	10-200	11	30
Tri-n-butyltin Cation	0.413	0.446	93	0.457	0.446	103	10-200	10	30

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2201845
Date Collected: 02/11/22 15:30
Date Received: 2/24/22

Sample Name: 22A3944-28
Lab Code: K2201845-003

Units: ug/Kg
Basis: Dry
Percent Solids: 81.5

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.23	0.25	0.43	53	JP	1	03/08/22 16:27
Di-n-butyltin Cation	0.19	0.20	0.35	55	JP	1	03/08/22 16:27
Tri-n-butyltin Cation	0.52	0.53	0.81	42	JP	1	03/08/22 16:27

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2201845
Date Collected: 02/15/22 15:10
Date Received: 2/24/22

Sample Name: 22A3944-32
Lab Code: K2201845-004

Units: ug/Kg
Basis: As Received
Percent Solids: 86.3

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	0.24	0.33	32	J	1	03/08/22 17:16
Di-n-butyltin Cation	0.22	0.27	0.38	34	J	1	03/08/22 17:16
Tri-n-butyltin Cation	0.49	1.1	1.4	24	J	1	03/08/22 17:16
Tri-n-butyltin Cation	0.43	0.91	1.2	27	J	1	03/08/22 17:16

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2201845
Date Collected: 02/20/22 15:30
Date Received: 2/26/22

Sample Name: 22A3944-21
Lab Code: K2201845-011

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.012	0.013	8	J	1	03/10/22 16:59
n-Butyltin Cation	0.029	0.16	0.20	22		1	03/10/22 16:59

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2201845
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2202936-01

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.237	0.306	25		1	03/08/22 19:47
Tri-n-butyltin Cation	0.012	0.251	0.356	35		1	03/08/22 19:47
n-Butyltin Cation	0.029	0.199	0.247	22		1	03/08/22 19:47

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2201845
Date Collected: NA
Date Received:

Sample Name: Duplicate Lab Control Sample
Lab Code: KQ2202936-02

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.237	0.303	24		1	03/08/22 20:05
Tri-n-butyltin Cation	0.012	0.279	0.356	24		1	03/08/22 20:05
n-Butyltin Cation	0.029	0.184	0.224	20		1	03/08/22 20:05

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2201845
Date Collected: 02/11/22 15:30
Date Received: 2/24/22

Sample Name: 22A3944-28
Lab Code: KQ2203058-01

Units: ug/Kg
Basis: Dry
Percent Solids: 81.5

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.24	11.5	13.2	14		1	03/08/22 18:56
Tri-n-butyltin Cation	0.53	15.0	18.2	19		1	03/08/22 18:56
n-Butyltin Cation	0.32	3.09	3.69	18		1	03/08/22 18:56

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2201845
Date Collected: 02/11/22 15:30
Date Received: 2/24/22

Sample Name: 22A3944-28
Lab Code: KQ2203058-02

Units: ug/Kg
Basis: Dry
Percent Solids: 81.5

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.23	9.45	11.5	20		1	03/08/22 19:13
Tri-n-butyltin Cation	0.52	13.0	16.2	22		1	03/08/22 19:13
n-Butyltin Cation	0.32	1.44	1.99	32		1	03/08/22 19:13

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2201845
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2203058-03

Units: ug/Kg
Basis: Dry

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	12.6	15.1	18		1	03/08/22 16:11
Tri-n-butyltin Cation	0.43	14.6	18.2	22		1	03/08/22 16:11
n-Butyltin Cation	0.26	6.32	7.39	16		1	03/08/22 16:11

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2201845
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2203083-01

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.155	0.195	23		1	03/10/22 19:59
Tri-n-butyltin Cation	0.012	0.186	0.239	25		1	03/10/22 19:59
n-Butyltin Cation	0.029	0.140	0.178	24		1	03/10/22 19:59

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2201845
Date Collected: NA
Date Received:

Sample Name: Duplicate Lab Control Sample
Lab Code: KQ2203083-02

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.208	0.262	23		1	03/10/22 20:15
Tri-n-butyltin Cation	0.012	0.273	0.351	25		1	03/10/22 20:15
n-Butyltin Cation	0.029	0.218	0.267	20		1	03/10/22 20:15

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Ocean Water

Service Request: K2201845
Date Collected: NA
Date Received:

Sample Name: Method Blank
Lab Code: KQ2203083-03

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.012	0.017	34	J	1	03/10/22 19:42

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2201845
Date Collected: 02/22/22 13:20
Date Received: 2/26/22

Sample Name: 22A3944-36
Lab Code: KQ2203312-01

Units: ug/Kg
Basis: Dry
Percent Solids: 76.1

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.76	15.7	18.4	16		4	03/08/22 15:22
Tri-n-butyltin Cation	1.8	18.3	22.0	18		4	03/08/22 15:22
n-Butyltin Cation	1.1	9.23	10.4	12		4	03/08/22 15:22

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2201845
Date Collected: 02/22/22 13:20
Date Received: 2/26/22

Sample Name: 22A3944-36
Lab Code: KQ2203312-02

Units: ug/Kg
Basis: Dry
Percent Solids: 76.1

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.76	18.0	21.3	17		4	03/08/22 15:38
Tri-n-butyltin Cation	1.8	21.4	25.9	19		4	03/08/22 15:38
n-Butyltin Cation	1.1	10.7	12.0	11		4	03/08/22 15:38

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Sediment

Service Request: K2201845
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2203312-03

Units: ug/Kg
Basis: Dry

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.76	15.0	17.5	15		4	03/08/22 13:11
Tri-n-butyltin Cation	1.8	19.0	22.1	15		4	03/08/22 13:11
n-Butyltin Cation	1.1	11.2	12.7	13		4	03/08/22 13:11

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2201845
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2203383-01

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.371	0.497	29		1	03/10/22 16:10
Tri-n-butyltin Cation	0.012	0.413	0.519	23		1	03/10/22 16:10
n-Butyltin Cation	0.029	0.252	0.335	28		1	03/10/22 16:10

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2201845
Date Collected: NA
Date Received:

Sample Name: Duplicate Lab Control Sample
Lab Code: KQ2203383-02

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.240	0.447	60	P	1	03/10/22 16:26
Tri-n-butyltin Cation	0.012	0.457	0.574	23		1	03/10/22 16:26
n-Butyltin Cation	0.029	0.282	0.300	6		1	03/10/22 16:26

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
SRM Matrix: Elutriate, Liquid

Service Request: K2201845
Date Collected: NA
Date Received:

Sample Name: Method Blank
Lab Code: KQ2203383-03

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.029	0.035	19	J	1	03/10/22 15:53

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	Dry, per Method
Lab Code:	K2201845-MB1		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic (TOC)	9060	ND U	Percent	0.10	0.02	1	03/04/22 11:02	03/03/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2201845-MB2		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/07/22 14:48	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/23/22 12:16	02/23/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2201845-MB3		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Carbon, Total Organic	415.1	ND U	mg/L	0.50	0.07	1	03/07/22 14:48	NA	
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/28/22 11:22	02/28/22	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2201845-MB4		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	03/07/22 12:24	03/07/22	

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project	22A3944	**Date Collected:**	02/11/22
Sample Matrix:	Sediment	**Date Received:**	02/24/22
		Date Analyzed:	02/24/22

Replicate Sample Summary
Inorganic Parameters

Sample Name:	22A3944-28	**Units:**	Percent
Lab Code:	K2201845-003	**Basis:**	As Received

Analyte Name	Analysis Method	MRL	Sample Result	Duplicate Sample K2201845-003DUP Result	Average	RPD	RPD Limit
Solids, Total	160.3 Modified	-	81.5	80.8	81.2	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project	22A3944	**Date Collected:**	02/22/22
Sample Matrix:	Sediment	**Date Received:**	02/26/22
		Date Analyzed:	03/02/22

Replicate Sample Summary
Inorganic Parameters

Sample Name:	22A3944-36	**Units:**	Percent
Lab Code:	K2201845-012	**Basis:**	As Received

Analyte Name	Analysis Method	MRL	Sample Result	Duplicate Sample K2201845-012DUP Result	Average	RPD	RPD Limit
Solids, Total	160.3 Modified	-	76.1	73.8	75.0	3	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Analyzed:**	03/04/22
Sample Matrix:	Sediment	**Date Extracted:**	03/03/22

Lab Control Sample Summary
Carbon, Total Organic (TOC)

Analysis Method:	9060	**Units:**	Percent
Prep Method:	Method	**Basis:**	Dry, per Method
		Analysis Lot:	756614

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2201845-LCS1	0.470	0.43	109	72-122

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
Sample Matrix: Ocean Water

Service Request: K2201845
Date Analyzed: 02/23/22 - 03/07/22

Lab Control Sample Summary
General Chemistry Parameters

Units:mg/L
Basis:NA

Lab Control Sample
K2201845-LCS3

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	415.1	25.1	25.0	100	83-117
Cyanide, Total	SM 4500-CN- E	0.0687	0.075	92	84-115

Client: North Water District Lab Services (NWDLS)
Project: 22A3944
Sample Matrix: Ocean Water

Service Request: K2201845
Date Analyzed: 03/07/22

Lab Control Sample Summary
General Chemistry Parameters

Units:mg/L
Basis:NA

Lab Control Sample
K2201845-LCS4

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	415.1	24.7	25.0	99	83-117
Cyanide, Total	SM 4500-CN- E	0.0749	0.075	100	84-115

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2201845
Project:	22A3944	**Date Analyzed:**	02/28/22
Sample Matrix:	Ocean Water	**Date Extracted:**	02/28/22

Duplicate Lab Control Sample Summary
General Chemistry Parameters

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	755881

	Lab Control Sample K2201845-LCS2			Duplicate Lab Control Sample K2201845-DLCS2					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Cyanide, Total	0.0783	0.075	104	0.0790	0.075	105	84-115	<1	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

September 14, 2022

LAB REPORT

Gregg Pawlak
Terracon_Houston
11555 Clay Road
Houston, TX 77043


Report ID: 20220914134931MM

RE: PCCA CDP TISSUE CHEM

The following test results meet all NELAP requirements for analytes for which certification is available. Any deviations from our quality system will be noted in the case narrative. All analyses performed by North Water District Laboratory Services, Inc. unless noted.

For questions regarding this report, contact Monica Martin at 936-321-6060.

Sincerely,



Monica O. Martin
Chief Administrative Officer

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Work Order Case Narrative

A total of 46 samples were collected on:

Laboratory ID	Sample Name	Sample Date
22F4240-01	MM-CDP-06-1	04/14/2022 13:00
22F4240-02	MM-CDP-06-2	04/14/2022 13:00
22F4240-03	MM-CDP-06-3	04/14/2022 13:00
22F4240-04	MM-CDP-06-4	04/14/2022 13:00
22F4240-05	MM-CDP-06-5	04/14/2022 13:00
22F4240-06	MM-CDP-07-1	04/14/2022 13:00
22F4240-07	MM-CDP-07-2	04/14/2022 13:00
22F4240-08	MM-CDP-07-3	04/14/2022 13:00
22F4240-09	MM-CDP-07-4	04/14/2022 13:00
22F4240-10	MM-CDP-07-5	04/14/2022 13:00
22F4240-11	MM-CDP-08-1	04/14/2022 13:00
22F4240-12	MM-CDP-08-2	04/14/2022 13:00
22F4240-13	MM-CDP-08-3	04/14/2022 13:00
22F4240-14	MM-CDP-08-4	04/14/2022 13:00
22F4240-15	MM-CDP-08-5	04/14/2022 13:00
22F4240-16	MM-CDP-09-1	04/14/2022 13:00
22F4240-17	MM-CDP-09-2	04/14/2022 13:00
22F4240-18	MM-CDP-09-3	04/14/2022 13:00
22F4240-19	MM-CDP-09-4	04/14/2022 13:00
22F4240-20	MM-CDP-09-5	04/14/2022 13:00
22F4240-21	MM-CDP-PRETEST-1	04/14/2022 13:00
22F4240-22	MM-CDP-PRETEST-2	04/14/2022 13:00
22F4240-23	MM-CDP-PRETEST-3	04/14/2022 13:00
22F4240-24	NV-CDP-06-1	04/15/2022 13:00
22F4240-25	NV-CDP-06-2	04/15/2022 13:00
22F4240-26	NV-CDP-06-3	04/15/2022 13:00
22F4240-27	NV-CDP-06-4	04/15/2022 13:00
22F4240-28	NV-CDP-06-5	04/15/2022 13:00
22F4240-29	NV-CDP-07-1	04/15/2022 13:00
22F4240-30	NV-CDP-07-2	04/15/2022 13:00
22F4240-31	NV-CDP-07-3	04/15/2022 13:00
22F4240-32	NV-CDP-07-4	04/15/2022 13:00
22F4240-33	NV-CDP-07-5	04/15/2022 13:00
22F4240-34	NV-CDP-08-1	04/15/2022 13:00
22F4240-35	NV-CDP-08-2	04/15/2022 13:00
22F4240-36	NV-CDP-08-3	04/15/2022 13:00
22F4240-37	NV-CDP-08-4	04/15/2022 13:00
22F4240-38	NV-CDP-08-5	04/15/2022 13:00
22F4240-39	NV-CDP-09-1	04/15/2022 13:00
22F4240-40	NV-CDP-09-2	04/15/2022 13:00
22F4240-41	NV-CDP-09-3	04/15/2022 13:00
22F4240-42	NV-CDP-09-4	04/15/2022 13:00
22F4240-43	NV-CDP-09-5	04/15/2022 13:00
22F4240-44	NV-CDP-PRETEST-1	04/15/2022 13:00
22F4240-45	NV-CDP-PRETEST-2	04/15/2022 13:00
22F4240-46	NV-CDP-PRETEST-3	04/15/2022 13:00

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

NTP was granted to NWDLS on 06/21/2022 16:00. Samples were held in freezer storage until analysis began. Any receiving discrepancies are recorded and stored in NWDLS' database. The samples received a Work Order of 22F4240. The lab sample IDs, client sample IDs, and dates of collection can be found at the top of each result page.

NWDLS provided their lowest detection limit for all requested analyses. Note that detection and reporting limits are adjusted to account for sample specific parameters.

Any QC that did not meet the laboratory specified control limits was flagged and reported with qualifiers. For additional information, please refer to the included quality control data pages.

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results

Client Sample ID: MM-CDP-06-1
Lab Sample ID: 22F4240-01
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Acenaphthylene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Anthracene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Benzo(a)anthracene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Benzo(a)pyrene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.90U	ug/kg	1	4.90	4.90	BFG3159	08/24/2022 22:37	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.45B, U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Chrysene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Di-n-butyl phthalate	A	2.47	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Fluoranthene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Fluorene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Naphthalene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Phenanthrene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	Pyrene	A	<2.45U	ug/kg	1	2.45	2.45	BFG3159	08/24/2022 22:37	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*72.4%*	*60-140*					*08/24/2022 22:37*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*93.9%*	*60-140*					*08/24/2022 22:37*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*81.1%*	*60-140*					*08/24/2022 22:37*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*83.9%*	*60-140*					*08/24/2022 22:37*	
SW-8270	*Surrogate: Phenol-d5-surr*		*95.5%*	*60-140*					*08/24/2022 22:37*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*25.0% S*	*60-140*					*08/24/2022 22:37*	
Metals, Total										
EPA 200.8	Antimony	N	<0.00283U	mg/kg	1	0.00283	0.0352	BFI0218	09/08/2022 14:17	TBB
EPA 200.8	Arsenic	N	1.17	mg/kg	1	0.00433	0.0176	BFI0218	09/08/2022 14:17	TBB
EPA 200.8	Beryllium	N	0.00303J	mg/kg	1	0.000352	0.00704	BFI0218	09/08/2022 14:17	TBB
EPA 200.8	Cadmium	N	0.0633	mg/kg	1	0.00111	0.0352	BFI0218	09/08/2022 14:17	TBB
EPA 200.8	Chromium	N	0.0285V, J	mg/kg	1	0.00259	0.106	BFI0218	09/08/2022 14:17	TBB
EPA 200.8	Copper	N	1.46V	mg/kg	1	0.00306	0.0352	BFI0218	09/08/2022 14:17	TBB
SW-7471B	Mercury	A	<0.00455 U	mg/kg	1	0.00455	0.00909	BFG2911	07/22/2022 17:16	EM
EPA 200.8	Lead	N	0.0505	mg/kg	1	0.00266	0.0176	BFI0218	09/08/2022 14:17	TBB
EPA 200.8	Nickel	N	0.362V	mg/kg	1	0.000623	0.0352	BFI0218	09/08/2022 14:17	TBB
EPA 200.8	Selenium	N	0.167J	mg/kg	1	0.0387	0.176	BFI0218	09/08/2022 14:17	TBB
EPA 200.8	Silver	N	0.0170J	mg/kg	1	0.000250	0.0176	BFI0218	09/08/2022 14:17	TBB
EPA 200.8	Thallium	N	0.000352J	mg/kg	1	0.000243	0.0176	BFI0218	09/08/2022 14:17	TBB
EPA 200.8	Zinc	N	14.5	mg/kg	2	0.0264	0.141	BFI0218	09/09/2022 10:03	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-1 (Continued)
Lab Sample ID: 22F4240-01
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	10.3		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-01RE1	Date Collected:	04/14/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	20.2	V	ug/kg	2	9.80	9.80	BFG3159	08/25/2022 23:08	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*44.3%*	*S*	*60-140*					*08/25/2022 23:08*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*69.9%*		*60-140*					*08/25/2022 23:08*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*60.3%*		*60-140*					*08/25/2022 23:08*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*59.2%*	*S*	*60-140*					*08/25/2022 23:08*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*81.7%*		*60-140*					*08/25/2022 23:08*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*41.9%*	*S*	*60-140*					*08/25/2022 23:08*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-2
Lab Sample ID: 22F4240-02
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Acenaphthylene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Anthracene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Benzo(a)anthracene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Benzo(a)pyrene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.42U	ug/kg	1	4.42	4.42	BFG3159	08/24/2022 23:12	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.21B, U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Chrysene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Di-n-butyl phthalate	A	5.35	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Fluoranthene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Fluorene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Naphthalene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Phenanthrene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	Phenol, Total	A	34.0V	ug/kg	1	4.42	4.42	BFG3159	08/24/2022 23:12	KRB
SW-8270	Pyrene	A	<2.21U	ug/kg	1	2.21	2.21	BFG3159	08/24/2022 23:12	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*75.7%*	*60-140*					*08/24/2022 23:12*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*85.5%*	*60-140*					*08/24/2022 23:12*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.1%*	*60-140*					*08/24/2022 23:12*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*83.9%*	*60-140*					*08/24/2022 23:12*	
SW-8270	*Surrogate: Phenol-d5-surr*		*108%*	*60-140*					*08/24/2022 23:12*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*22.5% S*	*60-140*					*08/24/2022 23:12*	
Metals, Total										
EPA 200.8	Antimony	N	<0.0372U	mg/kg	1	0.0372	0.462	BFH1125	08/17/2022 13:44	TBB
EPA 200.8	Arsenic	N	1.23	mg/kg	1	0.0568	0.231	BFH1125	08/17/2022 13:44	TBB
EPA 200.8	Beryllium	N	<0.00462U	mg/kg	1	0.00462	0.0923	BFH1125	08/17/2022 13:44	TBB
EPA 200.8	Cadmium	N	0.0640J	mg/kg	1	0.0146	0.462	BFH1125	08/17/2022 13:44	TBB
EPA 200.8	Chromium	N	0.199J	mg/kg	1	0.0339	1.38	BFH1125	08/17/2022 13:44	TBB
EPA 200.8	Copper	N	1.60	mg/kg	1	0.0402	0.462	BFH1125	08/17/2022 13:44	TBB
SW-7471B	Mercury	A	<0.00472 U	mg/kg	1	0.00472	0.00945	BFG2911	07/22/2022 17:19	EM
EPA 200.8	Lead	N	0.0453J	mg/kg	1	0.0348	0.231	BFH1125	08/17/2022 13:44	TBB
EPA 200.8	Nickel	N	0.371J	mg/kg	1	0.00817	0.462	BFH1125	08/17/2022 13:44	TBB
EPA 200.8	Selenium	N	<0.508U	mg/kg	1	0.508	2.31	BFH1125	08/23/2022 10:57	TBB
EPA 200.8	Silver	N	0.0195J	mg/kg	1	0.00328	0.231	BFH1125	08/17/2022 13:44	TBB
EPA 200.8	Thallium	N	<0.00318U	mg/kg	1	0.00318	0.231	BFH1125	08/17/2022 13:44	TBB
EPA 200.8	Zinc	N	10.8	mg/kg	1	0.173	0.923	BFH1125	08/23/2022 10:57	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-2 (Continued)	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-02	Date Collected:	04/14/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
SM 2540 G	% Solids	N	10.5		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-3
Lab Sample ID: 22F4240-03
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Acenaphthylene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Anthracene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Benzo(a)anthracene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Benzo(a)pyrene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.83U	ug/kg	1	4.83	4.83	BFG3159	08/24/2022 23:47	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.41B, U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Chrysene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Di-n-butyl phthalate	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Fluoranthene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Fluorene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Naphthalene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Phenanthrene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	Phenol, Total	A	48.5V	ug/kg	1	4.83	4.83	BFG3159	08/24/2022 23:47	KRB
SW-8270	Pyrene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/24/2022 23:47	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*71.7%*	*60-140*					*08/24/2022 23:47*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*88.2%*	*60-140*					*08/24/2022 23:47*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*82.1%*	*60-140*					*08/24/2022 23:47*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*81.9%*	*60-140*					*08/24/2022 23:47*	
SW-8270	*Surrogate: Phenol-d5-surr*		*107%*	*60-140*					*08/24/2022 23:47*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*22.9% S*	*60-140*					*08/24/2022 23:47*	
Metals, Total										
EPA 200.8	Antimony	N	<0.0374U	mg/kg	1	0.0374	0.465	BFH1125	08/17/2022 13:54	TBB
EPA 200.8	Arsenic	N	1.24	mg/kg	1	0.0572	0.233	BFH1125	08/17/2022 13:54	TBB
EPA 200.8	Beryllium	N	<0.00465U	mg/kg	1	0.00465	0.0930	BFH1125	08/17/2022 13:54	TBB
EPA 200.8	Cadmium	N	0.0712J	mg/kg	1	0.0147	0.465	BFH1125	08/17/2022 13:54	TBB
EPA 200.8	Chromium	N	0.0481J	mg/kg	1	0.0342	1.40	BFH1125	08/17/2022 13:54	TBB
EPA 200.8	Copper	N	1.98	mg/kg	1	0.0405	0.465	BFH1125	08/17/2022 13:54	TBB
SW-7471B	Mercury	A	<0.00458 U	mg/kg	1	0.00458	0.00916	BFG2911	07/22/2022 17:22	EM
EPA 200.8	Lead	N	0.0569J	mg/kg	1	0.0351	0.233	BFH1125	08/17/2022 13:54	TBB
EPA 200.8	Nickel	N	0.417J	mg/kg	1	0.00823	0.465	BFH1125	08/17/2022 13:54	TBB
EPA 200.8	Selenium	N	<0.512U	mg/kg	1	0.512	2.33	BFH1125	08/25/2022 12:27	TBB
EPA 200.8	Silver	N	0.0239J	mg/kg	1	0.00330	0.233	BFH1125	08/17/2022 13:54	TBB
EPA 200.8	Thallium	N	<0.00321U	mg/kg	1	0.00321	0.233	BFH1125	08/17/2022 13:54	TBB
EPA 200.8	Zinc	N	13.1	mg/kg	1	0.175	0.930	BFH1125	08/23/2022 11:06	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-3 (Continued)	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-03	Date Collected:	04/14/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
SM 2540 G	% Solids	N	11.1		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-4
Lab Sample ID: 22F4240-04
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Acenaphthylene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Anthracene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Benzo(a)anthracene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Benzo(a)pyrene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.82U	ug/kg	1	4.82	4.82	BFG3159	08/25/2022 00:22	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.41B, U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Chrysene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Di-n-butyl phthalate	A	2.71	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Fluoranthene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Fluorene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Naphthalene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Phenanthrene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	Phenol, Total	A	52.9V	ug/kg	1	4.82	4.82	BFG3159	08/25/2022 00:22	KRB
SW-8270	Pyrene	A	<2.41U	ug/kg	1	2.41	2.41	BFG3159	08/25/2022 00:22	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*72.7%*	*60-140*					*08/25/2022 00:22*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*84.4%*	*60-140*					*08/25/2022 00:22*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*86.6%*	*60-140*					*08/25/2022 00:22*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*83.9%*	*60-140*					*08/25/2022 00:22*	
SW-8270	*Surrogate: Phenol-d5-surr*		*106%*	*60-140*					*08/25/2022 00:22*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*24.5% S*	*60-140*					*08/25/2022 00:22*	
Metals, Total										
EPA 200.8	Antimony	N	0.00357J	mg/kg	1	0.00319	0.0397	BFI0218	09/08/2022 14:20	TBB
EPA 200.8	Arsenic	N	1.50	mg/kg	1	0.00488	0.0198	BFI0218	09/08/2022 14:20	TBB
EPA 200.8	Beryllium	N	0.0394	mg/kg	1	0.000397	0.00794	BFI0218	09/08/2022 14:20	TBB
EPA 200.8	Cadmium	N	0.0656	mg/kg	1	0.00125	0.0397	BFI0218	09/08/2022 14:20	TBB
EPA 200.8	Chromium	N	2.01V	mg/kg	1	0.00292	0.119	BFI0218	09/08/2022 14:20	TBB
EPA 200.8	Copper	N	1.93V	mg/kg	1	0.00345	0.0397	BFI0218	09/08/2022 14:20	TBB
SW-7471B	Mercury	A	<0.00451 U	mg/kg	1	0.00451	0.00902	BFG2911	07/22/2022 17:26	EM
EPA 200.8	Lead	N	0.763	mg/kg	1	0.00300	0.0198	BFI0218	09/08/2022 14:20	TBB
EPA 200.8	Nickel	N	1.41V	mg/kg	1	0.000702	0.0397	BFI0218	09/08/2022 14:20	TBB
EPA 200.8	Selenium	N	0.255	mg/kg	1	0.0437	0.198	BFI0218	09/08/2022 14:20	TBB
EPA 200.8	Silver	N	0.0390	mg/kg	1	0.000282	0.0198	BFI0218	09/08/2022 14:20	TBB
EPA 200.8	Thallium	N	0.0100J	mg/kg	1	0.000274	0.0198	BFI0218	09/08/2022 14:20	TBB
EPA 200.8	Zinc	N	16.8	mg/kg	2	0.0298	0.159	BFI0218	09/09/2022 10:06	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-4 (Continued)	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-04	Date Collected:	04/14/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
SM 2540 G	% Solids	N	13.4		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-5
Lab Sample ID: 22F4240-05
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Acenaphthylene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Anthracene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Benzo(a)anthracene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Benzo(a)pyrene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.80U	ug/kg	1	4.80	4.80	BFG3159	08/25/2022 00:57	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.40B, U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Chrysene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Di-n-butyl phthalate	A	4.68	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Fluoranthene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Fluorene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Naphthalene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Phenanthrene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	Phenol, Total	A	56.2V	ug/kg	1	4.80	4.80	BFG3159	08/25/2022 00:57	KRB
SW-8270	Pyrene	A	<2.40U	ug/kg	1	2.40	2.40	BFG3159	08/25/2022 00:57	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*76.4%*	*60-140*					*08/25/2022 00:57*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*87.2%*	*60-140*					*08/25/2022 00:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*87.0%*	*60-140*					*08/25/2022 00:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*84.0%*	*60-140*					*08/25/2022 00:57*	
SW-8270	*Surrogate: Phenol-d5-surr*		*104%*	*60-140*					*08/25/2022 00:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*22.6% S*	*60-140*					*08/25/2022 00:57*	
Metals, Total										
EPA 200.8	Antimony	N	<0.0369U	mg/kg	1	0.0369	0.458	BFH1125	08/17/2022 13:56	TBB
EPA 200.8	Arsenic	N	1.20	mg/kg	1	0.0563	0.229	BFH1125	08/17/2022 13:56	TBB
EPA 200.8	Beryllium	N	<0.00458U	mg/kg	1	0.00458	0.0916	BFH1125	08/17/2022 13:56	TBB
EPA 200.8	Cadmium	N	0.0669J	mg/kg	1	0.0145	0.458	BFH1125	08/17/2022 13:56	TBB
EPA 200.8	Chromium	N	0.0403J	mg/kg	1	0.0337	1.37	BFH1125	08/17/2022 13:56	TBB
EPA 200.8	Copper	N	1.56	mg/kg	1	0.0398	0.458	BFH1125	08/17/2022 13:56	TBB
SW-7471B	Mercury	A	<0.00405 U	mg/kg	1	0.00405	0.00811	BFG2911	07/22/2022 17:29	EM
EPA 200.8	Lead	N	0.0395J	mg/kg	1	0.0346	0.229	BFH1125	08/17/2022 13:56	TBB
EPA 200.8	Nickel	N	0.403J	mg/kg	1	0.00811	0.458	BFH1125	08/17/2022 13:56	TBB
EPA 200.8	Selenium	N	<0.504U	mg/kg	1	0.504	2.29	BFH1125	08/25/2022 12:30	TBB
EPA 200.8	Silver	N	0.0166J	mg/kg	1	0.00325	0.229	BFH1125	08/17/2022 13:56	TBB
EPA 200.8	Thallium	N	<0.00316U	mg/kg	1	0.00316	0.229	BFH1125	08/17/2022 13:56	TBB
EPA 200.8	Zinc	N	13.8	mg/kg	1	0.172	0.916	BFH1125	08/23/2022 11:09	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-5 (Continued)
Lab Sample ID: 22F4240-05
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
SM 2540 G	% Solids	N	10.1		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-1
Lab Sample ID: 22F4240-06
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total										
EPA 200.8	Antimony	N	<0.00300U	mg/kg	1	0.00300	0.0373	BFI0218	09/08/2022 14:22	TBB
EPA 200.8	Arsenic	N	1.01	mg/kg	1	0.00459	0.0187	BFI0218	09/08/2022 16:46	TBB
EPA 200.8	Beryllium	N	0.00157J	mg/kg	1	0.000373	0.00746	BFI0218	09/08/2022 14:22	TBB
EPA 200.8	Cadmium	N	0.0550	mg/kg	1	0.00118	0.0373	BFI0218	09/08/2022 14:22	TBB
EPA 200.8	Chromium	N	0.0333V, J	mg/kg	1	0.00274	0.112	BFI0218	09/08/2022 16:46	TBB
EPA 200.8	Copper	N	1.35V	mg/kg	1	0.00325	0.0373	BFI0218	09/08/2022 16:46	TBB
SW-7471B	Mercury	A	<0.00476 U	mg/kg	1	0.00476	0.00952	BFG2911	07/22/2022 17:39	EM
EPA 200.8	Lead	N	0.0527	mg/kg	1	0.00282	0.0187	BFI0218	09/08/2022 14:22	TBB
EPA 200.8	Nickel	N	0.306V	mg/kg	1	0.000660	0.0373	BFI0218	09/08/2022 16:46	TBB
EPA 200.8	Selenium	N	0.154J	mg/kg	1	0.0410	0.187	BFI0218	09/08/2022 14:22	TBB
EPA 200.8	Silver	N	0.0168J	mg/kg	1	0.000265	0.0187	BFI0218	09/08/2022 14:22	TBB
EPA 200.8	Thallium	N	<0.000257U	mg/kg	1	0.000257	0.0187	BFI0218	09/08/2022 14:22	TBB
EPA 200.8	Zinc	N	11.1	mg/kg	1	0.0140	0.0746	BFI0218	09/08/2022 16:46	TBB
General Chemistry										
SM 2540 G	% Solids	N	10.4	%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-2
Lab Sample ID: 22F4240-07
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	0.00552	J	mg/kg	1	0.00298	0.0370	BFI0218	09/08/2022 14:25	TBB
EPA 200.8	Arsenic	N	1.45		mg/kg	1	0.00456	0.0185	BFI0218	09/08/2022 14:25	TBB
EPA 200.8	Beryllium	N	0.0491		mg/kg	1	0.000370	0.00741	BFI0218	09/08/2022 14:25	TBB
EPA 200.8	Cadmium	N	0.0630		mg/kg	1	0.00117	0.0370	BFI0218	09/08/2022 14:25	TBB
EPA 200.8	Chromium	N	2.69	V	mg/kg	1	0.00272	0.111	BFI0218	09/08/2022 14:25	TBB
EPA 200.8	Copper	N	2.09	V	mg/kg	1	0.00322	0.0370	BFI0218	09/08/2022 14:25	TBB
SW-7471B	Mercury	A	<0.00458	U	mg/kg	1	0.00458	0.00916	BFH2169	08/16/2022 18:14	NAZ
EPA 200.8	Lead	N	0.957		mg/kg	1	0.00280	0.0185	BFI0218	09/08/2022 14:25	TBB
EPA 200.8	Nickel	N	1.72	V	mg/kg	1	0.000656	0.0370	BFI0218	09/08/2022 14:25	TBB
EPA 200.8	Selenium	N	0.278		mg/kg	1	0.0407	0.185	BFI0218	09/08/2022 14:25	TBB
EPA 200.8	Silver	N	0.0210		mg/kg	1	0.000263	0.0185	BFI0218	09/08/2022 14:25	TBB
EPA 200.8	Thallium	N	0.0138	J	mg/kg	1	0.000256	0.0185	BFI0218	09/08/2022 14:25	TBB
EPA 200.8	Zinc	N	14.1		mg/kg	1	0.0139	0.0741	BFI0218	09/08/2022 16:48	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.3		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-3
Lab Sample ID: 22F4240-08
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total										
EPA 200.8	Antimony	N	<0.00258U	mg/kg	1	0.00258	0.0321	BFI0218	09/08/2022 14:09	TBB
EPA 200.8	Arsenic	N	0.909	mg/kg	1	0.00394	0.0160	BFI0218	09/08/2022 14:09	TBB
EPA 200.8	Beryllium	N	0.00170J	mg/kg	1	0.000321	0.00641	BFI0218	09/08/2022 14:09	TBB
EPA 200.8	Cadmium	N	0.0518	mg/kg	1	0.00101	0.0321	BFI0218	09/08/2022 14:09	TBB
EPA 200.8	Chromium	N	0.0339V, J	mg/kg	1	0.00236	0.0962	BFI0218	09/08/2022 14:09	TBB
EPA 200.8	Copper	N	1.26V	mg/kg	1	0.00279	0.0321	BFI0218	09/08/2022 14:09	TBB
SW-7471B	Mercury	A	<0.00414 U	mg/kg	1	0.00414	0.00828	BFH1159	08/09/2022 18:47	NAZ
EPA 200.8	Lead	N	0.0487	mg/kg	1	0.00242	0.0160	BFI0218	09/08/2022 14:09	TBB
EPA 200.8	Nickel	N	0.281V	mg/kg	1	0.000567	0.0321	BFI0218	09/08/2022 14:09	TBB
EPA 200.8	Selenium	N	0.141J	mg/kg	1	0.0353	0.160	BFI0218	09/08/2022 14:09	TBB
EPA 200.8	Silver	N	0.0163	mg/kg	1	0.000228	0.0160	BFI0218	09/08/2022 14:09	TBB
EPA 200.8	Thallium	N	<0.000221U	mg/kg	1	0.000221	0.0160	BFI0218	09/08/2022 14:09	TBB
EPA 200.8	Zinc	N	10.7	mg/kg	1	0.0120	0.0641	BFI0218	09/08/2022 16:27	TBB
General Chemistry										
SM 2540 G	% Solids	N	8.75	%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-4
Lab Sample ID: 22F4240-09
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	<0.0350	U	mg/kg	1	0.0350	0.435	BFH1125	08/17/2022 13:58	TBB
EPA 200.8	Arsenic	N	1.29		mg/kg	1	0.0535	0.217	BFH1125	08/17/2022 13:58	TBB
EPA 200.8	Beryllium	N	0.0385	J	mg/kg	1	0.00435	0.0870	BFH1125	08/17/2022 13:58	TBB
EPA 200.8	Cadmium	N	0.0687	J	mg/kg	1	0.0137	0.435	BFH1125	08/17/2022 13:58	TBB
EPA 200.8	Chromium	N	2.16		mg/kg	1	0.0320	1.30	BFH1125	08/17/2022 13:58	TBB
EPA 200.8	Copper	N	2.09		mg/kg	1	0.0378	0.435	BFH1125	08/17/2022 13:58	TBB
SW-7471B	Mercury	A	<0.00469	U	mg/kg	1	0.00469	0.00937	BFH2169	08/16/2022 18:17	NAZ
EPA 200.8	Lead	N	0.844		mg/kg	1	0.0328	0.217	BFH1125	08/17/2022 13:58	TBB
EPA 200.8	Nickel	N	1.52		mg/kg	1	0.00770	0.435	BFH1125	08/17/2022 13:58	TBB
EPA 200.8	Selenium	N	<0.478	U	mg/kg	1	0.478	2.17	BFH1125	08/25/2022 12:33	TBB
EPA 200.8	Silver	N	0.0202	J	mg/kg	1	0.00309	0.217	BFH1125	08/17/2022 13:58	TBB
EPA 200.8	Thallium	N	0.0121	J	mg/kg	1	0.00300	0.217	BFH1125	08/17/2022 13:58	TBB
EPA 200.8	Zinc	N	14.3		mg/kg	1	0.163	0.870	BFH1125	08/25/2022 12:33	TBB
General Chemistry											
SM 2540 G	% Solids	N	11.3		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-5
Lab Sample ID: 22F4240-10
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	<0.00325	U	mg/kg	1	0.00325	0.0403	BFI0218	09/08/2022 14:49	TBB
EPA 200.8	Arsenic	N	0.962		mg/kg	1	0.00496	0.0202	BFI0218	09/08/2022 17:09	TBB
EPA 200.8	Beryllium	N	0.00282	J	mg/kg	1	0.000403	0.00806	BFI0218	09/08/2022 14:49	TBB
EPA 200.8	Cadmium	N	0.0573		mg/kg	1	0.00127	0.0403	BFI0218	09/08/2022 14:49	TBB
EPA 200.8	Chromium	N	0.0618	V, J	mg/kg	1	0.00296	0.121	BFI0218	09/08/2022 17:09	TBB
EPA 200.8	Copper	N	1.36	V	mg/kg	1	0.00351	0.0403	BFI0218	09/08/2022 17:09	TBB
EPA 200.8	Lead	N	0.0878		mg/kg	1	0.00304	0.0202	BFI0218	09/08/2022 17:09	TBB
EPA 200.8	Nickel	N	0.353	V	mg/kg	1	0.000714	0.0403	BFI0218	09/08/2022 17:09	TBB
EPA 200.8	Selenium	N	0.146	J	mg/kg	1	0.0444	0.202	BFI0218	09/08/2022 19:03	TBB
EPA 200.8	Silver	N	0.0196	J	mg/kg	1	0.000286	0.0202	BFI0218	09/08/2022 14:49	TBB
EPA 200.8	Thallium	N	0.000363	J	mg/kg	1	0.000278	0.0202	BFI0218	09/08/2022 17:09	TBB
EPA 200.8	Zinc	N	12.2		mg/kg	1	0.0151	0.0806	BFI0218	09/08/2022 17:09	TBB
General Chemistry											
SM 2540 G	% Solids	N	8.62		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	MM-CDP-07-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-10RE1	Date Collected:	04/14/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.00448	U	mg/kg	1	0.00448	0.00896	BFI0732	09/07/2022 13:56	NAZ

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-08-1
Lab Sample ID: 22F4240-11
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	4.04	V	ug/kg	1	2.14	2.14	BFG3163	08/18/2022 06:55	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*11.0%*	*S*	*60-140*					*08/18/2022 06:55*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*80.5%*		*60-140*					*08/18/2022 06:55*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.1%*		*60-140*					*08/18/2022 06:55*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*89.4%*		*60-140*					*08/18/2022 06:55*	
SW-8270	*Surrogate: Phenol-d5-surr*		*120%*		*60-140*					*08/18/2022 06:55*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*70.8%*		*60-140*					*08/18/2022 06:55*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00305	U	mg/kg	1	0.00305	0.0379	BFI0218	09/08/2022 14:36	TBB
EPA 200.8	Arsenic	N	0.891		mg/kg	1	0.00466	0.0189	BFI0218	09/08/2022 16:50	TBB
EPA 200.8	Beryllium	N	0.00136	J	mg/kg	1	0.000379	0.00758	BFI0218	09/08/2022 14:36	TBB
EPA 200.8	Cadmium	N	0.0574		mg/kg	1	0.00120	0.0379	BFI0218	09/08/2022 14:36	TBB
EPA 200.8	Chromium	N	0.0321	V, J	mg/kg	1	0.00278	0.114	BFI0218	09/08/2022 16:50	TBB
EPA 200.8	Copper	N	1.36	V	mg/kg	1	0.00330	0.0379	BFI0218	09/08/2022 16:50	TBB
SW-7471B	Mercury	A	<0.00423	B, U	mg/kg	1	0.00423	0.00845	BFH2628	08/18/2022 20:33	NAZ
EPA 200.8	Lead	N	0.0562		mg/kg	1	0.00286	0.0189	BFI0218	09/08/2022 16:50	TBB
EPA 200.8	Nickel	N	0.335	V	mg/kg	1	0.000670	0.0379	BFI0218	09/08/2022 16:50	TBB
EPA 200.8	Selenium	N	0.128	J	mg/kg	1	0.0417	0.189	BFI0218	09/08/2022 18:50	TBB
EPA 200.8	Silver	N	0.0179	J	mg/kg	1	0.000269	0.0189	BFI0218	09/08/2022 14:36	TBB
EPA 200.8	Thallium	N	0.000568	J	mg/kg	1	0.000261	0.0189	BFI0218	09/08/2022 16:50	TBB
EPA 200.8	Zinc	N	11.7		mg/kg	1	0.0142	0.0758	BFI0218	09/08/2022 16:50	TBB
General Chemistry											
SM 2540 G	% Solids	A	9.50		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-08-1
Lab Sample ID: 22F4240-11RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate (Rerun)	A	19.4	V	ug/kg	1	2.14	2.14	BFG3163	08/25/2022 06:05	KRB
SW-8270	Phenol, Total (Rerun)	A	64.4	V	ug/kg	1	4.28	4.28	BFG3163	08/25/2022 06:05	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*8.46%*	*S*	*60-140*					*08/25/2022 06:05*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*78.0%*		*60-140*					*08/25/2022 06:05*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*82.5%*		*60-140*					*08/25/2022 06:05*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*104%*		*60-140*					*08/25/2022 06:05*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*107%*		*60-140*					*08/25/2022 06:05*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*72.9%*		*60-140*					*08/25/2022 06:05*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-08-2
Lab Sample ID: 22F4240-12
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	7.42	V	ug/kg	1	2.29	2.29	BFG3163	08/18/2022 07:29	KRB
SW-8270	Di-n-butyl phthalate	A	5.07	V	ug/kg	1	2.29	2.29	BFG3163	08/18/2022 07:29	KRB
SW-8270	Phenol, Total	A	68.5	V	ug/kg	1	4.57	4.57	BFG3163	08/18/2022 07:29	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*9.31%*	*S*	*60-140*					*08/18/2022 07:29*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*77.6%*		*60-140*					*08/18/2022 07:29*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*59.7%*	*S*	*60-140*					*08/18/2022 07:29*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*88.9%*		*60-140*					*08/18/2022 07:29*	
SW-8270	*Surrogate: Phenol-d5-surr*		*118%*		*60-140*					*08/18/2022 07:29*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*71.6%*		*60-140*					*08/18/2022 07:29*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00317	U	mg/kg	1	0.00317	0.0394	BFI0218	09/08/2022 14:38	TBB
EPA 200.8	Arsenic	N	0.833		mg/kg	1	0.00484	0.0197	BFI0218	09/08/2022 16:53	TBB
EPA 200.8	Beryllium	N	0.00169	J	mg/kg	1	0.000394	0.00787	BFI0218	09/08/2022 14:38	TBB
EPA 200.8	Cadmium	N	0.0565		mg/kg	1	0.00124	0.0394	BFI0218	09/08/2022 14:38	TBB
EPA 200.8	Chromium	N	0.0330	V, J	mg/kg	1	0.00289	0.118	BFI0218	09/08/2022 16:53	TBB
EPA 200.8	Copper	N	1.18	V	mg/kg	1	0.00343	0.0394	BFI0218	09/08/2022 16:53	TBB
SW-7471B	Mercury	A	<0.00462	U	mg/kg	1	0.00462	0.00923	BFG2911	07/22/2022 17:42	EM
EPA 200.8	Lead	N	0.0462		mg/kg	1	0.00297	0.0197	BFI0218	09/08/2022 16:53	TBB
EPA 200.8	Nickel	N	0.318	V	mg/kg	1	0.000697	0.0394	BFI0218	09/08/2022 16:53	TBB
EPA 200.8	Selenium	N	0.132	J	mg/kg	1	0.0433	0.197	BFI0218	09/08/2022 18:53	TBB
EPA 200.8	Silver	N	0.0141	J	mg/kg	1	0.000280	0.0197	BFI0218	09/08/2022 14:38	TBB
EPA 200.8	Thallium	N	0.000433	J	mg/kg	1	0.000272	0.0197	BFI0218	09/08/2022 16:53	TBB
EPA 200.8	Zinc	N	11.8		mg/kg	1	0.0148	0.0787	BFI0218	09/08/2022 16:53	TBB
General Chemistry											
SM 2540 G	% Solids	A	9.15		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-08-3
Lab Sample ID: 22F4240-13
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	7.04	V	ug/kg	1	2.43	2.43	BFG3163	08/18/2022 08:04	KRB
SW-8270	Di-n-butyl phthalate	A	5.20	V	ug/kg	1	2.43	2.43	BFG3163	08/18/2022 08:04	KRB
SW-8270	Phenol, Total	A	72.4	V	ug/kg	1	4.86	4.86	BFG3163	08/18/2022 08:04	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*15.1%*	*S*	*60-140*					*08/18/2022 08:04*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*72.1%*		*60-140*					*08/18/2022 08:04*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*78.0%*		*60-140*					*08/18/2022 08:04*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*88.9%*		*60-140*					*08/18/2022 08:04*	
SW-8270	*Surrogate: Phenol-d5-surr*		*134%*		*60-140*					*08/18/2022 08:04*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*66.6%*		*60-140*					*08/18/2022 08:04*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0374	U	mg/kg	1	0.0374	0.465	BFH1125	08/17/2022 14:01	TBB
EPA 200.8	Arsenic	N	0.997		mg/kg	1	0.0572	0.233	BFH1125	08/17/2022 14:01	TBB
EPA 200.8	Beryllium	N	<0.00465	U	mg/kg	1	0.00465	0.0930	BFH1125	08/17/2022 14:01	TBB
EPA 200.8	Cadmium	N	0.0574	J	mg/kg	1	0.0147	0.465	BFH1125	08/17/2022 14:01	TBB
EPA 200.8	Chromium	N	0.0400	J	mg/kg	1	0.0342	1.40	BFH1125	08/17/2022 14:01	TBB
EPA 200.8	Copper	N	1.47		mg/kg	1	0.0405	0.465	BFH1125	08/17/2022 14:01	TBB
SW-7471B	Mercury	A	<0.00423	U	mg/kg	1	0.00423	0.00845	BFH2169	08/16/2022 18:20	NAZ
EPA 200.8	Lead	N	0.0511	J	mg/kg	1	0.0351	0.233	BFH1125	08/17/2022 14:01	TBB
EPA 200.8	Nickel	N	0.409	J	mg/kg	1	0.00823	0.465	BFH1125	08/17/2022 14:01	TBB
EPA 200.8	Selenium	N	<0.512	U	mg/kg	1	0.512	2.33	BFH1125	08/25/2022 12:39	TBB
EPA 200.8	Silver	N	0.0181	J	mg/kg	1	0.00330	0.233	BFH1125	08/17/2022 14:01	TBB
EPA 200.8	Thallium	N	<0.00321	U	mg/kg	1	0.00321	0.233	BFH1125	08/17/2022 14:01	TBB
EPA 200.8	Zinc	N	12.9		mg/kg	1	0.175	0.930	BFH1125	08/23/2022 11:13	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.1		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-08-4
Lab Sample ID: 22F4240-14
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	5.39	V	ug/kg	1	2.43	2.43	BFG3163	08/18/2022 08:38	KRB
SW-8270	Di-n-butyl phthalate	A	24.6	V	ug/kg	1	2.43	2.43	BFG3163	08/18/2022 08:38	KRB
SW-8270	Phenol, Total	A	91.5	V	ug/kg	1	4.86	4.86	BFG3163	08/18/2022 08:38	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*8.09%*	*S*	*60-140*					*08/18/2022 08:38*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*61.3%*		*60-140*					*08/18/2022 08:38*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*63.5%*		*60-140*					*08/18/2022 08:38*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*87.1%*		*60-140*					*08/18/2022 08:38*	
SW-8270	*Surrogate: Phenol-d5-surr*		*115%*		*60-140*					*08/18/2022 08:38*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*58.8%*	*S*	*60-140*					*08/18/2022 08:38*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00270	U	mg/kg	1	0.00270	0.0336	BFI0218	09/08/2022 14:41	TBB
EPA 200.8	Arsenic	N	1.40		mg/kg	1	0.00413	0.0168	BFI0218	09/08/2022 16:55	TBB
EPA 200.8	Beryllium	N	0.00195	J	mg/kg	1	0.000336	0.00671	BFI0218	09/08/2022 14:41	TBB
EPA 200.8	Cadmium	N	0.0646		mg/kg	1	0.00106	0.0336	BFI0218	09/08/2022 14:41	TBB
EPA 200.8	Chromium	N	0.0287	V, J	mg/kg	1	0.00247	0.101	BFI0218	09/08/2022 16:55	TBB
EPA 200.8	Copper	N	1.43	V	mg/kg	1	0.00292	0.0336	BFI0218	09/08/2022 16:55	TBB
SW-7471B	Mercury	A	<0.00426	U	mg/kg	1	0.00426	0.00851	BFH1159	08/09/2022 18:57	NAZ
EPA 200.8	Lead	N	0.0584		mg/kg	1	0.00253	0.0168	BFI0218	09/08/2022 16:55	TBB
EPA 200.8	Nickel	N	0.393	V	mg/kg	1	0.000594	0.0336	BFI0218	09/08/2022 16:55	TBB
EPA 200.8	Selenium	N	0.187		mg/kg	1	0.0369	0.168	BFI0218	09/08/2022 18:55	TBB
EPA 200.8	Silver	N	0.0245		mg/kg	1	0.000238	0.0168	BFI0218	09/08/2022 14:41	TBB
EPA 200.8	Thallium	N	0.000772	J	mg/kg	1	0.000232	0.0168	BFI0218	09/08/2022 16:55	TBB
EPA 200.8	Zinc	N	13.9		mg/kg	2	0.0252	0.134	BFI0218	09/09/2022 10:09	TBB
General Chemistry											
SM 2540 G	% Solids	A	11.5		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-08-5
Lab Sample ID: 22F4240-15
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Bis(2-ethylhexyl)phthalate	A	11.0V	ug/kg	1	2.39	2.39	BFG3163	08/18/2022 09:12	KRB
SW-8270	Di-n-butyl phthalate	A	5.22V	ug/kg	1	2.39	2.39	BFG3163	08/18/2022 09:12	KRB
SW-8270	Phenol, Total	A	76.8V	ug/kg	1	4.78	4.78	BFG3163	08/18/2022 09:12	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*13.9% S*	*60-140*					*08/18/2022 09:12*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*67.8%*	*60-140*					*08/18/2022 09:12*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*60.8%*	*60-140*					*08/18/2022 09:12*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*99.5%*	*60-140*					*08/18/2022 09:12*	
SW-8270	*Surrogate: Phenol-d5-surr*		*116%*	*60-140*					*08/18/2022 09:12*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*59.6% S*	*60-140*					*08/18/2022 09:12*	
Metals, Total										
EPA 200.8	Antimony	N	<0.00310U	mg/kg	1	0.00310	0.0385	BFI0218	09/08/2022 14:44	TBB
EPA 200.8	Arsenic	N	1.11	mg/kg	1	0.00473	0.0192	BFI0218	09/08/2022 16:57	TBB
EPA 200.8	Beryllium	N	0.00212J	mg/kg	1	0.000385	0.00769	BFI0218	09/08/2022 14:44	TBB
EPA 200.8	Cadmium	N	0.0655	mg/kg	1	0.00122	0.0385	BFI0218	09/08/2022 14:44	TBB
EPA 200.8	Chromium	N	0.0521V, J	mg/kg	1	0.00283	0.115	BFI0218	09/08/2022 16:57	TBB
EPA 200.8	Copper	N	1.52V	mg/kg	1	0.00335	0.0385	BFI0218	09/08/2022 16:57	TBB
EPA 200.8	Lead	N	0.0562	mg/kg	1	0.00290	0.0192	BFI0218	09/08/2022 16:57	TBB
EPA 200.8	Nickel	N	0.346V	mg/kg	1	0.000681	0.0385	BFI0218	09/08/2022 16:57	TBB
EPA 200.8	Selenium	N	0.177J	mg/kg	1	0.0423	0.192	BFI0218	09/08/2022 18:58	TBB
EPA 200.8	Silver	N	0.0166J	mg/kg	1	0.000273	0.0192	BFI0218	09/08/2022 14:44	TBB
EPA 200.8	Thallium	N	0.000615J	mg/kg	1	0.000265	0.0192	BFI0218	09/08/2022 16:57	TBB
EPA 200.8	Zinc	N	14.4	mg/kg	1	0.0144	0.0769	BFI0218	09/08/2022 16:57	TBB
General Chemistry										
SM 2540 G	% Solids	A	10.7	%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	MM-CDP-08-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-15RE1	Date Collected:	04/14/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.00469	U	mg/kg	1	0.00469	0.00937	BFI0732	09/07/2022 14:05	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-09-1
Lab Sample ID: 22F4240-16
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	6.52	V	ug/kg	1	2.23	2.23	BFG3163	08/18/2022 09:46	KRB
SW-8270	Di-n-butyl phthalate	A	26.3	V	ug/kg	1	2.23	2.23	BFG3163	08/18/2022 09:46	KRB
SW-8270	Phenol, Total	A	70.2	V	ug/kg	1	4.46	4.46	BFG3163	08/18/2022 09:46	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*6.58%*	*S*	*60-140*					*08/18/2022 09:46*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*74.7%*		*60-140*					*08/18/2022 09:46*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*79.9%*		*60-140*					*08/18/2022 09:46*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*99.2%*		*60-140*					*08/18/2022 09:46*	
SW-8270	*Surrogate: Phenol-d5-surr*		*126%*		*60-140*					*08/18/2022 09:46*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*68.4%*		*60-140*					*08/18/2022 09:46*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0380	U	mg/kg	1	0.0380	0.472	BFH2042	08/22/2022 15:31	TBB
EPA 200.8	Arsenic	N	0.762		mg/kg	1	0.0581	0.236	BFH2042	08/17/2022 18:28	TBB
EPA 200.8	Beryllium	N	<0.00472	U	mg/kg	1	0.00472	0.0945	BFH2042	08/22/2022 15:31	TBB
EPA 200.8	Cadmium	N	0.0384	J	mg/kg	1	0.0149	0.472	BFH2042	08/17/2022 18:28	TBB
EPA 200.8	Chromium	N	<0.0347	U	mg/kg	1	0.0347	1.42	BFH2042	08/17/2022 18:28	TBB
EPA 200.8	Copper	N	1.12		mg/kg	1	0.0411	0.472	BFH2042	08/17/2022 18:28	TBB
SW-7471B	Mercury	A	<0.00444	B, U	mg/kg	1	0.00444	0.00889	BFH2628	08/18/2022 20:37	NAZ
EPA 200.8	Lead	N	0.0373	J	mg/kg	1	0.0357	0.236	BFH2042	08/22/2022 15:31	TBB
EPA 200.8	Nickel	N	0.288	J	mg/kg	1	0.00836	0.472	BFH2042	08/17/2022 18:28	TBB
EPA 200.8	Selenium	N	<0.520	U	mg/kg	1	0.520	2.36	BFH2042	08/23/2022 19:43	TBB
EPA 200.8	Silver	N	0.0122	J	mg/kg	1	0.00335	0.236	BFH2042	08/22/2022 15:31	TBB
EPA 200.8	Thallium	N	<0.00326	U	mg/kg	1	0.00326	0.236	BFH2042	08/17/2022 18:28	TBB
EPA 200.8	Zinc	N	11.0		mg/kg	1	0.177	0.945	BFH2042	08/22/2022 18:29	TBB
General Chemistry											
SM 2540 G	% Solids	A	8.05		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-09-2
Lab Sample ID: 22F4240-17
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	3.72	V	ug/kg	1	2.44	2.44	BFG3163	08/18/2022 10:54	KRB
SW-8270	Di-n-butyl phthalate	A	6.52	V	ug/kg	1	2.44	2.44	BFG3163	08/18/2022 10:54	KRB
SW-8270	Phenol, Total	A	75.1	V	ug/kg	1	4.88	4.88	BFG3163	08/18/2022 10:54	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*7.32%*	*S*	*60-140*					*08/18/2022 10:54*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*78.0%*		*60-140*					*08/18/2022 10:54*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*71.4%*		*60-140*					*08/18/2022 10:54*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*104%*		*60-140*					*08/18/2022 10:54*	
SW-8270	*Surrogate: Phenol-d5-surr*		*119%*		*60-140*					*08/18/2022 10:54*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*71.7%*		*60-140*					*08/18/2022 10:54*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00294	U	mg/kg	1	0.00294	0.0365	BFI0218	09/08/2022 14:46	TBB
EPA 200.8	Arsenic	N	0.911		mg/kg	1	0.00449	0.0182	BFI0218	09/08/2022 17:07	TBB
EPA 200.8	Beryllium	N	0.00157	J	mg/kg	1	0.000365	0.00730	BFI0218	09/08/2022 14:46	TBB
EPA 200.8	Cadmium	N	0.0552		mg/kg	1	0.00115	0.0365	BFI0218	09/08/2022 14:46	TBB
EPA 200.8	Chromium	N	0.0358	V, J	mg/kg	1	0.00268	0.109	BFI0218	09/08/2022 17:07	TBB
EPA 200.8	Copper	N	1.27	V	mg/kg	1	0.00318	0.0365	BFI0218	09/08/2022 17:07	TBB
SW-7471B	Mercury	A	<0.00432	U	mg/kg	1	0.00432	0.00863	BFH1159	08/09/2022 19:00	NAZ
EPA 200.8	Lead	N	0.0548		mg/kg	1	0.00276	0.0182	BFI0218	09/08/2022 17:07	TBB
EPA 200.8	Nickel	N	0.327	V	mg/kg	1	0.000646	0.0365	BFI0218	09/08/2022 17:07	TBB
EPA 200.8	Selenium	N	0.155	J	mg/kg	1	0.0401	0.182	BFI0218	09/08/2022 19:01	TBB
EPA 200.8	Silver	N	0.0172	J	mg/kg	1	0.000259	0.0182	BFI0218	09/08/2022 14:46	TBB
EPA 200.8	Thallium	N	0.000401	J	mg/kg	1	0.000252	0.0182	BFI0218	09/08/2022 17:07	TBB
EPA 200.8	Zinc	N	11.7		mg/kg	1	0.0137	0.0730	BFI0218	09/08/2022 17:07	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.0		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-09-3
Lab Sample ID: 22F4240-18
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	6.52	V	ug/kg	1	2.30	2.30	BFG3163	08/18/2022 11:29	KRB
SW-8270	Di-n-butyl phthalate	A	22.1	V	ug/kg	1	2.30	2.30	BFG3163	08/18/2022 11:29	KRB
SW-8270	Phenol, Total	A	89.2	V	ug/kg	1	4.60	4.60	BFG3163	08/18/2022 11:29	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*5.54%*	*S*	*60-140*					*08/18/2022 11:29*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*62.1%*		*60-140*					*08/18/2022 11:29*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*58.7%*	*S*	*60-140*					*08/18/2022 11:29*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*92.9%*		*60-140*					*08/18/2022 11:29*	
SW-8270	*Surrogate: Phenol-d5-surr*		*97.9%*		*60-140*					*08/18/2022 11:29*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*69.9%*		*60-140*					*08/18/2022 11:29*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00274	U	mg/kg	1	0.00274	0.0340	BFI0218	09/08/2022 14:57	TBB
EPA 200.8	Arsenic	N	1.17		mg/kg	1	0.00418	0.0170	BFI0218	09/08/2022 17:16	TBB
EPA 200.8	Beryllium	N	0.00180	J	mg/kg	1	0.000340	0.00680	BFI0218	09/08/2022 14:57	TBB
EPA 200.8	Cadmium	N	0.0535		mg/kg	1	0.00107	0.0340	BFI0218	09/08/2022 14:57	TBB
EPA 200.8	Chromium	N	0.0265	V, J	mg/kg	1	0.00250	0.102	BFI0218	09/08/2022 17:16	TBB
EPA 200.8	Copper	N	1.51	V	mg/kg	1	0.00296	0.0340	BFI0218	09/08/2022 17:16	TBB
SW-7471B	Mercury	A	<0.00368	U	mg/kg	1	0.00368	0.00736	BFH1159	08/09/2022 19:10	NAZ
EPA 200.8	Lead	N	0.0797		mg/kg	1	0.00257	0.0170	BFI0218	09/08/2022 17:16	TBB
EPA 200.8	Nickel	N	0.297	V	mg/kg	1	0.000602	0.0340	BFI0218	09/08/2022 17:16	TBB
EPA 200.8	Selenium	N	0.186		mg/kg	1	0.0374	0.170	BFI0218	09/08/2022 19:11	TBB
EPA 200.8	Silver	N	0.0182		mg/kg	1	0.000241	0.0170	BFI0218	09/08/2022 14:57	TBB
EPA 200.8	Thallium	N	0.000612	J	mg/kg	1	0.000235	0.0170	BFI0218	09/08/2022 17:16	TBB
EPA 200.8	Zinc	N	13.2		mg/kg	1	0.0128	0.0680	BFI0218	09/08/2022 17:16	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.1		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-09-4
Lab Sample ID: 22F4240-19
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	5.89	V	ug/kg	1	2.39	2.39	BFG3163	08/18/2022 12:03	KRB
SW-8270	Di-n-butyl phthalate	A	5.45	V	ug/kg	1	2.39	2.39	BFG3163	08/18/2022 12:03	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*8.88%*	*S*	*60-140*					*08/18/2022 12:03*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*98.6%*		*60-140*					*08/18/2022 12:03*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*70.0%*		*60-140*					*08/18/2022 12:03*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*107%*		*60-140*					*08/18/2022 12:03*	
SW-8270	*Surrogate: Phenol-d5-surr*		*112%*		*60-140*					*08/18/2022 12:03*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*76.5%*		*60-140*					*08/18/2022 12:03*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00237	U	mg/kg	1	0.00237	0.0294	BFI0218	09/08/2022 14:59	TBB
EPA 200.8	Arsenic	N	1.16		mg/kg	1	0.00362	0.0147	BFI0218	09/08/2022 17:18	TBB
EPA 200.8	Beryllium	N	0.00153	J	mg/kg	1	0.000294	0.00588	BFI0218	09/08/2022 14:59	TBB
EPA 200.8	Cadmium	N	0.0527		mg/kg	1	0.000929	0.0294	BFI0218	09/08/2022 14:59	TBB
EPA 200.8	Chromium	N	0.0203	V, J	mg/kg	1	0.00216	0.0882	BFI0218	09/08/2022 17:18	TBB
EPA 200.8	Copper	N	1.25	V	mg/kg	1	0.00256	0.0294	BFI0218	09/08/2022 17:18	TBB
SW-7471B	Mercury	A	<0.00392	U	mg/kg	1	0.00392	0.00784	BFH1159	08/09/2022 19:13	NAZ
EPA 200.8	Lead	N	0.0394		mg/kg	1	0.00222	0.0147	BFI0218	09/08/2022 17:18	TBB
EPA 200.8	Nickel	N	0.292	V	mg/kg	1	0.000521	0.0294	BFI0218	09/08/2022 17:18	TBB
EPA 200.8	Selenium	N	0.165		mg/kg	1	0.0324	0.147	BFI0218	09/08/2022 19:14	TBB
EPA 200.8	Silver	N	0.0175		mg/kg	1	0.000209	0.0147	BFI0218	09/08/2022 14:59	TBB
EPA 200.8	Thallium	N	0.000382	J	mg/kg	1	0.000203	0.0147	BFI0218	09/08/2022 17:18	TBB
EPA 200.8	Zinc	N	10.9		mg/kg	1	0.0110	0.0588	BFI0218	09/08/2022 17:18	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.8		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	MM-CDP-09-4	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-19RE1	Date Collected:	04/14/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	111	V	ug/kg	2	9.58	9.58	BFG3163	08/25/2022 06:39	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*4.88%*	*S*	*60-140*					*08/25/2022 06:39*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*77.9%*		*60-140*					*08/25/2022 06:39*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*81.5%*		*60-140*					*08/25/2022 06:39*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*107%*		*60-140*					*08/25/2022 06:39*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*139%*		*60-140*					*08/25/2022 06:39*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*66.5%*		*60-140*					*08/25/2022 06:39*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-09-5
Lab Sample ID: 22F4240-20
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	7.59	V	ug/kg	1	2.40	2.40	BFG3163	08/18/2022 12:37	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*6.87%*	*S*	*60-140*					*08/18/2022 12:37*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*88.4%*		*60-140*					*08/18/2022 12:37*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*75.1%*		*60-140*					*08/18/2022 12:37*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*108%*		*60-140*					*08/18/2022 12:37*	
SW-8270	*Surrogate: Phenol-d5-surr*		*95.8%*		*60-140*					*08/18/2022 12:37*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*97.3%*		*60-140*					*08/18/2022 12:37*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00280	U	mg/kg	1	0.00280	0.0347	BFI0218	09/08/2022 17:20	TBB
EPA 200.8	Arsenic	N	1.05		mg/kg	1	0.00427	0.0174	BFI0218	09/08/2022 17:20	TBB
EPA 200.8	Beryllium	N	0.00184	J	mg/kg	1	0.000347	0.00694	BFI0218	09/08/2022 19:25	TBB
EPA 200.8	Cadmium	N	0.0561		mg/kg	1	0.00110	0.0347	BFI0218	09/08/2022 17:20	TBB
EPA 200.8	Chromium	N	0.0344	V, J	mg/kg	1	0.00255	0.104	BFI0218	09/08/2022 17:20	TBB
EPA 200.8	Copper	N	1.49	V	mg/kg	1	0.00302	0.0347	BFI0218	09/08/2022 17:20	TBB
SW-7471B	Mercury	A	<0.00405	U	mg/kg	1	0.00405	0.00811	BFH1159	08/09/2022 19:16	NAZ
EPA 200.8	Lead	N	0.0765		mg/kg	1	0.00262	0.0174	BFI0218	09/08/2022 17:20	TBB
EPA 200.8	Nickel	N	0.364	V	mg/kg	1	0.000615	0.0347	BFI0218	09/08/2022 17:20	TBB
EPA 200.8	Selenium	N	0.156	J	mg/kg	1	0.0382	0.174	BFI0218	09/08/2022 19:25	TBB
EPA 200.8	Silver	N	0.0225		mg/kg	1	0.000247	0.0174	BFI0218	09/08/2022 17:20	TBB
EPA 200.8	Thallium	N	0.000451	J	mg/kg	1	0.000240	0.0174	BFI0218	09/08/2022 17:20	TBB
EPA 200.8	Zinc	N	12.9		mg/kg	2	0.0261	0.139	BFI0218	09/09/2022 10:17	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.3		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-09-5
Lab Sample ID: 22F4240-20RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	29.3	V	ug/kg	1	2.40	2.40	BFG3163	08/25/2022 07:14	KRB
SW-8270	Phenol, Total (Rerun)	A	78.4	V	ug/kg	1	4.81	4.81	BFG3163	08/25/2022 07:14	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*4.27%*	*S*	*60-140*					*08/25/2022 07:14*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*84.1%*		*60-140*					*08/25/2022 07:14*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*64.5%*		*60-140*					*08/25/2022 07:14*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*114%*		*60-140*					*08/25/2022 07:14*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*92.1%*		*60-140*					*08/25/2022 07:14*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*77.9%*		*60-140*					*08/25/2022 07:14*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-1
Lab Sample ID: 22F4240-21
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Acenaphthylene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Anthracene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Benzo(a)anthracene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Benzo(a)pyrene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.85U	ug/kg	1	4.85	4.85	BFG3159	08/25/2022 01:31	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.43B, U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Chrysene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Di-n-butyl phthalate	A	5.58	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Fluoranthene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Fluorene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Naphthalene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Phenanthrene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	Phenol, Total	A	63.4V	ug/kg	1	4.85	4.85	BFG3159	08/25/2022 01:31	KRB
SW-8270	Pyrene	A	<2.43U	ug/kg	1	2.43	2.43	BFG3159	08/25/2022 01:31	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*68.9%*	*60-140*					*08/25/2022 01:31*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*83.0%*	*60-140*					*08/25/2022 01:31*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.0%*	*60-140*					*08/25/2022 01:31*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*80.3%*	*60-140*					*08/25/2022 01:31*	
SW-8270	*Surrogate: Phenol-d5-surr*		*104%*	*60-140*					*08/25/2022 01:31*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*20.9% S*	*60-140*					*08/25/2022 01:31*	
Metals, Total										
EPA 200.8	Antimony	N	<0.00288U	mg/kg	1	0.00288	0.0357	BFI0218	09/08/2022 17:23	TBB
EPA 200.8	Arsenic	N	1.41	mg/kg	1	0.00439	0.0179	BFI0218	09/08/2022 17:23	TBB
EPA 200.8	Beryllium	N	0.00279J	mg/kg	1	0.000357	0.00714	BFI0218	09/08/2022 19:27	TBB
EPA 200.8	Cadmium	N	0.0696	mg/kg	1	0.00113	0.0357	BFI0218	09/08/2022 17:23	TBB
EPA 200.8	Chromium	N	0.200V	mg/kg	1	0.00262	0.107	BFI0218	09/08/2022 17:23	TBB
EPA 200.8	Copper	N	1.95V	mg/kg	1	0.00311	0.0357	BFI0218	09/08/2022 17:23	TBB
SW-7471B	Mercury	A	<0.00455 U	mg/kg	1	0.00455	0.00909	BFG2911	07/22/2022 17:46	EM
EPA 200.8	Lead	N	0.127	mg/kg	1	0.00270	0.0179	BFI0218	09/08/2022 17:23	TBB
EPA 200.8	Nickel	N	0.260V	mg/kg	1	0.000632	0.0357	BFI0218	09/08/2022 17:23	TBB
EPA 200.8	Selenium	N	0.234	mg/kg	1	0.0393	0.179	BFI0218	09/08/2022 19:27	TBB
EPA 200.8	Silver	N	0.0241	mg/kg	1	0.000254	0.0179	BFI0218	09/08/2022 17:23	TBB
EPA 200.8	Thallium	N	0.000750J	mg/kg	1	0.000246	0.0179	BFI0218	09/08/2022 17:23	TBB
EPA 200.8	Zinc	N	10.8	mg/kg	1	0.0134	0.0714	BFI0218	09/08/2022 17:23	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-1 (Continued)
Lab Sample ID: 22F4240-21
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
SM 2540 G	% Solids	N	12.6		%	1	0.100	0.100	BFG0444	07/07/2022 10:03	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-2
Lab Sample ID: 22F4240-22
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Acenaphthylene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Anthracene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Benzo(a)anthracene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Benzo(a)pyrene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.79U	ug/kg	1	4.79	4.79	BFG3159	08/25/2022 02:06	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.39B, U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Chrysene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Di-n-butyl phthalate	A	13.6	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Fluoranthene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Fluorene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Naphthalene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Phenanthrene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	Phenol, Total	A	69.6V	ug/kg	1	4.79	4.79	BFG3159	08/25/2022 02:06	KRB
SW-8270	Pyrene	A	<2.39U	ug/kg	1	2.39	2.39	BFG3159	08/25/2022 02:06	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*72.6%*	*60-140*					*08/25/2022 02:06*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*101%*	*60-140*					*08/25/2022 02:06*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*90.2%*	*60-140*					*08/25/2022 02:06*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*84.8%*	*60-140*					*08/25/2022 02:06*	
SW-8270	*Surrogate: Phenol-d5-surr*		*112%*	*60-140*					*08/25/2022 02:06*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*28.5% S*	*60-140*					*08/25/2022 02:06*	
Metals, Total										
EPA 200.8	Antimony	N	<0.0347U	mg/kg	1	0.0347	0.432	BFH1125	08/17/2022 14:03	TBB
EPA 200.8	Arsenic	N	1.70	mg/kg	1	0.0531	0.216	BFH1125	08/17/2022 14:03	TBB
EPA 200.8	Beryllium	N	<0.00432U	mg/kg	1	0.00432	0.0863	BFH1125	08/17/2022 14:03	TBB
EPA 200.8	Cadmium	N	0.0733J	mg/kg	1	0.0136	0.432	BFH1125	08/17/2022 14:03	TBB
EPA 200.8	Chromium	N	0.0806J	mg/kg	1	0.0317	1.29	BFH1125	08/17/2022 14:03	TBB
EPA 200.8	Copper	N	2.56	mg/kg	1	0.0376	0.432	BFH1125	08/17/2022 14:03	TBB
SW-7471B	Mercury	A	<0.00488 U	mg/kg	1	0.00488	0.00976	BFG2911	07/22/2022 17:49	EM
EPA 200.8	Lead	N	0.109J	mg/kg	1	0.0326	0.216	BFH1125	08/17/2022 14:03	TBB
EPA 200.8	Nickel	N	0.156J	mg/kg	1	0.00764	0.432	BFH1125	08/17/2022 14:03	TBB
EPA 200.8	Selenium	N	<0.475U	mg/kg	1	0.475	2.16	BFH1125	08/25/2022 12:41	TBB
EPA 200.8	Silver	N	0.0287J	mg/kg	1	0.00306	0.216	BFH1125	08/17/2022 14:03	TBB
EPA 200.8	Thallium	N	<0.00298U	mg/kg	1	0.00298	0.216	BFH1125	08/17/2022 14:03	TBB
EPA 200.8	Zinc	N	10.3	mg/kg	1	0.162	0.863	BFH1125	08/23/2022 11:16	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-2 (Continued)
Lab Sample ID: 22F4240-22
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
SM 2540 G	% Solids	N	14.0		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-3
Lab Sample ID: 22F4240-23
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	5.38	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Acenaphthylene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Anthracene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Benzo(a)anthracene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Benzo(a)pyrene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.84U	ug/kg	1	4.84	4.84	BFG3159	08/25/2022 02:41	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.42B, U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Chrysene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Di-n-butyl phthalate	A	9.19	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Fluoranthene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Fluorene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Naphthalene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Phenanthrene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	Phenol, Total	A	85.2V	ug/kg	1	4.84	4.84	BFG3159	08/25/2022 02:41	KRB
SW-8270	Pyrene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 02:41	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*75.5%*	*60-140*					*08/25/2022 02:41*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*101%*	*60-140*					*08/25/2022 02:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*90.1%*	*60-140*					*08/25/2022 02:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*86.6%*	*60-140*					*08/25/2022 02:41*	
SW-8270	*Surrogate: Phenol-d5-surr*		*110%*	*60-140*					*08/25/2022 02:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*26.9% S*	*60-140*					*08/25/2022 02:41*	
Metals, Total										
EPA 200.8	Antimony	N	<0.0374U	mg/kg	1	0.0374	0.465	BFH1125	08/17/2022 14:05	TBB
EPA 200.8	Arsenic	N	1.86	mg/kg	1	0.0572	0.233	BFH1125	08/17/2022 14:05	TBB
EPA 200.8	Beryllium	N	<0.00465U	mg/kg	1	0.00465	0.0930	BFH1125	08/17/2022 14:05	TBB
EPA 200.8	Cadmium	N	0.0906J	mg/kg	1	0.0147	0.465	BFH1125	08/17/2022 14:05	TBB
EPA 200.8	Chromium	N	0.162J	mg/kg	1	0.0342	1.40	BFH1125	08/17/2022 14:05	TBB
EPA 200.8	Copper	N	2.75	mg/kg	1	0.0405	0.465	BFH1125	08/17/2022 14:05	TBB
SW-7471B	Mercury	A	<0.00480 U	mg/kg	1	0.00480	0.00960	BFG2911	07/22/2022 17:52	EM
EPA 200.8	Lead	N	0.135J	mg/kg	1	0.0351	0.233	BFH1125	08/17/2022 14:05	TBB
EPA 200.8	Nickel	N	0.242J	mg/kg	1	0.00823	0.465	BFH1125	08/17/2022 14:05	TBB
EPA 200.8	Selenium	N	<0.512U	mg/kg	1	0.512	2.33	BFH1125	08/25/2022 12:53	TBB
EPA 200.8	Silver	N	0.0319J	mg/kg	1	0.00330	0.233	BFH1125	08/17/2022 14:05	TBB
EPA 200.8	Thallium	N	<0.00321U	mg/kg	1	0.00321	0.233	BFH1125	08/17/2022 14:05	TBB
EPA 200.8	Zinc	N	10.8	mg/kg	1	0.175	0.930	BFH1125	08/23/2022 11:18	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	MM-CDP-PRETEST-3 (Continued)	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-23	Date Collected:	04/14/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
SM 2540 G	% Solids	N	14.9		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-1
Lab Sample ID: 22F4240-24
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Acenaphthylene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Anthracene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Benzo(a)anthracene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Benzo(a)pyrene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.95U	ug/kg	1	4.95	4.95	BFG3159	08/25/2022 03:16	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.48B, U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Chrysene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Di-n-butyl phthalate	A	6.31	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Fluoranthene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Fluorene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Naphthalene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Phenanthrene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	Phenol, Total	A	93.6V	ug/kg	1	4.95	4.95	BFG3159	08/25/2022 03:16	KRB
SW-8270	Pyrene	A	<2.48U	ug/kg	1	2.48	2.48	BFG3159	08/25/2022 03:16	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*74.5%*	*60-140*					*08/25/2022 03:16*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*88.4%*	*60-140*					*08/25/2022 03:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.5%*	*60-140*					*08/25/2022 03:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*81.1%*	*60-140*					*08/25/2022 03:16*	
SW-8270	*Surrogate: Phenol-d5-surr*		*111%*	*60-140*					*08/25/2022 03:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*21.0% S*	*60-140*					*08/25/2022 03:16*	
Metals, Total										
EPA 200.8	Antimony	N	<0.00312U	mg/kg	1	0.00312	0.0388	BFI0218	09/08/2022 17:25	TBB
EPA 200.8	Arsenic	N	3.10	mg/kg	1	0.00477	0.0194	BFI0218	09/08/2022 17:25	TBB
EPA 200.8	Beryllium	N	0.000426J	mg/kg	1	0.000388	0.00775	BFI0218	09/08/2022 19:30	TBB
EPA 200.8	Cadmium	N	0.0494	mg/kg	1	0.00122	0.0388	BFI0218	09/08/2022 17:25	TBB
EPA 200.8	Chromium	N	0.0496V, J	mg/kg	1	0.00285	0.116	BFI0218	09/08/2022 17:25	TBB
EPA 200.8	Copper	N	1.39V	mg/kg	1	0.00337	0.0388	BFI0218	09/08/2022 17:25	TBB
SW-7471B	Mercury	A	<0.00451 U	mg/kg	1	0.00451	0.00902	BFI0732	09/07/2022 14:09	NAZ
EPA 200.8	Lead	N	0.0898	mg/kg	1	0.00293	0.0194	BFI0218	09/08/2022 17:25	TBB
EPA 200.8	Nickel	N	0.226V	mg/kg	1	0.000686	0.0388	BFI0218	09/08/2022 17:25	TBB
EPA 200.8	Selenium	N	0.350	mg/kg	1	0.0426	0.194	BFI0218	09/09/2022 10:25	TBB
EPA 200.8	Silver	N	0.0154J	mg/kg	1	0.000275	0.0194	BFI0218	09/08/2022 17:25	TBB
EPA 200.8	Thallium	N	0.000426J	mg/kg	1	0.000267	0.0194	BFI0218	09/08/2022 17:25	TBB
EPA 200.8	Zinc	N	39.8	mg/kg	5	0.0728	0.388	BFI0218	09/09/2022 10:20	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-1 (Continued)
Lab Sample ID: 22F4240-24
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
SM 2540 G	% Solids	N	13.1		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-2
Lab Sample ID: 22F4240-25
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Acenaphthylene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Anthracene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Benzo(a)anthracene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Benzo(a)pyrene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.55U	ug/kg	1	4.55	4.55	BFG3159	08/25/2022 03:51	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.27B, U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Chrysene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Di-n-butyl phthalate	A	21.5	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Fluoranthene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Fluorene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Naphthalene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Phenanthrene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	Phenol, Total	A	87.5V	ug/kg	1	4.55	4.55	BFG3159	08/25/2022 03:51	KRB
SW-8270	Pyrene	A	<2.27U	ug/kg	1	2.27	2.27	BFG3159	08/25/2022 03:51	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*72.4%*	*60-140*					*08/25/2022 03:51*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*81.6%*	*60-140*					*08/25/2022 03:51*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.7%*	*60-140*					*08/25/2022 03:51*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*82.6%*	*60-140*					*08/25/2022 03:51*	
SW-8270	*Surrogate: Phenol-d5-surr*		*109%*	*60-140*					*08/25/2022 03:51*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*18.4% S*	*60-140*					*08/25/2022 03:51*	
Metals, Total										
EPA 200.8	Antimony	N	<0.00333U	mg/kg	1	0.00333	0.0413	BFI0218	09/08/2022 17:27	TBB
EPA 200.8	Arsenic	N	3.11	mg/kg	1	0.00508	0.0207	BFI0218	09/08/2022 17:27	TBB
EPA 200.8	Beryllium	N	0.000950J	mg/kg	1	0.000413	0.00826	BFI0218	09/08/2022 19:32	TBB
EPA 200.8	Cadmium	N	0.0552	mg/kg	1	0.00131	0.0413	BFI0218	09/08/2022 17:27	TBB
EPA 200.8	Chromium	N	0.0674V, J	mg/kg	1	0.00304	0.124	BFI0218	09/08/2022 17:27	TBB
EPA 200.8	Copper	N	1.47V	mg/kg	1	0.00360	0.0413	BFI0218	09/08/2022 17:27	TBB
SW-7471B	Mercury	A	<0.00476 U	mg/kg	1	0.00476	0.00952	BFH2169	08/16/2022 18:23	NAZ
EPA 200.8	Lead	N	0.0809	mg/kg	1	0.00312	0.0207	BFI0218	09/08/2022 17:27	TBB
EPA 200.8	Nickel	N	0.244V	mg/kg	1	0.000731	0.0413	BFI0218	09/08/2022 17:27	TBB
EPA 200.8	Selenium	N	0.363	mg/kg	1	0.0455	0.207	BFI0218	09/09/2022 10:36	TBB
EPA 200.8	Silver	N	0.0131J	mg/kg	1	0.000293	0.0207	BFI0218	09/08/2022 17:27	TBB
EPA 200.8	Thallium	N	0.000413J	mg/kg	1	0.000285	0.0207	BFI0218	09/08/2022 17:27	TBB
EPA 200.8	Zinc	N	10.6	mg/kg	1	0.0155	0.0826	BFI0218	09/08/2022 17:27	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-2 (Continued)
Lab Sample ID: 22F4240-25
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
SM 2540 G	% Solids	N	13.2		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-3
Lab Sample ID: 22F4240-26
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Acenaphthylene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Anthracene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Benzo(a)anthracene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Benzo(a)pyrene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.69U	ug/kg	1	4.69	4.69	BFG3159	08/25/2022 04:25	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.35B, U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Chrysene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Di-n-butyl phthalate	A	22.5	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Fluoranthene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Fluorene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Naphthalene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Phenanthrene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	Phenol, Total	A	86.3V	ug/kg	1	4.69	4.69	BFG3159	08/25/2022 04:25	KRB
SW-8270	Pyrene	A	<2.35U	ug/kg	1	2.35	2.35	BFG3159	08/25/2022 04:25	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*78.9%*	*60-140*					*08/25/2022 04:25*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*83.4%*	*60-140*					*08/25/2022 04:25*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*86.8%*	*60-140*					*08/25/2022 04:25*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*82.6%*	*60-140*					*08/25/2022 04:25*	
SW-8270	*Surrogate: Phenol-d5-surr*		*108%*	*60-140*					*08/25/2022 04:25*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*17.5% S*	*60-140*					*08/25/2022 04:25*	
Metals, Total										
EPA 200.8	Antimony	N	<0.00314U	mg/kg	1	0.00314	0.0391	BFI0218	09/08/2022 17:37	TBB
EPA 200.8	Arsenic	N	3.13	mg/kg	1	0.00480	0.0195	BFI0218	09/09/2022 10:39	TBB
EPA 200.8	Beryllium	N	0.000430J	mg/kg	1	0.000391	0.00781	BFI0218	09/08/2022 19:35	TBB
EPA 200.8	Cadmium	N	0.0551	mg/kg	1	0.00123	0.0391	BFI0218	09/08/2022 17:37	TBB
EPA 200.8	Chromium	N	0.0564V, J	mg/kg	1	0.00287	0.117	BFI0218	09/08/2022 17:37	TBB
EPA 200.8	Copper	N	1.34V	mg/kg	1	0.00340	0.0391	BFI0218	09/08/2022 17:37	TBB
EPA 200.8	Lead	N	0.0786	mg/kg	1	0.00295	0.0195	BFI0218	09/08/2022 17:37	TBB
EPA 200.8	Nickel	N	0.215V	mg/kg	1	0.000691	0.0391	BFI0218	09/08/2022 17:37	TBB
EPA 200.8	Selenium	N	0.368	mg/kg	1	0.0430	0.195	BFI0218	09/09/2022 10:39	TBB
EPA 200.8	Silver	N	0.0123J	mg/kg	1	0.000277	0.0195	BFI0218	09/08/2022 17:37	TBB
EPA 200.8	Thallium	N	0.000391J	mg/kg	1	0.000270	0.0195	BFI0218	09/08/2022 17:37	TBB
EPA 200.8	Zinc	N	34.0	mg/kg	5	0.0733	0.391	BFI0218	09/09/2022 10:23	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-3 (Continued)
Lab Sample ID: 22F4240-26
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	13.6		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-3
Lab Sample ID: 22F4240-26RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.00458	U	mg/kg	1	0.00458	0.00916	BFI0732	09/07/2022 14:12	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-4
Lab Sample ID: 22F4240-27
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Acenaphthylene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Anthracene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Benzo(a)anthracene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Benzo(a)pyrene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.43U	ug/kg	1	4.43	4.43	BFG3159	08/25/2022 05:00	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.22B, U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Chrysene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Di-n-butyl phthalate	A	29.5	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Fluoranthene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Fluorene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Naphthalene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Phenanthrene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	Pyrene	A	<2.22U	ug/kg	1	2.22	2.22	BFG3159	08/25/2022 05:00	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*66.7%*	*60-140*					*08/25/2022 05:00*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*71.3%*	*60-140*					*08/25/2022 05:00*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.5%*	*60-140*					*08/25/2022 05:00*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*79.6%*	*60-140*					*08/25/2022 05:00*	
SW-8270	*Surrogate: Phenol-d5-surr*		*105%*	*60-140*					*08/25/2022 05:00*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*17.5% S*	*60-140*					*08/25/2022 05:00*	
Metals, Total										
EPA 200.8	Antimony	N	<0.00327U	mg/kg	1	0.00327	0.0407	BFI0218	09/08/2022 17:40	TBB
EPA 200.8	Arsenic	N	3.01	mg/kg	1	0.00500	0.0203	BFI0218	09/09/2022 10:41	TBB
EPA 200.8	Beryllium	N	0.000407J	mg/kg	1	0.000407	0.00813	BFI0218	09/08/2022 19:38	TBB
EPA 200.8	Cadmium	N	0.0553	mg/kg	1	0.00128	0.0407	BFI0218	09/08/2022 17:40	TBB
EPA 200.8	Chromium	N	0.0519V, J	mg/kg	1	0.00299	0.122	BFI0218	09/08/2022 17:40	TBB
EPA 200.8	Copper	N	1.42V	mg/kg	1	0.00354	0.0407	BFI0218	09/08/2022 17:40	TBB
EPA 200.8	Lead	N	0.0981	mg/kg	1	0.00307	0.0203	BFI0218	09/08/2022 17:40	TBB
EPA 200.8	Nickel	N	0.211V	mg/kg	1	0.000720	0.0407	BFI0218	09/08/2022 17:40	TBB
EPA 200.8	Selenium	N	0.324	mg/kg	1	0.0447	0.203	BFI0218	09/08/2022 19:38	TBB
EPA 200.8	Silver	N	0.0143J	mg/kg	1	0.000289	0.0203	BFI0218	09/08/2022 17:40	TBB
EPA 200.8	Thallium	N	0.000691J	mg/kg	1	0.000280	0.0203	BFI0218	09/08/2022 17:40	TBB
EPA 200.8	Zinc	N	9.75	mg/kg	1	0.0153	0.0813	BFI0218	09/08/2022 17:40	TBB
General Chemistry										
SM 2540 G	% Solids	N	12.7	%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-06-4	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-27RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	33.1	V	ug/kg	2	8.87	8.87	BFG3159	08/25/2022 23:42	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*47.1%*	*S*	*60-140*					*08/25/2022 23:42*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*61.3%*		*60-140*					*08/25/2022 23:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*61.6%*		*60-140*					*08/25/2022 23:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*69.4%*		*60-140*					*08/25/2022 23:42*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*87.1%*		*60-140*					*08/25/2022 23:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*34.2%*	*S*	*60-140*					*08/25/2022 23:42*	
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.00451	U	mg/kg	1	0.00451	0.00902	BFI0732	09/07/2022 14:15	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-5
Lab Sample ID: 22F4240-28
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Acenaphthylene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Anthracene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Benzo(a)anthracene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Benzo(a)pyrene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.84U	ug/kg	1	4.84	4.84	BFG3159	08/25/2022 05:35	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.42B, U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Chrysene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Di-n-butyl phthalate	A	5.53	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Fluoranthene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Fluorene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Naphthalene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Phenanthrene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	Pyrene	A	<2.42U	ug/kg	1	2.42	2.42	BFG3159	08/25/2022 05:35	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*72.5%*	*60-140*					*08/25/2022 05:35*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*81.6%*	*60-140*					*08/25/2022 05:35*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*86.9%*	*60-140*					*08/25/2022 05:35*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*81.5%*	*60-140*					*08/25/2022 05:35*	
SW-8270	*Surrogate: Phenol-d5-surr*		*114%*	*60-140*					*08/25/2022 05:35*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*23.3% S*	*60-140*					*08/25/2022 05:35*	
Metals, Total										
EPA 200.8	Antimony	N	0.00347J	mg/kg	1	0.00307	0.0382	BFI0218	09/08/2022 17:42	TBB
EPA 200.8	Arsenic	N	2.92	mg/kg	1	0.00469	0.0191	BFI0218	09/09/2022 10:44	TBB
EPA 200.8	Beryllium	N	0.000840J	mg/kg	1	0.000382	0.00763	BFI0218	09/08/2022 19:40	TBB
EPA 200.8	Cadmium	N	0.0532	mg/kg	1	0.00121	0.0382	BFI0218	09/08/2022 17:42	TBB
EPA 200.8	Chromium	N	0.0628V, J	mg/kg	1	0.00281	0.115	BFI0218	09/08/2022 17:42	TBB
EPA 200.8	Copper	N	1.41V	mg/kg	1	0.00332	0.0382	BFI0218	09/08/2022 17:42	TBB
EPA 200.8	Lead	N	0.0958	mg/kg	1	0.00288	0.0191	BFI0218	09/08/2022 17:42	TBB
EPA 200.8	Nickel	N	0.212V	mg/kg	1	0.000676	0.0382	BFI0218	09/08/2022 17:42	TBB
EPA 200.8	Selenium	N	0.340	mg/kg	1	0.0420	0.191	BFI0218	09/08/2022 19:40	TBB
EPA 200.8	Silver	N	0.0177J	mg/kg	1	0.000271	0.0191	BFI0218	09/08/2022 17:42	TBB
EPA 200.8	Thallium	N	0.000878J	mg/kg	1	0.000263	0.0191	BFI0218	09/08/2022 17:42	TBB
EPA 200.8	Zinc	N	10.0	mg/kg	1	0.0143	0.0763	BFI0218	09/08/2022 17:42	TBB
General Chemistry										
SM 2540 G	% Solids	N	13.2	%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-06-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-28RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	33.5	V	ug/kg	2	9.67	9.67	BFG3159	08/26/2022 00:17	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*48.4%*	*S*	*60-140*					*08/26/2022 00:17*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.1%*		*60-140*					*08/26/2022 00:17*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*59.8%*	*S*	*60-140*					*08/26/2022 00:17*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*65.1%*		*60-140*					*08/26/2022 00:17*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*83.1%*		*60-140*					*08/26/2022 00:17*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*42.9%*	*S*	*60-140*					*08/26/2022 00:17*	
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.00462	U	mg/kg	1	0.00462	0.00923	BFI0732	09/07/2022 14:19	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-1
Lab Sample ID: 22F4240-29
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	<0.00305	U	mg/kg	1	0.00305	0.0379	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Arsenic	N	2.58		mg/kg	1	0.00466	0.0189	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Beryllium	N	0.000530	J	mg/kg	1	0.000379	0.00758	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Cadmium	N	0.0410		mg/kg	1	0.00120	0.0379	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Chromium	N	0.0698	J	mg/kg	1	0.00278	0.114	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Copper	N	1.15	V	mg/kg	1	0.00330	0.0379	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Lead	N	0.0858		mg/kg	1	0.00286	0.0189	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Nickel	N	0.207		mg/kg	1	0.000670	0.0379	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Selenium	N	0.311		mg/kg	1	0.0417	0.189	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Silver	N	0.0239		mg/kg	1	0.000269	0.0189	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Thallium	N	0.000303	J	mg/kg	1	0.000261	0.0189	BFI0219	09/09/2022 10:55	TBB
EPA 200.8	Zinc	N	41.0	V	mg/kg	5	0.0711	0.379	BFI0219	09/09/2022 12:01	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.3		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-1
Lab Sample ID: 22F4240-29RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.00451	U	mg/kg	1	0.00451	0.00902	BFI0732	09/07/2022 14:22	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-2
Lab Sample ID: 22F4240-30
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	<0.00317	U	mg/kg	1	0.00317	0.0394	BFI0219	09/09/2022 11:45	TBB
EPA 200.8	Arsenic	N	2.62		mg/kg	1	0.00484	0.0197	BFI0219	09/09/2022 17:03	TBB
EPA 200.8	Beryllium	N	<0.000394	U	mg/kg	1	0.000394	0.00787	BFI0219	09/09/2022 17:03	TBB
EPA 200.8	Cadmium	N	0.0411		mg/kg	1	0.00124	0.0394	BFI0219	09/09/2022 11:45	TBB
EPA 200.8	Chromium	N	0.0606	J	mg/kg	1	0.00289	0.118	BFI0219	09/09/2022 11:45	TBB
EPA 200.8	Copper	N	1.23	V	mg/kg	1	0.00343	0.0394	BFI0219	09/09/2022 11:45	TBB
SW-7471B	Mercury	A	<0.00472	U	mg/kg	1	0.00472	0.00945	BFH2169	08/16/2022 18:27	NAZ
EPA 200.8	Lead	N	0.0795		mg/kg	1	0.00297	0.0197	BFI0219	09/09/2022 11:45	TBB
EPA 200.8	Nickel	N	0.211		mg/kg	1	0.000697	0.0394	BFI0219	09/09/2022 11:45	TBB
EPA 200.8	Selenium	N	0.346		mg/kg	1	0.0433	0.197	BFI0219	09/09/2022 11:45	TBB
EPA 200.8	Silver	N	0.0274		mg/kg	1	0.000280	0.0197	BFI0219	09/09/2022 11:45	TBB
EPA 200.8	Thallium	N	0.000315	J	mg/kg	1	0.000272	0.0197	BFI0219	09/09/2022 11:45	TBB
EPA 200.8	Zinc	N	9.15	V	mg/kg	1	0.0148	0.0787	BFI0219	09/09/2022 11:45	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.6		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-3
Lab Sample ID: 22F4240-31
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	<0.00312	U	mg/kg	1	0.00312	0.0388	BFI0219	09/09/2022 11:11	TBB
EPA 200.8	Arsenic	N	2.60		mg/kg	1	0.00477	0.0194	BFI0219	09/09/2022 11:11	TBB
EPA 200.8	Beryllium	N	0.000504	J	mg/kg	1	0.000388	0.00775	BFI0219	09/09/2022 16:28	TBB
EPA 200.8	Cadmium	N	0.0405		mg/kg	1	0.00122	0.0388	BFI0219	09/09/2022 11:11	TBB
EPA 200.8	Chromium	N	0.0428	J	mg/kg	1	0.00285	0.116	BFI0219	09/09/2022 11:11	TBB
EPA 200.8	Copper	N	1.18	V	mg/kg	1	0.00337	0.0388	BFI0219	09/09/2022 11:11	TBB
SW-7471B	Mercury	A	<0.00429	U	mg/kg	1	0.00429	0.00857	BFH2169	08/16/2022 18:30	NAZ
EPA 200.8	Lead	N	0.0758		mg/kg	1	0.00293	0.0194	BFI0219	09/09/2022 11:11	TBB
EPA 200.8	Nickel	N	0.191		mg/kg	1	0.000686	0.0388	BFI0219	09/09/2022 11:11	TBB
EPA 200.8	Selenium	N	0.331		mg/kg	1	0.0426	0.194	BFI0219	09/09/2022 11:11	TBB
EPA 200.8	Silver	N	0.0266		mg/kg	1	0.000275	0.0194	BFI0219	09/09/2022 11:11	TBB
EPA 200.8	Thallium	N	0.000310	J	mg/kg	1	0.000267	0.0194	BFI0219	09/09/2022 11:11	TBB
EPA 200.8	Zinc	N	44.5	V	mg/kg	5	0.0728	0.388	BFI0219	09/09/2022 12:09	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.6		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-4
Lab Sample ID: 22F4240-32
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	<0.00312	U	mg/kg	1	0.00312	0.0388	BFI0219	09/09/2022 11:13	TBB
EPA 200.8	Arsenic	N	2.90		mg/kg	1	0.00477	0.0194	BFI0219	09/09/2022 11:13	TBB
EPA 200.8	Beryllium	N	0.000581	J	mg/kg	1	0.000388	0.00775	BFI0219	09/09/2022 16:30	TBB
EPA 200.8	Cadmium	N	0.0452		mg/kg	1	0.00122	0.0388	BFI0219	09/09/2022 11:13	TBB
EPA 200.8	Chromium	N	0.0556	J	mg/kg	1	0.00285	0.116	BFI0219	09/09/2022 11:13	TBB
EPA 200.8	Copper	N	1.20	V	mg/kg	1	0.00337	0.0388	BFI0219	09/09/2022 11:13	TBB
SW-7471B	Mercury	A	<0.00403	U	mg/kg	1	0.00403	0.00805	BFH2169	08/16/2022 18:40	NAZ
EPA 200.8	Lead	N	0.0655		mg/kg	1	0.00293	0.0194	BFI0219	09/09/2022 11:13	TBB
EPA 200.8	Nickel	N	0.199		mg/kg	1	0.000686	0.0388	BFI0219	09/09/2022 11:13	TBB
EPA 200.8	Selenium	N	0.343		mg/kg	1	0.0426	0.194	BFI0219	09/09/2022 11:13	TBB
EPA 200.8	Silver	N	0.0178	J	mg/kg	1	0.000275	0.0194	BFI0219	09/09/2022 11:13	TBB
EPA 200.8	Thallium	N	0.000310	J	mg/kg	1	0.000267	0.0194	BFI0219	09/09/2022 11:13	TBB
EPA 200.8	Zinc	N	9.44	V	mg/kg	1	0.0146	0.0775	BFI0219	09/09/2022 11:13	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.9		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-5
Lab Sample ID: 22F4240-33
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	<0.00303	U	mg/kg	1	0.00303	0.0376	BFI0219	09/09/2022 11:16	TBB
EPA 200.8	Arsenic	N	2.79		mg/kg	1	0.00462	0.0188	BFI0219	09/09/2022 11:16	TBB
EPA 200.8	Beryllium	N	0.000789	J	mg/kg	1	0.000376	0.00752	BFI0219	09/09/2022 16:33	TBB
EPA 200.8	Cadmium	N	0.0411		mg/kg	1	0.00119	0.0376	BFI0219	09/09/2022 11:16	TBB
EPA 200.8	Chromium	N	0.0581	J	mg/kg	1	0.00276	0.113	BFI0219	09/09/2022 11:16	TBB
EPA 200.8	Copper	N	1.14	V	mg/kg	1	0.00327	0.0376	BFI0219	09/09/2022 11:16	TBB
SW-7471B	Mercury	A	<0.00455	U	mg/kg	1	0.00455	0.00909	BFH2169	08/16/2022 18:43	NAZ
EPA 200.8	Lead	N	0.0744		mg/kg	1	0.00284	0.0188	BFI0219	09/09/2022 11:16	TBB
EPA 200.8	Nickel	N	0.213		mg/kg	1	0.000665	0.0376	BFI0219	09/09/2022 11:16	TBB
EPA 200.8	Selenium	N	0.338		mg/kg	1	0.0414	0.188	BFI0219	09/09/2022 11:16	TBB
EPA 200.8	Silver	N	0.0185	J	mg/kg	1	0.000267	0.0188	BFI0219	09/09/2022 11:16	TBB
EPA 200.8	Thallium	N	0.000376	J	mg/kg	1	0.000259	0.0188	BFI0219	09/09/2022 11:16	TBB
EPA 200.8	Zinc	N	37.0	V	mg/kg	5	0.0706	0.376	BFI0219	09/09/2022 12:20	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.9		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-08-1
Lab Sample ID: 22F4240-34
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.33	B, U	ug/kg	1	2.33	2.33	BFG3163	08/18/2022 13:11	KRB
SW-8270	Di-n-butyl phthalate	A	6.72	V	ug/kg	1	2.33	2.33	BFG3163	08/18/2022 13:11	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*22.1%*	*S*	*60-140*					*08/18/2022 13:11*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*76.1%*		*60-140*					*08/18/2022 13:11*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*72.8%*		*60-140*					*08/18/2022 13:11*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*93.8%*		*60-140*					*08/18/2022 13:11*	
SW-8270	*Surrogate: Phenol-d5-surr*		*141%*	*S*	*60-140*					*08/18/2022 13:11*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*32.3%*	*S*	*60-140*					*08/18/2022 13:11*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00288	U	mg/kg	1	0.00288	0.0357	BFI0219	09/09/2022 11:19	TBB
EPA 200.8	Arsenic	N	2.70		mg/kg	1	0.00439	0.0179	BFI0219	09/09/2022 11:19	TBB
EPA 200.8	Beryllium	N	0.00218	J	mg/kg	1	0.000357	0.00714	BFI0219	09/09/2022 16:36	TBB
EPA 200.8	Cadmium	N	0.0428		mg/kg	1	0.00113	0.0357	BFI0219	09/09/2022 11:19	TBB
EPA 200.8	Chromium	N	0.0605	J	mg/kg	1	0.00262	0.107	BFI0219	09/09/2022 11:19	TBB
EPA 200.8	Copper	N	1.35	V	mg/kg	1	0.00311	0.0357	BFI0219	09/09/2022 11:19	TBB
SW-7471B	Mercury	A	<0.00480	U	mg/kg	1	0.00480	0.00960	BFH2169	08/16/2022 18:47	NAZ
EPA 200.8	Lead	N	0.0738		mg/kg	1	0.00270	0.0179	BFI0219	09/09/2022 11:19	TBB
EPA 200.8	Nickel	N	0.204		mg/kg	1	0.000632	0.0357	BFI0219	09/09/2022 11:19	TBB
EPA 200.8	Selenium	N	0.351		mg/kg	1	0.0393	0.179	BFI0219	09/09/2022 11:19	TBB
EPA 200.8	Silver	N	0.0170	J	mg/kg	1	0.000254	0.0179	BFI0219	09/09/2022 11:19	TBB
EPA 200.8	Thallium	N	0.000429	J	mg/kg	1	0.000246	0.0179	BFI0219	09/09/2022 11:19	TBB
EPA 200.8	Zinc	N	9.79	V	mg/kg	1	0.0134	0.0714	BFI0219	09/09/2022 11:19	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.8		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-08-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-34RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	114	V	ug/kg	2	9.31	9.31	BFG3163	08/25/2022 07:48	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*14.7%*	*S*	*60-140*					*08/25/2022 07:48*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*85.5%*		*60-140*					*08/25/2022 07:48*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*100%*		*60-140*					*08/25/2022 07:48*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*192%*	*S*	*60-140*					*08/25/2022 07:48*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*141%*	*S*	*60-140*					*08/25/2022 07:48*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*77.4%*		*60-140*					*08/25/2022 07:48*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-08-2
Lab Sample ID: 22F4240-35
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	7.94	V	ug/kg	1	2.31	2.31	BFG3163	08/18/2022 13:45	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*15.6%*	*S*	*60-140*					*08/18/2022 13:45*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*77.2%*		*60-140*					*08/18/2022 13:45*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*64.0%*		*60-140*					*08/18/2022 13:45*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*132%*		*60-140*					*08/18/2022 13:45*	
SW-8270	*Surrogate: Phenol-d5-surr*		*108%*		*60-140*					*08/18/2022 13:45*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*41.6%*	*S*	*60-140*					*08/18/2022 13:45*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00303	U	mg/kg	1	0.00303	0.0376	BFI0219	09/09/2022 11:21	TBB
EPA 200.8	Arsenic	N	2.80		mg/kg	1	0.00462	0.0188	BFI0219	09/09/2022 11:21	TBB
EPA 200.8	Beryllium	N	0.00120	J	mg/kg	1	0.000376	0.00752	BFI0219	09/09/2022 16:38	TBB
EPA 200.8	Cadmium	N	0.0461		mg/kg	1	0.00119	0.0376	BFI0219	09/09/2022 11:21	TBB
EPA 200.8	Chromium	N	0.0510	J	mg/kg	1	0.00276	0.113	BFI0219	09/09/2022 11:21	TBB
EPA 200.8	Copper	N	1.21	V	mg/kg	1	0.00327	0.0376	BFI0219	09/09/2022 11:21	TBB
SW-7471B	Mercury	A	<0.00480	U	mg/kg	1	0.00480	0.00960	BFH2169	08/16/2022 18:50	NAZ
EPA 200.8	Lead	N	0.0735		mg/kg	1	0.00284	0.0188	BFI0219	09/09/2022 11:21	TBB
EPA 200.8	Nickel	N	0.202		mg/kg	1	0.000665	0.0376	BFI0219	09/09/2022 11:21	TBB
EPA 200.8	Selenium	N	0.344		mg/kg	1	0.0414	0.188	BFI0219	09/09/2022 11:21	TBB
EPA 200.8	Silver	N	0.0195		mg/kg	1	0.000267	0.0188	BFI0219	09/09/2022 11:21	TBB
EPA 200.8	Thallium	N	0.000639	J	mg/kg	1	0.000259	0.0188	BFI0219	09/09/2022 11:21	TBB
EPA 200.8	Zinc	N	24.8	V	mg/kg	5	0.0706	0.376	BFI0219	09/09/2022 12:23	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.8		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-08-2
Lab Sample ID: 22F4240-35RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	36.4	V	ug/kg	1	2.31	2.31	BFG3163	08/25/2022 08:23	KRB
SW-8270	Phenol, Total (Rerun)	A	110	V	ug/kg	1	4.63	4.63	BFG3163	08/25/2022 08:23	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*11.0%*	*S*	*60-140*					*08/25/2022 08:23*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*72.7%*		*60-140*					*08/25/2022 08:23*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*79.8%*		*60-140*					*08/25/2022 08:23*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*124%*		*60-140*					*08/25/2022 08:23*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*121%*		*60-140*					*08/25/2022 08:23*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*58.9%*	*S*	*60-140*					*08/25/2022 08:23*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-08-3
Lab Sample ID: 22F4240-36
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	39.4	V	ug/kg	1	2.42	2.42	BFG3163	08/18/2022 14:19	KRB
SW-8270	Di-n-butyl phthalate	A	16.9	V	ug/kg	1	2.42	2.42	BFG3163	08/18/2022 14:19	KRB
SW-8270	Phenol, Total	A	134	V	ug/kg	1	4.84	4.84	BFG3163	08/18/2022 14:19	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*24.1%*	*S*	*60-140*					*08/18/2022 14:19*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*83.5%*		*60-140*					*08/18/2022 14:19*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*65.0%*		*60-140*					*08/18/2022 14:19*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*134%*		*60-140*					*08/18/2022 14:19*	
SW-8270	*Surrogate: Phenol-d5-surr*		*141%*	*S*	*60-140*					*08/18/2022 14:19*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*42.1%*	*S*	*60-140*					*08/18/2022 14:19*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00298	U	mg/kg	1	0.00298	0.0370	BFI0219	09/09/2022 11:24	TBB
EPA 200.8	Arsenic	N	2.83		mg/kg	1	0.00456	0.0185	BFI0219	09/09/2022 11:24	TBB
EPA 200.8	Beryllium	N	0.000519	J	mg/kg	1	0.000370	0.00741	BFI0219	09/09/2022 16:41	TBB
EPA 200.8	Cadmium	N	0.0465		mg/kg	1	0.00117	0.0370	BFI0219	09/09/2022 11:24	TBB
EPA 200.8	Chromium	N	0.0485	J	mg/kg	1	0.00272	0.111	BFI0219	09/09/2022 11:24	TBB
EPA 200.8	Copper	N	1.24	V	mg/kg	1	0.00322	0.0370	BFI0219	09/09/2022 11:24	TBB
SW-7471B	Mercury	A	<0.00465	U	mg/kg	1	0.00465	0.00930	BFH2169	08/16/2022 19:03	NAZ
EPA 200.8	Lead	N	0.0720		mg/kg	1	0.00280	0.0185	BFI0219	09/09/2022 11:24	TBB
EPA 200.8	Nickel	N	0.198		mg/kg	1	0.000656	0.0370	BFI0219	09/09/2022 11:24	TBB
EPA 200.8	Selenium	N	0.349		mg/kg	1	0.0407	0.185	BFI0219	09/09/2022 11:24	TBB
EPA 200.8	Silver	N	0.0139	J	mg/kg	1	0.000263	0.0185	BFI0219	09/09/2022 11:24	TBB
EPA 200.8	Thallium	N	0.000519	J	mg/kg	1	0.000256	0.0185	BFI0219	09/09/2022 11:24	TBB
EPA 200.8	Zinc	N	26.6	V	mg/kg	5	0.0695	0.370	BFI0219	09/09/2022 12:26	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.5		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-08-4
Lab Sample ID: 22F4240-37
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	6.99	V	ug/kg	1	2.46	2.46	BFG3163	08/18/2022 15:28	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*21.0%*	*S*	*60-140*					*08/18/2022 15:28*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*72.8%*		*60-140*					*08/18/2022 15:28*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*76.2%*		*60-140*					*08/18/2022 15:28*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*112%*		*60-140*					*08/18/2022 15:28*	
SW-8270	*Surrogate: Phenol-d5-surr*		*156%*	*S*	*60-140*					*08/18/2022 15:28*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*34.9%*	*S*	*60-140*					*08/18/2022 15:28*	
Metals, Total											
EPA 200.8	Antimony	N	0.00348	J	mg/kg	1	0.00322	0.0400	BFI0219	09/09/2022 12:28	TBB
EPA 200.8	Arsenic	N	2.78		mg/kg	1	0.00492	0.0200	BFI0219	09/09/2022 17:38	TBB
EPA 200.8	Beryllium	N	0.00100	J	mg/kg	1	0.000400	0.00800	BFI0219	09/09/2022 16:44	TBB
EPA 200.8	Cadmium	N	0.0434		mg/kg	1	0.00126	0.0400	BFI0219	09/09/2022 12:28	TBB
EPA 200.8	Chromium	N	0.0698	J	mg/kg	1	0.00294	0.120	BFI0219	09/09/2022 12:28	TBB
EPA 200.8	Copper	N	1.30	V	mg/kg	1	0.00348	0.0400	BFI0219	09/09/2022 17:38	TBB
SW-7471B	Mercury	A	<0.00451	U	mg/kg	1	0.00451	0.00902	BFH2169	08/16/2022 19:07	NAZ
EPA 200.8	Lead	N	0.0747		mg/kg	1	0.00302	0.0200	BFI0219	09/09/2022 12:28	TBB
EPA 200.8	Nickel	N	0.213		mg/kg	1	0.000708	0.0400	BFI0219	09/09/2022 12:28	TBB
EPA 200.8	Selenium	N	0.355		mg/kg	1	0.0440	0.200	BFI0219	09/09/2022 12:28	TBB
EPA 200.8	Silver	N	0.0107	J	mg/kg	1	0.000284	0.0200	BFI0219	09/09/2022 12:28	TBB
EPA 200.8	Thallium	N	0.000800	J	mg/kg	1	0.000276	0.0200	BFI0219	09/09/2022 12:28	TBB
EPA 200.8	Zinc	N	9.49	V	mg/kg	1	0.0150	0.0800	BFI0219	09/09/2022 12:28	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.7		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-08-4	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-37RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	31.6	V	ug/kg	1	2.46	2.46	BFG3163	08/25/2022 08:57	KRB
SW-8270	Phenol, Total (Rerun)	A	128	V	ug/kg	1	4.91	4.91	BFG3163	08/25/2022 08:57	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*13.5%*	*S*	*60-140*					*08/25/2022 08:57*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.7%*		*60-140*					*08/25/2022 08:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*95.9%*		*60-140*					*08/25/2022 08:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*139%*		*60-140*					*08/25/2022 08:57*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*115%*		*60-140*					*08/25/2022 08:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*50.0%*	*S*	*60-140*					*08/25/2022 08:57*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-08-5
Lab Sample ID: 22F4240-38
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.36	B, U	ug/kg	1	2.36	2.36	BFG3163	08/18/2022 16:02	KRB
SW-8270	Di-n-butyl phthalate	A	5.21	V	ug/kg	1	2.36	2.36	BFG3163	08/18/2022 16:02	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*30.4%*	*S*	*60-140*					*08/18/2022 16:02*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*72.9%*		*60-140*					*08/18/2022 16:02*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.0%*		*60-140*					*08/18/2022 16:02*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*128%*		*60-140*					*08/18/2022 16:02*	
SW-8270	*Surrogate: Phenol-d5-surr*		*144%*	*S*	*60-140*					*08/18/2022 16:02*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*40.7%*	*S*	*60-140*					*08/18/2022 16:02*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00325	U	mg/kg	1	0.00325	0.0403	BFI0219	09/09/2022 11:29	TBB
EPA 200.8	Arsenic	N	2.68		mg/kg	1	0.00496	0.0202	BFI0219	09/09/2022 11:29	TBB
EPA 200.8	Beryllium	N	0.000685	J	mg/kg	1	0.000403	0.00806	BFI0219	09/09/2022 16:46	TBB
EPA 200.8	Cadmium	N	0.0433		mg/kg	1	0.00127	0.0403	BFI0219	09/09/2022 11:29	TBB
EPA 200.8	Chromium	N	0.0693	J	mg/kg	1	0.00296	0.121	BFI0219	09/09/2022 11:29	TBB
EPA 200.8	Copper	N	1.24	V	mg/kg	1	0.00351	0.0403	BFI0219	09/09/2022 11:29	TBB
SW-7471B	Mercury	A	<0.00444	U	mg/kg	1	0.00444	0.00889	BFH2169	08/16/2022 19:10	NAZ
EPA 200.8	Lead	N	0.0740		mg/kg	1	0.00304	0.0202	BFI0219	09/09/2022 11:29	TBB
EPA 200.8	Nickel	N	0.209		mg/kg	1	0.000714	0.0403	BFI0219	09/09/2022 11:29	TBB
EPA 200.8	Selenium	N	0.352		mg/kg	1	0.0444	0.202	BFI0219	09/09/2022 11:29	TBB
EPA 200.8	Silver	N	0.0123	J	mg/kg	1	0.000286	0.0202	BFI0219	09/09/2022 11:29	TBB
EPA 200.8	Thallium	N	0.000484	J	mg/kg	1	0.000278	0.0202	BFI0219	09/09/2022 11:29	TBB
EPA 200.8	Zinc	N	31.2	V	mg/kg	5	0.0757	0.403	BFI0219	09/09/2022 12:31	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.0		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-08-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-38RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	151	V	ug/kg	1	4.72	4.72	BFG3163	08/25/2022 09:32	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*16.4%*	*S*	*60-140*					*08/25/2022 09:32*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*65.0%*		*60-140*					*08/25/2022 09:32*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*106%*		*60-140*					*08/25/2022 09:32*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*161%*	*S*	*60-140*					*08/25/2022 09:32*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*151%*	*S*	*60-140*					*08/25/2022 09:32*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*54.1%*	*S*	*60-140*					*08/25/2022 09:32*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-09-1
Lab Sample ID: 22F4240-39
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.46	B, U	ug/kg	1	2.46	2.46	BFG3163	08/18/2022 16:36	KRB
SW-8270	Di-n-butyl phthalate	A	29.0	V	ug/kg	1	2.46	2.46	BFG3163	08/18/2022 16:36	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*32.1%*	*S*	*60-140*					*08/18/2022 16:36*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*63.7%*		*60-140*					*08/18/2022 16:36*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*101%*		*60-140*					*08/18/2022 16:36*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*140%*		*60-140*					*08/18/2022 16:36*	
SW-8270	*Surrogate: Phenol-d5-surr*		*128%*		*60-140*					*08/18/2022 16:36*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*33.1%*	*S*	*60-140*					*08/18/2022 16:36*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00290	U	mg/kg	1	0.00290	0.0360	BFI0219	09/09/2022 11:32	TBB
EPA 200.8	Arsenic	N	2.65		mg/kg	1	0.00442	0.0180	BFI0219	09/09/2022 11:32	TBB
EPA 200.8	Beryllium	N	0.000647	J	mg/kg	1	0.000360	0.00719	BFI0219	09/09/2022 16:49	TBB
EPA 200.8	Cadmium	N	0.0459		mg/kg	1	0.00114	0.0360	BFI0219	09/09/2022 11:32	TBB
EPA 200.8	Chromium	N	0.0592	J	mg/kg	1	0.00264	0.108	BFI0219	09/09/2022 11:32	TBB
EPA 200.8	Copper	N	1.32	V	mg/kg	1	0.00313	0.0360	BFI0219	09/09/2022 11:32	TBB
SW-7471B	Mercury	A	<0.00444	U	mg/kg	1	0.00444	0.00889	BFH2169	08/16/2022 19:20	NAZ
EPA 200.8	Lead	N	0.0775		mg/kg	1	0.00272	0.0180	BFI0219	09/09/2022 11:32	TBB
EPA 200.8	Nickel	N	0.272		mg/kg	1	0.000637	0.0360	BFI0219	09/09/2022 11:32	TBB
EPA 200.8	Selenium	N	0.334		mg/kg	1	0.0396	0.180	BFI0219	09/09/2022 11:32	TBB
EPA 200.8	Silver	N	0.0131	J	mg/kg	1	0.000255	0.0180	BFI0219	09/09/2022 11:32	TBB
EPA 200.8	Thallium	N	0.000504	J	mg/kg	1	0.000248	0.0180	BFI0219	09/09/2022 11:32	TBB
EPA 200.8	Zinc	N	22.8	V	mg/kg	5	0.0675	0.360	BFI0219	09/09/2022 12:34	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.0		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-09-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-39RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	124	V	ug/kg	1	4.91	4.91	BFG3163	08/25/2022 10:06	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*22.2%*	*S*	*60-140*					*08/25/2022 10:06*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*55.2%*	*S*	*60-140*					*08/25/2022 10:06*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*124%*		*60-140*					*08/25/2022 10:06*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*190%*	*S*	*60-140*					*08/25/2022 10:06*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*189%*	*S*	*60-140*					*08/25/2022 10:06*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*42.0%*	*S*	*60-140*					*08/25/2022 10:06*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-09-2
Lab Sample ID: 22F4240-40
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.24	B, U	ug/kg	1	2.24	2.24	BFG3163	08/18/2022 17:10	KRB
SW-8270	Di-n-butyl phthalate	A	7.38	V	ug/kg	1	2.24	2.24	BFG3163	08/18/2022 17:10	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*18.2%*	*S*	*60-140*					*08/18/2022 17:10*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*68.0%*		*60-140*					*08/18/2022 17:10*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*63.9%*		*60-140*					*08/18/2022 17:10*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*117%*		*60-140*					*08/18/2022 17:10*	
SW-8270	*Surrogate: Phenol-d5-surr*		*107%*		*60-140*					*08/18/2022 17:10*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*42.6%*	*S*	*60-140*					*08/18/2022 17:10*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00305	U	mg/kg	1	0.00305	0.0379	BFI0219	09/09/2022 11:35	TBB
EPA 200.8	Arsenic	N	2.95		mg/kg	1	0.00466	0.0189	BFI0219	09/09/2022 11:35	TBB
EPA 200.8	Beryllium	N	0.000492	J	mg/kg	1	0.000379	0.00758	BFI0219	09/09/2022 16:52	TBB
EPA 200.8	Cadmium	N	0.0501		mg/kg	1	0.00120	0.0379	BFI0219	09/09/2022 11:35	TBB
EPA 200.8	Chromium	N	0.0575	J	mg/kg	1	0.00278	0.114	BFI0219	09/09/2022 11:35	TBB
EPA 200.8	Copper	N	1.25	V	mg/kg	1	0.00330	0.0379	BFI0219	09/09/2022 11:35	TBB
SW-7471B	Mercury	A	<0.00448	U	mg/kg	1	0.00448	0.00896	BFH2169	08/16/2022 19:23	NAZ
EPA 200.8	Lead	N	0.0844		mg/kg	1	0.00286	0.0189	BFI0219	09/09/2022 11:35	TBB
EPA 200.8	Nickel	N	0.289		mg/kg	1	0.000670	0.0379	BFI0219	09/09/2022 11:35	TBB
EPA 200.8	Selenium	N	0.339		mg/kg	1	0.0417	0.189	BFI0219	09/09/2022 11:35	TBB
EPA 200.8	Silver	N	0.0144	J	mg/kg	1	0.000269	0.0189	BFI0219	09/09/2022 11:35	TBB
EPA 200.8	Thallium	N	0.000644	J	mg/kg	1	0.000261	0.0189	BFI0219	09/09/2022 11:35	TBB
EPA 200.8	Zinc	N	63.3	V	mg/kg	10	0.142	0.758	BFI0219	09/09/2022 12:37	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.7		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-09-2
Lab Sample ID: 22F4240-40RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	142	V	ug/kg	1	4.49	4.49	BFG3163	08/25/2022 10:40	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*10.9%*	*S*	*60-140*					*08/25/2022 10:40*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*61.1%*		*60-140*					*08/25/2022 10:40*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*74.4%*		*60-140*					*08/25/2022 10:40*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*258%*	*S*	*60-140*					*08/25/2022 10:40*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*120%*		*60-140*					*08/25/2022 10:40*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*47.0%*	*S*	*60-140*					*08/25/2022 10:40*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-09-3
Lab Sample ID: 22F4240-41
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.46	B, U	ug/kg	1	2.46	2.46	BFG3163	08/18/2022 17:44	KRB
SW-8270	Di-n-butyl phthalate	A	31.5	V	ug/kg	1	2.46	2.46	BFG3163	08/18/2022 17:44	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*19.7%*	*S*	*60-140*					*08/18/2022 17:44*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*87.9%*		*60-140*					*08/18/2022 17:44*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*75.9%*		*60-140*					*08/18/2022 17:44*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*92.3%*		*60-140*					*08/18/2022 17:44*	
SW-8270	*Surrogate: Phenol-d5-surr*		*159%*	*S*	*60-140*					*08/18/2022 17:44*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*46.8%*	*S*	*60-140*					*08/18/2022 17:44*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00276	U	mg/kg	1	0.00276	0.0342	BFI0219	09/09/2022 11:53	TBB
EPA 200.8	Arsenic	N	2.90		mg/kg	1	0.00421	0.0171	BFI0219	09/09/2022 17:13	TBB
EPA 200.8	Beryllium	N	0.000753	J	mg/kg	1	0.000342	0.00685	BFI0219	09/09/2022 17:13	TBB
EPA 200.8	Cadmium	N	0.0488		mg/kg	1	0.00108	0.0342	BFI0219	09/09/2022 11:53	TBB
EPA 200.8	Chromium	N	0.0702	J	mg/kg	1	0.00252	0.103	BFI0219	09/09/2022 11:53	TBB
EPA 200.8	Copper	N	1.29	V	mg/kg	1	0.00298	0.0342	BFI0219	09/09/2022 11:53	TBB
SW-7471B	Mercury	A	<0.00426	U	mg/kg	1	0.00426	0.00851	BFH2169	08/16/2022 19:27	NAZ
EPA 200.8	Lead	N	0.102		mg/kg	1	0.00259	0.0171	BFI0219	09/09/2022 11:53	TBB
EPA 200.8	Nickel	N	0.279		mg/kg	1	0.000606	0.0342	BFI0219	09/09/2022 11:53	TBB
EPA 200.8	Selenium	N	0.335		mg/kg	1	0.0377	0.171	BFI0219	09/09/2022 11:53	TBB
EPA 200.8	Silver	N	0.0140	J	mg/kg	1	0.000243	0.0171	BFI0219	09/09/2022 11:53	TBB
EPA 200.8	Thallium	N	0.000616	J	mg/kg	1	0.000236	0.0171	BFI0219	09/09/2022 11:53	TBB
EPA 200.8	Zinc	N	77.8	V	mg/kg	10	0.129	0.685	BFI0219	09/09/2022 12:42	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.6		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-09-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-41RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	151	V	ug/kg	1	4.92	4.92	BFG3163	08/25/2022 11:15	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*20.7%*	*S*	*60-140*					*08/25/2022 11:15*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*62.2%*		*60-140*					*08/25/2022 11:15*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*83.7%*		*60-140*					*08/25/2022 11:15*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*231%*	*S*	*60-140*					*08/25/2022 11:15*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*173%*	*S*	*60-140*					*08/25/2022 11:15*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*43.1%*	*S*	*60-140*					*08/25/2022 11:15*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-09-4
Lab Sample ID: 22F4240-42
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.45	B, U	ug/kg	1	2.45	2.45	BFG3163	08/18/2022 18:52	KRB
SW-8270	Di-n-butyl phthalate	A	20.1	V	ug/kg	1	2.45	2.45	BFG3163	08/18/2022 18:52	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*6.35%*	*S*	*60-140*					*08/18/2022 18:52*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*72.0%*		*60-140*					*08/18/2022 18:52*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*37.1%*	*S*	*60-140*					*08/18/2022 18:52*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*61.3%*		*60-140*					*08/18/2022 18:52*	
SW-8270	*Surrogate: Phenol-d5-surr*		*167%*	*S*	*60-140*					*08/18/2022 18:52*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*56.5%*	*S*	*60-140*					*08/18/2022 18:52*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00283	U	mg/kg	1	0.00283	0.0352	BFI0219	09/09/2022 11:56	TBB
EPA 200.8	Arsenic	N	2.84		mg/kg	1	0.00433	0.0176	BFI0219	09/09/2022 17:19	TBB
EPA 200.8	Beryllium	N	0.000775	J	mg/kg	1	0.000352	0.00704	BFI0219	09/09/2022 17:19	TBB
EPA 200.8	Cadmium	N	0.0475		mg/kg	1	0.00111	0.0352	BFI0219	09/09/2022 11:56	TBB
EPA 200.8	Chromium	N	0.0565	J	mg/kg	1	0.00259	0.106	BFI0219	09/09/2022 11:56	TBB
EPA 200.8	Copper	N	1.33	V	mg/kg	1	0.00306	0.0352	BFI0219	09/09/2022 11:56	TBB
SW-7471B	Mercury	A	<0.00465	U	mg/kg	1	0.00465	0.00930	BFH2169	08/16/2022 19:30	NAZ
EPA 200.8	Lead	N	0.0949		mg/kg	1	0.00266	0.0176	BFI0219	09/09/2022 11:56	TBB
EPA 200.8	Nickel	N	0.279		mg/kg	1	0.000623	0.0352	BFI0219	09/09/2022 11:56	TBB
EPA 200.8	Selenium	N	0.324		mg/kg	1	0.0387	0.176	BFI0219	09/09/2022 11:56	TBB
EPA 200.8	Silver	N	0.0145	J	mg/kg	1	0.000250	0.0176	BFI0219	09/09/2022 11:56	TBB
EPA 200.8	Thallium	N	0.000493	J	mg/kg	1	0.000243	0.0176	BFI0219	09/09/2022 11:56	TBB
EPA 200.8	Zinc	N	26.4	V	mg/kg	5	0.0661	0.352	BFI0219	09/09/2022 12:45	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.4		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-09-4	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-42RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	205V		ug/kg	2	9.80	9.80	BFG3163	08/25/2022 11:49	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*4.39%*	*S*	*60-140*					*08/25/2022 11:49*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*62.6%*		*60-140*					*08/25/2022 11:49*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*65.9%*		*60-140*					*08/25/2022 11:49*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*255%*	*S*	*60-140*					*08/25/2022 11:49*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*119%*		*60-140*					*08/25/2022 11:49*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*71.5%*		*60-140*					*08/25/2022 11:49*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-09-5
Lab Sample ID: 22F4240-43
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.39	B, U	ug/kg	1	2.39	2.39	BFG3163	08/18/2022 19:27	KRB
SW-8270	Di-n-butyl phthalate	A	41.8	V	ug/kg	1	2.39	2.39	BFG3163	08/18/2022 19:27	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*13.3%*	*S*	*60-140*					*08/18/2022 19:27*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*51.8%*	*S*	*60-140*					*08/18/2022 19:27*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*52.4%*	*S*	*60-140*					*08/18/2022 19:27*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*61.6%*		*60-140*					*08/18/2022 19:27*	
SW-8270	*Surrogate: Phenol-d5-surr*		*101%*		*60-140*					*08/18/2022 19:27*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*65.3%*		*60-140*					*08/18/2022 19:27*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00307	U	mg/kg	1	0.00307	0.0382	BFI0219	09/09/2022 12:58	TBB
EPA 200.8	Arsenic	N	2.38		mg/kg	2	0.00939	0.0382	BFI0219	09/09/2022 17:27	TBB
EPA 200.8	Beryllium	N	0.000382	J	mg/kg	1	0.000382	0.00763	BFI0219	09/09/2022 17:24	TBB
EPA 200.8	Cadmium	N	0.0484		mg/kg	1	0.00121	0.0382	BFI0219	09/09/2022 12:58	TBB
EPA 200.8	Chromium	N	0.0564	J	mg/kg	1	0.00281	0.115	BFI0219	09/09/2022 12:58	TBB
EPA 200.8	Copper	N	1.33	V	mg/kg	2	0.00664	0.0763	BFI0219	09/09/2022 17:27	TBB
SW-7471B	Mercury	A	<0.00455	U	mg/kg	1	0.00455	0.00909	BFH2169	08/16/2022 19:33	NAZ
EPA 200.8	Lead	N	0.0984		mg/kg	1	0.00288	0.0191	BFI0219	09/09/2022 12:58	TBB
EPA 200.8	Nickel	N	0.274		mg/kg	1	0.000676	0.0382	BFI0219	09/09/2022 12:58	TBB
EPA 200.8	Selenium	N	0.304		mg/kg	1	0.0420	0.191	BFI0219	09/09/2022 12:58	TBB
EPA 200.8	Silver	N	0.0153	J	mg/kg	1	0.000271	0.0191	BFI0219	09/09/2022 12:58	TBB
EPA 200.8	Thallium	N	0.000878	J	mg/kg	1	0.000263	0.0191	BFI0219	09/09/2022 12:58	TBB
EPA 200.8	Zinc	N	33.3	V	mg/kg	5	0.0717	0.382	BFI0219	09/09/2022 12:56	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.6		%	1	0.100	0.100	BFG0345	07/06/2022 11:30	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-09-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-43RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	139	V	ug/kg	1	4.78	4.78	BFG3163	08/25/2022 12:23	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*8.58%*	*S*	*60-140*					*08/25/2022 12:23*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*58.2%*	*S*	*60-140*					*08/25/2022 12:23*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*98.2%*		*60-140*					*08/25/2022 12:23*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*276%*	*S*	*60-140*					*08/25/2022 12:23*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*148%*	*S*	*60-140*					*08/25/2022 12:23*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*47.6%*	*S*	*60-140*					*08/25/2022 12:23*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results

(Continued)

Client Sample ID: NV-CDP-PRETEST-1
Lab Sample ID: 22F4240-44
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Acenaphthylene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Anthracene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Benzo(a)anthracene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Benzo(a)pyrene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.38U	ug/kg	1	4.38	4.38	BFG3159	08/25/2022 06:10	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.19B, U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Chrysene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Di-n-butyl phthalate	A	3.62	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Fluoranthene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Fluorene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Naphthalene	A	2.19	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Phenanthrene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	Pyrene	A	<2.19U	ug/kg	1	2.19	2.19	BFG3159	08/25/2022 06:10	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*71.1%*	*60-140*					*08/25/2022 06:10*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*83.4%*	*60-140*					*08/25/2022 06:10*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*89.7%*	*60-140*					*08/25/2022 06:10*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*87.4%*	*60-140*					*08/25/2022 06:10*	
SW-8270	*Surrogate: Phenol-d5-surr*		*116%*	*60-140*					*08/25/2022 06:10*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*21.6% S*	*60-140*					*08/25/2022 06:10*	
Metals, Total										
EPA 200.8	Antimony	N	<0.0358U	mg/kg	1	0.0358	0.444	BFH1125	08/17/2022 14:08	TBB
EPA 200.8	Arsenic	N	3.43	mg/kg	2	0.109	0.444	BFH1125	08/17/2022 15:02	TBB
EPA 200.8	Beryllium	N	<0.00444U	mg/kg	1	0.00444	0.0889	BFH1125	08/17/2022 14:08	TBB
EPA 200.8	Cadmium	N	0.0446J	mg/kg	1	0.0140	0.444	BFH1125	08/17/2022 14:08	TBB
EPA 200.8	Chromium	N	0.145J	mg/kg	1	0.0327	1.33	BFH1125	08/17/2022 14:08	TBB
EPA 200.8	Copper	N	1.88	mg/kg	1	0.0387	0.444	BFH1125	08/17/2022 14:08	TBB
SW-7471B	Mercury	A	0.00519 J	mg/kg	1	0.00426	0.00851	BFH0643	08/04/2022 18:02	EM
EPA 200.8	Lead	N	0.106J	mg/kg	1	0.0336	0.222	BFH1125	08/17/2022 14:08	TBB
EPA 200.8	Nickel	N	0.198J	mg/kg	1	0.00787	0.444	BFH1125	08/17/2022 14:08	TBB
EPA 200.8	Selenium	N	<0.489U	mg/kg	1	0.489	2.22	BFH1125	08/25/2022 12:56	TBB
EPA 200.8	Silver	N	0.0370J	mg/kg	1	0.00316	0.222	BFH1125	08/17/2022 14:08	TBB
EPA 200.8	Thallium	N	<0.00307U	mg/kg	1	0.00307	0.222	BFH1125	08/17/2022 14:08	TBB
EPA 200.8	Zinc	N	89.8	mg/kg	10	1.67	8.89	BFH1125	08/23/2022 11:50	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-PRETEST-1 (Continued)	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-44	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	14.4		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-PRETEST-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-44RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	57.8	V	ug/kg	5	21.9	21.9	BFG3159	08/26/2022 00:52	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*77.7%*		*60-140*					*08/26/2022 00:52*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*111%*		*60-140*					*08/26/2022 00:52*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*105%*		*60-140*					*08/26/2022 00:52*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*104%*	*S*	*60-140*					*08/26/2022 00:52*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*167%*	*S*	*60-140*					*08/26/2022 00:52*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*84.0%*		*60-140*					*08/26/2022 00:52*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-2
Lab Sample ID: 22F4240-45
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	5.14	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Acenaphthylene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Anthracene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Benzo(a)anthracene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Benzo(a)pyrene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.41U	ug/kg	1	4.41	4.41	BFG3159	08/25/2022 07:19	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.20B, U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Chrysene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Di-n-butyl phthalate	A	23.8	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Fluoranthene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Fluorene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Naphthalene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Phenanthrene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	Pyrene	A	<2.20U	ug/kg	1	2.20	2.20	BFG3159	08/25/2022 07:19	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*58.8% S*	*60-140*					*08/25/2022 07:19*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*109%*	*60-140*					*08/25/2022 07:19*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*135%*	*60-140*					*08/25/2022 07:19*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*138%*	*60-140*					*08/25/2022 07:19*	
SW-8270	*Surrogate: Phenol-d5-surr*		*121%*	*60-140*					*08/25/2022 07:19*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*23.7% S*	*60-140*					*08/25/2022 07:19*	
Metals, Total										
EPA 200.8	Antimony	N	<0.0363U	mg/kg	1	0.0363	0.451	BFH1125	08/17/2022 14:10	TBB
EPA 200.8	Arsenic	N	3.69	mg/kg	1	0.0555	0.226	BFH1125	08/17/2022 14:10	TBB
EPA 200.8	Beryllium	N	<0.00451U	mg/kg	1	0.00451	0.0902	BFH1125	08/17/2022 14:10	TBB
EPA 200.8	Cadmium	N	0.0468J	mg/kg	1	0.0143	0.451	BFH1125	08/17/2022 14:10	TBB
EPA 200.8	Chromium	N	0.117J	mg/kg	1	0.0332	1.35	BFH1125	08/17/2022 14:10	TBB
EPA 200.8	Copper	N	1.82	mg/kg	1	0.0392	0.451	BFH1125	08/17/2022 14:10	TBB
SW-7471B	Mercury	A	<0.00444 U	mg/kg	1	0.00444	0.00889	BFH0643	08/04/2022 18:05	EM
EPA 200.8	Lead	N	0.0947J	mg/kg	1	0.0341	0.226	BFH1125	08/17/2022 14:10	TBB
EPA 200.8	Nickel	N	0.194J	mg/kg	1	0.00798	0.451	BFH1125	08/17/2022 14:10	TBB
EPA 200.8	Selenium	N	<0.496U	mg/kg	1	0.496	2.26	BFH1125	08/25/2022 12:58	TBB
EPA 200.8	Silver	N	0.0318J	mg/kg	1	0.00320	0.226	BFH1125	08/17/2022 14:10	TBB
EPA 200.8	Thallium	N	<0.00311U	mg/kg	1	0.00311	0.226	BFH1125	08/17/2022 14:10	TBB
EPA 200.8	Zinc	N	10.8	mg/kg	1	0.169	0.902	BFH1125	08/23/2022 11:23	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-2 (Continued)
Lab Sample ID: 22F4240-45
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	15.2		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-PRETEST-2	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-45RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	118	V	ug/kg	10	44.1	44.1	BFG3159	08/26/2022 01:27	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*72.8%*		*60-140*					*08/26/2022 01:27*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*111%*		*60-140*					*08/26/2022 01:27*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*113%*		*60-140*					*08/26/2022 01:27*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*118%*	*S*	*60-140*					*08/26/2022 01:27*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*232%*	*S*	*60-140*					*08/26/2022 01:27*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*140%*		*60-140*					*08/26/2022 01:27*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results

(Continued)

Client Sample ID:	NV-CDP-PRETEST-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-46	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Acenaphthylene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Anthracene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Benzo(a)anthracene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Benzo(a)pyrene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	benzo(b&k)fluoranthene	A	<4.36U	ug/kg	1	4.36	4.36	BFG3159	08/25/2022 07:54	KRB
SW-8270	Benzo(g,h,i)perylene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.18B, U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Chrysene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Di-n-butyl phthalate	A	31.2	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Fluoranthene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Fluorene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Naphthalene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Phenanthrene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	Pyrene	A	<2.18U	ug/kg	1	2.18	2.18	BFG3159	08/25/2022 07:54	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*69.4%*	*60-140*					*08/25/2022 07:54*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*76.3%*	*60-140*					*08/25/2022 07:54*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*89.5%*	*60-140*					*08/25/2022 07:54*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*91.3%*	*60-140*					*08/25/2022 07:54*	
SW-8270	*Surrogate: Phenol-d5-surr*		*120%*	*60-140*					*08/25/2022 07:54*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*21.5% S*	*60-140*					*08/25/2022 07:54*	
Metals, Total										
EPA 200.8	Antimony	N	<0.0355U	mg/kg	1	0.0355	0.441	BFH2042	08/22/2022 15:17	TBB
EPA 200.8	Arsenic	N	2.95	mg/kg	1	0.0543	0.221	BFH2042	08/17/2022 18:30	TBB
EPA 200.8	Beryllium	N	<0.00441U	mg/kg	1	0.00441	0.0882	BFH2042	08/22/2022 15:17	TBB
EPA 200.8	Cadmium	N	0.0351J	mg/kg	1	0.0139	0.441	BFH2042	08/17/2022 18:30	TBB
EPA 200.8	Chromium	N	0.103J	mg/kg	1	0.0324	1.32	BFH2042	08/17/2022 18:30	TBB
EPA 200.8	Copper	N	1.41	mg/kg	1	0.0384	0.441	BFH2042	08/17/2022 18:30	TBB
SW-7471B	Mercury	A	0.00512 J	mg/kg	1	0.00451	0.00902	BFH0643	08/04/2022 17:25	EM
EPA 200.8	Lead	N	0.0921J	mg/kg	1	0.0333	0.221	BFH2042	08/22/2022 15:17	TBB
EPA 200.8	Nickel	N	0.161J	mg/kg	1	0.00781	0.441	BFH2042	08/17/2022 18:30	TBB
EPA 200.8	Selenium	N	<0.485U	mg/kg	1	0.485	2.21	BFH2042	08/23/2022 19:45	TBB
EPA 200.8	Silver	N	0.0292J	mg/kg	1	0.00313	0.221	BFH2042	08/22/2022 15:17	TBB
EPA 200.8	Thallium	N	<0.00304U	mg/kg	1	0.00304	0.221	BFH2042	08/17/2022 18:30	TBB
EPA 200.8	Zinc	N	10.9	mg/kg	1	0.166	0.882	BFH2042	08/22/2022 18:32	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-3 (Continued)
Lab Sample ID: 22F4240-46
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	14.4		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Results
(Continued)

Client Sample ID:	NV-CDP-PRETEST-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4240-46RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	56.8	V	ug/kg	5	21.8	21.8	BFG3159	08/26/2022 02:02	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*70.7%*		*60-140*					*08/26/2022 02:02*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*101%*		*60-140*					*08/26/2022 02:02*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*102%*		*60-140*					*08/26/2022 02:02*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*104%*	*S*	*60-140*					*08/26/2022 02:02*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*160%*	*S*	*60-140*					*08/26/2022 02:02*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*68.8%*		*60-140*					*08/26/2022 02:02*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control

Semivolatile Organic Compounds by GCMS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3159 - SW-3570										
Blank (BFG3159-BLK1)				Prepared: 7/25/2022 Analyzed: 8/24/2022						
Acenaphthene	<2.31	U	2.31	ug/kg						
Acenaphthylene	<2.31	U	2.31	ug/kg						
Anthracene	<2.31	U	2.31	ug/kg						
Benzo(a)anthracene	<2.31	U	2.31	ug/kg						
Benzo(a)pyrene	<2.31	U	2.31	ug/kg						
benzo(b&k)fluoranthene	<4.61	U	4.61	ug/kg						
Benzo(g,h,i)perylene	<2.31	U	2.31	ug/kg						
Bis(2-ethylhexyl)phthalate	54.2		2.31	ug/kg						
Chrysene	<2.31	U	2.31	ug/kg						
Dibenzo(a,h)anthracene	<2.31	U	2.31	ug/kg						
Di-n-butyl phthalate	18.7		2.31	ug/kg						
Fluoranthene	<2.31	U	2.31	ug/kg						
Fluorene	<2.31	U	2.31	ug/kg						
Indeno(1,2,3-cd) pyrene	<2.31	U	2.31	ug/kg						
Naphthalene	<2.31	U	2.31	ug/kg						
Phenanthrene	<2.31	U	2.31	ug/kg						
Phenol, Total	38.9		4.61	ug/kg						
Pyrene	<2.31	U	2.31	ug/kg						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*25.6*	*ug/kg*	*73.8*		*34.6*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*21.7*	*ug/kg*	*36.9*		*58.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*43.2*	*ug/kg*	*73.8*		*58.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*28.8*	*ug/kg*	*36.9*		*77.9*	*60-140*		
Surrogate: Phenol-d5-surr			*65.7*	*ug/kg*	*73.8*		*89.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*7.41*	*ug/kg*	*36.9*		*20.1*	*60-140*		
Blank (BFG3159-BLK2)				Prepared: 7/25/2022 Analyzed: 8/25/2022						
Di-n-butyl phthalate	12.5		4.61	ug/kg						
Phenol, Total	41.5		9.23	ug/kg						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*19.1*	*ug/kg*	*73.8*		*25.8*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*17.9*	*ug/kg*	*36.9*		*48.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*40.9*	*ug/kg*	*73.8*		*55.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*22.1*	*ug/kg*	*36.9*		*59.9*	*60-140*		
Surrogate: Phenol-d5-surr			*59.6*	*ug/kg*	*73.8*		*80.7*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*14.4*	*ug/kg*	*36.9*		*38.9*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3159 - SW-3570 (Continued)										
BS SV (BFG3159-BS1)					Prepared: 7/25/2022 Analyzed: 8/24/2022					
Acenaphthene	25.2		2.43	ug/kg	38.8		65.0	60-140		
Acenaphthylene	26.8		2.43	ug/kg	38.8		69.1	60-140		
Anthracene	23.5		2.43	ug/kg	38.8		60.5	60-140		
Benzo(a)anthracene	13.2	J1	2.43	ug/kg	38.8		33.9	60-140		
Benzo(a)pyrene	21.2	J1	2.43	ug/kg	38.8		54.6	60-140		
benzo(b&k)fluoranthene	40.7	J1	4.85	ug/kg	77.7		52.4	60-140		
Benzo(g,h,i)perylene	18.5	J1	2.43	ug/kg	38.8		47.7	60-140		
Bis(2-ethylhexyl)phthalate	49.5		2.43	ug/kg	38.8		128	60-140		
Chrysene	14.4	J1	2.43	ug/kg	38.8		37.1	60-140		
Dibenzo(a,h)anthracene	19.4	J1	2.43	ug/kg	38.8		49.9	60-140		
Di-n-butyl phthalate	73.3	J1, L	2.43	ug/kg	38.8		189	60-140		
Fluoranthene	11.7	J1	2.43	ug/kg	38.8		30.2	60-140		
Fluorene	20.8	J1	2.43	ug/kg	38.8		53.5	60-140		
Indeno(1,2,3-cd) pyrene	19.9	J1	2.43	ug/kg	38.8		51.2	60-140		
Naphthalene	29.5		2.43	ug/kg	38.8		75.9	60-140		
Phenanthrene	23.9		2.43	ug/kg	38.8		61.6	60-140		
Phenol, Total	106	L	4.85	ug/kg	77.7		136	60-140		
Pyrene	13.7	J1	2.43	ug/kg	38.8		35.3	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*31.7*	*ug/kg*	*77.7*		*40.8*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*25.4*	*ug/kg*	*38.8*		*65.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*53.2*	*ug/kg*	*77.7*		*68.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*29.9*	*ug/kg*	*38.8*		*76.9*	*60-140*		
Surrogate: Phenol-d5-surr			*76.8*	*ug/kg*	*77.7*		*98.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*8.13*	*ug/kg*	*38.8*		*20.9*	*60-140*		
LCS (BFG3159-BS2)					Prepared: 7/25/2022 Analyzed: 8/25/2022					
Di-n-butyl phthalate	47.7		4.85	ug/kg	38.8		123	60-140		
Phenol, Total	76.1		9.71	ug/kg	77.7		98.0	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*19.2*	*ug/kg*	*77.7*		*24.7*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*17.7*	*ug/kg*	*38.8*		*45.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*36.7*	*ug/kg*	*77.7*		*47.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*19.1*	*ug/kg*	*38.8*		*49.1*	*60-140*		
Surrogate: Phenol-d5-surr			*52.3*	*ug/kg*	*77.7*		*67.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*12.5*	*ug/kg*	*38.8*		*32.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3159 - SW-3570 (Continued)										
BSD SV (BFG3159-BSD1)					Prepared: 7/25/2022 Analyzed: 8/24/2022					
Acenaphthene	26.0		2.31	ug/kg	37.0		70.3	60-140	2.90	40
Acenaphthylene	28.3		2.31	ug/kg	37.0		76.7	60-140	5.54	40
Anthracene	23.6		2.31	ug/kg	37.0		63.8	60-140	0.405	40
Benzo(a)anthracene	11.0	J1	2.31	ug/kg	37.0		29.9	60-140	17.6	40
Benzo(a)pyrene	20.0	J1	2.31	ug/kg	37.0		54.0	60-140	6.11	40
benzo(b&k)fluoranthene	38.1	J1	4.62	ug/kg	73.9		51.6	60-140	6.48	40
Benzo(g,h,i)perylene	18.8	J1	2.31	ug/kg	37.0		50.9	60-140	1.52	40
Bis(2-ethylhexyl)phthalate	49.7		2.31	ug/kg	37.0		134	60-140	0.272	40
Chrysene	13.2	J1	2.31	ug/kg	37.0		35.7	60-140	9.01	40
Dibenzo(a,h)anthracene	17.8	J1	2.31	ug/kg	37.0		48.2	60-140	8.37	40
Di-n-butyl phthalate	65.3	J1, L	2.31	ug/kg	37.0		177	60-140	11.6	40
Fluoranthene	9.62	J1	2.31	ug/kg	37.0		26.0	60-140	19.6	40
Fluorene	21.4	J1	2.31	ug/kg	37.0		58.0	60-140	3.13	40
Indeno(1,2,3-cd) pyrene	18.5	J1	2.31	ug/kg	37.0		50.0	60-140	7.33	40
Naphthalene	30.7		2.31	ug/kg	37.0		83.0	60-140	4.03	40
Phenanthrene	24.1		2.31	ug/kg	37.0		65.2	60-140	0.686	40
Phenol, Total	108	J1, L	4.62	ug/kg	73.9		146	60-140	1.71	40
Pyrene	10.6	J1	2.31	ug/kg	37.0		28.7	60-140	25.5	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*29.7*	*ug/kg*	*73.9*		*40.2*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*23.1*	*ug/kg*	*37.0*		*62.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*54.5*	*ug/kg*	*73.9*		*73.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*30.4*	*ug/kg*	*37.0*		*82.2*	*60-140*		
Surrogate: Phenol-d5-surr			*74.4*	*ug/kg*	*73.9*		*101*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*9.19*	*ug/kg*	*37.0*		*24.9*	*60-140*		
LCS Dup (BFG3159-BSD2)					Prepared: 7/25/2022 Analyzed: 8/25/2022					
Di-n-butyl phthalate	51.3		4.62	ug/kg	37.0		139	60-140	7.27	40
Phenol, Total	91.8		9.24	ug/kg	73.9		124	60-140	18.6	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*21.4*	*ug/kg*	*73.9*		*28.9*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*19.8*	*ug/kg*	*37.0*		*53.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*44.5*	*ug/kg*	*73.9*		*60.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*24.2*	*ug/kg*	*37.0*		*65.5*	*60-140*		
Surrogate: Phenol-d5-surr			*67.3*	*ug/kg*	*73.9*		*91.1*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*14.0*	*ug/kg*	*37.0*		*37.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3159 - SW-3570 (Continued)										
MDL SV (BFG3159-MRL1)					Prepared: 7/25/2022 Analyzed: 8/24/2022					
Acenaphthene	3.03		2.35	ug/kg	3.76		80.5	50-150		
Acenaphthylene	3.09		2.35	ug/kg	3.76		82.3	50-150		
Anthracene	2.74		2.35	ug/kg	3.76		73.0	50-150		
Benzo(a)anthracene	<2.35	J1, U	2.35	ug/kg	3.76			50-150		
Benzo(a)pyrene	2.78		2.35	ug/kg	3.76		73.8	50-150		
benzo(b&k)fluoranthene	4.95		4.70	ug/kg	7.52		65.8	50-150		
Benzo(g,h,i)perylene	<2.35	J1, U	2.35	ug/kg	3.76			50-150		
Bis(2-ethylhexyl)phthalate	40.8	J1	2.35	ug/kg	3.76		NR	50-150		
Chrysene	<2.35	J1, U	2.35	ug/kg	3.76			50-150		
Dibenzo(a,h)anthracene	<2.35	J1, U	2.35	ug/kg	3.76			50-150		
Di-n-butyl phthalate	57.3	J1	2.35	ug/kg	3.76		NR	50-150		
Fluoranthene	<2.35	J1, U	2.35	ug/kg	3.76			50-150		
Fluorene	2.63		2.35	ug/kg	3.76		70.1	50-150		
Indeno(1,2,3-cd) pyrene	2.36		2.35	ug/kg	3.76		62.7	50-150		
Naphthalene	4.79		2.35	ug/kg	3.76		127	50-150		
Phenanthrene	<2.35	J1, U	2.35	ug/kg	3.76			50-150		
Phenol, Total	36.3	J1	4.70	ug/kg	7.52		482	50-150		
Pyrene	<2.35	J1, U	2.35	ug/kg	3.76			50-150		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*24.1*	*ug/kg*	*75.2*		*32.0*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*20.6*	*ug/kg*	*37.6*		*54.7*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*52.2*	*ug/kg*	*75.2*		*69.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*30.4*	*ug/kg*	*37.6*		*80.7*	*60-140*		
Surrogate: Phenol-d5-surr			*69.4*	*ug/kg*	*75.2*		*92.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*6.09*	*ug/kg*	*37.6*		*16.2*	*60-140*		
MRL Check (BFG3159-MRL2)					Prepared: 7/25/2022 Analyzed: 8/25/2022					
Di-n-butyl phthalate	42.4		4.70	ug/kg	3.76		NR			
Phenol, Total	32.5	J1	9.40	ug/kg	7.52		432	50-150		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*17.6*	*ug/kg*	*75.2*		*23.4*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*17.7*	*ug/kg*	*37.6*		*47.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*41.9*	*ug/kg*	*75.2*		*55.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*24.0*	*ug/kg*	*37.6*		*63.9*	*60-140*		
Surrogate: Phenol-d5-surr			*58.9*	*ug/kg*	*75.2*		*78.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*12.6*	*ug/kg*	*37.6*		*33.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3159 - SW-3570 (Continued)										
22F4240-01 MS (BFG3159-MS1)		**Source: 22F4240-01**			Prepared: 7/25/2022 Analyzed: 8/24/2022					
Acenaphthene	29.5		2.39	ug/kg	38.3	<2.39	76.9	60-140		
Acenaphthylene	33.1		2.39	ug/kg	38.3	<2.39	86.3	60-140		
Anthracene	26.6		2.39	ug/kg	38.3	<2.39	69.5	60-140		
Benzo(a)anthracene	5.60	J1	2.39	ug/kg	38.3	<2.39	14.6	60-140		
Benzo(a)pyrene	14.9	J1	2.39	ug/kg	38.3	<2.39	38.8	60-140		
benzo(b&k)fluoranthene	29.3	J1	4.79	ug/kg	76.6	<4.79	38.2	60-140		
Benzo(g,h,i)perylene	17.5	J1	2.39	ug/kg	38.3	<2.39	45.7	60-140		
Bis(2-ethylhexyl)phthalate	5.42	J1	2.39	ug/kg	38.3	<2.39	14.1	60-140		
Chrysene	11.6	J1	2.39	ug/kg	38.3	<2.39	30.3	60-140		
Dibenzo(a,h)anthracene	15.6	J1	2.39	ug/kg	38.3	<2.39	40.8	60-140		
Di-n-butyl phthalate	18.5	J1	2.39	ug/kg	38.3	2.47	41.8	60-140		
Fluoranthene	7.24	J1	2.39	ug/kg	38.3	<2.39	18.9	60-140		
Fluorene	24.7		2.39	ug/kg	38.3	<2.39	64.5	60-140		
Indeno(1,2,3-cd) pyrene	16.1	J1	2.39	ug/kg	38.3	<2.39	42.0	60-140		
Naphthalene	32.9		2.39	ug/kg	38.3	<2.39	86.0	60-140		
Phenanthrene	27.2		2.39	ug/kg	38.3	<2.39	70.9	60-140		
Phenol, Total	100	L	4.79	ug/kg	76.6	27.9	94.7	60-140		
Pyrene	9.05	J1	2.39	ug/kg	38.3	<2.39	23.6	60-140		
Surrogate: 2,4,6-Tribromophenol-surr			*51.7*	*ug/kg*	*76.6*		*67.5*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*28.8*	*ug/kg*	*38.3*		*75.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*58.9*	*ug/kg*	*76.6*		*76.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*32.1*	*ug/kg*	*38.3*		*83.9*	*60-140*		
Surrogate: Phenol-d5-surr			*80.7*	*ug/kg*	*76.6*		*105*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*7.67*	*ug/kg*	*38.3*		*20.0*	*60-140*		
Matrix Spike (BFG3159-MS2)		**Source: 22F4240-01RE1**			Prepared: 7/25/2022 Analyzed: 8/25/2022					
Di-n-butyl phthalate	15.0	J1	4.79	ug/kg	38.3	<4.79	39.1	60-140		
Phenol, Total	76.5		9.58	ug/kg	76.6	20.2	73.4	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*34.4*	*ug/kg*	*76.6*		*44.9*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*22.8*	*ug/kg*	*38.3*		*59.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*44.3*	*ug/kg*	*76.6*		*57.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*21.8*	*ug/kg*	*38.3*		*57.0*	*60-140*		
Surrogate: Phenol-d5-surr			*61.2*	*ug/kg*	*76.6*		*79.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*13.0*	*ug/kg*	*38.3*		*34.0*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3159 - SW-3570 (Continued)										
22F4240-01 MSD (BFG3159-MSD1)		**Source: 22F4240-01**			Prepared: 7/25/2022 Analyzed: 8/24/2022					
Acenaphthene	27.6		2.43	ug/kg	38.8	<2.43	71.1	60-140	6.49	40
Acenaphthylene	32.5		2.43	ug/kg	38.8	<2.43	83.7	60-140	1.76	40
Anthracene	27.4		2.43	ug/kg	38.8	<2.43	70.6	60-140	2.88	40
Benzo(a)anthracene	7.53	J1	2.43	ug/kg	38.8	<2.43	19.4	60-140	29.3	40
Benzo(a)pyrene	16.1	J1	2.43	ug/kg	38.8	<2.43	41.3	60-140	7.67	40
benzo(b&k)fluoranthene	31.9	J1	4.85	ug/kg	77.7	<4.85	41.0	60-140	8.59	40
Benzo(g,h,i)perylene	17.4	J1	2.43	ug/kg	38.8	<2.43	44.8	60-140	0.685	40
Bis(2-ethylhexyl)phthalate	6.51	J1	2.43	ug/kg	38.8	<2.43	16.8	60-140	18.3	40
Chrysene	12.2	J1	2.43	ug/kg	38.8	<2.43	31.4	60-140	4.90	40
Dibenzo(a,h)anthracene	16.1	J1	2.43	ug/kg	38.8	<2.43	41.5	60-140	3.11	40
Di-n-butyl phthalate	20.9	J1	2.43	ug/kg	38.8	2.47	47.6	60-140	12.4	40
Fluoranthene	8.44	J1	2.43	ug/kg	38.8	<2.43	21.7	60-140	15.3	40
Fluorene	24.5		2.43	ug/kg	38.8	<2.43	63.1	60-140	0.791	40
Indeno(1,2,3-cd) pyrene	16.2	J1	2.43	ug/kg	38.8	<2.43	41.6	60-140	0.333	40
Naphthalene	31.6		2.43	ug/kg	38.8	<2.43	81.2	60-140	4.30	40
Phenanthrene	27.6		2.43	ug/kg	38.8	<2.43	71.0	60-140	1.50	40
Phenol, Total	97.0		4.85	ug/kg	77.7	27.9	88.9	60-140	3.54	40
Pyrene	9.70	J1	2.43	ug/kg	38.8	<2.43	25.0	60-140	6.93	40
Surrogate: 2,4,6-Tribromophenol-surr			*54.3*	*ug/kg*	*77.7*		*69.9*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*31.8*	*ug/kg*	*38.8*		*82.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*59.2*	*ug/kg*	*77.7*		*76.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*30.8*	*ug/kg*	*38.8*		*79.3*	*60-140*		
Surrogate: Phenol-d5-surr			*77.6*	*ug/kg*	*77.7*		*99.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*8.94*	*ug/kg*	*38.8*		*23.0*	*60-140*		
Matrix Spike Dup (BFG3159-MSD2)		**Source: 22F4240-01RE1**			Prepared: 7/25/2022 Analyzed: 8/25/2022					
Di-n-butyl phthalate	14.6	J1	4.85	ug/kg	38.8	<4.85	37.5	60-140	2.78	40
Phenol, Total	76.8		9.71	ug/kg	77.7	20.2	72.9	60-140	0.480	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*31.2*	*ug/kg*	*77.7*		*40.2*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*19.4*	*ug/kg*	*38.8*		*49.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*44.3*	*ug/kg*	*77.7*		*57.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*21.8*	*ug/kg*	*38.8*		*56.0*	*60-140*		
Surrogate: Phenol-d5-surr			*61.9*	*ug/kg*	*77.7*		*79.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*13.4*	*ug/kg*	*38.8*		*34.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3163 - SW-3570										
Blank (BFG3163-BLK1)				Prepared: 7/25/2022 Analyzed: 8/18/2022						
Bis(2-ethylhexyl)phthalate	103	L	2.50	ug/kg						
Di-n-butyl phthalate	8.12		2.50	ug/kg						
Phenol, Total	57.9		4.99	ug/kg						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*6.11*	*ug/kg*	*79.8*		*7.65*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*22.6*	*ug/kg*	*39.9*		*56.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*44.3*	*ug/kg*	*79.8*		*55.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*42.5*	*ug/kg*	*39.9*		*106*	*60-140*		
Surrogate: Phenol-d5-surr			*79.4*	*ug/kg*	*79.8*		*99.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*20.2*	*ug/kg*	*39.9*		*50.5*	*60-140*		
Blank (BFG3163-BLK2)				Prepared: 7/25/2022 Analyzed: 8/25/2022						
Bis(2-ethylhexyl)phthalate	104		12.5	ug/kg						
Di-n-butyl phthalate	<12.5	U	12.5	ug/kg						
Phenol, Total	57.3		25.0	ug/kg						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*4.66*	*ug/kg*	*79.8*		*5.83*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*20.8*	*ug/kg*	*39.9*		*52.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*47.3*	*ug/kg*	*79.8*		*59.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*54.1*	*ug/kg*	*39.9*		*135*	*60-140*		
Surrogate: Phenol-d5-surr			*87.5*	*ug/kg*	*79.8*		*110*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*18.6*	*ug/kg*	*39.9*		*46.5*	*60-140*		
BS SV (BFG3163-BS1)				Prepared: 7/25/2022 Analyzed: 8/18/2022						
Bis(2-ethylhexyl)phthalate	110	J1, L	2.42	ug/kg	38.8		283	60-140		
Di-n-butyl phthalate	29.5		2.42	ug/kg	38.8		76.1	60-140		
Phenol, Total	143	J1, L	4.84	ug/kg	77.5		184	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*5.83*	*ug/kg*	*77.5*		*7.52*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*22.0*	*ug/kg*	*38.8*		*56.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*47.5*	*ug/kg*	*77.5*		*61.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*41.7*	*ug/kg*	*38.8*		*108*	*60-140*		
Surrogate: Phenol-d5-surr			*98.2*	*ug/kg*	*77.5*		*127*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*20.6*	*ug/kg*	*38.8*		*53.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3163 - SW-3570 (Continued)										
LCS (BFG3163-BS2)					Prepared: 7/25/2022 Analyzed: 8/25/2022					
Bis(2-ethylhexyl)phthalate	129	J1	12.1	ug/kg	38.8		332	60-140		
Di-n-butyl phthalate	25.7		12.1	ug/kg	38.8		66.3	60-140		
Phenol, Total	135	J1	24.2	ug/kg	77.5		175	60-140		
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*5.29*	*ug/kg*	*77.5*		*6.82*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*24.3*	*ug/kg*	*38.8*		*62.7*	*60-140*		
Surrogate: 2-Fluorophenol-surr	*S*		*43.7*	*ug/kg*	*77.5*		*56.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr	*S*		*78.0*	*ug/kg*	*38.8*		*201*	*60-140*		
Surrogate: Phenol-d5-surr			*81.9*	*ug/kg*	*77.5*		*106*	*60-140*		
Surrogate: p-Terphenyl-d14-surr	*S*		*18.4*	*ug/kg*	*38.8*		*47.4*	*60-140*		
BSD SV (BFG3163-BSD1)					Prepared: 7/25/2022 Analyzed: 8/18/2022					
Bis(2-ethylhexyl)phthalate	116	J1, L	2.50	ug/kg	39.9		292	60-140	5.89	40
Di-n-butyl phthalate	26.2		2.50	ug/kg	39.9		65.7	60-140	11.6	40
Phenol, Total	139	J1, L	4.99	ug/kg	79.8		174	60-140	2.42	40
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*8.74*	*ug/kg*	*79.8*		*11.0*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*24.4*	*ug/kg*	*39.9*		*61.2*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*55.3*	*ug/kg*	*79.8*		*69.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*42.1*	*ug/kg*	*39.9*		*105*	*60-140*		
Surrogate: Phenol-d5-surr			*102*	*ug/kg*	*79.8*		*128*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*24.2*	*ug/kg*	*39.9*		*60.6*	*60-140*		
LCS Dup (BFG3163-BSD2)					Prepared: 7/25/2022 Analyzed: 8/25/2022					
Bis(2-ethylhexyl)phthalate	135	J1	12.5	ug/kg	39.9		337	60-140	4.65	40
Di-n-butyl phthalate	23.9	J1	12.5	ug/kg	39.9		59.9	60-140	7.25	40
Phenol, Total	147	J1	25.0	ug/kg	79.8		183	60-140	7.84	40
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*3.64*	*ug/kg*	*79.8*		*4.56*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*24.7*	*ug/kg*	*39.9*		*61.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr	*S*		*46.5*	*ug/kg*	*79.8*		*58.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr	*S*		*91.7*	*ug/kg*	*39.9*		*230*	*60-140*		
Surrogate: Phenol-d5-surr			*103*	*ug/kg*	*79.8*		*129*	*60-140*		
Surrogate: p-Terphenyl-d14-surr	*S*		*23.0*	*ug/kg*	*39.9*		*57.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3163 - SW-3570 (Continued)										
MDL SV (BFG3163-MRL1)					Prepared: 7/25/2022 Analyzed: 8/18/2022					
Bis(2-ethylhexyl)phthalate	98.3	J1, L	2.39	ug/kg	3.83		NR	0-200		
Di-n-butyl phthalate	46.0	J1	2.39	ug/kg	3.83		NR	0-200		
Phenol, Total	59.3	J1	4.79	ug/kg	7.66		774	0-200		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*15.4*	*ug/kg*	*76.6*		*20.1*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*25.1*	*ug/kg*	*38.3*		*65.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*58.0*	*ug/kg*	*76.6*		*75.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*45.9*	*ug/kg*	*38.3*		*120*	*60-140*		
Surrogate: Phenol-d5-surr			*93.9*	*ug/kg*	*76.6*		*123*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*19.7*	*ug/kg*	*38.3*		*51.5*	*60-140*		
MRL Check (BFG3163-MRL2)					Prepared: 7/25/2022 Analyzed: 8/25/2022					
Bis(2-ethylhexyl)phthalate	111	J1	12.0	ug/kg	3.83		NR	50-150		
Di-n-butyl phthalate	37.0	J1	12.0	ug/kg	3.83		965	50-150		
Phenol, Total	70.3	J1	23.9	ug/kg	7.66		917	50-150		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*10.2*	*ug/kg*	*76.6*		*13.4*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*25.1*	*ug/kg*	*38.3*		*65.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*56.4*	*ug/kg*	*76.6*		*73.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*56.9*	*ug/kg*	*38.3*		*148*	*60-140*		
Surrogate: Phenol-d5-surr			*104*	*ug/kg*	*76.6*		*136*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*22.1*	*ug/kg*	*38.3*		*57.6*	*60-140*		
22F4240-11 MS (BFG3163-MS1)		**Source: 22F4240-11**			Prepared: 7/25/2022 Analyzed: 8/18/2022					
Bis(2-ethylhexyl)phthalate	24.7	J1	2.20	ug/kg	35.3	4.04	58.6	60-140		
Di-n-butyl phthalate	27.7	J1	2.20	ug/kg	35.3	22.9	13.6	60-140		
Phenol, Total	131	L	4.41	ug/kg	70.5	61.0	99.5	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*5.06*	*ug/kg*	*70.5*		*7.17*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*25.0*	*ug/kg*	*35.3*		*71.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*40.0*	*ug/kg*	*70.5*		*56.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*29.8*	*ug/kg*	*35.3*		*84.5*	*60-140*		
Surrogate: Phenol-d5-surr			*84.4*	*ug/kg*	*70.5*		*120*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*23.2*	*ug/kg*	*35.3*		*65.9*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3163 - SW-3570 (Continued)										
Matrix Spike (BFG3163-MS2)		**Source: 22F4240-11RE1**			Prepared: 7/25/2022 Analyzed: 8/25/2022					
Bis(2-ethylhexyl)phthalate	22.3		4.41	ug/kg	35.3	<4.41	63.1	60-140		
Di-n-butyl phthalate	27.1	J1	4.41	ug/kg	35.3	19.4	21.8	60-140		
Phenol, Total	134		8.82	ug/kg	70.5	64.4	98.2	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*2.40*	*ug/kg*	*70.5*		*3.40*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*28.0*	*ug/kg*	*35.3*		*79.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*51.0*	*ug/kg*	*70.5*		*72.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*46.3*	*ug/kg*	*35.3*		*131*	*60-140*		
Surrogate: Phenol-d5-surr			*72.2*	*ug/kg*	*70.5*		*102*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*24.3*	*ug/kg*	*35.3*		*69.0*	*60-140*		
22F4240-11 MSD (BFG3163-MSD1)		**Source: 22F4240-11**			Prepared: 7/25/2022 Analyzed: 8/18/2022					
Bis(2-ethylhexyl)phthalate	37.9	J1	2.38	ug/kg	38.0	4.04	89.1	60-140	42.2	40
Di-n-butyl phthalate	9.55	J1	2.38	ug/kg	38.0	22.9	NR	60-140	97.5	40
Phenol, Total	76.8	J1	4.75	ug/kg	76.0	61.0	20.8	60-140	52.3	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*4.99*	*ug/kg*	*76.0*		*6.57*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*32.5*	*ug/kg*	*38.0*		*85.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*43.7*	*ug/kg*	*76.0*		*57.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*34.6*	*ug/kg*	*38.0*		*91.1*	*60-140*		
Surrogate: Phenol-d5-surr			*87.4*	*ug/kg*	*76.0*		*115*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*34.8*	*ug/kg*	*38.0*		*91.6*	*60-140*		
Matrix Spike Dup (BFG3163-MSD2)		**Source: 22F4240-11RE1**			Prepared: 7/25/2022 Analyzed: 8/25/2022					
Bis(2-ethylhexyl)phthalate	19.7	J1	2.38	ug/kg	38.0	3.04	43.7	60-140	12.4	40
Di-n-butyl phthalate	51.3	J1	2.38	ug/kg	38.0	19.4	83.8	60-140	61.7	40
Phenol, Total	157		4.75	ug/kg	76.0	64.4	122	60-140	16.2	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*3.18*	*ug/kg*	*76.0*		*4.18*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*27.9*	*ug/kg*	*38.0*		*73.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*58.0*	*ug/kg*	*76.0*		*76.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*43.8*	*ug/kg*	*38.0*		*115*	*60-140*		
Surrogate: Phenol-d5-surr			*87.1*	*ug/kg*	*76.0*		*114*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*24.8*	*ug/kg*	*38.0*		*65.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2911 - SW-7471										
MDL Check (BFG2911-MRL1)					Prepared & Analyzed: 7/22/2022					
Mercury	0.00357	J	0.0183	mg/kg	0.00916		39.0			
Matrix Spike (BFG2911-MS1)		**Source: 22F4225-23**			Prepared & Analyzed: 7/22/2022					
Mercury	<0.00833	J1, U	0.00833	mg/kg	0.104	<0.00833		80-120		
Matrix Spike (BFG2911-MS2)		**Source: 22F4225-25**			Prepared & Analyzed: 7/22/2022					
Mercury	0.105		0.0101	mg/kg	0.126	<0.0101	83.6	80-120		
Matrix Spike Dup (BFG2911-MSD1)		**Source: 22F4225-23**			Prepared & Analyzed: 7/22/2022					
Mercury	0.191	J1	0.0105	mg/kg	0.132	<0.0105	146	80-120	200	20
Matrix Spike Dup (BFG2911-MSD2)		**Source: 22F4225-25**			Prepared & Analyzed: 7/22/2022					
Mercury	0.103		0.00984	mg/kg	0.123	<0.00984	83.9	80-120	2.06	20
Batch: BFH0643 - SW-7471										
MDL Check (BFH0643-MRL1)					Prepared & Analyzed: 8/4/2022					
Mercury	0.0159	J	0.0183	mg/kg	0.00916		174			
Matrix Spike (BFH0643-MS1)		**Source: 22F4225-29**			Prepared & Analyzed: 8/4/2022					
Mercury	0.107		0.00789	mg/kg	0.0987	<0.00789	109	80-120		
Matrix Spike (BFH0643-MS2)		**Source: 22F4225-48**			Prepared & Analyzed: 8/4/2022					
Mercury	0.118		0.00968	mg/kg	0.121	<0.00968	97.8	80-120		
Matrix Spike Dup (BFH0643-MSD1)		**Source: 22F4225-29**			Prepared & Analyzed: 8/4/2022					
Mercury	0.115		0.00889	mg/kg	0.111	<0.00889	103	80-120	6.59	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH0643 - SW-7471 (Continued)										
Matrix Spike Dup (BFH0643-MSD2)	**Source: 22F4225-48**				Prepared & Analyzed: 8/4/2022					
Mercury	0.132		0.0101	mg/kg	0.126	<0.0101	105	80-120	11.3	20
Batch: BFH1125 - EPA 200.3										
Blank (BFH1125-BLK1)					Prepared: 8/9/2022 Analyzed: 8/16/2022					
Antimony	<1.45	U	1.45	mg/kg						
Arsenic	<0.725	U	0.725	mg/kg						
Cadmium	<1.45	U	1.45	mg/kg						
Chromium	<4.35	U	4.35	mg/kg						
Copper	0.157	J	1.45	mg/kg						
Lead	<0.725	U	0.725	mg/kg						
Nickel	0.0310	J	1.45	mg/kg						
Silver	<0.725	U	0.725	mg/kg						
Thallium	<0.725	U	0.725	mg/kg						
Zinc	<2.90	U	2.90	mg/kg						
Blank (BFH1125-BLK2)					Prepared: 8/9/2022 Analyzed: 8/17/2022					
Beryllium	<0.290	U	0.290	mg/kg						
Blank (BFH1125-BLK3)					Prepared: 8/9/2022 Analyzed: 8/23/2022					
Selenium	<7.25	U	7.25	mg/kg						
LCS (BFH1125-BS1)					Prepared: 8/9/2022 Analyzed: 8/16/2022					
Antimony	13.3		1.45	mg/kg	12.1		110	85-115		
Arsenic	6.33		0.725	mg/kg	6.04		105	85-115		
Cadmium	13.4		1.45	mg/kg	12.1		111	85-115		
Chromium	36.8		4.35	mg/kg	36.2		101	85-115		
Copper	12.9		1.45	mg/kg	12.1		107	85-115		
Lead	6.24		0.725	mg/kg	6.04		103	85-115		
Nickel	12.2		1.45	mg/kg	12.1		101	85-115		
Silver	6.58		0.725	mg/kg	6.04		109	85-115		
Thallium	6.25		0.725	mg/kg	6.04		104	85-115		
Zinc	25.5		2.90	mg/kg	24.2		106	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1125 - EPA 200.3 (Continued)										
LCS (BFH1125-BS2)					Prepared: 8/9/2022 Analyzed: 8/17/2022					
Beryllium	2.61		0.290	mg/kg	2.42		108	85-115		
LCS (BFH1125-BS3)					Prepared: 8/9/2022 Analyzed: 8/23/2022					
Selenium	27.7		7.25	mg/kg	24.2		115	85-115		
Duplicate (BFH1125-DUP1)		**Source: 22F4225-25**			Prepared: 8/9/2022 Analyzed: 8/16/2022					
Antimony	<0.417	U	0.417	mg/kg		<0.417				20
Arsenic	1.23		0.208	mg/kg		1.18			4.16	20
Cadmium	0.0619	J	0.417	mg/kg		0.0642			3.65	20
Chromium	0.0314	J	1.25	mg/kg		<1.25			200	20
Copper	1.71		0.417	mg/kg		1.72			0.537	20
Lead	0.0566	J	0.208	mg/kg		0.0589			4.04	20
Nickel	0.425		0.417	mg/kg		0.379			11.5	20
Silver	0.0226	J	0.208	mg/kg		0.0211			7.03	20
Thallium	<0.208	U	0.208	mg/kg		<0.208				20
Duplicate (BFH1125-DUP2)		**Source: 22F4225-27**			Prepared: 8/9/2022 Analyzed: 8/17/2022					
Antimony	<0.488	U	0.488	mg/kg		<0.488				20
Arsenic	1.18		0.244	mg/kg		1.06			10.2	20
Beryllium	<0.0976	U	0.0976	mg/kg		<0.0976				20
Cadmium	0.0589	J	0.488	mg/kg		0.0525			11.4	20
Chromium	0.0424	J	1.46	mg/kg		0.0525			21.3	20
Copper	1.70		0.488	mg/kg		1.58			7.44	20
Lead	0.0595	J	0.244	mg/kg		0.0535			10.6	20
Nickel	0.371	J	0.488	mg/kg		0.350			6.08	20
Silver	0.0226	J	0.244	mg/kg		0.0218			3.64	20
Thallium	<0.244	U	0.244	mg/kg		<0.244				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1125 - EPA 200.3 (Continued)										
Duplicate (BFH1125-DUP3)		**Source: 22F4225-25**			Prepared: 8/9/2022 Analyzed: 8/17/2022					
Beryllium	<0.0833	U	0.0833	mg/kg		<0.0833				20
Duplicate (BFH1125-DUP4)		**Source: 22F4225-25**			Prepared: 8/9/2022 Analyzed: 8/23/2022					
Selenium	<2.08	U	2.08	mg/kg		<2.08				20
Zinc	13.9		1.67	mg/kg		13.7			2.03	20
Duplicate (BFH1125-DUP5)		**Source: 22F4225-27**			Prepared: 8/9/2022 Analyzed: 8/23/2022					
Selenium	<2.44	U	2.44	mg/kg		<2.44				20
Zinc	12.2		0.976	mg/kg		11.6			5.09	20
MDL Check (BFH1125-MRL1)					Prepared: 8/9/2022 Analyzed: 8/16/2022					
Cadmium	0.0260	J	1.55	mg/kg	0.0130		201			
Nickel	0.0323	J	1.55	mg/kg	0.0130		249			
MDL Check (BFH1125-MRL2)					Prepared: 8/9/2022 Analyzed: 8/16/2022					
Antimony	5.49		1.10	mg/kg	4.58		120			
Arsenic	0.529	J	0.549	mg/kg	0.458		116			
Chromium	1.72	J	3.30	mg/kg	1.37		125			
Copper	1.20		1.10	mg/kg	0.916		131			
Lead	0.494	J	0.549	mg/kg	0.458		108			
Silver	0.284	J	0.549	mg/kg	0.229		124			
Thallium	0.251	J	0.549	mg/kg	0.229		110			
Zinc	10.5		2.20	mg/kg	9.16		114			
MDL Check (BFH1125-MRL4)					Prepared: 8/9/2022 Analyzed: 8/17/2022					
Beryllium	0.0952	J	0.220	mg/kg	0.0916		104			
MDL Check (BFH1125-MRL6)					Prepared: 8/9/2022 Analyzed: 8/23/2022					
Selenium	9.67		5.49	mg/kg	9.16		106	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1125 - EPA 200.3 (Continued)										
Matrix Spike (BFH1125-MS1)		**Source: 22F4225-25**			Prepared: 8/9/2022 Analyzed: 8/16/2022					
Antimony	3.75		0.359	mg/kg	2.99	<0.359	125	75-125		
Cadmium	3.69		0.359	mg/kg	2.99	0.0642	121	75-125		
Chromium	10.8		1.08	mg/kg	8.98	0.0283	120	75-125		
Copper	4.69		0.359	mg/kg	2.99	1.72	99.1	75-125		
Lead	1.64		0.180	mg/kg	1.50	0.0589	106	75-125		
Nickel	3.74		0.359	mg/kg	2.99	0.379	112	75-125		
Silver	1.66		0.180	mg/kg	1.50	0.0211	110	75-125		
Thallium	1.65		0.180	mg/kg	1.50	<0.180	110	75-125		
Matrix Spike (BFH1125-MS2)		**Source: 22F4225-27**			Prepared: 8/9/2022 Analyzed: 8/17/2022					
Antimony	3.92		0.390	mg/kg	3.25	<0.390	121	75-125		
Arsenic	3.21	J1	0.390	mg/kg	1.62	1.06	132	75-125		
Beryllium	0.855	J1	0.0779	mg/kg	0.649	<0.0779	132	75-125		
Cadmium	3.98		0.390	mg/kg	3.25	0.0525	121	75-125		
Chromium	11.7		1.17	mg/kg	9.74	0.0525	119	75-125		
Copper	5.19		0.390	mg/kg	3.25	1.58	111	75-125		
Lead	1.78		0.195	mg/kg	1.62	0.0535	106	75-125		
Nickel	4.09		0.390	mg/kg	3.25	0.350	115	75-125		
Silver	1.84		0.195	mg/kg	1.62	0.0218	112	75-125		
Thallium	1.79		0.195	mg/kg	1.62	<0.195	111	75-125		
Matrix Spike (BFH1125-MS3)		**Source: 22F4225-25**			Prepared: 8/9/2022 Analyzed: 8/17/2022					
Arsenic	2.84		0.359	mg/kg	1.50	1.18	111	75-125		
Beryllium	0.715		0.0719	mg/kg	0.599	0.00394	119	75-125		
Matrix Spike (BFH1125-MS4)		**Source: 22F4225-25**			Prepared: 8/9/2022 Analyzed: 8/23/2022					
Selenium	8.72	J1	1.80	mg/kg	5.99	<1.80	146	75-125		
Zinc	17.9	J1	1.44	mg/kg	5.99	13.7	70.3	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1125 - EPA 200.3 (Continued)										
Matrix Spike (BFH1125-MS5)		**Source: 22F4225-27**			Prepared: 8/9/2022 Analyzed: 8/23/2022					
Selenium	9.65	J1	1.95	mg/kg	6.49	<1.95	149	75-125		
Zinc	19.6		1.56	mg/kg	6.49	11.6	123	75-125		
Batch: BFH1159 - SW-7471										
MDL Check (BFH1159-MRL1)					Prepared & Analyzed: 8/9/2022					
Mercury	0.00856	J	0.0183	mg/kg	0.00916		93.5			
Matrix Spike (BFH1159-MS1)		**Source: 22F4225-44**			Prepared & Analyzed: 8/9/2022					
Mercury	0.122		0.0103	mg/kg	0.128	<0.0103	95.3	80-120		
Matrix Spike (BFH1159-MS2)		**Source: 22F4240-08**			Prepared & Analyzed: 8/9/2022					
Mercury	0.0941		0.00736	mg/kg	0.0920	<0.00736	102	80-120		
Matrix Spike Dup (BFH1159-MSD1)		**Source: 22F4225-44**			Prepared & Analyzed: 8/9/2022					
Mercury	0.132		0.0109	mg/kg	0.136	<0.0109	96.6	80-120	7.50	20
Matrix Spike Dup (BFH1159-MSD2)		**Source: 22F4240-08**			Prepared & Analyzed: 8/9/2022					
Mercury	0.104		0.00833	mg/kg	0.104	<0.00833	100	80-120	10.2	20
Batch: BFH2042 - EPA 200.3										
Blank (BFH2042-BLK1)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	<0.605	U	0.605	mg/kg						
Cadmium	<1.21	U	1.21	mg/kg						
Chromium	<3.63	U	3.63	mg/kg						
Copper	<1.21	U	1.21	mg/kg						
Nickel	<1.21	U	1.21	mg/kg						
Thallium	<0.605	U	0.605	mg/kg						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2042 - EPA 200.3 (Continued)										
Blank (BFH2042-BLK2)					Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	<1.21	U	1.21	mg/kg						
Beryllium	<0.242	U	0.242	mg/kg						
Lead	<0.605	U	0.605	mg/kg						
Silver	<0.605	U	0.605	mg/kg						
Zinc	<2.42	U	2.42	mg/kg						
Blank (BFH2042-BLK3)					Prepared: 8/15/2022 Analyzed: 8/23/2022					
Selenium	<6.05	U	6.05	mg/kg						
LCS (BFH2042-BS1)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	5.37		0.586	mg/kg	4.88		110	85-115		
Cadmium	9.42		1.17	mg/kg	9.77		96.4	85-115		
Chromium	30.1		3.52	mg/kg	29.3		103	85-115		
Copper	9.35		1.17	mg/kg	9.77		95.7	85-115		
Nickel	9.28		1.17	mg/kg	9.77		95.0	85-115		
Thallium	4.71		0.586	mg/kg	4.88		96.5	85-115		
LCS (BFH2042-BS2)					Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	11.2		1.17	mg/kg	9.77		114	85-115		
Beryllium	2.13		0.234	mg/kg	1.95		109	85-115		
Lead	5.29		0.586	mg/kg	4.88		108	85-115		
Silver	4.33		0.586	mg/kg	4.88		88.7	85-115		
Zinc	22.1		2.34	mg/kg	19.5		113	85-115		
LCS (BFH2042-BS3)					Prepared: 8/15/2022 Analyzed: 8/23/2022					
Selenium	22.1		5.86	mg/kg	19.5		113	85-115		
Duplicate (BFH2042-DUP1)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	0.949		0.239	mg/kg		0.985			3.76	20
Cadmium	0.0545	J	0.478	mg/kg		0.0578			5.72	20
Chromium	<1.44	U	1.44	mg/kg		0.0372			200	20
Copper	1.24		0.478	mg/kg		1.31			5.44	20
Nickel	0.338	J	0.478	mg/kg		0.361			6.60	20
Thallium	<0.239	U	0.239	mg/kg		<0.239				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2042 - EPA 200.3 (Continued)										
Duplicate (BFH2042-DUP2)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	<0.478	U	0.478	mg/kg		<0.478				20
Beryllium	<0.0957	U	0.0957	mg/kg		<0.0957				20
Lead	0.0634	J	0.239	mg/kg		0.0698			9.55	20
Silver	0.0235	J	0.239	mg/kg		0.0259			9.53	20
Zinc	14.2		0.957	mg/kg		12.9			9.88	20
Duplicate (BFH2042-DUP3)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/23/2022					
Selenium	<2.39	U	2.39	mg/kg		<2.39				20
MRL Check (BFH2042-MRL1)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	0.535	J	0.574	mg/kg	0.478		112			
Chromium	1.67	J	3.44	mg/kg	1.43		117			
Copper	1.10	J	1.15	mg/kg	0.956		115			
Thallium	0.226	J	0.574	mg/kg	0.239		94.6			
MRL Check (BFH2042-MRL2)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Cadmium	0.00798	J	0.939	mg/kg	0.00391		204			
Nickel	0.00845	J	0.939	mg/kg	0.00391		216			
MRL Check (BFH2042-MRL3)					Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	6.71		1.15	mg/kg	4.78		140			
Beryllium	0.116	J	0.229	mg/kg	0.0956		122			
Lead	0.605		0.574	mg/kg	0.478		127			
Silver	0.321	J	0.574	mg/kg	0.239		134			
Zinc	12.4		2.29	mg/kg	9.56		130			
MRL Check (BFH2042-MRL5)					Prepared: 8/15/2022 Analyzed: 8/23/2022					
Selenium	10.6		5.74	mg/kg	9.56		111			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2042 - EPA 200.3 (Continued)										
Matrix Spike (BFH2042-MS1)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	2.76		0.191	mg/kg	1.59	0.985	112	75-125		
Cadmium	3.31		0.381	mg/kg	3.18	0.0578	102	75-125		
Chromium	9.58		1.14	mg/kg	9.54	0.0372	100	75-125		
Copper	4.33		0.381	mg/kg	3.18	1.31	94.9	75-125		
Nickel	3.42		0.381	mg/kg	3.18	0.361	96.2	75-125		
Thallium	1.44		0.191	mg/kg	1.59	<0.191	90.8	75-125		
Matrix Spike (BFH2042-MS2)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	4.29	J1	0.381	mg/kg	3.18	<0.381	135	75-125		
Beryllium	0.857	J1	0.0763	mg/kg	0.636	<0.0763	135	75-125		
Lead	1.97		0.191	mg/kg	1.59	0.0698	119	75-125		
Silver	1.37		0.191	mg/kg	1.59	0.0259	84.3	75-125		
Matrix Spike (BFH2042-MS3)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/22/2022					
Zinc	18.7		1.53	mg/kg	6.36	12.9	91.4	75-125		
Matrix Spike (BFH2042-MS4)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/23/2022					
Selenium	8.19	J1	1.91	mg/kg	6.36	<1.91	129	75-125		
Batch: BFH2169 - SW-7471										
MDL Check (BFH2169-MRL1)					Prepared & Analyzed: 8/16/2022					
Mercury	0.00925	J	0.0199	mg/kg	0.00995		93.0			
Matrix Spike (BFH2169-MS1)		**Source: 22F4225-47**			Prepared & Analyzed: 8/16/2022					
Mercury	0.0802	J1	0.00852	mg/kg	0.107	<0.00852	75.3	80-120		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2169 - SW-7471 (Continued)										
Matrix Spike (BFH2169-MS2)		**Source: 22F4225-30**			Prepared & Analyzed: 8/16/2022					
Mercury	0.0993		0.00930	mg/kg	0.116	<0.00930	85.4	80-120		
Matrix Spike Dup (BFH2169-MSD1)		**Source: 22F4225-47**			Prepared & Analyzed: 8/16/2022					
Mercury	0.0491	J1	0.0109	mg/kg	0.105	<0.0109	46.6	80-120	48.1	20
Matrix Spike Dup (BFH2169-MSD2)		**Source: 22F4225-30**			Prepared & Analyzed: 8/16/2022					
Mercury	0.0991		0.00960	mg/kg	0.120	<0.00960	82.6	80-120	0.160	20
Batch: BFH2628 - SW-7471										
MDL Check (BFH2628-MRL1)					Prepared & Analyzed: 8/18/2022					
Mercury	0.0311		0.0183	mg/kg	0.00917		339			
Matrix Spike (BFH2628-MS1)		**Source: 22F4225-05RE1**			Prepared & Analyzed: 8/18/2022					
Mercury	0.0946		0.00945	mg/kg	0.118	<0.00945	80.1	80-120		
Matrix Spike (BFH2628-MS2)		**Source: 22F4225-20RE1**			Prepared & Analyzed: 8/18/2022					
Mercury	0.101		0.00960	mg/kg	0.120	<0.00960	84.2	80-120		
Matrix Spike Dup (BFH2628-MSD1)		**Source: 22F4225-05RE1**			Prepared & Analyzed: 8/18/2022					
Mercury	0.100		0.00960	mg/kg	0.120	<0.00960	83.4	80-120	5.65	20
Matrix Spike Dup (BFH2628-MSD2)		**Source: 22F4225-20RE1**			Prepared & Analyzed: 8/18/2022					
Mercury	0.0994		0.00960	mg/kg	0.120	<0.00960	82.8	80-120	1.68	20
Batch: BFI0218 - EPA 200.3										
Blank (BFI0218-BLK1)					Prepared: 9/2/2022 Analyzed: 9/8/2022					
Antimony	<0.100	U	0.100	mg/kg						
Arsenic	<0.0500	U	0.0500	mg/kg						
Beryllium	<0.0200	U	0.0200	mg/kg						
Cadmium	<0.100	U	0.100	mg/kg						
Chromium	0.0210	J	0.300	mg/kg						
Copper	0.0572	J	0.100	mg/kg						
Lead	<0.0500	U	0.0500	mg/kg						
Nickel	0.0173	J	0.100	mg/kg						
Selenium	<0.500	U	0.500	mg/kg						
Silver	<0.0500	U	0.0500	mg/kg						
Thallium	<0.0500	U	0.0500	mg/kg						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFI0218 - EPA 200.3 (Continued)										
Blank (BFI0218-BLK2)					Prepared: 9/2/2022 Analyzed: 9/8/2022					
Zinc	<0.200	U	0.200	mg/kg						
LCS (BFI0218-BS1)					Prepared: 9/2/2022 Analyzed: 9/8/2022					
Antimony	11.1		0.100	mg/kg	10.0		111	85-115		
Arsenic	5.55		0.0500	mg/kg	5.00		111	85-115		
Beryllium	2.20		0.0200	mg/kg	2.00		110	85-115		
Cadmium	10.9		0.100	mg/kg	10.0		109	85-115		
Chromium	29.1		0.300	mg/kg	30.0		97.0	85-115		
Copper	9.85		0.100	mg/kg	10.0		98.5	85-115		
Lead	5.09		0.0500	mg/kg	5.00		102	85-115		
Nickel	9.67		0.100	mg/kg	10.0		96.7	85-115		
Selenium	23.3	J1	0.500	mg/kg	20.0		116	85-115		
Silver	4.94		0.0500	mg/kg	5.00		98.8	85-115		
Thallium	5.04		0.0500	mg/kg	5.00		101	85-115		
LCS (BFI0218-BS2)					Prepared: 9/2/2022 Analyzed: 9/8/2022					
Zinc	23.4	J1	0.200	mg/kg	20.0		117	85-115		
Duplicate (BFI0218-DUP1)			**Source: 22F4240-08**		Prepared: 9/2/2022 Analyzed: 9/8/2022					
Antimony	<0.0342	U	0.0342	mg/kg		<0.0342				20
Arsenic	0.857		0.0171	mg/kg		0.909			5.86	20
Beryllium	0.00182	J	0.00685	mg/kg		0.00170			6.62	20
Cadmium	0.0483		0.0342	mg/kg		0.0518			6.88	20
Chromium	0.0334	J	0.103	mg/kg		0.0339			1.54	20
Copper	1.21		0.0342	mg/kg		1.26			3.98	20
Lead	0.0426		0.0171	mg/kg		0.0487			13.2	20
Nickel	0.284		0.0342	mg/kg		0.281			1.05	20
Selenium	0.134	J	0.171	mg/kg		0.141			4.86	20
Silver	0.0154	J	0.0171	mg/kg		0.0163			5.50	20
Thallium	<0.0171	U	0.0171	mg/kg		<0.0171				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFI0218 - EPA 200.3 (Continued)										
Duplicate (BFI0218-DUP2)		**Source: 22F4240-10**			Prepared: 9/2/2022 Analyzed: 9/8/2022					
Antimony	<0.0291	U	0.0291	mg/kg		<0.0291				20
Beryllium	0.00273	J	0.00581	mg/kg		0.00282			3.24	20
Cadmium	0.0561		0.0291	mg/kg		0.0573			2.03	20
Silver	0.0184		0.0145	mg/kg		0.0196			6.14	20
Duplicate (BFI0218-DUP3)		**Source: 22F4240-08**			Prepared: 9/2/2022 Analyzed: 9/8/2022					
Zinc	10.5		0.0685	mg/kg		10.7			2.26	20
Duplicate (BFI0218-DUP4)		**Source: 22F4240-10**			Prepared: 9/2/2022 Analyzed: 9/8/2022					
Arsenic	1.00		0.0145	mg/kg		0.962			4.38	20
Chromium	0.0623	J	0.0872	mg/kg		0.0618			0.730	20
Copper	1.48		0.0291	mg/kg		1.36			8.31	20
Lead	0.0887		0.0145	mg/kg		0.0878			0.998	20
Nickel	0.362		0.0291	mg/kg		0.353			2.68	20
Thallium	0.000349	J	0.0145	mg/kg		0.000363			3.95	20
Duplicate (BFI0218-DUP5)		**Source: 22F4240-10**			Prepared: 9/2/2022 Analyzed: 9/8/2022					
Selenium	0.150		0.145	mg/kg		0.146			2.92	20
MDL Check (BFI0218-MRL1)					Prepared: 9/2/2022 Analyzed: 9/8/2022					
Antimony	0.0550	J	0.100	mg/kg	0.0500		110			
Arsenic	0.00360	J	0.0500	mg/kg	0.00500		72.0			
Beryllium	0.00110	J	0.0200	mg/kg	0.00100		110			
Cadmium	0.00650	J	0.100	mg/kg	0.00500		130			
Chromium	0.0262	J	0.300	mg/kg	0.0150		175			
Copper	0.0242	J	0.100	mg/kg	0.0100		242			
Lead	0.00590	J	0.0500	mg/kg	0.00500		118			
Nickel	0.0143	J	0.100	mg/kg	0.00500		286			
Selenium	0.108	J	0.500	mg/kg	0.100		108			
Silver	0.00300	J	0.0500	mg/kg	0.00250		120			
Thallium	0.00240	J	0.0500	mg/kg	0.00250		96.0			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFI0218 - EPA 200.3 (Continued)										
MDL Check (BFI0218-MRL2)					Prepared: 9/2/2022 Analyzed: 9/8/2022					
Zinc	0.236		0.200	mg/kg	0.100		236			
Matrix Spike (BFI0218-MS1)		**Source: 22F4240-08**			Prepared: 9/2/2022 Analyzed: 9/8/2022					
Antimony	3.05		0.0281	mg/kg	2.81	<0.0281	108	75-125		
Arsenic	2.49		0.0140	mg/kg	1.40	0.909	113	75-125		
Beryllium	0.658		0.00562	mg/kg	0.562	0.00170	117	75-125		
Cadmium	3.05		0.0281	mg/kg	2.81	0.0518	107	75-125		
Chromium	8.32		0.0843	mg/kg	8.43	0.0339	98.3	75-125		
Copper	3.84		0.0281	mg/kg	2.81	1.26	92.0	75-125		
Lead	1.39		0.0140	mg/kg	1.40	0.0487	95.2	75-125		
Nickel	2.96		0.0281	mg/kg	2.81	0.281	95.4	75-125		
Selenium	7.34	J1	0.140	mg/kg	5.62	0.141	128	75-125		
Silver	1.10		0.0140	mg/kg	1.40	0.0163	77.0	75-125		
Thallium	1.35		0.0140	mg/kg	1.40	<0.0140	96.0	75-125		
Matrix Spike (BFI0218-MS2)		**Source: 22F4240-10**			Prepared: 9/2/2022 Analyzed: 9/8/2022					
Antimony	3.36		0.0325	mg/kg	3.25	<0.0325	104	75-125		
Beryllium	0.767		0.00649	mg/kg	0.649	0.00282	118	75-125		
Cadmium	3.56		0.0325	mg/kg	3.25	0.0573	108	75-125		
Silver	1.22	J1	0.0162	mg/kg	1.62	0.0196	73.8	75-125		
Matrix Spike (BFI0218-MS4)		**Source: 22F4240-10**			Prepared: 9/2/2022 Analyzed: 9/8/2022					
Arsenic	2.85		0.0162	mg/kg	1.62	0.962	117	75-125		
Chromium	10.0		0.0974	mg/kg	9.74	0.0618	102	75-125		
Copper	4.61		0.0325	mg/kg	3.25	1.36	100	75-125		
Lead	1.71		0.0162	mg/kg	1.62	0.0878	99.9	75-125		
Nickel	3.57		0.0325	mg/kg	3.25	0.353	99.2	75-125		
Thallium	1.64		0.0162	mg/kg	1.62	0.000363	101	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFI0218 - EPA 200.3 (Continued)										
Matrix Spike (BFI0218-MS5)	**Source: 22F4240-10**				Prepared: 9/2/2022 Analyzed: 9/8/2022					
Selenium	8.49	J1	0.162	mg/kg	6.49	0.146	128	75-125		
Batch: BFI0219 - EPA 200.3										
Blank (BFI0219-BLK1)					Prepared: 9/2/2022 Analyzed: 9/9/2022					
Antimony	<0.100	U	0.100	mg/kg						
Arsenic	<0.0500	U	0.0500	mg/kg						
Beryllium	<0.0200	U	0.0200	mg/kg						
Cadmium	<0.100	U	0.100	mg/kg						
Chromium	<0.300	U	0.300	mg/kg						
Copper	0.0299	J	0.100	mg/kg						
Lead	<0.0500	U	0.0500	mg/kg						
Nickel	<0.100	U	0.100	mg/kg						
Selenium	<0.500	U	0.500	mg/kg						
Silver	<0.0500	U	0.0500	mg/kg						
Thallium	<0.0500	U	0.0500	mg/kg						
Zinc	0.122	J	0.200	mg/kg						
LCS (BFI0219-BS1)					Prepared: 9/2/2022 Analyzed: 9/9/2022					
Antimony	10.8		0.100	mg/kg	10.0		108	85-115		
Arsenic	5.64		0.0500	mg/kg	5.00		113	85-115		
Beryllium	2.38	J1	0.0200	mg/kg	2.00		119	85-115		
Cadmium	11.2		0.100	mg/kg	10.0		112	85-115		
Chromium	30.2		0.300	mg/kg	30.0		101	85-115		
Copper	10.3		0.100	mg/kg	10.0		103	85-115		
Lead	5.05		0.0500	mg/kg	5.00		101	85-115		
Nickel	10.1		0.100	mg/kg	10.0		101	85-115		
Selenium	24.0	J1	0.500	mg/kg	20.0		120	85-115		
Silver	4.67		0.0500	mg/kg	5.00		93.4	85-115		
Thallium	5.10		0.0500	mg/kg	5.00		102	85-115		
Zinc	23.0		0.200	mg/kg	20.0		115	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFI0219 - EPA 200.3 (Continued)										
Duplicate (BFI0219-DUP1)		**Source: 22F4240-29**			Prepared: 9/2/2022 Analyzed: 9/9/2022					
Antimony	<0.0355	U	0.0355	mg/kg		<0.0355				20
Arsenic	1.03	J1	0.0177	mg/kg		2.58			85.9	20
Beryllium	0.00167	J	0.00709	mg/kg		0.000530			103	20
Cadmium	0.0487		0.0355	mg/kg		0.0410			17.0	20
Chromium	0.0443	J	0.106	mg/kg		0.0698			44.7	20
Copper	1.33		0.0355	mg/kg		1.15			15.0	20
Lead	0.0680	J1	0.0177	mg/kg		0.0858			23.1	20
Nickel	0.356	J1	0.0355	mg/kg		0.207			52.8	20
Selenium	0.159	J	0.177	mg/kg		0.311			64.5	20
Silver	0.0196		0.0177	mg/kg		0.0239			19.7	20
Thallium	0.000319	J	0.0177	mg/kg		0.000303			5.18	20
Zinc	39.1		0.355	mg/kg		41.0			4.76	20
Duplicate (BFI0219-DUP2)		**Source: 22F4240-30**			Prepared: 9/2/2022 Analyzed: 9/9/2022					
Antimony	<0.0379	U	0.0379	mg/kg		<0.0379				20
Cadmium	0.0393		0.0379	mg/kg		0.0411			4.63	20
Chromium	0.0557	J	0.114	mg/kg		0.0606			8.38	20
Copper	1.18		0.0379	mg/kg		1.23			4.74	20
Lead	0.0733		0.0189	mg/kg		0.0795			8.05	20
Nickel	0.203		0.0379	mg/kg		0.211			3.66	20
Selenium	0.323		0.189	mg/kg		0.346			6.93	20
Silver	0.0259		0.0189	mg/kg		0.0274			5.60	20
Thallium	0.000303	J	0.0189	mg/kg		0.000315			3.86	20
Zinc	8.53		0.0758	mg/kg		9.15			6.99	20
Duplicate (BFI0219-DUP3)		**Source: 22F4240-30**			Prepared: 9/2/2022 Analyzed: 9/9/2022					
Arsenic	2.46		0.0189	mg/kg		2.62			6.31	20
Beryllium	0.000379	J	0.00758	mg/kg		<0.00758			200	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFI0219 - EPA 200.3 (Continued)										
MDL Check (BFI0219-MRL1)					Prepared: 9/2/2022 Analyzed: 9/9/2022					
Antimony	0.0573	J	0.100	mg/kg	0.0500		115			
Arsenic	0.00100	J	0.0500	mg/kg	0.00500		20.0			
Beryllium	0.00160	J	0.0200	mg/kg	0.00100		160			
Cadmium	0.00500	J	0.100	mg/kg	0.00500		100			
Chromium	0.0336	J	0.300	mg/kg	0.0150		224			
Copper	0.0522	J	0.100	mg/kg	0.0100		522			
Lead	0.00500	J	0.0500	mg/kg	0.00500		100			
Nickel	0.0194	J	0.100	mg/kg	0.00500		388			
Selenium	0.113	J	0.500	mg/kg	0.100		113			
Silver	0.00290	J	0.0500	mg/kg	0.00250		116			
Thallium	0.00290	J	0.0500	mg/kg	0.00250		116			
Zinc	0.479		0.200	mg/kg	0.100		479			
Matrix Spike (BFI0219-MS1)		**Source: 22F4240-29**			Prepared: 9/2/2022 Analyzed: 9/9/2022					
Antimony	4.46		0.0394	mg/kg	3.94	<0.0394	113	75-125		
Arsenic	3.38	J1	0.0197	mg/kg	1.97	2.58	40.8	75-125		
Beryllium	0.986		0.00787	mg/kg	0.787	0.000530	125	75-125		
Cadmium	4.43		0.0394	mg/kg	3.94	0.0410	111	75-125		
Chromium	12.1		0.118	mg/kg	11.8	0.0698	102	75-125		
Copper	5.32		0.0394	mg/kg	3.94	1.15	106	75-125		
Lead	1.96		0.0197	mg/kg	1.97	0.0858	95.4	75-125		
Nickel	4.32		0.0394	mg/kg	3.94	0.207	104	75-125		
Selenium	10.6	J1	0.197	mg/kg	7.87	0.311	130	75-125		
Silver	1.35	J1	0.0197	mg/kg	1.97	0.0239	67.4	75-125		
Thallium	1.95		0.0197	mg/kg	1.97	0.000303	99.1	75-125		
Zinc	51.6	J1	0.394	mg/kg	7.87	41.0	135	75-125		
Matrix Spike (BFI0219-MS2)		**Source: 22F4240-30**			Prepared: 9/2/2022 Analyzed: 9/9/2022					
Antimony	3.56		0.0314	mg/kg	3.14	<0.0314	113	75-125		
Cadmium	3.45		0.0314	mg/kg	3.14	0.0411	108	75-125		
Chromium	9.41		0.0943	mg/kg	9.43	0.0606	99.1	75-125		
Copper	4.01		0.0314	mg/kg	3.14	1.23	88.4	75-125		
Lead	1.50		0.0157	mg/kg	1.57	0.0795	90.2	75-125		
Nickel	3.17		0.0314	mg/kg	3.14	0.211	94.1	75-125		
Selenium	9.01	J1	0.157	mg/kg	6.29	0.346	138	75-125		
Silver	1.46		0.0157	mg/kg	1.57	0.0274	91.3	75-125		
Thallium	1.52		0.0157	mg/kg	1.57	0.000315	96.4	75-125		
Zinc	12.9	J1	0.126	mg/kg	6.29	9.15	60.3	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFI0219 - EPA 200.3 (Continued)										
Matrix Spike (BFI0219-MS3)		**Source: 22F4240-30**			Prepared: 9/2/2022 Analyzed: 9/9/2022					
Arsenic	2.17	J1	0.0786	mg/kg	1.57	2.62	NR	75-125		
Beryllium	0.732		0.00629	mg/kg	0.629	0.000354	116	75-125		
Batch: BFI0732 - SW-7471										
MDL Check (BFI0732-MRL1)					Prepared & Analyzed: 9/7/2022					
Mercury	<0.0194	U	0.0194	mg/kg	0.00968					
Matrix Spike (BFI0732-MS1)		**Source: 22F4240-10RE1**			Prepared & Analyzed: 9/7/2022					
Mercury	0.0927		0.00889	mg/kg	0.111	<0.00889	83.4	80-120		
Matrix Spike Dup (BFI0732-MSD1)		**Source: 22F4240-10RE1**			Prepared & Analyzed: 9/7/2022					
Mercury	0.0967		0.00896	mg/kg	0.112	<0.00896	86.4	80-120	4.25	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

General Chemistry

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG0299 - Percent Solids										
Blank (BFG0299-BLK1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFG0299-DUP1)			**Source: 22F4240-26**		Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	12.7		0.100	%		13.6			6.82	10
Duplicate (BFG0299-DUP2)			**Source: 22F4240-45**		Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	14.5		0.100	%		15.2			4.53	10
Reference (BFG0299-SRM1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	0.346		0.100	%	0.350		98.8	78.9-118		
Batch: BFG0345 - Percent Solids										
Blank (BFG0345-BLK1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFG0345-DUP1)			**Source: 22F4240-11**		Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	9.39		0.100	%		9.50			1.10	10
Duplicate (BFG0345-DUP2)			**Source: 22F4240-43**		Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	12.3		0.100	%		12.6			2.62	10
Reference (BFG0345-SRM1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	0.345		0.100	%	0.350		98.5	78.9-118		
Batch: BFG0354 - Percent Solids										
Blank (BFG0354-BLK1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	<0.100	U	0.100	%						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG0354 - Percent Solids (Continued)										
Duplicate (BFG0354-DUP1)		**Source: 22F4225-01**			Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	8.91		0.100	%		8.65			2.94	10
Duplicate (BFG0354-DUP2)		**Source: 22F4225-36**			Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	8.86		0.100	%		9.08			2.48	10
Reference (BFG0354-SRM1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	0.362		0.100	%	0.350		104	78.9-118		
Batch: BFG0444 - Percent Solids										
Blank (BFG0444-BLK1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFG0444-DUP1)		**Source: 22F4225-17**			Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	8.70		0.100	%		8.76			0.744	10
Reference (BFG0444-SRM1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	0.357		0.100	%	0.350		102	78.9-118		
Batch: BFG0445 - Percent Solids										
Blank (BFG0445-BLK1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFG0445-DUP1)		**Source: 22F4225-07**			Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	11.4		0.100	%		11.2			2.30	10

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG0445 - Percent Solids (Continued)										
Duplicate (BFG0445-DUP2)		**Source: 22F4240-09**			Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	11.0		0.100	%		11.3			2.53	10
Reference (BFG0445-SRM1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	0.349		0.100	%	0.350		99.8	78.9-118		
Batch: BFG0446 - Percent Solids										
Blank (BFG0446-BLK1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFG0446-DUP1)		**Source: 22F4225-09**			Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	8.58		0.100	%		8.75			1.87	10
Duplicate (BFG0446-DUP2)		**Source: 22F4240-23**			Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	14.4		0.100	%		14.9			3.09	10
Reference (BFG0446-SRM1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	0.349		0.100	%	0.350		99.8	78.9-118		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Sample Condition Checklist

Work Order: 22F4240

Check Points	
Yes	Custody Seals
Yes	Containers Intact
Yes	COC/Labels Agree
Yes	Received On Ice
Yes	Appropriate Containers
Yes	Appropriate Sample Volume
Yes	Coolers Intact
Yes	Samples Accepted

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/14/2022 13:49

Term and Qualifier Definitions

Item	Definition
H	The parameter was analyzed outside the method specified holding time.
J	Estimated value - The reported value is between the detection limit and reporting limit.
J1	Estimated value - The reported value is outside the established quality control criteria for accuracy and/or precision.
L	Off scale high - The concentration of the analyte exceeds the linear range.
S	The surrogate recovery was outside the established laboratory recovery limit.
U	Non-detected compound.
V	Analyte was detected in both sample and method blank.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated
*	A = Accredited, N = Not Accredited or Accreditation not available
DF	Dilution Factor - the factor applied to the reported data due to sample preparation, dilution, or moisture content
MDL	Method Detection Limit - The minimum concentration of a substance (or analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. Based on standard deviation of replicate spiked samples take through all steps of the analytical procedure following 40 CFR Part 136 Appendix B.
SDL	Sample Detection Limit - The minimum concentration of a substance (analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. The SDL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MDL = SDL.
MRL	Method Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The MRL is at or above the lowest calibration standard.
LRL	Laboratory Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The LRL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MRL = LRL.

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Houston
4145 Greenbriar Dr
Stafford, TX 77477
Tel: (281)240-4200

Laboratory Job ID: 860-30002-1
Client Project/Site: Fish Tissue 22F4240

For:
North Water District Laboratory Services
8725 Fawn Trail
Conroe, Texas 77385

Attn: Monica Martin

Authorized for release by:
9/6/2022 5:15:59 PM

Travis Richter, Project Manager
(281)794-7216
Travis.Richter@et.eurofinsus.com

LINKS

Review your project results through my EOL

Have a Question? Ask The Expert

Visit us at: www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Detection Summary 6
Client Sample Results 12
Surrogate Summary 26
QC Sample Results 28
QC Association Summary 33
Lab Chronicle 38
Certification Summary 48
Method Summary 49
Sample Summary 50
Chain of Custody 51
Receipt Checklists 59

Definitions/Glossary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
H	Sample was prepped or analyzed beyond the specified holding time
H3	Sample was received and analyzed past holding time.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 860-30002-1

Laboratory: Eurofins Houston

Narrative

Job Narrative
860-30002-1

Comments
No additional comments.

Receipt
The samples were received on 7/19/2022 3:54 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.5º C.

GC Semi VOA
Method TX 1005: The following samples were received outside of holding time: 22F4240-01 (860-30002-1), 22F4240-02 (860-30002-2), 22F4240-03 (860-30002-3), 22F4240-04 (860-30002-4), 22F4240-09 (860-30002-9), 22F4240-12 (860-30002-12), 22F4240-12 (860-30002-12[MS]) and 22F4240-12 (860-30002-12[MSD]).

Method TX 1005: The method blank for preparation batch 860-67196 and analytical batch 860-67151 contained >C12-C28 Range Hydrocarbons above the method detection limit. This target analyte concentration was less than the reporting limit (RL). This method blank was extracted using fish tissue provided by the client. Our in-house method blank did not have recoveries above the MDL and is reported with the data.

Method TX 1005: Surrogate o-Terphenyl (Surr) recovery for the following samples were outside the upper control limit: 22F4240-06 (860-30002-6) and 22F4240-08 (860-30002-8). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

Method TX 1005: The following samples were received outside of holding time: 22F4240-14 (860-30002-14), 22F4240-15 (860-30002-15), 22F4240-16 (860-30002-16), 22F4240-17 (860-30002-17), 22F4240-19 (860-30002-19) and 22F4240-20 (860-30002-20).

Method TX 1005: The following samples were received outside of holding time: 22F4240-05 (860-30002-5), 22F4240-06 (860-30002-6), 22F4240-07 (860-30002-7), 22F4240-08 (860-30002-8), 22F4240-10 (860-30002-10), 22F4240-11 (860-30002-11) and 22F4240-13 (860-30002-13).

Method TX 1005: The following samples were received outside of holding time: 22F4240-05 (860-30002-5), 22F4240-06 (860-30002-6), 22F4240-07 (860-30002-7), 22F4240-08 (860-30002-8), 22F4240-10 (860-30002-10), 22F4240-11 (860-30002-11) and 22F4240-13 (860-30002-13).

Method TX 1005: The following samples were received outside of holding time: 22F4240-14 (860-30002-14), 22F4240-15 (860-30002-15), 22F4240-16 (860-30002-16), 22F4240-17 (860-30002-17), 22F4240-19 (860-30002-19) and 22F4240-20 (860-30002-20).

Method TX 1005: The method blank for preparation batch 860-67758 and analytical batch 860-67674 contained Over C12-C28 above the method detection limit. This target analyte concentration was less than the reporting limit (RL). Re-extraction of samples was not possible since only one container was received per sample. The lab extracted a MB using our usual blank matrix and the MB was clean, therefore, the contamination in this MB is suspected to have come from the fish tissue submitted by the client and used for the preparation of this MB.

Method TX 1005: The following samples were received outside of holding time: 22F4240-18 (860-30002-18), 22F4240-21 (860-30002-21), 22F4240-22 (860-30002-22), 22F4240-23 (860-30002-23), 22F4240-24 (860-30002-24), 22F4240-25 (860-30002-25), 22F4240-26 (860-30002-26), 22F4240-27 (860-30002-27), 22F4240-28 (860-30002-28), 22F4240-29 (860-30002-29), 22F4240-30 (860-30002-30), 22F4240-31 (860-30002-31), 22F4240-32 (860-30002-32), 22F4240-33 (860-30002-33), 22F4240-34 (860-30002-34), 22F4240-35 (860-30002-35), 22F4240-36 (860-30002-36) and 22F4240-37 (860-30002-37).

Method TX 1005: The following samples were received outside of holding time: 22F4240-38 (860-30002-38), 22F4240-39 (860-30002-39), 22F4240-40 (860-30002-40), 22F4240-41 (860-30002-41), 22F4240-42 (860-30002-42), 22F4240-43 (860-30002-43),

Job ID: 860-30002-1 (Continued)

Laboratory: Eurofins Houston (Continued)

22F4240-44 (860-30002-44), 22F4240-45 (860-30002-45) and 22F4240-46 (860-30002-46).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-01 — Lab Sample ID: 860-30002-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	206	H H3 B	99.6	42.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	206		99.6	42.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-02 — Lab Sample ID: 860-30002-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	119	H H3 B	100	42.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	119		100	42.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-03 — Lab Sample ID: 860-30002-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	46.9	J H H3 B	98.4	41.5	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	46.9	J	98.4	41.5	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-04 — Lab Sample ID: 860-30002-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	43.6	J H H3 B	99.0	41.8	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	43.6	J	99.0	41.8	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-05 — Lab Sample ID: 860-30002-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	201	H H3 B	99.4	41.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	201		99.4	41.9	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-06 — Lab Sample ID: 860-30002-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	125	H H3 B	96.2	40.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	125		96.2	40.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-07 — Lab Sample ID: 860-30002-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	110	H H3 B	100	42.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	110		100	42.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-08 — Lab Sample ID: 860-30002-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	315	H H3 B	99.6	42.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	315		99.6	42.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-09 — Lab Sample ID: 860-30002-9

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Houston

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-10 — Lab Sample ID: 860-30002-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	251	H H3 B	100	42.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	251		100	42.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-11 — Lab Sample ID: 860-30002-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	145	H H3 B	98.4	41.5	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	145		98.4	41.5	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-12 — Lab Sample ID: 860-30002-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	64.3	J H H3 B	99.4	41.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	64.3	J	99.4	41.9	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-13 — Lab Sample ID: 860-30002-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	240	H H3 B	100	42.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	240		100	42.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-14 — Lab Sample ID: 860-30002-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	104	H H3 B	99.4	41.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	104		99.4	41.9	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-15 — Lab Sample ID: 860-30002-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	88.1	J H H3 B	100	42.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	88.1	J	100	42.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-16 — Lab Sample ID: 860-30002-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	148	H H3 B	100	42.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	148		100	42.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-17 — Lab Sample ID: 860-30002-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	124	H H3 B	95.2	40.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	124		95.2	40.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-18 — Lab Sample ID: 860-30002-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	156	H H3 B	97.3	41.1	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Houston

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-18 (Continued) — Lab Sample ID: 860-30002-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Petroleum Hydrocarbons (C6-C35)	156		97.3	41.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-19 — Lab Sample ID: 860-30002-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	89.8	J H H3 B	99.6	42.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	89.8	J	99.6	42.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-20 — Lab Sample ID: 860-30002-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	188	H H3 B	96.2	40.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	188		96.2	40.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-21 — Lab Sample ID: 860-30002-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	151	H H3 B	99.6	42.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	151		99.6	42.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-22 — Lab Sample ID: 860-30002-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	96.2	J H H3 B	98.0	41.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	96.2	J	98.0	41.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-23 — Lab Sample ID: 860-30002-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	171	H H3 B	95.2	40.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	171		95.2	40.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-24 — Lab Sample ID: 860-30002-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	430	H H3 B	96.9	40.9	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	73.5	J H H3	96.9	40.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	504		96.9	40.9	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-25 — Lab Sample ID: 860-30002-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	540	H H3 B	95.4	40.3	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	58.7	J H H3	95.4	40.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	599		95.4	40.3	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-26 — Lab Sample ID: 860-30002-26

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	456	H H3 B	100	42.2	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	42.9	J H H3	100	42.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	499		100	42.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-27 — Lab Sample ID: 860-30002-27

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	553	H H3 B	98.2	41.5	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	553		98.2	41.5	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-28 — Lab Sample ID: 860-30002-28

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	222	H H3 B	94.9	40.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	222		94.9	40.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-29 — Lab Sample ID: 860-30002-29

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	840	H H3 B	100	42.2	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	44.6	J H H3	100	42.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	885		100	42.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-30 — Lab Sample ID: 860-30002-30

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	498	H H3 B	90.1	38.0	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	45.2	J H H3	90.1	38.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	543		90.1	38.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-31 — Lab Sample ID: 860-30002-31

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	566	H H3 B	89.9	37.9	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	53.8	J H H3	89.9	37.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	620		89.9	37.9	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-32 — Lab Sample ID: 860-30002-32

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	692	H H3 B	99.2	41.9	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	50.3	J H H3	99.2	41.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	742		99.2	41.9	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-33 — Lab Sample ID: 860-30002-33

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	608	H H3 B	96.2	40.6	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-33 (Continued) — Lab Sample ID: 860-30002-33

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Petroleum Hydrocarbons (C6-C35)	608		96.2	40.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-34 — Lab Sample ID: 860-30002-34

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	593	H H3 B	97.1	41.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	593		97.1	41.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-35 — Lab Sample ID: 860-30002-35

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	540	H H3 B	90.3	38.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	540		90.3	38.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-36 — Lab Sample ID: 860-30002-36

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	693	H H3 B	98.0	41.4	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	82.8	J H H3	98.0	41.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	776		98.0	41.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-37 — Lab Sample ID: 860-30002-37

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	649	H H3 B	89.3	37.7	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	86.7	J H H3	89.3	37.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	736		89.3	37.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-38 — Lab Sample ID: 860-30002-38

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	524	H H3	100	42.2	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	68.2	J H H3	100	42.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	592		100	42.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-39 — Lab Sample ID: 860-30002-39

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	553	H H3	98.6	41.6	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	51.5	J H H3	98.6	41.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	605		98.6	41.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-40 — Lab Sample ID: 860-30002-40

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	240	H H3	100	42.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	240		100	42.2	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-41 — Lab Sample ID: 860-30002-41

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	239	H H3	98.8	41.7	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	44.9	J H H3	98.8	41.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	284		98.8	41.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-42 — Lab Sample ID: 860-30002-42

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	257	H H3	101	42.6	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	57.4	J H H3	101	42.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	314		101	42.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-43 — Lab Sample ID: 860-30002-43

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	254	H H3	96.0	40.5	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	254		96.0	40.5	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-44 — Lab Sample ID: 860-30002-44

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	1440	H H3	94.9	40.0	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	79.7	J H H3	94.9	40.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	1520		94.9	40.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-45 — Lab Sample ID: 860-30002-45

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	1180	H H3	100	42.3	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	79.3	J H H3	100	42.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	1260		100	42.3	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4240-46 — Lab Sample ID: 860-30002-46

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	1050	H H3	95.6	40.3	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	62.4	J H H3	95.6	40.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	1110		95.6	40.3	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: 22F4240-01
Lab Sample ID: 860-30002-1
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.0	U H H3	99.6	42.0	mg/Kg		08/30/22 14:01	08/30/22 20:17	1
>C12-C28 Range Hydrocarbons	**206**	**H H3 B**	99.6	42.0	mg/Kg		08/30/22 14:01	08/30/22 20:17	1
>C28-C35 Range Hydrocarbons	<42.0	U H H3	99.6	42.0	mg/Kg		08/30/22 14:01	08/30/22 20:17	1
Total Petroleum Hydrocarbons (C6-C35)	**206**		99.6	42.0	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*96*		*70 - 130*	*08/30/22 14:01*	*08/30/22 20:17*	*1*
o-Terphenyl (Surr)	*114*		*70 - 130*	*08/30/22 14:01*	*08/30/22 20:17*	*1*

Client Sample ID: 22F4240-02
Lab Sample ID: 860-30002-2
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/30/22 14:01	08/30/22 20:37	1
>C12-C28 Range Hydrocarbons	**119**	**H H3 B**	100	42.4	mg/Kg		08/30/22 14:01	08/30/22 20:37	1
>C28-C35 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/30/22 14:01	08/30/22 20:37	1
Total Petroleum Hydrocarbons (C6-C35)	**119**		100	42.4	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*100*		*70 - 130*	*08/30/22 14:01*	*08/30/22 20:37*	*1*
o-Terphenyl (Surr)	*115*		*70 - 130*	*08/30/22 14:01*	*08/30/22 20:37*	*1*

Client Sample ID: 22F4240-03
Lab Sample ID: 860-30002-3
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/30/22 14:01	08/30/22 20:56	1
>C12-C28 Range Hydrocarbons	**46.9**	**J H H3 B**	98.4	41.5	mg/Kg		08/30/22 14:01	08/30/22 20:56	1
>C28-C35 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/30/22 14:01	08/30/22 20:56	1
Total Petroleum Hydrocarbons (C6-C35)	**46.9**	**J**	98.4	41.5	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*100*		*70 - 130*	*08/30/22 14:01*	*08/30/22 20:56*	*1*
o-Terphenyl (Surr)	*115*		*70 - 130*	*08/30/22 14:01*	*08/30/22 20:56*	*1*

Client Sample ID: 22F4240-04
Lab Sample ID: 860-30002-4
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.8	U H H3	99.0	41.8	mg/Kg		08/30/22 14:01	08/30/22 21:16	1
>C12-C28 Range Hydrocarbons	**43.6**	**J H H3 B**	99.0	41.8	mg/Kg		08/30/22 14:01	08/30/22 21:16	1
>C28-C35 Range Hydrocarbons	<41.8	U H H3	99.0	41.8	mg/Kg		08/30/22 14:01	08/30/22 21:16	1
Total Petroleum Hydrocarbons (C6-C35)	**43.6**	**J**	99.0	41.8	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4240-04
Lab Sample ID: 860-30002-4
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	100		70 - 130	08/30/22 14:01	08/30/22 21:16	1
o-Terphenyl (Surr)	116		70 - 130	08/30/22 14:01	08/30/22 21:16	1

Client Sample ID: 22F4240-05
Lab Sample ID: 860-30002-5
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/30/22 14:01	09/01/22 21:16	1
>C12-C28 Range Hydrocarbons	**201**	**H H3 B**	99.4	41.9	mg/Kg		08/30/22 14:01	09/01/22 21:16	1
>C28-C35 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/30/22 14:01	09/01/22 21:16	1
Total Petroleum Hydrocarbons (C6-C35)	**201**		99.4	41.9	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	102		70 - 130	08/30/22 14:01	09/01/22 21:16	1
o-Terphenyl (Surr)	103		70 - 130	08/30/22 14:01	09/01/22 21:16	1

Client Sample ID: 22F4240-06
Lab Sample ID: 860-30002-6
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/30/22 14:01	09/01/22 21:36	1
>C12-C28 Range Hydrocarbons	**125**	**H H3 B**	96.2	40.6	mg/Kg		08/30/22 14:01	09/01/22 21:36	1
>C28-C35 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/30/22 14:01	09/01/22 21:36	1
Total Petroleum Hydrocarbons (C6-C35)	**125**		96.2	40.6	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	103		70 - 130	08/30/22 14:01	09/01/22 21:36	1
o-Terphenyl (Surr)	116		70 - 130	08/30/22 14:01	09/01/22 21:36	1

Client Sample ID: 22F4240-07
Lab Sample ID: 860-30002-7
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/30/22 14:01	09/01/22 21:56	1
>C12-C28 Range Hydrocarbons	**110**	**H H3 B**	100	42.4	mg/Kg		08/30/22 14:01	09/01/22 21:56	1
>C28-C35 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/30/22 14:01	09/01/22 21:56	1
Total Petroleum Hydrocarbons (C6-C35)	**110**		100	42.4	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	99		70 - 130	08/30/22 14:01	09/01/22 21:56	1
o-Terphenyl (Surr)	113		70 - 130	08/30/22 14:01	09/01/22 21:56	1

Client Sample ID: 22F4240-08
Lab Sample ID: 860-30002-8
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.0	U H H3	99.6	42.0	mg/Kg		08/30/22 14:01	09/01/22 22:15	1
>C12-C28 Range Hydrocarbons	**315**	**H H3 B**	99.6	42.0	mg/Kg		08/30/22 14:01	09/01/22 22:15	1
>C28-C35 Range Hydrocarbons	<42.0	U H H3	99.6	42.0	mg/Kg		08/30/22 14:01	09/01/22 22:15	1
Total Petroleum Hydrocarbons (C6-C35)	**315**		99.6	42.0	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*104*		*70 - 130*	*08/30/22 14:01*	*09/01/22 22:15*	*1*
o-Terphenyl (Surr)	*101*		*70 - 130*	*08/30/22 14:01*	*09/01/22 22:15*	*1*

Client Sample ID: 22F4240-09
Lab Sample ID: 860-30002-9
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		08/30/22 14:01	08/30/22 23:14	1
>C12-C28 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		08/30/22 14:01	08/30/22 23:14	1
>C28-C35 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		08/30/22 14:01	08/30/22 23:14	1
Total Petroleum Hydrocarbons (C6-C35)	<41.7	U	98.8	41.7	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*100*		*70 - 130*	*08/30/22 14:01*	*08/30/22 23:14*	*1*
o-Terphenyl (Surr)	*117*		*70 - 130*	*08/30/22 14:01*	*08/30/22 23:14*	*1*

Client Sample ID: 22F4240-10
Lab Sample ID: 860-30002-10
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/30/22 14:01	09/01/22 22:35	1
>C12-C28 Range Hydrocarbons	**251**	**H H3 B**	100	42.2	mg/Kg		08/30/22 14:01	09/01/22 22:35	1
>C28-C35 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/30/22 14:01	09/01/22 22:35	1
Total Petroleum Hydrocarbons (C6-C35)	**251**		100	42.2	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*97*		*70 - 130*	*08/30/22 14:01*	*09/01/22 22:35*	*1*
o-Terphenyl (Surr)	*108*		*70 - 130*	*08/30/22 14:01*	*09/01/22 22:35*	*1*

Client Sample ID: 22F4240-11
Lab Sample ID: 860-30002-11
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/30/22 14:01	09/01/22 22:55	1
>C12-C28 Range Hydrocarbons	**145**	**H H3 B**	98.4	41.5	mg/Kg		08/30/22 14:01	09/01/22 22:55	1
>C28-C35 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/30/22 14:01	09/01/22 22:55	1
Total Petroleum Hydrocarbons (C6-C35)	**145**		98.4	41.5	mg/Kg			08/18/22 16:54	1

Client Sample ID: 22F4240-11
Lab Sample ID: 860-30002-11
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	101		70 - 130	08/30/22 14:01	09/01/22 22:55	1
o-Terphenyl (Surr)	114		70 - 130	08/30/22 14:01	09/01/22 22:55	1

Client Sample ID: 22F4240-12
Lab Sample ID: 860-30002-12
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/30/22 14:01	08/30/22 19:19	1
>C12-C28 Range Hydrocarbons	**64.3**	**J H H3 B**	99.4	41.9	mg/Kg		08/30/22 14:01	08/30/22 19:19	1
>C28-C35 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/30/22 14:01	08/30/22 19:19	1
Total Petroleum Hydrocarbons (C6-C35)	**64.3**	**J**	99.4	41.9	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	100		70 - 130	08/30/22 14:01	08/30/22 19:19	1
o-Terphenyl (Surr)	115		70 - 130	08/30/22 14:01	08/30/22 19:19	1

Client Sample ID: 22F4240-13
Lab Sample ID: 860-30002-13
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/30/22 14:01	09/01/22 23:14	1
>C12-C28 Range Hydrocarbons	**240**	**H H3 B**	100	42.4	mg/Kg		08/30/22 14:01	09/01/22 23:14	1
>C28-C35 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/30/22 14:01	09/01/22 23:14	1
Total Petroleum Hydrocarbons (C6-C35)	**240**		100	42.4	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	101		70 - 130	08/30/22 14:01	09/01/22 23:14	1
o-Terphenyl (Surr)	114		70 - 130	08/30/22 14:01	09/01/22 23:14	1

Client Sample ID: 22F4240-14
Lab Sample ID: 860-30002-14
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/30/22 14:01	09/01/22 21:16	1
>C12-C28 Range Hydrocarbons	**104**	**H H3 B**	99.4	41.9	mg/Kg		08/30/22 14:01	09/01/22 21:16	1
>C28-C35 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/30/22 14:01	09/01/22 21:16	1
Total Petroleum Hydrocarbons (C6-C35)	**104**		99.4	41.9	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	112		70 - 130	08/30/22 14:01	09/01/22 21:16	1
o-Terphenyl (Surr)	116		70 - 130	08/30/22 14:01	09/01/22 21:16	1

Client Sample ID: 22F4240-15
Lab Sample ID: 860-30002-15
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/30/22 14:01	09/01/22 21:36	1
>C12-C28 Range Hydrocarbons	**88.1**	**J H H3 B**	100	42.2	mg/Kg		08/30/22 14:01	09/01/22 21:36	1
>C28-C35 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/30/22 14:01	09/01/22 21:36	1
Total Petroleum Hydrocarbons (C6-C35)	**88.1**	**J**	100	42.2	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*114*		*70 - 130*	*08/30/22 14:01*	*09/01/22 21:36*	*1*
o-Terphenyl (Surr)	*116*		*70 - 130*	*08/30/22 14:01*	*09/01/22 21:36*	*1*

Client Sample ID: 22F4240-16
Lab Sample ID: 860-30002-16
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/30/22 14:01	09/01/22 21:56	1
>C12-C28 Range Hydrocarbons	**148**	**H H3 B**	100	42.4	mg/Kg		08/30/22 14:01	09/01/22 21:56	1
>C28-C35 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/30/22 14:01	09/01/22 21:56	1
Total Petroleum Hydrocarbons (C6-C35)	**148**		100	42.4	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*108*		*70 - 130*	*08/30/22 14:01*	*09/01/22 21:56*	*1*
o-Terphenyl (Surr)	*109*		*70 - 130*	*08/30/22 14:01*	*09/01/22 21:56*	*1*

Client Sample ID: 22F4240-17
Lab Sample ID: 860-30002-17
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.2	U H H3	95.2	40.2	mg/Kg		08/30/22 14:01	09/01/22 22:15	1
>C12-C28 Range Hydrocarbons	**124**	**H H3 B**	95.2	40.2	mg/Kg		08/30/22 14:01	09/01/22 22:15	1
>C28-C35 Range Hydrocarbons	<40.2	U H H3	95.2	40.2	mg/Kg		08/30/22 14:01	09/01/22 22:15	1
Total Petroleum Hydrocarbons (C6-C35)	**124**		95.2	40.2	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*110*		*70 - 130*	*08/30/22 14:01*	*09/01/22 22:15*	*1*
o-Terphenyl (Surr)	*113*		*70 - 130*	*08/30/22 14:01*	*09/01/22 22:15*	*1*

Client Sample ID: 22F4240-18
Lab Sample ID: 860-30002-18
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.1	U H H3	97.3	41.1	mg/Kg		09/02/22 15:19	09/02/22 19:19	1
>C12-C28 Range Hydrocarbons	**156**	**H H3 B**	97.3	41.1	mg/Kg		09/02/22 15:19	09/02/22 19:19	1
>C28-C35 Range Hydrocarbons	<41.1	U H H3	97.3	41.1	mg/Kg		09/02/22 15:19	09/02/22 19:19	1
Total Petroleum Hydrocarbons (C6-C35)	**156**		97.3	41.1	mg/Kg			08/18/22 16:54	1

Client Sample ID: 22F4240-18
Lab Sample ID: 860-30002-18
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	96		70 - 130	09/02/22 15:19	09/02/22 19:19	1
o-Terphenyl (Surr)	109		70 - 130	09/02/22 15:19	09/02/22 19:19	1

Client Sample ID: 22F4240-19
Lab Sample ID: 860-30002-19
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.0	U H H3	99.6	42.0	mg/Kg		08/30/22 14:01	09/01/22 22:35	1
>C12-C28 Range Hydrocarbons	**89.8**	**J H H3 B**	99.6	42.0	mg/Kg		08/30/22 14:01	09/01/22 22:35	1
>C28-C35 Range Hydrocarbons	<42.0	U H H3	99.6	42.0	mg/Kg		08/30/22 14:01	09/01/22 22:35	1
Total Petroleum Hydrocarbons (C6-C35)	**89.8**	**J**	99.6	42.0	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	107		70 - 130	08/30/22 14:01	09/01/22 22:35	1
o-Terphenyl (Surr)	108		70 - 130	08/30/22 14:01	09/01/22 22:35	1

Client Sample ID: 22F4240-20
Lab Sample ID: 860-30002-20
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/30/22 14:01	09/01/22 22:55	1
>C12-C28 Range Hydrocarbons	**188**	**H H3 B**	96.2	40.6	mg/Kg		08/30/22 14:01	09/01/22 22:55	1
>C28-C35 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/30/22 14:01	09/01/22 22:55	1
Total Petroleum Hydrocarbons (C6-C35)	**188**		96.2	40.6	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	109		70 - 130	08/30/22 14:01	09/01/22 22:55	1
o-Terphenyl (Surr)	110		70 - 130	08/30/22 14:01	09/01/22 22:55	1

Client Sample ID: 22F4240-21
Lab Sample ID: 860-30002-21
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.0	U H H3	99.6	42.0	mg/Kg		09/02/22 15:19	09/02/22 20:19	1
>C12-C28 Range Hydrocarbons	**151**	**H H3 B**	99.6	42.0	mg/Kg		09/02/22 15:19	09/02/22 20:19	1
>C28-C35 Range Hydrocarbons	<42.0	U H H3	99.6	42.0	mg/Kg		09/02/22 15:19	09/02/22 20:19	1
Total Petroleum Hydrocarbons (C6-C35)	**151**		99.6	42.0	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	100		70 - 130	09/02/22 15:19	09/02/22 20:19	1
o-Terphenyl (Surr)	111		70 - 130	09/02/22 15:19	09/02/22 20:19	1

Client Sample ID: 22F4240-22
Lab Sample ID: 860-30002-22
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		09/02/22 15:19	09/02/22 20:38	1
>C12-C28 Range Hydrocarbons	**96.2**	**J H H3 B**	98.0	41.4	mg/Kg		09/02/22 15:19	09/02/22 20:38	1
>C28-C35 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		09/02/22 15:19	09/02/22 20:38	1
Total Petroleum Hydrocarbons (C6-C35)	**96.2**	**J**	98.0	41.4	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*105*		*70 - 130*	*09/02/22 15:19*	*09/02/22 20:38*	*1*
o-Terphenyl (Surr)	*119*		*70 - 130*	*09/02/22 15:19*	*09/02/22 20:38*	*1*

Client Sample ID: 22F4240-23
Lab Sample ID: 860-30002-23
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.2	U H H3	95.2	40.2	mg/Kg		09/02/22 15:19	09/02/22 20:58	1
>C12-C28 Range Hydrocarbons	**171**	**H H3 B**	95.2	40.2	mg/Kg		09/02/22 15:19	09/02/22 20:58	1
>C28-C35 Range Hydrocarbons	<40.2	U H H3	95.2	40.2	mg/Kg		09/02/22 15:19	09/02/22 20:58	1
Total Petroleum Hydrocarbons (C6-C35)	**171**		95.2	40.2	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*99*		*70 - 130*	*09/02/22 15:19*	*09/02/22 20:58*	*1*
o-Terphenyl (Surr)	*112*		*70 - 130*	*09/02/22 15:19*	*09/02/22 20:58*	*1*

Client Sample ID: 22F4240-24
Lab Sample ID: 860-30002-24
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.9	U H H3	96.9	40.9	mg/Kg		09/02/22 15:19	09/02/22 21:18	1
>C12-C28 Range Hydrocarbons	**430**	**H H3 B**	96.9	40.9	mg/Kg		09/02/22 15:19	09/02/22 21:18	1
>C28-C35 Range Hydrocarbons	**73.5**	**J H H3**	96.9	40.9	mg/Kg		09/02/22 15:19	09/02/22 21:18	1
Total Petroleum Hydrocarbons (C6-C35)	**504**		96.9	40.9	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*111*		*70 - 130*	*09/02/22 15:19*	*09/02/22 21:18*	*1*
o-Terphenyl (Surr)	*103*		*70 - 130*	*09/02/22 15:19*	*09/02/22 21:18*	*1*

Client Sample ID: 22F4240-25
Lab Sample ID: 860-30002-25
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.3	U H H3	95.4	40.3	mg/Kg		09/02/22 15:19	09/02/22 21:57	1
>C12-C28 Range Hydrocarbons	**540**	**H H3 B**	95.4	40.3	mg/Kg		09/02/22 15:19	09/02/22 21:57	1
>C28-C35 Range Hydrocarbons	**58.7**	**J H H3**	95.4	40.3	mg/Kg		09/02/22 15:19	09/02/22 21:57	1
Total Petroleum Hydrocarbons (C6-C35)	**599**		95.4	40.3	mg/Kg			08/18/22 16:54	1

Client Sample ID: 22F4240-25
Lab Sample ID: 860-30002-25
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	111		70 - 130	09/02/22 15:19	09/02/22 21:57	1
o-Terphenyl (Surr)	102		70 - 130	09/02/22 15:19	09/02/22 21:57	1

Client Sample ID: 22F4240-26
Lab Sample ID: 860-30002-26
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		09/02/22 15:19	09/02/22 22:16	1
>C12-C28 Range Hydrocarbons	**456**	**H H3 B**	100	42.2	mg/Kg		09/02/22 15:19	09/02/22 22:16	1
>C28-C35 Range Hydrocarbons	**42.9**	**J H H3**	100	42.2	mg/Kg		09/02/22 15:19	09/02/22 22:16	1
Total Petroleum Hydrocarbons (C6-C35)	**499**		100	42.2	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	100		70 - 130	09/02/22 15:19	09/02/22 22:16	1
o-Terphenyl (Surr)	92		70 - 130	09/02/22 15:19	09/02/22 22:16	1

Client Sample ID: 22F4240-27
Lab Sample ID: 860-30002-27
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.5	U H H3	98.2	41.5	mg/Kg		09/02/22 15:19	09/02/22 22:36	1
>C12-C28 Range Hydrocarbons	**553**	**H H3 B**	98.2	41.5	mg/Kg		09/02/22 15:19	09/02/22 22:36	1
>C28-C35 Range Hydrocarbons	<41.5	U H H3	98.2	41.5	mg/Kg		09/02/22 15:19	09/02/22 22:36	1
Total Petroleum Hydrocarbons (C6-C35)	**553**		98.2	41.5	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	98		70 - 130	09/02/22 15:19	09/02/22 22:36	1
o-Terphenyl (Surr)	89		70 - 130	09/02/22 15:19	09/02/22 22:36	1

Client Sample ID: 22F4240-28
Lab Sample ID: 860-30002-28
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.0	U H H3	94.9	40.0	mg/Kg		09/02/22 15:19	09/02/22 22:56	1
>C12-C28 Range Hydrocarbons	**222**	**H H3 B**	94.9	40.0	mg/Kg		09/02/22 15:19	09/02/22 22:56	1
>C28-C35 Range Hydrocarbons	<40.0	U H H3	94.9	40.0	mg/Kg		09/02/22 15:19	09/02/22 22:56	1
Total Petroleum Hydrocarbons (C6-C35)	**222**		94.9	40.0	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	105		70 - 130	09/02/22 15:19	09/02/22 22:56	1
o-Terphenyl (Surr)	118		70 - 130	09/02/22 15:19	09/02/22 22:56	1

Client Sample ID: 22F4240-29
Lab Sample ID: 860-30002-29
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		09/02/22 15:19	09/02/22 23:15	1
>C12-C28 Range Hydrocarbons	**840**	**H H3 B**	100	42.2	mg/Kg		09/02/22 15:19	09/02/22 23:15	1
>C28-C35 Range Hydrocarbons	**44.6**	**J H H3**	100	42.2	mg/Kg		09/02/22 15:19	09/02/22 23:15	1
Total Petroleum Hydrocarbons (C6-C35)	**885**		100	42.2	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*100*		*70 - 130*	*09/02/22 15:19*	*09/02/22 23:15*	*1*
o-Terphenyl (Surr)	*88*		*70 - 130*	*09/02/22 15:19*	*09/02/22 23:15*	*1*

Client Sample ID: 22F4240-30
Lab Sample ID: 860-30002-30
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.0	U H H3	90.1	38.0	mg/Kg		09/02/22 15:19	09/02/22 23:34	1
>C12-C28 Range Hydrocarbons	**498**	**H H3 B**	90.1	38.0	mg/Kg		09/02/22 15:19	09/02/22 23:34	1
>C28-C35 Range Hydrocarbons	**45.2**	**J H H3**	90.1	38.0	mg/Kg		09/02/22 15:19	09/02/22 23:34	1
Total Petroleum Hydrocarbons (C6-C35)	**543**		90.1	38.0	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*103*		*70 - 130*	*09/02/22 15:19*	*09/02/22 23:34*	*1*
o-Terphenyl (Surr)	*95*		*70 - 130*	*09/02/22 15:19*	*09/02/22 23:34*	*1*

Client Sample ID: 22F4240-31
Lab Sample ID: 860-30002-31
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<37.9	U H H3	89.9	37.9	mg/Kg		09/02/22 15:19	09/02/22 23:54	1
>C12-C28 Range Hydrocarbons	**566**	**H H3 B**	89.9	37.9	mg/Kg		09/02/22 15:19	09/02/22 23:54	1
>C28-C35 Range Hydrocarbons	**53.8**	**J H H3**	89.9	37.9	mg/Kg		09/02/22 15:19	09/02/22 23:54	1
Total Petroleum Hydrocarbons (C6-C35)	**620**		89.9	37.9	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*98*		*70 - 130*	*09/02/22 15:19*	*09/02/22 23:54*	*1*
o-Terphenyl (Surr)	*93*		*70 - 130*	*09/02/22 15:19*	*09/02/22 23:54*	*1*

Client Sample ID: 22F4240-32
Lab Sample ID: 860-30002-32
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.9	U H H3	99.2	41.9	mg/Kg		09/02/22 15:19	09/03/22 00:13	1
>C12-C28 Range Hydrocarbons	**692**	**H H3 B**	99.2	41.9	mg/Kg		09/02/22 15:19	09/03/22 00:13	1
>C28-C35 Range Hydrocarbons	**50.3**	**J H H3**	99.2	41.9	mg/Kg		09/02/22 15:19	09/03/22 00:13	1
Total Petroleum Hydrocarbons (C6-C35)	**742**		99.2	41.9	mg/Kg			08/18/22 16:54	1

Client Sample ID: 22F4240-32
Lab Sample ID: 860-30002-32
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	105		70 - 130	09/02/22 15:19	09/03/22 00:13	1
o-Terphenyl (Surr)	93		70 - 130	09/02/22 15:19	09/03/22 00:13	1

Client Sample ID: 22F4240-33
Lab Sample ID: 860-30002-33
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		09/02/22 15:19	09/03/22 00:32	1
>C12-C28 Range Hydrocarbons	**608**	**H H3 B**	96.2	40.6	mg/Kg		09/02/22 15:19	09/03/22 00:32	1
>C28-C35 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		09/02/22 15:19	09/03/22 00:32	1
Total Petroleum Hydrocarbons (C6-C35)	**608**		96.2	40.6	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	106		70 - 130	09/02/22 15:19	09/03/22 00:32	1
o-Terphenyl (Surr)	99		70 - 130	09/02/22 15:19	09/03/22 00:32	1

Client Sample ID: 22F4240-34
Lab Sample ID: 860-30002-34
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		09/02/22 15:19	09/03/22 00:52	1
>C12-C28 Range Hydrocarbons	**593**	**H H3 B**	97.1	41.0	mg/Kg		09/02/22 15:19	09/03/22 00:52	1
>C28-C35 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		09/02/22 15:19	09/03/22 00:52	1
Total Petroleum Hydrocarbons (C6-C35)	**593**		97.1	41.0	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	99		70 - 130	09/02/22 15:19	09/03/22 00:52	1
o-Terphenyl (Surr)	89		70 - 130	09/02/22 15:19	09/03/22 00:52	1

Client Sample ID: 22F4240-35
Lab Sample ID: 860-30002-35
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.1	U H H3	90.3	38.1	mg/Kg		09/02/22 15:19	09/03/22 01:30	1
>C12-C28 Range Hydrocarbons	**540**	**H H3 B**	90.3	38.1	mg/Kg		09/02/22 15:19	09/03/22 01:30	1
>C28-C35 Range Hydrocarbons	<38.1	U H H3	90.3	38.1	mg/Kg		09/02/22 15:19	09/03/22 01:30	1
Total Petroleum Hydrocarbons (C6-C35)	**540**		90.3	38.1	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	101		70 - 130	09/02/22 15:19	09/03/22 01:30	1
o-Terphenyl (Surr)	96		70 - 130	09/02/22 15:19	09/03/22 01:30	1

Client Sample ID: 22F4240-36
Lab Sample ID: 860-30002-36
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		09/02/22 15:19	09/03/22 01:50	1
>C12-C28 Range Hydrocarbons	**693**	**H H3 B**	98.0	41.4	mg/Kg		09/02/22 15:19	09/03/22 01:50	1
>C28-C35 Range Hydrocarbons	**82.8**	**J H H3**	98.0	41.4	mg/Kg		09/02/22 15:19	09/03/22 01:50	1
Total Petroleum Hydrocarbons (C6-C35)	**776**		98.0	41.4	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*103*		*70 - 130*	*09/02/22 15:19*	*09/03/22 01:50*	*1*
o-Terphenyl (Surr)	*92*		*70 - 130*	*09/02/22 15:19*	*09/03/22 01:50*	*1*

Client Sample ID: 22F4240-37
Lab Sample ID: 860-30002-37
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<37.7	U H H3	89.3	37.7	mg/Kg		09/02/22 15:19	09/03/22 02:09	1
>C12-C28 Range Hydrocarbons	**649**	**H H3 B**	89.3	37.7	mg/Kg		09/02/22 15:19	09/03/22 02:09	1
>C28-C35 Range Hydrocarbons	**86.7**	**J H H3**	89.3	37.7	mg/Kg		09/02/22 15:19	09/03/22 02:09	1
Total Petroleum Hydrocarbons (C6-C35)	**736**		89.3	37.7	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*99*		*70 - 130*	*09/02/22 15:19*	*09/03/22 02:09*	*1*
o-Terphenyl (Surr)	*86*		*70 - 130*	*09/02/22 15:19*	*09/03/22 02:09*	*1*

Client Sample ID: 22F4240-38
Lab Sample ID: 860-30002-38
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		09/02/22 15:30	09/02/22 23:34	1
>C12-C28 Range Hydrocarbons	**524**	**H H3**	100	42.2	mg/Kg		09/02/22 15:30	09/02/22 23:34	1
>C28-C35 Range Hydrocarbons	**68.2**	**J H H3**	100	42.2	mg/Kg		09/02/22 15:30	09/02/22 23:34	1
Total Petroleum Hydrocarbons (C6-C35)	**592**		100	42.2	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*112*		*70 - 130*	*09/02/22 15:30*	*09/02/22 23:34*	*1*
o-Terphenyl (Surr)	*90*		*70 - 130*	*09/02/22 15:30*	*09/02/22 23:34*	*1*

Client Sample ID: 22F4240-39
Lab Sample ID: 860-30002-39
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.6	U H H3	98.6	41.6	mg/Kg		09/02/22 15:30	09/02/22 23:54	1
>C12-C28 Range Hydrocarbons	**553**	**H H3**	98.6	41.6	mg/Kg		09/02/22 15:30	09/02/22 23:54	1
>C28-C35 Range Hydrocarbons	**51.5**	**J H H3**	98.6	41.6	mg/Kg		09/02/22 15:30	09/02/22 23:54	1
Total Petroleum Hydrocarbons (C6-C35)	**605**		98.6	41.6	mg/Kg			08/18/22 16:54	1

Client Sample ID: 22F4240-39
Lab Sample ID: 860-30002-39
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*112*		*70 - 130*	*09/02/22 15:30*	*09/02/22 23:54*	*1*
o-Terphenyl (Surr)	*97*		*70 - 130*	*09/02/22 15:30*	*09/02/22 23:54*	*1*

Client Sample ID: 22F4240-40
Lab Sample ID: 860-30002-40
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		09/02/22 15:30	09/03/22 00:13	1
>C12-C28 Range Hydrocarbons	**240**	**H H3**	100	42.2	mg/Kg		09/02/22 15:30	09/03/22 00:13	1
>C28-C35 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		09/02/22 15:30	09/03/22 00:13	1
Total Petroleum Hydrocarbons (C6-C35)	**240**		100	42.2	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*107*		*70 - 130*	*09/02/22 15:30*	*09/03/22 00:13*	*1*
o-Terphenyl (Surr)	*106*		*70 - 130*	*09/02/22 15:30*	*09/03/22 00:13*	*1*

Client Sample ID: 22F4240-41
Lab Sample ID: 860-30002-41
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		09/02/22 15:30	09/03/22 00:32	1
>C12-C28 Range Hydrocarbons	**239**	**H H3**	98.8	41.7	mg/Kg		09/02/22 15:30	09/03/22 00:32	1
>C28-C35 Range Hydrocarbons	**44.9**	**J H H3**	98.8	41.7	mg/Kg		09/02/22 15:30	09/03/22 00:32	1
Total Petroleum Hydrocarbons (C6-C35)	**284**		98.8	41.7	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*102*		*70 - 130*	*09/02/22 15:30*	*09/03/22 00:32*	*1*
o-Terphenyl (Surr)	*102*		*70 - 130*	*09/02/22 15:30*	*09/03/22 00:32*	*1*

Client Sample ID: 22F4240-42
Lab Sample ID: 860-30002-42
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.6	U H H3	101	42.6	mg/Kg		09/02/22 15:30	09/03/22 00:52	1
>C12-C28 Range Hydrocarbons	**257**	**H H3**	101	42.6	mg/Kg		09/02/22 15:30	09/03/22 00:52	1
>C28-C35 Range Hydrocarbons	**57.4**	**J H H3**	101	42.6	mg/Kg		09/02/22 15:30	09/03/22 00:52	1
Total Petroleum Hydrocarbons (C6-C35)	**314**		101	42.6	mg/Kg			08/18/22 16:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*107*		*70 - 130*	*09/02/22 15:30*	*09/03/22 00:52*	*1*
o-Terphenyl (Surr)	*89*		*70 - 130*	*09/02/22 15:30*	*09/03/22 00:52*	*1*

Client Sample ID: 22F4240-43
Lab Sample ID: 860-30002-43
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.5	U H H3	96.0	40.5	mg/Kg		09/02/22 15:30	09/03/22 01:11	1
>C12-C28 Range Hydrocarbons	**254**	**H H3**	96.0	40.5	mg/Kg		09/02/22 15:30	09/03/22 01:11	1
>C28-C35 Range Hydrocarbons	<40.5	U H H3	96.0	40.5	mg/Kg		09/02/22 15:30	09/03/22 01:11	1
Total Petroleum Hydrocarbons (C6-C35)	**254**		96.0	40.5	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*108*		*70 - 130*	*09/02/22 15:30*	*09/03/22 01:11*	*1*
o-Terphenyl (Surr)	*93*		*70 - 130*	*09/02/22 15:30*	*09/03/22 01:11*	*1*

Client Sample ID: 22F4240-44
Lab Sample ID: 860-30002-44
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.0	U H H3	94.9	40.0	mg/Kg		09/02/22 15:30	09/03/22 01:50	1
>C12-C28 Range Hydrocarbons	**1440**	**H H3**	94.9	40.0	mg/Kg		09/02/22 15:30	09/03/22 01:50	1
>C28-C35 Range Hydrocarbons	**79.7**	**J H H3**	94.9	40.0	mg/Kg		09/02/22 15:30	09/03/22 01:50	1
Total Petroleum Hydrocarbons (C6-C35)	**1520**		94.9	40.0	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*104*		*70 - 130*	*09/02/22 15:30*	*09/03/22 01:50*	*1*
o-Terphenyl (Surr)	*104*		*70 - 130*	*09/02/22 15:30*	*09/03/22 01:50*	*1*

Client Sample ID: 22F4240-45
Lab Sample ID: 860-30002-45
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.3	U H H3	100	42.3	mg/Kg		09/02/22 15:30	09/03/22 02:09	1
>C12-C28 Range Hydrocarbons	**1180**	**H H3**	100	42.3	mg/Kg		09/02/22 15:30	09/03/22 02:09	1
>C28-C35 Range Hydrocarbons	**79.3**	**J H H3**	100	42.3	mg/Kg		09/02/22 15:30	09/03/22 02:09	1
Total Petroleum Hydrocarbons (C6-C35)	**1260**		100	42.3	mg/Kg			08/18/22 16:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*111*		*70 - 130*	*09/02/22 15:30*	*09/03/22 02:09*	*1*
o-Terphenyl (Surr)	*83*		*70 - 130*	*09/02/22 15:30*	*09/03/22 02:09*	*1*

Client Sample ID: 22F4240-46
Lab Sample ID: 860-30002-46
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.3	U H H3	95.6	40.3	mg/Kg		09/02/22 15:30	09/02/22 22:36	1
>C12-C28 Range Hydrocarbons	**1050**	**H H3**	95.6	40.3	mg/Kg		09/02/22 15:30	09/02/22 22:36	1
>C28-C35 Range Hydrocarbons	**62.4**	**J H H3**	95.6	40.3	mg/Kg		09/02/22 15:30	09/02/22 22:36	1
Total Petroleum Hydrocarbons (C6-C35)	**1110**		95.6	40.3	mg/Kg			08/18/22 16:54	1

Client Sample Results

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-46
Lab Sample ID: 860-30002-46
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	109		70 - 130	09/02/22 15:30	09/02/22 22:36	1
o-Terphenyl (Surr)	84		70 - 130	09/02/22 15:30	09/02/22 22:36	1

Surrogate Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Matrix: Solid
Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)											
Lab Sample ID	Client Sample ID	1CO (70-130)	OTPH (70-130)										
860-30002-1	22F4240-01	96	114										
860-30002-2	22F4240-02	100	115										
860-30002-3	22F4240-03	100	115										
860-30002-4	22F4240-04	100	116										
860-30002-5	22F4240-05	102	103										
860-30002-6	22F4240-06	103	116										
860-30002-7	22F4240-07	99	113										
860-30002-8	22F4240-08	104	101										
860-30002-9	22F4240-09	100	117										
860-30002-10	22F4240-10	97	108										
860-30002-11	22F4240-11	101	114										
860-30002-12	22F4240-12	100	115										
860-30002-12 MS	22F4240-12	98	106										
860-30002-12 MSD	22F4240-12	95	103										
860-30002-13	22F4240-13	101	114										
860-30002-14	22F4240-14	112	116										
860-30002-15	22F4240-15	114	116										
860-30002-16	22F4240-16	108	109										
860-30002-17	22F4240-17	110	113										
860-30002-18	22F4240-18	96	109										
860-30002-18 MS	22F4240-18	99	112										
860-30002-18 MSD	22F4240-18	100	115										
860-30002-19	22F4240-19	107	108										
860-30002-20	22F4240-20	109	110										
860-30002-21	22F4240-21	100	111										
860-30002-22	22F4240-22	105	119										
860-30002-23	22F4240-23	99	112										
860-30002-24	22F4240-24	111	103										
860-30002-25	22F4240-25	111	102										
860-30002-26	22F4240-26	100	92										
860-30002-27	22F4240-27	98	89										
860-30002-28	22F4240-28	105	118										
860-30002-29	22F4240-29	100	88										
860-30002-30	22F4240-30	103	95										
860-30002-31	22F4240-31	98	93										
860-30002-32	22F4240-32	105	93										
860-30002-33	22F4240-33	106	99										
860-30002-34	22F4240-34	99	89										
860-30002-35	22F4240-35	101	96										
860-30002-36	22F4240-36	103	92										
860-30002-37	22F4240-37	99	86										
860-30002-38	22F4240-38	112	90										
860-30002-39	22F4240-39	112	97										
860-30002-40	22F4240-40	107	106										
860-30002-41	22F4240-41	102	102										
860-30002-42	22F4240-42	107	89										
860-30002-43	22F4240-43	108	93										
860-30002-44	22F4240-44	104	104										
860-30002-45	22F4240-45	111	83										

Surrogate Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Matrix: Solid
Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)									
		1CO	OTPH								
Lab Sample ID	Client Sample ID	(70-130)	(70-130)								
860-30002-46	22F4240-46	109	84								
860-30002-46 MS	22F4240-46	100	103								
860-30002-46 MSD	22F4240-46	95	93								
LCS 860-67196/2-A	Lab Control Sample	94	107								
LCS 860-67758/2-A	Lab Control Sample	98	113								
LCS 860-67760/2-A	Lab Control Sample	103	101								
LCSD 860-67196/3-A	Lab Control Sample Dup	98	113								
LCSD 860-67758/3-A	Lab Control Sample Dup	100	115								
LCSD 860-67760/3-A	Lab Control Sample Dup	104	99								
MB 860-67196/1-A	Method Blank	96	109								
MB 860-67196/25-A	Method Blank	103	120								
MB 860-67758/1-A	Method Blank	99	111								
MB 860-67758/24-A	Method Blank	109	114								
MB 860-67760/15-A	Method Blank	108	110								
MB 860-67760/1-A	Method Blank	109	114								

Surrogate Legend

1CO = 1-Chlorooctane (Surr)
OTPH = o-Terphenyl (Surr)

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Lab Sample ID: MB 860-67196/1-A
Matrix: Solid
Analysis Batch: 67151

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 67196

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.1	U	97.5	41.1	mg/Kg		08/30/22 14:01	08/30/22 19:00	1
>C12-C28 Range Hydrocarbons	75.37	J	97.5	41.1	mg/Kg		08/30/22 14:01	08/30/22 19:00	1
>C28-C35 Range Hydrocarbons	<41.1	U	97.5	41.1	mg/Kg		08/30/22 14:01	08/30/22 19:00	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*96*		*70 - 130*	*08/30/22 14:01*	*08/30/22 19:00*	*1*
o-Terphenyl (Surr)	*109*		*70 - 130*	*08/30/22 14:01*	*08/30/22 19:00*	*1*

Lab Sample ID: MB 860-67196/25-A
Matrix: Solid
Analysis Batch: 67151

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 67196

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/30/22 14:01	08/31/22 02:48	1
>C12-C28 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/30/22 14:01	08/31/22 02:48	1
>C28-C35 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/30/22 14:01	08/31/22 02:48	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*103*		*70 - 130*	*08/30/22 14:01*	*08/31/22 02:48*	*1*
o-Terphenyl (Surr)	*120*		*70 - 130*	*08/30/22 14:01*	*08/31/22 02:48*	*1*

Lab Sample ID: LCS 860-67196/2-A
Matrix: Solid
Analysis Batch: 67151

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 67196

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons			1940	1862		mg/Kg		96	75 - 125		
>C12-C28 Range Hydrocarbons			1940	2259		mg/Kg		116	75 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*94*		*70 - 130*
o-Terphenyl (Surr)	*107*		*70 - 130*

Lab Sample ID: LCSD 860-67196/3-A
Matrix: Solid
Analysis Batch: 67151

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 67196

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons			1900	1942		mg/Kg		102	75 - 125	4	20
>C12-C28 Range Hydrocarbons			1900	2331		mg/Kg		123	75 - 125	3	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*98*		*70 - 130*
o-Terphenyl (Surr)	*113*		*70 - 130*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: 860-30002-12 MS
Matrix: Solid
Analysis Batch: 67151

Client Sample ID: 22F4240-12
Prep Type: Total/NA
Prep Batch: 67196

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
C6-C12 Range Hydrocarbons	<41.9	U H H3	2030	2058	H H3	mg/Kg		101	75 - 125
>C12-C28 Range Hydrocarbons	64.3	J H H3 B	2030	2580	H H3	mg/Kg		124	75 - 125

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*98*		*70 - 130*
o-Terphenyl (Surr)	*106*		*70 - 130*

Lab Sample ID: 860-30002-12 MSD
Matrix: Solid
Analysis Batch: 67151

Client Sample ID: 22F4240-12
Prep Type: Total/NA
Prep Batch: 67196

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	<41.9	U H H3	1920	1891	H H3	mg/Kg		98	75 - 125	8	20
>C12-C28 Range Hydrocarbons	64.3	J H H3 B	1920	2330	H H3	mg/Kg		118	75 - 125	10	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*95*		*70 - 130*
o-Terphenyl (Surr)	*103*		*70 - 130*

Lab Sample ID: MB 860-67758/1-A
Matrix: Solid
Analysis Batch: 67674

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 67758

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.1	U	99.8	42.1	mg/Kg		09/02/22 15:19	09/02/22 18:59	1
>C12-C28 Range Hydrocarbons	58.39	J	99.8	42.1	mg/Kg		09/02/22 15:19	09/02/22 18:59	1
>C28-C35 Range Hydrocarbons	<42.1	U	99.8	42.1	mg/Kg		09/02/22 15:19	09/02/22 18:59	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*99*		*70 - 130*	*09/02/22 15:19*	*09/02/22 18:59*	*1*
o-Terphenyl (Surr)	*111*		*70 - 130*	*09/02/22 15:19*	*09/02/22 18:59*	*1*

Lab Sample ID: MB 860-67758/24-A
Matrix: Solid
Analysis Batch: 67676

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 67758

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		09/02/22 15:19	09/03/22 02:28	1
>C12-C28 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		09/02/22 15:19	09/03/22 02:28	1
>C28-C35 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		09/02/22 15:19	09/03/22 02:28	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*109*		*70 - 130*	*09/02/22 15:19*	*09/03/22 02:28*	*1*
o-Terphenyl (Surr)	*114*		*70 - 130*	*09/02/22 15:19*	*09/03/22 02:28*	*1*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: LCS 860-67758/2-A
Matrix: Solid
Analysis Batch: 67674

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 67758

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons			2000	2002		mg/Kg		100	75 - 125		
>C12-C28 Range Hydrocarbons			2000	2276		mg/Kg		114	75 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*98*		*70 - 130*
o-Terphenyl (Surr)	*113*		*70 - 130*

Lab Sample ID: LCSD 860-67758/3-A
Matrix: Solid
Analysis Batch: 67674

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 67758

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons			1920	2045		mg/Kg		106	75 - 125	2	20
>C12-C28 Range Hydrocarbons			1920	2272		mg/Kg		118	75 - 125	0	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*100*		*70 - 130*
o-Terphenyl (Surr)	*115*		*70 - 130*

Lab Sample ID: 860-30002-18 MS
Matrix: Solid
Analysis Batch: 67674

Client Sample ID: 22F4240-18
Prep Type: Total/NA
Prep Batch: 67758

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons	<41.1	U H H3	2000	2083	H H3	mg/Kg		104	75 - 125		
>C12-C28 Range Hydrocarbons	156	H H3 B	2000	2394	H H3	mg/Kg		112	75 - 125		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*99*		*70 - 130*
o-Terphenyl (Surr)	*112*		*70 - 130*

Lab Sample ID: 860-30002-18 MSD
Matrix: Solid
Analysis Batch: 67674

Client Sample ID: 22F4240-18
Prep Type: Total/NA
Prep Batch: 67758

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	<41.1	U H H3	1930	1997	H H3	mg/Kg		103	75 - 125	4	20
>C12-C28 Range Hydrocarbons	156	H H3 B	1930	2190	H H3	mg/Kg		105	75 - 125	9	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*100*		*70 - 130*
o-Terphenyl (Surr)	*115*		*70 - 130*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: MB 860-67760/15-A
Matrix: Solid
Analysis Batch: 67676

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 67760

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		09/02/22 15:30	09/02/22 19:19	1
>C12-C28 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		09/02/22 15:30	09/02/22 19:19	1
>C28-C35 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		09/02/22 15:30	09/02/22 19:19	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*108*		*70 - 130*	*09/02/22 15:30*	*09/02/22 19:19*	*1*
o-Terphenyl (Surr)	*110*		*70 - 130*	*09/02/22 15:30*	*09/02/22 19:19*	*1*

Lab Sample ID: MB 860-67760/1-A
Matrix: Solid
Analysis Batch: 67676

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 67760

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.7	U	91.7	38.7	mg/Kg		09/02/22 15:30	09/02/22 22:16	1
>C12-C28 Range Hydrocarbons	<38.7	U	91.7	38.7	mg/Kg		09/02/22 15:30	09/02/22 22:16	1
>C28-C35 Range Hydrocarbons	<38.7	U	91.7	38.7	mg/Kg		09/02/22 15:30	09/02/22 22:16	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*109*		*70 - 130*	*09/02/22 15:30*	*09/02/22 22:16*	*1*
o-Terphenyl (Surr)	*114*		*70 - 130*	*09/02/22 15:30*	*09/02/22 22:16*	*1*

Lab Sample ID: LCS 860-67760/2-A
Matrix: Solid
Analysis Batch: 67676

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 67760

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons			1930	2217		mg/Kg		115	75 - 125		
>C12-C28 Range Hydrocarbons			1930	1995		mg/Kg		104	75 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*103*		*70 - 130*
o-Terphenyl (Surr)	*101*		*70 - 130*

Lab Sample ID: LCSD 860-67760/3-A
Matrix: Solid
Analysis Batch: 67676

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 67760

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons			1920	2276		mg/Kg		118	75 - 125	3	20
>C12-C28 Range Hydrocarbons			1920	2043		mg/Kg		106	75 - 125	2	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*104*		*70 - 130*
o-Terphenyl (Surr)	*99*		*70 - 130*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: 860-30002-46 MS
Matrix: Solid
Analysis Batch: 67676

Client Sample ID: 22F4240-46
Prep Type: Total/NA
Prep Batch: 67760

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons	<40.3	U H H3	2000	2078	H H3	mg/Kg		104	75 - 125		
>C12-C28 Range Hydrocarbons	1050	H H3	2000	3518	H H3	mg/Kg		124	75 - 125		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*100*		*70 - 130*
o-Terphenyl (Surr)	*103*		*70 - 130*

Lab Sample ID: 860-30002-46 MSD
Matrix: Solid
Analysis Batch: 67676

Client Sample ID: 22F4240-46
Prep Type: Total/NA
Prep Batch: 67760

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	<40.3	U H H3	1980	1968	H H3	mg/Kg		100	75 - 125	5	20
>C12-C28 Range Hydrocarbons	1050	H H3	1980	3024	H H3	mg/Kg		100	75 - 125	15	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*95*		*70 - 130*
o-Terphenyl (Surr)	*93*		*70 - 130*

QC Association Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

GC Semi VOA

Analysis Batch: 65668

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30002-1	22F4240-01	Total/NA	Solid	TX 1005	
860-30002-2	22F4240-02	Total/NA	Solid	TX 1005	
860-30002-3	22F4240-03	Total/NA	Solid	TX 1005	
860-30002-4	22F4240-04	Total/NA	Solid	TX 1005	
860-30002-5	22F4240-05	Total/NA	Solid	TX 1005	
860-30002-6	22F4240-06	Total/NA	Solid	TX 1005	
860-30002-7	22F4240-07	Total/NA	Solid	TX 1005	
860-30002-8	22F4240-08	Total/NA	Solid	TX 1005	
860-30002-9	22F4240-09	Total/NA	Solid	TX 1005	
860-30002-10	22F4240-10	Total/NA	Solid	TX 1005	
860-30002-11	22F4240-11	Total/NA	Solid	TX 1005	
860-30002-12	22F4240-12	Total/NA	Solid	TX 1005	
860-30002-13	22F4240-13	Total/NA	Solid	TX 1005	
860-30002-14	22F4240-14	Total/NA	Solid	TX 1005	
860-30002-15	22F4240-15	Total/NA	Solid	TX 1005	
860-30002-16	22F4240-16	Total/NA	Solid	TX 1005	
860-30002-17	22F4240-17	Total/NA	Solid	TX 1005	
860-30002-18	22F4240-18	Total/NA	Solid	TX 1005	
860-30002-19	22F4240-19	Total/NA	Solid	TX 1005	
860-30002-20	22F4240-20	Total/NA	Solid	TX 1005	
860-30002-21	22F4240-21	Total/NA	Solid	TX 1005	
860-30002-22	22F4240-22	Total/NA	Solid	TX 1005	
860-30002-23	22F4240-23	Total/NA	Solid	TX 1005	
860-30002-24	22F4240-24	Total/NA	Solid	TX 1005	
860-30002-25	22F4240-25	Total/NA	Solid	TX 1005	
860-30002-26	22F4240-26	Total/NA	Solid	TX 1005	
860-30002-27	22F4240-27	Total/NA	Solid	TX 1005	
860-30002-28	22F4240-28	Total/NA	Solid	TX 1005	
860-30002-29	22F4240-29	Total/NA	Solid	TX 1005	
860-30002-30	22F4240-30	Total/NA	Solid	TX 1005	
860-30002-31	22F4240-31	Total/NA	Solid	TX 1005	
860-30002-32	22F4240-32	Total/NA	Solid	TX 1005	
860-30002-33	22F4240-33	Total/NA	Solid	TX 1005	
860-30002-34	22F4240-34	Total/NA	Solid	TX 1005	
860-30002-35	22F4240-35	Total/NA	Solid	TX 1005	
860-30002-36	22F4240-36	Total/NA	Solid	TX 1005	
860-30002-37	22F4240-37	Total/NA	Solid	TX 1005	
860-30002-38	22F4240-38	Total/NA	Solid	TX 1005	
860-30002-39	22F4240-39	Total/NA	Solid	TX 1005	
860-30002-40	22F4240-40	Total/NA	Solid	TX 1005	
860-30002-41	22F4240-41	Total/NA	Solid	TX 1005	
860-30002-42	22F4240-42	Total/NA	Solid	TX 1005	
860-30002-43	22F4240-43	Total/NA	Solid	TX 1005	
860-30002-44	22F4240-44	Total/NA	Solid	TX 1005	
860-30002-45	22F4240-45	Total/NA	Solid	TX 1005	
860-30002-46	22F4240-46	Total/NA	Solid	TX 1005	

Analysis Batch: 67151

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30002-1	22F4240-01	Total/NA	Solid	TX 1005	67196
860-30002-2	22F4240-02	Total/NA	Solid	TX 1005	67196

GC Semi VOA (Continued)

Analysis Batch: 67151 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30002-3	22F4240-03	Total/NA	Solid	TX 1005	67196
860-30002-4	22F4240-04	Total/NA	Solid	TX 1005	67196
860-30002-9	22F4240-09	Total/NA	Solid	TX 1005	67196
860-30002-12	22F4240-12	Total/NA	Solid	TX 1005	67196
MB 860-67196/1-A	Method Blank	Total/NA	Solid	TX 1005	67196
MB 860-67196/25-A	Method Blank	Total/NA	Solid	TX 1005	67196
LCS 860-67196/2-A	Lab Control Sample	Total/NA	Solid	TX 1005	67196
LCSD 860-67196/3-A	Lab Control Sample Dup	Total/NA	Solid	TX 1005	67196
860-30002-12 MS	22F4240-12	Total/NA	Solid	TX 1005	67196
860-30002-12 MSD	22F4240-12	Total/NA	Solid	TX 1005	67196

Prep Batch: 67196

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30002-1	22F4240-01	Total/NA	Solid	TX_1005_S_Prep	
860-30002-2	22F4240-02	Total/NA	Solid	TX_1005_S_Prep	
860-30002-3	22F4240-03	Total/NA	Solid	TX_1005_S_Prep	
860-30002-4	22F4240-04	Total/NA	Solid	TX_1005_S_Prep	
860-30002-5	22F4240-05	Total/NA	Solid	TX_1005_S_Prep	
860-30002-6	22F4240-06	Total/NA	Solid	TX_1005_S_Prep	
860-30002-7	22F4240-07	Total/NA	Solid	TX_1005_S_Prep	
860-30002-8	22F4240-08	Total/NA	Solid	TX_1005_S_Prep	
860-30002-9	22F4240-09	Total/NA	Solid	TX_1005_S_Prep	
860-30002-10	22F4240-10	Total/NA	Solid	TX_1005_S_Prep	
860-30002-11	22F4240-11	Total/NA	Solid	TX_1005_S_Prep	
860-30002-12	22F4240-12	Total/NA	Solid	TX_1005_S_Prep	
860-30002-13	22F4240-13	Total/NA	Solid	TX_1005_S_Prep	
860-30002-14	22F4240-14	Total/NA	Solid	TX_1005_S_Prep	
860-30002-15	22F4240-15	Total/NA	Solid	TX_1005_S_Prep	
860-30002-16	22F4240-16	Total/NA	Solid	TX_1005_S_Prep	
860-30002-17	22F4240-17	Total/NA	Solid	TX_1005_S_Prep	
860-30002-19	22F4240-19	Total/NA	Solid	TX_1005_S_Prep	
860-30002-20	22F4240-20	Total/NA	Solid	TX_1005_S_Prep	
MB 860-67196/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
MB 860-67196/25-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-67196/2-A	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	

GC Semi VOA (Continued)

Prep Batch: 67196 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 860-67196/3-A	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	
860-30002-12 MS	22F4240-12	Total/NA	Solid	TX_1005_S_Prep	
860-30002-12 MSD	22F4240-12	Total/NA	Solid	TX_1005_S_Prep	

Analysis Batch: 67495

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30002-14	22F4240-14	Total/NA	Solid	TX 1005	67196
860-30002-15	22F4240-15	Total/NA	Solid	TX 1005	67196
860-30002-16	22F4240-16	Total/NA	Solid	TX 1005	67196
860-30002-17	22F4240-17	Total/NA	Solid	TX 1005	67196
860-30002-19	22F4240-19	Total/NA	Solid	TX 1005	67196
860-30002-20	22F4240-20	Total/NA	Solid	TX 1005	67196

Analysis Batch: 67497

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30002-5	22F4240-05	Total/NA	Solid	TX 1005	67196
860-30002-6	22F4240-06	Total/NA	Solid	TX 1005	67196
860-30002-7	22F4240-07	Total/NA	Solid	TX 1005	67196
860-30002-8	22F4240-08	Total/NA	Solid	TX 1005	67196
860-30002-10	22F4240-10	Total/NA	Solid	TX 1005	67196
860-30002-11	22F4240-11	Total/NA	Solid	TX 1005	67196
860-30002-13	22F4240-13	Total/NA	Solid	TX 1005	67196

Analysis Batch: 67674

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30002-18	22F4240-18	Total/NA	Solid	TX 1005	67758
860-30002-21	22F4240-21	Total/NA	Solid	TX 1005	67758
860-30002-22	22F4240-22	Total/NA	Solid	TX 1005	67758
860-30002-23	22F4240-23	Total/NA	Solid	TX 1005	67758
860-30002-24	22F4240-24	Total/NA	Solid	TX 1005	67758
860-30002-25	22F4240-25	Total/NA	Solid	TX 1005	67758
860-30002-26	22F4240-26	Total/NA	Solid	TX 1005	67758
860-30002-27	22F4240-27	Total/NA	Solid	TX 1005	67758
860-30002-28	22F4240-28	Total/NA	Solid	TX 1005	67758
860-30002-29	22F4240-29	Total/NA	Solid	TX 1005	67758
860-30002-30	22F4240-30	Total/NA	Solid	TX 1005	67758
860-30002-31	22F4240-31	Total/NA	Solid	TX 1005	67758
860-30002-32	22F4240-32	Total/NA	Solid	TX 1005	67758
860-30002-33	22F4240-33	Total/NA	Solid	TX 1005	67758
860-30002-34	22F4240-34	Total/NA	Solid	TX 1005	67758
860-30002-35	22F4240-35	Total/NA	Solid	TX 1005	67758
860-30002-36	22F4240-36	Total/NA	Solid	TX 1005	67758
860-30002-37	22F4240-37	Total/NA	Solid	TX 1005	67758
MB 860-67758/1-A	Method Blank	Total/NA	Solid	TX 1005	67758
LCS 860-67758/2-A	Lab Control Sample	Total/NA	Solid	TX 1005	67758
LCSD 860-67758/3-A	Lab Control Sample Dup	Total/NA	Solid	TX 1005	67758
860-30002-18 MS	22F4240-18	Total/NA	Solid	TX 1005	67758
860-30002-18 MSD	22F4240-18	Total/NA	Solid	TX 1005	67758

QC Association Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

GC Semi VOA

Analysis Batch: 67676

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30002-38	22F4240-38	Total/NA	Solid	TX 1005	67760
860-30002-39	22F4240-39	Total/NA	Solid	TX 1005	67760
860-30002-40	22F4240-40	Total/NA	Solid	TX 1005	67760
860-30002-41	22F4240-41	Total/NA	Solid	TX 1005	67760
860-30002-42	22F4240-42	Total/NA	Solid	TX 1005	67760
860-30002-43	22F4240-43	Total/NA	Solid	TX 1005	67760
860-30002-44	22F4240-44	Total/NA	Solid	TX 1005	67760
860-30002-45	22F4240-45	Total/NA	Solid	TX 1005	67760
860-30002-46	22F4240-46	Total/NA	Solid	TX 1005	67760
MB 860-67758/24-A	Method Blank	Total/NA	Solid	TX 1005	67758
MB 860-67760/15-A	Method Blank	Total/NA	Solid	TX 1005	67760
MB 860-67760/1-A	Method Blank	Total/NA	Solid	TX 1005	67760
LCS 860-67760/2-A	Lab Control Sample	Total/NA	Solid	TX 1005	67760
LCSD 860-67760/3-A	Lab Control Sample Dup	Total/NA	Solid	TX 1005	67760
860-30002-46 MS	22F4240-46	Total/NA	Solid	TX 1005	67760
860-30002-46 MSD	22F4240-46	Total/NA	Solid	TX 1005	67760

Prep Batch: 67758

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30002-18	22F4240-18	Total/NA	Solid	TX_1005_S_Prep	
860-30002-21	22F4240-21	Total/NA	Solid	TX_1005_S_Prep	
860-30002-22	22F4240-22	Total/NA	Solid	TX_1005_S_Prep	
860-30002-23	22F4240-23	Total/NA	Solid	TX_1005_S_Prep	
860-30002-24	22F4240-24	Total/NA	Solid	TX_1005_S_Prep	
860-30002-25	22F4240-25	Total/NA	Solid	TX_1005_S_Prep	
860-30002-26	22F4240-26	Total/NA	Solid	TX_1005_S_Prep	
860-30002-27	22F4240-27	Total/NA	Solid	TX_1005_S_Prep	
860-30002-28	22F4240-28	Total/NA	Solid	TX_1005_S_Prep	
860-30002-29	22F4240-29	Total/NA	Solid	TX_1005_S_Prep	
860-30002-30	22F4240-30	Total/NA	Solid	TX_1005_S_Prep	
860-30002-31	22F4240-31	Total/NA	Solid	TX_1005_S_Prep	
860-30002-32	22F4240-32	Total/NA	Solid	TX_1005_S_Prep	
860-30002-33	22F4240-33	Total/NA	Solid	TX_1005_S_Prep	
860-30002-34	22F4240-34	Total/NA	Solid	TX_1005_S_Prep	
860-30002-35	22F4240-35	Total/NA	Solid	TX_1005_S_Prep	
860-30002-36	22F4240-36	Total/NA	Solid	TX_1005_S_Prep	
860-30002-37	22F4240-37	Total/NA	Solid	TX_1005_S_Prep	

GC Semi VOA (Continued)

Prep Batch: 67758 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 860-67758/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
MB 860-67758/24-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-67758/2-A	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	
LCSD 860-67758/3-A	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	
860-30002-18 MS	22F4240-18	Total/NA	Solid	TX_1005_S_Prep	
860-30002-18 MSD	22F4240-18	Total/NA	Solid	TX_1005_S_Prep	

Prep Batch: 67760

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30002-38	22F4240-38	Total/NA	Solid	TX_1005_S_Prep	
860-30002-39	22F4240-39	Total/NA	Solid	TX_1005_S_Prep	
860-30002-40	22F4240-40	Total/NA	Solid	TX_1005_S_Prep	
860-30002-41	22F4240-41	Total/NA	Solid	TX_1005_S_Prep	
860-30002-42	22F4240-42	Total/NA	Solid	TX_1005_S_Prep	
860-30002-43	22F4240-43	Total/NA	Solid	TX_1005_S_Prep	
860-30002-44	22F4240-44	Total/NA	Solid	TX_1005_S_Prep	
860-30002-45	22F4240-45	Total/NA	Solid	TX_1005_S_Prep	
860-30002-46	22F4240-46	Total/NA	Solid	TX_1005_S_Prep	
MB 860-67760/15-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
MB 860-67760/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-67760/2-A	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	
LCSD 860-67760/3-A	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	
860-30002-46 MS	22F4240-46	Total/NA	Solid	TX_1005_S_Prep	
860-30002-46 MSD	22F4240-46	Total/NA	Solid	TX_1005_S_Prep	

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-01
Lab Sample ID: 860-30002-1
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.02 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1	0 mL	0 mL	67151	08/30/22 20:17	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4240-02
Lab Sample ID: 860-30002-2
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.98 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1	0 mL	0 mL	67151	08/30/22 20:37	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4240-03
Lab Sample ID: 860-30002-3
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.08 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1	0 mL	0 mL	67151	08/30/22 20:56	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4240-04
Lab Sample ID: 860-30002-4
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.05 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1	0 mL	0 mL	67151	08/30/22 21:16	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4240-05
Lab Sample ID: 860-30002-5
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.03 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67497	09/01/22 21:16	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-06
Lab Sample ID: 860-30002-6
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.20 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67497	09/01/22 21:36	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-07
Lab Sample ID: 860-30002-7
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.98 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67497	09/01/22 21:56	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-08
Lab Sample ID: 860-30002-8
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.02 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67497	09/01/22 22:15	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-09
Lab Sample ID: 860-30002-9
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.06 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1	0 mL	0 mL	67151	08/30/22 23:14	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-10
Lab Sample ID: 860-30002-10
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67497	09/01/22 22:35	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-11
Lab Sample ID: 860-30002-11
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.08 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67497	09/01/22 22:55	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-12
Lab Sample ID: 860-30002-12
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.03 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1	0 mL	0 mL	67151	08/30/22 19:19	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-13
Lab Sample ID: 860-30002-13
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.98 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67497	09/01/22 23:14	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-14
Lab Sample ID: 860-30002-14
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.03 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67495	09/01/22 21:16	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-15
Lab Sample ID: 860-30002-15
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67495	09/01/22 21:36	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-16
Lab Sample ID: 860-30002-16
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.98 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67495	09/01/22 21:56	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-17
Lab Sample ID: 860-30002-17
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.25 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67495	09/01/22 22:15	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-18
Lab Sample ID: 860-30002-18
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.14 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 19:19	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-19
Lab Sample ID: 860-30002-19
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.02 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67495	09/01/22 22:35	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-20
Lab Sample ID: 860-30002-20
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.20 g	10 mL	67196	08/30/22 14:01	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67495	09/01/22 22:55	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-21
Lab Sample ID: 860-30002-21
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.02 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 20:19	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-22
Lab Sample ID: 860-30002-22
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.10 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 20:38	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-23
Lab Sample ID: 860-30002-23
Date Collected: 04/14/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.25 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 20:58	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-24
Lab Sample ID: 860-30002-24
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.16 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 21:18	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-25
Lab Sample ID: 860-30002-25
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.24 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 21:57	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-26
Lab Sample ID: 860-30002-26
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.00 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 22:16	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-27
Lab Sample ID: 860-30002-27
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.09 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 22:36	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-28
Lab Sample ID: 860-30002-28
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.27 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 22:56	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-29
Lab Sample ID: 860-30002-29
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.00 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 23:15	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-30
Lab Sample ID: 860-30002-30
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.55 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 23:34	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-31
Lab Sample ID: 860-30002-31
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.56 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/02/22 23:54	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-32
Lab Sample ID: 860-30002-32
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.04 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/03/22 00:13	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-33
Lab Sample ID: 860-30002-33
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.20 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/03/22 00:32	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-34
Lab Sample ID: 860-30002-34
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.15 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/03/22 00:52	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-35
Lab Sample ID: 860-30002-35
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.54 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/03/22 01:30	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-36
Lab Sample ID: 860-30002-36
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.10 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/03/22 01:50	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-37
Lab Sample ID: 860-30002-37
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.60 g	10 mL	67758	09/02/22 15:19	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67674	09/03/22 02:09	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-38
Lab Sample ID: 860-30002-38
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5 g	10 mL	67760	09/02/22 15:30	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67676	09/02/22 23:34	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-39
Lab Sample ID: 860-30002-39
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.07 g	10 mL	67760	09/02/22 15:30	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67676	09/02/22 23:54	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-40
Lab Sample ID: 860-30002-40
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5 g	10 mL	67760	09/02/22 15:30	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67676	09/03/22 00:13	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-41
Lab Sample ID: 860-30002-41
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.06 g	10 mL	67760	09/02/22 15:30	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67676	09/03/22 00:32	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-42
Lab Sample ID: 860-30002-42
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.95 g	10 mL	67760	09/02/22 15:30	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67676	09/03/22 00:52	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-43
Lab Sample ID: 860-30002-43
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.21 g	10 mL	67760	09/02/22 15:30	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67676	09/03/22 01:11	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-44
Lab Sample ID: 860-30002-44
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.27 g	10 mL	67760	09/02/22 15:30	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67676	09/03/22 01:50	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Client Sample ID: 22F4240-45
Lab Sample ID: 860-30002-45
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.99 g	10 mL	67760	09/02/22 15:30	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67676	09/03/22 02:09	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Client Sample ID: 22F4240-46
Date Collected: 04/15/22 13:00
Date Received: 07/19/22 15:54

Lab Sample ID: 860-30002-46
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.23 g	10 mL	67760	09/02/22 15:30	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			67676	09/02/22 22:36	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:54	DD	EET HOU

Laboratory References:
EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Laboratory: Eurofins Houston

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704215-22-47	06-30-23

Method Summary

Client: North Water District Laboratory Services
Job ID: 860-30002-1
Project/Site: Fish Tissue 22F4240

Method	Method Description	Protocol	Laboratory
TX 1005	Texas - Total Petroleum Hydrocarbon (GC)	TCEQ	EET HOU
TX_1005_S_Prep	Extraction - Texas Total petroleum Hyrdocarbons	TCEQ	EET HOU

Protocol References:

TCEQ = Texas Commission of Environmental Quality

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary

Client: North Water District Laboratory Services
Project/Site: Fish Tissue 22F4240

Job ID: 860-30002-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
860-30002-1	22F4240-01	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-2	22F4240-02	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-3	22F4240-03	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-4	22F4240-04	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-5	22F4240-05	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-6	22F4240-06	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-7	22F4240-07	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-8	22F4240-08	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-9	22F4240-09	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-10	22F4240-10	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-11	22F4240-11	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-12	22F4240-12	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-13	22F4240-13	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-14	22F4240-14	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-15	22F4240-15	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-16	22F4240-16	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-17	22F4240-17	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-18	22F4240-18	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-19	22F4240-19	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-20	22F4240-20	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-21	22F4240-21	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-22	22F4240-22	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-23	22F4240-23	Solid	04/14/22 13:00	07/19/22 15:54
860-30002-24	22F4240-24	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-25	22F4240-25	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-26	22F4240-26	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-27	22F4240-27	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-28	22F4240-28	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-29	22F4240-29	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-30	22F4240-30	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-31	22F4240-31	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-32	22F4240-32	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-33	22F4240-33	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-34	22F4240-34	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-35	22F4240-35	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-36	22F4240-36	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-37	22F4240-37	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-38	22F4240-38	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-39	22F4240-39	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-40	22F4240-40	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-41	22F4240-41	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-42	22F4240-42	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-43	22F4240-43	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-44	22F4240-44	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-45	22F4240-45	Solid	04/15/22 13:00	07/19/22 15:54
860-30002-46	22F4240-46	Solid	04/15/22 13:00	07/19/22 15:54

NWDLS
North Water District Laboratory Services, Inc

860-30002 Chain of Custody

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax 936-321-6061

Project Manager: Monica O Martin

Subcontracted Laboratory:

Eurofins Xenco_Subcontract
4145 Greenbriar Drive
Stafford, TX 77477
Phone: (281) 240-4200
Fax:

Temp: 4.9 IR ID HOU-339
C/F:-1.4
Corrected Temp: 3.5

Work Order: 22F4240

Analysis	Due	Expires	Comments
Sample ID: 22F4240-01 ***Tissue Sampled: 04/14/2022 13:00***			
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4240-02 ***Tissue Sampled: 04/14/2022 13:00***			
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-03 ***Tissue Sampled: 04/14/2022 13:00***			
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-04 ***Tissue Sampled: 04/14/2022 13:00***			
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4240-05 ***Tissue Sampled: 04/14/2022 13:00***			
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			

Work Order: 22F4240 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4240-06	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022 04/28/2022 13 00		
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-07	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022 04/28/2022 13 00		
Analyte(s) 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4240-08	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022 04/28/2022 13 00		
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-09	***Tissue Sampled: 04/14/2022 13:00***		
TPH 1005	09/09/2022 04/28/2022 13 00		
Analyte(s) 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-10	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022 04/28/2022 13 00		
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-11	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022 04/28/2022 13 00		
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

SUBCONTRACT ORDER
(Continued)

Work Order: 22F4240 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4240-12 ***Tissue Sampled: 04/14/2022 13:00***			
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4240-13 ***Tissue Sampled: 04/14/2022 13:00***			
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied·			
Sample ID: 22F4240-14 ***Tissue Sampled: 04/14/2022 13:00***			
TPH 1005	09/09/2022	04/28/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied·			
Sample ID: 22F4240-15 ***Tissue Sampled: 04/14/2022 13:00***			
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-16 ***Tissue Sampled: 04/14/2022 13:00***			
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied·			
Sample ID: 22F4240-17 ***Tissue Sampled: 04/14/2022 13:00***			
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied·			

NWDLS
Pacific Wet Labs Laboratory

SUBCONTRACT ORDER
(Continued)

Work Order: 22F4240 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4240-18	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4240-19	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4240-20	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4240-21	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-22	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-23	***Tissue Sampled: 04/14/2022 13:00***		
TPH-1005	09/09/2022	04/28/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			

NWDLS
North Water District Laboratory Services

SUBCONTRACT ORDER
(Continued)

Work Order: 22F4240 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4240-24 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-25 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-26 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-27 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-28 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-29 ***Tissue Sampled: 04/15/2022 13:00***			
TPH 1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 22F4240 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4240-30 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-31 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-32 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-33 ***Tissue Sampled: 04/15/2022 13:00***			
TPH 1005	09/09/2022	04/29/2022 13:00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-34 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-35 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 22F4240 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4240-36 ***Tissue Sampled: 04/15/2022 13:00***			
TPH 1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-37 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-38 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-39 ***Tissue Sampled: 04/15/2022 13:00***			
TPH 1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-40 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4240-41 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			

NWDLS
Northwest Direct Laboratory Services

SUBCONTRACT ORDER
(Continued)

Work Order: 22F4240 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4240-42 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4240-43 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4240-44 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-45 ***Tissue Sampled: 04/15/2022 13:00***			
TPH 1005	09/09/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4240-46 ***Tissue Sampled: 04/15/2022 13:00***			
TPH-1005	09/09/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			

Released By	Date	Received By	Date
	7/19/22		7-19-22 1554

Login Sample Receipt Checklist

Client: North Water District Laboratory Services

Job Number: 860-30002-1

Login Number: 30002
List Number: 1
Creator: Palmar, Pedro

List Source: Eurofins Houston

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

September 01, 2022

LAB REPORT

Gregg Pawlak
Terracon_Houston
11555 Clay Road
Houston, TX 77043


Report ID: 20220901174648MM

RE: PCCA HI TISSUE CHEM

The following test results meet all NELAP requirements for analytes for which certification is available. Any deviations from our quality system will be noted in the case narrative. All analyses performed by North Water District Laboratory Services, Inc. unless noted.

For questions regarding this report, contact Monica Martin at 936-321-6060.

Sincerely,



Monica O. Martin
Chief Administrative Officer

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Work Order Case Narrative

A total of 96 samples were collected on:

Laboratory ID	Sample Name	Sample Date
22F4225-01	MM-HI-DMMU 1-1	04/14/2022 10:30
22F4225-02	MM-HI-DMMU 1-2	04/14/2022 10:30
22F4225-03	MM-HI-DMMU 1-3	04/14/2022 10:30
22F4225-04	MM-HI-DMMU 1-4	04/14/2022 10:30
22F4225-05	MM-HI-DMMU 1-5	04/14/2022 10:30
22F4225-06	MM-HI-DMMU 2-1	04/14/2022 10:30
22F4225-07	MM-HI-DMMU 2-2	04/14/2022 10:30
22F4225-08	MM-HI-DMMU 2-3	04/14/2022 10:30
22F4225-09	MM-HI-DMMU 2-4	04/14/2022 10:30
22F4225-10	MM-HI-DMMU 2-5	04/14/2022 10:30
22F4225-11	MM-HI-DMMU 3-1	04/14/2022 10:30
22F4225-12	MM-HI-DMMU 3-2	04/14/2022 10:30
22F4225-13	MM-HI-DMMU 3-3	04/14/2022 10:30
22F4225-14	MM-HI-DMMU 3-4	04/14/2022 10:30
22F4225-15	MM-HI-DMMU 3-5	04/14/2022 10:30
22F4225-16	MM-HI-DMMU 4-1	04/14/2022 10:30
22F4225-17	MM-HI-DMMU 4-2	04/14/2022 10:30
22F4225-18	MM-HI-DMMU 4-3	04/14/2022 10:30
22F4225-19	MM-HI-DMMU 4-4	04/14/2022 10:30
22F4225-20	MM-HI-DMMU 4-5	04/14/2022 10:30
22F4225-21	MM-HI-DMMU 5-1	04/14/2022 10:30
22F4225-22	MM-HI-DMMU 5-2	04/14/2022 10:30
22F4225-23	MM-HI-DMMU 5-3	04/14/2022 10:30
22F4225-24	MM-HI-DMMU 5-4	04/14/2022 10:30
22F4225-25	MM-HI-DMMU 5-5	04/14/2022 10:30
22F4225-26	MM-HI-DMMU 6-1	04/14/2022 10:30
22F4225-27	MM-HI-DMMU 6-2	04/14/2022 10:30
22F4225-28	MM-HI-DMMU 6-3	04/14/2022 10:30
22F4225-29	MM-HI-DMMU 6-4	04/14/2022 10:30
22F4225-30	MM-HI-DMMU 6-5	04/14/2022 10:30
22F4225-31	MM-HI-DMMU 7-1	04/14/2022 10:30
22F4225-32	MM-HI-DMMU 7-2	04/14/2022 10:30
22F4225-33	MM-HI-DMMU 7-3	04/14/2022 10:30
22F4225-34	MM-HI-DMMU 7-4	04/14/2022 10:30
22F4225-35	MM-HI-DMMU 7-5	04/14/2022 10:30
22F4225-36	MM-HI-DMMU 8-1	04/14/2022 10:30
22F4225-37	MM-HI-DMMU 8-2	04/14/2022 10:30
22F4225-38	MM-HI-DMMU 8-3	04/14/2022 10:30
22F4225-39	MM-HI-DMMU 8-4	04/14/2022 10:30
22F4225-40	MM-HI-DMMU 8-5	04/14/2022 10:30
22F4225-41	MM-HI-PRETEST-1	04/14/2022 10:30
22F4225-42	MM-HI-PRETEST-2	04/14/2022 10:30
22F4225-43	MM-HI-PRETEST-3	04/14/2022 10:30
22F4225-44	MM-HI-REF-1	04/14/2022 10:30
22F4225-45	MM-HI-REF-2	04/14/2022 10:30
22F4225-46	MM-HI-REF-3	04/14/2022 10:30

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

22F4225-47	MM-HI-REF-4	04/14/2022 10:30
22F4225-48	MM-HI-REF-5	04/14/2022 10:30
22F4225-49	NV-HI-DMMU 1-1	04/15/2022 13:00
22F4225-50	NV-HI-DMMU 1-2	04/15/2022 13:00
22F4225-51	NV-HI-DMMU 1-3	04/15/2022 13:00
22F4225-52	NV-HI-DMMU 1-4	04/15/2022 13:00
22F4225-53	NV-HI-DMMU 1-5	04/15/2022 13:00
22F4225-54	NV-HI-DMMU 2-1	04/15/2022 13:00
22F4225-55	NV-HI-DMMU 2-2	04/15/2022 13:00
22F4225-56	NV-HI-DMMU 2-3	04/15/2022 13:00
22F4225-57	NV-HI-DMMU 2-4	04/15/2022 13:00
22F4225-58	NV-HI-DMMU 2-5	04/15/2022 13:00
22F4225-59	NV-HI-DMMU 3-1	04/15/2022 13:00
22F4225-60	NV-HI-DMMU 3-2	04/15/2022 13:00
22F4225-61	NV-HI-DMMU 3-3	04/15/2022 13:00
22F4225-62	NV-HI-DMMU 3-4	04/15/2022 13:00
22F4225-63	NV-HI-DMMU 3-5	04/15/2022 13:00
22F4225-64	NV-HI-DMMU 4-1	04/15/2022 13:00
22F4225-65	NV-HI-DMMU 4-2	04/15/2022 13:00
22F4225-66	NV-HI-DMMU 4-3	04/15/2022 13:00
22F4225-67	NV-HI-DMMU 4-4	04/15/2022 13:00
22F4225-68	NV-HI-DMMU 4-5	04/15/2022 13:00
22F4225-69	NV-HI-DMMU 5-1	04/15/2022 13:00
22F4225-70	NV-HI-DMMU 5-2	04/15/2022 13:00
22F4225-71	NV-HI-DMMU 5-3	04/15/2022 13:00
22F4225-72	NV-HI-DMMU 5-4	04/15/2022 13:00
22F4225-73	NV-HI-DMMU 5-5	04/15/2022 13:00
22F4225-74	NV-HI-DMMU 6-1	04/15/2022 13:00
22F4225-75	NV-HI-DMMU 6-2	04/15/2022 13:00
22F4225-76	NV-HI-DMMU 6-3	04/15/2022 13:00
22F4225-77	NV-HI-DMMU 6-4	04/15/2022 13:00
22F4225-78	NV-HI-DMMU 6-5	04/15/2022 13:00
22F4225-79	NV-HI-DMMU 7-1	04/15/2022 13:00
22F4225-80	NV-HI-DMMU 7-2	04/15/2022 13:00
22F4225-81	NV-HI-DMMU 7-3	04/15/2022 13:00
22F4225-82	NV-HI-DMMU 7-4	04/15/2022 13:00
22F4225-83	NV-HI-DMMU 7-5	04/15/2022 13:00
22F4225-84	NV-HI-DMMU 8-1	04/15/2022 13:00
22F4225-85	NV-HI-DMMU 8-2	04/15/2022 13:00
22F4225-86	NV-HI-DMMU 8-3	04/15/2022 13:00
22F4225-87	NV-HI-DMMU 8-4	04/15/2022 13:00
22F4225-88	NV-HI-DMMU 8-5	04/15/2022 13:00
22F4225-89	NV-HI-PRETEST-1	04/15/2022 13:00
22F4225-90	NV-HI-PRETEST-2	04/15/2022 13:00
22F4225-91	NV-HI-PRETEST-3	04/15/2022 13:00
22F4225-92	NV-HI-REF-1	04/15/2022 13:00
22F4225-93	NV-HI-REF-2	04/15/2022 13:00
22F4225-94	NV-HI-REF-3	04/15/2022 13:00
22F4225-95	NV-HI-REF-4	04/15/2022 13:00
22F4225-96	NV-HI-REF-5	04/15/2022 13:00

NTP was granted to NWDLS on 06/21/2022 16:00. Samples were held in freezer storage until analysis began. Any receiving

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

discrepancies are recorded and stored in NWDLS' database. The samples received a Work Order of 22F4225. The lab sample IDs, client sample IDs, and dates of collection can be found at the top of each result page.

NWDLS provided their lowest detection limit for all requested analyses. Note that detection and reporting limits are adjusted to account for sample specific parameters.

Any QC that did not meet the laboratory specified control limits was flagged and reported with qualifiers. For additional information, please refer to the included quality control data pages.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results

Client Sample ID: MM-HI-DMMU 1-1
Lab Sample ID: 22F4225-01
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<50.5U	ug/kg dry	1	50.5	50.5	BFG2359	08/02/2022 18:42	KRB
SW-8270	Acenaphthene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Acenaphthylene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Anthracene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Benzo(a)anthracene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Benzo(a)pyrene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	benzo(b&k)fluoranthene	A	<50.5U	ug/kg dry	1	50.5	50.5	BFG2359	08/02/2022 18:42	KRB
SW-8270	Benzo(g,h,i)perylene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<25.3B, U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Chrysene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Di-n-butyl phthalate	A	49.3V	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Fluoranthene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Fluorene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Naphthalene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Phenanthrene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	Phenol, Total	A	225V	ug/kg dry	1	50.5	50.5	BFG2359	08/02/2022 18:42	KRB
SW-8270	Pyrene	A	<25.3U	ug/kg dry	1	25.3	25.3	BFG2359	08/02/2022 18:42	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*47.6% S*	*60-140*					*08/02/2022 18:42*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*63.2%*	*60-140*					*08/02/2022 18:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*84.7%*	*60-140*					*08/02/2022 18:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*89.7%*	*60-140*					*08/02/2022 18:42*	
SW-8270	*Surrogate: Phenol-d5-surr*		*128%*	*60-140*					*08/02/2022 18:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*27.6% S*	*60-140*					*08/02/2022 18:42*	
Metals, Total										
EPA 200.8	Antimony	N	<0.447U	mg/kg dry	1	0.447	5.55	BFH2149	08/19/2022 10:03	TBB
EPA 200.8	Arsenic	N	9.07	mg/kg dry	1	0.682	2.77	BFH2149	08/19/2022 10:03	TBB
EPA 200.8	Beryllium	N	<0.0555U	mg/kg dry	1	0.0555	1.11	BFH2149	08/19/2022 10:03	TBB
EPA 200.8	Cadmium	N	0.564J	mg/kg dry	1	0.175	5.55	BFH2149	08/19/2022 10:03	TBB
EPA 200.8	Chromium	N	<0.408U	mg/kg dry	1	0.408	16.6	BFH2149	08/19/2022 10:03	TBB
EPA 200.8	Copper	N	13.5	mg/kg dry	1	0.483	5.55	BFH2149	08/19/2022 10:03	TBB
Calc	Chromium (III)		<22.3U	mg/kg (dry wt) dry	1	22.3	78.4	[CALC]	08/19/2022 10:03	EM
SW-7196	Chromium (VI)	N	<21.9U	mg/kg (dry wt) dry	1	21.9	61.7	BFG2026	07/15/2022 17:57	EM
EPA 200.8	Lead	N	0.577J	mg/kg dry	1	0.419	2.77	BFH2149	08/19/2022 10:03	TBB
EPA 200.8	Nickel	N	3.67J	mg/kg dry	1	0.0982	5.55	BFH2149	08/19/2022 10:03	TBB
EPA 200.8	Selenium	N	<6.10U	mg/kg dry	1	6.10	27.7	BFH2149	08/19/2022 10:03	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 1-1 (Continued)
Lab Sample ID: 22F4225-01
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Silver	N	0.160	J	mg/kg dry	1	0.0394	2.77	BFH2149	08/19/2022 10:03	TBB
EPA 200.8	Thallium	N	<0.0383	U	mg/kg dry	1	0.0383	2.77	BFH2149	08/19/2022 10:03	TBB
EPA 200.8	Zinc	N	133		mg/kg dry	1	2.08	11.1	BFH2149	08/19/2022 10:03	TBB
General Chemistry											
SM 2540 G	% Solids	N	8.65		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 1-1
Lab Sample ID: 22F4225-01RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0555	B, U	mg/kg dry	1	0.0555	0.111	BFH2628	08/18/2022 19:14	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 1-2
Lab Sample ID: 22F4225-02
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<60.3U	ug/kg dry	1	60.3	60.3	BFG2359	08/02/2022 19:16	KRB
SW-8270	Acenaphthene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Acenaphthylene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Anthracene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Benzo(a)anthracene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Benzo(a)pyrene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	benzo(b&k)fluoranthene	A	<60.3U	ug/kg dry	1	60.3	60.3	BFG2359	08/02/2022 19:16	KRB
SW-8270	Benzo(g,h,i)perylene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<30.2B, U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Chrysene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Di-n-butyl phthalate	A	59.6V	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Fluoranthene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Fluorene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Naphthalene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Phenanthrene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	Phenol, Total	A	320V	ug/kg dry	1	60.3	60.3	BFG2359	08/02/2022 19:16	KRB
SW-8270	Pyrene	A	<30.2U	ug/kg dry	1	30.2	30.2	BFG2359	08/02/2022 19:16	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*47.8% S*	*60-140*					*08/02/2022 19:16*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*69.2%*	*60-140*					*08/02/2022 19:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.3%*	*60-140*					*08/02/2022 19:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*78.4%*	*60-140*					*08/02/2022 19:16*	
SW-8270	*Surrogate: Phenol-d5-surr*		*121%*	*60-140*					*08/02/2022 19:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*27.5% S*	*60-140*					*08/02/2022 19:16*	
Metals, Total										
EPA 200.8	Antimony	N	<0.494U	mg/kg dry	1	0.494	6.13	BFH1110	08/15/2022 11:15	TBB
EPA 200.8	Arsenic	N	8.69	mg/kg dry	1	0.754	3.07	BFH1110	08/15/2022 11:15	TBB
EPA 200.8	Beryllium	N	<0.0613U	mg/kg dry	1	0.0613	1.23	BFH1110	08/23/2022 15:47	TBB
EPA 200.8	Cadmium	N	0.528J	mg/kg dry	1	0.194	6.13	BFH1110	08/15/2022 11:15	TBB
EPA 200.8	Chromium	N	<0.451U	mg/kg dry	1	0.451	18.4	BFH1110	08/15/2022 11:15	TBB
EPA 200.8	Copper	N	13.0	mg/kg dry	1	0.534	6.13	BFH1110	08/15/2022 11:15	TBB
Calc	Chromium (III)		<22.3U	mg/kg (dry wt) dry	1	22.3	80.0	[CALC]	08/15/2022 11:15	EM
SW-7196	Chromium (VI)	N	<21.8U	mg/kg (dry wt) dry	1	21.8	61.6	BFG2026	07/15/2022 17:58	EM
SW-7471B	Mercury	A	<0.0571U	mg/kg dry	1	0.0571	0.114	BFH0373	08/03/2022 17:11	EM
EPA 200.8	Lead	N	<0.463U	mg/kg dry	1	0.463	3.07	BFH1110	08/15/2022 11:15	TBB
EPA 200.8	Nickel	N	3.42J	mg/kg dry	1	0.109	6.13	BFH1110	08/15/2022 11:15	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 1-2 (Continued)
Lab Sample ID: 22F4225-02
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Selenium	N	<6.75	U	mg/kg dry	1	6.75	30.7	BFH1110	08/23/2022 15:47	TBB
EPA 200.8	Silver	N	0.131	J	mg/kg dry	1	0.0436	3.07	BFH1110	08/15/2022 11:15	TBB
EPA 200.8	Thallium	N	<0.0423	U	mg/kg dry	1	0.0423	3.07	BFH1110	08/15/2022 11:15	TBB
EPA 200.8	Zinc	N	118		mg/kg dry	1	2.30	12.3	BFH1110	08/16/2022 10:57	TBB
General Chemistry											
SM 2540 G	% Solids	N	8.02		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 1-3
Lab Sample ID: 22F4225-03
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<45.9U	ug/kg dry	1	45.9	45.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Acenaphthene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Acenaphthylene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Anthracene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Benzo(a)anthracene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Benzo(a)pyrene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	benzo(b&k)fluoranthene	A	<45.9U	ug/kg dry	1	45.9	45.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Benzo(g,h,i)perylene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<22.9B, U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Chrysene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Di-n-butyl phthalate	A	<22.9B, U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Fluoranthene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Fluorene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Naphthalene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Phenanthrene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Phenol, Total	A	332V	ug/kg dry	1	45.9	45.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	Pyrene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/02/2022 19:50	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*59.5% S*	*60-140*					*08/02/2022 19:50*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*71.3%*	*60-140*					*08/02/2022 19:50*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*82.9%*	*60-140*					*08/02/2022 19:50*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*103%*	*60-140*					*08/02/2022 19:50*	
SW-8270	*Surrogate: Phenol-d5-surr*		*115%*	*60-140*					*08/02/2022 19:50*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*31.3% S*	*60-140*					*08/02/2022 19:50*	
Metals, Total										
EPA 200.8	Antimony	N	<0.414U	mg/kg dry	1	0.414	5.15	BFH2149	08/19/2022 10:06	TBB
EPA 200.8	Arsenic	N	11.7	mg/kg dry	1	0.633	2.57	BFH2149	08/19/2022 10:06	TBB
EPA 200.8	Beryllium	N	<0.0515U	mg/kg dry	1	0.0515	1.03	BFH2149	08/19/2022 10:06	TBB
EPA 200.8	Cadmium	N	0.552J	mg/kg dry	1	0.163	5.15	BFH2149	08/19/2022 10:06	TBB
EPA 200.8	Chromium	N	<0.378U	mg/kg dry	1	0.378	15.4	BFH2149	08/19/2022 10:06	TBB
EPA 200.8	Copper	N	16.4	mg/kg dry	1	0.448	5.15	BFH2149	08/19/2022 10:06	TBB
Calc	Chromium (III)		<21.0U	mg/kg (dry wt) dry	1	21.0	73.6	[CALC]	08/19/2022 10:06	EM
SW-7196	Chromium (VI)	N	<20.6U	mg/kg (dry wt) dry	1	20.6	58.1	BFG2026	07/15/2022 17:59	EM
EPA 200.8	Lead	N	0.428J	mg/kg dry	1	0.389	2.57	BFH2149	08/19/2022 10:06	TBB
EPA 200.8	Nickel	N	4.65J	mg/kg dry	1	0.0911	5.15	BFH2149	08/19/2022 10:06	TBB
EPA 200.8	Selenium	N	<5.66U	mg/kg dry	1	5.66	25.7	BFH2149	08/19/2022 10:06	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 1-3 (Continued)
Lab Sample ID: 22F4225-03
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Silver	N	0.215	J	mg/kg dry	1	0.0365	2.57	BFH2149	08/19/2022 10:06	TBB
EPA 200.8	Thallium	N	<0.0355	U	mg/kg dry	1	0.0355	2.57	BFH2149	08/19/2022 10:06	TBB
EPA 200.8	Zinc	N	170		mg/kg dry	1	1.93	10.3	BFH2149	08/19/2022 10:06	TBB
General Chemistry											
SM 2540 G	% Solids	N	9.11		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 1-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-03RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0536	B, U	mg/kg dry	1	0.0536	0.107	BFH2628	08/18/2022 19:27	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 1-4
Lab Sample ID: 22F4225-04
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<55.3U	ug/kg dry	1	55.3	55.3	BFG2359	08/02/2022 20:25	KRB
SW-8270	Acenaphthene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Acenaphthylene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Anthracene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Benzo(a)anthracene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Benzo(a)pyrene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	benzo(b&k)fluoranthene	A	<55.3U	ug/kg dry	1	55.3	55.3	BFG2359	08/02/2022 20:25	KRB
SW-8270	Benzo(g,h,i)perylene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<27.7B, U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Chrysene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Di-n-butyl phthalate	A	28.7V	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Fluoranthene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Fluorene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Naphthalene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Phenanthrene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	Phenol, Total	A	420V	ug/kg dry	1	55.3	55.3	BFG2359	08/02/2022 20:25	KRB
SW-8270	Pyrene	A	<27.7U	ug/kg dry	1	27.7	27.7	BFG2359	08/02/2022 20:25	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*51.4% S*	*60-140*					*08/02/2022 20:25*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*60.4%*	*60-140*					*08/02/2022 20:25*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*83.0%*	*60-140*					*08/02/2022 20:25*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*98.6%*	*60-140*					*08/02/2022 20:25*	
SW-8270	*Surrogate: Phenol-d5-surr*		*107%*	*60-140*					*08/02/2022 20:25*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*44.4% S*	*60-140*					*08/02/2022 20:25*	
Metals, Total										
EPA 200.8	Antimony	N	<0.359U	mg/kg dry	1	0.359	4.46	BFH2149	08/19/2022 10:08	TBB
EPA 200.8	Arsenic	N	10.8	mg/kg dry	1	0.548	2.23	BFH2149	08/19/2022 10:08	TBB
EPA 200.8	Beryllium	N	<0.0446U	mg/kg dry	1	0.0446	0.892	BFH2149	08/19/2022 10:08	TBB
EPA 200.8	Cadmium	N	0.693J	mg/kg dry	1	0.141	4.46	BFH2149	08/19/2022 10:08	TBB
EPA 200.8	Chromium	N	<0.328U	mg/kg dry	1	0.328	13.4	BFH2149	08/19/2022 10:08	TBB
EPA 200.8	Copper	N	16.3	mg/kg dry	1	0.388	4.46	BFH2149	08/19/2022 10:08	TBB
Calc	Chromium (III)		<19.4U	mg/kg (dry wt) dry	1	19.4	67.1	[CALC]	08/19/2022 10:08	EM
SW-7196	Chromium (VI)	N	<19.0U	mg/kg (dry wt) dry	1	19.0	53.7	BFG2026	07/15/2022 18:01	EM
EPA 200.8	Lead	N	0.622J	mg/kg dry	1	0.337	2.23	BFH2149	08/19/2022 10:08	TBB
EPA 200.8	Nickel	N	4.08J	mg/kg dry	1	0.0789	4.46	BFH2149	08/19/2022 10:08	TBB
EPA 200.8	Selenium	N	<4.90U	mg/kg dry	1	4.90	22.3	BFH2149	08/19/2022 10:08	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 1-4 (Continued)
Lab Sample ID: 22F4225-04
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Silver	N	0.209	J	mg/kg dry	1	0.0317	2.23	BFH2149	08/19/2022 10:08	TBB
EPA 200.8	Thallium	N	<0.0308	U	mg/kg dry	1	0.0308	2.23	BFH2149	08/19/2022 10:08	TBB
EPA 200.8	Zinc	N	147		mg/kg dry	2	3.35	17.8	BFH2149	08/19/2022 11:08	TBB
General Chemistry											
SM 2540 G	% Solids	N	8.91		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 1-4
Lab Sample ID: 22F4225-04RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0539	B, U	mg/kg dry	1	0.0539	0.108	BFH2628	08/18/2022 19:30	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 1-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-05	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<50.4U	ug/kg dry	1	50.4	50.4	BFG2359	08/02/2022 20:59	KRB
SW-8270	Acenaphthene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Acenaphthylene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Anthracene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Benzo(a)anthracene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Benzo(a)pyrene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	benzo(b&k)fluoranthene	A	<50.4U	ug/kg dry	1	50.4	50.4	BFG2359	08/02/2022 20:59	KRB
SW-8270	Benzo(g,h,i)perylene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<25.2B, U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Chrysene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Di-n-butyl phthalate	A	28.8V	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Fluoranthene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Fluorene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Naphthalene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Phenanthrene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	Phenol, Total	A	443V	ug/kg dry	1	50.4	50.4	BFG2359	08/02/2022 20:59	KRB
SW-8270	Pyrene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/02/2022 20:59	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*44.6% S*	*60-140*					*08/02/2022 20:59*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*53.5% S*	*60-140*					*08/02/2022 20:59*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*88.7%*	*60-140*					*08/02/2022 20:59*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*94.0%*	*60-140*					*08/02/2022 20:59*	
SW-8270	*Surrogate: Phenol-d5-surr*		*119%*	*60-140*					*08/02/2022 20:59*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*32.2% S*	*60-140*					*08/02/2022 20:59*	
Metals, Total										
EPA 200.8	Antimony	N	<0.384U	mg/kg dry	1	0.384	4.77	BFH2043	08/17/2022 15:28	TBB
EPA 200.8	Arsenic	N	9.64	mg/kg dry	1	0.586	2.38	BFH2043	08/17/2022 16:58	TBB
EPA 200.8	Beryllium	N	<0.0477U	mg/kg dry	1	0.0477	0.954	BFH2043	08/17/2022 15:28	TBB
EPA 200.8	Cadmium	N	0.573J	mg/kg dry	1	0.151	4.77	BFH2043	08/17/2022 15:28	TBB
EPA 200.8	Chromium	N	0.368J	mg/kg dry	1	0.350	14.3	BFH2043	08/17/2022 15:28	TBB
EPA 200.8	Copper	N	14.4	mg/kg dry	1	0.415	4.77	BFH2043	08/17/2022 15:28	TBB
Calc	Chromium (III)		<19.7U	mg/kg (dry wt) dry	1	19.7	69.0	[CALC]	08/17/2022 15:28	EM
SW-7196	Chromium (VI)	N	<19.4U	mg/kg (dry wt) dry	1	19.4	54.7	BFG3191	07/25/2022 17:47	EM
EPA 200.8	Lead	N	0.497J	mg/kg dry	1	0.360	2.38	BFH2043	08/17/2022 15:28	TBB
EPA 200.8	Nickel	N	3.64J	mg/kg dry	1	0.0844	4.77	BFH2043	08/17/2022 15:28	TBB
EPA 200.8	Selenium	N	<5.24U	mg/kg dry	1	5.24	23.8	BFH2043	08/25/2022 09:25	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 1-5 (Continued)
Lab Sample ID: 22F4225-05
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Silver	N	0.218	J	mg/kg dry	1	0.0339	2.38	BFH2043	08/17/2022 15:28	TBB
EPA 200.8	Thallium	N	<0.0329	U	mg/kg dry	1	0.0329	2.38	BFH2043	08/17/2022 16:58	TBB
EPA 200.8	Zinc	N	158		mg/kg dry	2	3.58	19.1	BFH2043	08/22/2022 17:35	TBB
General Chemistry											
SM 2540 G	% Solids	N	9.32		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 1-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-05RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0532	B, U	mg/kg dry	1	0.0532	0.106	BFH2628	08/18/2022 19:17	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 2-1
Lab Sample ID: 22F4225-06
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<41.4U	ug/kg dry	1	41.4	41.4	BFG2556	08/11/2022 17:41	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	35.1V	ug/kg dry	1	20.7	20.7	BFG2556	08/11/2022 17:41	KRB
SW-8270	Di-n-butyl phthalate	A	84.4V	ug/kg dry	1	20.7	20.7	BFG2556	08/11/2022 17:41	KRB
SW-8270	Phenol, Total	A	142V	ug/kg dry	1	41.4	41.4	BFG2556	08/11/2022 17:41	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*7.88% S*	*60-140*					*08/11/2022 17:41*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*81.1%*	*60-140*					*08/11/2022 17:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*55.4% S*	*60-140*					*08/11/2022 17:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*80.2%*	*60-140*					*08/11/2022 17:41*	
SW-8270	*Surrogate: Phenol-d5-surr*		*93.6%*	*60-140*					*08/11/2022 17:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*67.0%*	*60-140*					*08/11/2022 17:41*	
Metals, Total										
EPA 200.8	Antimony	N	<0.340U	mg/kg dry	1	0.340	4.22	BFH2148	08/18/2022 18:03	TBB
EPA 200.8	Arsenic	N	17.4	mg/kg dry	1	0.519	2.11	BFH2148	08/18/2022 18:03	TBB
EPA 200.8	Beryllium	N	<0.0422U	mg/kg dry	1	0.0422	0.843	BFH2148	08/23/2022 18:54	TBB
EPA 200.8	Cadmium	N	0.293J	mg/kg dry	1	0.133	4.22	BFH2148	08/18/2022 18:03	TBB
EPA 200.8	Chromium	N	<0.310U	mg/kg dry	1	0.310	12.7	BFH2148	08/19/2022 12:07	TBB
EPA 200.8	Copper	N	11.2	mg/kg dry	1	0.367	4.22	BFH2148	08/19/2022 12:07	TBB
Calc	Chromium (III)		<15.7U	mg/kg (dry wt) dry	1	15.7	56.0	[CALC]	08/19/2022 12:07	EM
SW-7196	Chromium (VI)	N	<15.4U	mg/kg (dry wt) dry	1	15.4	43.4	BFG3191	07/25/2022 17:51	EM
SW-7471B	Mercury	A	<0.0439B, U	mg/kg dry	1	0.0439	0.0878	BFH2628	08/18/2022 19:34	NAZ
EPA 200.8	Lead	N	0.804J	mg/kg dry	1	0.318	2.11	BFH2148	08/18/2022 18:03	TBB
EPA 200.8	Nickel	N	2.95J	mg/kg dry	1	0.0746	4.22	BFH2148	08/19/2022 12:07	TBB
EPA 200.8	Selenium	N	<4.64U	mg/kg dry	1	4.64	21.1	BFH2148	08/19/2022 12:07	TBB
EPA 200.8	Silver	N	0.163J	mg/kg dry	1	0.0299	2.11	BFH2148	08/23/2022 14:07	TBB
EPA 200.8	Thallium	N	<0.0291U	mg/kg dry	1	0.0291	2.11	BFH2148	08/18/2022 18:03	TBB
EPA 200.8	Zinc	N	103	mg/kg dry	1	1.58	8.43	BFH2148	08/19/2022 12:07	TBB
General Chemistry										
SM 2540 G	% Solids	N	11.4	%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 2-2
Lab Sample ID: 22F4225-07
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<44.5	U	ug/kg dry	1	44.5	44.5	BFG2556	08/11/2022 18:16	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<22.2	B, U	ug/kg dry	1	22.2	22.2	BFG2556	08/11/2022 18:16	KRB
SW-8270	Di-n-butyl phthalate	A	53.1	V	ug/kg dry	1	22.2	22.2	BFG2556	08/11/2022 18:16	KRB
SW-8270	Phenol, Total	A	251	V	ug/kg dry	1	44.5	44.5	BFG2556	08/11/2022 18:16	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*27.3%*	*S*	*60-140*					*08/11/2022 18:16*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*84.8%*		*60-140*					*08/11/2022 18:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*74.5%*		*60-140*					*08/11/2022 18:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*88.3%*		*60-140*					*08/11/2022 18:16*	
SW-8270	*Surrogate: Phenol-d5-surr*		*111%*		*60-140*					*08/11/2022 18:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*52.8%*	*S*	*60-140*					*08/11/2022 18:16*	
Metals, Total											
EPA 200.8	Antimony	N	<0.315	U	mg/kg dry	1	0.315	3.92	BFH2149	08/19/2022 10:10	TBB
EPA 200.8	Arsenic	N	12.3		mg/kg dry	1	0.482	1.96	BFH2149	08/19/2022 10:10	TBB
EPA 200.8	Beryllium	N	<0.0392	U	mg/kg dry	1	0.0392	0.784	BFH2149	08/19/2022 10:10	TBB
EPA 200.8	Cadmium	N	0.644	J	mg/kg dry	1	0.124	3.92	BFH2149	08/19/2022 10:10	TBB
EPA 200.8	Chromium	N	0.304	J	mg/kg dry	1	0.288	11.8	BFH2149	08/19/2022 10:10	TBB
EPA 200.8	Copper	N	13.9		mg/kg dry	1	0.341	3.92	BFH2149	08/19/2022 10:10	TBB
Calc	Chromium (III)		<17.1	U	mg/kg (dry wt) dry	1	17.1	59.3	[CALC]	08/19/2022 10:10	EM
SW-7196	Chromium (VI)	N	<16.8	U	mg/kg (dry wt) dry	1	16.8	47.6	BFG2026	07/15/2022 18:02	EM
SW-7471B	Mercury	A	<0.0353	U	mg/kg dry	1	0.0353	0.0706	BFH1159	08/09/2022 17:53	NAZ
EPA 200.8	Lead	N	0.434	J	mg/kg dry	1	0.296	1.96	BFH2149	08/19/2022 10:10	TBB
EPA 200.8	Nickel	N	3.91	J	mg/kg dry	1	0.0693	3.92	BFH2149	08/19/2022 10:10	TBB
EPA 200.8	Selenium	N	<4.31	U	mg/kg dry	1	4.31	19.6	BFH2149	08/19/2022 10:10	TBB
EPA 200.8	Silver	N	0.156	J	mg/kg dry	1	0.0278	1.96	BFH2149	08/19/2022 10:10	TBB
EPA 200.8	Thallium	N	<0.0270	U	mg/kg dry	1	0.0270	1.96	BFH2149	08/19/2022 10:10	TBB
EPA 200.8	Zinc	N	131		mg/kg dry	2	2.94	15.7	BFH2149	08/19/2022 11:11	TBB
General Chemistry											
SM 2540 G	% Solids	N	11.2		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 2-3
Lab Sample ID: 22F4225-08
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<43.4U	ug/kg dry	1	43.4	43.4	BFG2556	08/11/2022 18:50	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<21.7B, U	ug/kg dry	1	21.7	21.7	BFG2556	08/11/2022 18:50	KRB
SW-8270	Di-n-butyl phthalate	A	62.4V	ug/kg dry	1	21.7	21.7	BFG2556	08/11/2022 18:50	KRB
SW-8270	Phenol, Total	A	88.7V	ug/kg dry	1	43.4	43.4	BFG2556	08/11/2022 18:50	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*11.7% S*	*60-140*					*08/11/2022 18:50*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*86.7%*	*60-140*					*08/11/2022 18:50*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*61.6%*	*60-140*					*08/11/2022 18:50*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*80.5%*	*60-140*					*08/11/2022 18:50*	
SW-8270	*Surrogate: Phenol-d5-surr*		*79.0%*	*60-140*					*08/11/2022 18:50*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*52.7% S*	*60-140*					*08/11/2022 18:50*	
Metals, Total										
EPA 200.8	Antimony	N	<0.323U	mg/kg dry	1	0.323	4.01	BFH2043	08/17/2022 15:30	TBB
EPA 200.8	Arsenic	N	9.58	mg/kg dry	1	0.493	2.00	BFH2043	08/17/2022 17:00	TBB
EPA 200.8	Beryllium	N	<0.0401U	mg/kg dry	1	0.0401	0.801	BFH2043	08/17/2022 15:30	TBB
EPA 200.8	Cadmium	N	0.584J	mg/kg dry	1	0.127	4.01	BFH2043	08/17/2022 15:30	TBB
EPA 200.8	Chromium	N	<0.295U	mg/kg dry	1	0.295	12.0	BFH2043	08/17/2022 15:30	TBB
EPA 200.8	Copper	N	12.0	mg/kg dry	1	0.349	4.01	BFH2043	08/17/2022 15:30	TBB
Calc	Chromium (III)		<18.4U	mg/kg (dry wt) dry	1	18.4	63.3	[CALC]	08/17/2022 15:30	EM
SW-7196	Chromium (VI)	N	20.8J	mg/kg (dry wt) dry	1	18.1	51.2	BFG2026	07/15/2022 18:03	EM
SW-7471B	Mercury	A	<0.0432U	mg/kg dry	1	0.0432	0.0864	BFH0643	08/04/2022 16:35	EM
EPA 200.8	Lead	N	0.634J	mg/kg dry	1	0.303	2.00	BFH2043	08/17/2022 15:30	TBB
EPA 200.8	Nickel	N	3.73J	mg/kg dry	1	0.0709	4.01	BFH2043	08/17/2022 15:30	TBB
EPA 200.8	Selenium	N	<4.41U	mg/kg dry	1	4.41	20.0	BFH2043	08/25/2022 09:28	TBB
EPA 200.8	Silver	N	0.213J	mg/kg dry	1	0.0285	2.00	BFH2043	08/17/2022 15:30	TBB
EPA 200.8	Thallium	N	<0.0277U	mg/kg dry	1	0.0277	2.00	BFH2043	08/17/2022 17:00	TBB
EPA 200.8	Zinc	N	144	mg/kg dry	2	3.01	16.0	BFH2043	08/22/2022 17:37	TBB
General Chemistry										
SM 2540 G	% Solids	N	9.92	%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 2-4
Lab Sample ID: 22F4225-09
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<54.4	U	ug/kg dry	1	54.4	54.4	BFG2556	08/11/2022 19:24	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	35.0	V	ug/kg dry	1	27.2	27.2	BFG2556	08/11/2022 19:24	KRB
SW-8270	Di-n-butyl phthalate	A	551	V	ug/kg dry	1	27.2	27.2	BFG2556	08/11/2022 19:24	KRB
SW-8270	Phenol, Total	A	283	V	ug/kg dry	1	54.4	54.4	BFG2556	08/11/2022 19:24	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*16.0%*	*S*	*60-140*					*08/11/2022 19:24*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*67.9%*		*60-140*					*08/11/2022 19:24*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*80.5%*		*60-140*					*08/11/2022 19:24*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*82.0%*		*60-140*					*08/11/2022 19:24*	
SW-8270	*Surrogate: Phenol-d5-surr*		*107%*		*60-140*					*08/11/2022 19:24*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*53.0%*	*S*	*60-140*					*08/11/2022 19:24*	
Metals, Total											
EPA 200.8	Antimony	N	<0.403	U	mg/kg dry	1	0.403	5.01	BFH2043	08/17/2022 15:32	TBB
EPA 200.8	Arsenic	N	10.3		mg/kg dry	1	0.616	2.50	BFH2043	08/17/2022 17:03	TBB
EPA 200.8	Beryllium	N	<0.0501	U	mg/kg dry	1	0.0501	1.00	BFH2043	08/17/2022 15:32	TBB
EPA 200.8	Cadmium	N	0.574	J	mg/kg dry	1	0.158	5.01	BFH2043	08/17/2022 15:32	TBB
EPA 200.8	Chromium	N	<0.368	U	mg/kg dry	1	0.368	15.0	BFH2043	08/17/2022 15:32	TBB
EPA 200.8	Copper	N	12.9		mg/kg dry	1	0.436	5.01	BFH2043	08/17/2022 15:32	TBB
Calc	Chromium (III)		<17.9	U	mg/kg (dry wt) dry	1	17.9	64.5	[CALC]	08/17/2022 15:32	EM
SW-7196	Chromium (VI)	N	<17.5	U	mg/kg (dry wt) dry	1	17.5	49.5	BFG2026	07/15/2022 18:04	EM
SW-7471B	Mercury	A	<0.0553	U	mg/kg dry	1	0.0553	0.111	BFH1159	08/09/2022 18:07	NAZ
EPA 200.8	Lead	N	0.457	J	mg/kg dry	1	0.378	2.50	BFH2043	08/17/2022 15:32	TBB
EPA 200.8	Nickel	N	3.08	J	mg/kg dry	1	0.0886	5.01	BFH2043	08/17/2022 15:32	TBB
EPA 200.8	Selenium	N	<5.51	U	mg/kg dry	1	5.51	25.0	BFH2043	08/25/2022 09:31	TBB
EPA 200.8	Silver	N	0.164	J	mg/kg dry	1	0.0356	2.50	BFH2043	08/17/2022 15:32	TBB
EPA 200.8	Thallium	N	<0.0346	U	mg/kg dry	1	0.0346	2.50	BFH2043	08/17/2022 17:03	TBB
EPA 200.8	Zinc	N	162		mg/kg dry	1	1.88	10.0	BFH2043	08/22/2022 16:41	TBB
General Chemistry											
SM 2540 G	% Solids	N	8.75		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 2-5
Lab Sample ID: 22F4225-10
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<41.1	U	ug/kg dry	1	41.1	41.1	BFG2556	08/11/2022 19:58	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	26.7	V	ug/kg dry	1	20.6	20.6	BFG2556	08/11/2022 19:58	KRB
SW-8270	Di-n-butyl phthalate	A	76.5	V	ug/kg dry	1	20.6	20.6	BFG2556	08/11/2022 19:58	KRB
SW-8270	Phenol, Total	A	282	V	ug/kg dry	1	41.1	41.1	BFG2556	08/11/2022 19:58	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*15.4%*	*S*	*60-140*					*08/11/2022 19:58*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*65.5%*		*60-140*					*08/11/2022 19:58*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.3%*		*60-140*					*08/11/2022 19:58*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*86.0%*		*60-140*					*08/11/2022 19:58*	
SW-8270	*Surrogate: Phenol-d5-surr*		*112%*		*60-140*					*08/11/2022 19:58*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*47.3%*	*S*	*60-140*					*08/11/2022 19:58*	
Metals, Total											
EPA 200.8	Antimony	N	<0.259	U	mg/kg dry	1	0.259	3.21	BFH2043	08/17/2022 15:35	TBB
EPA 200.8	Arsenic	N	8.84		mg/kg dry	1	0.395	1.61	BFH2043	08/17/2022 17:12	TBB
EPA 200.8	Beryllium	N	<0.0321	U	mg/kg dry	1	0.0321	0.643	BFH2043	08/17/2022 15:35	TBB
EPA 200.8	Cadmium	N	0.486	J	mg/kg dry	1	0.102	3.21	BFH2043	08/17/2022 15:35	TBB
EPA 200.8	Chromium	N	<0.236	U	mg/kg dry	1	0.236	9.64	BFH2043	08/17/2022 15:35	TBB
EPA 200.8	Copper	N	11.5		mg/kg dry	1	0.280	3.21	BFH2043	08/17/2022 15:35	TBB
Calc	Chromium (III)		<15.4	U	mg/kg (dry wt) dry	1	15.4	52.6	[CALC]	08/17/2022 15:35	EM
SW-7196	Chromium (VI)	N	<15.2	U	mg/kg (dry wt) dry	1	15.2	42.9	BFG2026	07/15/2022 18:05	EM
SW-7471B	Mercury	A	<0.0364	U	mg/kg dry	1	0.0364	0.0729	BFH1159	08/09/2022 18:10	NAZ
EPA 200.8	Lead	N	0.412	J	mg/kg dry	1	0.243	1.61	BFH2043	08/17/2022 15:35	TBB
EPA 200.8	Nickel	N	3.38		mg/kg dry	1	0.0569	3.21	BFH2043	08/17/2022 15:35	TBB
EPA 200.8	Selenium	N	<3.54	U	mg/kg dry	1	3.54	16.1	BFH2043	08/25/2022 09:41	TBB
EPA 200.8	Silver	N	0.147	J	mg/kg dry	1	0.0228	1.61	BFH2043	08/17/2022 15:35	TBB
EPA 200.8	Thallium	N	<0.0222	U	mg/kg dry	1	0.0222	1.61	BFH2043	08/17/2022 17:12	TBB
EPA 200.8	Zinc	N	153		mg/kg dry	2	2.41	12.9	BFH2043	08/22/2022 17:39	TBB
General Chemistry											
SM 2540 G	% Solids	N	11.6		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 3-1
Lab Sample ID: 22F4225-11
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<41.9U	ug/kg dry	1	41.9	41.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Acenaphthene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Acenaphthylene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Anthracene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Benzo(a)anthracene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Benzo(a)pyrene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	benzo(b&k)fluoranthene	A	<41.9U	ug/kg dry	1	41.9	41.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Benzo(g,h,i)perylene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<20.9B, U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Chrysene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Di-n-butyl phthalate	A	<20.9B, U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Fluoranthene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Fluorene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Naphthalene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Phenanthrene	A	61.8	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Phenol, Total	A	270V	ug/kg dry	1	41.9	41.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	Pyrene	A	<20.9U	ug/kg dry	1	20.9	20.9	BFG2359	08/02/2022 21:33	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*47.4% S*	*60-140*					*08/02/2022 21:33*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*71.5%*	*60-140*					*08/02/2022 21:33*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*81.4%*	*60-140*					*08/02/2022 21:33*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*94.8%*	*60-140*					*08/02/2022 21:33*	
SW-8270	*Surrogate: Phenol-d5-surr*		*104%*	*60-140*					*08/02/2022 21:33*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*45.4% S*	*60-140*					*08/02/2022 21:33*	
Metals, Total										
EPA 200.8	Antimony	N	<0.309U	mg/kg dry	1	0.309	3.84	BFH2043	08/22/2022 16:53	TBB
EPA 200.8	Arsenic	N	9.33	mg/kg dry	1	0.472	1.92	BFH2043	08/17/2022 17:14	TBB
EPA 200.8	Beryllium	N	<0.0384U	mg/kg dry	1	0.0384	0.767	BFH2043	08/25/2022 11:40	TBB
EPA 200.8	Cadmium	N	0.479J	mg/kg dry	1	0.121	3.84	BFH2043	08/17/2022 17:14	TBB
EPA 200.8	Chromium	N	<0.282U	mg/kg dry	1	0.282	11.5	BFH2043	08/17/2022 17:14	TBB
EPA 200.8	Copper	N	12.8	mg/kg dry	1	0.334	3.84	BFH2043	08/17/2022 17:14	TBB
Calc	Chromium (III)		<15.8U	mg/kg (dry wt) dry	1	15.8	55.5	[CALC]	08/17/2022 17:14	EM
SW-7196	Chromium (VI)	N	<15.6U	mg/kg (dry wt) dry	1	15.6	44.0	BFG2026	07/15/2022 18:06	EM
SW-7471B	Mercury	A	<0.0386U	mg/kg dry	1	0.0386	0.0773	BFH1159	08/09/2022 18:13	NAZ
EPA 200.8	Lead	N	0.572J	mg/kg dry	1	0.290	1.92	BFH2043	08/22/2022 16:53	TBB
EPA 200.8	Nickel	N	2.51J	mg/kg dry	1	0.0679	3.84	BFH2043	08/17/2022 17:14	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 3-1 (Continued)
Lab Sample ID: 22F4225-11
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Selenium	N	<4.22	U	mg/kg dry	1	4.22	19.2	BFH2043	08/25/2022 09:43	TBB
EPA 200.8	Silver	N	0.137	J	mg/kg dry	1	0.0272	1.92	BFH2043	08/17/2022 17:14	TBB
EPA 200.8	Thallium	N	<0.0265	U	mg/kg dry	1	0.0265	1.92	BFH2043	08/17/2022 17:14	TBB
EPA 200.8	Zinc	N	133		mg/kg dry	2	2.88	15.3	BFH2043	08/22/2022 17:42	TBB
General Chemistry											
SM 2540 G	% Solids	N	11.9		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 3-2
Lab Sample ID: 22F4225-12
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<43.8U	ug/kg dry	1	43.8	43.8	BFG2359	08/02/2022 22:08	KRB
SW-8270	Acenaphthene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Acenaphthylene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Anthracene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Benzo(a)anthracene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Benzo(a)pyrene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	benzo(b&k)fluoranthene	A	<43.8U	ug/kg dry	1	43.8	43.8	BFG2359	08/02/2022 22:08	KRB
SW-8270	Benzo(g,h,i)perylene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<21.9B, U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Chrysene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Di-n-butyl phthalate	A	37.7V	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Fluoranthene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Fluorene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Naphthalene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Phenanthrene	A	55.0	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	Phenol, Total	A	243V	ug/kg dry	1	43.8	43.8	BFG2359	08/02/2022 22:08	KRB
SW-8270	Pyrene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2359	08/02/2022 22:08	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*39.6% S*	*60-140*					*08/02/2022 22:08*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*58.1% S*	*60-140*					*08/02/2022 22:08*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*82.8%*	*60-140*					*08/02/2022 22:08*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*81.7%*	*60-140*					*08/02/2022 22:08*	
SW-8270	*Surrogate: Phenol-d5-surr*		*107%*	*60-140*					*08/02/2022 22:08*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*41.6% S*	*60-140*					*08/02/2022 22:08*	
Metals, Total										
EPA 200.8	Antimony	N	<0.285U	mg/kg dry	1	0.285	3.54	BFH2043	08/22/2022 16:55	TBB
EPA 200.8	Arsenic	N	10.0	mg/kg dry	1	0.435	1.77	BFH2043	08/17/2022 17:17	TBB
EPA 200.8	Beryllium	N	<0.0354U	mg/kg dry	1	0.0354	0.707	BFH2043	08/25/2022 11:42	TBB
EPA 200.8	Cadmium	N	0.497J	mg/kg dry	1	0.112	3.54	BFH2043	08/17/2022 17:17	TBB
EPA 200.8	Chromium	N	0.717J	mg/kg dry	1	0.260	10.6	BFH2043	08/17/2022 17:17	TBB
EPA 200.8	Copper	N	12.3	mg/kg dry	1	0.308	3.54	BFH2043	08/17/2022 17:17	TBB
Calc	Chromium (III)		<16.2U	mg/kg (dry wt) dry	1	16.2	55.7	[CALC]	08/17/2022 17:17	EM
SW-7196	Chromium (VI)	N	<16.0U	mg/kg (dry wt) dry	1	16.0	45.1	BFG2026	07/15/2022 18:13	EM
SW-7471B	Mercury	A	<0.0383U	mg/kg dry	1	0.0383	0.0765	BFH1159	08/09/2022 18:17	NAZ
EPA 200.8	Lead	N	0.434J	mg/kg dry	1	0.267	1.77	BFH2043	08/22/2022 16:55	TBB
EPA 200.8	Nickel	N	3.31J	mg/kg dry	1	0.0626	3.54	BFH2043	08/17/2022 17:17	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 3-2 (Continued)
Lab Sample ID: 22F4225-12
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Selenium	N	<3.89	U	mg/kg dry	1	3.89	17.7	BFH2043	08/25/2022 09:46	TBB
EPA 200.8	Silver	N	0.134	J	mg/kg dry	1	0.0251	1.77	BFH2043	08/17/2022 17:17	TBB
EPA 200.8	Thallium	N	<0.0244	U	mg/kg dry	1	0.0244	1.77	BFH2043	08/17/2022 17:17	TBB
EPA 200.8	Zinc	N	132		mg/kg dry	2	2.66	14.1	BFH2043	08/22/2022 17:51	TBB
General Chemistry											
SM 2540 G	% Solids	N	10.7		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 3-3
Lab Sample ID: 22F4225-13
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<42.1U	ug/kg dry	1	42.1	42.1	BFG2359	08/02/2022 22:42	KRB
SW-8270	Acenaphthene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Acenaphthylene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Anthracene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Benzo(a)anthracene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Benzo(a)pyrene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	benzo(b&k)fluoranthene	A	<42.1U	ug/kg dry	1	42.1	42.1	BFG2359	08/02/2022 22:42	KRB
SW-8270	Benzo(g,h,i)perylene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<21.0B, U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Chrysene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Di-n-butyl phthalate	A	21.5V	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Fluoranthene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Fluorene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Naphthalene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Phenanthrene	A	39.2	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	Phenol, Total	A	368V	ug/kg dry	1	42.1	42.1	BFG2359	08/02/2022 22:42	KRB
SW-8270	Pyrene	A	<21.0U	ug/kg dry	1	21.0	21.0	BFG2359	08/02/2022 22:42	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*32.7% S*	*60-140*					*08/02/2022 22:42*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*52.4% S*	*60-140*					*08/02/2022 22:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*75.5%*	*60-140*					*08/02/2022 22:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*101%*	*60-140*					*08/02/2022 22:42*	
SW-8270	*Surrogate: Phenol-d5-surr*		*119%*	*60-140*					*08/02/2022 22:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*44.2% S*	*60-140*					*08/02/2022 22:42*	
Metals, Total										
EPA 200.8	Antimony	N	<0.320U	mg/kg dry	1	0.320	3.97	BFH2043	08/22/2022 16:58	TBB
EPA 200.8	Arsenic	N	8.84	mg/kg dry	1	0.488	1.99	BFH2043	08/17/2022 17:19	TBB
EPA 200.8	Beryllium	N	<0.0397U	mg/kg dry	1	0.0397	0.794	BFH2043	08/25/2022 11:45	TBB
EPA 200.8	Cadmium	N	0.592J	mg/kg dry	1	0.125	3.97	BFH2043	08/17/2022 17:19	TBB
EPA 200.8	Chromium	N	0.349J	mg/kg dry	1	0.292	11.9	BFH2043	08/17/2022 17:19	TBB
EPA 200.8	Copper	N	10.5	mg/kg dry	1	0.345	3.97	BFH2043	08/17/2022 17:19	TBB
Calc	Chromium (III)		<21.2U	mg/kg (dry wt) dry	1	21.2	70.9	[CALC]	08/17/2022 17:19	EM
SW-7196	Chromium (VI)	N	<20.9U	mg/kg (dry wt) dry	1	20.9	59.0	BFG2026	07/15/2022 18:15	EM
SW-7471B	Mercury	A	<0.0501U	mg/kg dry	1	0.0501	0.100	BFH1159	08/09/2022 18:20	NAZ
EPA 200.8	Lead	N	0.466J	mg/kg dry	1	0.300	1.99	BFH2043	08/22/2022 16:58	TBB
EPA 200.8	Nickel	N	2.93J	mg/kg dry	1	0.0703	3.97	BFH2043	08/17/2022 17:19	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 3-3 (Continued)
Lab Sample ID: 22F4225-13
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Selenium	N	<4.37	U	mg/kg dry	1	4.37	19.9	BFH2043	08/25/2022 09:49	TBB
EPA 200.8	Silver	N	0.206	J	mg/kg dry	1	0.0282	1.99	BFH2043	08/17/2022 17:19	TBB
EPA 200.8	Thallium	N	<0.0274	U	mg/kg dry	1	0.0274	1.99	BFH2043	08/17/2022 17:19	TBB
EPA 200.8	Zinc	N	133		mg/kg dry	2	2.98	15.9	BFH2043	08/22/2022 17:54	TBB
General Chemistry											
SM 2540 G	% Solids	N	10.5		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 3-4
Lab Sample ID: 22F4225-14
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<41.6U	ug/kg dry	1	41.6	41.6	BFG2359	08/02/2022 23:16	KRB
SW-8270	Acenaphthene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Acenaphthylene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Anthracene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Benzo(a)anthracene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Benzo(a)pyrene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	benzo(b&k)fluoranthene	A	<41.6U	ug/kg dry	1	41.6	41.6	BFG2359	08/02/2022 23:16	KRB
SW-8270	Benzo(g,h,i)perylene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<20.8B, U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Chrysene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Di-n-butyl phthalate	A	<20.8B, U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Fluoranthene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Fluorene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Naphthalene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Phenanthrene	A	47.5	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	Phenol, Total	A	355V	ug/kg dry	1	41.6	41.6	BFG2359	08/02/2022 23:16	KRB
SW-8270	Pyrene	A	<20.8U	ug/kg dry	1	20.8	20.8	BFG2359	08/02/2022 23:16	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*52.1% S*	*60-140*					*08/02/2022 23:16*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*66.9%*	*60-140*					*08/02/2022 23:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*89.1%*	*60-140*					*08/02/2022 23:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*112%*	*60-140*					*08/02/2022 23:16*	
SW-8270	*Surrogate: Phenol-d5-surr*		*113%*	*60-140*					*08/02/2022 23:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*35.3% S*	*60-140*					*08/02/2022 23:16*	
Metals, Total										
EPA 200.8	Antimony	N	<0.332U	mg/kg dry	1	0.332	4.13	BFH2043	08/22/2022 17:00	TBB
EPA 200.8	Arsenic	N	10.1	mg/kg dry	1	0.508	2.06	BFH2043	08/17/2022 17:21	TBB
EPA 200.8	Beryllium	N	<0.0413U	mg/kg dry	1	0.0413	0.825	BFH2043	08/25/2022 11:48	TBB
EPA 200.8	Cadmium	N	0.527J	mg/kg dry	1	0.130	4.13	BFH2043	08/17/2022 17:21	TBB
EPA 200.8	Chromium	N	<0.303U	mg/kg dry	1	0.303	12.4	BFH2043	08/17/2022 17:21	TBB
EPA 200.8	Copper	N	10.8	mg/kg dry	1	0.359	4.13	BFH2043	08/17/2022 17:21	TBB
Calc	Chromium (III)		<16.6U	mg/kg (dry wt) dry	1	16.6	58.5	[CALC]	08/17/2022 17:21	EM
SW-7196	Chromium (VI)	N	17.0J	mg/kg (dry wt) dry	1	16.3	46.1	BFG2026	07/15/2022 18:16	EM
SW-7471B	Mercury	A	<0.0431U	mg/kg dry	1	0.0431	0.0862	BFH1159	08/09/2022 18:30	NAZ
EPA 200.8	Lead	N	0.406J	mg/kg dry	1	0.312	2.06	BFH2043	08/22/2022 17:00	TBB
EPA 200.8	Nickel	N	2.52J	mg/kg dry	1	0.0730	4.13	BFH2043	08/17/2022 17:21	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 3-4 (Continued)
Lab Sample ID: 22F4225-14
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Selenium	N	<4.54	U	mg/kg dry	1	4.54	20.6	BFH2043	08/25/2022 09:51	TBB
EPA 200.8	Silver	N	0.151	J	mg/kg dry	1	0.0293	2.06	BFH2043	08/17/2022 17:21	TBB
EPA 200.8	Thallium	N	<0.0285	U	mg/kg dry	1	0.0285	2.06	BFH2043	08/17/2022 17:21	TBB
EPA 200.8	Zinc	N	128		mg/kg dry	1	1.55	8.25	BFH2043	08/22/2022 17:00	TBB
General Chemistry											
SM 2540 G	% Solids	N	10.4		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 3-5
Lab Sample ID: 22F4225-15
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<43.5U	ug/kg dry	1	43.5	43.5	BFG2359	08/03/2022 00:25	KRB
SW-8270	Acenaphthene	A	<21.7U	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	Acenaphthylene	A	<21.7U	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	Anthracene	A	<21.7U	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	Benzo(a)anthracene	A	<21.7U	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	benzo(b&k)fluoranthene	A	<43.5U	ug/kg dry	1	43.5	43.5	BFG2359	08/03/2022 00:25	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<21.7B, U	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	Chrysene	A	<21.7U	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	Di-n-butyl phthalate	A	<21.7B, U	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	Fluoranthene	A	<21.7U	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	Fluorene	A	<21.7U	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	Naphthalene	A	<21.7U	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	Phenanthrene	A	43.7	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	Pyrene	A	29.5	ug/kg dry	1	21.7	21.7	BFG2359	08/03/2022 00:25	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*41.9% S*	*60-140*					*08/03/2022 00:25*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*50.1% S*	*60-140*					*08/03/2022 00:25*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*87.8%*	*60-140*					*08/03/2022 00:25*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*90.8%*	*60-140*					*08/03/2022 00:25*	
SW-8270	*Surrogate: Phenol-d5-surr*		*95.2%*	*60-140*					*08/03/2022 00:25*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*38.2% S*	*60-140*					*08/03/2022 00:25*	
Metals, Total										
EPA 200.8	Antimony	N	<0.325U	mg/kg dry	1	0.325	4.04	BFH1110	08/15/2022 11:22	TBB
EPA 200.8	Arsenic	N	8.29	mg/kg dry	1	0.497	2.02	BFH1110	08/15/2022 11:22	TBB
EPA 200.8	Beryllium	N	<0.0404U	mg/kg dry	1	0.0404	0.808	BFH1110	08/23/2022 15:54	TBB
EPA 200.8	Cadmium	N	0.445J	mg/kg dry	1	0.128	4.04	BFH1110	08/15/2022 11:22	TBB
EPA 200.8	Chromium	N	0.691J	mg/kg dry	1	0.297	12.1	BFH1110	08/15/2022 11:22	TBB
EPA 200.8	Copper	N	11.0	mg/kg dry	1	0.352	4.04	BFH1110	08/15/2022 11:22	TBB
Calc	Chromium (III)		<16.5U	mg/kg (dry wt) dry	1	16.5	57.8	[CALC]	08/15/2022 11:22	EM
SW-7196	Chromium (VI)	N	<16.2U	mg/kg (dry wt) dry	1	16.2	45.7	BFG2440	07/22/2022 17:09	EM
SW-7471B	Mercury	A	<0.0366U	mg/kg dry	1	0.0366	0.0732	BFG2911	07/22/2022 16:23	EM
EPA 200.8	Lead	N	0.499J	mg/kg dry	1	0.305	2.02	BFH1110	08/15/2022 11:22	TBB
EPA 200.8	Nickel	N	2.94J	mg/kg dry	1	0.0716	4.04	BFH1110	08/15/2022 11:22	TBB
EPA 200.8	Selenium	N	<4.45U	mg/kg dry	1	4.45	20.2	BFH1110	08/23/2022 15:54	TBB
EPA 200.8	Silver	N	0.172J	mg/kg dry	1	0.0287	2.02	BFH1110	08/15/2022 11:22	TBB
EPA 200.8	Thallium	N	<0.0279U	mg/kg dry	1	0.0279	2.02	BFH1110	08/15/2022 11:22	TBB
EPA 200.8	Zinc	N	109	mg/kg dry	1	1.52	8.08	BFH1110	08/16/2022 11:04	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 3-5 (Continued)
Lab Sample ID: 22F4225-15
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	11.1		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 3-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-15RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<21.7	U	ug/kg dry	1	21.7	21.7	BFG2359	08/17/2022 02:20	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<21.7	U	ug/kg dry	1	21.7	21.7	BFG2359	08/17/2022 02:20	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<21.7	U	ug/kg dry	1	21.7	21.7	BFG2359	08/17/2022 02:20	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<21.7	U	ug/kg dry	1	21.7	21.7	BFG2359	08/17/2022 02:20	KRB
SW-8270	Phenol, Total (Rerun)	A	170	V	ug/kg dry	1	43.5	43.5	BFG2359	08/17/2022 02:20	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*56.5%*	*S*	*60-140*					*08/17/2022 02:20*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*57.2%*	*S*	*60-140*					*08/17/2022 02:20*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*83.6%*		*60-140*					*08/17/2022 02:20*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*79.2%*		*60-140*					*08/17/2022 02:20*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*109%*		*60-140*					*08/17/2022 02:20*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*33.0%*	*S*	*60-140*					*08/17/2022 02:20*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 4-1
Lab Sample ID: 22F4225-16
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<43.0	U	ug/kg dry	1	43.0	43.0	BFG2556	08/11/2022 20:33	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	26.9	V	ug/kg dry	1	21.5	21.5	BFG2556	08/11/2022 20:33	KRB
SW-8270	Di-n-butyl phthalate	A	96.4	V	ug/kg dry	1	21.5	21.5	BFG2556	08/11/2022 20:33	KRB
SW-8270	Phenol, Total	A	287	V	ug/kg dry	1	43.0	43.0	BFG2556	08/11/2022 20:33	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*28.4%*	*S*	*60-140*					*08/11/2022 20:33*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*92.8%*		*60-140*					*08/11/2022 20:33*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*77.9%*		*60-140*					*08/11/2022 20:33*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*86.1%*		*60-140*					*08/11/2022 20:33*	
SW-8270	*Surrogate: Phenol-d5-surr*		*119%*		*60-140*					*08/11/2022 20:33*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*56.3%*	*S*	*60-140*					*08/11/2022 20:33*	
Metals, Total											
EPA 200.8	Antimony	N	<0.282	U	mg/kg dry	1	0.282	3.51	BFH2043	08/22/2022 17:02	TBB
EPA 200.8	Arsenic	N	9.95		mg/kg dry	1	0.431	1.75	BFH2043	08/17/2022 17:23	TBB
EPA 200.8	Beryllium	N	<0.0351	U	mg/kg dry	1	0.0351	0.701	BFH2043	08/25/2022 11:51	TBB
EPA 200.8	Cadmium	N	0.506	J	mg/kg dry	1	0.111	3.51	BFH2043	08/17/2022 17:23	TBB
EPA 200.8	Chromium	N	<0.258	U	mg/kg dry	1	0.258	10.5	BFH2043	08/17/2022 17:23	TBB
EPA 200.8	Copper	N	11.4		mg/kg dry	1	0.305	3.51	BFH2043	08/17/2022 17:23	TBB
Calc	Chromium (III)		<16.7	U	mg/kg (dry wt) dry	1	16.7	56.9	[CALC]	08/17/2022 17:23	EM
SW-7196	Chromium (VI)	N	20.8	J	mg/kg (dry wt) dry	1	16.4	46.4	BFG2026	07/15/2022 18:17	EM
SW-7471B	Mercury	A	<0.0421	U	mg/kg dry	1	0.0421	0.0842	BFH1159	08/09/2022 18:33	NAZ
EPA 200.8	Lead	N	0.451	J	mg/kg dry	1	0.265	1.75	BFH2043	08/22/2022 17:02	TBB
EPA 200.8	Nickel	N	3.00	J	mg/kg dry	1	0.0621	3.51	BFH2043	08/17/2022 17:23	TBB
EPA 200.8	Selenium	N	<3.86	U	mg/kg dry	1	3.86	17.5	BFH2043	08/25/2022 09:54	TBB
EPA 200.8	Silver	N	0.139	J	mg/kg dry	1	0.0249	1.75	BFH2043	08/17/2022 17:23	TBB
EPA 200.8	Thallium	N	<0.0242	U	mg/kg dry	1	0.0242	1.75	BFH2043	08/17/2022 17:23	TBB
EPA 200.8	Zinc	N	132		mg/kg dry	2	2.63	14.0	BFH2043	08/22/2022 17:56	TBB
General Chemistry											
SM 2540 G	% Solids	N	10.6		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 4-2
Lab Sample ID: 22F4225-17
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<56.1U	ug/kg dry	1	56.1	56.1	BFG2556	08/11/2022 21:07	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<28.1B, U	ug/kg dry	1	28.1	28.1	BFG2556	08/11/2022 21:07	KRB
SW-8270	Di-n-butyl phthalate	A	106V	ug/kg dry	1	28.1	28.1	BFG2556	08/11/2022 21:07	KRB
SW-8270	Phenol, Total	A	300V	ug/kg dry	1	56.1	56.1	BFG2556	08/11/2022 21:07	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*27.8% S*	*60-140*					*08/11/2022 21:07*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*84.7%*	*60-140*					*08/11/2022 21:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*83.9%*	*60-140*					*08/11/2022 21:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*94.9%*	*60-140*					*08/11/2022 21:07*	
SW-8270	*Surrogate: Phenol-d5-surr*		*111%*	*60-140*					*08/11/2022 21:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*56.3% S*	*60-140*					*08/11/2022 21:07*	
Metals, Total										
EPA 200.8	Antimony	N	<0.441U	mg/kg dry	1	0.441	5.48	BFH1110	08/15/2022 11:50	TBB
EPA 200.8	Arsenic	N	11.3	mg/kg dry	1	0.674	2.74	BFH1110	08/16/2022 11:32	TBB
EPA 200.8	Beryllium	N	<0.0548U	mg/kg dry	1	0.0548	1.10	BFH1110	08/23/2022 16:25	TBB
EPA 200.8	Cadmium	N	0.765J	mg/kg dry	1	0.173	5.48	BFH1110	08/15/2022 11:50	TBB
EPA 200.8	Chromium	N	0.413J	mg/kg dry	1	0.403	16.4	BFH1110	08/15/2022 11:50	TBB
EPA 200.8	Copper	N	19.7	mg/kg dry	1	0.476	5.48	BFH1110	08/15/2022 11:50	TBB
Calc	Chromium (III)		<21.4U	mg/kg (dry wt) dry	1	21.4	75.9	[CALC]	08/15/2022 11:50	EM
SW-7196	Chromium (VI)	N	<21.0U	mg/kg (dry wt) dry	1	21.0	59.4	BFG3191	07/25/2022 17:51	EM
SW-7471B	Mercury	A	<0.0511B, U	mg/kg dry	1	0.0511	0.102	BFH2628	08/18/2022 19:37	NAZ
EPA 200.8	Lead	N	0.752J	mg/kg dry	1	0.413	2.74	BFH1110	08/15/2022 11:50	TBB
EPA 200.8	Nickel	N	3.82J	mg/kg dry	1	0.0969	5.48	BFH1110	08/15/2022 11:50	TBB
EPA 200.8	Selenium	N	<6.02U	mg/kg dry	1	6.02	27.4	BFH1110	08/23/2022 16:25	TBB
EPA 200.8	Silver	N	0.242J	mg/kg dry	1	0.0389	2.74	BFH1110	08/15/2022 11:50	TBB
EPA 200.8	Thallium	N	<0.0378U	mg/kg dry	1	0.0378	2.74	BFH1110	08/15/2022 11:50	TBB
EPA 200.8	Zinc	N	169	mg/kg dry	1	2.06	11.0	BFH1110	08/16/2022 11:32	TBB
General Chemistry										
SM 2540 G	% Solids	N	8.76	%	1	0.100	0.100	BFG0444	07/07/2022 10:03	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 4-3
Lab Sample ID: 22F4225-18
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<40.8U	ug/kg dry	1	40.8	40.8	BFG2556	08/11/2022 21:41	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<20.4B, U	ug/kg dry	1	20.4	20.4	BFG2556	08/11/2022 21:41	KRB
SW-8270	Di-n-butyl phthalate	A	88.5V	ug/kg dry	1	20.4	20.4	BFG2556	08/11/2022 21:41	KRB
SW-8270	Phenol, Total	A	289V	ug/kg dry	1	40.8	40.8	BFG2556	08/11/2022 21:41	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*25.1% S*	*60-140*					*08/11/2022 21:41*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*82.8%*	*60-140*					*08/11/2022 21:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*71.6%*	*60-140*					*08/11/2022 21:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*91.7%*	*60-140*					*08/11/2022 21:41*	
SW-8270	*Surrogate: Phenol-d5-surr*		*119%*	*60-140*					*08/11/2022 21:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*60.2%*	*60-140*					*08/11/2022 21:41*	
Metals, Total										
EPA 200.8	Antimony	N	<0.333U	mg/kg dry	1	0.333	4.14	BFH2043	08/22/2022 17:11	TBB
EPA 200.8	Arsenic	N	10.6	mg/kg dry	1	0.509	2.07	BFH2043	08/17/2022 17:33	TBB
EPA 200.8	Beryllium	N	<0.0414U	mg/kg dry	1	0.0414	0.828	BFH2043	08/25/2022 12:02	TBB
EPA 200.8	Cadmium	N	0.537J	mg/kg dry	1	0.131	4.14	BFH2043	08/17/2022 17:33	TBB
EPA 200.8	Chromium	N	<0.304U	mg/kg dry	1	0.304	12.4	BFH2043	08/17/2022 17:33	TBB
EPA 200.8	Copper	N	11.9	mg/kg dry	1	0.360	4.14	BFH2043	08/17/2022 17:33	TBB
Calc	Chromium (III)		<16.4U	mg/kg (dry wt) dry	1	16.4	57.8	[CALC]	08/17/2022 17:33	EM
SW-7196	Chromium (VI)	N	<16.1U	mg/kg (dry wt) dry	1	16.1	45.4	BFG2026	07/15/2022 18:12	EM
SW-7471B	Mercury	A	<0.0408U	mg/kg dry	1	0.0408	0.0816	BFH1159	08/09/2022 18:37	NAZ
EPA 200.8	Lead	N	0.444J	mg/kg dry	1	0.313	2.07	BFH2043	08/22/2022 17:11	TBB
EPA 200.8	Nickel	N	3.78J	mg/kg dry	1	0.0733	4.14	BFH2043	08/17/2022 17:33	TBB
EPA 200.8	Selenium	N	<4.55U	mg/kg dry	1	4.55	20.7	BFH2043	08/25/2022 10:04	TBB
EPA 200.8	Silver	N	0.151J	mg/kg dry	1	0.0294	2.07	BFH2043	08/17/2022 17:33	TBB
EPA 200.8	Thallium	N	<0.0286U	mg/kg dry	1	0.0286	2.07	BFH2043	08/17/2022 17:33	TBB
EPA 200.8	Zinc	N	129	mg/kg dry	2	3.11	16.6	BFH2043	08/22/2022 18:03	TBB
General Chemistry										
SM 2540 G	% Solids	N	10.5	%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 4-4
Lab Sample ID: 22F4225-19
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<46.2	U	ug/kg dry	1	46.2	46.2	BFG2556	08/11/2022 22:15	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<23.1	B, U	ug/kg dry	1	23.1	23.1	BFG2556	08/11/2022 22:15	KRB
SW-8270	Di-n-butyl phthalate	A	114	V	ug/kg dry	1	23.1	23.1	BFG2556	08/11/2022 22:15	KRB
SW-8270	Phenol, Total	A	389	V	ug/kg dry	1	46.2	46.2	BFG2556	08/11/2022 22:15	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*34.8%*	*S*	*60-140*					*08/11/2022 22:15*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*91.2%*		*60-140*					*08/11/2022 22:15*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*77.9%*		*60-140*					*08/11/2022 22:15*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*95.2%*		*60-140*					*08/11/2022 22:15*	
SW-8270	*Surrogate: Phenol-d5-surr*		*121%*		*60-140*					*08/11/2022 22:15*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*53.9%*	*S*	*60-140*					*08/11/2022 22:15*	
Metals, Total											
EPA 200.8	Antimony	N	<0.363	U	mg/kg dry	1	0.363	4.51	BFH2043	08/22/2022 17:21	TBB
EPA 200.8	Arsenic	N	9.57		mg/kg dry	1	0.554	2.25	BFH2043	08/17/2022 17:42	TBB
EPA 200.8	Beryllium	N	<0.0451	U	mg/kg dry	1	0.0451	0.901	BFH2043	08/25/2022 12:05	TBB
EPA 200.8	Cadmium	N	0.508	J	mg/kg dry	1	0.142	4.51	BFH2043	08/17/2022 17:42	TBB
EPA 200.8	Chromium	N	<0.331	U	mg/kg dry	1	0.331	13.5	BFH2043	08/17/2022 17:42	TBB
EPA 200.8	Copper	N	13.7		mg/kg dry	1	0.392	4.51	BFH2043	08/17/2022 17:42	TBB
Calc	Chromium (III)		<18.8	U	mg/kg (dry wt) dry	1	18.8	65.7	[CALC]	08/17/2022 17:42	EM
SW-7196	Chromium (VI)	N	<18.5	U	mg/kg (dry wt) dry	1	18.5	52.1	BFG2026	07/15/2022 18:18	EM
SW-7471B	Mercury	A	<0.0481	U	mg/kg dry	1	0.0481	0.0963	BFH1159	08/09/2022 18:40	NAZ
EPA 200.8	Lead	N	0.618	J	mg/kg dry	1	0.340	2.25	BFH2043	08/22/2022 17:21	TBB
EPA 200.8	Nickel	N	3.23	J	mg/kg dry	1	0.0797	4.51	BFH2043	08/17/2022 17:42	TBB
EPA 200.8	Selenium	N	<4.96	U	mg/kg dry	1	4.96	22.5	BFH2043	08/25/2022 10:14	TBB
EPA 200.8	Silver	N	0.169	J	mg/kg dry	1	0.0320	2.25	BFH2043	08/17/2022 17:42	TBB
EPA 200.8	Thallium	N	<0.0311	U	mg/kg dry	1	0.0311	2.25	BFH2043	08/17/2022 17:42	TBB
EPA 200.8	Zinc	N	154		mg/kg dry	2	3.38	18.0	BFH2043	08/22/2022 18:06	TBB
General Chemistry											
SM 2540 G	% Solids	N	9.51		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 4-5
Lab Sample ID: 22F4225-20
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<44.4	U	ug/kg dry	1	44.4	44.4	BFG2556	08/11/2022 22:50	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	27.0	V	ug/kg dry	1	22.2	22.2	BFG2556	08/11/2022 22:50	KRB
SW-8270	Di-n-butyl phthalate	A	126	V	ug/kg dry	1	22.2	22.2	BFG2556	08/11/2022 22:50	KRB
SW-8270	Phenol, Total	A	363	V	ug/kg dry	1	44.4	44.4	BFG2556	08/11/2022 22:50	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*25.1%*	*S*	*60-140*					*08/11/2022 22:50*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*76.8%*		*60-140*					*08/11/2022 22:50*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*75.0%*		*60-140*					*08/11/2022 22:50*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*86.6%*		*60-140*					*08/11/2022 22:50*	
SW-8270	*Surrogate: Phenol-d5-surr*		*107%*		*60-140*					*08/11/2022 22:50*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*49.7%*	*S*	*60-140*					*08/11/2022 22:50*	
Metals, Total											
EPA 200.8	Antimony	N	<0.354	U	mg/kg dry	1	0.354	4.40	BFH2149	08/19/2022 10:13	TBB
EPA 200.8	Arsenic	N	10.1		mg/kg dry	1	0.541	2.20	BFH2149	08/19/2022 10:13	TBB
EPA 200.8	Beryllium	N	<0.0440	U	mg/kg dry	1	0.0440	0.879	BFH2149	08/19/2022 10:13	TBB
EPA 200.8	Cadmium	N	0.602	J	mg/kg dry	1	0.139	4.40	BFH2149	08/19/2022 10:13	TBB
EPA 200.8	Chromium	N	0.452	J	mg/kg dry	1	0.323	13.2	BFH2149	08/19/2022 10:13	TBB
EPA 200.8	Copper	N	13.1		mg/kg dry	1	0.382	4.40	BFH2149	08/19/2022 10:13	TBB
Calc	Chromium (III)		<17.3	U	mg/kg (dry wt) dry	1	17.3	61.1	[CALC]	08/19/2022 10:13	EM
SW-7196	Chromium (VI)	N	32.4	J	mg/kg (dry wt) dry	1	17.0	47.9	BFG2440	07/22/2022 17:10	EM
EPA 200.8	Lead	N	0.720	J	mg/kg dry	1	0.332	2.20	BFH2149	08/19/2022 10:13	TBB
EPA 200.8	Nickel	N	3.63	J	mg/kg dry	1	0.0778	4.40	BFH2149	08/19/2022 10:13	TBB
EPA 200.8	Selenium	N	<4.84	U	mg/kg dry	1	4.84	22.0	BFH2149	08/19/2022 10:13	TBB
EPA 200.8	Silver	N	0.164	J	mg/kg dry	1	0.0312	2.20	BFH2149	08/19/2022 10:13	TBB
EPA 200.8	Thallium	N	<0.0303	U	mg/kg dry	1	0.0303	2.20	BFH2149	08/19/2022 10:13	TBB
EPA 200.8	Zinc	N	117		mg/kg dry	1	1.65	8.79	BFH2149	08/19/2022 10:13	TBB
General Chemistry											
SM 2540 G	% Solids	N	10.3		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 4-5
Lab Sample ID: 22F4225-20RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0457	B, U	mg/kg dry	1	0.0457	0.0913	BFH2628	08/18/2022 20:07	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 5-1
Lab Sample ID: 22F4225-21
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<44.5	U	ug/kg dry	1	44.5	44.5	BFG2556	08/11/2022 23:24	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	33.1	V	ug/kg dry	1	22.2	22.2	BFG2556	08/11/2022 23:24	KRB
SW-8270	Di-n-butyl phthalate	A	120	V	ug/kg dry	1	22.2	22.2	BFG2556	08/11/2022 23:24	KRB
SW-8270	Phenol, Total	A	670	V	ug/kg dry	1	44.5	44.5	BFG2556	08/11/2022 23:24	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*33.1%*	*S*	*60-140*					*08/11/2022 23:24*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*64.3%*		*60-140*					*08/11/2022 23:24*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*87.3%*		*60-140*					*08/11/2022 23:24*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*79.0%*		*60-140*					*08/11/2022 23:24*	
SW-8270	*Surrogate: Phenol-d5-surr*		*104%*		*60-140*					*08/11/2022 23:24*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*39.3%*	*S*	*60-140*					*08/11/2022 23:24*	
Metals, Total											
EPA 200.8	Antimony	N	<0.374	U	mg/kg dry	1	0.374	4.65	BFH1110	08/15/2022 11:24	TBB
EPA 200.8	Arsenic	N	9.02		mg/kg dry	1	0.571	2.32	BFH1110	08/15/2022 11:24	TBB
EPA 200.8	Beryllium	N	<0.0465	U	mg/kg dry	1	0.0465	0.929	BFH1110	08/23/2022 15:57	TBB
EPA 200.8	Cadmium	N	0.491	J	mg/kg dry	1	0.147	4.65	BFH1110	08/15/2022 11:24	TBB
EPA 200.8	Chromium	N	<0.341	U	mg/kg dry	1	0.341	13.9	BFH1110	08/15/2022 11:24	TBB
EPA 200.8	Copper	N	11.6		mg/kg dry	1	0.404	4.65	BFH1110	08/15/2022 11:24	TBB
Calc	Chromium (III)		<18.6	U	mg/kg (dry wt) dry	1	18.6	65.6	[CALC]	08/15/2022 11:24	EM
SW-7196	Chromium (VI)	N	<18.3	U	mg/kg (dry wt) dry	1	18.3	51.7	BFG2440	07/22/2022 17:12	EM
EPA 200.8	Lead	N	<0.351	U	mg/kg dry	1	0.351	2.32	BFH1110	08/15/2022 11:24	TBB
EPA 200.8	Nickel	N	3.03	J	mg/kg dry	1	0.0822	4.65	BFH1110	08/15/2022 11:24	TBB
EPA 200.8	Selenium	N	<5.11	U	mg/kg dry	1	5.11	23.2	BFH1110	08/23/2022 15:57	TBB
EPA 200.8	Silver	N	0.154	J	mg/kg dry	1	0.0330	2.32	BFH1110	08/15/2022 11:24	TBB
EPA 200.8	Thallium	N	<0.0321	U	mg/kg dry	1	0.0321	2.32	BFH1110	08/15/2022 11:24	TBB
EPA 200.8	Zinc	N	128		mg/kg dry	1	1.74	9.29	BFH1110	08/16/2022 11:07	TBB
General Chemistry											
SM 2540 G	% Solids	N	9.71		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 5-1
Lab Sample ID: 22F4225-21RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0498	B, U	mg/kg dry	1	0.0498	0.0997	BFH2628	08/18/2022 19:40	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 5-2
Lab Sample ID: 22F4225-22
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<57.6	U	ug/kg dry	1	57.6	57.6	BFG2556	08/11/2022 23:58	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<28.8	B, U	ug/kg dry	1	28.8	28.8	BFG2556	08/11/2022 23:58	KRB
SW-8270	Di-n-butyl phthalate	A	190	V	ug/kg dry	1	28.8	28.8	BFG2556	08/11/2022 23:58	KRB
SW-8270	Phenol, Total	A	564	V	ug/kg dry	1	57.6	57.6	BFG2556	08/11/2022 23:58	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*28.9%*	*S*	*60-140*					*08/11/2022 23:58*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*109%*		*60-140*					*08/11/2022 23:58*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*87.8%*		*60-140*					*08/11/2022 23:58*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*85.5%*		*60-140*					*08/11/2022 23:58*	
SW-8270	*Surrogate: Phenol-d5-surr*		*139%*		*60-140*					*08/11/2022 23:58*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*57.1%*	*S*	*60-140*					*08/11/2022 23:58*	
Metals, Total											
EPA 200.8	Antimony	N	<0.537	U	mg/kg dry	1	0.537	6.68	BFH2043	08/17/2022 15:21	TBB
EPA 200.8	Arsenic	N	10.7		mg/kg dry	1	0.821	3.34	BFH2043	08/17/2022 16:51	TBB
EPA 200.8	Beryllium	N	<0.0668	U	mg/kg dry	1	0.0668	1.34	BFH2043	08/17/2022 15:21	TBB
EPA 200.8	Cadmium	N	0.668	J	mg/kg dry	1	0.211	6.68	BFH2043	08/17/2022 15:21	TBB
EPA 200.8	Chromium	N	<0.491	U	mg/kg dry	1	0.491	20.0	BFH2043	08/17/2022 15:21	TBB
EPA 200.8	Copper	N	13.5		mg/kg dry	1	0.581	6.68	BFH2043	08/17/2022 15:21	TBB
Calc	Chromium (III)		<25.7	U	mg/kg (dry wt) dry	1	25.7	91.3	[CALC]	08/17/2022 15:21	EM
SW-7196	Chromium (VI)	N	36.3	J	mg/kg (dry wt) dry	1	25.2	71.3	BFG2026	07/15/2022 17:50	EM
EPA 200.8	Lead	N	0.726	J	mg/kg dry	1	0.504	3.34	BFH2043	08/17/2022 15:21	TBB
EPA 200.8	Nickel	N	3.97	J	mg/kg dry	1	0.118	6.68	BFH2043	08/17/2022 15:21	TBB
EPA 200.8	Selenium	N	<7.34	U	mg/kg dry	1	7.34	33.4	BFH2043	08/25/2022 09:18	TBB
EPA 200.8	Silver	N	0.263	J	mg/kg dry	1	0.0474	3.34	BFH2043	08/17/2022 15:21	TBB
EPA 200.8	Thallium	N	<0.0461	U	mg/kg dry	1	0.0461	3.34	BFH2043	08/17/2022 16:51	TBB
EPA 200.8	Zinc	N	165		mg/kg dry	1	2.51	13.4	BFH2043	08/22/2022 16:29	TBB
General Chemistry											
SM 2540 G	% Solids	N	7.31		%	1	0.100	0.100	BFG0444	07/07/2022 10:03	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 5-2
Lab Sample ID: 22F4225-22RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0684	B, U	mg/kg dry	1	0.0684	0.137	BFH2628	08/18/2022 20:40	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 5-3
Lab Sample ID: 22F4225-23
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<55.1	U	ug/kg dry	1	55.1	55.1	BFG2556	08/12/2022 00:32	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	29.3	V	ug/kg dry	1	27.6	27.6	BFG2556	08/12/2022 00:32	KRB
SW-8270	Di-n-butyl phthalate	A	101	V	ug/kg dry	1	27.6	27.6	BFG2556	08/12/2022 00:32	KRB
SW-8270	Phenol, Total	A	505	V	ug/kg dry	1	55.1	55.1	BFG2556	08/12/2022 00:32	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*27.9%*	*S*	*60-140*					*08/12/2022 00:32*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*59.3%*	*S*	*60-140*					*08/12/2022 00:32*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*90.4%*		*60-140*					*08/12/2022 00:32*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*85.1%*		*60-140*					*08/12/2022 00:32*	
SW-8270	*Surrogate: Phenol-d5-surr*		*123%*		*60-140*					*08/12/2022 00:32*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*51.3%*	*S*	*60-140*					*08/12/2022 00:32*	
Metals, Total											
EPA 200.8	Antimony	N	<0.401	U	mg/kg dry	1	0.401	4.98	BFH2043	08/22/2022 17:05	TBB
EPA 200.8	Arsenic	N	10.3		mg/kg dry	1	0.612	2.49	BFH2043	08/17/2022 17:26	TBB
EPA 200.8	Beryllium	N	<0.0498	U	mg/kg dry	1	0.0498	0.996	BFH2043	08/25/2022 11:54	TBB
EPA 200.8	Cadmium	N	0.624	J	mg/kg dry	1	0.157	4.98	BFH2043	08/17/2022 17:26	TBB
EPA 200.8	Chromium	N	<0.366	U	mg/kg dry	1	0.366	14.9	BFH2043	08/17/2022 17:26	TBB
EPA 200.8	Copper	N	12.8		mg/kg dry	1	0.433	4.98	BFH2043	08/17/2022 17:26	TBB
Calc	Chromium (III)		<22.5	U	mg/kg (dry wt) dry	1	22.5	77.4	[CALC]	08/17/2022 17:26	EM
SW-7196	Chromium (VI)	N	36.9	J	mg/kg (dry wt) dry	1	22.1	62.5	BFG2216	07/20/2022 17:46	EM
SW-7471B	Mercury	A	<0.0535	U	mg/kg dry	1	0.0535	0.107	BFG2911	07/22/2022 16:26	EM
EPA 200.8	Lead	N	0.646	J	mg/kg dry	1	0.376	2.49	BFH2043	08/22/2022 17:05	TBB
EPA 200.8	Nickel	N	3.07	J	mg/kg dry	1	0.0881	4.98	BFH2043	08/17/2022 17:26	TBB
EPA 200.8	Selenium	N	<5.48	U	mg/kg dry	1	5.48	24.9	BFH2043	08/25/2022 09:56	TBB
EPA 200.8	Silver	N	0.164	J	mg/kg dry	1	0.0353	2.49	BFH2043	08/17/2022 17:26	TBB
EPA 200.8	Thallium	N	<0.0344	U	mg/kg dry	1	0.0344	2.49	BFH2043	08/17/2022 17:26	TBB
EPA 200.8	Zinc	N	161		mg/kg dry	1	1.87	9.96	BFH2043	08/22/2022 17:05	TBB
General Chemistry											
SM 2540 G	% Solids	N	8.37		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 5-4
Lab Sample ID: 22F4225-24
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<45.0U	ug/kg dry	1	45.0	45.0	BFG2556	08/12/2022 01:07	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	44.4V	ug/kg dry	1	22.5	22.5	BFG2556	08/12/2022 01:07	KRB
SW-8270	Di-n-butyl phthalate	A	109V	ug/kg dry	1	22.5	22.5	BFG2556	08/12/2022 01:07	KRB
SW-8270	Phenol, Total	A	441V	ug/kg dry	1	45.0	45.0	BFG2556	08/12/2022 01:07	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*34.3% S*	*60-140*					*08/12/2022 01:07*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*61.6%*	*60-140*					*08/12/2022 01:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*90.7%*	*60-140*					*08/12/2022 01:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*93.7%*	*60-140*					*08/12/2022 01:07*	
SW-8270	*Surrogate: Phenol-d5-surr*		*112%*	*60-140*					*08/12/2022 01:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*40.5% S*	*60-140*					*08/12/2022 01:07*	
Metals, Total										
EPA 200.8	Antimony	N	<0.316U	mg/kg dry	1	0.316	3.93	BFH2149	08/19/2022 10:15	TBB
EPA 200.8	Arsenic	N	13.4	mg/kg dry	1	0.483	1.96	BFH2149	08/19/2022 10:15	TBB
EPA 200.8	Beryllium	N	<0.0393U	mg/kg dry	1	0.0393	0.786	BFH2149	08/19/2022 10:15	TBB
EPA 200.8	Cadmium	N	0.559J	mg/kg dry	1	0.124	3.93	BFH2149	08/19/2022 10:15	TBB
EPA 200.8	Chromium	N	0.375J	mg/kg dry	1	0.289	11.8	BFH2149	08/19/2022 10:15	TBB
EPA 200.8	Copper	N	16.0	mg/kg dry	1	0.342	3.93	BFH2149	08/19/2022 10:15	TBB
Calc	Chromium (III)		<17.4U	mg/kg (dry wt) dry	1	17.4	60.2	[CALC]	08/19/2022 10:15	EM
SW-7196	Chromium (VI)	N	<17.1U	mg/kg (dry wt) dry	1	17.1	48.4	BFG1228	07/11/2022 17:09	EM
SW-7471B	Mercury	A	<0.0426U	mg/kg dry	1	0.0426	0.0853	BFG2911	07/22/2022 16:36	EM
EPA 200.8	Lead	N	0.497J	mg/kg dry	1	0.297	1.96	BFH2149	08/19/2022 10:15	TBB
EPA 200.8	Nickel	N	4.52	mg/kg dry	1	0.0696	3.93	BFH2149	08/19/2022 10:15	TBB
EPA 200.8	Selenium	N	<4.32U	mg/kg dry	1	4.32	19.6	BFH2149	08/19/2022 10:15	TBB
EPA 200.8	Silver	N	0.155J	mg/kg dry	1	0.0279	1.96	BFH2149	08/19/2022 10:15	TBB
EPA 200.8	Thallium	N	<0.0271U	mg/kg dry	1	0.0271	1.96	BFH2149	08/19/2022 10:15	TBB
EPA 200.8	Zinc	N	158	mg/kg dry	2	2.95	15.7	BFH2149	08/19/2022 11:13	TBB
General Chemistry										
SM 2540 G	% Solids	N	10.9	%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 5-5
Lab Sample ID: 22F4225-25
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<43.1	U	ug/kg dry	1	43.1	43.1	BFG2556	08/12/2022 02:15	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<21.6	B, U	ug/kg dry	1	21.6	21.6	BFG2556	08/12/2022 02:15	KRB
SW-8270	Phenol, Total	A	336	V	ug/kg dry	1	43.1	43.1	BFG2556	08/12/2022 02:15	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*24.8%*	*S*	*60-140*					*08/12/2022 02:15*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*65.2%*		*60-140*					*08/12/2022 02:15*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*83.2%*		*60-140*					*08/12/2022 02:15*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*82.2%*		*60-140*					*08/12/2022 02:15*	
SW-8270	*Surrogate: Phenol-d5-surr*		*131%*		*60-140*					*08/12/2022 02:15*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*27.3%*	*S*	*60-140*					*08/12/2022 02:15*	
Metals, Total											
EPA 200.8	Antimony	N	<0.358	U	mg/kg dry	1	0.358	4.45	BFH1125	08/16/2022 12:58	TBB
EPA 200.8	Arsenic	N	11.1		mg/kg dry	1	0.547	2.22	BFH1125	08/16/2022 12:58	TBB
EPA 200.8	Beryllium	N	<0.0445	U	mg/kg dry	1	0.0445	0.889	BFH1125	08/17/2022 13:03	TBB
EPA 200.8	Cadmium	N	0.604	J	mg/kg dry	1	0.141	4.45	BFH1125	08/16/2022 12:58	TBB
EPA 200.8	Chromium	N	<0.327	U	mg/kg dry	1	0.327	13.3	BFH1125	08/16/2022 12:58	TBB
EPA 200.8	Copper	N	16.2		mg/kg dry	1	0.387	4.45	BFH1125	08/16/2022 12:58	TBB
Calc	Chromium (III)		<15.5	U	mg/kg (dry wt) dry	1	15.5	56.3	[CALC]	08/16/2022 12:58	EM
SW-7196	Chromium (VI)	N	16.9	J	mg/kg (dry wt) dry	1	15.2	42.9	BFG1228	07/11/2022 17:04	EM
SW-7471B	Mercury	A	<0.0434	U	mg/kg dry	1	0.0434	0.0869	BFG2911	07/22/2022 16:39	EM
EPA 200.8	Lead	N	0.554	J	mg/kg dry	1	0.336	2.22	BFH1125	08/16/2022 12:58	TBB
EPA 200.8	Nickel	N	3.57	J	mg/kg dry	1	0.0787	4.45	BFH1125	08/16/2022 12:58	TBB
EPA 200.8	Selenium	N	<4.89	U	mg/kg dry	1	4.89	22.2	BFH1125	08/23/2022 10:14	TBB
EPA 200.8	Silver	N	0.199	J	mg/kg dry	1	0.0316	2.22	BFH1125	08/16/2022 12:58	TBB
EPA 200.8	Thallium	N	<0.0307	U	mg/kg dry	1	0.0307	2.22	BFH1125	08/16/2022 12:58	TBB
EPA 200.8	Zinc	N	129		mg/kg dry	1	1.67	8.89	BFH1125	08/16/2022 12:58	TBB
General Chemistry											
SM 2540 G	% Solids	N	10.6		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 5-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-25RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate (Rerun)	A	58.1	V	ug/kg dry	1	21.6	21.6	BFG2556	08/17/2022 10:18	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*28.3%*	*S*	*60-140*					*08/17/2022 10:18*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*44.1%*	*S*	*60-140*					*08/17/2022 10:18*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*80.1%*		*60-140*					*08/17/2022 10:18*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*76.2%*		*60-140*					*08/17/2022 10:18*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*121%*		*60-140*					*08/17/2022 10:18*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*45.0%*	*S*	*60-140*					*08/17/2022 10:18*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 6-1
Lab Sample ID: 22F4225-26
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<55.5U	ug/kg dry	1	55.5	55.5	BFG2556	08/12/2022 02:50	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<27.7B, U	ug/kg dry	1	27.7	27.7	BFG2556	08/12/2022 02:50	KRB
SW-8270	Phenol, Total	A	751V	ug/kg dry	1	55.5	55.5	BFG2556	08/12/2022 02:50	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*42.9% S*	*60-140*					*08/12/2022 02:50*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*75.2%*	*60-140*					*08/12/2022 02:50*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*95.1%*	*60-140*					*08/12/2022 02:50*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*84.3%*	*60-140*					*08/12/2022 02:50*	
SW-8270	*Surrogate: Phenol-d5-surr*		*124%*	*60-140*					*08/12/2022 02:50*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*28.7% S*	*60-140*					*08/12/2022 02:50*	
Metals, Total										
EPA 200.8	Antimony	N	<0.408U	mg/kg dry	1	0.408	5.07	BFH1110	08/15/2022 11:27	TBB
EPA 200.8	Arsenic	N	10.9	mg/kg dry	1	0.623	2.53	BFH1110	08/15/2022 11:27	TBB
EPA 200.8	Beryllium	N	<0.0507U	mg/kg dry	1	0.0507	1.01	BFH1110	08/23/2022 16:00	TBB
EPA 200.8	Cadmium	N	0.620J	mg/kg dry	1	0.160	5.07	BFH1110	08/15/2022 11:27	TBB
EPA 200.8	Chromium	N	0.782J	mg/kg dry	1	0.373	15.2	BFH1110	08/15/2022 11:27	TBB
EPA 200.8	Copper	N	13.4	mg/kg dry	1	0.441	5.07	BFH1110	08/15/2022 11:27	TBB
Calc	Chromium (III)		<36.2U	mg/kg (dry wt) dry	1	36.2	116	[CALC]	08/15/2022 11:27	EM
SW-7196	Chromium (VI)	N	<35.8U	mg/kg (dry wt) dry	1	35.8	101	BFG1228	07/11/2022 17:10	EM
SW-7471B	Mercury	A	<0.0522U	mg/kg dry	1	0.0522	0.104	BFG2911	07/22/2022 16:49	EM
EPA 200.8	Lead	N	0.489J	mg/kg dry	1	0.383	2.53	BFH1110	08/15/2022 11:27	TBB
EPA 200.8	Nickel	N	3.88J	mg/kg dry	1	0.0897	5.07	BFH1110	08/15/2022 11:27	TBB
EPA 200.8	Selenium	N	<5.58U	mg/kg dry	1	5.58	25.3	BFH1110	08/23/2022 16:00	TBB
EPA 200.8	Silver	N	0.186J	mg/kg dry	1	0.0360	2.53	BFH1110	08/15/2022 11:27	TBB
EPA 200.8	Thallium	N	<0.0350U	mg/kg dry	1	0.0350	2.53	BFH1110	08/15/2022 11:27	TBB
EPA 200.8	Zinc	N	129	mg/kg dry	1	1.90	10.1	BFH1110	08/16/2022 11:09	TBB
General Chemistry										
SM 2540 G	% Solids	N	8.77	%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 6-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-26RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate (Rerun)	A	74.2	V	ug/kg dry	1	27.7	27.7	BFG2556	08/17/2022 10:52	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*34.1%*	*S*	*60-140*					*08/17/2022 10:52*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*40.8%*	*S*	*60-140*					*08/17/2022 10:52*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*74.8%*		*60-140*					*08/17/2022 10:52*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*84.6%*		*60-140*					*08/17/2022 10:52*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*105%*		*60-140*					*08/17/2022 10:52*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*30.1%*	*S*	*60-140*					*08/17/2022 10:52*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 6-2
Lab Sample ID: 22F4225-27
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<47.7U	ug/kg dry	1	47.7	47.7	BFG2556	08/12/2022 03:24	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<23.8B, U	ug/kg dry	1	23.8	23.8	BFG2556	08/12/2022 03:24	KRB
SW-8270	Phenol, Total	A	605V	ug/kg dry	1	47.7	47.7	BFG2556	08/12/2022 03:24	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*19.6% S*	*60-140*					*08/12/2022 03:24*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*57.6% S*	*60-140*					*08/12/2022 03:24*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*77.2%*	*60-140*					*08/12/2022 03:24*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*88.2%*	*60-140*					*08/12/2022 03:24*	
SW-8270	*Surrogate: Phenol-d5-surr*		*109%*	*60-140*					*08/12/2022 03:24*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*35.3% S*	*60-140*					*08/12/2022 03:24*	
Metals, Total										
EPA 200.8	Antimony	N	<0.308U	mg/kg dry	1	0.308	3.82	BFH1125	08/17/2022 13:38	TBB
EPA 200.8	Arsenic	N	10.1	mg/kg dry	1	0.470	1.91	BFH1125	08/17/2022 13:38	TBB
EPA 200.8	Beryllium	N	<0.0382U	mg/kg dry	1	0.0382	0.764	BFH1125	08/17/2022 13:38	TBB
EPA 200.8	Cadmium	N	0.502J	mg/kg dry	1	0.121	3.82	BFH1125	08/17/2022 13:38	TBB
EPA 200.8	Chromium	N	0.501J	mg/kg dry	1	0.281	11.5	BFH1125	08/17/2022 13:38	TBB
EPA 200.8	Copper	N	15.1	mg/kg dry	1	0.332	3.82	BFH1125	08/17/2022 13:38	TBB
Calc	Chromium (III)		<18.6U	mg/kg (dry wt) dry	1	18.6	63.2	[CALC]	08/17/2022 13:38	EM
SW-7196	Chromium (VI)	N	<18.3U	mg/kg (dry wt) dry	1	18.3	51.7	BFG1228	07/11/2022 17:11	EM
SW-7471B	Mercury	A	<0.0441U	mg/kg dry	1	0.0441	0.0882	BFH0373	08/03/2022 18:04	EM
EPA 200.8	Lead	N	0.511J	mg/kg dry	1	0.288	1.91	BFH1125	08/17/2022 13:38	TBB
EPA 200.8	Nickel	N	3.34J	mg/kg dry	1	0.0676	3.82	BFH1125	08/17/2022 13:38	TBB
EPA 200.8	Selenium	N	<4.20U	mg/kg dry	1	4.20	19.1	BFH1125	08/23/2022 10:49	TBB
EPA 200.8	Silver	N	0.209J	mg/kg dry	1	0.0271	1.91	BFH1125	08/17/2022 13:38	TBB
EPA 200.8	Thallium	N	<0.0264U	mg/kg dry	1	0.0264	1.91	BFH1125	08/17/2022 13:38	TBB
EPA 200.8	Zinc	N	111	mg/kg dry	1	1.43	7.64	BFH1125	08/23/2022 10:49	TBB
General Chemistry										
SM 2540 G	% Solids	N	10.5	%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 6-2	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-27RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate (Rerun)	A	55.6	V	ug/kg dry	1	23.8	23.8	BFG2556	08/17/2022 11:26	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*27.4%*	*S*	*60-140*					*08/17/2022 11:26*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*50.2%*	*S*	*60-140*					*08/17/2022 11:26*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*76.8%*		*60-140*					*08/17/2022 11:26*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.4%*		*60-140*					*08/17/2022 11:26*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*96.5%*		*60-140*					*08/17/2022 11:26*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*37.2%*	*S*	*60-140*					*08/17/2022 11:26*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 6-3
Lab Sample ID: 22F4225-28
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<46.0	U	ug/kg dry	1	46.0	46.0	BFG2556	08/12/2022 03:58	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	27.4	V	ug/kg dry	1	23.0	23.0	BFG2556	08/12/2022 03:58	KRB
SW-8270	Phenol, Total	A	700	V	ug/kg dry	1	46.0	46.0	BFG2556	08/12/2022 03:58	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*25.8%*	*S*	*60-140*					*08/12/2022 03:58*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*55.0%*	*S*	*60-140*					*08/12/2022 03:58*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*96.7%*		*60-140*					*08/12/2022 03:58*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*108%*		*60-140*					*08/12/2022 03:58*	
SW-8270	*Surrogate: Phenol-d5-surr*		*132%*		*60-140*					*08/12/2022 03:58*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*47.2%*	*S*	*60-140*					*08/12/2022 03:58*	
Metals, Total											
EPA 200.8	Antimony	N	<0.334	U	mg/kg dry	1	0.334	4.15	BFH2043	08/22/2022 17:23	TBB
EPA 200.8	Arsenic	N	9.79		mg/kg dry	1	0.510	2.07	BFH2043	08/17/2022 17:44	TBB
EPA 200.8	Beryllium	N	<0.0415	U	mg/kg dry	1	0.0415	0.829	BFH2043	08/25/2022 12:16	TBB
EPA 200.8	Cadmium	N	0.516	J	mg/kg dry	1	0.131	4.15	BFH2043	08/17/2022 17:44	TBB
EPA 200.8	Chromium	N	0.361	J	mg/kg dry	1	0.305	12.4	BFH2043	08/17/2022 17:44	TBB
EPA 200.8	Copper	N	13.6		mg/kg dry	1	0.361	4.15	BFH2043	08/17/2022 17:44	TBB
Calc	Chromium (III)		<17.8	U	mg/kg (dry wt) dry	1	17.8	61.8	[CALC]	08/17/2022 17:44	EM
SW-7196	Chromium (VI)	N	<17.5	U	mg/kg (dry wt) dry	1	17.5	49.4	BFG1228	07/11/2022 17:12	EM
SW-7471B	Mercury	A	<0.0433	U	mg/kg dry	1	0.0433	0.0867	BFH0643	08/04/2022 16:39	EM
EPA 200.8	Lead	N	0.609	J	mg/kg dry	1	0.313	2.07	BFH2043	08/22/2022 17:23	TBB
EPA 200.8	Nickel	N	3.39	J	mg/kg dry	1	0.0734	4.15	BFH2043	08/17/2022 17:44	TBB
EPA 200.8	Selenium	N	<4.56	U	mg/kg dry	1	4.56	20.7	BFH2043	08/25/2022 10:17	TBB
EPA 200.8	Silver	N	0.192	J	mg/kg dry	1	0.0294	2.07	BFH2043	08/17/2022 17:44	TBB
EPA 200.8	Thallium	N	<0.0286	U	mg/kg dry	1	0.0286	2.07	BFH2043	08/17/2022 17:44	TBB
EPA 200.8	Zinc	N	167		mg/kg dry	2	3.11	16.6	BFH2043	08/22/2022 18:08	TBB
General Chemistry											
SM 2540 G	% Solids	N	10.3		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 6-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-28RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate (Rerun)	A	46.3	V	ug/kg dry	1	23.0	23.0	BFG2556	08/17/2022 12:01	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*29.6%*	*S*	*60-140*					*08/17/2022 12:01*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*49.6%*	*S*	*60-140*					*08/17/2022 12:01*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*71.6%*		*60-140*					*08/17/2022 12:01*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.0%*		*60-140*					*08/17/2022 12:01*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*136%*		*60-140*					*08/17/2022 12:01*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*43.1%*	*S*	*60-140*					*08/17/2022 12:01*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 6-4
Lab Sample ID: 22F4225-29
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<45.5U	ug/kg dry	1	45.5	45.5	BFG2556	08/12/2022 04:32	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<22.8B, U	ug/kg dry	1	22.8	22.8	BFG2556	08/12/2022 04:32	KRB
SW-8270	Phenol, Total	A	384V	ug/kg dry	1	45.5	45.5	BFG2556	08/12/2022 04:32	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*18.0% S*	*60-140*					*08/12/2022 04:32*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*50.5% S*	*60-140*					*08/12/2022 04:32*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*59.2% S*	*60-140*					*08/12/2022 04:32*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*92.3%*	*60-140*					*08/12/2022 04:32*	
SW-8270	*Surrogate: Phenol-d5-surr*		*105%*	*60-140*					*08/12/2022 04:32*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*28.1% S*	*60-140*					*08/12/2022 04:32*	
Metals, Total										
EPA 200.8	Antimony	N	<0.329U	mg/kg dry	1	0.329	4.08	BFH2042	08/22/2022 15:19	TBB
EPA 200.8	Arsenic	N	7.75	mg/kg dry	1	0.502	2.04	BFH2042	08/17/2022 18:32	TBB
EPA 200.8	Beryllium	N	<0.0408U	mg/kg dry	1	0.0408	0.816	BFH2042	08/22/2022 15:19	TBB
EPA 200.8	Cadmium	N	0.400J	mg/kg dry	1	0.129	4.08	BFH2042	08/17/2022 18:32	TBB
EPA 200.8	Chromium	N	<0.300U	mg/kg dry	1	0.300	12.2	BFH2042	08/17/2022 18:32	TBB
EPA 200.8	Copper	N	11.1	mg/kg dry	1	0.355	4.08	BFH2042	08/17/2022 18:32	TBB
Calc	Chromium (III)		<17.2U	mg/kg (dry wt) dry	1	17.2	60.0	[CALC]	08/17/2022 18:32	EM
SW-7196	Chromium (VI)	N	<16.9U	mg/kg (dry wt) dry	1	16.9	47.8	BFG1228	07/11/2022 17:13	EM
SW-7471B	Mercury	A	<0.0436U	mg/kg dry	1	0.0436	0.0871	BFH0643	08/04/2022 16:42	EM
EPA 200.8	Lead	N	0.526J	mg/kg dry	1	0.308	2.04	BFH2042	08/22/2022 15:19	TBB
EPA 200.8	Nickel	N	2.88J	mg/kg dry	1	0.0722	4.08	BFH2042	08/17/2022 18:32	TBB
EPA 200.8	Selenium	N	<4.49U	mg/kg dry	1	4.49	20.4	BFH2042	08/23/2022 19:48	TBB
EPA 200.8	Silver	N	0.182J	mg/kg dry	1	0.0290	2.04	BFH2042	08/22/2022 15:19	TBB
EPA 200.8	Thallium	N	<0.0282U	mg/kg dry	1	0.0282	2.04	BFH2042	08/17/2022 18:32	TBB
EPA 200.8	Zinc	N	102	mg/kg dry	1	1.53	8.16	BFH2042	08/22/2022 18:34	TBB
General Chemistry										
SM 2540 G	% Solids	N	10.8	%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 6-4	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-29RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate (Rerun)	A	46.0	V	ug/kg dry	1	22.8	22.8	BFG2556	08/17/2022 12:35	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*20.9%*	*S*	*60-140*					*08/17/2022 12:35*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*47.4%*	*S*	*60-140*					*08/17/2022 12:35*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*80.6%*		*60-140*					*08/17/2022 12:35*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*106%*		*60-140*					*08/17/2022 12:35*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*107%*		*60-140*					*08/17/2022 12:35*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*46.9%*	*S*	*60-140*					*08/17/2022 12:35*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 6-5
Lab Sample ID: 22F4225-30
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<41.3U	ug/kg dry	1	41.3	41.3	BFG2556	08/12/2022 05:07	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<20.7B, U	ug/kg dry	1	20.7	20.7	BFG2556	08/12/2022 05:07	KRB
SW-8270	Phenol, Total	A	373V	ug/kg dry	1	41.3	41.3	BFG2556	08/12/2022 05:07	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*20.7% S*	*60-140*					*08/12/2022 05:07*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*60.3%*	*60-140*					*08/12/2022 05:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*78.2%*	*60-140*					*08/12/2022 05:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*65.1%*	*60-140*					*08/12/2022 05:07*	
SW-8270	*Surrogate: Phenol-d5-surr*		*96.2%*	*60-140*					*08/12/2022 05:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*25.1% S*	*60-140*					*08/12/2022 05:07*	
Metals, Total										
EPA 200.8	Antimony	N	<0.382U	mg/kg dry	1	0.382	4.75	BFH2042	08/22/2022 15:21	TBB
EPA 200.8	Arsenic	N	9.83	mg/kg dry	1	0.584	2.37	BFH2042	08/17/2022 18:42	TBB
EPA 200.8	Beryllium	N	<0.0475U	mg/kg dry	1	0.0475	0.949	BFH2042	08/22/2022 15:21	TBB
EPA 200.8	Cadmium	N	0.570J	mg/kg dry	1	0.150	4.75	BFH2042	08/17/2022 18:42	TBB
EPA 200.8	Chromium	N	0.438J	mg/kg dry	1	0.349	14.2	BFH2042	08/17/2022 18:42	TBB
EPA 200.8	Copper	N	13.7	mg/kg dry	1	0.413	4.75	BFH2042	08/17/2022 18:42	TBB
Calc	Chromium (III)		<18.7U	mg/kg (dry wt) dry	1	18.7	66.0	[CALC]	08/17/2022 18:42	EM
SW-7196	Chromium (VI)	N	<18.3U	mg/kg (dry wt) dry	1	18.3	51.8	BFG1228	07/11/2022 17:18	EM
SW-7471B	Mercury	A	<0.0463U	mg/kg dry	1	0.0463	0.0927	BFH2169	08/16/2022 18:53	NAZ
EPA 200.8	Lead	N	0.647J	mg/kg dry	1	0.358	2.37	BFH2042	08/22/2022 15:21	TBB
EPA 200.8	Nickel	N	4.40J	mg/kg dry	1	0.0840	4.75	BFH2042	08/17/2022 18:42	TBB
EPA 200.8	Selenium	N	<5.22U	mg/kg dry	1	5.22	23.7	BFH2042	08/23/2022 19:50	TBB
EPA 200.8	Silver	N	0.182J	mg/kg dry	1	0.0337	2.37	BFH2042	08/22/2022 15:21	TBB
EPA 200.8	Thallium	N	<0.0328U	mg/kg dry	1	0.0328	2.37	BFH2042	08/17/2022 18:42	TBB
EPA 200.8	Zinc	N	149	mg/kg dry	1	1.78	9.49	BFH2042	08/22/2022 18:36	TBB
General Chemistry										
SM 2540 G	% Solids	N	10.3	%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 6-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-30RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate (Rerun)	A	44.8	V	ug/kg dry	1	20.7	20.7	BFG2556	08/17/2022 13:09	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*22.0%*	*S*	*60-140*					*08/17/2022 13:09*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*51.9%*	*S*	*60-140*					*08/17/2022 13:09*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*80.5%*		*60-140*					*08/17/2022 13:09*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*68.0%*		*60-140*					*08/17/2022 13:09*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*90.5%*		*60-140*					*08/17/2022 13:09*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*34.1%*	*S*	*60-140*					*08/17/2022 13:09*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-1
Lab Sample ID: 22F4225-31
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<49.6U	ug/kg dry	1	49.6	49.6	BFG2359	08/03/2022 00:59	KRB
SW-8270	Acenaphthene	A	<24.8U	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	Acenaphthylene	A	<24.8U	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	Anthracene	A	<24.8U	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	Benzo(a)anthracene	A	<24.8U	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	benzo(b&k)fluoranthene	A	<49.6U	ug/kg dry	1	49.6	49.6	BFG2359	08/03/2022 00:59	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<24.8B, U	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	Chrysene	A	<24.8U	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	Di-n-butyl phthalate	A	<24.8B, U	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	Fluoranthene	A	64.4	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	Fluorene	A	<24.8U	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	Naphthalene	A	<24.8U	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	Phenanthrene	A	109	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	Pyrene	A	56.6	ug/kg dry	1	24.8	24.8	BFG2359	08/03/2022 00:59	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*47.1% S*	*60-140*					*08/03/2022 00:59*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*56.7% S*	*60-140*					*08/03/2022 00:59*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*86.1%*	*60-140*					*08/03/2022 00:59*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*105%*	*60-140*					*08/03/2022 00:59*	
SW-8270	*Surrogate: Phenol-d5-surr*		*103%*	*60-140*					*08/03/2022 00:59*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*34.7% S*	*60-140*					*08/03/2022 00:59*	
Organics by GC										
SW-8082	PCBs, Total	A	<36.0U	ug/kg dry	1	36.0	36.0	BFG2419	08/20/2022 07:48	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*78.6%*	*60-140*					*08/20/2022 07:48*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*41.9% S*	*60-140*					*08/20/2022 07:48*	
Metals, Total										
EPA 200.8	Antimony	N	<0.381U	mg/kg dry	1	0.381	4.74	BFH2043	08/22/2022 17:25	TBB
EPA 200.8	Arsenic	N	8.79	mg/kg dry	1	0.583	2.37	BFH2043	08/17/2022 17:46	TBB
EPA 200.8	Beryllium	N	<0.0474U	mg/kg dry	1	0.0474	0.947	BFH2043	08/25/2022 12:19	TBB
EPA 200.8	Cadmium	N	0.586J	mg/kg dry	1	0.150	4.74	BFH2043	08/17/2022 17:46	TBB
EPA 200.8	Chromium	N	0.441J	mg/kg dry	1	0.348	14.2	BFH2043	08/17/2022 17:46	TBB
EPA 200.8	Copper	N	12.5	mg/kg dry	1	0.412	4.74	BFH2043	08/17/2022 17:46	TBB
Calc	Chromium (III)		<19.6U	mg/kg (dry wt) dry	1	19.6	68.7	[CALC]	08/17/2022 17:46	EM
SW-7196	Chromium (VI)	N	<19.3U	mg/kg (dry wt) dry	1	19.3	54.4	BFG1228	07/11/2022 17:19	EM
SW-7471B	Mercury	A	<0.0470U	mg/kg dry	1	0.0470	0.0940	BFH0643	08/04/2022 16:52	EM
EPA 200.8	Lead	N	0.639J	mg/kg dry	1	0.358	2.37	BFH2043	08/22/2022 17:25	TBB
EPA 200.8	Nickel	N	3.26J	mg/kg dry	1	0.0838	4.74	BFH2043	08/17/2022 17:46	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-1 (Continued)
Lab Sample ID: 22F4225-31
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Selenium	N	<5.21	U	mg/kg dry	1	5.21	23.7	BFH2043	08/25/2022 10:19	TBB
EPA 200.8	Silver	N	0.165	J	mg/kg dry	1	0.0336	2.37	BFH2043	08/17/2022 17:46	TBB
EPA 200.8	Thallium	N	<0.0327	U	mg/kg dry	1	0.0327	2.37	BFH2043	08/17/2022 17:46	TBB
EPA 200.8	Zinc	N	160		mg/kg dry	2	3.56	18.9	BFH2043	08/22/2022 18:10	TBB
General Chemistry											
SM 2540 G	% Solids	N	9.90		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 7-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-31RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<24.8	U	ug/kg dry	1	24.8	24.8	BFG2359	08/17/2022 02:54	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<24.8	U	ug/kg dry	1	24.8	24.8	BFG2359	08/17/2022 02:54	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<24.8	U	ug/kg dry	1	24.8	24.8	BFG2359	08/17/2022 02:54	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<24.8	U	ug/kg dry	1	24.8	24.8	BFG2359	08/17/2022 02:54	KRB
SW-8270	Phenol, Total (Rerun)	A	264	V	ug/kg dry	1	49.6	49.6	BFG2359	08/17/2022 02:54	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*77.8%*		*60-140*					*08/17/2022 02:54*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*78.1%*		*60-140*					*08/17/2022 02:54*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*92.9%*		*60-140*					*08/17/2022 02:54*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*96.1%*		*60-140*					*08/17/2022 02:54*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*113%*		*60-140*					*08/17/2022 02:54*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*51.0%*	*S*	*60-140*					*08/17/2022 02:54*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-2
Lab Sample ID: 22F4225-32
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<49.1U	ug/kg dry	1	49.1	49.1	BFG2359	08/03/2022 01:34	KRB
SW-8270	Acenaphthene	A	<24.5U	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	Acenaphthylene	A	<24.5U	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	Anthracene	A	<24.5U	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	Benzo(a)anthracene	A	<24.5U	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	benzo(b&k)fluoranthene	A	<49.1U	ug/kg dry	1	49.1	49.1	BFG2359	08/03/2022 01:34	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<24.5B, U	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	Chrysene	A	<24.5U	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	Di-n-butyl phthalate	A	<24.5B, U	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	Fluoranthene	A	38.3	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	Fluorene	A	<24.5U	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	Naphthalene	A	<24.5U	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	Phenanthrene	A	72.7	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	Pyrene	A	28.5	ug/kg dry	1	24.5	24.5	BFG2359	08/03/2022 01:34	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*47.3% S*	*60-140*					*08/03/2022 01:34*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*81.2%*	*60-140*					*08/03/2022 01:34*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*124%*	*60-140*					*08/03/2022 01:34*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*83.7%*	*60-140*					*08/03/2022 01:34*	
SW-8270	*Surrogate: Phenol-d5-surr*		*116%*	*60-140*					*08/03/2022 01:34*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*31.2% S*	*60-140*					*08/03/2022 01:34*	
Organics by GC										
SW-8082	PCBs, Total	A	<42.8U	ug/kg dry	1	42.8	42.8	BFG2419	08/20/2022 08:11	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*269% S*	*60-140*					*08/20/2022 08:11*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*76.9%*	*60-140*					*08/20/2022 08:11*	
Metals, Total										
EPA 200.8	Antimony	N	<0.384U	mg/kg dry	1	0.384	4.77	BFH2043	08/22/2022 17:28	TBB
EPA 200.8	Arsenic	N	9.17	mg/kg dry	1	0.587	2.38	BFH2043	08/17/2022 17:49	TBB
EPA 200.8	Beryllium	N	<0.0477U	mg/kg dry	1	0.0477	0.954	BFH2043	08/25/2022 12:22	TBB
EPA 200.8	Cadmium	N	0.614J	mg/kg dry	1	0.151	4.77	BFH2043	08/17/2022 17:49	TBB
EPA 200.8	Chromium	N	0.413J	mg/kg dry	1	0.351	14.3	BFH2043	08/17/2022 17:49	TBB
EPA 200.8	Copper	N	14.4	mg/kg dry	1	0.415	4.77	BFH2043	08/17/2022 17:49	TBB
Calc	Chromium (III)		<21.5U	mg/kg (dry wt) dry	1	21.5	73.9	[CALC]	08/17/2022 17:49	EM
SW-7196	Chromium (VI)	N	<21.1U	mg/kg (dry wt) dry	1	21.1	59.6	BFG1228	07/11/2022 17:24	EM
SW-7471B	Mercury	A	<0.0495U	mg/kg dry	1	0.0495	0.0990	BFH0643	08/04/2022 16:55	EM
EPA 200.8	Lead	N	0.700J	mg/kg dry	1	0.360	2.38	BFH2043	08/22/2022 17:28	TBB
EPA 200.8	Nickel	N	3.23J	mg/kg dry	1	0.0844	4.77	BFH2043	08/17/2022 17:49	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-2 (Continued)
Lab Sample ID: 22F4225-32
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Selenium	N	<5.25	U	mg/kg dry	1	5.25	23.8	BFH2043	08/25/2022 10:22	TBB
EPA 200.8	Silver	N	0.207	J	mg/kg dry	1	0.0339	2.38	BFH2043	08/17/2022 17:49	TBB
EPA 200.8	Thallium	N	<0.0329	U	mg/kg dry	1	0.0329	2.38	BFH2043	08/17/2022 17:49	TBB
EPA 200.8	Zinc	N	155		mg/kg dry	2	3.58	19.1	BFH2043	08/22/2022 18:13	TBB
General Chemistry											
SM 2540 G	% Solids	N	9.12		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-2
Lab Sample ID: 22F4225-32RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<24.5	U	ug/kg dry	1	24.5	24.5	BFG2359	08/17/2022 03:28	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<24.5	U	ug/kg dry	1	24.5	24.5	BFG2359	08/17/2022 03:28	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<24.5	U	ug/kg dry	1	24.5	24.5	BFG2359	08/17/2022 03:28	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<24.5	U	ug/kg dry	1	24.5	24.5	BFG2359	08/17/2022 03:28	KRB
SW-8270	Phenol, Total (Rerun)	A	226	V	ug/kg dry	1	49.1	49.1	BFG2359	08/17/2022 03:28	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*73.3%*		*60-140*					*08/17/2022 03:28*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.5%*		*60-140*					*08/17/2022 03:28*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*92.6%*		*60-140*					*08/17/2022 03:28*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*74.9%*		*60-140*					*08/17/2022 03:28*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*110%*		*60-140*					*08/17/2022 03:28*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*56.0%*	*S*	*60-140*					*08/17/2022 03:28*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-3
Lab Sample ID: 22F4225-33
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<45.8U	ug/kg dry	1	45.8	45.8	BFG2359	08/03/2022 02:08	KRB
SW-8270	Acenaphthene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	Acenaphthylene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	Anthracene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	Benzo(a)anthracene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	benzo(b&k)fluoranthene	A	<45.8U	ug/kg dry	1	45.8	45.8	BFG2359	08/03/2022 02:08	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<22.9B, U	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	Chrysene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	Di-n-butyl phthalate	A	180V	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	Fluoranthene	A	53.4	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	Fluorene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	Naphthalene	A	<22.9U	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	Phenanthrene	A	114	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	Pyrene	A	35.6	ug/kg dry	1	22.9	22.9	BFG2359	08/03/2022 02:08	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*36.7% S*	*60-140*					*08/03/2022 02:08*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*49.7% S*	*60-140*					*08/03/2022 02:08*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*83.5%*	*60-140*					*08/03/2022 02:08*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*108%*	*60-140*					*08/03/2022 02:08*	
SW-8270	*Surrogate: Phenol-d5-surr*		*106%*	*60-140*					*08/03/2022 02:08*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*38.2% S*	*60-140*					*08/03/2022 02:08*	
Organics by GC										
SW-8082	PCBs, Total	A	<34.7U	ug/kg dry	1	34.7	34.7	BFG2419	08/24/2022 20:27	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*134%*	*60-140*					*08/24/2022 20:27*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*88.3%*	*60-140*					*08/24/2022 20:27*	
Metals, Total										
EPA 200.8	Antimony	N	<0.282U	mg/kg dry	1	0.282	3.50	BFH2043	08/22/2022 17:30	TBB
EPA 200.8	Arsenic	N	9.30	mg/kg dry	1	0.431	1.75	BFH2043	08/17/2022 17:51	TBB
EPA 200.8	Beryllium	N	<0.0350U	mg/kg dry	1	0.0350	0.700	BFH2043	08/25/2022 12:25	TBB
EPA 200.8	Cadmium	N	0.586J	mg/kg dry	1	0.111	3.50	BFH2043	08/17/2022 17:51	TBB
EPA 200.8	Chromium	N	0.307J	mg/kg dry	1	0.257	10.5	BFH2043	08/17/2022 17:51	TBB
EPA 200.8	Copper	N	12.4	mg/kg dry	1	0.305	3.50	BFH2043	08/17/2022 17:51	TBB
Calc	Chromium (III)		<18.5U	mg/kg (dry wt) dry	1	18.5	62.1	[CALC]	08/17/2022 17:51	EM
SW-7196	Chromium (VI)	N	<18.3U	mg/kg (dry wt) dry	1	18.3	51.6	BFG1228	07/11/2022 17:28	EM
SW-7471B	Mercury	A	<0.0395U	mg/kg dry	1	0.0395	0.0789	BFH0643	08/04/2022 16:59	EM
EPA 200.8	Lead	N	0.757J	mg/kg dry	1	0.264	1.75	BFH2043	08/22/2022 17:30	TBB
EPA 200.8	Nickel	N	2.92J	mg/kg dry	1	0.0620	3.50	BFH2043	08/17/2022 17:51	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-3 (Continued)
Lab Sample ID: 22F4225-33
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Selenium	N	<3.85	U	mg/kg dry	1	3.85	17.5	BFH2043	08/25/2022 10:25	TBB
EPA 200.8	Silver	N	0.142	J	mg/kg dry	1	0.0249	1.75	BFH2043	08/17/2022 17:51	TBB
EPA 200.8	Thallium	N	<0.0242	U	mg/kg dry	1	0.0242	1.75	BFH2043	08/17/2022 17:51	TBB
EPA 200.8	Zinc	N	165		mg/kg dry	2	2.63	14.0	BFH2043	08/22/2022 18:22	TBB
General Chemistry											
SM 2540 G	% Solids	N	10.1		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 7-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-33RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<22.9	U	ug/kg dry	1	22.9	22.9	BFG2359	08/17/2022 04:03	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<22.9	U	ug/kg dry	1	22.9	22.9	BFG2359	08/17/2022 04:03	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<22.9	U	ug/kg dry	1	22.9	22.9	BFG2359	08/17/2022 04:03	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<22.9	U	ug/kg dry	1	22.9	22.9	BFG2359	08/17/2022 04:03	KRB
SW-8270	Phenol, Total (Rerun)	A	289	V	ug/kg dry	1	45.8	45.8	BFG2359	08/17/2022 04:03	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*59.5%*	*S*	*60-140*					*08/17/2022 04:03*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*67.2%*		*60-140*					*08/17/2022 04:03*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*86.7%*		*60-140*					*08/17/2022 04:03*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*109%*		*60-140*					*08/17/2022 04:03*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*132%*		*60-140*					*08/17/2022 04:03*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*44.4%*	*S*	*60-140*					*08/17/2022 04:03*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-4
Lab Sample ID: 22F4225-34
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<51.8U	ug/kg dry	1	51.8	51.8	BFG2359	08/03/2022 02:42	KRB
SW-8270	Acenaphthene	A	<25.9U	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	Acenaphthylene	A	<25.9U	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	Anthracene	A	<25.9U	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	Benzo(a)anthracene	A	<25.9U	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	benzo(b&k)fluoranthene	A	<51.8U	ug/kg dry	1	51.8	51.8	BFG2359	08/03/2022 02:42	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<25.9B, U	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	Chrysene	A	<25.9U	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	Di-n-butyl phthalate	A	34.9V	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	Fluoranthene	A	69.5	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	Fluorene	A	<25.9U	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	Naphthalene	A	<25.9U	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	Phenanthrene	A	126	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	Pyrene	A	51.8	ug/kg dry	1	25.9	25.9	BFG2359	08/03/2022 02:42	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*74.1%*	*60-140*					*08/03/2022 02:42*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*94.2%*	*60-140*					*08/03/2022 02:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*112%*	*60-140*					*08/03/2022 02:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*78.5%*	*60-140*					*08/03/2022 02:42*	
SW-8270	*Surrogate: Phenol-d5-surr*		*101%*	*60-140*					*08/03/2022 02:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*40.3% S*	*60-140*					*08/03/2022 02:42*	
Organics by GC										
SW-8082	PCBs, Total	A	<40.4U	ug/kg dry	1	40.4	40.4	BFG2419	08/20/2022 09:21	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*186% S*	*60-140*					*08/20/2022 09:21*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*108%*	*60-140*					*08/20/2022 09:21*	
Metals, Total										
EPA 200.8	Antimony	N	<0.361U	mg/kg dry	1	0.361	4.49	BFH2042	08/22/2022 14:56	TBB
EPA 200.8	Arsenic	N	7.32	mg/kg dry	1	0.552	2.24	BFH2042	08/17/2022 18:16	TBB
EPA 200.8	Beryllium	N	<0.0449U	mg/kg dry	1	0.0449	0.898	BFH2042	08/22/2022 14:56	TBB
EPA 200.8	Cadmium	N	0.495J	mg/kg dry	1	0.142	4.49	BFH2042	08/17/2022 18:16	TBB
EPA 200.8	Chromium	N	<0.330U	mg/kg dry	1	0.330	13.5	BFH2042	08/17/2022 18:16	TBB
EPA 200.8	Copper	N	11.6	mg/kg dry	1	0.390	4.49	BFH2042	08/17/2022 18:16	TBB
Calc	Chromium (III)		<20.7U	mg/kg (dry wt) dry	1	20.7	71.1	[CALC]	08/17/2022 18:16	EM
SW-7196	Chromium (VI)	N	<20.4U	mg/kg (dry wt) dry	1	20.4	57.6	BFG1228	07/11/2022 17:25	EM
SW-7471B	Mercury	A	<0.0443U	mg/kg dry	1	0.0443	0.0885	BFH0643	08/04/2022 17:02	EM
EPA 200.8	Lead	N	0.479J	mg/kg dry	1	0.339	2.24	BFH2042	08/22/2022 14:56	TBB
EPA 200.8	Nickel	N	3.53J	mg/kg dry	1	0.0794	4.49	BFH2042	08/17/2022 18:16	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-4 (Continued)
Lab Sample ID: 22F4225-34
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Selenium	N	<4.94	U	mg/kg dry	1	4.94	22.4	BFH2042	08/23/2022 19:22	TBB
EPA 200.8	Silver	N	0.198	J	mg/kg dry	1	0.0319	2.24	BFH2042	08/22/2022 14:56	TBB
EPA 200.8	Thallium	N	<0.0310	U	mg/kg dry	1	0.0310	2.24	BFH2042	08/17/2022 18:16	TBB
EPA 200.8	Zinc	N	135		mg/kg dry	1	1.69	8.98	BFH2042	08/22/2022 14:56	TBB
General Chemistry											
SM 2540 G	% Solids	N	9.16		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-4
Lab Sample ID: 22F4225-34RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<25.9	U	ug/kg dry	1	25.9	25.9	BFG2359	08/17/2022 04:37	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<25.9	U	ug/kg dry	1	25.9	25.9	BFG2359	08/17/2022 04:37	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<25.9	U	ug/kg dry	1	25.9	25.9	BFG2359	08/17/2022 04:37	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<25.9	U	ug/kg dry	1	25.9	25.9	BFG2359	08/17/2022 04:37	KRB
SW-8270	Phenol, Total (Rerun)	A	256	V	ug/kg dry	1	51.8	51.8	BFG2359	08/17/2022 04:37	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*77.3%*		*60-140*					*08/17/2022 04:37*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*71.1%*		*60-140*					*08/17/2022 04:37*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*88.7%*		*60-140*					*08/17/2022 04:37*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*122%*		*60-140*					*08/17/2022 04:37*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*137%*		*60-140*					*08/17/2022 04:37*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*56.2%*	*S*	*60-140*					*08/17/2022 04:37*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-5
Lab Sample ID: 22F4225-35
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<50.4U	ug/kg dry	1	50.4	50.4	BFG2359	08/03/2022 03:17	KRB
SW-8270	Acenaphthene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	Acenaphthylene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	Anthracene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	Benzo(a)anthracene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	benzo(b&k)fluoranthene	A	<50.4U	ug/kg dry	1	50.4	50.4	BFG2359	08/03/2022 03:17	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<25.2B, U	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	Chrysene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	Di-n-butyl phthalate	A	57.0V	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	Fluoranthene	A	45.8	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	Fluorene	A	32.8	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	Naphthalene	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	Phenanthrene	A	91.5	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	Pyrene	A	27.1	ug/kg dry	1	25.2	25.2	BFG2359	08/03/2022 03:17	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*47.2% S*	*60-140*					*08/03/2022 03:17*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*61.8%*	*60-140*					*08/03/2022 03:17*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*87.4%*	*60-140*					*08/03/2022 03:17*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*125%*	*60-140*					*08/03/2022 03:17*	
SW-8270	*Surrogate: Phenol-d5-surr*		*105%*	*60-140*					*08/03/2022 03:17*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*28.1% S*	*60-140*					*08/03/2022 03:17*	
Organics by GC										
SW-8082	PCBs, Total	A	<40.7U	ug/kg dry	1	40.7	40.7	BFG2419	08/20/2022 10:08	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*133%*	*60-140*					*08/20/2022 10:08*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*80.8%*	*60-140*					*08/20/2022 10:08*	
Metals, Total										
EPA 200.8	Antimony	N	<0.448U	mg/kg dry	1	0.448	5.56	BFH2042	08/22/2022 14:58	TBB
EPA 200.8	Arsenic	N	8.87	mg/kg dry	1	0.684	2.78	BFH2042	08/17/2022 18:19	TBB
EPA 200.8	Beryllium	N	<0.0556U	mg/kg dry	1	0.0556	1.11	BFH2042	08/22/2022 14:58	TBB
EPA 200.8	Cadmium	N	0.556J	mg/kg dry	1	0.176	5.56	BFH2042	08/17/2022 18:19	TBB
EPA 200.8	Chromium	N	<0.409U	mg/kg dry	1	0.409	16.7	BFH2042	08/17/2022 18:19	TBB
EPA 200.8	Copper	N	12.4	mg/kg dry	1	0.484	5.56	BFH2042	08/17/2022 18:19	TBB
Calc	Chromium (III)		<21.7U	mg/kg (dry wt) dry	1	21.7	76.9	[CALC]	08/17/2022 18:19	EM
SW-7196	Chromium (VI)	N	<21.3U	mg/kg (dry wt) dry	1	21.3	60.2	BFG1228	07/11/2022 17:31	EM
SW-7471B	Mercury	A	<0.0530U	mg/kg dry	1	0.0530	0.106	BFH0643	08/04/2022 17:12	EM
EPA 200.8	Lead	N	0.641J	mg/kg dry	1	0.420	2.78	BFH2042	08/22/2022 14:58	TBB
EPA 200.8	Nickel	N	3.57J	mg/kg dry	1	0.0985	5.56	BFH2042	08/17/2022 18:19	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-5 (Continued)
Lab Sample ID: 22F4225-35
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Selenium	N	<6.12	U	mg/kg dry	1	6.12	27.8	BFH2042	08/23/2022 19:25	TBB
EPA 200.8	Silver	N	0.168	J	mg/kg dry	1	0.0395	2.78	BFH2042	08/22/2022 14:58	TBB
EPA 200.8	Thallium	N	<0.0384	U	mg/kg dry	1	0.0384	2.78	BFH2042	08/17/2022 18:19	TBB
EPA 200.8	Zinc	N	136		mg/kg dry	1	2.09	11.1	BFH2042	08/22/2022 14:58	TBB
General Chemistry											
SM 2540 G	% Solids	N	8.84		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 7-5
Lab Sample ID: 22F4225-35RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<25.2	U	ug/kg dry	1	25.2	25.2	BFG2359	08/17/2022 05:11	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<25.2	U	ug/kg dry	1	25.2	25.2	BFG2359	08/17/2022 05:11	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<25.2	U	ug/kg dry	1	25.2	25.2	BFG2359	08/17/2022 05:11	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<25.2	U	ug/kg dry	1	25.2	25.2	BFG2359	08/17/2022 05:11	KRB
SW-8270	Phenol, Total (Rerun)	A	270	V	ug/kg dry	1	50.4	50.4	BFG2359	08/17/2022 05:11	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*75.1%*		*60-140*					*08/17/2022 05:11*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*76.7%*		*60-140*					*08/17/2022 05:11*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*88.2%*		*60-140*					*08/17/2022 05:11*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*111%*		*60-140*					*08/17/2022 05:11*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*138%*		*60-140*					*08/17/2022 05:11*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*56.2%*	*S*	*60-140*					*08/17/2022 05:11*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 8-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-36	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<46.6U	ug/kg dry	1	46.6	46.6	BFG2359	08/03/2022 03:51	KRB
SW-8270	Acenaphthene	A	<23.3U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	Acenaphthylene	A	<23.3U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	Anthracene	A	<23.3U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	Benzo(a)anthracene	A	<23.3U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	benzo(b&k)fluoranthene	A	<46.6U	ug/kg dry	1	46.6	46.6	BFG2359	08/03/2022 03:51	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<23.3B, U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	Chrysene	A	<23.3U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	Di-n-butyl phthalate	A	<23.3B, U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	Fluoranthene	A	<23.3U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	Fluorene	A	<23.3U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	Naphthalene	A	<23.3U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	Phenanthrene	A	<23.3U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	Pyrene	A	<23.3U	ug/kg dry	1	23.3	23.3	BFG2359	08/03/2022 03:51	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*67.3%*	*60-140*					*08/03/2022 03:51*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*37.4% S*	*60-140*					*08/03/2022 03:51*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*83.9%*	*60-140*					*08/03/2022 03:51*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*137%*	*60-140*					*08/03/2022 03:51*	
SW-8270	*Surrogate: Phenol-d5-surr*		*92.5%*	*60-140*					*08/03/2022 03:51*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*42.0% S*	*60-140*					*08/03/2022 03:51*	
Metals, Total										
EPA 200.8	Antimony	N	<0.425U	mg/kg dry	1	0.425	5.28	BFH2149	08/19/2022 09:56	TBB
EPA 200.8	Arsenic	N	9.73	mg/kg dry	1	0.650	2.64	BFH2149	08/19/2022 09:56	TBB
EPA 200.8	Beryllium	N	<0.0528U	mg/kg dry	1	0.0528	1.06	BFH2149	08/19/2022 09:56	TBB
EPA 200.8	Cadmium	N	0.625J	mg/kg dry	1	0.167	5.28	BFH2149	08/19/2022 09:56	TBB
EPA 200.8	Chromium	N	0.432J	mg/kg dry	1	0.388	15.9	BFH2149	08/19/2022 09:56	TBB
EPA 200.8	Copper	N	14.1	mg/kg dry	1	0.460	5.28	BFH2149	08/19/2022 09:56	TBB
Calc	Chromium (III)		<20.7U	mg/kg (dry wt) dry	1	20.7	73.2	[CALC]	08/19/2022 09:56	EM
SW-7196	Chromium (VI)	N	<20.3U	mg/kg (dry wt) dry	1	20.3	57.3	BFG1228	07/11/2022 17:33	EM
SW-7471B	Mercury	A	<0.0520U	mg/kg dry	1	0.0520	0.104	BFG3636	07/28/2022 16:08	EM
EPA 200.8	Lead	N	0.524J	mg/kg dry	1	0.399	2.64	BFH2149	08/19/2022 09:56	TBB
EPA 200.8	Nickel	N	3.73J	mg/kg dry	1	0.0935	5.28	BFH2149	08/19/2022 09:56	TBB
EPA 200.8	Selenium	N	<5.81U	mg/kg dry	1	5.81	26.4	BFH2149	08/19/2022 09:56	TBB
EPA 200.8	Silver	N	0.204J	mg/kg dry	1	0.0375	2.64	BFH2149	08/19/2022 09:56	TBB
EPA 200.8	Thallium	N	<0.0365U	mg/kg dry	1	0.0365	2.64	BFH2149	08/19/2022 09:56	TBB
EPA 200.8	Zinc	N	127	mg/kg dry	1	1.98	10.6	BFH2149	08/19/2022 09:56	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 8-1 (Continued)
Lab Sample ID: 22F4225-36
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	9.08		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 8-1
Lab Sample ID: 22F4225-36RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<23.3	U	ug/kg dry	1	23.3	23.3	BFG2359	08/17/2022 05:45	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<23.3	U	ug/kg dry	1	23.3	23.3	BFG2359	08/17/2022 05:45	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<23.3	U	ug/kg dry	1	23.3	23.3	BFG2359	08/17/2022 05:45	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<23.3	U	ug/kg dry	1	23.3	23.3	BFG2359	08/17/2022 05:45	KRB
SW-8270	Phenol, Total (Rerun)	A	304	V	ug/kg dry	1	46.6	46.6	BFG2359	08/17/2022 05:45	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*71.1%*		*60-140*					*08/17/2022 05:45*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*75.7%*		*60-140*					*08/17/2022 05:45*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*98.8%*		*60-140*					*08/17/2022 05:45*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*109%*		*60-140*					*08/17/2022 05:45*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*128%*		*60-140*					*08/17/2022 05:45*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*64.1%*		*60-140*					*08/17/2022 05:45*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 8-2
Lab Sample ID: 22F4225-37
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<59.4U	ug/kg dry	1	59.4	59.4	BFG2359	08/03/2022 04:25	KRB
SW-8270	Acenaphthene	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	Acenaphthylene	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	Anthracene	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	Benzo(a)anthracene	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	benzo(b&k)fluoranthene	A	<59.4U	ug/kg dry	1	59.4	59.4	BFG2359	08/03/2022 04:25	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<29.7B, U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	Chrysene	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	Di-n-butyl phthalate	A	<29.7B, U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	Fluoranthene	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	Fluorene	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	Naphthalene	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	Phenanthrene	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	Pyrene	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2359	08/03/2022 04:25	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*55.4% S*	*60-140*					*08/03/2022 04:25*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*59.0% S*	*60-140*					*08/03/2022 04:25*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*62.1%*	*60-140*					*08/03/2022 04:25*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*112%*	*60-140*					*08/03/2022 04:25*	
SW-8270	*Surrogate: Phenol-d5-surr*		*117%*	*60-140*					*08/03/2022 04:25*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*65.0%*	*60-140*					*08/03/2022 04:25*	
Metals, Total										
EPA 200.8	Antimony	N	<0.507U	mg/kg dry	1	0.507	6.30	BFH2042	08/22/2022 15:00	TBB
EPA 200.8	Arsenic	N	11.7	mg/kg dry	1	0.775	3.15	BFH2042	08/17/2022 18:21	TBB
EPA 200.8	Beryllium	N	<0.0630U	mg/kg dry	1	0.0630	1.26	BFH2042	08/22/2022 15:00	TBB
EPA 200.8	Cadmium	N	0.742J	mg/kg dry	1	0.199	6.30	BFH2042	08/17/2022 18:21	TBB
EPA 200.8	Chromium	N	<0.463U	mg/kg dry	1	0.463	18.9	BFH2042	08/17/2022 18:21	TBB
EPA 200.8	Copper	N	22.4	mg/kg dry	1	0.548	6.30	BFH2042	08/17/2022 18:21	TBB
Calc	Chromium (III)		<23.6U	mg/kg (dry wt) dry	1	23.6	84.3	[CALC]	08/17/2022 18:21	EM
SW-7196	Chromium (VI)	N	<23.1U	mg/kg (dry wt) dry	1	23.1	65.4	BFG1228	07/11/2022 17:34	EM
SW-7471B	Mercury	A	<0.0523U	mg/kg dry	1	0.0523	0.105	BFH0643	08/04/2022 17:15	EM
EPA 200.8	Lead	N	1.00J	mg/kg dry	1	0.476	3.15	BFH2042	08/22/2022 15:00	TBB
EPA 200.8	Nickel	N	4.16J	mg/kg dry	1	0.112	6.30	BFH2042	08/17/2022 18:21	TBB
EPA 200.8	Selenium	N	<6.93U	mg/kg dry	1	6.93	31.5	BFH2042	08/23/2022 19:27	TBB
EPA 200.8	Silver	N	0.314J	mg/kg dry	1	0.0448	3.15	BFH2042	08/22/2022 15:00	TBB
EPA 200.8	Thallium	N	<0.0435U	mg/kg dry	1	0.0435	3.15	BFH2042	08/17/2022 18:21	TBB
EPA 200.8	Zinc	N	180	mg/kg dry	1	2.37	12.6	BFH2042	08/22/2022 15:00	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 8-2 (Continued)
Lab Sample ID: 22F4225-37
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	8.14		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 8-2	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-37RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<29.7	U	ug/kg dry	1	29.7	29.7	BFG2359	08/17/2022 06:19	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<29.7	U	ug/kg dry	1	29.7	29.7	BFG2359	08/17/2022 06:19	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<29.7	U	ug/kg dry	1	29.7	29.7	BFG2359	08/17/2022 06:19	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<29.7	U	ug/kg dry	1	29.7	29.7	BFG2359	08/17/2022 06:19	KRB
SW-8270	Phenol, Total (Rerun)	A	326	V	ug/kg dry	1	59.4	59.4	BFG2359	08/17/2022 06:19	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*60.2%*		*60-140*					*08/17/2022 06:19*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*72.5%*		*60-140*					*08/17/2022 06:19*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*99.3%*		*60-140*					*08/17/2022 06:19*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*108%*		*60-140*					*08/17/2022 06:19*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*131%*		*60-140*					*08/17/2022 06:19*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*64.6%*		*60-140*					*08/17/2022 06:19*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 8-3
Lab Sample ID: 22F4225-38
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<48.1U	ug/kg dry	1	48.1	48.1	BFG2359	08/03/2022 05:00	KRB
SW-8270	Acenaphthene	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	Acenaphthylene	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	Anthracene	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	Benzo(a)anthracene	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	benzo(b&k)fluoranthene	A	<48.1U	ug/kg dry	1	48.1	48.1	BFG2359	08/03/2022 05:00	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<24.0B, U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	Chrysene	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	Di-n-butyl phthalate	A	44.6V	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	Fluoranthene	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	Fluorene	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	Naphthalene	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	Phenanthrene	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	Pyrene	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2359	08/03/2022 05:00	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*41.6% S*	*60-140*					*08/03/2022 05:00*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*63.7%*	*60-140*					*08/03/2022 05:00*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*59.6% S*	*60-140*					*08/03/2022 05:00*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*120%*	*60-140*					*08/03/2022 05:00*	
SW-8270	*Surrogate: Phenol-d5-surr*		*70.3%*	*60-140*					*08/03/2022 05:00*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*32.7% S*	*60-140*					*08/03/2022 05:00*	
Metals, Total										
EPA 200.8	Antimony	N	<0.315U	mg/kg dry	1	0.315	3.92	BFH2042	08/22/2022 15:10	TBB
EPA 200.8	Arsenic	N	8.13	mg/kg dry	1	0.482	1.96	BFH2042	08/17/2022 18:23	TBB
EPA 200.8	Beryllium	N	<0.0392U	mg/kg dry	1	0.0392	0.784	BFH2042	08/22/2022 15:10	TBB
EPA 200.8	Cadmium	N	0.427J	mg/kg dry	1	0.124	3.92	BFH2042	08/17/2022 18:23	TBB
EPA 200.8	Chromium	N	0.344J	mg/kg dry	1	0.288	11.8	BFH2042	08/17/2022 18:23	TBB
EPA 200.8	Copper	N	11.6	mg/kg dry	1	0.341	3.92	BFH2042	08/17/2022 18:23	TBB
Calc	Chromium (III)		<17.3U	mg/kg (dry wt) dry	1	17.3	59.9	[CALC]	08/17/2022 18:23	EM
SW-7196	Chromium (VI)	N	<17.1U	mg/kg (dry wt) dry	1	17.1	48.2	BFG1228	07/11/2022 17:35	EM
SW-7471B	Mercury	A	<0.0385U	mg/kg dry	1	0.0385	0.0769	BFH0643	08/04/2022 17:19	EM
EPA 200.8	Lead	N	0.351J	mg/kg dry	1	0.296	1.96	BFH2042	08/22/2022 15:10	TBB
EPA 200.8	Nickel	N	2.28J	mg/kg dry	1	0.0694	3.92	BFH2042	08/17/2022 18:23	TBB
EPA 200.8	Selenium	N	<4.31U	mg/kg dry	1	4.31	19.6	BFH2042	08/23/2022 19:38	TBB
EPA 200.8	Silver	N	0.148J	mg/kg dry	1	0.0278	1.96	BFH2042	08/22/2022 15:10	TBB
EPA 200.8	Thallium	N	<0.0270U	mg/kg dry	1	0.0270	1.96	BFH2042	08/17/2022 18:23	TBB
EPA 200.8	Zinc	N	93.6	mg/kg dry	1	1.47	7.84	BFH2042	08/22/2022 18:25	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 8-3 (Continued)
Lab Sample ID: 22F4225-38
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	9.75		%	1	0.100	0.100	BFG0354	07/06/2022 11:23	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 8-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-38RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<24.0	U	ug/kg dry	1	24.0	24.0	BFG2359	08/17/2022 06:53	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<24.0	U	ug/kg dry	1	24.0	24.0	BFG2359	08/17/2022 06:53	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<24.0	U	ug/kg dry	1	24.0	24.0	BFG2359	08/17/2022 06:53	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<24.0	U	ug/kg dry	1	24.0	24.0	BFG2359	08/17/2022 06:53	KRB
SW-8270	Phenol, Total (Rerun)	A	402	V	ug/kg dry	1	48.1	48.1	BFG2359	08/17/2022 06:53	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*67.0%*		*60-140*					*08/17/2022 06:53*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*77.0%*		*60-140*					*08/17/2022 06:53*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*89.6%*		*60-140*					*08/17/2022 06:53*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*97.8%*		*60-140*					*08/17/2022 06:53*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*135%*		*60-140*					*08/17/2022 06:53*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*73.0%*		*60-140*					*08/17/2022 06:53*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 8-4
Lab Sample ID: 22F4225-39
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<44.5U	ug/kg dry	1	44.5	44.5	BFG2359	08/03/2022 05:34	KRB
SW-8270	Acenaphthene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	Acenaphthylene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	Anthracene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	Benzo(a)anthracene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	benzo(b&k)fluoranthene	A	<44.5U	ug/kg dry	1	44.5	44.5	BFG2359	08/03/2022 05:34	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<22.2B, U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	Chrysene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	Di-n-butyl phthalate	A	33.2V	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	Fluoranthene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	Fluorene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	Naphthalene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	Phenanthrene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	Pyrene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2359	08/03/2022 05:34	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*50.1% S*	*60-140*					*08/03/2022 05:34*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*31.6% S*	*60-140*					*08/03/2022 05:34*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*92.6%*	*60-140*					*08/03/2022 05:34*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*84.2%*	*60-140*					*08/03/2022 05:34*	
SW-8270	*Surrogate: Phenol-d5-surr*		*71.2%*	*60-140*					*08/03/2022 05:34*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*29.9% S*	*60-140*					*08/03/2022 05:34*	
Metals, Total										
EPA 200.8	Antimony	N	<0.293U	mg/kg dry	1	0.293	3.64	BFH2042	08/22/2022 15:12	TBB
EPA 200.8	Arsenic	N	9.73	mg/kg dry	1	0.448	1.82	BFH2042	08/17/2022 18:26	TBB
EPA 200.8	Beryllium	N	<0.0364U	mg/kg dry	1	0.0364	0.728	BFH2042	08/22/2022 15:12	TBB
EPA 200.8	Cadmium	N	0.471J	mg/kg dry	1	0.115	3.64	BFH2042	08/17/2022 18:26	TBB
EPA 200.8	Chromium	N	<0.268U	mg/kg dry	1	0.268	10.9	BFH2042	08/17/2022 18:26	TBB
EPA 200.8	Copper	N	12.1	mg/kg dry	1	0.317	3.64	BFH2042	08/17/2022 18:26	TBB
Calc	Chromium (III)		<18.7U	mg/kg (dry wt) dry	1	18.7	62.9	[CALC]	08/17/2022 18:26	EM
SW-7196	Chromium (VI)	N	27.5J	mg/kg (dry wt) dry	1	18.4	52.0	BFG1228	07/11/2022 17:36	EM
SW-7471B	Mercury	A	<0.0451U	mg/kg dry	1	0.0451	0.0902	BFH0643	08/04/2022 17:22	EM
EPA 200.8	Lead	N	0.520J	mg/kg dry	1	0.275	1.82	BFH2042	08/22/2022 15:12	TBB
EPA 200.8	Nickel	N	3.29J	mg/kg dry	1	0.0644	3.64	BFH2042	08/17/2022 18:26	TBB
EPA 200.8	Selenium	N	<4.00U	mg/kg dry	1	4.00	18.2	BFH2042	08/23/2022 19:40	TBB
EPA 200.8	Silver	N	0.184J	mg/kg dry	1	0.0258	1.82	BFH2042	08/22/2022 15:12	TBB
EPA 200.8	Thallium	N	<0.0251U	mg/kg dry	1	0.0251	1.82	BFH2042	08/17/2022 18:26	TBB
EPA 200.8	Zinc	N	125	mg/kg dry	2	2.73	14.6	BFH2042	08/22/2022 18:27	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 8-4 (Continued)
Lab Sample ID: 22F4225-39
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	10.2		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 8-4	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-39RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<22.2	U	ug/kg dry	1	22.2	22.2	BFG2359	08/17/2022 07:27	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<22.2	U	ug/kg dry	1	22.2	22.2	BFG2359	08/17/2022 07:27	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<22.2	U	ug/kg dry	1	22.2	22.2	BFG2359	08/17/2022 07:27	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<22.2	U	ug/kg dry	1	22.2	22.2	BFG2359	08/17/2022 07:27	KRB
SW-8270	Phenol, Total (Rerun)	A	351	V	ug/kg dry	1	44.5	44.5	BFG2359	08/17/2022 07:27	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*62.7%*		*60-140*					*08/17/2022 07:27*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*64.6%*		*60-140*					*08/17/2022 07:27*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*84.6%*		*60-140*					*08/17/2022 07:27*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*83.8%*		*60-140*					*08/17/2022 07:27*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*152%*	*S*	*60-140*					*08/17/2022 07:27*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*51.3%*	*S*	*60-140*					*08/17/2022 07:27*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 8-5
Lab Sample ID: 22F4225-40
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<50.1U	ug/kg dry	1	50.1	50.1	BFG2359	08/03/2022 06:09	KRB
SW-8270	Acenaphthene	A	<25.0U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	Acenaphthylene	A	<25.0U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	Anthracene	A	<25.0U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	Benzo(a)anthracene	A	<25.0U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	benzo(b&k)fluoranthene	A	<50.1U	ug/kg dry	1	50.1	50.1	BFG2359	08/03/2022 06:09	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<25.0B, U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	Chrysene	A	<25.0U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	Di-n-butyl phthalate	A	36.4V	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	Fluoranthene	A	<25.0U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	Fluorene	A	<25.0U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	Naphthalene	A	<25.0U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	Phenanthrene	A	<25.0U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	Pyrene	A	<25.0U	ug/kg dry	1	25.0	25.0	BFG2359	08/03/2022 06:09	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*50.3% S*	*60-140*					*08/03/2022 06:09*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*69.8%*	*60-140*					*08/03/2022 06:09*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*62.0%*	*60-140*					*08/03/2022 06:09*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*77.7%*	*60-140*					*08/03/2022 06:09*	
SW-8270	*Surrogate: Phenol-d5-surr*		*76.8%*	*60-140*					*08/03/2022 06:09*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*26.1% S*	*60-140*					*08/03/2022 06:09*	
Metals, Total										
EPA 200.8	Antimony	N	<0.337U	mg/kg dry	1	0.337	4.18	BFH2149	08/19/2022 10:31	TBB
EPA 200.8	Arsenic	N	10.7	mg/kg dry	1	0.514	2.09	BFH2149	08/19/2022 10:31	TBB
EPA 200.8	Beryllium	N	<0.0418U	mg/kg dry	1	0.0418	0.836	BFH2149	08/19/2022 10:31	TBB
EPA 200.8	Cadmium	N	0.661J	mg/kg dry	1	0.132	4.18	BFH2149	08/19/2022 10:31	TBB
EPA 200.8	Chromium	N	0.322J	mg/kg dry	1	0.307	12.5	BFH2149	08/19/2022 10:31	TBB
EPA 200.8	Copper	N	15.1	mg/kg dry	1	0.364	4.18	BFH2149	08/19/2022 10:31	TBB
Calc	Chromium (III)		<18.0U	mg/kg (dry wt) dry	1	18.0	62.5	[CALC]	08/19/2022 10:31	EM
SW-7196	Chromium (VI)	N	<17.7U	mg/kg (dry wt) dry	1	17.7	50.0	BFG1228	07/11/2022 17:37	EM
SW-7471B	Mercury	A	<0.0415U	mg/kg dry	1	0.0415	0.0831	BFG3636	07/28/2022 16:18	EM
EPA 200.8	Lead	N	0.445J	mg/kg dry	1	0.316	2.09	BFH2149	08/19/2022 10:31	TBB
EPA 200.8	Nickel	N	3.66J	mg/kg dry	1	0.0740	4.18	BFH2149	08/19/2022 10:31	TBB
EPA 200.8	Selenium	N	<4.60U	mg/kg dry	1	4.60	20.9	BFH2149	08/19/2022 10:31	TBB
EPA 200.8	Silver	N	0.195J	mg/kg dry	1	0.0297	2.09	BFH2149	08/19/2022 10:31	TBB
EPA 200.8	Thallium	N	<0.0288U	mg/kg dry	1	0.0288	2.09	BFH2149	08/19/2022 10:31	TBB
EPA 200.8	Zinc	N	137	mg/kg dry	2	3.14	16.7	BFH2149	08/19/2022 11:16	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-DMMU 8-5 (Continued)
Lab Sample ID: 22F4225-40
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	9.44		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-DMMU 8-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-40RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Benzo(a)pyrene (Rerun)	A	<25.0	U	ug/kg dry	1	25.0	25.0	BFG2359	08/17/2022 08:02	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<25.0	U	ug/kg dry	1	25.0	25.0	BFG2359	08/17/2022 08:02	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<25.0	U	ug/kg dry	1	25.0	25.0	BFG2359	08/17/2022 08:02	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<25.0	U	ug/kg dry	1	25.0	25.0	BFG2359	08/17/2022 08:02	KRB
SW-8270	Phenol, Total (Rerun)	A	350	V	ug/kg dry	1	50.1	50.1	BFG2359	08/17/2022 08:02	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*77.4%*		*60-140*					*08/17/2022 08:02*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*78.8%*		*60-140*					*08/17/2022 08:02*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*114%*		*60-140*					*08/17/2022 08:02*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*101%*		*60-140*					*08/17/2022 08:02*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*158%*	*S*	*60-140*					*08/17/2022 08:02*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*63.2%*		*60-140*					*08/17/2022 08:02*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-PRETEST-1
Lab Sample ID: 22F4225-41
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<29.0U	ug/kg dry	1	29.0	29.0	BFG2349	08/16/2022 00:16	KRB
SW-8270	Acenaphthene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Benzo(a)anthracene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Benzo(a)pyrene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	benzo(b&k)fluoranthene	A	<29.0U	ug/kg dry	1	29.0	29.0	BFG2349	08/16/2022 00:16	KRB
SW-8270	Benzo(g,h,i)perylene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<14.5B, U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Chrysene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Di-n-butyl phthalate	A	18.2V	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Fluoranthene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Fluorene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Naphthalene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	Phenol, Total	A	231V	ug/kg dry	1	29.0	29.0	BFG2349	08/16/2022 00:16	KRB
SW-8270	Pyrene	A	<14.5U	ug/kg dry	1	14.5	14.5	BFG2349	08/16/2022 00:16	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*29.3% S*	*60-140*					*08/16/2022 00:16*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*65.0%*	*60-140*					*08/16/2022 00:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*78.7%*	*60-140*					*08/16/2022 00:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*76.2%*	*60-140*					*08/16/2022 00:16*	
SW-8270	*Surrogate: Phenol-d5-surr*		*112%*	*60-140*					*08/16/2022 00:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*14.6% S*	*60-140*					*08/16/2022 00:16*	
Organics by GC										
SW-8082	PCBs, Total	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2416	08/20/2022 05:05	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*502% S*	*60-140*					*08/20/2022 05:05*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*61.6%*	*60-140*					*08/20/2022 05:05*	
Metals, Total										
EPA 200.8	Antimony	N	<0.214U	mg/kg dry	1	0.214	2.66	BFH2149	08/19/2022 10:17	TBB
EPA 200.8	Arsenic	N	10.3	mg/kg dry	1	0.327	1.33	BFH2149	08/19/2022 10:17	TBB
EPA 200.8	Beryllium	N	<0.0266U	mg/kg dry	1	0.0266	0.531	BFH2149	08/19/2022 10:17	TBB
EPA 200.8	Cadmium	N	0.550J	mg/kg dry	1	0.0840	2.66	BFH2149	08/19/2022 10:17	TBB
EPA 200.8	Chromium	N	0.490J	mg/kg dry	1	0.195	7.97	BFH2149	08/19/2022 10:17	TBB
EPA 200.8	Copper	N	18.3	mg/kg dry	1	0.231	2.66	BFH2149	08/19/2022 10:17	TBB
Calc	Chromium (III)		<11.1U	mg/kg (dry wt) dry	1	11.1	38.8	[CALC]	08/19/2022 10:17	EM
SW-7196	Chromium (VI)	N	<10.9U	mg/kg (dry wt) dry	1	10.9	30.9	BFG1228	07/11/2022 17:38	EM
SW-7471B	Mercury	A	<0.0238U	mg/kg dry	1	0.0238	0.0477	BFG2911	07/22/2022 16:59	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-PRETEST-1 (Continued)
Lab Sample ID: 22F4225-41
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Lead	N	0.629	J	mg/kg dry	1	0.201	1.33	BFH2149	08/19/2022 10:17	TBB
EPA 200.8	Nickel	N	0.738	J	mg/kg dry	1	0.0470	2.66	BFH2149	08/19/2022 10:17	TBB
EPA 200.8	Selenium	N	<2.92	U	mg/kg dry	1	2.92	13.3	BFH2149	08/19/2022 10:17	TBB
EPA 200.8	Silver	N	0.213	J	mg/kg dry	1	0.0189	1.33	BFH2149	08/19/2022 10:17	TBB
EPA 200.8	Thallium	N	<0.0183	U	mg/kg dry	1	0.0183	1.33	BFH2149	08/19/2022 10:17	TBB
EPA 200.8	Zinc	N	69.0		mg/kg dry	1	0.998	5.31	BFH2149	08/19/2022 10:17	TBB
General Chemistry											
SM 2540 G	% Solids	N	17.2		%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-PRETEST-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-41RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<14.5	U	ug/kg dry	1	14.5	14.5	BFG2349	08/04/2022 00:23	KRB
SW-8270	Anthracene (Rerun)	A	<14.5	U	ug/kg dry	1	14.5	14.5	BFG2349	08/04/2022 00:23	KRB
SW-8270	Phenanthrene (Rerun)	A	<14.5	U	ug/kg dry	1	14.5	14.5	BFG2349	08/04/2022 00:23	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*32.8%*	*S*	*60-140*					*08/04/2022 00:23*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*80.1%*		*60-140*					*08/04/2022 00:23*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*117%*		*60-140*					*08/04/2022 00:23*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*206%*	*S*	*60-140*					*08/04/2022 00:23*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*189%*	*S*	*60-140*					*08/04/2022 00:23*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*28.6%*	*S*	*60-140*					*08/04/2022 00:23*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-PRETEST-2
Lab Sample ID: 22F4225-42
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<36.3U	ug/kg dry	1	36.3	36.3	BFG2349	08/16/2022 00:51	KRB
SW-8270	Acenaphthene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Benzo(a)anthracene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Benzo(a)pyrene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	benzo(b&k)fluoranthene	A	<36.3U	ug/kg dry	1	36.3	36.3	BFG2349	08/16/2022 00:51	KRB
SW-8270	Benzo(g,h,i)perylene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<18.1B, U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Chrysene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Di-n-butyl phthalate	A	<18.1B, U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Fluoranthene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Fluorene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Naphthalene	A	20.6	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	Phenol, Total	A	484V	ug/kg dry	1	36.3	36.3	BFG2349	08/16/2022 00:51	KRB
SW-8270	Pyrene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 00:51	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*35.9% S*	*60-140*					*08/16/2022 00:51*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*59.4% S*	*60-140*					*08/16/2022 00:51*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.7%*	*60-140*					*08/16/2022 00:51*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*79.9%*	*60-140*					*08/16/2022 00:51*	
SW-8270	*Surrogate: Phenol-d5-surr*		*105%*	*60-140*					*08/16/2022 00:51*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*13.3% S*	*60-140*					*08/16/2022 00:51*	
Organics by GC										
SW-8082	PCBs, Total	A	<25.2U	ug/kg dry	1	25.2	25.2	BFG2416	08/20/2022 04:42	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*147% S*	*60-140*					*08/20/2022 04:42*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*71.2%*	*60-140*					*08/20/2022 04:42*	
Metals, Total										
EPA 200.8	Antimony	N	<0.275U	mg/kg dry	1	0.275	3.42	BFH2149	08/19/2022 10:27	TBB
EPA 200.8	Arsenic	N	11.0	mg/kg dry	1	0.421	1.71	BFH2149	08/19/2022 10:27	TBB
EPA 200.8	Beryllium	N	<0.0342U	mg/kg dry	1	0.0342	0.684	BFH2149	08/19/2022 10:27	TBB
EPA 200.8	Cadmium	N	0.472J	mg/kg dry	1	0.108	3.42	BFH2149	08/19/2022 10:27	TBB
EPA 200.8	Chromium	N	0.370J	mg/kg dry	1	0.251	10.3	BFH2149	08/19/2022 10:27	TBB
EPA 200.8	Copper	N	15.4	mg/kg dry	1	0.298	3.42	BFH2149	08/19/2022 10:27	TBB
Calc	Chromium (III)		<13.3U	mg/kg (dry wt) dry	1	13.3	47.1	[CALC]	08/19/2022 10:27	EM
SW-7196	Chromium (VI)	N	<13.0U	mg/kg (dry wt) dry	1	13.0	36.8	BFG1228	07/11/2022 17:39	EM
SW-7471B	Mercury	A	<0.0331U	mg/kg dry	1	0.0331	0.0663	BFG2911	07/22/2022 17:03	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-PRETEST-2 (Continued)
Lab Sample ID: 22F4225-42
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Lead	N	0.417	J	mg/kg dry	1	0.258	1.71	BFH2149	08/19/2022 10:27	TBB
EPA 200.8	Nickel	N	0.798	J	mg/kg dry	1	0.0605	3.42	BFH2149	08/19/2022 10:27	TBB
EPA 200.8	Selenium	N	<3.76	U	mg/kg dry	1	3.76	17.1	BFH2149	08/19/2022 10:27	TBB
EPA 200.8	Silver	N	0.212	J	mg/kg dry	1	0.0243	1.71	BFH2149	08/19/2022 10:27	TBB
EPA 200.8	Thallium	N	<0.0236	U	mg/kg dry	1	0.0236	1.71	BFH2149	08/19/2022 10:27	TBB
EPA 200.8	Zinc	N	64.0		mg/kg dry	1	1.28	6.84	BFH2149	08/19/2022 10:27	TBB
General Chemistry											
SM 2540 G	% Solids	N	14.1		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-PRETEST-2	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-42RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<18.1	U	ug/kg dry	1	18.1	18.1	BFG2349	08/04/2022 00:58	KRB
SW-8270	Anthracene (Rerun)	A	<18.1	U	ug/kg dry	1	18.1	18.1	BFG2349	08/04/2022 00:58	KRB
SW-8270	Phenanthrene (Rerun)	A	<18.1	U	ug/kg dry	1	18.1	18.1	BFG2349	08/04/2022 00:58	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*49.7%*	*S*	*60-140*					*08/04/2022 00:58*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*94.8%*		*60-140*					*08/04/2022 00:58*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*113%*		*60-140*					*08/04/2022 00:58*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*326%*	*S*	*60-140*					*08/04/2022 00:58*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*222%*	*S*	*60-140*					*08/04/2022 00:58*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*20.1%*	*S*	*60-140*					*08/04/2022 00:58*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-PRETEST-3
Lab Sample ID: 22F4225-43
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<30.0U	ug/kg dry	1	30.0	30.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Acenaphthene	A	17.2	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Benzo(a)anthracene	A	<15.0U	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Benzo(a)pyrene	A	<15.0U	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	benzo(b&k)fluoranthene	A	<30.0U	ug/kg dry	1	30.0	30.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Benzo(g,h,i)perylene	A	<15.0U	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<15.0B, U	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Chrysene	A	<15.0U	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<15.0U	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Di-n-butyl phthalate	A	23.1V	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Fluoranthene	A	<15.0U	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Fluorene	A	<15.0U	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<15.0U	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Naphthalene	A	20.3	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Phenol, Total	A	414V	ug/kg dry	1	30.0	30.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	Pyrene	A	<15.0U	ug/kg dry	1	15.0	15.0	BFG2349	08/16/2022 01:26	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*29.8% S*	*60-140*					*08/16/2022 01:26*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*74.4%*	*60-140*					*08/16/2022 01:26*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*92.1%*	*60-140*					*08/16/2022 01:26*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*92.5%*	*60-140*					*08/16/2022 01:26*	
SW-8270	*Surrogate: Phenol-d5-surr*		*127%*	*60-140*					*08/16/2022 01:26*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*16.3% S*	*60-140*					*08/16/2022 01:26*	
Organics by GC										
SW-8082	PCBs, Total	A	<24.0U	ug/kg dry	1	24.0	24.0	BFG2416	08/20/2022 04:19	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*117%*	*60-140*					*08/20/2022 04:19*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*68.4%*	*60-140*					*08/20/2022 04:19*	
Metals, Total										
EPA 200.8	Antimony	N	<0.209U	mg/kg dry	1	0.209	2.60	BFH2149	08/19/2022 10:29	TBB
EPA 200.8	Arsenic	N	11.0	mg/kg dry	1	0.320	1.30	BFH2149	08/19/2022 10:29	TBB
EPA 200.8	Beryllium	N	<0.0260U	mg/kg dry	1	0.0260	0.520	BFH2149	08/19/2022 10:29	TBB
EPA 200.8	Cadmium	N	0.456J	mg/kg dry	1	0.0821	2.60	BFH2149	08/19/2022 10:29	TBB
EPA 200.8	Chromium	N	0.924J	mg/kg dry	1	0.191	7.79	BFH2149	08/19/2022 10:29	TBB
EPA 200.8	Copper	N	11.5	mg/kg dry	1	0.226	2.60	BFH2149	08/19/2022 10:29	TBB
Calc	Chromium (III)		<11.9U	mg/kg (dry wt) dry	1	11.9	40.9	[CALC]	08/19/2022 10:29	EM
SW-7196	Chromium (VI)	N	<11.7U	mg/kg (dry wt) dry	1	11.7	33.1	BFG1228	07/11/2022 17:41	EM
SW-7471B	Mercury	A	<0.0292U	mg/kg dry	1	0.0292	0.0583	BFG2911	07/22/2022 17:06	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-PRETEST-3 (Continued)
Lab Sample ID: 22F4225-43
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Lead	N	0.568	J	mg/kg dry	1	0.196	1.30	BFH2149	08/19/2022 10:29	TBB
EPA 200.8	Nickel	N	0.986	J	mg/kg dry	1	0.0460	2.60	BFH2149	08/19/2022 10:29	TBB
EPA 200.8	Selenium	N	<2.86	U	mg/kg dry	1	2.86	13.0	BFH2149	08/19/2022 10:29	TBB
EPA 200.8	Silver	N	0.143	J	mg/kg dry	1	0.0184	1.30	BFH2149	08/19/2022 10:29	TBB
EPA 200.8	Thallium	N	<0.0179	U	mg/kg dry	1	0.0179	1.30	BFH2149	08/19/2022 10:29	TBB
EPA 200.8	Zinc	N	65.4		mg/kg dry	1	0.975	5.20	BFH2149	08/19/2022 10:29	TBB
General Chemistry											
SM 2540 G	% Solids	N	15.7		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-PRETEST-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-43RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<15.0	U	ug/kg dry	1	15.0	15.0	BFG2349	08/04/2022 01:32	KRB
SW-8270	Anthracene (Rerun)	A	<15.0	U	ug/kg dry	1	15.0	15.0	BFG2349	08/04/2022 01:32	KRB
SW-8270	Phenanthrene (Rerun)	A	<15.0	U	ug/kg dry	1	15.0	15.0	BFG2349	08/04/2022 01:32	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*43.1%*	*S*	*60-140*					*08/04/2022 01:32*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*107%*		*60-140*					*08/04/2022 01:32*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*104%*		*60-140*					*08/04/2022 01:32*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*424%*	*S*	*60-140*					*08/04/2022 01:32*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*246%*	*S*	*60-140*					*08/04/2022 01:32*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*26.6%*	*S*	*60-140*					*08/04/2022 01:32*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-REF-1
Lab Sample ID: 22F4225-44
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<45.8	U	ug/kg dry	1	45.8	45.8	BFG2349	08/16/2022 02:01	KRB
SW-8270	Acenaphthene	A	<22.9	U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Benzo(a)anthracene	A	<22.9	U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Benzo(a)pyrene	A	<22.9	CQa, U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	benzo(b&k)fluoranthene	A	<45.8	CQa, U	ug/kg dry	1	45.8	45.8	BFG2349	08/16/2022 02:01	KRB
SW-8270	Benzo(g,h,i)perylene	A	<22.9	CQa, U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<22.9	B, U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Chrysene	A	<22.9	U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<22.9	CQa, U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Di-n-butyl phthalate	A	<22.9	B, CQa, U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Fluoranthene	A	<22.9	CQa, U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Fluorene	A	25.8		ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<22.9	CQa, U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Naphthalene	A	90.4		ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	Phenol, Total	A	652	V	ug/kg dry	1	45.8	45.8	BFG2349	08/16/2022 02:01	KRB
SW-8270	Pyrene	A	<22.9	CQa, U	ug/kg dry	1	22.9	22.9	BFG2349	08/16/2022 02:01	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*58.7%*	*S*	*60-140*					*08/16/2022 02:01*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*66.9%*		*60-140*					*08/16/2022 02:01*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*101%*		*60-140*					*08/16/2022 02:01*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*105%*		*60-140*					*08/16/2022 02:01*	
SW-8270	*Surrogate: Phenol-d5-surr*		*181%*	*S*	*60-140*					*08/16/2022 02:01*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*10.0%*	*S*	*60-140*					*08/16/2022 02:01*	
Organics by GC											
SW-8082	PCBs, Total	A	<38.7	U	ug/kg dry	1	38.7	38.7	BFG2416	08/20/2022 03:32	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*113%*		*60-140*					*08/20/2022 03:32*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*71.8%*		*60-140*					*08/20/2022 03:32*	
Metals, Total											
EPA 200.8	Antimony	N	<0.325	U	mg/kg dry	1	0.325	4.04	BFH2148	08/18/2022 16:54	TBB
EPA 200.8	Arsenic	N	10.8		mg/kg dry	1	0.497	2.02	BFH2148	08/18/2022 16:54	TBB
EPA 200.8	Beryllium	N	<0.0404	U	mg/kg dry	1	0.0404	0.808	BFH2148	08/23/2022 12:53	TBB
EPA 200.8	Cadmium	N	0.558	J	mg/kg dry	1	0.128	4.04	BFH2148	08/18/2022 16:54	TBB
EPA 200.8	Chromium	N	<0.297	U	mg/kg dry	1	0.297	12.1	BFH2148	08/19/2022 12:00	TBB
EPA 200.8	Copper	N	11.4		mg/kg dry	1	0.352	4.04	BFH2148	08/19/2022 12:00	TBB
Calc	Chromium (III)		<20.4	U	mg/kg (dry wt) dry	1	20.4	69.0	[CALC]	08/19/2022 12:00	EM
SW-7196	Chromium (VI)	N	41.2	J	mg/kg (dry wt) dry	1	20.1	56.9	BFG2216	07/20/2022 17:32	EM
SW-7471B	Mercury	A	<0.0410	U	mg/kg dry	1	0.0410	0.0819	BFH1159	08/09/2022 17:57	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-REF-1 (Continued)
Lab Sample ID: 22F4225-44
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Lead	N	0.463	J	mg/kg dry	1	0.305	2.02	BFH2148	08/18/2022 16:54	TBB
EPA 200.8	Nickel	N	2.81	J	mg/kg dry	1	0.0715	4.04	BFH2148	08/19/2022 12:00	TBB
EPA 200.8	Selenium	N	<4.44	U	mg/kg dry	1	4.44	20.2	BFH2148	08/19/2022 12:00	TBB
EPA 200.8	Silver	N	0.166	J	mg/kg dry	1	0.0287	2.02	BFH2148	08/23/2022 12:53	TBB
EPA 200.8	Thallium	N	<0.0279	U	mg/kg dry	1	0.0279	2.02	BFH2148	08/18/2022 16:54	TBB
EPA 200.8	Zinc	N	109		mg/kg dry	1	1.52	8.08	BFH2148	08/19/2022 12:00	TBB
General Chemistry											
SM 2540 G	% Solids	N	10.0		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-REF-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-44RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<22.9	U	ug/kg dry	1	22.9	22.9	BFG2349	08/04/2022 02:07	KRB
SW-8270	Anthracene (Rerun)	A	<22.9	U	ug/kg dry	1	22.9	22.9	BFG2349	08/04/2022 02:07	KRB
SW-8270	Phenanthrene (Rerun)	A	<22.9	U	ug/kg dry	1	22.9	22.9	BFG2349	08/04/2022 02:07	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*75.1%*		*60-140*					*08/04/2022 02:07*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*148%*	*S*	*60-140*					*08/04/2022 02:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*285%*	*S*	*60-140*					*08/04/2022 02:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*420%*	*S*	*60-140*					*08/04/2022 02:07*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*493%*	*S*	*60-140*					*08/04/2022 02:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*23.9%*	*S*	*60-140*					*08/04/2022 02:07*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-REF-2
Lab Sample ID: 22F4225-45
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<50.8U	ug/kg dry	1	50.8	50.8	BFG2349	08/16/2022 02:36	KRB
SW-8270	Acenaphthene	A	<25.4U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Benzo(a)anthracene	A	<25.4U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Benzo(a)pyrene	A	<25.4U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	benzo(b&k)fluoranthene	A	<50.8U	ug/kg dry	1	50.8	50.8	BFG2349	08/16/2022 02:36	KRB
SW-8270	Benzo(g,h,i)perylene	A	<25.4U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<25.4B, U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Chrysene	A	<25.4U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<25.4U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Di-n-butyl phthalate	A	<25.4B, U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Fluoranthene	A	<25.4U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Fluorene	A	<25.4U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<25.4U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Naphthalene	A	67.9	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	Phenol, Total	A	594V	ug/kg dry	1	50.8	50.8	BFG2349	08/16/2022 02:36	KRB
SW-8270	Pyrene	A	<25.4U	ug/kg dry	1	25.4	25.4	BFG2349	08/16/2022 02:36	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*35.1% S*	*60-140*					*08/16/2022 02:36*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*60.1%*	*60-140*					*08/16/2022 02:36*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*286% S*	*60-140*					*08/16/2022 02:36*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*102%*	*60-140*					*08/16/2022 02:36*	
SW-8270	*Surrogate: Phenol-d5-surr*		*123%*	*60-140*					*08/16/2022 02:36*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*10.6% S*	*60-140*					*08/16/2022 02:36*	
Organics by GC										
SW-8082	PCBs, Total	A	<39.4U	ug/kg dry	1	39.4	39.4	BFG2416	08/20/2022 03:09	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*99.0%*	*60-140*					*08/20/2022 03:09*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*71.8%*	*60-140*					*08/20/2022 03:09*	
Metals, Total										
EPA 200.8	Antimony	N	<0.395U	mg/kg dry	1	0.395	4.91	BFH1110	08/15/2022 11:36	TBB
EPA 200.8	Arsenic	N	10.9	mg/kg dry	1	0.604	2.46	BFH1110	08/16/2022 11:11	TBB
EPA 200.8	Beryllium	N	<0.0491U	mg/kg dry	1	0.0491	0.982	BFH1110	08/23/2022 16:10	TBB
EPA 200.8	Cadmium	N	0.515J	mg/kg dry	1	0.155	4.91	BFH1110	08/15/2022 11:36	TBB
EPA 200.8	Chromium	N	0.391J	mg/kg dry	1	0.361	14.7	BFH1110	08/15/2022 11:36	TBB
EPA 200.8	Copper	N	11.8	mg/kg dry	1	0.427	4.91	BFH1110	08/15/2022 11:36	TBB
Calc	Chromium (III)		<19.1U	mg/kg (dry wt) dry	1	19.1	67.5	[CALC]	08/15/2022 11:36	EM
SW-7196	Chromium (VI)	N	<18.7U	mg/kg (dry wt) dry	1	18.7	52.8	BFG3191	07/25/2022 17:51	EM
SW-7471B	Mercury	A	<0.0462U	mg/kg dry	1	0.0462	0.0924	BFG2911	07/22/2022 17:09	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-REF-2 (Continued)
Lab Sample ID: 22F4225-45
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Lead	N	0.519	J	mg/kg dry	1	0.371	2.46	BFH1110	08/15/2022 11:36	TBB
EPA 200.8	Nickel	N	3.44	J	mg/kg dry	1	0.0869	4.91	BFH1110	08/15/2022 11:36	TBB
EPA 200.8	Selenium	N	<5.40	U	mg/kg dry	1	5.40	24.6	BFH1110	08/23/2022 16:10	TBB
EPA 200.8	Silver	N	0.177	J	mg/kg dry	1	0.0349	2.46	BFH1110	08/15/2022 11:36	TBB
EPA 200.8	Thallium	N	<0.0339	U	mg/kg dry	1	0.0339	2.46	BFH1110	08/15/2022 11:36	TBB
EPA 200.8	Zinc	N	113		mg/kg dry	1	1.84	9.82	BFH1110	08/16/2022 11:11	TBB
General Chemistry											
SM 2540 G	% Solids	N	9.62		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-REF-2	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-45RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<25.4	U	ug/kg dry	1	25.4	25.4	BFG2349	08/04/2022 02:41	KRB
SW-8270	Anthracene (Rerun)	A	<25.4	U	ug/kg dry	1	25.4	25.4	BFG2349	08/04/2022 02:41	KRB
SW-8270	Phenanthrene (Rerun)	A	<25.4	U	ug/kg dry	1	25.4	25.4	BFG2349	08/04/2022 02:41	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*60.1%*		*60-140*					*08/04/2022 02:41*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*102%*		*60-140*					*08/04/2022 02:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*275%*	*S*	*60-140*					*08/04/2022 02:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*342%*	*S*	*60-140*					*08/04/2022 02:41*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*522%*	*S*	*60-140*					*08/04/2022 02:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*25.9%*	*S*	*60-140*					*08/04/2022 02:41*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-REF-3
Lab Sample ID: 22F4225-46
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<45.9U	ug/kg dry	1	45.9	45.9	BFG2349	08/16/2022 03:10	KRB
SW-8270	Acenaphthene	A	<23.0U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Benzo(a)anthracene	A	<23.0U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Benzo(a)pyrene	A	<23.0U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	benzo(b&k)fluoranthene	A	<45.9U	ug/kg dry	1	45.9	45.9	BFG2349	08/16/2022 03:10	KRB
SW-8270	Benzo(g,h,i)perylene	A	<23.0U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<23.0B, U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Chrysene	A	<23.0U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<23.0U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Di-n-butyl phthalate	A	<23.0B, U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Fluoranthene	A	<23.0U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Fluorene	A	<23.0U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<23.0U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Naphthalene	A	71.7	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	Phenol, Total	A	456V	ug/kg dry	1	45.9	45.9	BFG2349	08/16/2022 03:10	KRB
SW-8270	Pyrene	A	<23.0U	ug/kg dry	1	23.0	23.0	BFG2349	08/16/2022 03:10	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*27.3% S*	*60-140*					*08/16/2022 03:10*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*77.2%*	*60-140*					*08/16/2022 03:10*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*83.3%*	*60-140*					*08/16/2022 03:10*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*96.0%*	*60-140*					*08/16/2022 03:10*	
SW-8270	*Surrogate: Phenol-d5-surr*		*127%*	*60-140*					*08/16/2022 03:10*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*10.7% S*	*60-140*					*08/16/2022 03:10*	
Organics by GC										
SW-8082	PCBs, Total	A	<36.0U	ug/kg dry	1	36.0	36.0	BFG2416	08/20/2022 02:46	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*116%*	*60-140*					*08/20/2022 02:46*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*78.7%*	*60-140*					*08/20/2022 02:46*	
Metals, Total										
EPA 200.8	Antimony	N	<0.359U	mg/kg dry	1	0.359	4.46	BFH1110	08/15/2022 11:38	TBB
EPA 200.8	Arsenic	N	10.1	mg/kg dry	1	0.548	2.23	BFH1110	08/16/2022 11:13	TBB
EPA 200.8	Beryllium	N	<0.0446U	mg/kg dry	1	0.0446	0.891	BFH1110	08/23/2022 16:12	TBB
EPA 200.8	Cadmium	N	0.486J	mg/kg dry	1	0.141	4.46	BFH1110	08/15/2022 11:38	TBB
EPA 200.8	Chromium	N	0.689J	mg/kg dry	1	0.328	13.4	BFH1110	08/15/2022 11:38	TBB
EPA 200.8	Copper	N	16.5	mg/kg dry	1	0.388	4.46	BFH1110	08/15/2022 11:38	TBB
Calc	Chromium (III)		<17.6U	mg/kg (dry wt) dry	1	17.6	62.2	[CALC]	08/15/2022 11:38	EM
SW-7196	Chromium (VI)	N	27.6J	mg/kg (dry wt) dry	1	17.3	48.8	BFG2216	07/20/2022 17:35	EM
SW-7471B	Mercury	A	<0.0412U	mg/kg dry	1	0.0412	0.0823	BFG2911	07/22/2022 17:13	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-REF-3 (Continued)
Lab Sample ID: 22F4225-46
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Lead	N	0.496	J	mg/kg dry	1	0.336	2.23	BFH1110	08/15/2022 11:38	TBB
EPA 200.8	Nickel	N	3.92	J	mg/kg dry	1	0.0789	4.46	BFH1110	08/15/2022 11:38	TBB
EPA 200.8	Selenium	N	<4.90	U	mg/kg dry	1	4.90	22.3	BFH1110	08/23/2022 16:12	TBB
EPA 200.8	Silver	N	0.200	J	mg/kg dry	1	0.0316	2.23	BFH1110	08/15/2022 11:38	TBB
EPA 200.8	Thallium	N	<0.0308	U	mg/kg dry	1	0.0308	2.23	BFH1110	08/15/2022 11:38	TBB
EPA 200.8	Zinc	N	126		mg/kg dry	1	1.67	8.91	BFH1110	08/16/2022 11:13	TBB
General Chemistry											
SM 2540 G	% Solids	N	10.1		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-REF-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-46RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<23.0	U	ug/kg dry	1	23.0	23.0	BFG2349	08/04/2022 03:15	KRB
SW-8270	Anthracene (Rerun)	A	<23.0	U	ug/kg dry	1	23.0	23.0	BFG2349	08/04/2022 03:15	KRB
SW-8270	Phenanthrene (Rerun)	A	<23.0	U	ug/kg dry	1	23.0	23.0	BFG2349	08/04/2022 03:15	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*50.1%*	*S*	*60-140*					*08/04/2022 03:15*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*143%*	*S*	*60-140*					*08/04/2022 03:15*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*153%*	*S*	*60-140*					*08/04/2022 03:15*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*167%*	*S*	*60-140*					*08/04/2022 03:15*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*227%*	*S*	*60-140*					*08/04/2022 03:15*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*27.7%*	*S*	*60-140*					*08/04/2022 03:15*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-REF-4
Lab Sample ID: 22F4225-47
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<47.5U	ug/kg dry	1	47.5	47.5	BFG2349	08/16/2022 03:45	KRB
SW-8270	Acenaphthene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Benzo(a)anthracene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Benzo(a)pyrene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	benzo(b&k)fluoranthene	A	<47.5U	ug/kg dry	1	47.5	47.5	BFG2349	08/16/2022 03:45	KRB
SW-8270	Benzo(g,h,i)perylene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	23.9V	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Chrysene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Di-n-butyl phthalate	A	77.2V	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Fluoranthene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Fluorene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Naphthalene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	Phenol, Total	A	572V	ug/kg dry	1	47.5	47.5	BFG2349	08/16/2022 03:45	KRB
SW-8270	Pyrene	A	<23.8U	ug/kg dry	1	23.8	23.8	BFG2349	08/16/2022 03:45	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*15.2% S*	*60-140*					*08/16/2022 03:45*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*57.6% S*	*60-140*					*08/16/2022 03:45*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*79.6%*	*60-140*					*08/16/2022 03:45*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*87.2%*	*60-140*					*08/16/2022 03:45*	
SW-8270	*Surrogate: Phenol-d5-surr*		*113%*	*60-140*					*08/16/2022 03:45*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*25.6% S*	*60-140*					*08/16/2022 03:45*	
Organics by GC										
SW-8082	PCBs, Total	A	<36.5U	ug/kg dry	1	36.5	36.5	BFG2416	08/20/2022 02:22	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*101%*	*60-140*					*08/20/2022 02:22*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*70.4%*	*60-140*					*08/20/2022 02:22*	
Metals, Total										
EPA 200.8	Antimony	N	<0.368U	mg/kg dry	1	0.368	4.57	BFH2042	08/22/2022 14:49	TBB
EPA 200.8	Arsenic	N	10.3	mg/kg dry	1	0.563	2.29	BFH2042	08/17/2022 18:02	TBB
EPA 200.8	Beryllium	N	<0.0457U	mg/kg dry	1	0.0457	0.915	BFH2042	08/22/2022 14:49	TBB
EPA 200.8	Cadmium	N	0.602J	mg/kg dry	1	0.145	4.57	BFH2042	08/17/2022 18:02	TBB
EPA 200.8	Chromium	N	0.388J	mg/kg dry	1	0.336	13.7	BFH2042	08/17/2022 18:02	TBB
EPA 200.8	Copper	N	13.7	mg/kg dry	1	0.398	4.57	BFH2042	08/17/2022 18:02	TBB
Calc	Chromium (III)		<19.1U	mg/kg (dry wt) dry	1	19.1	66.7	[CALC]	08/17/2022 18:02	EM
SW-7196	Chromium (VI)	N	<18.7U	mg/kg (dry wt) dry	1	18.7	52.9	BFG2213	07/18/2022 17:58	EM
SW-7471B	Mercury	A	<0.0453U	mg/kg dry	1	0.0453	0.0906	BFH2169	08/16/2022 18:04	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-REF-4 (Continued)
Lab Sample ID: 22F4225-47
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Lead	N	0.727	J	mg/kg dry	1	0.345	2.29	BFH2042	08/22/2022 14:49	TBB
EPA 200.8	Nickel	N	3.76	J	mg/kg dry	1	0.0810	4.57	BFH2042	08/17/2022 18:02	TBB
EPA 200.8	Selenium	N	<5.03	U	mg/kg dry	1	5.03	22.9	BFH2042	08/23/2022 19:15	TBB
EPA 200.8	Silver	N	0.270	J	mg/kg dry	1	0.0325	2.29	BFH2042	08/22/2022 14:49	TBB
EPA 200.8	Thallium	N	<0.0316	U	mg/kg dry	1	0.0316	2.29	BFH2042	08/17/2022 18:02	TBB
EPA 200.8	Zinc	N	134		mg/kg dry	2	3.44	18.3	BFH2042	08/22/2022 18:39	TBB
General Chemistry											
SM 2540 G	% Solids	N	9.60		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-REF-4	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-47RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<23.8	U	ug/kg dry	1	23.8	23.8	BFG2349	08/04/2022 03:50	KRB
SW-8270	Anthracene (Rerun)	A	<23.8	U	ug/kg dry	1	23.8	23.8	BFG2349	08/04/2022 03:50	KRB
SW-8270	Phenanthrene (Rerun)	A	<23.8	U	ug/kg dry	1	23.8	23.8	BFG2349	08/04/2022 03:50	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*18.0%*	*S*	*60-140*					*08/04/2022 03:50*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*58.7%*	*S*	*60-140*					*08/04/2022 03:50*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*81.0%*		*60-140*					*08/04/2022 03:50*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*84.5%*		*60-140*					*08/04/2022 03:50*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*147%*	*S*	*60-140*					*08/04/2022 03:50*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*22.9%*	*S*	*60-140*					*08/04/2022 03:50*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-REF-5
Lab Sample ID: 22F4225-48
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<44.3U	ug/kg dry	1	44.3	44.3	BFG2349	08/16/2022 04:20	KRB
SW-8270	Acenaphthene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Benzo(a)anthracene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Benzo(a)pyrene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	benzo(b&k)fluoranthene	A	<44.3U	ug/kg dry	1	44.3	44.3	BFG2349	08/16/2022 04:20	KRB
SW-8270	Benzo(g,h,i)perylene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	22.2V	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Chrysene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Di-n-butyl phthalate	A	76.6V	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Fluoranthene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Fluorene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Naphthalene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	Phenol, Total	A	537V	ug/kg dry	1	44.3	44.3	BFG2349	08/16/2022 04:20	KRB
SW-8270	Pyrene	A	<22.2U	ug/kg dry	1	22.2	22.2	BFG2349	08/16/2022 04:20	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*20.4% S*	*60-140*					*08/16/2022 04:20*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*63.2%*	*60-140*					*08/16/2022 04:20*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*88.7%*	*60-140*					*08/16/2022 04:20*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*89.8%*	*60-140*					*08/16/2022 04:20*	
SW-8270	*Surrogate: Phenol-d5-surr*		*104%*	*60-140*					*08/16/2022 04:20*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*30.6% S*	*60-140*					*08/16/2022 04:20*	
Organics by GC										
SW-8082	PCBs, Total	A	<36.7U	ug/kg dry	1	36.7	36.7	BFG2416	08/20/2022 01:59	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*119%*	*60-140*					*08/20/2022 01:59*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*79.6%*	*60-140*					*08/20/2022 01:59*	
Metals, Total										
EPA 200.8	Antimony	N	<0.362U	mg/kg dry	1	0.362	4.49	BFH2148	08/18/2022 17:29	TBB
EPA 200.8	Arsenic	N	11.3	mg/kg dry	1	0.553	2.25	BFH2148	08/18/2022 17:29	TBB
EPA 200.8	Beryllium	N	<0.0449U	mg/kg dry	1	0.0449	0.899	BFH2148	08/23/2022 13:31	TBB
EPA 200.8	Cadmium	N	0.558J	mg/kg dry	1	0.142	4.49	BFH2148	08/18/2022 17:29	TBB
EPA 200.8	Chromium	N	0.493J	mg/kg dry	1	0.330	13.5	BFH2148	08/19/2022 12:35	TBB
EPA 200.8	Copper	N	21.0	mg/kg dry	1	0.391	4.49	BFH2148	08/19/2022 12:35	TBB
Calc	Chromium (III)		<18.0U	mg/kg (dry wt) dry	1	18.0	63.4	[CALC]	08/19/2022 12:35	EM
SW-7196	Chromium (VI)	N	31.8J	mg/kg (dry wt) dry	1	17.7	49.9	BFG2440	07/22/2022 16:56	EM
SW-7471B	Mercury	A	<0.0497U	mg/kg dry	1	0.0497	0.0993	BFH0643	08/04/2022 17:32	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: MM-HI-REF-5 (Continued)
Lab Sample ID: 22F4225-48
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/14/2022 10:30
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Lead	N	0.686	J	mg/kg dry	1	0.339	2.25	BFH2148	08/18/2022 17:29	TBB
EPA 200.8	Nickel	N	3.53	J	mg/kg dry	1	0.0795	4.49	BFH2148	08/19/2022 12:35	TBB
EPA 200.8	Selenium	N	<4.94	U	mg/kg dry	1	4.94	22.5	BFH2148	08/23/2022 14:25	TBB
EPA 200.8	Silver	N	0.181	J	mg/kg dry	1	0.0319	2.25	BFH2148	08/23/2022 14:25	TBB
EPA 200.8	Thallium	N	<0.0310	U	mg/kg dry	1	0.0310	2.25	BFH2148	08/18/2022 17:29	TBB
EPA 200.8	Zinc	N	132		mg/kg dry	1	1.69	8.99	BFH2148	08/19/2022 12:35	TBB
General Chemistry											
SM 2540 G	% Solids	N	9.75		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	MM-HI-REF-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-48RE1	Date Collected:	04/14/2022 10:30
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<22.2	U	ug/kg dry	1	22.2	22.2	BFG2349	08/04/2022 04:24	KRB
SW-8270	Anthracene (Rerun)	A	<22.2	U	ug/kg dry	1	22.2	22.2	BFG2349	08/04/2022 04:24	KRB
SW-8270	Phenanthrene (Rerun)	A	<22.2	U	ug/kg dry	1	22.2	22.2	BFG2349	08/04/2022 04:24	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*39.9%*	*S*	*60-140*					*08/04/2022 04:24*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*64.4%*		*60-140*					*08/04/2022 04:24*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*144%*	*S*	*60-140*					*08/04/2022 04:24*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*138%*		*60-140*					*08/04/2022 04:24*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*219%*	*S*	*60-140*					*08/04/2022 04:24*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*39.8%*	*S*	*60-140*					*08/04/2022 04:24*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 1-1
Lab Sample ID: 22F4225-49
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<33.8U	ug/kg dry	1	33.8	33.8	BFG2349	08/16/2022 04:55	KRB
SW-8270	Acenaphthene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Benzo(a)anthracene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Benzo(a)pyrene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	benzo(b&k)fluoranthene	A	<33.8U	ug/kg dry	1	33.8	33.8	BFG2349	08/16/2022 04:55	KRB
SW-8270	Benzo(g,h,i)perylene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.9B, U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Chrysene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Di-n-butyl phthalate	A	46.9V	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Fluoranthene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Fluorene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Naphthalene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	Pyrene	A	<16.9U	ug/kg dry	1	16.9	16.9	BFG2349	08/16/2022 04:55	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*14.5% S*	*60-140*					*08/16/2022 04:55*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*61.9%*	*60-140*					*08/16/2022 04:55*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*74.0%*	*60-140*					*08/16/2022 04:55*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*75.9%*	*60-140*					*08/16/2022 04:55*	
SW-8270	*Surrogate: Phenol-d5-surr*		*112%*	*60-140*					*08/16/2022 04:55*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*13.1% S*	*60-140*					*08/16/2022 04:55*	
Metals, Total										
EPA 200.8	Antimony	N	<0.235U	mg/kg dry	1	0.235	2.91	BFH2149	08/19/2022 10:38	TBB
EPA 200.8	Arsenic	N	19.2	mg/kg dry	5	1.79	7.29	BFH2149	08/19/2022 11:27	TBB
EPA 200.8	Beryllium	N	<0.0291U	mg/kg dry	1	0.0291	0.583	BFH2149	08/19/2022 10:38	TBB
EPA 200.8	Cadmium	N	0.375J	mg/kg dry	1	0.0921	2.91	BFH2149	08/19/2022 10:38	TBB
EPA 200.8	Chromium	N	2.65J	mg/kg dry	1	0.214	8.74	BFH2149	08/19/2022 10:38	TBB
EPA 200.8	Copper	N	20.0	mg/kg dry	1	0.254	2.91	BFH2149	08/19/2022 10:38	TBB
Calc	Chromium (III)		<13.8U	mg/kg (dry wt) dry	1	13.8	47.2	[CALC]	08/19/2022 10:38	EM
SW-7196	Chromium (VI)	N	60.0	mg/kg (dry wt) dry	1	13.6	38.5	BFG2216	07/20/2022 17:36	EM
EPA 200.8	Lead	N	1.44J	mg/kg dry	1	0.220	1.46	BFH2149	08/19/2022 10:38	TBB
EPA 200.8	Nickel	N	2.29J	mg/kg dry	1	0.0516	2.91	BFH2149	08/19/2022 10:38	TBB
EPA 200.8	Selenium	N	<3.21U	mg/kg dry	1	3.21	14.6	BFH2149	08/19/2022 10:38	TBB
EPA 200.8	Silver	N	0.238J	mg/kg dry	1	0.0207	1.46	BFH2149	08/19/2022 10:38	TBB
EPA 200.8	Thallium	N	<0.0201U	mg/kg dry	1	0.0201	1.46	BFH2149	08/19/2022 10:38	TBB
EPA 200.8	Zinc	N	246	mg/kg dry	5	5.47	29.1	BFH2149	08/19/2022 11:27	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 1-1 (Continued)
Lab Sample ID: 22F4225-49
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	13.8		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 1-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-49RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	2620	V	ug/kg dry	5	169	169	BFG2349	08/18/2022 11:07	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*12.6%*	*S*	*60-140*					*08/18/2022 11:07*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*63.2%*		*60-140*					*08/18/2022 11:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*70.3%*		*60-140*					*08/18/2022 11:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*91.5%*		*60-140*					*08/18/2022 11:07*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*146%*	*S*	*60-140*					*08/18/2022 11:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*63.3%*		*60-140*					*08/18/2022 11:07*	
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0368	B, U	mg/kg dry	1	0.0368	0.0736	BFH2628	08/18/2022 19:54	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 1-1
Lab Sample ID: 22F4225-49RE2
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<16.9	U	ug/kg dry	1	16.9	16.9	BFG2349	08/04/2022 04:59	KRB
SW-8270	Anthracene (Rerun)	A	<16.9	U	ug/kg dry	1	16.9	16.9	BFG2349	08/04/2022 04:59	KRB
SW-8270	Phenanthrene (Rerun)	A	<16.9	U	ug/kg dry	1	16.9	16.9	BFG2349	08/04/2022 04:59	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*23.0%*	*S*	*60-140*					*08/04/2022 04:59*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*71.2%*		*60-140*					*08/04/2022 04:59*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*98.8%*		*60-140*					*08/04/2022 04:59*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*220%*	*S*	*60-140*					*08/04/2022 04:59*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*224%*	*S*	*60-140*					*08/04/2022 04:59*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*37.2%*	*S*	*60-140*					*08/04/2022 04:59*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results

(Continued)

Client Sample ID: NV-HI-DMMU 1-2
Lab Sample ID: 22F4225-50
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<35.1U	ug/kg dry	1	35.1	35.1	BFG2349	08/16/2022 05:30	KRB
SW-8270	Acenaphthene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Benzo(a)anthracene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Benzo(a)pyrene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	benzo(b&k)fluoranthene	A	<35.1U	ug/kg dry	1	35.1	35.1	BFG2349	08/16/2022 05:30	KRB
SW-8270	Benzo(g,h,i)perylene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<17.6B, U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Chrysene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Di-n-butyl phthalate	A	<17.6B, U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Fluoranthene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Fluorene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Naphthalene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	Pyrene	A	<17.6U	ug/kg dry	1	17.6	17.6	BFG2349	08/16/2022 05:30	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*34.1% S*	*60-140*					*08/16/2022 05:30*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*72.1%*	*60-140*					*08/16/2022 05:30*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*90.6%*	*60-140*					*08/16/2022 05:30*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*96.0%*	*60-140*					*08/16/2022 05:30*	
SW-8270	*Surrogate: Phenol-d5-surr*		*116%*	*60-140*					*08/16/2022 05:30*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*9.72% S*	*60-140*					*08/16/2022 05:30*	
Metals, Total										
EPA 200.8	Antimony	N	<0.287U	mg/kg dry	1	0.287	3.56	BFH2149	08/19/2022 10:41	TBB
EPA 200.8	Arsenic	N	21.7	mg/kg dry	1	0.438	1.78	BFH2149	08/19/2022 10:41	TBB
EPA 200.8	Beryllium	N	<0.0356U	mg/kg dry	1	0.0356	0.712	BFH2149	08/19/2022 10:41	TBB
EPA 200.8	Cadmium	N	0.344J	mg/kg dry	1	0.113	3.56	BFH2149	08/19/2022 10:41	TBB
EPA 200.8	Chromium	N	3.59J	mg/kg dry	1	0.262	10.7	BFH2149	08/19/2022 10:41	TBB
EPA 200.8	Copper	N	10.7	mg/kg dry	1	0.310	3.56	BFH2149	08/19/2022 10:41	TBB
Calc	Chromium (III)		<14.4U	mg/kg (dry wt) dry	1	14.4	50.7	[CALC]	08/19/2022 10:41	EM
SW-7196	Chromium (VI)	N	<14.2U	mg/kg (dry wt) dry	1	14.2	40.0	BFG2216	07/20/2022 17:36	EM
SW-7471B	Mercury	A	<0.0295U	mg/kg dry	1	0.0295	0.0590	BFG3636	07/28/2022 16:28	EM
EPA 200.8	Lead	N	1.16J	mg/kg dry	1	0.269	1.78	BFH2149	08/19/2022 10:41	TBB
EPA 200.8	Nickel	N	2.65J	mg/kg dry	1	0.0631	3.56	BFH2149	08/19/2022 10:41	TBB
EPA 200.8	Selenium	N	<3.92U	mg/kg dry	1	3.92	17.8	BFH2149	08/19/2022 10:41	TBB
EPA 200.8	Silver	N	0.189J	mg/kg dry	1	0.0253	1.78	BFH2149	08/19/2022 10:41	TBB
EPA 200.8	Thallium	N	<0.0246U	mg/kg dry	1	0.0246	1.78	BFH2149	08/19/2022 10:41	TBB
EPA 200.8	Zinc	N	65.7	mg/kg dry	1	1.34	7.12	BFH2149	08/19/2022 10:41	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 1-2 (Continued)	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-50	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry											
SM 2540 G	% Solids	N	13.5		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 1-2	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-50RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	2290	V	ug/kg dry	5	176	176	BFG2349	08/18/2022 11:42	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*34.0%*	*S*	*60-140*					*08/18/2022 11:42*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*73.5%*		*60-140*					*08/18/2022 11:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*77.9%*		*60-140*					*08/18/2022 11:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*104%*		*60-140*					*08/18/2022 11:42*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*107%*		*60-140*					*08/18/2022 11:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*40.3%*	*S*	*60-140*					*08/18/2022 11:42*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 1-2
Lab Sample ID: 22F4225-50RE2
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<17.6	CQa, U	ug/kg dry	1	17.6	17.6	BFG2349	08/04/2022 05:33	KRB
SW-8270	Anthracene (Rerun)	A	<17.6	CQa, U	ug/kg dry	1	17.6	17.6	BFG2349	08/04/2022 05:33	KRB
SW-8270	Phenanthrene (Rerun)	A	<17.6	CQa, U	ug/kg dry	1	17.6	17.6	BFG2349	08/04/2022 05:33	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*62.0%*	*CQa*	*60-140*					*08/04/2022 05:33*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*107%*	*CQa*	*60-140*					*08/04/2022 05:33*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*165%*	*CQa, S*	*60-140*					*08/04/2022 05:33*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*359%*	*CQa, S*	*60-140*					*08/04/2022 05:33*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*320%*	*CQa, S*	*60-140*					*08/04/2022 05:33*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*33.6%*	*S, CQa*	*60-140*					*08/04/2022 05:33*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 1-3
Lab Sample ID: 22F4225-51
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<34.3U	ug/kg dry	1	34.3	34.3	BFG2349	08/16/2022 06:04	KRB
SW-8270	Acenaphthene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Benzo(a)anthracene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Benzo(a)pyrene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	benzo(b&k)fluoranthene	A	<34.3U	ug/kg dry	1	34.3	34.3	BFG2349	08/16/2022 06:04	KRB
SW-8270	Benzo(g,h,i)perylene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<17.2B, U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Chrysene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Di-n-butyl phthalate	A	<17.2B, U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Fluoranthene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Fluorene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Naphthalene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	Phenol, Total	A	574V	ug/kg dry	1	34.3	34.3	BFG2349	08/16/2022 06:04	KRB
SW-8270	Pyrene	A	<17.2U	ug/kg dry	1	17.2	17.2	BFG2349	08/16/2022 06:04	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*39.7% S*	*60-140*					*08/16/2022 06:04*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*62.5%*	*60-140*					*08/16/2022 06:04*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*88.0%*	*60-140*					*08/16/2022 06:04*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*92.6%*	*60-140*					*08/16/2022 06:04*	
SW-8270	*Surrogate: Phenol-d5-surr*		*103%*	*60-140*					*08/16/2022 06:04*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*8.54% S*	*60-140*					*08/16/2022 06:04*	
Metals, Total										
EPA 200.8	Antimony	N	<0.284U	mg/kg dry	1	0.284	3.52	BFH2149	08/19/2022 10:43	TBB
EPA 200.8	Arsenic	N	24.8	mg/kg dry	1	0.433	1.76	BFH2149	08/19/2022 10:43	TBB
EPA 200.8	Beryllium	N	<0.0352U	mg/kg dry	1	0.0352	0.705	BFH2149	08/19/2022 10:43	TBB
EPA 200.8	Cadmium	N	0.422J	mg/kg dry	1	0.111	3.52	BFH2149	08/19/2022 10:43	TBB
EPA 200.8	Chromium	N	2.22J	mg/kg dry	1	0.259	10.6	BFH2149	08/19/2022 10:43	TBB
EPA 200.8	Copper	N	10.9	mg/kg dry	1	0.306	3.52	BFH2149	08/19/2022 10:43	TBB
Calc	Chromium (III)		<14.4U	mg/kg (dry wt) dry	1	14.4	50.4	[CALC]	08/19/2022 10:43	EM
SW-7196	Chromium (VI)	N	61.4	mg/kg (dry wt) dry	1	14.1	39.9	BFG2216	07/20/2022 17:37	EM
SW-7471B	Mercury	A	<0.0341U	mg/kg dry	1	0.0341	0.0683	BFG3636	07/28/2022 16:31	EM
EPA 200.8	Lead	N	0.928J	mg/kg dry	1	0.266	1.76	BFH2149	08/19/2022 10:43	TBB
EPA 200.8	Nickel	N	2.33J	mg/kg dry	1	0.0623	3.52	BFH2149	08/19/2022 10:43	TBB
EPA 200.8	Selenium	N	<3.87U	mg/kg dry	1	3.87	17.6	BFH2149	08/19/2022 10:43	TBB
EPA 200.8	Silver	N	0.131J	mg/kg dry	1	0.0250	1.76	BFH2149	08/19/2022 10:43	TBB
EPA 200.8	Thallium	N	<0.0243U	mg/kg dry	1	0.0243	1.76	BFH2149	08/19/2022 10:43	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 1-3 (Continued)
Lab Sample ID: 22F4225-51
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Zinc	N	415		mg/kg dry	5	6.61	35.2	BFH2149	08/19/2022 11:30	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.5		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 1-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-51RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*39.4%*	*S*	*60-140*					*08/18/2022 15:47*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*62.0%*		*60-140*					*08/18/2022 15:47*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*84.3%*		*60-140*					*08/18/2022 15:47*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*78.7%*		*60-140*					*08/18/2022 15:47*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*100%*		*60-140*					*08/18/2022 15:47*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*13.0%*	*S*	*60-140*					*08/18/2022 15:47*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 1-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-51RE2	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<17.2	U	ug/kg dry	1	17.2	17.2	BFG2349	08/04/2022 06:08	KRB
SW-8270	Anthracene (Rerun)	A	<17.2	U	ug/kg dry	1	17.2	17.2	BFG2349	08/04/2022 06:08	KRB
SW-8270	Phenanthrene (Rerun)	A	<17.2	U	ug/kg dry	1	17.2	17.2	BFG2349	08/04/2022 06:08	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*56.3%*	*S*	*60-140*					*08/04/2022 06:08*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*103%*		*60-140*					*08/04/2022 06:08*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*133%*		*60-140*					*08/04/2022 06:08*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*258%*	*S*	*60-140*					*08/04/2022 06:08*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*311%*	*S*	*60-140*					*08/04/2022 06:08*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*24.3%*	*S*	*60-140*					*08/04/2022 06:08*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 1-4
Lab Sample ID: 22F4225-52
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<36.3U	ug/kg dry	1	36.3	36.3	BFG2349	08/16/2022 06:39	KRB
SW-8270	Acenaphthene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Benzo(a)anthracene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Benzo(a)pyrene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	benzo(b&k)fluoranthene	A	<36.3U	ug/kg dry	1	36.3	36.3	BFG2349	08/16/2022 06:39	KRB
SW-8270	Benzo(g,h,i)perylene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<18.1B, U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Chrysene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Di-n-butyl phthalate	A	<18.1B, U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Fluoranthene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Fluorene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Naphthalene	A	21.7	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	Phenol, Total	A	402V	ug/kg dry	1	36.3	36.3	BFG2349	08/16/2022 06:39	KRB
SW-8270	Pyrene	A	<18.1U	ug/kg dry	1	18.1	18.1	BFG2349	08/16/2022 06:39	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*24.7% S*	*60-140*					*08/16/2022 06:39*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*63.8%*	*60-140*					*08/16/2022 06:39*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*80.4%*	*60-140*					*08/16/2022 06:39*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*89.7%*	*60-140*					*08/16/2022 06:39*	
SW-8270	*Surrogate: Phenol-d5-surr*		*100%*	*60-140*					*08/16/2022 06:39*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*11.9% S*	*60-140*					*08/16/2022 06:39*	
Metals, Total										
EPA 200.8	Antimony	N	<0.285U	mg/kg dry	1	0.285	3.54	BFH2149	08/19/2022 10:45	TBB
EPA 200.8	Arsenic	N	28.4	mg/kg dry	1	0.435	1.77	BFH2149	08/19/2022 10:45	TBB
EPA 200.8	Beryllium	N	<0.0354U	mg/kg dry	1	0.0354	0.708	BFH2149	08/19/2022 10:45	TBB
EPA 200.8	Cadmium	N	0.428J	mg/kg dry	1	0.112	3.54	BFH2149	08/19/2022 10:45	TBB
EPA 200.8	Chromium	N	1.86J	mg/kg dry	1	0.260	10.6	BFH2149	08/19/2022 10:45	TBB
EPA 200.8	Copper	N	8.92	mg/kg dry	1	0.308	3.54	BFH2149	08/19/2022 10:45	TBB
Calc	Chromium (III)		<13.7U	mg/kg (dry wt) dry	1	13.7	48.7	[CALC]	08/19/2022 10:45	EM
SW-7196	Chromium (VI)	N	40.0	mg/kg (dry wt) dry	1	13.5	38.1	BFG2216	07/20/2022 17:38	EM
SW-7471B	Mercury	A	0.0378J	mg/kg dry	1	0.0301	0.0602	BFG3636	07/28/2022 16:34	EM
EPA 200.8	Lead	N	0.759J	mg/kg dry	1	0.267	1.77	BFH2149	08/19/2022 10:45	TBB
EPA 200.8	Nickel	N	2.27J	mg/kg dry	1	0.0626	3.54	BFH2149	08/19/2022 10:45	TBB
EPA 200.8	Selenium	N	<3.89U	mg/kg dry	1	3.89	17.7	BFH2149	08/19/2022 10:45	TBB
EPA 200.8	Silver	N	0.123J	mg/kg dry	1	0.0251	1.77	BFH2149	08/19/2022 10:45	TBB
EPA 200.8	Thallium	N	<0.0244U	mg/kg dry	1	0.0244	1.77	BFH2149	08/19/2022 10:45	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 1-4 (Continued)
Lab Sample ID: 22F4225-52
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Zinc	N	200		mg/kg dry	2	2.66	14.2	BFH2149	08/19/2022 11:32	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.5		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 1-4	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-52RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<18.1	U	ug/kg dry	1	18.1	18.1	BFG2349	08/04/2022 06:42	KRB
SW-8270	Anthracene (Rerun)	A	<18.1	U	ug/kg dry	1	18.1	18.1	BFG2349	08/04/2022 06:42	KRB
SW-8270	Phenanthrene (Rerun)	A	<18.1	U	ug/kg dry	1	18.1	18.1	BFG2349	08/04/2022 06:42	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*43.0%*	*S*	*60-140*					*08/04/2022 06:42*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*101%*		*60-140*					*08/04/2022 06:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*132%*		*60-140*					*08/04/2022 06:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*379%*	*S*	*60-140*					*08/04/2022 06:42*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*455%*	*S*	*60-140*					*08/04/2022 06:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*41.9%*	*S*	*60-140*					*08/04/2022 06:42*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results

(Continued)

Client Sample ID: NV-HI-DMMU 1-5
Lab Sample ID: 22F4225-53
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<38.1U	ug/kg dry	1	38.1	38.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Acenaphthene	A	<19.1U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Benzo(a)anthracene	A	<19.1U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Benzo(a)pyrene	A	<19.1U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	benzo(b&k)fluoranthene	A	<38.1U	ug/kg dry	1	38.1	38.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Benzo(g,h,i)perylene	A	<19.1U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<19.1B, U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Chrysene	A	<19.1U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<19.1U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Di-n-butyl phthalate	A	<19.1B, U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Fluoranthene	A	<19.1U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Fluorene	A	<19.1U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<19.1U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Naphthalene	A	24.6	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Phenol, Total	A	568V	ug/kg dry	1	38.1	38.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	Pyrene	A	<19.1U	ug/kg dry	1	19.1	19.1	BFG2349	08/16/2022 07:14	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*23.1% S*	*60-140*					*08/16/2022 07:14*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*64.4%*	*60-140*					*08/16/2022 07:14*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*80.0%*	*60-140*					*08/16/2022 07:14*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*91.6%*	*60-140*					*08/16/2022 07:14*	
SW-8270	*Surrogate: Phenol-d5-surr*		*91.2%*	*60-140*					*08/16/2022 07:14*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*11.2% S*	*60-140*					*08/16/2022 07:14*	
Metals, Total										
EPA 200.8	Antimony	N	<0.272U	mg/kg dry	1	0.272	3.38	BFH2149	08/19/2022 10:47	TBB
EPA 200.8	Arsenic	N	27.7	mg/kg dry	1	0.416	1.69	BFH2149	08/19/2022 10:47	TBB
EPA 200.8	Beryllium	N	<0.0338U	mg/kg dry	1	0.0338	0.676	BFH2149	08/19/2022 10:47	TBB
EPA 200.8	Cadmium	N	0.407J	mg/kg dry	1	0.107	3.38	BFH2149	08/19/2022 10:47	TBB
EPA 200.8	Chromium	N	3.14J	mg/kg dry	1	0.249	10.1	BFH2149	08/19/2022 10:47	TBB
EPA 200.8	Copper	N	9.91	mg/kg dry	1	0.294	3.38	BFH2149	08/19/2022 10:47	TBB
Calc	Chromium (III)		<13.8U	mg/kg (dry wt) dry	1	13.8	48.3	[CALC]	08/19/2022 10:47	EM
SW-7196	Chromium (VI)	N	49.6	mg/kg (dry wt) dry	1	13.5	38.1	BFG2216	07/20/2022 17:39	EM
SW-7471B	Mercury	A	<0.0331U	mg/kg dry	1	0.0331	0.0662	BFG3636	07/28/2022 16:44	EM
EPA 200.8	Lead	N	0.824J	mg/kg dry	1	0.255	1.69	BFH2149	08/19/2022 10:47	TBB
EPA 200.8	Nickel	N	2.83J	mg/kg dry	1	0.0599	3.38	BFH2149	08/19/2022 10:47	TBB
EPA 200.8	Selenium	N	<3.72U	mg/kg dry	1	3.72	16.9	BFH2149	08/19/2022 10:47	TBB
EPA 200.8	Silver	N	0.120J	mg/kg dry	1	0.0240	1.69	BFH2149	08/19/2022 10:47	TBB
EPA 200.8	Thallium	N	<0.0233U	mg/kg dry	1	0.0233	1.69	BFH2149	08/19/2022 10:47	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 1-5 (Continued)
Lab Sample ID: 22F4225-53
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Zinc	N	290		mg/kg dry	5	6.35	33.8	BFH2149	08/19/2022 11:35	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.0		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 1-5	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-53RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<19.1	U	ug/kg dry	1	19.1	19.1	BFG2349	08/04/2022 07:16	KRB
SW-8270	Anthracene (Rerun)	A	<19.1	U	ug/kg dry	1	19.1	19.1	BFG2349	08/04/2022 07:16	KRB
SW-8270	Phenanthrene (Rerun)	A	<19.1	U	ug/kg dry	1	19.1	19.1	BFG2349	08/04/2022 07:16	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*56.1%*	*S*	*60-140*					*08/04/2022 07:16*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*100%*		*60-140*					*08/04/2022 07:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*137%*		*60-140*					*08/04/2022 07:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*313%*	*S*	*60-140*					*08/04/2022 07:16*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*357%*	*S*	*60-140*					*08/04/2022 07:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*23.3%*	*S*	*60-140*					*08/04/2022 07:16*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 2-1
Lab Sample ID: 22F4225-54
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<37.6	U	ug/kg dry	1	37.6	37.6	BFG2755	08/12/2022 18:33	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	318	V	ug/kg dry	1	18.8	18.8	BFG2755	08/12/2022 18:33	KRB
SW-8270	Di-n-butyl phthalate	A	<18.8	U	ug/kg dry	1	18.8	18.8	BFG2755	08/12/2022 18:33	KRB
SW-8270	Phenol, Total	A	1060	V	ug/kg dry	1	37.6	37.6	BFG2755	08/12/2022 18:33	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*45.8%*	*S*	*60-140*					*08/12/2022 18:33*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*97.4%*		*60-140*					*08/12/2022 18:33*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*86.7%*		*60-140*					*08/12/2022 18:33*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*123%*		*60-140*					*08/12/2022 18:33*	
SW-8270	*Surrogate: Phenol-d5-surr*		*235%*	*S*	*60-140*					*08/12/2022 18:33*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*19.7%*	*S*	*60-140*					*08/12/2022 18:33*	
Metals, Total											
EPA 200.8	Antimony	N	<0.309	U	mg/kg dry	1	0.309	3.84	BFH2149	08/19/2022 10:57	TBB
EPA 200.8	Arsenic	N	25.8		mg/kg dry	1	0.472	1.92	BFH2149	08/19/2022 10:57	TBB
EPA 200.8	Beryllium	N	<0.0384	U	mg/kg dry	1	0.0384	0.768	BFH2149	08/19/2022 10:57	TBB
EPA 200.8	Cadmium	N	0.428	J	mg/kg dry	1	0.121	3.84	BFH2149	08/19/2022 10:57	TBB
EPA 200.8	Chromium	N	0.774	J	mg/kg dry	1	0.282	11.5	BFH2149	08/19/2022 10:57	TBB
EPA 200.8	Copper	N	11.4		mg/kg dry	1	0.334	3.84	BFH2149	08/19/2022 10:57	TBB
Calc	Chromium (III)		<15.2	U	mg/kg (dry wt) dry	1	15.2	53.8	[CALC]	08/19/2022 10:57	EM
SW-7196	Chromium (VI)	N	22.7	J	mg/kg (dry wt) dry	1	15.0	42.2	BFG2216	07/20/2022 17:40	EM
SW-7471B	Mercury	A	<0.0381	U	mg/kg dry	1	0.0381	0.0762	BFG3636	07/28/2022 16:48	EM
EPA 200.8	Lead	N	1.11	J	mg/kg dry	1	0.290	1.92	BFH2149	08/19/2022 10:57	TBB
EPA 200.8	Nickel	N	1.90	J	mg/kg dry	1	0.0680	3.84	BFH2149	08/19/2022 10:57	TBB
EPA 200.8	Selenium	N	<4.22	U	mg/kg dry	1	4.22	19.2	BFH2149	08/19/2022 10:57	TBB
EPA 200.8	Silver	N	0.218	J	mg/kg dry	1	0.0273	1.92	BFH2149	08/19/2022 10:57	TBB
EPA 200.8	Thallium	N	<0.0265	U	mg/kg dry	1	0.0265	1.92	BFH2149	08/19/2022 10:57	TBB
EPA 200.8	Zinc	N	233		mg/kg dry	5	7.21	38.4	BFH2149	08/19/2022 11:37	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.7		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 2-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-54RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*52.2%*	*S*	*60-140*					*08/18/2022 18:18*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*88.4%*		*60-140*					*08/18/2022 18:18*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*83.6%*		*60-140*					*08/18/2022 18:18*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.8%*		*60-140*					*08/18/2022 18:18*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*153%*	*S*	*60-140*					*08/18/2022 18:18*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*51.9%*	*S*	*60-140*					*08/18/2022 18:18*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 2-2
Lab Sample ID: 22F4225-55
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<35.6	U	ug/kg dry	1	35.6	35.6	BFG2755	08/12/2022 19:07	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<17.8	B, U	ug/kg dry	1	17.8	17.8	BFG2755	08/12/2022 19:07	KRB
SW-8270	Di-n-butyl phthalate	A	80.2		ug/kg dry	1	17.8	17.8	BFG2755	08/12/2022 19:07	KRB
SW-8270	Phenol, Total	A	727	V	ug/kg dry	1	35.6	35.6	BFG2755	08/12/2022 19:07	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*22.9%*	*S*	*60-140*					*08/12/2022 19:07*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*108%*		*60-140*					*08/12/2022 19:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*105%*		*60-140*					*08/12/2022 19:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*152%*	*S*	*60-140*					*08/12/2022 19:07*	
SW-8270	*Surrogate: Phenol-d5-surr*		*201%*	*S*	*60-140*					*08/12/2022 19:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*33.3%*	*S*	*60-140*					*08/12/2022 19:07*	
Metals, Total											
EPA 200.8	Antimony	N	<0.263	U	mg/kg dry	1	0.263	3.27	BFH2149	08/19/2022 10:59	TBB
EPA 200.8	Arsenic	N	24.6		mg/kg dry	1	0.402	1.63	BFH2149	08/19/2022 10:59	TBB
EPA 200.8	Beryllium	N	<0.0327	U	mg/kg dry	1	0.0327	0.654	BFH2149	08/19/2022 10:59	TBB
EPA 200.8	Cadmium	N	0.442	J	mg/kg dry	1	0.103	3.27	BFH2149	08/19/2022 10:59	TBB
EPA 200.8	Chromium	N	0.847	J	mg/kg dry	1	0.240	9.81	BFH2149	08/19/2022 10:59	TBB
EPA 200.8	Copper	N	9.93		mg/kg dry	1	0.284	3.27	BFH2149	08/19/2022 10:59	TBB
Calc	Chromium (III)		<14.6	U	mg/kg (dry wt) dry	1	14.6	50.3	[CALC]	08/19/2022 10:59	EM
SW-7196	Chromium (VI)	N	80.5		mg/kg (dry wt) dry	1	14.3	40.5	BFG2216	07/20/2022 17:44	EM
SW-7471B	Mercury	A	<0.0349	U	mg/kg dry	1	0.0349	0.0698	BFG3636	07/28/2022 16:51	EM
EPA 200.8	Lead	N	0.847	J	mg/kg dry	1	0.247	1.63	BFH2149	08/19/2022 10:59	TBB
EPA 200.8	Nickel	N	1.87	J	mg/kg dry	1	0.0579	3.27	BFH2149	08/19/2022 10:59	TBB
EPA 200.8	Selenium	N	<3.60	U	mg/kg dry	1	3.60	16.3	BFH2149	08/19/2022 10:59	TBB
EPA 200.8	Silver	N	0.183	J	mg/kg dry	1	0.0232	1.63	BFH2149	08/19/2022 10:59	TBB
EPA 200.8	Thallium	N	<0.0226	U	mg/kg dry	1	0.0226	1.63	BFH2149	08/19/2022 10:59	TBB
EPA 200.8	Zinc	N	79.8		mg/kg dry	1	1.23	6.54	BFH2149	08/19/2022 10:59	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.0		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 2-3
Lab Sample ID: 22F4225-56
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<37.3U	ug/kg dry	1	37.3	37.3	BFG2755	08/12/2022 19:41	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<18.6B, U	ug/kg dry	1	18.6	18.6	BFG2755	08/12/2022 19:41	KRB
SW-8270	Di-n-butyl phthalate	A	<18.6U	ug/kg dry	1	18.6	18.6	BFG2755	08/12/2022 19:41	KRB
SW-8270	Phenol, Total	A	475V	ug/kg dry	1	37.3	37.3	BFG2755	08/12/2022 19:41	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*51.7% S*	*60-140*					*08/12/2022 19:41*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*74.3%*	*60-140*					*08/12/2022 19:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*87.4%*	*60-140*					*08/12/2022 19:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*99.1%*	*60-140*					*08/12/2022 19:41*	
SW-8270	*Surrogate: Phenol-d5-surr*		*151% S*	*60-140*					*08/12/2022 19:41*	
Metals, Total										
EPA 200.8	Antimony	N	<0.319U	mg/kg dry	1	0.319	3.96	BFH2148	08/18/2022 17:04	TBB
EPA 200.8	Arsenic	N	23.5	mg/kg dry	1	0.487	1.98	BFH2148	08/18/2022 17:04	TBB
EPA 200.8	Beryllium	N	<0.0396U	mg/kg dry	1	0.0396	0.792	BFH2148	08/23/2022 13:01	TBB
EPA 200.8	Cadmium	N	0.409J	mg/kg dry	1	0.125	3.96	BFH2148	08/18/2022 17:04	TBB
EPA 200.8	Chromium	N	0.576J	mg/kg dry	1	0.291	11.9	BFH2148	08/19/2022 12:10	TBB
EPA 200.8	Copper	N	9.65	mg/kg dry	1	0.344	3.96	BFH2148	08/19/2022 12:10	TBB
Calc	Chromium (III)		<15.6U	mg/kg (dry wt) dry	1	15.6	55.0	[CALC]	08/19/2022 12:10	EM
SW-7196	Chromium (VI)	N	18.9J	mg/kg (dry wt) dry	1	15.3	43.2	BFG2216	07/20/2022 17:43	EM
EPA 200.8	Lead	N	0.762J	mg/kg dry	1	0.299	1.98	BFH2148	08/18/2022 17:04	TBB
EPA 200.8	Nickel	N	1.83J	mg/kg dry	1	0.0701	3.96	BFH2148	08/19/2022 12:10	TBB
EPA 200.8	Selenium	N	<4.35U	mg/kg dry	1	4.35	19.8	BFH2148	08/19/2022 12:10	TBB
EPA 200.8	Silver	N	0.148J	mg/kg dry	1	0.0281	1.98	BFH2148	08/23/2022 13:01	TBB
EPA 200.8	Thallium	N	<0.0273U	mg/kg dry	1	0.0273	1.98	BFH2148	08/18/2022 17:04	TBB
EPA 200.8	Zinc	N	244	mg/kg dry	5	7.43	39.6	BFH2148	08/19/2022 13:12	TBB
General Chemistry										
SM 2540 G	% Solids	N	12.3	%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 2-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-56RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*29.2%*	*S*	*60-140*					*08/17/2022 08:36*	
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0396	B, U	mg/kg dry	1	0.0396	0.0792	BFH2628	08/18/2022 19:57	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 2-4
Lab Sample ID: 22F4225-57
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<32.1	U	ug/kg dry	1	32.1	32.1	BFG2755	08/12/2022 20:16	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.1	B, U	ug/kg dry	1	16.1	16.1	BFG2755	08/12/2022 20:16	KRB
SW-8270	Di-n-butyl phthalate	A	40.3		ug/kg dry	1	16.1	16.1	BFG2755	08/12/2022 20:16	KRB
SW-8270	Phenol, Total	A	517	V	ug/kg dry	1	32.1	32.1	BFG2755	08/12/2022 20:16	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*51.2%*	*S*	*60-140*					*08/12/2022 20:16*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*102%*		*60-140*					*08/12/2022 20:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*92.7%*		*60-140*					*08/12/2022 20:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*196%*	*S*	*60-140*					*08/12/2022 20:16*	
SW-8270	*Surrogate: Phenol-d5-surr*		*222%*	*S*	*60-140*					*08/12/2022 20:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*19.9%*	*S*	*60-140*					*08/12/2022 20:16*	
Metals, Total											
EPA 200.8	Antimony	N	<0.286	U	mg/kg dry	1	0.286	3.55	BFH2149	08/19/2022 11:01	TBB
EPA 200.8	Arsenic	N	27.3		mg/kg dry	1	0.437	1.78	BFH2149	08/19/2022 11:01	TBB
EPA 200.8	Beryllium	N	<0.0355	U	mg/kg dry	1	0.0355	0.711	BFH2149	08/19/2022 11:01	TBB
EPA 200.8	Cadmium	N	0.447	J	mg/kg dry	1	0.112	3.55	BFH2149	08/19/2022 11:01	TBB
EPA 200.8	Chromium	N	0.646	J	mg/kg dry	1	0.261	10.7	BFH2149	08/19/2022 11:01	TBB
EPA 200.8	Copper	N	8.76		mg/kg dry	1	0.309	3.55	BFH2149	08/19/2022 11:01	TBB
Calc	Chromium (III)		<14.6	U	mg/kg (dry wt) dry	1	14.6	51.2	[CALC]	08/19/2022 11:01	EM
SW-7196	Chromium (VI)	N	18.1	J	mg/kg (dry wt) dry	1	14.3	40.5	BFG2216	07/20/2022 17:47	EM
SW-7471B	Mercury	A	<0.0342	U	mg/kg dry	1	0.0342	0.0684	BFG3636	07/28/2022 16:54	EM
EPA 200.8	Lead	N	0.607	J	mg/kg dry	1	0.268	1.78	BFH2149	08/19/2022 11:01	TBB
EPA 200.8	Nickel	N	1.79	J	mg/kg dry	1	0.0629	3.55	BFH2149	08/19/2022 11:01	TBB
EPA 200.8	Selenium	N	<3.91	U	mg/kg dry	1	3.91	17.8	BFH2149	08/19/2022 11:01	TBB
EPA 200.8	Silver	N	0.0977	J	mg/kg dry	1	0.0252	1.78	BFH2149	08/19/2022 11:01	TBB
EPA 200.8	Thallium	N	<0.0245	U	mg/kg dry	1	0.0245	1.78	BFH2149	08/19/2022 11:01	TBB
EPA 200.8	Zinc	N	330		mg/kg dry	5	6.67	35.5	BFH2149	08/19/2022 11:39	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.3		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 2-5
Lab Sample ID: 22F4225-58
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<36.1	U	ug/kg dry	1	36.1	36.1	BFG2755	08/12/2022 20:50	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<18.0	B, U	ug/kg dry	1	18.0	18.0	BFG2755	08/12/2022 20:50	KRB
SW-8270	Di-n-butyl phthalate	A	40.1		ug/kg dry	1	18.0	18.0	BFG2755	08/12/2022 20:50	KRB
SW-8270	Phenol, Total	A	686	V	ug/kg dry	1	36.1	36.1	BFG2755	08/12/2022 20:50	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*38.7%*	*S*	*60-140*					*08/12/2022 20:50*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*93.4%*		*60-140*					*08/12/2022 20:50*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*86.3%*		*60-140*					*08/12/2022 20:50*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*196%*	*S*	*60-140*					*08/12/2022 20:50*	
SW-8270	*Surrogate: Phenol-d5-surr*		*184%*	*S*	*60-140*					*08/12/2022 20:50*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*21.2%*	*S*	*60-140*					*08/12/2022 20:50*	
Metals, Total											
EPA 200.8	Antimony	N	<0.286	U	mg/kg dry	1	0.286	3.55	BFH2149	08/19/2022 11:04	TBB
EPA 200.8	Arsenic	N	25.2		mg/kg dry	1	0.437	1.77	BFH2149	08/19/2022 11:04	TBB
EPA 200.8	Beryllium	N	<0.0355	U	mg/kg dry	1	0.0355	0.710	BFH2149	08/19/2022 11:04	TBB
EPA 200.8	Cadmium	N	0.468	J	mg/kg dry	1	0.112	3.55	BFH2149	08/19/2022 11:04	TBB
EPA 200.8	Chromium	N	0.932	J	mg/kg dry	1	0.261	10.6	BFH2149	08/19/2022 11:04	TBB
EPA 200.8	Copper	N	8.79		mg/kg dry	1	0.309	3.55	BFH2149	08/19/2022 11:04	TBB
Calc	Chromium (III)		<15.3	U	mg/kg (dry wt) dry	1	15.3	53.2	[CALC]	08/19/2022 11:04	EM
SW-7196	Chromium (VI)	N	<15.1	U	mg/kg (dry wt) dry	1	15.1	42.6	BFG2216	07/20/2022 17:48	EM
SW-7471B	Mercury	A	<0.0363	U	mg/kg dry	1	0.0363	0.0726	BFG3636	07/28/2022 16:58	EM
EPA 200.8	Lead	N	0.720	J	mg/kg dry	1	0.268	1.77	BFH2149	08/19/2022 11:04	TBB
EPA 200.8	Nickel	N	1.84	J	mg/kg dry	1	0.0628	3.55	BFH2149	08/19/2022 11:04	TBB
EPA 200.8	Selenium	N	<3.90	U	mg/kg dry	1	3.90	17.7	BFH2149	08/19/2022 11:04	TBB
EPA 200.8	Silver	N	0.151	J	mg/kg dry	1	0.0252	1.77	BFH2149	08/19/2022 11:04	TBB
EPA 200.8	Thallium	N	<0.0245	U	mg/kg dry	1	0.0245	1.77	BFH2149	08/19/2022 11:04	TBB
EPA 200.8	Zinc	N	82.6		mg/kg dry	1	1.33	7.10	BFH2149	08/19/2022 11:04	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.7		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-1
Lab Sample ID: 22F4225-59
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<42.7U	ug/kg dry	1	42.7	42.7	BFG2349	08/16/2022 07:49	KRB
SW-8270	Acenaphthene	A	<21.4U	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Benzo(a)anthracene	A	<21.4U	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Benzo(a)pyrene	A	<21.4U	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	benzo(b&k)fluoranthene	A	<42.7U	ug/kg dry	1	42.7	42.7	BFG2349	08/16/2022 07:49	KRB
SW-8270	Benzo(g,h,i)perylene	A	<21.4U	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<21.4B, U	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Chrysene	A	<21.4U	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<21.4U	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Di-n-butyl phthalate	A	79.7V	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Fluoranthene	A	<21.4U	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Fluorene	A	25.9	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<21.4U	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Naphthalene	A	31.0	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	Pyrene	A	<21.4U	ug/kg dry	1	21.4	21.4	BFG2349	08/16/2022 07:49	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*8.00% S*	*60-140*					*08/16/2022 07:49*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*58.8% S*	*60-140*					*08/16/2022 07:49*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*72.9%*	*60-140*					*08/16/2022 07:49*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*86.3%*	*60-140*					*08/16/2022 07:49*	
SW-8270	*Surrogate: Phenol-d5-surr*		*110%*	*60-140*					*08/16/2022 07:49*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*16.8% S*	*60-140*					*08/16/2022 07:49*	
Metals, Total										
EPA 200.8	Antimony	N	<0.308U	mg/kg dry	1	0.308	3.83	BFH2148	08/18/2022 17:06	TBB
EPA 200.8	Arsenic	N	16.6	mg/kg dry	1	0.471	1.91	BFH2148	08/18/2022 17:06	TBB
EPA 200.8	Beryllium	N	<0.0383U	mg/kg dry	1	0.0383	0.765	BFH2148	08/23/2022 13:03	TBB
EPA 200.8	Cadmium	N	0.248J	mg/kg dry	1	0.121	3.83	BFH2148	08/18/2022 17:06	TBB
EPA 200.8	Chromium	N	1.01J	mg/kg dry	1	0.281	11.5	BFH2148	08/19/2022 12:12	TBB
EPA 200.8	Copper	N	7.38	mg/kg dry	1	0.333	3.83	BFH2148	08/19/2022 12:12	TBB
Calc	Chromium (III)		<16.9U	mg/kg (dry wt) dry	1	16.9	58.4	[CALC]	08/19/2022 12:12	EM
SW-7196	Chromium (VI)	N	48.4	mg/kg (dry wt) dry	1	16.6	47.0	BFG2216	07/20/2022 17:48	EM
EPA 200.8	Lead	N	0.731J	mg/kg dry	1	0.289	1.91	BFH2148	08/18/2022 17:06	TBB
EPA 200.8	Nickel	N	1.17J	mg/kg dry	1	0.0677	3.83	BFH2148	08/19/2022 12:12	TBB
EPA 200.8	Selenium	N	<4.21U	mg/kg dry	1	4.21	19.1	BFH2148	08/19/2022 12:12	TBB
EPA 200.8	Silver	N	0.179J	mg/kg dry	1	0.0272	1.91	BFH2148	08/23/2022 13:03	TBB
EPA 200.8	Thallium	N	<0.0264U	mg/kg dry	1	0.0264	1.91	BFH2148	08/18/2022 17:06	TBB
EPA 200.8	Zinc	N	66.5	mg/kg dry	1	1.44	7.65	BFH2148	08/19/2022 12:12	TBB
General Chemistry										

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-1 (Continued)
Lab Sample ID: 22F4225-59
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
General Chemistry (Continued)											
SM 2540 G	% Solids	N	11.3		%	1	0.100	0.100	BFG0445	07/07/2022 10:14	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-1
Lab Sample ID: 22F4225-59RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total (Rerun)	A	6680	V	ug/kg dry	10	427	427	BFG2349	08/18/2022 16:22	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*6.83%*	*S*	*60-140*					*08/18/2022 16:22*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*52.2%*	*S*	*60-140*					*08/18/2022 16:22*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*64.7%*		*60-140*					*08/18/2022 16:22*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*90.8%*		*60-140*					*08/18/2022 16:22*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*103%*		*60-140*					*08/18/2022 16:22*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*59.5%*	*S*	*60-140*					*08/18/2022 16:22*	
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0436	B, U	mg/kg dry	1	0.0436	0.0872	BFH2628	08/18/2022 20:00	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 3-1	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-59RE2	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<21.4	U	ug/kg dry	1	21.4	21.4	BFG2349	08/04/2022 07:51	KRB
SW-8270	Anthracene (Rerun)	A	<21.4	U	ug/kg dry	1	21.4	21.4	BFG2349	08/04/2022 07:51	KRB
SW-8270	Phenanthrene (Rerun)	A	<21.4	U	ug/kg dry	1	21.4	21.4	BFG2349	08/04/2022 07:51	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*16.4%*	*S*	*60-140*					*08/04/2022 07:51*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*75.4%*		*60-140*					*08/04/2022 07:51*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*148%*	*S*	*60-140*					*08/04/2022 07:51*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*280%*	*S*	*60-140*					*08/04/2022 07:51*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*291%*	*S*	*60-140*					*08/04/2022 07:51*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*25.1%*	*S*	*60-140*					*08/04/2022 07:51*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-2
Lab Sample ID: 22F4225-60
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 10:23	KRB
SW-8270	Benzo(a)pyrene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 10:23	KRB
SW-8270	Benzo(g,h,i)perylene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 10:23	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 10:23	KRB
SW-8270	Di-n-butyl phthalate	A	148V	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 10:23	KRB
SW-8270	Fluoranthene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 10:23	KRB
SW-8270	Fluorene	A	24.1	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 10:23	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 10:23	KRB
SW-8270	Naphthalene	A	27.5	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 10:23	KRB
SW-8270	Pyrene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 10:23	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*22.1% S*	*60-140*					*08/16/2022 10:23*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*56.0% S*	*60-140*					*08/16/2022 10:23*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*83.9%*	*60-140*					*08/16/2022 10:23*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*79.5%*	*60-140*					*08/16/2022 10:23*	
SW-8270	*Surrogate: Phenol-d5-surr*		*87.2%*	*60-140*					*08/16/2022 10:23*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*10.7% S*	*60-140*					*08/16/2022 10:23*	
Metals, Total										
EPA 200.8	Antimony	N	<0.345U	mg/kg dry	1	0.345	4.28	BFH2148	08/18/2022 17:15	TBB
EPA 200.8	Arsenic	N	17.8	mg/kg dry	1	0.526	2.14	BFH2148	08/18/2022 17:15	TBB
EPA 200.8	Beryllium	N	<0.0428U	mg/kg dry	1	0.0428	0.856	BFH2148	08/23/2022 13:06	TBB
EPA 200.8	Cadmium	N	0.299J	mg/kg dry	1	0.135	4.28	BFH2148	08/18/2022 17:15	TBB
EPA 200.8	Chromium	N	0.819J	mg/kg dry	1	0.315	12.8	BFH2148	08/19/2022 12:14	TBB
EPA 200.8	Copper	N	7.52	mg/kg dry	1	0.372	4.28	BFH2148	08/19/2022 12:14	TBB
Calc	Chromium (III)		<18.0U	mg/kg (dry wt) dry	1	18.0	62.8	[CALC]	08/19/2022 12:14	EM
SW-7196	Chromium (VI)	N	72.3	mg/kg (dry wt) dry	1	17.7	49.9	BFG2216	07/20/2022 17:49	EM
EPA 200.8	Lead	N	0.815J	mg/kg dry	1	0.323	2.14	BFH2148	08/18/2022 17:15	TBB
EPA 200.8	Nickel	N	1.22J	mg/kg dry	1	0.0758	4.28	BFH2148	08/19/2022 12:14	TBB
EPA 200.8	Selenium	N	<4.71U	mg/kg dry	1	4.71	21.4	BFH2148	08/19/2022 12:14	TBB
EPA 200.8	Silver	N	0.146J	mg/kg dry	1	0.0304	2.14	BFH2148	08/23/2022 13:06	TBB
EPA 200.8	Thallium	N	<0.0295U	mg/kg dry	1	0.0295	2.14	BFH2148	08/18/2022 17:15	TBB
EPA 200.8	Zinc	N	417	mg/kg dry	5	8.04	42.8	BFH2148	08/19/2022 13:15	TBB
General Chemistry										
SM 2540 G	% Solids	N	9.67	%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-2
Lab Sample ID: 22F4225-60RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<47.4	U	ug/kg dry	1	47.4	47.4	BFG2349	08/18/2022 12:17	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<23.7	U	ug/kg dry	1	23.7	23.7	BFG2349	08/18/2022 12:17	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<47.4	U	ug/kg dry	1	47.4	47.4	BFG2349	08/18/2022 12:17	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<23.7	B, U	ug/kg dry	1	23.7	23.7	BFG2349	08/18/2022 12:17	KRB
SW-8270	Chrysene (Rerun)	A	<23.7	U	ug/kg dry	1	23.7	23.7	BFG2349	08/18/2022 12:17	KRB
SW-8270	Phenol, Total (Rerun)	A	8280	V	ug/kg dry	10	474	474	BFG2349	08/18/2022 16:57	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*20.1%*	*S*	*60-140*					*08/18/2022 12:17*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*54.6%*	*S*	*60-140*					*08/18/2022 16:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*71.3%*		*60-140*					*08/18/2022 16:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*90.8%*		*60-140*					*08/18/2022 16:57*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*79.1%*		*60-140*					*08/18/2022 16:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*48.6%*	*S*	*60-140*					*08/18/2022 16:57*	
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0496	B, U	mg/kg dry	1	0.0496	0.0993	BFH2628	08/18/2022 20:04	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 3-2	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-60RE2	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<23.7	CQ, U	ug/kg dry	1	23.7	23.7	BFG2349	08/04/2022 09:00	KRB
SW-8270	Anthracene (Rerun)	A	<23.7	U	ug/kg dry	1	23.7	23.7	BFG2349	08/04/2022 09:00	KRB
SW-8270	Phenanthrene (Rerun)	A	<23.7	U	ug/kg dry	1	23.7	23.7	BFG2349	08/04/2022 09:00	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*23.4%*	*S*	*60-140*					*08/04/2022 09:00*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*78.1%*		*60-140*					*08/04/2022 09:00*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*118%*		*60-140*					*08/04/2022 09:00*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*242%*	*S*	*60-140*					*08/04/2022 09:00*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*249%*	*S*	*60-140*					*08/04/2022 09:00*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*26.6%*	*S*	*60-140*					*08/04/2022 09:00*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-3
Lab Sample ID: 22F4225-61
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<20.5U	ug/kg dry	1	20.5	20.5	BFG2349	08/16/2022 10:58	KRB
SW-8270	Benzo(a)pyrene	A	<20.5U	ug/kg dry	1	20.5	20.5	BFG2349	08/16/2022 10:58	KRB
SW-8270	Benzo(g,h,i)perylene	A	<20.5U	ug/kg dry	1	20.5	20.5	BFG2349	08/16/2022 10:58	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<20.5U	ug/kg dry	1	20.5	20.5	BFG2349	08/16/2022 10:58	KRB
SW-8270	Di-n-butyl phthalate	A	112V	ug/kg dry	1	20.5	20.5	BFG2349	08/16/2022 10:58	KRB
SW-8270	Fluoranthene	A	<20.5U	ug/kg dry	1	20.5	20.5	BFG2349	08/16/2022 10:58	KRB
SW-8270	Fluorene	A	22.8	ug/kg dry	1	20.5	20.5	BFG2349	08/16/2022 10:58	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<20.5U	ug/kg dry	1	20.5	20.5	BFG2349	08/16/2022 10:58	KRB
SW-8270	Naphthalene	A	27.0	ug/kg dry	1	20.5	20.5	BFG2349	08/16/2022 10:58	KRB
SW-8270	Pyrene	A	<20.5U	ug/kg dry	1	20.5	20.5	BFG2349	08/16/2022 10:58	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*2.96% S*	*60-140*					*08/16/2022 10:58*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*53.9% S*	*60-140*					*08/16/2022 10:58*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*51.7% S*	*60-140*					*08/16/2022 10:58*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*76.5%*	*60-140*					*08/16/2022 10:58*	
SW-8270	*Surrogate: Phenol-d5-surr*		*94.0%*	*60-140*					*08/16/2022 10:58*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*28.4% S*	*60-140*					*08/16/2022 10:58*	
Metals, Total										
EPA 200.8	Antimony	N	<0.344U	mg/kg dry	1	0.344	4.28	BFH2148	08/18/2022 17:17	TBB
EPA 200.8	Arsenic	N	16.5	mg/kg dry	1	0.526	2.14	BFH2148	08/18/2022 17:17	TBB
EPA 200.8	Beryllium	N	<0.0428U	mg/kg dry	1	0.0428	0.856	BFH2148	08/23/2022 13:16	TBB
EPA 200.8	Cadmium	N	0.302J	mg/kg dry	1	0.135	4.28	BFH2148	08/18/2022 17:17	TBB
EPA 200.8	Chromium	N	1.03J	mg/kg dry	1	0.314	12.8	BFH2148	08/19/2022 12:16	TBB
EPA 200.8	Copper	N	8.86	mg/kg dry	1	0.372	4.28	BFH2148	08/19/2022 12:16	TBB
Calc	Chromium (III)		<17.2U	mg/kg (dry wt) dry	1	17.2	60.7	[CALC]	08/19/2022 12:16	EM
SW-7196	Chromium (VI)	N	35.5J	mg/kg (dry wt) dry	1	16.9	47.8	BFG2216	07/20/2022 17:51	EM
SW-7471B	Mercury	A	<0.0382U	mg/kg dry	1	0.0382	0.0763	BFG3636	07/28/2022 17:01	EM
EPA 200.8	Lead	N	0.660J	mg/kg dry	1	0.323	2.14	BFH2148	08/18/2022 17:17	TBB
EPA 200.8	Nickel	N	1.19J	mg/kg dry	1	0.0757	4.28	BFH2148	08/19/2022 12:16	TBB
EPA 200.8	Selenium	N	<4.71U	mg/kg dry	1	4.71	21.4	BFH2148	08/19/2022 12:16	TBB
EPA 200.8	Silver	N	0.208J	mg/kg dry	1	0.0304	2.14	BFH2148	08/23/2022 13:16	TBB
EPA 200.8	Thallium	N	<0.0295U	mg/kg dry	1	0.0295	2.14	BFH2148	08/18/2022 17:17	TBB
EPA 200.8	Zinc	N	67.1	mg/kg dry	1	1.61	8.56	BFH2148	08/19/2022 12:16	TBB
General Chemistry										
SM 2540 G	% Solids	N	10.6	%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-3
Lab Sample ID: 22F4225-61RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<40.9	U	ug/kg dry	1	40.9	40.9	BFG2349	08/18/2022 12:52	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<20.5	U	ug/kg dry	1	20.5	20.5	BFG2349	08/18/2022 12:52	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<40.9	U	ug/kg dry	1	40.9	40.9	BFG2349	08/18/2022 12:52	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	27.2	V	ug/kg dry	1	20.5	20.5	BFG2349	08/18/2022 12:52	KRB
SW-8270	Chrysene (Rerun)	A	<20.5	U	ug/kg dry	1	20.5	20.5	BFG2349	08/18/2022 12:52	KRB
SW-8270	Phenol, Total (Rerun)	A	7830	V	ug/kg dry	10	409	409	BFG2349	08/18/2022 17:31	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*3.12%*	*S*	*60-140*					*08/18/2022 12:52*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*56.8%*	*S*	*60-140*					*08/18/2022 17:31*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*47.3%*	*S*	*60-140*					*08/18/2022 17:31*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*92.1%*		*60-140*					*08/18/2022 17:31*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*88.3%*		*60-140*					*08/18/2022 17:31*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*56.9%*	*S*	*60-140*					*08/18/2022 17:31*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-3
Lab Sample ID: 22F4225-61RE2
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<20.5	CQ, U	ug/kg dry	1	20.5	20.5	BFG2349	08/04/2022 09:34	KRB
SW-8270	Anthracene (Rerun)	A	<20.5	U	ug/kg dry	1	20.5	20.5	BFG2349	08/04/2022 09:34	KRB
SW-8270	Phenanthrene (Rerun)	A	<20.5	U	ug/kg dry	1	20.5	20.5	BFG2349	08/04/2022 09:34	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*12.4%*	*S*	*60-140*					*08/04/2022 09:34*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*62.3%*		*60-140*					*08/04/2022 09:34*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*111%*		*60-140*					*08/04/2022 09:34*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*277%*	*S*	*60-140*					*08/04/2022 09:34*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*371%*	*S*	*60-140*					*08/04/2022 09:34*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*32.1%*	*S*	*60-140*					*08/04/2022 09:34*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-4
Lab Sample ID: 22F4225-62
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 11:44	KRB
SW-8270	Benzo(a)pyrene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 11:44	KRB
SW-8270	Benzo(g,h,i)perylene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 11:44	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 11:44	KRB
SW-8270	Di-n-butyl phthalate	A	213V	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 11:44	KRB
SW-8270	Fluoranthene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 11:44	KRB
SW-8270	Fluorene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 11:44	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 11:44	KRB
SW-8270	Naphthalene	A	27.4	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 11:44	KRB
SW-8270	Pyrene	A	<23.7U	ug/kg dry	1	23.7	23.7	BFG2349	08/16/2022 11:44	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*13.0% S*	*60-140*					*08/16/2022 11:44*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*57.8% S*	*60-140*					*08/16/2022 11:44*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*82.8%*	*60-140*					*08/16/2022 11:44*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*83.5%*	*60-140*					*08/16/2022 11:44*	
SW-8270	*Surrogate: Phenol-d5-surr*		*120%*	*60-140*					*08/16/2022 11:44*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*17.5% S*	*60-140*					*08/16/2022 11:44*	
Metals, Total										
EPA 200.8	Antimony	N	<0.335U	mg/kg dry	1	0.335	4.16	BFH2148	08/18/2022 17:20	TBB
EPA 200.8	Arsenic	N	15.3	mg/kg dry	1	0.512	2.08	BFH2148	08/18/2022 17:20	TBB
EPA 200.8	Beryllium	N	<0.0416U	mg/kg dry	1	0.0416	0.832	BFH2148	08/23/2022 13:19	TBB
EPA 200.8	Cadmium	N	0.273J	mg/kg dry	1	0.132	4.16	BFH2148	08/18/2022 17:20	TBB
EPA 200.8	Chromium	N	1.52J	mg/kg dry	1	0.306	12.5	BFH2148	08/19/2022 12:19	TBB
EPA 200.8	Copper	N	7.76	mg/kg dry	1	0.362	4.16	BFH2148	08/19/2022 12:19	TBB
Calc	Chromium (III)		<17.8U	mg/kg (dry wt) dry	1	17.8	61.8	[CALC]	08/19/2022 12:19	EM
SW-7196	Chromium (VI)	N	47.2J	mg/kg (dry wt) dry	1	17.4	49.3	BFG2216	07/20/2022 17:51	EM
SW-7471B	Mercury	A	<0.0410U	mg/kg dry	1	0.0410	0.0820	BFG3636	07/28/2022 17:04	EM
EPA 200.8	Lead	N	0.684J	mg/kg dry	1	0.314	2.08	BFH2148	08/18/2022 17:20	TBB
EPA 200.8	Nickel	N	1.48J	mg/kg dry	1	0.0737	4.16	BFH2148	08/19/2022 12:19	TBB
EPA 200.8	Selenium	N	<4.58U	mg/kg dry	1	4.58	20.8	BFH2148	08/19/2022 12:19	TBB
EPA 200.8	Silver	N	0.165J	mg/kg dry	1	0.0295	2.08	BFH2148	08/23/2022 13:19	TBB
EPA 200.8	Thallium	N	<0.0287U	mg/kg dry	1	0.0287	2.08	BFH2148	08/18/2022 17:20	TBB
EPA 200.8	Zinc	N	331	mg/kg dry	5	7.81	41.6	BFH2148	08/19/2022 13:17	TBB
General Chemistry										
SM 2540 G	% Solids	N	10.5	%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-4
Lab Sample ID: 22F4225-62RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<47.4	U	ug/kg dry	1	47.4	47.4	BFG2349	08/18/2022 13:27	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<23.7	U	ug/kg dry	1	23.7	23.7	BFG2349	08/18/2022 13:27	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<47.4	U	ug/kg dry	1	47.4	47.4	BFG2349	08/18/2022 13:27	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	28.1	V	ug/kg dry	1	23.7	23.7	BFG2349	08/18/2022 13:27	KRB
SW-8270	Chrysene (Rerun)	A	<23.7	U	ug/kg dry	1	23.7	23.7	BFG2349	08/18/2022 13:27	KRB
SW-8270	Phenol, Total (Rerun)	A	7980	V	ug/kg dry	10	474	474	BFG2349	08/18/2022 18:06	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*11.8%*	*S*	*60-140*					*08/18/2022 13:27*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*61.3%*		*60-140*					*08/18/2022 18:06*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*75.0%*		*60-140*					*08/18/2022 18:06*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*91.2%*		*60-140*					*08/18/2022 18:06*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*119%*		*60-140*					*08/18/2022 18:06*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*53.9%*	*S*	*60-140*					*08/18/2022 18:06*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 3-4	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-62RE2	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<23.7	CQ, U	ug/kg dry	1	23.7	23.7	BFG2349	08/04/2022 10:08	KRB
SW-8270	Anthracene (Rerun)	A	<23.7	U	ug/kg dry	1	23.7	23.7	BFG2349	08/04/2022 10:08	KRB
SW-8270	Phenanthrene (Rerun)	A	<23.7	U	ug/kg dry	1	23.7	23.7	BFG2349	08/04/2022 10:08	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*16.9%*	*S*	*60-140*					*08/04/2022 10:08*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*64.8%*		*60-140*					*08/04/2022 10:08*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*95.7%*		*60-140*					*08/04/2022 10:08*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*210%*	*S*	*60-140*					*08/04/2022 10:08*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*197%*	*S*	*60-140*					*08/04/2022 10:08*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*21.6%*	*S*	*60-140*					*08/04/2022 10:08*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-5
Lab Sample ID: 22F4225-63
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2349	08/16/2022 12:19	KRB
SW-8270	Benzo(a)pyrene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2349	08/16/2022 12:19	KRB
SW-8270	Benzo(g,h,i)perylene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2349	08/16/2022 12:19	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2349	08/16/2022 12:19	KRB
SW-8270	Di-n-butyl phthalate	A	113V	ug/kg dry	1	21.9	21.9	BFG2349	08/16/2022 12:19	KRB
SW-8270	Fluoranthene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2349	08/16/2022 12:19	KRB
SW-8270	Fluorene	A	22.9	ug/kg dry	1	21.9	21.9	BFG2349	08/16/2022 12:19	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2349	08/16/2022 12:19	KRB
SW-8270	Naphthalene	A	24.9	ug/kg dry	1	21.9	21.9	BFG2349	08/16/2022 12:19	KRB
SW-8270	Pyrene	A	<21.9U	ug/kg dry	1	21.9	21.9	BFG2349	08/16/2022 12:19	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*4.97% S*	*60-140*					*08/16/2022 12:19*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*65.1%*	*60-140*					*08/16/2022 12:19*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*62.1%*	*60-140*					*08/16/2022 12:19*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*83.4%*	*60-140*					*08/16/2022 12:19*	
SW-8270	*Surrogate: Phenol-d5-surr*		*107%*	*60-140*					*08/16/2022 12:19*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*32.3% S*	*60-140*					*08/16/2022 12:19*	
Metals, Total										
EPA 200.8	Antimony	N	<0.329U	mg/kg dry	1	0.329	4.08	BFH2148	08/18/2022 17:22	TBB
EPA 200.8	Arsenic	N	18.0	mg/kg dry	1	0.502	2.04	BFH2148	08/18/2022 17:22	TBB
EPA 200.8	Beryllium	N	<0.0408U	mg/kg dry	1	0.0408	0.817	BFH2148	08/23/2022 13:21	TBB
EPA 200.8	Cadmium	N	0.288J	mg/kg dry	1	0.129	4.08	BFH2148	08/18/2022 17:22	TBB
EPA 200.8	Chromium	N	1.01J	mg/kg dry	1	0.300	12.3	BFH2148	08/19/2022 12:28	TBB
EPA 200.8	Copper	N	8.45	mg/kg dry	1	0.355	4.08	BFH2148	08/19/2022 12:28	TBB
Calc	Chromium (III)		<15.7U	mg/kg (dry wt) dry	1	15.7	55.8	[CALC]	08/19/2022 12:28	EM
SW-7196	Chromium (VI)	N	30.8J	mg/kg (dry wt) dry	1	15.4	43.5	BFG2216	07/20/2022 17:52	EM
SW-7471B	Mercury	A	<0.0441U	mg/kg dry	1	0.0441	0.0882	BFG3636	07/28/2022 17:07	EM
EPA 200.8	Lead	N	0.667J	mg/kg dry	1	0.308	2.04	BFH2148	08/18/2022 17:22	TBB
EPA 200.8	Nickel	N	1.25J	mg/kg dry	1	0.0723	4.08	BFH2148	08/19/2022 12:28	TBB
EPA 200.8	Selenium	N	<4.49U	mg/kg dry	1	4.49	20.4	BFH2148	08/23/2022 13:21	TBB
EPA 200.8	Silver	N	0.207J	mg/kg dry	1	0.0290	2.04	BFH2148	08/23/2022 13:21	TBB
EPA 200.8	Thallium	N	<0.0282U	mg/kg dry	1	0.0282	2.04	BFH2148	08/18/2022 17:22	TBB
EPA 200.8	Zinc	N	60.5	mg/kg dry	1	1.53	8.17	BFH2148	08/19/2022 12:28	TBB
General Chemistry										
SM 2540 G	% Solids	N	10.8	%	1	0.100	0.100	BFG0446	07/07/2022 10:26	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-5
Lab Sample ID: 22F4225-63RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<43.8	U	ug/kg dry	1	43.8	43.8	BFG2349	08/18/2022 14:02	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<21.9	U	ug/kg dry	1	21.9	21.9	BFG2349	08/18/2022 14:02	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<43.8	U	ug/kg dry	1	43.8	43.8	BFG2349	08/18/2022 14:02	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	46.5	V	ug/kg dry	1	21.9	21.9	BFG2349	08/18/2022 14:02	KRB
SW-8270	Chrysene (Rerun)	A	<21.9	U	ug/kg dry	1	21.9	21.9	BFG2349	08/18/2022 14:02	KRB
SW-8270	Phenol, Total (Rerun)	A	5610	V	ug/kg dry	10	438	438	BFG2349	08/18/2022 18:41	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*4.40%*	*S*	*60-140*					*08/18/2022 14:02*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*64.1%*		*60-140*					*08/18/2022 18:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*49.7%*	*S*	*60-140*					*08/18/2022 18:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*96.8%*		*60-140*					*08/18/2022 18:41*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*117%*		*60-140*					*08/18/2022 18:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*58.0%*	*S*	*60-140*					*08/18/2022 18:41*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 3-5
Lab Sample ID: 22F4225-63RE2
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<21.9	CQ, U	ug/kg dry	1	21.9	21.9	BFG2349	08/04/2022 10:43	KRB
SW-8270	Anthracene (Rerun)	A	<21.9	U	ug/kg dry	1	21.9	21.9	BFG2349	08/04/2022 10:43	KRB
SW-8270	Phenanthrene (Rerun)	A	<21.9	U	ug/kg dry	1	21.9	21.9	BFG2349	08/04/2022 10:43	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*10.2%*	*S*	*60-140*					*08/04/2022 10:43*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*66.4%*		*60-140*					*08/04/2022 10:43*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*97.4%*		*60-140*					*08/04/2022 10:43*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*216%*	*S*	*60-140*					*08/04/2022 10:43*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*192%*	*S*	*60-140*					*08/04/2022 10:43*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*26.2%*	*S*	*60-140*					*08/04/2022 10:43*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 4-1
Lab Sample ID: 22F4225-64
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<35.3	U	ug/kg dry	1	35.3	35.3	BFG2755	08/12/2022 21:24	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<17.6	B, U	ug/kg dry	1	17.6	17.6	BFG2755	08/12/2022 21:24	KRB
SW-8270	Di-n-butyl phthalate	A	38.8		ug/kg dry	1	17.6	17.6	BFG2755	08/12/2022 21:24	KRB
SW-8270	Phenol, Total	A	611	V	ug/kg dry	1	35.3	35.3	BFG2755	08/12/2022 21:24	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*29.6%*	*S*	*60-140*					*08/12/2022 21:24*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*103%*		*60-140*					*08/12/2022 21:24*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*69.9%*		*60-140*					*08/12/2022 21:24*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*181%*	*S*	*60-140*					*08/12/2022 21:24*	
SW-8270	*Surrogate: Phenol-d5-surr*		*122%*		*60-140*					*08/12/2022 21:24*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*30.7%*	*S*	*60-140*					*08/12/2022 21:24*	
Metals, Total											
EPA 200.8	Antimony	N	<0.265	U	mg/kg dry	1	0.265	3.29	BFH2148	08/18/2022 17:24	TBB
EPA 200.8	Arsenic	N	22.4		mg/kg dry	1	0.404	1.64	BFH2148	08/18/2022 17:24	TBB
EPA 200.8	Beryllium	N	<0.0329	U	mg/kg dry	1	0.0329	0.657	BFH2148	08/23/2022 13:24	TBB
EPA 200.8	Cadmium	N	0.374	J	mg/kg dry	1	0.104	3.29	BFH2148	08/18/2022 17:24	TBB
EPA 200.8	Chromium	N	1.55	J	mg/kg dry	1	0.242	9.86	BFH2148	08/19/2022 12:30	TBB
EPA 200.8	Copper	N	10.4		mg/kg dry	1	0.286	3.29	BFH2148	08/19/2022 12:30	TBB
Calc	Chromium (III)		<13.9	U	mg/kg (dry wt) dry	1	13.9	48.4	[CALC]	08/19/2022 12:30	EM
SW-7196	Chromium (VI)	N	78.8		mg/kg (dry wt) dry	1	13.6	38.5	BFG2216	07/20/2022 17:53	EM
EPA 200.8	Lead	N	0.673	J	mg/kg dry	1	0.248	1.64	BFH2148	08/18/2022 17:24	TBB
EPA 200.8	Nickel	N	2.01	J	mg/kg dry	1	0.0582	3.29	BFH2148	08/19/2022 12:30	TBB
EPA 200.8	Selenium	N	<3.62	U	mg/kg dry	1	3.62	16.4	BFH2148	08/23/2022 13:24	TBB
EPA 200.8	Silver	N	0.0983	J	mg/kg dry	1	0.0233	1.64	BFH2148	08/23/2022 13:24	TBB
EPA 200.8	Thallium	N	<0.0227	U	mg/kg dry	1	0.0227	1.64	BFH2148	08/18/2022 17:24	TBB
EPA 200.8	Zinc	N	230		mg/kg dry	5	6.17	32.9	BFH2148	08/19/2022 13:20	TBB
General Chemistry											
SM 2540 G	% Solids	N	14.0		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 4-1
Lab Sample ID: 22F4225-64RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0334	B, U	mg/kg dry	1	0.0334	0.0668	BFH2628	08/18/2022 20:17	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 4-2
Lab Sample ID: 22F4225-65
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<34.8	U	ug/kg dry	1	34.8	34.8	BFG2755	08/12/2022 21:58	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<17.4	B, U	ug/kg dry	1	17.4	17.4	BFG2755	08/12/2022 21:58	KRB
SW-8270	Di-n-butyl phthalate	A	29.7		ug/kg dry	1	17.4	17.4	BFG2755	08/12/2022 21:58	KRB
SW-8270	Phenol, Total	A	427	V	ug/kg dry	1	34.8	34.8	BFG2755	08/12/2022 21:58	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*42.1%*	*S*	*60-140*					*08/12/2022 21:58*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*83.4%*		*60-140*					*08/12/2022 21:58*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*82.1%*		*60-140*					*08/12/2022 21:58*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*109%*		*60-140*					*08/12/2022 21:58*	
SW-8270	*Surrogate: Phenol-d5-surr*		*112%*		*60-140*					*08/12/2022 21:58*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*22.7%*	*S*	*60-140*					*08/12/2022 21:58*	
Metals, Total											
EPA 200.8	Antimony	N	<0.256	U	mg/kg dry	1	0.256	3.18	BFH2148	08/18/2022 17:27	TBB
EPA 200.8	Arsenic	N	26.2		mg/kg dry	1	0.391	1.59	BFH2148	08/18/2022 17:27	TBB
EPA 200.8	Beryllium	N	<0.0318	U	mg/kg dry	1	0.0318	0.635	BFH2148	08/23/2022 13:26	TBB
EPA 200.8	Cadmium	N	0.397	J	mg/kg dry	1	0.100	3.18	BFH2148	08/18/2022 17:27	TBB
EPA 200.8	Chromium	N	1.19	J	mg/kg dry	1	0.234	9.53	BFH2148	08/19/2022 12:33	TBB
EPA 200.8	Copper	N	10.1		mg/kg dry	1	0.276	3.18	BFH2148	08/19/2022 12:33	TBB
Calc	Chromium (III)		<13.5	U	mg/kg (dry wt) dry	1	13.5	47.0	[CALC]	08/19/2022 12:33	EM
SW-7196	Chromium (VI)	N	37.7		mg/kg (dry wt) dry	1	13.2	37.4	BFG2216	07/20/2022 17:54	EM
EPA 200.8	Lead	N	0.641	J	mg/kg dry	1	0.240	1.59	BFH2148	08/18/2022 17:27	TBB
EPA 200.8	Nickel	N	2.04	J	mg/kg dry	1	0.0562	3.18	BFH2148	08/19/2022 12:33	TBB
EPA 200.8	Selenium	N	<3.49	U	mg/kg dry	1	3.49	15.9	BFH2148	08/23/2022 18:31	TBB
EPA 200.8	Silver	N	0.0943	J	mg/kg dry	1	0.0226	1.59	BFH2148	08/23/2022 13:26	TBB
EPA 200.8	Thallium	N	<0.0219	U	mg/kg dry	1	0.0219	1.59	BFH2148	08/18/2022 17:27	TBB
EPA 200.8	Zinc	N	243		mg/kg dry	5	5.97	31.8	BFH2148	08/19/2022 13:29	TBB
General Chemistry											
SM 2540 G	% Solids	N	14.1		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 4-2
Lab Sample ID: 22F4225-65RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0352	B, U	mg/kg dry	1	0.0352	0.0704	BFH2628	08/18/2022 20:20	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 4-3
Lab Sample ID: 22F4225-66
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<32.6	U	ug/kg dry	1	32.6	32.6	BFG2755	08/12/2022 22:33	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.3	B, U	ug/kg dry	1	16.3	16.3	BFG2755	08/12/2022 22:33	KRB
SW-8270	Di-n-butyl phthalate	A	32.8		ug/kg dry	1	16.3	16.3	BFG2755	08/12/2022 22:33	KRB
SW-8270	Phenol, Total	A	622	V	ug/kg dry	1	32.6	32.6	BFG2755	08/12/2022 22:33	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*33.8%*	*S*	*60-140*					*08/12/2022 22:33*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*115%*		*60-140*					*08/12/2022 22:33*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*58.1%*	*S*	*60-140*					*08/12/2022 22:33*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*87.3%*		*60-140*					*08/12/2022 22:33*	
SW-8270	*Surrogate: Phenol-d5-surr*		*90.0%*		*60-140*					*08/12/2022 22:33*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*20.8%*	*S*	*60-140*					*08/12/2022 22:33*	
Metals, Total											
EPA 200.8	Antimony	N	<0.249	U	mg/kg dry	1	0.249	3.09	BFH2148	08/18/2022 17:36	TBB
EPA 200.8	Arsenic	N	25.1		mg/kg dry	1	0.381	1.55	BFH2148	08/18/2022 17:36	TBB
EPA 200.8	Beryllium	N	<0.0309	U	mg/kg dry	1	0.0309	0.619	BFH2148	08/23/2022 13:29	TBB
EPA 200.8	Cadmium	N	0.385	J	mg/kg dry	1	0.0978	3.09	BFH2148	08/18/2022 17:36	TBB
EPA 200.8	Chromium	N	2.07	J	mg/kg dry	1	0.227	9.28	BFH2148	08/19/2022 12:42	TBB
EPA 200.8	Copper	N	10.4		mg/kg dry	1	0.269	3.09	BFH2148	08/19/2022 12:42	TBB
Calc	Chromium (III)		<12.8	U	mg/kg (dry wt) dry	1	12.8	44.7	[CALC]	08/19/2022 12:42	EM
SW-7196	Chromium (VI)	N	<12.6	U	mg/kg (dry wt) dry	1	12.6	35.5	BFG2440	07/22/2022 17:15	EM
SW-7471B	Mercury	A	0.0379	J	mg/kg dry	1	0.0296	0.0592	BFG3636	07/28/2022 17:11	EM
EPA 200.8	Lead	N	0.564	J	mg/kg dry	1	0.234	1.55	BFH2148	08/18/2022 17:36	TBB
EPA 200.8	Nickel	N	2.28	J	mg/kg dry	1	0.0548	3.09	BFH2148	08/19/2022 12:42	TBB
EPA 200.8	Selenium	N	<3.40	U	mg/kg dry	1	3.40	15.5	BFH2148	08/23/2022 14:22	TBB
EPA 200.8	Silver	N	0.0851	J	mg/kg dry	1	0.0220	1.55	BFH2148	08/23/2022 13:29	TBB
EPA 200.8	Thallium	N	<0.0213	U	mg/kg dry	1	0.0213	1.55	BFH2148	08/18/2022 17:36	TBB
EPA 200.8	Zinc	N	176		mg/kg dry	5	5.81	30.9	BFH2148	08/19/2022 13:34	TBB
General Chemistry											
SM 2540 G	% Solids	N	14.7		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 4-4
Lab Sample ID: 22F4225-67
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<33.9	U	ug/kg dry	1	33.9	33.9	BFG2755	08/12/2022 23:07	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.9	B, U	ug/kg dry	1	16.9	16.9	BFG2755	08/12/2022 23:07	KRB
SW-8270	Di-n-butyl phthalate	A	35.1		ug/kg dry	1	16.9	16.9	BFG2755	08/12/2022 23:07	KRB
SW-8270	Phenol, Total	A	488	V	ug/kg dry	1	33.9	33.9	BFG2755	08/12/2022 23:07	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*33.0%*	*S*	*60-140*					*08/12/2022 23:07*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*79.2%*		*60-140*					*08/12/2022 23:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*81.1%*		*60-140*					*08/12/2022 23:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*143%*	*S*	*60-140*					*08/12/2022 23:07*	
SW-8270	*Surrogate: Phenol-d5-surr*		*115%*		*60-140*					*08/12/2022 23:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*23.5%*	*S*	*60-140*					*08/12/2022 23:07*	
Metals, Total											
EPA 200.8	Antimony	N	<0.264	U	mg/kg dry	1	0.264	3.28	BFH2148	08/18/2022 17:45	TBB
EPA 200.8	Arsenic	N	23.7		mg/kg dry	1	0.403	1.64	BFH2148	08/18/2022 17:45	TBB
EPA 200.8	Beryllium	N	<0.0328	U	mg/kg dry	1	0.0328	0.655	BFH2148	08/23/2022 13:39	TBB
EPA 200.8	Cadmium	N	0.389	J	mg/kg dry	1	0.104	3.28	BFH2148	08/18/2022 17:45	TBB
EPA 200.8	Chromium	N	1.06	J	mg/kg dry	1	0.241	9.83	BFH2148	08/19/2022 12:44	TBB
EPA 200.8	Copper	N	10.2		mg/kg dry	1	0.285	3.28	BFH2148	08/19/2022 12:44	TBB
Calc	Chromium (III)		<13.3	U	mg/kg (dry wt) dry	1	13.3	46.8	[CALC]	08/19/2022 12:44	EM
SW-7196	Chromium (VI)	N	<13.1	U	mg/kg (dry wt) dry	1	13.1	37.0	BFG2440	07/22/2022 17:17	EM
SW-7471B	Mercury	A	0.0347	J	mg/kg dry	1	0.0323	0.0645	BFG3636	07/28/2022 17:14	EM
EPA 200.8	Lead	N	0.632	J	mg/kg dry	1	0.247	1.64	BFH2148	08/18/2022 17:45	TBB
EPA 200.8	Nickel	N	1.93	J	mg/kg dry	1	0.0580	3.28	BFH2148	08/19/2022 12:44	TBB
EPA 200.8	Selenium	N	<3.60	U	mg/kg dry	1	3.60	16.4	BFH2148	08/23/2022 18:34	TBB
EPA 200.8	Silver	N	0.104	J	mg/kg dry	1	0.0233	1.64	BFH2148	08/23/2022 13:39	TBB
EPA 200.8	Thallium	N	<0.0226	U	mg/kg dry	1	0.0226	1.64	BFH2148	08/18/2022 17:45	TBB
EPA 200.8	Zinc	N	236		mg/kg dry	5	6.15	32.8	BFH2148	08/19/2022 13:36	TBB
General Chemistry											
SM 2540 G	% Solids	N	14.1		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 4-5
Lab Sample ID: 22F4225-68
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<32.2	U	ug/kg dry	1	32.2	32.2	BFG2755	08/12/2022 23:41	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.1	B, U	ug/kg dry	1	16.1	16.1	BFG2755	08/12/2022 23:41	KRB
SW-8270	Di-n-butyl phthalate	A	31.9		ug/kg dry	1	16.1	16.1	BFG2755	08/12/2022 23:41	KRB
SW-8270	Phenol, Total	A	666	V	ug/kg dry	1	32.2	32.2	BFG2755	08/12/2022 23:41	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*17.5%*	*S*	*60-140*					*08/12/2022 23:41*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*92.5%*		*60-140*					*08/12/2022 23:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*59.7%*	*S*	*60-140*					*08/12/2022 23:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*121%*		*60-140*					*08/12/2022 23:41*	
SW-8270	*Surrogate: Phenol-d5-surr*		*110%*		*60-140*					*08/12/2022 23:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*17.5%*	*S*	*60-140*					*08/12/2022 23:41*	
Metals, Total											
EPA 200.8	Antimony	N	<0.248	U	mg/kg dry	1	0.248	3.08	BFH2148	08/18/2022 17:47	TBB
EPA 200.8	Arsenic	N	24.9		mg/kg dry	1	0.378	1.54	BFH2148	08/18/2022 17:47	TBB
EPA 200.8	Beryllium	N	<0.0308	U	mg/kg dry	1	0.0308	0.615	BFH2148	08/23/2022 18:36	TBB
EPA 200.8	Cadmium	N	0.397	J	mg/kg dry	1	0.0972	3.08	BFH2148	08/18/2022 17:47	TBB
EPA 200.8	Chromium	N	1.10	J	mg/kg dry	1	0.226	9.23	BFH2148	08/19/2022 12:47	TBB
EPA 200.8	Copper	N	9.77		mg/kg dry	1	0.268	3.08	BFH2148	08/19/2022 12:47	TBB
Calc	Chromium (III)		<13.4	U	mg/kg (dry wt) dry	1	13.4	46.6	[CALC]	08/19/2022 12:47	EM
SW-7196	Chromium (VI)	N	<13.2	U	mg/kg (dry wt) dry	1	13.2	37.3	BFG2440	07/22/2022 17:20	EM
SW-7471B	Mercury	A	<0.0342	U	mg/kg dry	1	0.0342	0.0685	BFG3636	07/28/2022 17:24	EM
EPA 200.8	Lead	N	0.594	J	mg/kg dry	1	0.232	1.54	BFH2148	08/18/2022 17:47	TBB
EPA 200.8	Nickel	N	1.94	J	mg/kg dry	1	0.0545	3.08	BFH2148	08/19/2022 12:47	TBB
EPA 200.8	Selenium	N	<3.38	U	mg/kg dry	1	3.38	15.4	BFH2148	08/23/2022 13:49	TBB
EPA 200.8	Silver	N	0.138	J	mg/kg dry	1	0.0218	1.54	BFH2148	08/23/2022 13:49	TBB
EPA 200.8	Thallium	N	<0.0212	U	mg/kg dry	1	0.0212	1.54	BFH2148	08/18/2022 17:47	TBB
EPA 200.8	Zinc	N	149		mg/kg dry	2	2.31	12.3	BFH2148	08/19/2022 13:39	TBB
General Chemistry											
SM 2540 G	% Solids	N	14.1		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 5-1
Lab Sample ID: 22F4225-69
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<34.4U	ug/kg dry	1	34.4	34.4	BFG2755	08/13/2022 00:15	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<17.2B, U	ug/kg dry	1	17.2	17.2	BFG2755	08/13/2022 00:15	KRB
SW-8270	Di-n-butyl phthalate	A	19.1	ug/kg dry	1	17.2	17.2	BFG2755	08/13/2022 00:15	KRB
SW-8270	Phenol, Total	A	648V	ug/kg dry	1	34.4	34.4	BFG2755	08/13/2022 00:15	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*37.9% S*	*60-140*					*08/13/2022 00:15*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*103%*	*60-140*					*08/13/2022 00:15*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*77.0%*	*60-140*					*08/13/2022 00:15*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*106%*	*60-140*					*08/13/2022 00:15*	
SW-8270	*Surrogate: Phenol-d5-surr*		*125%*	*60-140*					*08/13/2022 00:15*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*22.1% S*	*60-140*					*08/13/2022 00:15*	
Metals, Total										
EPA 200.8	Antimony	N	<0.258U	mg/kg dry	1	0.258	3.20	BFH1110	08/15/2022 11:41	TBB
EPA 200.8	Arsenic	N	22.7	mg/kg dry	1	0.394	1.60	BFH1110	08/16/2022 11:16	TBB
EPA 200.8	Beryllium	N	<0.0320U	mg/kg dry	1	0.0320	0.640	BFH1110	08/23/2022 16:15	TBB
EPA 200.8	Cadmium	N	0.346J	mg/kg dry	1	0.101	3.20	BFH1110	08/15/2022 11:41	TBB
EPA 200.8	Chromium	N	0.736J	mg/kg dry	1	0.235	9.60	BFH1110	08/15/2022 11:41	TBB
EPA 200.8	Copper	N	10.9	mg/kg dry	1	0.278	3.20	BFH1110	08/15/2022 11:41	TBB
Calc	Chromium (III)		<15.0U	mg/kg (dry wt) dry	1	15.0	51.4	[CALC]	08/15/2022 11:41	EM
SW-7196	Chromium (VI)	N	<14.8U	mg/kg (dry wt) dry	1	14.8	41.8	BFG2440	07/22/2022 17:23	EM
SW-7471B	Mercury	A	0.0423J	mg/kg dry	1	0.0339	0.0677	BFH0643	08/04/2022 17:29	EM
EPA 200.8	Lead	N	0.732J	mg/kg dry	1	0.242	1.60	BFH1110	08/15/2022 11:41	TBB
EPA 200.8	Nickel	N	1.52J	mg/kg dry	1	0.0566	3.20	BFH1110	08/15/2022 11:41	TBB
EPA 200.8	Selenium	N	<3.52U	mg/kg dry	1	3.52	16.0	BFH1110	08/23/2022 16:15	TBB
EPA 200.8	Silver	N	0.151J	mg/kg dry	1	0.0227	1.60	BFH1110	08/15/2022 11:41	TBB
EPA 200.8	Thallium	N	<0.0221U	mg/kg dry	1	0.0221	1.60	BFH1110	08/15/2022 11:41	TBB
EPA 200.8	Zinc	N	164	mg/kg dry	2	2.40	12.8	BFH1110	08/16/2022 12:09	TBB
General Chemistry										
SM 2540 G	% Solids	N	12.8	%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 5-2
Lab Sample ID: 22F4225-70
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Bis(2-ethylhexyl)phthalate	A	<18.3B, U	ug/kg dry	1	18.3	18.3	BFG2755	08/13/2022 00:50	KRB
SW-8270	Phenol, Total	A	741V	ug/kg dry	1	36.5	36.5	BFG2755	08/13/2022 00:50	KRB
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.1%*	*60-140*					*08/13/2022 00:50*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*125%*	*60-140*					*08/13/2022 00:50*	
SW-8270	*Surrogate: Phenol-d5-surr*		*124%*	*60-140*					*08/13/2022 00:50*	
Metals, Total										
EPA 200.8	Antimony	N	<0.296U	mg/kg dry	1	0.296	3.68	BFH1110	08/15/2022 11:43	TBB
EPA 200.8	Arsenic	N	23.3	mg/kg dry	1	0.453	1.84	BFH1110	08/16/2022 11:18	TBB
EPA 200.8	Beryllium	N	<0.0368U	mg/kg dry	1	0.0368	0.736	BFH1110	08/23/2022 16:18	TBB
EPA 200.8	Cadmium	N	0.348J	mg/kg dry	1	0.116	3.68	BFH1110	08/15/2022 11:43	TBB
EPA 200.8	Chromium	N	0.807J	mg/kg dry	1	0.271	11.0	BFH1110	08/15/2022 11:43	TBB
EPA 200.8	Copper	N	8.77	mg/kg dry	1	0.320	3.68	BFH1110	08/15/2022 11:43	TBB
Calc	Chromium (III)		<14.9U	mg/kg (dry wt) dry	1	14.9	52.3	[CALC]	08/15/2022 11:43	EM
SW-7196	Chromium (VI)	N	<14.6U	mg/kg (dry wt) dry	1	14.6	41.3	BFG2440	07/22/2022 17:26	EM
SW-7471B	Mercury	A	0.0587J	mg/kg dry	1	0.0351	0.0703	BFH0373	08/03/2022 17:21	EM
EPA 200.8	Lead	N	0.599J	mg/kg dry	1	0.278	1.84	BFH1110	08/15/2022 11:43	TBB
EPA 200.8	Nickel	N	1.52J	mg/kg dry	1	0.0651	3.68	BFH1110	08/15/2022 11:43	TBB
EPA 200.8	Selenium	N	<4.05U	mg/kg dry	1	4.05	18.4	BFH1110	08/23/2022 16:18	TBB
EPA 200.8	Silver	N	0.114J	mg/kg dry	1	0.0261	1.84	BFH1110	08/15/2022 11:43	TBB
EPA 200.8	Thallium	N	<0.0254U	mg/kg dry	1	0.0254	1.84	BFH1110	08/15/2022 11:43	TBB
EPA 200.8	Zinc	N	79.7	mg/kg dry	1	1.38	7.36	BFH1110	08/16/2022 11:18	TBB
General Chemistry										
SM 2540 G	% Solids	N	12.8	%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 5-2	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-70RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<36.5	U	ug/kg dry	1	36.5	36.5	BFG2755	08/17/2022 09:10	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2755	08/17/2022 09:10	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*29.1%*	*S*	*60-140*					*08/17/2022 09:10*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*76.0%*		*60-140*					*08/17/2022 09:10*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*36.1%*	*S*	*60-140*					*08/17/2022 09:10*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 5-3
Lab Sample ID: 22F4225-71
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<33.6	U	ug/kg dry	1	33.6	33.6	BFG2755	08/13/2022 01:24	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.8	B, U	ug/kg dry	1	16.8	16.8	BFG2755	08/13/2022 01:24	KRB
SW-8270	Di-n-butyl phthalate	A	32.7		ug/kg dry	1	16.8	16.8	BFG2755	08/13/2022 01:24	KRB
SW-8270	Phenol, Total	A	726	V	ug/kg dry	1	33.6	33.6	BFG2755	08/13/2022 01:24	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*29.6%*	*S*	*60-140*					*08/13/2022 01:24*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*107%*		*60-140*					*08/13/2022 01:24*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*67.8%*		*60-140*					*08/13/2022 01:24*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*151%*	*S*	*60-140*					*08/13/2022 01:24*	
SW-8270	*Surrogate: Phenol-d5-surr*		*127%*		*60-140*					*08/13/2022 01:24*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*23.8%*	*S*	*60-140*					*08/13/2022 01:24*	
Metals, Total											
EPA 200.8	Antimony	N	<0.291	U	mg/kg dry	1	0.291	3.61	BFH1110	08/15/2022 11:45	TBB
EPA 200.8	Arsenic	N	23.5		mg/kg dry	1	0.444	1.80	BFH1110	08/16/2022 11:27	TBB
EPA 200.8	Beryllium	N	<0.0361	U	mg/kg dry	1	0.0361	0.722	BFH1110	08/23/2022 16:20	TBB
EPA 200.8	Cadmium	N	0.309	J	mg/kg dry	1	0.114	3.61	BFH1110	08/15/2022 11:45	TBB
EPA 200.8	Chromium	N	0.751	J	mg/kg dry	1	0.265	10.8	BFH1110	08/15/2022 11:45	TBB
EPA 200.8	Copper	N	9.27		mg/kg dry	1	0.314	3.61	BFH1110	08/15/2022 11:45	TBB
Calc	Chromium (III)		<15.4	U	mg/kg (dry wt) dry	1	15.4	53.5	[CALC]	08/15/2022 11:45	EM
SW-7196	Chromium (VI)	N	<15.1	U	mg/kg (dry wt) dry	1	15.1	42.7	BFG2440	07/22/2022 17:28	EM
SW-7471B	Mercury	A	0.0384	J	mg/kg dry	1	0.0355	0.0711	BFH0373	08/03/2022 17:24	EM
EPA 200.8	Lead	N	0.691	J	mg/kg dry	1	0.272	1.80	BFH1110	08/15/2022 11:45	TBB
EPA 200.8	Nickel	N	1.49	J	mg/kg dry	1	0.0639	3.61	BFH1110	08/15/2022 11:45	TBB
EPA 200.8	Selenium	N	<3.97	U	mg/kg dry	1	3.97	18.0	BFH1110	08/23/2022 16:20	TBB
EPA 200.8	Silver	N	0.249	J	mg/kg dry	1	0.0256	1.80	BFH1110	08/15/2022 11:45	TBB
EPA 200.8	Thallium	N	<0.0249	U	mg/kg dry	1	0.0249	1.80	BFH1110	08/15/2022 11:45	TBB
EPA 200.8	Zinc	N	532		mg/kg dry	5	6.78	36.1	BFH1110	08/16/2022 12:11	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.8		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 5-4
Lab Sample ID: 22F4225-72
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<33.0	U	ug/kg dry	1	33.0	33.0	BFG2755	08/13/2022 01:58	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.5	B, U	ug/kg dry	1	16.5	16.5	BFG2755	08/13/2022 01:58	KRB
SW-8270	Di-n-butyl phthalate	A	19.6		ug/kg dry	1	16.5	16.5	BFG2755	08/13/2022 01:58	KRB
SW-8270	Phenol, Total	A	571	V	ug/kg dry	1	33.0	33.0	BFG2755	08/13/2022 01:58	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*38.7%*	*S*	*60-140*					*08/13/2022 01:58*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*103%*		*60-140*					*08/13/2022 01:58*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*64.5%*		*60-140*					*08/13/2022 01:58*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*146%*	*S*	*60-140*					*08/13/2022 01:58*	
SW-8270	*Surrogate: Phenol-d5-surr*		*117%*		*60-140*					*08/13/2022 01:58*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*18.1%*	*S*	*60-140*					*08/13/2022 01:58*	
Metals, Total											
EPA 200.8	Antimony	N	<0.247	U	mg/kg dry	1	0.247	3.07	BFH1110	08/15/2022 11:48	TBB
EPA 200.8	Arsenic	N	22.3		mg/kg dry	1	0.377	1.53	BFH1110	08/16/2022 11:30	TBB
EPA 200.8	Beryllium	N	<0.0307	U	mg/kg dry	1	0.0307	0.613	BFH1110	08/23/2022 16:23	TBB
EPA 200.8	Cadmium	N	0.341	J	mg/kg dry	1	0.0969	3.07	BFH1110	08/15/2022 11:48	TBB
EPA 200.8	Chromium	N	0.783	J	mg/kg dry	1	0.225	9.20	BFH1110	08/15/2022 11:48	TBB
EPA 200.8	Copper	N	9.17		mg/kg dry	1	0.267	3.07	BFH1110	08/15/2022 11:48	TBB
Calc	Chromium (III)		<14.3	U	mg/kg (dry wt) dry	1	14.3	48.9	[CALC]	08/15/2022 11:48	EM
SW-7196	Chromium (VI)	N	<14.1	U	mg/kg (dry wt) dry	1	14.1	39.7	BFG2440	07/22/2022 17:39	EM
SW-7471B	Mercury	A	0.0563	J	mg/kg dry	1	0.0315	0.0630	BFH0373	08/03/2022 17:27	EM
EPA 200.8	Lead	N	0.586	J	mg/kg dry	1	0.231	1.53	BFH1110	08/15/2022 11:48	TBB
EPA 200.8	Nickel	N	1.37	J	mg/kg dry	1	0.0543	3.07	BFH1110	08/15/2022 11:48	TBB
EPA 200.8	Selenium	N	<3.37	U	mg/kg dry	1	3.37	15.3	BFH1110	08/23/2022 16:23	TBB
EPA 200.8	Silver	N	0.132	J	mg/kg dry	1	0.0218	1.53	BFH1110	08/15/2022 11:48	TBB
EPA 200.8	Thallium	N	<0.0212	U	mg/kg dry	1	0.0212	1.53	BFH1110	08/15/2022 11:48	TBB
EPA 200.8	Zinc	N	174		mg/kg dry	5	5.76	30.7	BFH1110	08/16/2022 12:14	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.5		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 5-5
Lab Sample ID: 22F4225-73
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<36.0	U	ug/kg dry	1	36.0	36.0	BFG2755	08/13/2022 03:07	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<18.0	B, U	ug/kg dry	1	18.0	18.0	BFG2755	08/13/2022 03:07	KRB
SW-8270	Di-n-butyl phthalate	A	42.5		ug/kg dry	1	18.0	18.0	BFG2755	08/13/2022 03:07	KRB
SW-8270	Phenol, Total	A	657	V	ug/kg dry	1	36.0	36.0	BFG2755	08/13/2022 03:07	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*35.2%*	*S*	*60-140*					*08/13/2022 03:07*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*116%*		*60-140*					*08/13/2022 03:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*71.1%*		*60-140*					*08/13/2022 03:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*160%*	*S*	*60-140*					*08/13/2022 03:07*	
SW-8270	*Surrogate: Phenol-d5-surr*		*102%*		*60-140*					*08/13/2022 03:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*19.9%*	*S*	*60-140*					*08/13/2022 03:07*	
Metals, Total											
EPA 200.8	Antimony	N	<0.257	U	mg/kg dry	1	0.257	3.20	BFH1110	08/15/2022 11:57	TBB
EPA 200.8	Arsenic	N	22.0		mg/kg dry	1	0.393	1.60	BFH1110	08/16/2022 11:39	TBB
EPA 200.8	Beryllium	N	<0.0320	U	mg/kg dry	1	0.0320	0.639	BFH1110	08/23/2022 16:33	TBB
EPA 200.8	Cadmium	N	0.325	J	mg/kg dry	1	0.101	3.20	BFH1110	08/15/2022 11:57	TBB
EPA 200.8	Chromium	N	0.878	J	mg/kg dry	1	0.235	9.59	BFH1110	08/15/2022 11:57	TBB
EPA 200.8	Copper	N	8.18		mg/kg dry	1	0.278	3.20	BFH1110	08/15/2022 11:57	TBB
Calc	Chromium (III)		<14.2	U	mg/kg (dry wt) dry	1	14.2	49.1	[CALC]	08/15/2022 11:57	EM
SW-7196	Chromium (VI)	N	<14.0	U	mg/kg (dry wt) dry	1	14.0	39.6	BFG2440	07/22/2022 17:33	EM
SW-7471B	Mercury	A	0.0462	J	mg/kg dry	1	0.0329	0.0658	BFH0373	08/03/2022 17:31	EM
EPA 200.8	Lead	N	0.768	J	mg/kg dry	1	0.241	1.60	BFH1110	08/15/2022 11:57	TBB
EPA 200.8	Nickel	N	1.49	J	mg/kg dry	1	0.0566	3.20	BFH1110	08/15/2022 11:57	TBB
EPA 200.8	Selenium	N	<3.52	U	mg/kg dry	1	3.52	16.0	BFH1110	08/23/2022 16:33	TBB
EPA 200.8	Silver	N	0.119	J	mg/kg dry	1	0.0227	1.60	BFH1110	08/15/2022 11:57	TBB
EPA 200.8	Thallium	N	<0.0221	U	mg/kg dry	1	0.0221	1.60	BFH1110	08/15/2022 11:57	TBB
EPA 200.8	Zinc	N	324		mg/kg dry	5	6.00	32.0	BFH1110	08/16/2022 12:18	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.2		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 6-1
Lab Sample ID: 22F4225-74
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<32.2	U	ug/kg dry	1	32.2	32.2	BFG2755	08/13/2022 03:41	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.1	B, U	ug/kg dry	1	16.1	16.1	BFG2755	08/13/2022 03:41	KRB
SW-8270	Di-n-butyl phthalate	A	40.8		ug/kg dry	1	16.1	16.1	BFG2755	08/13/2022 03:41	KRB
SW-8270	Phenol, Total	A	840	V	ug/kg dry	1	32.2	32.2	BFG2755	08/13/2022 03:41	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*27.0%*	*S*	*60-140*					*08/13/2022 03:41*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*101%*		*60-140*					*08/13/2022 03:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*77.1%*		*60-140*					*08/13/2022 03:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*140%*		*60-140*					*08/13/2022 03:41*	
SW-8270	*Surrogate: Phenol-d5-surr*		*141%*	*S*	*60-140*					*08/13/2022 03:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*19.9%*	*S*	*60-140*					*08/13/2022 03:41*	
Metals, Total											
EPA 200.8	Antimony	N	<0.255	U	mg/kg dry	1	0.255	3.17	BFH1110	08/15/2022 12:06	TBB
EPA 200.8	Arsenic	N	23.9		mg/kg dry	1	0.390	1.58	BFH1110	08/16/2022 11:41	TBB
EPA 200.8	Beryllium	N	<0.0317	U	mg/kg dry	1	0.0317	0.634	BFH1110	08/23/2022 17:58	TBB
EPA 200.8	Cadmium	N	0.349	J	mg/kg dry	1	0.100	3.17	BFH1110	08/15/2022 12:06	TBB
EPA 200.8	Chromium	N	0.470	J	mg/kg dry	1	0.233	9.51	BFH1110	08/15/2022 12:06	TBB
EPA 200.8	Copper	N	9.98		mg/kg dry	1	0.276	3.17	BFH1110	08/15/2022 12:06	TBB
Calc	Chromium (III)		<14.2	U	mg/kg (dry wt) dry	1	14.2	49.0	[CALC]	08/15/2022 12:06	EM
SW-7196	Chromium (VI)	N	18.8	J	mg/kg (dry wt) dry	1	14.0	39.5	BFG2213	07/18/2022 18:03	EM
SW-7471B	Mercury	A	0.0674	J	mg/kg dry	1	0.0347	0.0693	BFH0373	08/03/2022 17:34	EM
EPA 200.8	Lead	N	0.564	J	mg/kg dry	1	0.239	1.58	BFH1110	08/16/2022 11:41	TBB
EPA 200.8	Nickel	N	1.48	J	mg/kg dry	1	0.0561	3.17	BFH1110	08/15/2022 12:06	TBB
EPA 200.8	Selenium	N	<3.49	U	mg/kg dry	1	3.49	15.8	BFH1110	08/23/2022 17:58	TBB
EPA 200.8	Silver	N	0.144	J	mg/kg dry	1	0.0225	1.58	BFH1110	08/15/2022 12:06	TBB
EPA 200.8	Thallium	N	<0.0219	U	mg/kg dry	1	0.0219	1.58	BFH1110	08/16/2022 11:41	TBB
EPA 200.8	Zinc	N	82.8		mg/kg dry	1	1.19	6.34	BFH1110	08/16/2022 11:41	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.5		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 6-2
Lab Sample ID: 22F4225-75
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<33.7	U	ug/kg dry	1	33.7	33.7	BFG2755	08/13/2022 04:15	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.8	B, U	ug/kg dry	1	16.8	16.8	BFG2755	08/13/2022 04:15	KRB
SW-8270	Di-n-butyl phthalate	A	<16.8	U	ug/kg dry	1	16.8	16.8	BFG2755	08/13/2022 04:15	KRB
SW-8270	Phenol, Total	A	661	V	ug/kg dry	1	33.7	33.7	BFG2755	08/13/2022 04:15	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*38.3%*	*S*	*60-140*					*08/13/2022 04:15*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*145%*	*S*	*60-140*					*08/13/2022 04:15*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*89.7%*		*60-140*					*08/13/2022 04:15*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*137%*		*60-140*					*08/13/2022 04:15*	
SW-8270	*Surrogate: Phenol-d5-surr*		*134%*		*60-140*					*08/13/2022 04:15*	
Metals, Total											
EPA 200.8	Antimony	N	<0.262	U	mg/kg dry	1	0.262	3.25	BFH1110	08/15/2022 12:09	TBB
EPA 200.8	Arsenic	N	23.2		mg/kg dry	1	0.400	1.63	BFH1110	08/16/2022 11:43	TBB
EPA 200.8	Beryllium	N	<0.0325	U	mg/kg dry	1	0.0325	0.651	BFH1110	08/23/2022 18:01	TBB
EPA 200.8	Cadmium	N	0.385	J	mg/kg dry	1	0.103	3.25	BFH1110	08/15/2022 12:09	TBB
EPA 200.8	Chromium	N	1.96	J	mg/kg dry	1	0.239	9.76	BFH1110	08/15/2022 12:09	TBB
EPA 200.8	Copper	N	8.80		mg/kg dry	1	0.283	3.25	BFH1110	08/15/2022 12:09	TBB
Calc	Chromium (III)		<14.6	U	mg/kg (dry wt) dry	1	14.6	50.4	[CALC]	08/15/2022 12:09	EM
SW-7196	Chromium (VI)	N	<14.4	U	mg/kg (dry wt) dry	1	14.4	40.6	BFG2213	07/18/2022 18:04	EM
SW-7471B	Mercury	A	<0.0351	U	mg/kg dry	1	0.0351	0.0701	BFH0373	08/03/2022 17:37	EM
EPA 200.8	Lead	N	0.651	J	mg/kg dry	1	0.246	1.63	BFH1110	08/16/2022 11:43	TBB
EPA 200.8	Nickel	N	2.36	J	mg/kg dry	1	0.0576	3.25	BFH1110	08/15/2022 12:09	TBB
EPA 200.8	Selenium	N	<3.58	U	mg/kg dry	1	3.58	16.3	BFH1110	08/23/2022 18:01	TBB
EPA 200.8	Silver	N	0.117	J	mg/kg dry	1	0.0231	1.63	BFH1110	08/15/2022 12:09	TBB
EPA 200.8	Thallium	N	<0.0225	U	mg/kg dry	1	0.0225	1.63	BFH1110	08/16/2022 11:43	TBB
EPA 200.8	Zinc	N	75.2		mg/kg dry	1	1.22	6.51	BFH1110	08/16/2022 11:43	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.3		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results

(Continued)

Client Sample ID:	NV-HI-DMMU 6-2	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-75RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*29.1%*	*S*	*60-140*					*08/17/2022 09:44*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 6-3
Lab Sample ID: 22F4225-76
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<34.9	U	ug/kg dry	1	34.9	34.9	BFG2755	08/13/2022 04:49	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<17.5	B, U	ug/kg dry	1	17.5	17.5	BFG2755	08/13/2022 04:49	KRB
SW-8270	Di-n-butyl phthalate	A	59.7		ug/kg dry	1	17.5	17.5	BFG2755	08/13/2022 04:49	KRB
SW-8270	Phenol, Total	A	675	V	ug/kg dry	1	34.9	34.9	BFG2755	08/13/2022 04:49	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*27.2%*	*S*	*60-140*					*08/13/2022 04:49*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*102%*		*60-140*					*08/13/2022 04:49*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*72.5%*		*60-140*					*08/13/2022 04:49*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*142%*	*S*	*60-140*					*08/13/2022 04:49*	
SW-8270	*Surrogate: Phenol-d5-surr*		*145%*	*S*	*60-140*					*08/13/2022 04:49*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*19.7%*	*S*	*60-140*					*08/13/2022 04:49*	
Metals, Total											
EPA 200.8	Antimony	N	<0.265	U	mg/kg dry	1	0.265	3.30	BFH1110	08/15/2022 12:11	TBB
EPA 200.8	Arsenic	N	23.6		mg/kg dry	1	0.405	1.65	BFH1110	08/16/2022 11:46	TBB
EPA 200.8	Beryllium	N	<0.0330	U	mg/kg dry	1	0.0330	0.659	BFH1110	08/23/2022 18:03	TBB
EPA 200.8	Cadmium	N	0.396	J	mg/kg dry	1	0.104	3.30	BFH1110	08/15/2022 12:11	TBB
EPA 200.8	Chromium	N	1.10	J	mg/kg dry	1	0.242	9.89	BFH1110	08/15/2022 12:11	TBB
EPA 200.8	Copper	N	8.41		mg/kg dry	1	0.287	3.30	BFH1110	08/15/2022 12:11	TBB
Calc	Chromium (III)		<13.8	U	mg/kg (dry wt) dry	1	13.8	48.2	[CALC]	08/15/2022 12:11	EM
SW-7196	Chromium (VI)	N	20.0	J	mg/kg (dry wt) dry	1	13.6	38.3	BFG2213	07/18/2022 18:05	EM
SW-7471B	Mercury	A	<0.0350	U	mg/kg dry	1	0.0350	0.0700	BFH0373	08/03/2022 17:47	EM
EPA 200.8	Lead	N	0.674	J	mg/kg dry	1	0.249	1.65	BFH1110	08/16/2022 11:46	TBB
EPA 200.8	Nickel	N	2.14	J	mg/kg dry	1	0.0583	3.30	BFH1110	08/15/2022 12:11	TBB
EPA 200.8	Selenium	N	<3.63	U	mg/kg dry	1	3.63	16.5	BFH1110	08/23/2022 18:03	TBB
EPA 200.8	Silver	N	0.119	J	mg/kg dry	1	0.0234	1.65	BFH1110	08/15/2022 12:11	TBB
EPA 200.8	Thallium	N	<0.0227	U	mg/kg dry	1	0.0227	1.65	BFH1110	08/16/2022 11:46	TBB
EPA 200.8	Zinc	N	157		mg/kg dry	5	6.19	33.0	BFH1110	08/16/2022 12:28	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.1		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 6-4
Lab Sample ID: 22F4225-77
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<33.6	U	ug/kg dry	1	33.6	33.6	BFG2755	08/13/2022 05:24	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.8	B, U	ug/kg dry	1	16.8	16.8	BFG2755	08/13/2022 05:24	KRB
SW-8270	Di-n-butyl phthalate	A	32.5		ug/kg dry	1	16.8	16.8	BFG2755	08/13/2022 05:24	KRB
SW-8270	Phenol, Total	A	862	V	ug/kg dry	1	33.6	33.6	BFG2755	08/13/2022 05:24	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*28.4%*	*S*	*60-140*					*08/13/2022 05:24*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*121%*		*60-140*					*08/13/2022 05:24*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*78.2%*		*60-140*					*08/13/2022 05:24*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*171%*	*S*	*60-140*					*08/13/2022 05:24*	
SW-8270	*Surrogate: Phenol-d5-surr*		*158%*	*S*	*60-140*					*08/13/2022 05:24*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*18.6%*	*S*	*60-140*					*08/13/2022 05:24*	
Metals, Total											
EPA 200.8	Antimony	N	<0.266	U	mg/kg dry	1	0.266	3.31	BFH1110	08/16/2022 11:48	TBB
EPA 200.8	Arsenic	N	24.8		mg/kg dry	1	0.407	1.65	BFH1110	08/16/2022 11:48	TBB
EPA 200.8	Beryllium	N	<0.0331	U	mg/kg dry	1	0.0331	0.662	BFH1110	08/23/2022 18:06	TBB
EPA 200.8	Cadmium	N	0.458	J	mg/kg dry	1	0.105	3.31	BFH1110	08/16/2022 11:48	TBB
EPA 200.8	Chromium	N	0.652	J	mg/kg dry	1	0.243	9.93	BFH1110	08/15/2022 12:13	TBB
EPA 200.8	Copper	N	8.30		mg/kg dry	1	0.288	3.31	BFH1110	08/15/2022 12:13	TBB
Calc	Chromium (III)		<14.7	U	mg/kg (dry wt) dry	1	14.7	50.8	[CALC]	08/15/2022 12:13	EM
SW-7196	Chromium (VI)	N	<14.5	U	mg/kg (dry wt) dry	1	14.5	40.9	BFG2213	07/18/2022 18:06	EM
SW-7471B	Mercury	A	<0.0356	U	mg/kg dry	1	0.0356	0.0713	BFH0373	08/03/2022 17:51	EM
EPA 200.8	Lead	N	0.767	J	mg/kg dry	1	0.250	1.65	BFH1110	08/16/2022 11:48	TBB
EPA 200.8	Nickel	N	1.68	J	mg/kg dry	1	0.0586	3.31	BFH1110	08/15/2022 12:13	TBB
EPA 200.8	Selenium	N	<3.64	U	mg/kg dry	1	3.64	16.5	BFH1110	08/23/2022 18:06	TBB
EPA 200.8	Silver	N	0.169	J	mg/kg dry	1	0.0235	1.65	BFH1110	08/16/2022 11:48	TBB
EPA 200.8	Thallium	N	<0.0228	U	mg/kg dry	1	0.0228	1.65	BFH1110	08/16/2022 11:48	TBB
EPA 200.8	Zinc	N	207		mg/kg dry	5	6.21	33.1	BFH1110	08/16/2022 12:30	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.9		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 6-5
Lab Sample ID: 22F4225-78
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol	A	<38.6	U	ug/kg dry	1	38.6	38.6	BFG2755	08/13/2022 05:58	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<19.3	B, U	ug/kg dry	1	19.3	19.3	BFG2755	08/13/2022 05:58	KRB
SW-8270	Di-n-butyl phthalate	A	62.4		ug/kg dry	1	19.3	19.3	BFG2755	08/13/2022 05:58	KRB
SW-8270	Phenol, Total	A	962	V	ug/kg dry	1	38.6	38.6	BFG2755	08/13/2022 05:58	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*11.2%*	*S*	*60-140*					*08/13/2022 05:58*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*63.3%*		*60-140*					*08/13/2022 05:58*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*98.5%*		*60-140*					*08/13/2022 05:58*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*122%*		*60-140*					*08/13/2022 05:58*	
SW-8270	*Surrogate: Phenol-d5-surr*		*130%*		*60-140*					*08/13/2022 05:58*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*22.5%*	*S*	*60-140*					*08/13/2022 05:58*	
Metals, Total											
EPA 200.8	Antimony	N	<0.295	U	mg/kg dry	1	0.295	3.66	BFH1110	08/15/2022 12:16	TBB
EPA 200.8	Arsenic	N	25.6		mg/kg dry	1	0.450	1.83	BFH1110	08/16/2022 11:57	TBB
EPA 200.8	Beryllium	N	<0.0366	U	mg/kg dry	1	0.0366	0.732	BFH1110	08/23/2022 18:08	TBB
EPA 200.8	Cadmium	N	0.434	J	mg/kg dry	1	0.116	3.66	BFH1110	08/15/2022 12:16	TBB
EPA 200.8	Chromium	N	0.876	J	mg/kg dry	1	0.269	11.0	BFH1110	08/15/2022 12:16	TBB
EPA 200.8	Copper	N	9.10		mg/kg dry	1	0.319	3.66	BFH1110	08/15/2022 12:16	TBB
Calc	Chromium (III)		<14.1	U	mg/kg (dry wt) dry	1	14.1	50.0	[CALC]	08/15/2022 12:16	EM
SW-7196	Chromium (VI)	N	25.0	J	mg/kg (dry wt) dry	1	13.8	39.1	BFG2213	07/18/2022 18:08	EM
SW-7471B	Mercury	A	0.0706		mg/kg dry	1	0.0317	0.0633	BFH0373	08/03/2022 17:54	EM
EPA 200.8	Lead	N	0.970	J	mg/kg dry	1	0.276	1.83	BFH1110	08/16/2022 11:57	TBB
EPA 200.8	Nickel	N	2.16	J	mg/kg dry	1	0.0648	3.66	BFH1110	08/15/2022 12:16	TBB
EPA 200.8	Selenium	N	<4.03	U	mg/kg dry	1	4.03	18.3	BFH1110	08/23/2022 18:08	TBB
EPA 200.8	Silver	N	0.190	J	mg/kg dry	1	0.0260	1.83	BFH1110	08/15/2022 12:16	TBB
EPA 200.8	Thallium	N	<0.0253	U	mg/kg dry	1	0.0253	1.83	BFH1110	08/16/2022 11:57	TBB
EPA 200.8	Zinc	N	96.7		mg/kg dry	1	1.37	7.32	BFH1110	08/16/2022 11:57	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.8		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-1
Lab Sample ID: 22F4225-79
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<17.7U	ug/kg dry	1	17.7	17.7	BFG2349	08/16/2022 12:54	KRB
SW-8270	Benzo(a)pyrene	A	<17.7U	ug/kg dry	1	17.7	17.7	BFG2349	08/16/2022 12:54	KRB
SW-8270	Benzo(g,h,i)perylene	A	<17.7U	ug/kg dry	1	17.7	17.7	BFG2349	08/16/2022 12:54	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<17.7U	ug/kg dry	1	17.7	17.7	BFG2349	08/16/2022 12:54	KRB
SW-8270	Di-n-butyl phthalate	A	144V	ug/kg dry	1	17.7	17.7	BFG2349	08/16/2022 12:54	KRB
SW-8270	Fluoranthene	A	<17.7U	ug/kg dry	1	17.7	17.7	BFG2349	08/16/2022 12:54	KRB
SW-8270	Fluorene	A	<17.7U	ug/kg dry	1	17.7	17.7	BFG2349	08/16/2022 12:54	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<17.7U	ug/kg dry	1	17.7	17.7	BFG2349	08/16/2022 12:54	KRB
SW-8270	Naphthalene	A	23.2	ug/kg dry	1	17.7	17.7	BFG2349	08/16/2022 12:54	KRB
SW-8270	Phenol, Total	A	622V	ug/kg dry	1	35.4	35.4	BFG2349	08/16/2022 12:54	KRB
SW-8270	Pyrene	A	<17.7U	ug/kg dry	1	17.7	17.7	BFG2349	08/16/2022 12:54	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*14.9% S*	*60-140*					*08/16/2022 12:54*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*61.2%*	*60-140*					*08/16/2022 12:54*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*78.9%*	*60-140*					*08/16/2022 12:54*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*80.5%*	*60-140*					*08/16/2022 12:54*	
SW-8270	*Surrogate: Phenol-d5-surr*		*113%*	*60-140*					*08/16/2022 12:54*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*15.3% S*	*60-140*					*08/16/2022 12:54*	
Organics by GC										
SW-8082	PCBs, Total	A	<29.7U	ug/kg dry	1	29.7	29.7	BFG2416	08/20/2022 01:36	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*124%*	*60-140*					*08/20/2022 01:36*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*78.3%*	*60-140*					*08/20/2022 01:36*	
Metals, Total										
EPA 200.8	Antimony	N	<0.265U	mg/kg dry	1	0.265	3.29	BFH1110	08/15/2022 12:18	TBB
EPA 200.8	Arsenic	N	23.6	mg/kg dry	1	0.405	1.65	BFH1110	08/16/2022 11:59	TBB
EPA 200.8	Beryllium	N	<0.0329U	mg/kg dry	1	0.0329	0.658	BFH1110	08/23/2022 18:11	TBB
EPA 200.8	Cadmium	N	0.314J	mg/kg dry	1	0.104	3.29	BFH1110	08/15/2022 12:18	TBB
EPA 200.8	Chromium	N	0.670J	mg/kg dry	1	0.242	9.87	BFH1110	08/15/2022 12:18	TBB
EPA 200.8	Copper	N	12.8	mg/kg dry	1	0.286	3.29	BFH1110	08/15/2022 12:18	TBB
Calc	Chromium (III)		<14.4U	mg/kg (dry wt) dry	1	14.4	50.0	[CALC]	08/15/2022 12:18	EM
SW-7196	Chromium (VI)	N	22.4J	mg/kg (dry wt) dry	1	14.2	40.1	BFG2213	07/18/2022 18:09	EM
SW-7471B	Mercury	A	0.0775	mg/kg dry	1	0.0316	0.0631	BFH0373	08/03/2022 17:57	EM
EPA 200.8	Lead	N	1.05J	mg/kg dry	1	0.248	1.65	BFH1110	08/16/2022 11:59	TBB
EPA 200.8	Nickel	N	1.27J	mg/kg dry	1	0.0582	3.29	BFH1110	08/15/2022 12:18	TBB
EPA 200.8	Selenium	N	<3.62U	mg/kg dry	1	3.62	16.5	BFH1110	08/23/2022 18:11	TBB
EPA 200.8	Silver	N	0.261J	mg/kg dry	1	0.0234	1.65	BFH1110	08/15/2022 12:18	TBB
EPA 200.8	Thallium	N	<0.0227U	mg/kg dry	1	0.0227	1.65	BFH1110	08/16/2022 11:59	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-1 (Continued)
Lab Sample ID: 22F4225-79
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Zinc	N	75.3		mg/kg dry	1	1.24	6.58	BFH1110	08/16/2022 11:59	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.9		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-1
Lab Sample ID: 22F4225-79RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<35.4	U	ug/kg dry	1	35.4	35.4	BFG2349	08/18/2022 09:58	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<17.7	U	ug/kg dry	1	17.7	17.7	BFG2349	08/18/2022 09:58	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<35.4	U	ug/kg dry	1	35.4	35.4	BFG2349	08/18/2022 09:58	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	18.5	V	ug/kg dry	1	17.7	17.7	BFG2349	08/18/2022 09:58	KRB
SW-8270	Chrysene (Rerun)	A	<17.7	U	ug/kg dry	1	17.7	17.7	BFG2349	08/18/2022 09:58	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*13.4%*	*S*	*60-140*					*08/18/2022 09:58*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*56.4%*	*S*	*60-140*					*08/18/2022 09:58*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*69.8%*		*60-140*					*08/18/2022 09:58*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*73.8%*		*60-140*					*08/18/2022 09:58*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*90.8%*		*60-140*					*08/18/2022 09:58*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*21.1%*	*S*	*60-140*					*08/18/2022 09:58*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-1
Lab Sample ID: 22F4225-79RE2
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<17.7	CQ, U	ug/kg dry	1	17.7	17.7	BFG2349	08/04/2022 11:17	KRB
SW-8270	Anthracene (Rerun)	A	<17.7	U	ug/kg dry	1	17.7	17.7	BFG2349	08/04/2022 11:17	KRB
SW-8270	Phenanthrene (Rerun)	A	<17.7	U	ug/kg dry	1	17.7	17.7	BFG2349	08/04/2022 11:17	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*28.1%*	*S*	*60-140*					*08/04/2022 11:17*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*88.4%*		*60-140*					*08/04/2022 11:17*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*133%*		*60-140*					*08/04/2022 11:17*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*257%*	*S*	*60-140*					*08/04/2022 11:17*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*372%*	*S*	*60-140*					*08/04/2022 11:17*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*37.2%*	*S*	*60-140*					*08/04/2022 11:17*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-2
Lab Sample ID: 22F4225-80
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2349	08/16/2022 13:29	KRB
SW-8270	Benzo(a)pyrene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2349	08/16/2022 13:29	KRB
SW-8270	Benzo(g,h,i)perylene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2349	08/16/2022 13:29	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2349	08/16/2022 13:29	KRB
SW-8270	Di-n-butyl phthalate	A	147V	ug/kg dry	1	17.9	17.9	BFG2349	08/16/2022 13:29	KRB
SW-8270	Fluoranthene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2349	08/16/2022 13:29	KRB
SW-8270	Fluorene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2349	08/16/2022 13:29	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2349	08/16/2022 13:29	KRB
SW-8270	Naphthalene	A	25.1	ug/kg dry	1	17.9	17.9	BFG2349	08/16/2022 13:29	KRB
SW-8270	Phenol, Total	A	502V	ug/kg dry	1	35.8	35.8	BFG2349	08/16/2022 13:29	KRB
SW-8270	Pyrene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2349	08/16/2022 13:29	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*8.89% S*	*60-140*					*08/16/2022 13:29*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*63.7%*	*60-140*					*08/16/2022 13:29*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.5%*	*60-140*					*08/16/2022 13:29*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*87.5%*	*60-140*					*08/16/2022 13:29*	
SW-8270	*Surrogate: Phenol-d5-surr*		*88.3%*	*60-140*					*08/16/2022 13:29*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*19.2% S*	*60-140*					*08/16/2022 13:29*	
Organics by GC										
SW-8082	PCBs, Total	A	<28.3U	ug/kg dry	1	28.3	28.3	BFG2416	08/20/2022 01:13	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*115%*	*60-140*					*08/20/2022 01:13*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*76.0%*	*60-140*					*08/20/2022 01:13*	
Metals, Total										
EPA 200.8	Antimony	N	<0.258U	mg/kg dry	1	0.258	3.21	BFH1110	08/15/2022 12:20	TBB
EPA 200.8	Arsenic	N	23.4	mg/kg dry	1	0.395	1.61	BFH1110	08/16/2022 12:02	TBB
EPA 200.8	Beryllium	N	<0.0321U	mg/kg dry	1	0.0321	0.642	BFH1110	08/23/2022 18:13	TBB
EPA 200.8	Cadmium	N	0.280J	mg/kg dry	1	0.101	3.21	BFH1110	08/15/2022 12:20	TBB
EPA 200.8	Chromium	N	0.460J	mg/kg dry	1	0.236	9.63	BFH1110	08/15/2022 12:20	TBB
EPA 200.8	Copper	N	9.00	mg/kg dry	1	0.279	3.21	BFH1110	08/15/2022 12:20	TBB
Calc	Chromium (III)		<14.8U	mg/kg (dry wt) dry	1	14.8	50.8	[CALC]	08/15/2022 12:20	EM
SW-7196	Chromium (VI)	N	<14.6U	mg/kg (dry wt) dry	1	14.6	41.2	BFG2213	07/18/2022 18:10	EM
SW-7471B	Mercury	A	0.0364J	mg/kg dry	1	0.0323	0.0647	BFH0373	08/03/2022 18:00	EM
EPA 200.8	Lead	N	0.793J	mg/kg dry	1	0.242	1.61	BFH1110	08/16/2022 12:02	TBB
EPA 200.8	Nickel	N	1.19J	mg/kg dry	1	0.0568	3.21	BFH1110	08/15/2022 12:20	TBB
EPA 200.8	Selenium	N	<3.53U	mg/kg dry	1	3.53	16.1	BFH1110	08/23/2022 18:13	TBB
EPA 200.8	Silver	N	0.189J	mg/kg dry	1	0.0228	1.61	BFH1110	08/15/2022 12:20	TBB
EPA 200.8	Thallium	N	<0.0222U	mg/kg dry	1	0.0222	1.61	BFH1110	08/16/2022 12:02	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-2 (Continued)
Lab Sample ID: 22F4225-80
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
EPA 200.8	Zinc	N	177		mg/kg dry	5	6.03	32.1	BFH1110	08/16/2022 12:32	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.0		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-2
Lab Sample ID: 22F4225-80RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<35.8	U	ug/kg dry	1	35.8	35.8	BFG2349	08/18/2022 10:33	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<17.9	U	ug/kg dry	1	17.9	17.9	BFG2349	08/18/2022 10:33	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<35.8	U	ug/kg dry	1	35.8	35.8	BFG2349	08/18/2022 10:33	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	20.1	V	ug/kg dry	1	17.9	17.9	BFG2349	08/18/2022 10:33	KRB
SW-8270	Chrysene (Rerun)	A	<17.9	U	ug/kg dry	1	17.9	17.9	BFG2349	08/18/2022 10:33	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*8.01%*	*S*	*60-140*					*08/18/2022 10:33*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*62.4%*		*60-140*					*08/18/2022 10:33*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*64.0%*		*60-140*					*08/18/2022 10:33*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*78.9%*		*60-140*					*08/18/2022 10:33*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*96.6%*		*60-140*					*08/18/2022 10:33*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*24.3%*	*S*	*60-140*					*08/18/2022 10:33*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-2
Lab Sample ID: 22F4225-80RE2
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthylene (Rerun)	A	<17.9	CQ, U	ug/kg dry	1	17.9	17.9	BFG2349	08/04/2022 11:51	KRB
SW-8270	Anthracene (Rerun)	A	<17.9	U	ug/kg dry	1	17.9	17.9	BFG2349	08/04/2022 11:51	KRB
SW-8270	Phenanthrene (Rerun)	A	<17.9	U	ug/kg dry	1	17.9	17.9	BFG2349	08/04/2022 11:51	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*9.88%*	*S*	*60-140*					*08/04/2022 11:51*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*101%*		*60-140*					*08/04/2022 11:51*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*109%*		*60-140*					*08/04/2022 11:51*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*380%*	*S*	*60-140*					*08/04/2022 11:51*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*294%*	*S*	*60-140*					*08/04/2022 11:51*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*42.8%*	*S*	*60-140*					*08/04/2022 11:51*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-3
Lab Sample ID: 22F4225-81
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<38.0U	ug/kg dry	1	38.0	38.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Acenaphthene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Acenaphthylene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Anthracene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Benzo(a)anthracene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Benzo(a)pyrene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	benzo(b&k)fluoranthene	A	<38.0U	ug/kg dry	1	38.0	38.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Benzo(g,h,i)perylene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<19.0B, U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Chrysene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Di-n-butyl phthalate	A	20.5V	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Fluoranthene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Fluorene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Naphthalene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Phenanthrene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Phenol, Total	A	511V	ug/kg dry	1	38.0	38.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	Pyrene	A	<19.0U	ug/kg dry	1	19.0	19.0	BFG2759	08/12/2022 08:00	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*11.1% S*	*60-140*					*08/12/2022 08:00*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*61.8%*	*60-140*					*08/12/2022 08:00*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*84.3%*	*60-140*					*08/12/2022 08:00*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*80.6%*	*60-140*					*08/12/2022 08:00*	
SW-8270	*Surrogate: Phenol-d5-surr*		*81.0%*	*60-140*					*08/12/2022 08:00*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*4.88% S*	*60-140*					*08/12/2022 08:00*	
Organics by GC										
SW-8082	PCBs, Total	A	<28.8U	ug/kg dry	1	28.8	28.8	BFG2416	08/20/2022 00:49	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*120%*	*60-140*					*08/20/2022 00:49*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*71.4%*	*60-140*					*08/20/2022 00:49*	
Metals, Total										
EPA 200.8	Antimony	N	<0.267U	mg/kg dry	1	0.267	3.31	BFH1110	08/15/2022 12:22	TBB
EPA 200.8	Arsenic	N	22.6	mg/kg dry	1	0.408	1.66	BFH1110	08/16/2022 12:04	TBB
EPA 200.8	Beryllium	N	<0.0331U	mg/kg dry	1	0.0331	0.663	BFH1110	08/23/2022 18:16	TBB
EPA 200.8	Cadmium	N	0.310J	mg/kg dry	1	0.105	3.31	BFH1110	08/15/2022 12:22	TBB
EPA 200.8	Chromium	N	0.940J	mg/kg dry	1	0.244	9.94	BFH1110	08/15/2022 12:22	TBB
EPA 200.8	Copper	N	11.1	mg/kg dry	1	0.288	3.31	BFH1110	08/15/2022 12:22	TBB
Calc	Chromium (III)		<14.5U	mg/kg (dry wt) dry	1	14.5	50.1	[CALC]	08/15/2022 12:22	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-3 (Continued)
Lab Sample ID: 22F4225-81
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)										
SW-7196	Chromium (VI)	N	<14.2U	mg/kg (dry wt) dry	1	14.2	40.2	BFG2213	07/18/2022 18:11	EM
SW-7471B	Mercury	A	0.0502J	mg/kg dry	1	0.0360	0.0720	BFH0373	08/03/2022 18:14	EM
EPA 200.8	Lead	N	0.850J	mg/kg dry	1	0.250	1.66	BFH1110	08/16/2022 12:04	TBB
EPA 200.8	Nickel	N	1.32J	mg/kg dry	1	0.0587	3.31	BFH1110	08/15/2022 12:22	TBB
EPA 200.8	Selenium	N	<3.65U	mg/kg dry	1	3.65	16.6	BFH1110	08/23/2022 18:16	TBB
EPA 200.8	Silver	N	0.144J	mg/kg dry	1	0.0235	1.66	BFH1110	08/15/2022 12:22	TBB
EPA 200.8	Thallium	N	<0.0229U	mg/kg dry	1	0.0229	1.66	BFH1110	08/16/2022 12:04	TBB
EPA 200.8	Zinc	N	333	mg/kg dry	5	6.22	33.1	BFH1110	08/16/2022 12:35	TBB
General Chemistry										
SM 2540 G	% Solids	N	13.1	%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 7-3	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-81RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*10.5%*	*S*	*60-140*					*08/18/2022 21:53*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*48.1%*	*S*	*60-140*					*08/18/2022 21:53*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*56.2%*	*S*	*60-140*					*08/18/2022 21:53*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*77.1%*		*60-140*					*08/18/2022 21:53*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*84.9%*		*60-140*					*08/18/2022 21:53*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*16.3%*	*S*	*60-140*					*08/18/2022 21:53*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-4
Lab Sample ID: 22F4225-82
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<36.0U	ug/kg dry	1	36.0	36.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Acenaphthene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Acenaphthylene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Anthracene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Benzo(a)anthracene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Benzo(a)pyrene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	benzo(b&k)fluoranthene	A	<36.0U	ug/kg dry	1	36.0	36.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Benzo(g,h,i)perylene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<18.0B, U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Chrysene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Di-n-butyl phthalate	A	<18.0B, U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Fluoranthene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Fluorene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Naphthalene	A	20.2	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Phenanthrene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Phenol, Total	A	667V	ug/kg dry	1	36.0	36.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	Pyrene	A	<18.0U	ug/kg dry	1	18.0	18.0	BFG2759	08/12/2022 08:35	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*22.1% S*	*60-140*					*08/12/2022 08:35*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*83.2%*	*60-140*					*08/12/2022 08:35*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*114%*	*60-140*					*08/12/2022 08:35*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*99.8%*	*60-140*					*08/12/2022 08:35*	
SW-8270	*Surrogate: Phenol-d5-surr*		*108%*	*60-140*					*08/12/2022 08:35*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*12.3% S*	*60-140*					*08/12/2022 08:35*	
Organics by GC										
SW-8082	PCBs, Total	A	<28.3U	ug/kg dry	1	28.3	28.3	BFG2416	08/20/2022 00:26	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*118%*	*60-140*					*08/20/2022 00:26*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*76.0%*	*60-140*					*08/20/2022 00:26*	
Metals, Total										
EPA 200.8	Antimony	N	<0.271U	mg/kg dry	1	0.271	3.37	BFH1125	08/16/2022 13:05	TBB
EPA 200.8	Arsenic	N	23.3	mg/kg dry	1	0.414	1.68	BFH1125	08/16/2022 13:05	TBB
EPA 200.8	Beryllium	N	<0.0337U	mg/kg dry	1	0.0337	0.673	BFH1125	08/17/2022 13:10	TBB
EPA 200.8	Cadmium	N	0.358J	mg/kg dry	1	0.106	3.37	BFH1125	08/16/2022 13:05	TBB
EPA 200.8	Chromium	N	2.08J	mg/kg dry	1	0.247	10.1	BFH1125	08/16/2022 13:05	TBB
EPA 200.8	Copper	N	14.3	mg/kg dry	1	0.293	3.37	BFH1125	08/16/2022 13:05	TBB
Calc	Chromium (III)		<14.3U	mg/kg (dry wt) dry	1	14.3	49.8	[CALC]	08/16/2022 13:05	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-4 (Continued)
Lab Sample ID: 22F4225-82
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
SW-7196	Chromium (VI)	N	<14.1	U	mg/kg (dry wt) dry	1	14.1	39.7	BFG2213	07/18/2022 18:12	EM
SW-7471B	Mercury	A	<0.0362	U	mg/kg dry	1	0.0362	0.0724	BFH0373	08/03/2022 18:17	EM
EPA 200.8	Lead	N	1.05	J	mg/kg dry	1	0.254	1.68	BFH1125	08/16/2022 13:05	TBB
EPA 200.8	Nickel	N	1.94	J	mg/kg dry	1	0.0596	3.37	BFH1125	08/16/2022 13:05	TBB
EPA 200.8	Selenium	N	<3.70	U	mg/kg dry	1	3.70	16.8	BFH1125	08/23/2022 10:21	TBB
EPA 200.8	Silver	N	0.268	J	mg/kg dry	1	0.0239	1.68	BFH1125	08/16/2022 13:05	TBB
EPA 200.8	Thallium	N	<0.0232	U	mg/kg dry	1	0.0232	1.68	BFH1125	08/16/2022 13:05	TBB
EPA 200.8	Zinc	N	186		mg/kg dry	2	2.53	13.5	BFH1125	08/23/2022 11:38	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.6		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-5
Lab Sample ID: 22F4225-83
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<40.4U	ug/kg dry	1	40.4	40.4	BFG2759	08/12/2022 09:10	KRB
SW-8270	Acenaphthene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Acenaphthylene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Anthracene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Benzo(a)anthracene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Benzo(a)pyrene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	benzo(b&k)fluoranthene	A	<40.4U	ug/kg dry	1	40.4	40.4	BFG2759	08/12/2022 09:10	KRB
SW-8270	Benzo(g,h,i)perylene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<20.2B, U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Chrysene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Di-n-butyl phthalate	A	22.8V	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Fluoranthene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Fluorene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Naphthalene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Phenanthrene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	Phenol, Total	A	636V	ug/kg dry	1	40.4	40.4	BFG2759	08/12/2022 09:10	KRB
SW-8270	Pyrene	A	<20.2U	ug/kg dry	1	20.2	20.2	BFG2759	08/12/2022 09:10	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*29.0% S*	*60-140*					*08/12/2022 09:10*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*70.0%*	*60-140*					*08/12/2022 09:10*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*120%*	*60-140*					*08/12/2022 09:10*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*95.3%*	*60-140*					*08/12/2022 09:10*	
SW-8270	*Surrogate: Phenol-d5-surr*		*99.9%*	*60-140*					*08/12/2022 09:10*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*15.8% S*	*60-140*					*08/12/2022 09:10*	
Organics by GC										
SW-8082	PCBs, Total	A	<32.6U	ug/kg dry	1	32.6	32.6	BFG2416	08/20/2022 00:03	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*109%*	*60-140*					*08/20/2022 00:03*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*70.0%*	*60-140*					*08/20/2022 00:03*	
Metals, Total										
EPA 200.8	Antimony	N	<0.284U	mg/kg dry	1	0.284	3.53	BFH1125	08/16/2022 13:07	TBB
EPA 200.8	Arsenic	N	21.9	mg/kg dry	1	0.434	1.77	BFH1125	08/16/2022 13:07	TBB
EPA 200.8	Beryllium	N	<0.0353U	mg/kg dry	1	0.0353	0.706	BFH1125	08/17/2022 13:12	TBB
EPA 200.8	Cadmium	N	0.337J	mg/kg dry	1	0.112	3.53	BFH1125	08/16/2022 13:07	TBB
EPA 200.8	Chromium	N	1.51J	mg/kg dry	1	0.260	10.6	BFH1125	08/16/2022 13:07	TBB
EPA 200.8	Copper	N	11.4	mg/kg dry	1	0.307	3.53	BFH1125	08/16/2022 13:07	TBB
Calc	Chromium (III)		<15.5U	mg/kg (dry wt) dry	1	15.5	53.7	[CALC]	08/16/2022 13:07	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 7-5 (Continued)
Lab Sample ID: 22F4225-83
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)										
SW-7196	Chromium (VI)	N	<15.3U	mg/kg (dry wt) dry	1	15.3	43.1	BFG2213	07/18/2022 18:17	EM
SW-7471B	Mercury	A	<0.0386U	mg/kg dry	1	0.0386	0.0772	BFH0373	08/03/2022 18:27	EM
EPA 200.8	Lead	N	0.848J	mg/kg dry	1	0.267	1.77	BFH1125	08/16/2022 13:07	TBB
EPA 200.8	Nickel	N	1.68J	mg/kg dry	1	0.0625	3.53	BFH1125	08/16/2022 13:07	TBB
EPA 200.8	Selenium	N	<3.88U	mg/kg dry	1	3.88	17.7	BFH1125	08/23/2022 10:23	TBB
EPA 200.8	Silver	N	0.179J	mg/kg dry	1	0.0251	1.77	BFH1125	08/16/2022 13:07	TBB
EPA 200.8	Thallium	N	<0.0244U	mg/kg dry	1	0.0244	1.77	BFH1125	08/16/2022 13:07	TBB
EPA 200.8	Zinc	N	83.4	mg/kg dry	1	1.33	7.06	BFH1125	08/16/2022 13:07	TBB
General Chemistry										
SM 2540 G	% Solids	N	12.1	%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 8-1
Lab Sample ID: 22F4225-84
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	<0.285	U	mg/kg dry	1	0.285	3.54	BFH1125	08/16/2022 13:09	TBB
EPA 200.8	Arsenic	N	22.7		mg/kg dry	1	0.435	1.77	BFH1125	08/16/2022 13:09	TBB
EPA 200.8	Beryllium	N	<0.0354	U	mg/kg dry	1	0.0354	0.707	BFH1125	08/17/2022 13:15	TBB
EPA 200.8	Cadmium	N	0.364	J	mg/kg dry	1	0.112	3.54	BFH1125	08/16/2022 13:09	TBB
EPA 200.8	Chromium	N	0.931	J	mg/kg dry	1	0.260	10.6	BFH1125	08/16/2022 13:09	TBB
EPA 200.8	Copper	N	12.2		mg/kg dry	1	0.308	3.54	BFH1125	08/16/2022 13:09	TBB
Calc	Chromium (III)		<15.4	U	mg/kg (dry wt) dry	1	15.4	53.2	[CALC]	08/16/2022 13:09	EM
SW-7196	Chromium (VI)	N	<15.1	U	mg/kg (dry wt) dry	1	15.1	42.6	BFG2213	07/18/2022 18:18	EM
SW-7471B	Mercury	A	0.0807		mg/kg dry	1	0.0356	0.0712	BFH0373	08/03/2022 18:30	EM
EPA 200.8	Lead	N	0.552	J	mg/kg dry	1	0.267	1.77	BFH1125	08/16/2022 13:09	TBB
EPA 200.8	Nickel	N	2.05	J	mg/kg dry	1	0.0626	3.54	BFH1125	08/16/2022 13:09	TBB
EPA 200.8	Selenium	N	<3.89	U	mg/kg dry	1	3.89	17.7	BFH1125	08/23/2022 10:25	TBB
EPA 200.8	Silver	N	0.191	J	mg/kg dry	1	0.0251	1.77	BFH1125	08/16/2022 13:09	TBB
EPA 200.8	Thallium	N	<0.0244	U	mg/kg dry	1	0.0244	1.77	BFH1125	08/16/2022 13:09	TBB
EPA 200.8	Zinc	N	474		mg/kg dry	10	13.3	70.7	BFH1125	08/23/2022 11:40	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.5		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 8-1
Lab Sample ID: 22F4225-84RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<35.2	U	ug/kg dry	1	35.2	35.2	BFG2759	08/18/2022 03:34	KRB
SW-8270	Acenaphthene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Acenaphthylene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Anthracene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<35.2	U	ug/kg dry	1	35.2	35.2	BFG2759	08/18/2022 03:34	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<17.6	B, U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Chrysene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	173	V	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Fluoranthene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Fluorene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Naphthalene (Rerun)	A	24.6		ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Phenanthrene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	Phenol, Total (Rerun)	A	640	V	ug/kg dry	1	35.2	35.2	BFG2759	08/18/2022 03:34	KRB
SW-8270	Pyrene (Rerun)	A	<17.6	U	ug/kg dry	1	17.6	17.6	BFG2759	08/18/2022 03:34	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*18.4%*	*S*	*60-140*					*08/18/2022 03:34*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*75.0%*		*60-140*					*08/18/2022 03:34*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*73.9%*		*60-140*					*08/18/2022 03:34*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*90.8%*		*60-140*					*08/18/2022 03:34*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*110%*		*60-140*					*08/18/2022 03:34*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*23.8%*	*S*	*60-140*					*08/18/2022 03:34*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 8-2
Lab Sample ID: 22F4225-85
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total										
EPA 200.8	Antimony	N	<0.269U	mg/kg dry	1	0.269	3.34	BFH1125	08/17/2022 13:24	TBB
EPA 200.8	Arsenic	N	23.2	mg/kg dry	1	0.411	1.67	BFH1125	08/17/2022 13:24	TBB
EPA 200.8	Beryllium	N	<0.0334U	mg/kg dry	1	0.0334	0.668	BFH1125	08/17/2022 13:24	TBB
EPA 200.8	Cadmium	N	0.387J	mg/kg dry	1	0.106	3.34	BFH1125	08/17/2022 13:24	TBB
EPA 200.8	Chromium	N	1.69J	mg/kg dry	1	0.245	10.0	BFH1125	08/17/2022 13:24	TBB
EPA 200.8	Copper	N	15.0	mg/kg dry	1	0.291	3.34	BFH1125	08/17/2022 13:24	TBB
Calc	Chromium (III)		<14.7U	mg/kg (dry wt) dry	1	14.7	50.9	[CALC]	08/17/2022 13:24	EM
SW-7196	Chromium (VI)	N	<14.5U	mg/kg (dry wt) dry	1	14.5	40.9	BFG2213	07/18/2022 18:19	EM
SW-7471B	Mercury	A	0.0653J	mg/kg dry	1	0.0352	0.0704	BFH0373	08/03/2022 18:34	EM
EPA 200.8	Lead	N	0.661J	mg/kg dry	1	0.252	1.67	BFH1125	08/17/2022 13:24	TBB
EPA 200.8	Nickel	N	2.43J	mg/kg dry	1	0.0591	3.34	BFH1125	08/17/2022 13:24	TBB
EPA 200.8	Selenium	N	<3.67U	mg/kg dry	1	3.67	16.7	BFH1125	08/23/2022 10:35	TBB
EPA 200.8	Silver	N	0.340J	mg/kg dry	1	0.0237	1.67	BFH1125	08/17/2022 13:24	TBB
EPA 200.8	Thallium	N	<0.0230U	mg/kg dry	1	0.0230	1.67	BFH1125	08/17/2022 13:24	TBB
EPA 200.8	Zinc	N	82.3	mg/kg dry	1	1.25	6.68	BFH1125	08/23/2022 10:35	TBB
General Chemistry										
SM 2540 G	% Solids	N	13.0	%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 8-2
Lab Sample ID: 22F4225-85RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<37.4	U	ug/kg dry	1	37.4	37.4	BFG2759	08/18/2022 04:09	KRB
SW-8270	Acenaphthene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Acenaphthylene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Anthracene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<37.4	U	ug/kg dry	1	37.4	37.4	BFG2759	08/18/2022 04:09	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<18.7	B, U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Chrysene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	142	V	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Fluoranthene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Fluorene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Naphthalene (Rerun)	A	20.3		ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Phenanthrene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	Phenol, Total (Rerun)	A	638	V	ug/kg dry	1	37.4	37.4	BFG2759	08/18/2022 04:09	KRB
SW-8270	Pyrene (Rerun)	A	<18.7	U	ug/kg dry	1	18.7	18.7	BFG2759	08/18/2022 04:09	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*12.4%*	*S*	*60-140*					*08/18/2022 04:09*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*63.5%*		*60-140*					*08/18/2022 04:09*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*59.9%*	*S*	*60-140*					*08/18/2022 04:09*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*78.6%*		*60-140*					*08/18/2022 04:09*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*89.3%*		*60-140*					*08/18/2022 04:09*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*20.8%*	*S*	*60-140*					*08/18/2022 04:09*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 8-3
Lab Sample ID: 22F4225-86
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	<0.294	U	mg/kg dry	1	0.294	3.65	BFH1125	08/17/2022 13:26	TBB
EPA 200.8	Arsenic	N	24.0		mg/kg dry	1	0.449	1.82	BFH1125	08/17/2022 13:26	TBB
EPA 200.8	Beryllium	N	<0.0365	U	mg/kg dry	1	0.0365	0.730	BFH1125	08/17/2022 13:26	TBB
EPA 200.8	Cadmium	N	0.356	J	mg/kg dry	1	0.115	3.65	BFH1125	08/17/2022 13:26	TBB
EPA 200.8	Chromium	N	0.877	J	mg/kg dry	1	0.268	10.9	BFH1125	08/17/2022 13:26	TBB
EPA 200.8	Copper	N	12.0		mg/kg dry	1	0.317	3.65	BFH1125	08/17/2022 13:26	TBB
Calc	Chromium (III)		<14.5	U	mg/kg (dry wt) dry	1	14.5	51.1	[CALC]	08/17/2022 13:26	EM
SW-7196	Chromium (VI)	N	<14.2	U	mg/kg (dry wt) dry	1	14.2	40.2	BFG2213	07/18/2022 18:19	EM
SW-7471B	Mercury	A	0.0782		mg/kg dry	1	0.0320	0.0641	BFH0373	08/03/2022 18:37	EM
EPA 200.8	Lead	N	0.591	J	mg/kg dry	1	0.275	1.82	BFH1125	08/17/2022 13:26	TBB
EPA 200.8	Nickel	N	2.01	J	mg/kg dry	1	0.0646	3.65	BFH1125	08/17/2022 13:26	TBB
EPA 200.8	Selenium	N	<4.01	U	mg/kg dry	1	4.01	18.2	BFH1125	08/23/2022 10:38	TBB
EPA 200.8	Silver	N	0.217	J	mg/kg dry	1	0.0259	1.82	BFH1125	08/17/2022 13:26	TBB
EPA 200.8	Thallium	N	<0.0252	U	mg/kg dry	1	0.0252	1.82	BFH1125	08/17/2022 13:26	TBB
EPA 200.8	Zinc	N	71.8		mg/kg dry	1	1.37	7.30	BFH1125	08/23/2022 10:38	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.7		%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 8-3
Lab Sample ID: 22F4225-86RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<37.9	U	ug/kg dry	1	37.9	37.9	BFG2759	08/18/2022 04:43	KRB
SW-8270	Acenaphthene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Acenaphthylene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Anthracene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<37.9	U	ug/kg dry	1	37.9	37.9	BFG2759	08/18/2022 04:43	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<19.0	B, U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Chrysene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	146	V	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Fluoranthene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Fluorene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Naphthalene (Rerun)	A	20.2		ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Phenanthrene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	Phenol, Total (Rerun)	A	648	V	ug/kg dry	1	37.9	37.9	BFG2759	08/18/2022 04:43	KRB
SW-8270	Pyrene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 04:43	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*12.2%*	*S*	*60-140*					*08/18/2022 04:43*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*70.0%*		*60-140*					*08/18/2022 04:43*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*62.9%*		*60-140*					*08/18/2022 04:43*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*87.1%*		*60-140*					*08/18/2022 04:43*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*94.3%*		*60-140*					*08/18/2022 04:43*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*25.0%*	*S*	*60-140*					*08/18/2022 04:43*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 8-4
Lab Sample ID: 22F4225-87
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Antimony	N	<0.295	U	mg/kg dry	1	0.295	3.66	BFH1125	08/17/2022 13:29	TBB
EPA 200.8	Arsenic	N	24.5		mg/kg dry	1	0.450	1.83	BFH1125	08/17/2022 13:29	TBB
EPA 200.8	Beryllium	N	<0.0366	U	mg/kg dry	1	0.0366	0.733	BFH1125	08/17/2022 13:29	TBB
EPA 200.8	Cadmium	N	0.374	J	mg/kg dry	1	0.116	3.66	BFH1125	08/17/2022 13:29	TBB
EPA 200.8	Chromium	N	0.849	J	mg/kg dry	1	0.269	11.0	BFH1125	08/17/2022 13:29	TBB
EPA 200.8	Copper	N	11.8		mg/kg dry	1	0.319	3.66	BFH1125	08/17/2022 13:29	TBB
Calc	Chromium (III)		<15.4	U	mg/kg (dry wt) dry	1	15.4	53.8	[CALC]	08/17/2022 13:29	EM
SW-7196	Chromium (VI)	N	<15.2	U	mg/kg (dry wt) dry	1	15.2	42.8	BFG2026	07/15/2022 18:19	EM
SW-7471B	Mercury	A	0.0729	J	mg/kg dry	1	0.0372	0.0744	BFH0373	08/03/2022 18:40	EM
EPA 200.8	Lead	N	0.671	J	mg/kg dry	1	0.277	1.83	BFH1125	08/17/2022 13:29	TBB
EPA 200.8	Nickel	N	2.20	J	mg/kg dry	1	0.0648	3.66	BFH1125	08/17/2022 13:29	TBB
EPA 200.8	Selenium	N	<4.03	U	mg/kg dry	1	4.03	18.3	BFH1125	08/23/2022 10:40	TBB
EPA 200.8	Silver	N	0.200	J	mg/kg dry	1	0.0260	1.83	BFH1125	08/17/2022 13:29	TBB
EPA 200.8	Thallium	N	<0.0253	U	mg/kg dry	1	0.0253	1.83	BFH1125	08/17/2022 13:29	TBB
EPA 200.8	Zinc	N	100		mg/kg dry	1	1.38	7.33	BFH1125	08/23/2022 10:40	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.8		%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID:	NV-HI-DMMU 8-4	Sample Matrix:	Tissue
Lab Sample ID:	22F4225-87RE1	Date Collected:	04/15/2022 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<38.0	U	ug/kg dry	1	38.0	38.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Acenaphthene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Acenaphthylene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Anthracene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<38.0	U	ug/kg dry	1	38.0	38.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<19.0	B, U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Chrysene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	<19.0	B, U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Fluoranthene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Fluorene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Naphthalene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Phenanthrene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Phenol, Total (Rerun)	A	693	V	ug/kg dry	1	38.0	38.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	Pyrene (Rerun)	A	<19.0	U	ug/kg dry	1	19.0	19.0	BFG2759	08/18/2022 05:18	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*25.1%*	*S*	*60-140*					*08/18/2022 05:18*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*84.5%*		*60-140*					*08/18/2022 05:18*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*81.3%*		*60-140*					*08/18/2022 05:18*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*92.4%*		*60-140*					*08/18/2022 05:18*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*122%*		*60-140*					*08/18/2022 05:18*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*17.0%*	*S*	*60-140*					*08/18/2022 05:18*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 8-5
Lab Sample ID: 22F4225-88
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total										
EPA 200.8	Antimony	N	<0.276U	mg/kg dry	1	0.276	3.43	BFH1125	08/17/2022 13:31	TBB
EPA 200.8	Arsenic	N	23.3	mg/kg dry	1	0.422	1.72	BFH1125	08/17/2022 13:31	TBB
EPA 200.8	Beryllium	N	<0.0343U	mg/kg dry	1	0.0343	0.687	BFH1125	08/17/2022 13:31	TBB
EPA 200.8	Cadmium	N	0.375J	mg/kg dry	1	0.108	3.43	BFH1125	08/17/2022 13:31	TBB
EPA 200.8	Chromium	N	1.16J	mg/kg dry	1	0.252	10.3	BFH1125	08/17/2022 13:31	TBB
EPA 200.8	Copper	N	11.3	mg/kg dry	1	0.299	3.43	BFH1125	08/17/2022 13:31	TBB
Calc	Chromium (III)		<14.5U	mg/kg (dry wt) dry	1	14.5	50.5	[CALC]	08/17/2022 13:31	EM
SW-7196	Chromium (VI)	N	<14.2U	mg/kg (dry wt) dry	1	14.2	40.2	BFG2213	07/18/2022 18:16	EM
SW-7471B	Mercury	A	0.0821	mg/kg dry	1	0.0356	0.0713	BFH0643	08/04/2022 17:52	EM
EPA 200.8	Lead	N	0.651J	mg/kg dry	1	0.259	1.72	BFH1125	08/17/2022 13:31	TBB
EPA 200.8	Nickel	N	2.34J	mg/kg dry	1	0.0608	3.43	BFH1125	08/17/2022 13:31	TBB
EPA 200.8	Selenium	N	<3.78U	mg/kg dry	1	3.78	17.2	BFH1125	08/23/2022 10:42	TBB
EPA 200.8	Silver	N	0.178J	mg/kg dry	1	0.0244	1.72	BFH1125	08/17/2022 13:31	TBB
EPA 200.8	Thallium	N	<0.0237U	mg/kg dry	1	0.0237	1.72	BFH1125	08/17/2022 13:31	TBB
EPA 200.8	Zinc	N	108	mg/kg dry	1	1.29	6.87	BFH1125	08/23/2022 10:42	TBB
General Chemistry										
SM 2540 G	% Solids	N	12.9	%	1	0.100	0.100	BFG0300	07/06/2022 11:09	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-DMMU 8-5
Lab Sample ID: 22F4225-88RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<34.7	U	ug/kg dry	1	34.7	34.7	BFG2759	08/18/2022 05:53	KRB
SW-8270	Acenaphthene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Acenaphthylene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Anthracene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<34.7	U	ug/kg dry	1	34.7	34.7	BFG2759	08/18/2022 05:53	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<17.3	B, U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Chrysene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	132	V	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Fluoranthene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Fluorene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Naphthalene (Rerun)	A	20.5		ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Phenanthrene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	Phenol, Total (Rerun)	A	486	V	ug/kg dry	1	34.7	34.7	BFG2759	08/18/2022 05:53	KRB
SW-8270	Pyrene (Rerun)	A	<17.3	U	ug/kg dry	1	17.3	17.3	BFG2759	08/18/2022 05:53	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*15.4%*	*S*	*60-140*					*08/18/2022 05:53*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.2%*		*60-140*					*08/18/2022 05:53*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*73.2%*		*60-140*					*08/18/2022 05:53*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*94.2%*		*60-140*					*08/18/2022 05:53*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*91.9%*		*60-140*					*08/18/2022 05:53*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*23.9%*	*S*	*60-140*					*08/18/2022 05:53*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-PRETEST-1
Lab Sample ID: 22F4225-89
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Phenol, Total	A	425V	ug/kg dry	1	32.1	32.1	BFG2759	08/12/2022 12:39	KRB
SW-8270	*Surrogate: Phenol-d5-surr*		*94.1%*	*60-140*					*08/12/2022 12:39*	
Organics by GC										
SW-8082	PCBs, Total	A	<25.7U	ug/kg dry	1	25.7	25.7	BFG2416	08/19/2022 23:39	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*354% S*	*60-140*					*08/19/2022 23:39*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*64.6%*	*60-140*					*08/19/2022 23:39*	
Metals, Total										
EPA 200.8	Antimony	N	<0.251U	mg/kg dry	1	0.251	3.11	BFH1125	08/17/2022 13:33	TBB
EPA 200.8	Arsenic	N	22.9	mg/kg dry	1	0.383	1.56	BFH1125	08/17/2022 13:33	TBB
EPA 200.8	Beryllium	N	<0.0311U	mg/kg dry	1	0.0311	0.623	BFH1125	08/17/2022 13:33	TBB
EPA 200.8	Cadmium	N	0.262J	mg/kg dry	1	0.0984	3.11	BFH1125	08/17/2022 13:33	TBB
EPA 200.8	Chromium	N	0.809J	mg/kg dry	1	0.229	9.34	BFH1125	08/17/2022 13:33	TBB
EPA 200.8	Copper	N	12.0	mg/kg dry	1	0.271	3.11	BFH1125	08/17/2022 13:33	TBB
Calc	Chromium (III)		<11.4U	mg/kg (dry wt) dry	1	11.4	40.9	[CALC]	08/17/2022 13:33	EM
SW-7196	Chromium (VI)	N	17.0J	mg/kg (dry wt) dry	1	11.2	31.6	BFG2213	07/18/2022 18:20	EM
SW-7471B	Mercury	A	0.0414J	mg/kg dry	1	0.0294	0.0587	BFH0643	08/04/2022 17:55	EM
EPA 200.8	Lead	N	0.659J	mg/kg dry	1	0.235	1.56	BFH1125	08/17/2022 13:33	TBB
EPA 200.8	Nickel	N	1.24J	mg/kg dry	1	0.0551	3.11	BFH1125	08/17/2022 13:33	TBB
EPA 200.8	Selenium	N	<3.43U	mg/kg dry	1	3.43	15.6	BFH1125	08/23/2022 10:45	TBB
EPA 200.8	Silver	N	0.199J	mg/kg dry	1	0.0221	1.56	BFH1125	08/17/2022 13:33	TBB
EPA 200.8	Thallium	N	<0.0215U	mg/kg dry	1	0.0215	1.56	BFH1125	08/17/2022 13:33	TBB
EPA 200.8	Zinc	N	211	mg/kg dry	5	5.85	31.1	BFH1125	08/23/2022 11:43	TBB
General Chemistry										
SM 2540 G	% Solids	N	14.7	%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-PRETEST-1
Lab Sample ID: 22F4225-89RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<32.1	U	ug/kg dry	1	32.1	32.1	BFG2759	08/18/2022 06:28	KRB
SW-8270	Acenaphthene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Acenaphthylene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Anthracene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<32.1	U	ug/kg dry	1	32.1	32.1	BFG2759	08/18/2022 06:28	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<16.0	B, U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Chrysene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	87.4	V	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Fluoranthene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Fluorene (Rerun)	A	18.9		ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Naphthalene (Rerun)	A	61.9		ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Phenanthrene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	Pyrene (Rerun)	A	<16.0	U	ug/kg dry	1	16.0	16.0	BFG2759	08/18/2022 06:28	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*28.2%*	*S*	*60-140*					*08/18/2022 06:28*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*75.9%*		*60-140*					*08/18/2022 06:28*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*81.7%*		*60-140*					*08/18/2022 06:28*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*91.0%*		*60-140*					*08/18/2022 06:28*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*136%*		*60-140*					*08/18/2022 06:28*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*11.8%*	*S*	*60-140*					*08/18/2022 06:28*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-PRETEST-2
Lab Sample ID: 22F4225-90
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	369	V	ug/kg dry	1	33.1	33.1	BFG2759	08/12/2022 13:13	KRB
SW-8270	*Surrogate: Phenol-d5-surr*		*110%*		*60-140*					*08/12/2022 13:13*	
Organics by GC											
SW-8082	PCBs, Total	A	<26.4	U	ug/kg dry	1	26.4	26.4	BFG2416	08/19/2022 22:53	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*381%*	*S*	*60-140*					*08/19/2022 22:53*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*62.8%*		*60-140*					*08/19/2022 22:53*	
Metals, Total											
EPA 200.8	Antimony	N	<0.241	U	mg/kg dry	1	0.241	2.99	BFH1125	08/17/2022 13:35	TBB
EPA 200.8	Arsenic	N	24.0		mg/kg dry	1	0.368	1.50	BFH1125	08/17/2022 13:35	TBB
EPA 200.8	Beryllium	N	<0.0299	U	mg/kg dry	1	0.0299	0.599	BFH1125	08/17/2022 13:35	TBB
EPA 200.8	Cadmium	N	0.290	J	mg/kg dry	1	0.0946	2.99	BFH1125	08/17/2022 13:35	TBB
EPA 200.8	Chromium	N	1.15	J	mg/kg dry	1	0.220	8.98	BFH1125	08/17/2022 13:35	TBB
EPA 200.8	Copper	N	16.3		mg/kg dry	1	0.261	2.99	BFH1125	08/17/2022 13:35	TBB
Calc	Chromium (III)		<12.6	U	mg/kg (dry wt) dry	1	12.6	44.1	[CALC]	08/17/2022 13:35	EM
SW-7196	Chromium (VI)	N	<12.4	U	mg/kg (dry wt) dry	1	12.4	35.1	BFG2213	07/18/2022 18:21	EM
SW-7471B	Mercury	A	0.0374	J	mg/kg dry	1	0.0318	0.0637	BFH0643	08/04/2022 17:58	EM
EPA 200.8	Lead	N	0.731	J	mg/kg dry	1	0.226	1.50	BFH1125	08/17/2022 13:35	TBB
EPA 200.8	Nickel	N	1.38	J	mg/kg dry	1	0.0530	2.99	BFH1125	08/17/2022 13:35	TBB
EPA 200.8	Selenium	N	<3.29	U	mg/kg dry	1	3.29	15.0	BFH1125	08/23/2022 10:47	TBB
EPA 200.8	Silver	N	0.226	J	mg/kg dry	1	0.0213	1.50	BFH1125	08/17/2022 13:35	TBB
EPA 200.8	Thallium	N	<0.0207	U	mg/kg dry	1	0.0207	1.50	BFH1125	08/17/2022 13:35	TBB
EPA 200.8	Zinc	N	328		mg/kg dry	5	5.62	29.9	BFH1125	08/23/2022 11:45	TBB
General Chemistry											
SM 2540 G	% Solids	N	14.8		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-PRETEST-2
Lab Sample ID: 22F4225-90RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<33.1	U	ug/kg dry	1	33.1	33.1	BFG2759	08/18/2022 07:03	KRB
SW-8270	Acenaphthene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Acenaphthylene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Anthracene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<33.1	U	ug/kg dry	1	33.1	33.1	BFG2759	08/18/2022 07:03	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<16.5	B, U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Chrysene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	344	V	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Fluoranthene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Fluorene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Naphthalene (Rerun)	A	52.2		ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Phenanthrene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	Pyrene (Rerun)	A	<16.5	U	ug/kg dry	1	16.5	16.5	BFG2759	08/18/2022 07:03	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*15.6%*	*S*	*60-140*					*08/18/2022 07:03*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*72.4%*		*60-140*					*08/18/2022 07:03*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*71.4%*		*60-140*					*08/18/2022 07:03*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*91.5%*		*60-140*					*08/18/2022 07:03*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*111%*		*60-140*					*08/18/2022 07:03*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*14.5%*	*S*	*60-140*					*08/18/2022 07:03*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-PRETEST-3
Lab Sample ID: 22F4225-91
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	303	V	ug/kg dry	1	30.5	30.5	BFG2759	08/12/2022 13:48	KRB
SW-8270	*Surrogate: Phenol-d5-surr*		*65.9%*		*60-140*					*08/12/2022 13:48*	
Organics by GC											
SW-8082	PCBs, Total	A	<24.5	U	ug/kg dry	1	24.5	24.5	BFG2419	08/20/2022 09:44	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*144%*	*S*	*60-140*					*08/20/2022 09:44*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*76.5%*		*60-140*					*08/20/2022 09:44*	
Metals, Total											
EPA 200.8	Antimony	N	<0.246	U	mg/kg dry	1	0.246	3.05	BFH2148	08/18/2022 17:50	TBB
EPA 200.8	Arsenic	N	23.5		mg/kg dry	1	0.375	1.53	BFH2148	08/18/2022 17:50	TBB
EPA 200.8	Beryllium	N	<0.0305	U	mg/kg dry	1	0.0305	0.610	BFH2148	08/23/2022 18:39	TBB
EPA 200.8	Cadmium	N	0.267	J	mg/kg dry	1	0.0964	3.05	BFH2148	08/18/2022 17:50	TBB
EPA 200.8	Chromium	N	0.722	J	mg/kg dry	1	0.224	9.16	BFH2148	08/19/2022 12:49	TBB
EPA 200.8	Copper	N	8.14		mg/kg dry	1	0.266	3.05	BFH2148	08/19/2022 12:49	TBB
Calc	Chromium (III)		<12.6	U	mg/kg (dry wt) dry	1	12.6	44.1	[CALC]	08/19/2022 12:49	EM
SW-7196	Chromium (VI)	N	<12.4	U	mg/kg (dry wt) dry	1	12.4	35.0	BFG2213	07/18/2022 18:21	EM
SW-7471B	Mercury	A	<0.0315	U	mg/kg dry	1	0.0315	0.0629	BFH1159	08/09/2022 18:43	NAZ
EPA 200.8	Lead	N	0.547	J	mg/kg dry	1	0.230	1.53	BFH2148	08/18/2022 17:50	TBB
EPA 200.8	Nickel	N	1.03	J	mg/kg dry	1	0.0540	3.05	BFH2148	08/19/2022 12:49	TBB
EPA 200.8	Selenium	N	<3.36	U	mg/kg dry	1	3.36	15.3	BFH2148	08/23/2022 13:52	TBB
EPA 200.8	Silver	N	0.202	J	mg/kg dry	1	0.0217	1.53	BFH2148	08/23/2022 13:52	TBB
EPA 200.8	Thallium	N	<0.0211	U	mg/kg dry	1	0.0211	1.53	BFH2148	08/18/2022 17:50	TBB
EPA 200.8	Zinc	N	76.8		mg/kg dry	1	1.15	6.10	BFH2148	08/19/2022 12:49	TBB
General Chemistry											
SM 2540 G	% Solids	N	14.9		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-PRETEST-3
Lab Sample ID: 22F4225-91RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol (Rerun)	A	<30.5U	ug/kg dry	1	30.5	30.5	BFG2759	08/18/2022 07:38	KRB
SW-8270	Acenaphthene (Rerun)	A	<15.2U	ug/kg dry	1	15.2	15.2	BFG2759	08/18/2022 07:38	KRB
SW-8270	Acenaphthylene (Rerun)	A	<15.2U	ug/kg dry	1	15.2	15.2	BFG2759	08/18/2022 07:38	KRB
SW-8270	Anthracene (Rerun)	A	<30.5U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<30.5U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<30.5U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<60.9U	ug/kg dry	2	60.9	60.9	BFG2759	08/18/2022 23:45	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<30.5U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<30.5B, U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	Chrysene (Rerun)	A	<30.5U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<30.5U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	231V	ug/kg dry	1	15.2	15.2	BFG2759	08/18/2022 07:38	KRB
SW-8270	Fluoranthene (Rerun)	A	<30.5U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	Fluorene (Rerun)	A	22.6	ug/kg dry	1	15.2	15.2	BFG2759	08/18/2022 07:38	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<30.5U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	Naphthalene (Rerun)	A	63.1	ug/kg dry	1	15.2	15.2	BFG2759	08/18/2022 07:38	KRB
SW-8270	Phenanthrene (Rerun)	A	<30.5U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	Pyrene (Rerun)	A	<30.5U	ug/kg dry	2	30.5	30.5	BFG2759	08/18/2022 23:45	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*18.3% S*	*60-140*					*08/18/2022 07:38*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*67.3%*	*60-140*					*08/18/2022 07:38*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*75.9%*	*60-140*					*08/18/2022 07:38*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*83.5%*	*60-140*					*08/18/2022 07:38*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*110%*	*60-140*					*08/18/2022 07:38*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*10.8% S*	*60-140*					*08/18/2022 07:38*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-1
Lab Sample ID: 22F4225-92
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Bis(2-ethylhexyl)phthalate	A	<17.5B, U	ug/kg dry	1	17.5	17.5	BFG2759	08/12/2022 14:23	KRB
SW-8270	Di-n-butyl phthalate	A	<17.5B, U	ug/kg dry	1	17.5	17.5	BFG2759	08/12/2022 14:23	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*213% S*	*60-140*					*08/12/2022 14:23*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*256% S*	*60-140*					*08/12/2022 14:23*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*9.59% S*	*60-140*					*08/12/2022 14:23*	
Organics by GC										
SW-8082	PCBs, Total	A	<30.6U	ug/kg dry	1	30.6	30.6	BFG2416	08/19/2022 20:55	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*128%*	*60-140*					*08/19/2022 20:55*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*77.3%*	*60-140*					*08/19/2022 20:55*	
Metals, Total										
EPA 200.8	Antimony	N	<0.297U	mg/kg dry	1	0.297	3.69	BFH2148	08/18/2022 17:52	TBB
EPA 200.8	Arsenic	N	23.1	mg/kg dry	1	0.454	1.85	BFH2148	08/18/2022 17:52	TBB
EPA 200.8	Beryllium	N	<0.0369U	mg/kg dry	1	0.0369	0.738	BFH2148	08/23/2022 18:42	TBB
EPA 200.8	Cadmium	N	0.360J	mg/kg dry	1	0.117	3.69	BFH2148	08/18/2022 17:52	TBB
EPA 200.8	Chromium	N	0.951J	mg/kg dry	1	0.271	11.1	BFH2148	08/19/2022 12:58	TBB
EPA 200.8	Copper	N	11.5	mg/kg dry	1	0.321	3.69	BFH2148	08/19/2022 12:58	TBB
Calc	Chromium (III)		<15.2U	mg/kg (dry wt) dry	1	15.2	53.2	[CALC]	08/19/2022 12:58	EM
SW-7196	Chromium (VI)	N	<14.9U	mg/kg (dry wt) dry	1	14.9	42.1	BFG2440	07/22/2022 17:42	EM
SW-7471B	Mercury	A	<0.0369U	mg/kg dry	1	0.0369	0.0738	BFG3636	07/28/2022 17:27	EM
EPA 200.8	Lead	N	0.673J	mg/kg dry	1	0.279	1.85	BFH2148	08/18/2022 17:52	TBB
EPA 200.8	Nickel	N	1.71J	mg/kg dry	1	0.0653	3.69	BFH2148	08/19/2022 12:58	TBB
EPA 200.8	Selenium	N	<4.06U	mg/kg dry	1	4.06	18.5	BFH2148	08/23/2022 14:35	TBB
EPA 200.8	Silver	N	0.315J	mg/kg dry	1	0.0262	1.85	BFH2148	08/23/2022 13:54	TBB
EPA 200.8	Thallium	N	<0.0255U	mg/kg dry	1	0.0255	1.85	BFH2148	08/18/2022 17:52	TBB
EPA 200.8	Zinc	N	100	mg/kg dry	1	1.39	7.38	BFH2148	08/19/2022 12:58	TBB
General Chemistry										
SM 2540 G	% Solids	N	12.8	%	1	0.100	0.100	BFG0299	07/06/2022 11:16	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-1
Lab Sample ID: 22F4225-92RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<35.1	U	ug/kg dry	1	35.1	35.1	BFG2759	08/18/2022 08:13	KRB
SW-8270	Acenaphthene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Acenaphthylene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Anthracene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<35.1	U	ug/kg dry	1	35.1	35.1	BFG2759	08/18/2022 08:13	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Chrysene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Fluoranthene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Fluorene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Naphthalene (Rerun)	A	31.9		ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Phenanthrene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	Phenol, Total (Rerun)	A	888	V	ug/kg dry	1	35.1	35.1	BFG2759	08/18/2022 08:13	KRB
SW-8270	Pyrene (Rerun)	A	<17.5	U	ug/kg dry	1	17.5	17.5	BFG2759	08/18/2022 08:13	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*17.5%*	*S*	*60-140*					*08/18/2022 08:13*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*69.0%*		*60-140*					*08/18/2022 08:13*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*78.8%*		*60-140*					*08/18/2022 08:13*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*92.0%*		*60-140*					*08/18/2022 08:13*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*104%*		*60-140*					*08/18/2022 08:13*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*21.3%*	*S*	*60-140*					*08/18/2022 08:13*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-2
Lab Sample ID: 22F4225-93
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<35.7U	ug/kg dry	1	35.7	35.7	BFG2759	08/12/2022 14:58	KRB
SW-8270	Acenaphthene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Acenaphthylene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Anthracene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Benzo(a)anthracene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Benzo(a)pyrene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	benzo(b&k)fluoranthene	A	<35.7U	ug/kg dry	1	35.7	35.7	BFG2759	08/12/2022 14:58	KRB
SW-8270	Benzo(g,h,i)perylene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<17.9B, U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Chrysene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Di-n-butyl phthalate	A	26.7V	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Fluoranthene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Fluorene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Naphthalene	A	28.0	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Phenanthrene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	Phenol, Total	A	344V	ug/kg dry	1	35.7	35.7	BFG2759	08/12/2022 14:58	KRB
SW-8270	Pyrene	A	<17.9U	ug/kg dry	1	17.9	17.9	BFG2759	08/12/2022 14:58	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*27.2% S*	*60-140*					*08/12/2022 14:58*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*94.5%*	*60-140*					*08/12/2022 14:58*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*124%*	*60-140*					*08/12/2022 14:58*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*70.1%*	*60-140*					*08/12/2022 14:58*	
SW-8270	*Surrogate: Phenol-d5-surr*		*84.7%*	*60-140*					*08/12/2022 14:58*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*18.1% S*	*60-140*					*08/12/2022 14:58*	
Organics by GC										
SW-8082	PCBs, Total	A	<28.8U	ug/kg dry	1	28.8	28.8	BFG2416	08/19/2022 21:19	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*132%*	*60-140*					*08/19/2022 21:19*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*79.3%*	*60-140*					*08/19/2022 21:19*	
Metals, Total										
EPA 200.8	Antimony	N	<0.268U	mg/kg dry	1	0.268	3.33	BFH2148	08/18/2022 17:54	TBB
EPA 200.8	Arsenic	N	24.3	mg/kg dry	1	0.410	1.66	BFH2148	08/18/2022 17:54	TBB
EPA 200.8	Beryllium	N	<0.0333U	mg/kg dry	1	0.0333	0.666	BFH2148	08/23/2022 18:44	TBB
EPA 200.8	Cadmium	N	0.368J	mg/kg dry	1	0.105	3.33	BFH2148	08/18/2022 17:54	TBB
EPA 200.8	Chromium	N	0.622J	mg/kg dry	1	0.245	9.99	BFH2148	08/19/2022 13:01	TBB
EPA 200.8	Copper	N	10.9	mg/kg dry	1	0.290	3.33	BFH2148	08/19/2022 13:01	TBB
Calc	Chromium (III)		<14.5U	mg/kg (dry wt) dry	1	14.5	50.3	[CALC]	08/19/2022 13:01	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-2 (Continued)
Lab Sample ID: 22F4225-93
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
SW-7196	Chromium (VI)	N	<14.3	U	mg/kg (dry wt) dry	1	14.3	40.3	BFG2440	07/22/2022 17:44	EM
EPA 200.8	Lead	N	0.609	J	mg/kg dry	1	0.251	1.66	BFH2148	08/18/2022 17:54	TBB
EPA 200.8	Nickel	N	1.61	J	mg/kg dry	1	0.0589	3.33	BFH2148	08/19/2022 13:01	TBB
EPA 200.8	Selenium	N	<3.66	U	mg/kg dry	1	3.66	16.6	BFH2148	08/23/2022 13:57	TBB
EPA 200.8	Silver	N	0.256	J	mg/kg dry	1	0.0236	1.66	BFH2148	08/23/2022 13:57	TBB
EPA 200.8	Thallium	N	<0.0230	U	mg/kg dry	1	0.0230	1.66	BFH2148	08/18/2022 17:54	TBB
EPA 200.8	Zinc	N	235		mg/kg dry	5	6.25	33.3	BFH2148	08/19/2022 13:41	TBB
General Chemistry											
SM 2540 G	% Solids	N	13.0		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-2
Lab Sample ID: 22F4225-93RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
SW-7471B	Mercury (Rerun)	A	<0.0379	B, U	mg/kg dry	1	0.0379	0.0759	BFH2628	08/18/2022 20:30	NAZ

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-3
Lab Sample ID: 22F4225-94
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	4-Nitrophenol	A	<37.3U	ug/kg dry	1	37.3	37.3	BFG2759	08/12/2022 15:33	KRB
SW-8270	Acenaphthene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Acenaphthylene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Anthracene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Benzo(a)anthracene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Benzo(a)pyrene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	benzo(b&k)fluoranthene	A	<37.3U	ug/kg dry	1	37.3	37.3	BFG2759	08/12/2022 15:33	KRB
SW-8270	Benzo(g,h,i)perylene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Bis(2-ethylhexyl)phthalate	A	<18.7B, U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Chrysene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Dibenzo(a,h)anthracene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Di-n-butyl phthalate	A	44.3V	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Fluoranthene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Fluorene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Indeno(1,2,3-cd) pyrene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Naphthalene	A	27.6	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Phenanthrene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	Phenol, Total	A	319V	ug/kg dry	1	37.3	37.3	BFG2759	08/12/2022 15:33	KRB
SW-8270	Pyrene	A	<18.7U	ug/kg dry	1	18.7	18.7	BFG2759	08/12/2022 15:33	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*26.1% S*	*60-140*					*08/12/2022 15:33*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*85.9%*	*60-140*					*08/12/2022 15:33*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*132%*	*60-140*					*08/12/2022 15:33*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*71.0%*	*60-140*					*08/12/2022 15:33*	
SW-8270	*Surrogate: Phenol-d5-surr*		*73.3%*	*60-140*					*08/12/2022 15:33*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*11.9% S*	*60-140*					*08/12/2022 15:33*	
Organics by GC										
SW-8082	PCBs, Total	A	<30.1U	ug/kg dry	1	30.1	30.1	BFG2416	08/19/2022 21:43	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*128%*	*60-140*					*08/19/2022 21:43*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*75.2%*	*60-140*					*08/19/2022 21:43*	
Metals, Total										
EPA 200.8	Antimony	N	<0.292U	mg/kg dry	1	0.292	3.63	BFH2148	08/18/2022 17:56	TBB
EPA 200.8	Arsenic	N	23.9	mg/kg dry	1	0.447	1.82	BFH2148	08/18/2022 17:56	TBB
EPA 200.8	Beryllium	N	<0.0363U	mg/kg dry	1	0.0363	0.727	BFH2148	08/23/2022 18:47	TBB
EPA 200.8	Cadmium	N	0.370J	mg/kg dry	1	0.115	3.63	BFH2148	08/18/2022 17:56	TBB
EPA 200.8	Chromium	N	0.698J	mg/kg dry	1	0.267	10.9	BFH2148	08/19/2022 13:03	TBB
EPA 200.8	Copper	N	12.0	mg/kg dry	1	0.316	3.63	BFH2148	08/19/2022 13:03	TBB
Calc	Chromium (III)		<14.4U	mg/kg (dry wt) dry	1	14.4	50.7	[CALC]	08/19/2022 13:03	EM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-3 (Continued)
Lab Sample ID: 22F4225-94
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total (Continued)											
SW-7196	Chromium (VI)	N	<14.1	U	mg/kg (dry wt) dry	1	14.1	39.8	BFG2440	07/22/2022 17:47	EM
SW-7471B	Mercury	A	<0.0381	U	mg/kg dry	1	0.0381	0.0762	BFG3636	07/28/2022 17:31	EM
EPA 200.8	Lead	N	0.583	J	mg/kg dry	1	0.274	1.82	BFH2148	08/18/2022 17:56	TBB
EPA 200.8	Nickel	N	1.46	J	mg/kg dry	1	0.0643	3.63	BFH2148	08/19/2022 13:03	TBB
EPA 200.8	Selenium	N	<4.00	U	mg/kg dry	1	4.00	18.2	BFH2148	08/23/2022 18:47	TBB
EPA 200.8	Silver	N	0.253	J	mg/kg dry	1	0.0258	1.82	BFH2148	08/23/2022 13:59	TBB
EPA 200.8	Thallium	N	<0.0251	U	mg/kg dry	1	0.0251	1.82	BFH2148	08/18/2022 17:56	TBB
EPA 200.8	Zinc	N	75.7		mg/kg dry	1	1.36	7.27	BFH2148	08/19/2022 13:03	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.7		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-4
Lab Sample ID: 22F4225-95
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Acenaphthene	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/12/2022 16:42	KRB
SW-8270	Acenaphthylene	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/12/2022 16:42	KRB
SW-8270	Anthracene	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/12/2022 16:42	KRB
SW-8270	Benzo(a)pyrene	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/12/2022 16:42	KRB
SW-8270	Fluorene	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/12/2022 16:42	KRB
SW-8270	Naphthalene	A	30.0		ug/kg dry	1	18.3	18.3	BFG2759	08/12/2022 16:42	KRB
SW-8270	Phenanthrene	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/12/2022 16:42	KRB
SW-8270	Phenol, Total	A	290	V	ug/kg dry	1	36.7	36.7	BFG2759	08/12/2022 16:42	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*26.8%*	*S*	*60-140*					*08/12/2022 16:42*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*92.3%*		*60-140*					*08/12/2022 16:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*145%*	*S*	*60-140*					*08/12/2022 16:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*56.9%*	*S*	*60-140*					*08/12/2022 16:42*	
SW-8270	*Surrogate: Phenol-d5-surr*		*60.3%*		*60-140*					*08/12/2022 16:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*12.5%*	*S*	*60-140*					*08/12/2022 16:42*	
Organics by GC											
SW-8082	PCBs, Total	A	<30.1	U	ug/kg dry	1	30.1	30.1	BFG2416	08/19/2022 22:06	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*122%*		*60-140*					*08/19/2022 22:06*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*80.1%*		*60-140*					*08/19/2022 22:06*	
Metals, Total											
EPA 200.8	Antimony	N	<0.273	U	mg/kg dry	1	0.273	3.39	BFH2148	08/18/2022 17:59	TBB
EPA 200.8	Arsenic	N	23.2		mg/kg dry	1	0.416	1.69	BFH2148	08/18/2022 17:59	TBB
EPA 200.8	Beryllium	N	<0.0339	U	mg/kg dry	1	0.0339	0.677	BFH2148	08/23/2022 18:49	TBB
EPA 200.8	Cadmium	N	0.363	J	mg/kg dry	1	0.107	3.39	BFH2148	08/18/2022 17:59	TBB
EPA 200.8	Chromium	N	1.02	J	mg/kg dry	1	0.249	10.2	BFH2148	08/19/2022 13:05	TBB
EPA 200.8	Copper	N	12.6		mg/kg dry	1	0.295	3.39	BFH2148	08/19/2022 13:05	TBB
Calc	Chromium (III)		<13.3	U	mg/kg (dry wt) dry	1	13.3	46.9	[CALC]	08/19/2022 13:05	EM
SW-7196	Chromium (VI)	N	<13.0	U	mg/kg (dry wt) dry	1	13.0	36.7	BFG2440	07/22/2022 17:49	EM
SW-7471B	Mercury	A	<0.0365	U	mg/kg dry	1	0.0365	0.0731	BFG3636	07/28/2022 17:34	EM
EPA 200.8	Lead	N	0.665	J	mg/kg dry	1	0.256	1.69	BFH2148	08/18/2022 17:59	TBB
EPA 200.8	Nickel	N	1.54	J	mg/kg dry	1	0.0599	3.39	BFH2148	08/19/2022 13:05	TBB
EPA 200.8	Selenium	N	<3.72	U	mg/kg dry	1	3.72	16.9	BFH2148	08/23/2022 14:02	TBB
EPA 200.8	Silver	N	0.251	J	mg/kg dry	1	0.0240	1.69	BFH2148	08/23/2022 14:02	TBB
EPA 200.8	Thallium	N	<0.0234	U	mg/kg dry	1	0.0234	1.69	BFH2148	08/18/2022 17:59	TBB
EPA 200.8	Zinc	N	523		mg/kg dry	10	12.7	67.7	BFH2148	08/19/2022 13:43	TBB
General Chemistry											
SM 2540 G	% Solids	N	12.9		%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-4
Lab Sample ID: 22F4225-95RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<36.7	U	ug/kg dry	1	36.7	36.7	BFG2759	08/18/2022 08:48	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/18/2022 08:48	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<36.7	U	ug/kg dry	1	36.7	36.7	BFG2759	08/18/2022 08:48	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/18/2022 08:48	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<18.3	B, U	ug/kg dry	1	18.3	18.3	BFG2759	08/18/2022 08:48	KRB
SW-8270	Chrysene (Rerun)	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/18/2022 08:48	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/18/2022 08:48	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	132	V	ug/kg dry	1	18.3	18.3	BFG2759	08/18/2022 08:48	KRB
SW-8270	Fluoranthene (Rerun)	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/18/2022 08:48	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/18/2022 08:48	KRB
SW-8270	Pyrene (Rerun)	A	<18.3	U	ug/kg dry	1	18.3	18.3	BFG2759	08/18/2022 08:48	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*25.6%*	*S*	*60-140*					*08/18/2022 08:48*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*72.9%*		*60-140*					*08/18/2022 08:48*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*77.2%*		*60-140*					*08/18/2022 08:48*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*87.5%*		*60-140*					*08/18/2022 08:48*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*96.0%*		*60-140*					*08/18/2022 08:48*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*17.2%*	*S*	*60-140*					*08/18/2022 08:48*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-5
Lab Sample ID: 22F4225-96
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	Acenaphthene	A	<19.3U	ug/kg dry	1	19.3	19.3	BFG2759	08/12/2022 17:17	KRB
SW-8270	Acenaphthylene	A	<19.3U	ug/kg dry	1	19.3	19.3	BFG2759	08/12/2022 17:17	KRB
SW-8270	Anthracene	A	<19.3U	ug/kg dry	1	19.3	19.3	BFG2759	08/12/2022 17:17	KRB
SW-8270	Benzo(a)pyrene	A	<19.3U	ug/kg dry	1	19.3	19.3	BFG2759	08/12/2022 17:17	KRB
SW-8270	Fluorene	A	<19.3U	ug/kg dry	1	19.3	19.3	BFG2759	08/12/2022 17:17	KRB
SW-8270	Naphthalene	A	37.0	ug/kg dry	1	19.3	19.3	BFG2759	08/12/2022 17:17	KRB
SW-8270	Phenanthrene	A	<19.3U	ug/kg dry	1	19.3	19.3	BFG2759	08/12/2022 17:17	KRB
SW-8270	Phenol, Total	A	305V	ug/kg dry	1	38.6	38.6	BFG2759	08/12/2022 17:17	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*26.3% S*	*60-140*					*08/12/2022 17:17*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*87.0%*	*60-140*					*08/12/2022 17:17*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*140%*	*60-140*					*08/12/2022 17:17*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*41.5% S*	*60-140*					*08/12/2022 17:17*	
SW-8270	*Surrogate: Phenol-d5-surr*		*60.8%*	*60-140*					*08/12/2022 17:17*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*11.4% S*	*60-140*					*08/12/2022 17:17*	
Organics by GC										
SW-8082	PCBs, Total	A	<31.5U	ug/kg dry	1	31.5	31.5	BFG2416	08/19/2022 22:29	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*119%*	*60-140*					*08/19/2022 22:29*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*73.6%*	*60-140*					*08/19/2022 22:29*	
Metals, Total										
EPA 200.8	Antimony	N	<0.290U	mg/kg dry	1	0.290	3.61	BFH2148	08/18/2022 18:01	TBB
EPA 200.8	Arsenic	N	25.0	mg/kg dry	1	0.444	1.80	BFH2148	08/18/2022 18:01	TBB
EPA 200.8	Beryllium	N	<0.0361U	mg/kg dry	1	0.0361	0.721	BFH2148	08/23/2022 18:52	TBB
EPA 200.8	Cadmium	N	0.356J	mg/kg dry	1	0.114	3.61	BFH2148	08/18/2022 18:01	TBB
EPA 200.8	Chromium	N	0.593J	mg/kg dry	1	0.265	10.8	BFH2148	08/19/2022 13:08	TBB
EPA 200.8	Copper	N	12.4	mg/kg dry	1	0.314	3.61	BFH2148	08/19/2022 13:08	TBB
Calc	Chromium (III)		<14.3U	mg/kg (dry wt) dry	1	14.3	50.6	[CALC]	08/19/2022 13:08	EM
SW-7196	Chromium (VI)	N	<14.1U	mg/kg (dry wt) dry	1	14.1	39.8	BFG2440	07/22/2022 17:51	EM
SW-7471B	Mercury	A	<0.0343U	mg/kg dry	1	0.0343	0.0685	BFG3636	07/28/2022 17:37	EM
EPA 200.8	Lead	N	0.738J	mg/kg dry	1	0.272	1.80	BFH2148	08/18/2022 18:01	TBB
EPA 200.8	Nickel	N	1.50J	mg/kg dry	1	0.0638	3.61	BFH2148	08/19/2022 13:08	TBB
EPA 200.8	Selenium	N	<3.97U	mg/kg dry	1	3.97	18.0	BFH2148	08/23/2022 14:04	TBB
EPA 200.8	Silver	N	0.308J	mg/kg dry	1	0.0256	1.80	BFH2148	08/23/2022 14:04	TBB
EPA 200.8	Thallium	N	<0.0249U	mg/kg dry	1	0.0249	1.80	BFH2148	08/18/2022 18:01	TBB
EPA 200.8	Zinc	N	80.2	mg/kg dry	1	1.35	7.21	BFH2148	08/19/2022 13:08	TBB
General Chemistry										
SM 2540 G	% Solids	N	12.4	%	1	0.100	0.100	BFG0301	07/06/2022 11:36	SSM

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Results
(Continued)

Client Sample ID: NV-HI-REF-5
Lab Sample ID: 22F4225-96RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/15/2022 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	4-Nitrophenol (Rerun)	A	<38.6	U	ug/kg dry	1	38.6	38.6	BFG2759	08/18/2022 09:23	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<19.3	U	ug/kg dry	1	19.3	19.3	BFG2759	08/18/2022 09:23	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<38.6	U	ug/kg dry	1	38.6	38.6	BFG2759	08/18/2022 09:23	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<19.3	U	ug/kg dry	1	19.3	19.3	BFG2759	08/18/2022 09:23	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<19.3	B, U	ug/kg dry	1	19.3	19.3	BFG2759	08/18/2022 09:23	KRB
SW-8270	Chrysene (Rerun)	A	<19.3	U	ug/kg dry	1	19.3	19.3	BFG2759	08/18/2022 09:23	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<19.3	U	ug/kg dry	1	19.3	19.3	BFG2759	08/18/2022 09:23	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	270	V	ug/kg dry	1	19.3	19.3	BFG2759	08/18/2022 09:23	KRB
SW-8270	Fluoranthene (Rerun)	A	<19.3	U	ug/kg dry	1	19.3	19.3	BFG2759	08/18/2022 09:23	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<19.3	U	ug/kg dry	1	19.3	19.3	BFG2759	08/18/2022 09:23	KRB
SW-8270	Pyrene (Rerun)	A	<19.3	U	ug/kg dry	1	19.3	19.3	BFG2759	08/18/2022 09:23	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*27.0%*	*S*	*60-140*					*08/18/2022 09:23*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*65.9%*		*60-140*					*08/18/2022 09:23*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*84.2%*		*60-140*					*08/18/2022 09:23*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*90.9%*		*60-140*					*08/18/2022 09:23*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*99.1%*		*60-140*					*08/18/2022 09:23*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*15.2%*	*S*	*60-140*					*08/18/2022 09:23*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control

Semivolatile Organic Compounds by GCMS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2349 - SW-3570										
Blank (BFG2349-BLK1)				Prepared: 7/19/2022 Analyzed: 8/15/2022						
4-Nitrophenol	<4.86	U	4.86	ug/kg wet						
Acenaphthene	<2.43	U	2.43	ug/kg wet						
Acenaphthylene	<2.43	U	2.43	ug/kg wet						
Anthracene	<2.43	U	2.43	ug/kg wet						
Benzo(a)anthracene	<2.43	U	2.43	ug/kg wet						
Benzo(a)pyrene	<2.43	U	2.43	ug/kg wet						
benzo(b&k)fluoranthene	<4.86	U	4.86	ug/kg wet						
Benzo(g,h,i)perylene	<2.43	U	2.43	ug/kg wet						
Bis(2-ethylhexyl)phthalate	78.7		2.43	ug/kg wet						
Chrysene	<2.43	U	2.43	ug/kg wet						
Dibenzo(a,h)anthracene	<2.43	U	2.43	ug/kg wet						
Di-n-butyl phthalate	7.90		2.43	ug/kg wet						
Fluoranthene	<2.43	U	2.43	ug/kg wet						
Fluorene	<2.43	U	2.43	ug/kg wet						
Indeno(1,2,3-cd) pyrene	<2.43	U	2.43	ug/kg wet						
Naphthalene	<2.43	U	2.43	ug/kg wet						
Phenanthrene	<2.43	U	2.43	ug/kg wet						
Phenol, Total	55.8		4.86	ug/kg wet						
Pyrene	<2.43	U	2.43	ug/kg wet						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*4.06*	*ug/kg wet*	*77.8*		*5.21*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*25.6*	*ug/kg wet*	*38.9*		*65.7*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*51.0*	*ug/kg wet*	*77.8*		*65.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*32.8*	*ug/kg wet*	*38.9*		*84.3*	*60-140*		
Surrogate: Phenol-d5-surr			*85.7*	*ug/kg wet*	*77.8*		*110*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*20.1*	*ug/kg wet*	*38.9*		*51.6*	*60-140*		
Blank (BFG2349-BLK2)				Prepared: 7/19/2022 Analyzed: 8/3/2022						
Acenaphthylene	<2.43	U	2.43	ug/kg wet						
Anthracene	<2.43	U	2.43	ug/kg wet						
Phenanthrene	<2.43	U	2.43	ug/kg wet						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*5.11*	*ug/kg wet*	*77.8*		*6.56*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*19.2*	*ug/kg wet*	*38.9*		*49.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*47.3*	*ug/kg wet*	*77.8*		*60.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*58.8*	*ug/kg wet*	*38.9*		*151*	*60-140*		
Surrogate: Phenol-d5-surr			*87.2*	*ug/kg wet*	*77.8*		*112*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*12.5*	*ug/kg wet*	*38.9*		*32.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2349 - SW-3570 (Continued)										
BS SV (BFG2349-BS1)					Prepared: 7/19/2022 Analyzed: 8/15/2022					
4-Nitrophenol	87.6	J1	4.78	ug/kg wet	191		45.8	60-140		
Acenaphthene	23.8		2.39	ug/kg wet	38.2		62.3	60-140		
Acenaphthylene	28.3		2.39	ug/kg wet	38.2		74.0	60-140		
Anthracene	17.1	J1	2.39	ug/kg wet	38.2		44.6	60-140		
Benzo(a)anthracene	13.0	J1	2.39	ug/kg wet	38.2		33.9	60-140		
Benzo(a)pyrene	12.3	J1	2.39	ug/kg wet	38.2		32.1	60-140		
benzo(b&k)fluoranthene	27.7	J1	4.78	ug/kg wet	76.5		36.2	60-140		
Benzo(g,h,i)perylene	17.3	J1	2.39	ug/kg wet	38.2		45.3	60-140		
Bis(2-ethylhexyl)phthalate	45.2		2.39	ug/kg wet	38.2		118	60-140		
Chrysene	11.9	J1	2.39	ug/kg wet	38.2		31.1	60-140		
Dibenzo(a,h)anthracene	16.4	J1	2.39	ug/kg wet	38.2		42.9	60-140		
Di-n-butyl phthalate	25.9		2.39	ug/kg wet	38.2		67.8	60-140		
Fluoranthene	17.6	J1	2.39	ug/kg wet	38.2		46.0	60-140		
Fluorene	21.9	J1	2.39	ug/kg wet	38.2		57.2	60-140		
Indeno(1,2,3-cd) pyrene	16.9	J1	2.39	ug/kg wet	38.2		44.2	60-140		
Naphthalene	25.4		2.39	ug/kg wet	38.2		66.4	60-140		
Phenanthrene	18.4	J1	2.39	ug/kg wet	38.2		48.2	60-140		
Phenol, Total	98.7		4.78	ug/kg wet	76.5		129	60-140		
Pyrene	10.6	J1	2.39	ug/kg wet	38.2		27.8	60-140		
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*4.69*	*ug/kg wet*	*76.5*		*6.13*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr	*S*		*14.6*	*ug/kg wet*	*38.2*		*38.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*46.7*	*ug/kg wet*	*76.5*		*61.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*26.8*	*ug/kg wet*	*38.2*		*70.1*	*60-140*		
Surrogate: Phenol-d5-surr			*72.0*	*ug/kg wet*	*76.5*		*94.1*	*60-140*		
Surrogate: p-Terphenyl-d14-surr	*S*		*10.8*	*ug/kg wet*	*38.2*		*28.3*	*60-140*		
LCS (BFG2349-BS2)					Prepared: 7/19/2022 Analyzed: 8/3/2022					
Acenaphthylene	23.9		2.39	ug/kg wet	38.2		62.4	60-140		
Anthracene	15.2	J1	2.39	ug/kg wet	38.2		39.7	60-140		
Phenanthrene	16.6	J1	2.39	ug/kg wet	38.2		43.3	60-140		
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*5.98*	*ug/kg wet*	*76.5*		*7.82*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr	*S*		*14.8*	*ug/kg wet*	*38.2*		*38.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*49.6*	*ug/kg wet*	*76.5*		*64.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*31.3*	*ug/kg wet*	*38.2*		*81.8*	*60-140*		
Surrogate: Phenol-d5-surr			*103*	*ug/kg wet*	*76.5*		*135*	*60-140*		
Surrogate: p-Terphenyl-d14-surr	*S*		*8.46*	*ug/kg wet*	*38.2*		*22.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2349 - SW-3570 (Continued)										
BSD SV (BFG2349-BSD1)				Prepared: 7/19/2022 Analyzed: 8/15/2022						
4-Nitrophenol	85.6	J1	4.78	ug/kg wet	191		44.7	60-140	2.34	40
Acenaphthene	27.0		2.39	ug/kg wet	38.2		70.6	60-140	12.5	40
Acenaphthylene	31.6		2.39	ug/kg wet	38.2		82.7	60-140	11.1	40
Anthracene	19.3	J1	2.39	ug/kg wet	38.2		50.4	60-140	12.2	40
Benzo(a)anthracene	16.4	J1	2.39	ug/kg wet	38.2		42.8	60-140	23.4	40
Benzo(a)pyrene	15.3	J1	2.39	ug/kg wet	38.2		40.1	60-140	22.0	40
benzo(b&k)fluoranthene	33.6	J1	4.78	ug/kg wet	76.5		43.9	60-140	19.3	40
Benzo(g,h,i)perylene	19.2	J1	2.39	ug/kg wet	38.2		50.2	60-140	10.3	40
Bis(2-ethylhexyl)phthalate	45.9		2.39	ug/kg wet	38.2		120	60-140	1.63	40
Chrysene	13.8	J1	2.39	ug/kg wet	38.2		36.2	60-140	15.2	40
Dibenzo(a,h)anthracene	18.2	J1	2.39	ug/kg wet	38.2		47.5	60-140	10.3	40
Di-n-butyl phthalate	29.0		2.39	ug/kg wet	38.2		75.9	60-140	11.3	40
Fluoranthene	20.5	J1	2.39	ug/kg wet	38.2		53.6	60-140	15.2	40
Fluorene	24.4		2.39	ug/kg wet	38.2		63.7	60-140	10.8	40
Indeno(1,2,3-cd) pyrene	18.8	J1	2.39	ug/kg wet	38.2		49.1	60-140	10.5	40
Naphthalene	27.7		2.39	ug/kg wet	38.2		72.5	60-140	8.73	40
Phenanthrene	20.8	J1	2.39	ug/kg wet	38.2		54.3	60-140	11.9	40
Phenol, Total	101		4.78	ug/kg wet	76.5		132	60-140	1.87	40
Pyrene	11.8	J1	2.39	ug/kg wet	38.2		30.9	60-140	10.7	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*5.77*	*ug/kg wet*	*76.5*		*7.55*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*16.6*	*ug/kg wet*	*38.2*		*43.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*53.7*	*ug/kg wet*	*76.5*		*70.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*30.2*	*ug/kg wet*	*38.2*		*78.9*	*60-140*		
Surrogate: Phenol-d5-surr			*78.9*	*ug/kg wet*	*76.5*		*103*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*11.9*	*ug/kg wet*	*38.2*		*31.2*	*60-140*		
LCS Dup (BFG2349-BSD2)				Prepared: 7/19/2022 Analyzed: 8/3/2022						
Acenaphthylene	26.5		2.39	ug/kg wet	38.2		69.3	60-140	10.5	40
Anthracene	16.1	J1	2.39	ug/kg wet	38.2		42.1	60-140	5.84	40
Phenanthrene	17.7	J1	2.39	ug/kg wet	38.2		46.4	60-140	6.92	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*8.98*	*ug/kg wet*	*76.5*		*11.7*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*15.8*	*ug/kg wet*	*38.2*		*41.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*56.7*	*ug/kg wet*	*76.5*		*74.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*45.1*	*ug/kg wet*	*38.2*		*118*	*60-140*		
Surrogate: Phenol-d5-surr		*S*	*114*	*ug/kg wet*	*76.5*		*148*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*9.90*	*ug/kg wet*	*38.2*		*25.9*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2349 - SW-3570 (Continued)										
MDL SV (BFG2349-MRL1)				Prepared: 7/19/2022 Analyzed: 8/15/2022						
4-Nitrophenol	17.6		4.40	ug/kg wet	17.6		100	50-150		
Acenaphthene	4.24		2.20	ug/kg wet	3.52		120	50-150		
Acenaphthylene	4.29		2.20	ug/kg wet	3.52		122	50-150		
Anthracene	3.06		2.20	ug/kg wet	3.52		86.9	50-150		
Benzo(a)anthracene	<2.20	J1, U	2.20	ug/kg wet	3.52			50-150		
Benzo(a)pyrene	<2.20	J1, U	2.20	ug/kg wet	3.52			50-150		
benzo(b&k)fluoranthene	<4.40	J1, U	4.40	ug/kg wet	7.04			50-150		
Benzo(g,h,i)perylene	<2.20	J1, U	2.20	ug/kg wet	3.52			50-150		
Bis(2-ethylhexyl)phthalate	70.1	J1	2.20	ug/kg wet	3.52		NR	50-150		
Chrysene	<2.20	J1, U	2.20	ug/kg wet	3.52			50-150		
Dibenzo(a,h)anthracene	<2.20	J1, U	2.20	ug/kg wet	3.52			50-150		
Di-n-butyl phthalate	10.2	J1	2.20	ug/kg wet	3.52		289	50-150		
Fluoranthene	2.31		2.20	ug/kg wet	3.52		65.7	50-150		
Fluorene	3.80		2.20	ug/kg wet	3.52		108	50-150		
Indeno(1,2,3-cd) pyrene	<2.20	J1, U	2.20	ug/kg wet	3.52			50-150		
Naphthalene	6.49	J1	2.20	ug/kg wet	3.52		184	50-150		
Phenanthrene	3.01		2.20	ug/kg wet	3.52		85.4	50-150		
Phenol, Total	58.9	J1	4.40	ug/kg wet	7.04		836	50-150		
Pyrene	<2.20	J1, U	2.20	ug/kg wet	3.52			50-150		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*16.9*	*ug/kg wet*	*70.4*		*23.9*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*29.9*	*ug/kg wet*	*35.2*		*84.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*53.3*	*ug/kg wet*	*70.4*		*75.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*32.9*	*ug/kg wet*	*35.2*		*93.4*	*60-140*		
Surrogate: Phenol-d5-surr			*84.3*	*ug/kg wet*	*70.4*		*120*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*12.0*	*ug/kg wet*	*35.2*		*34.0*	*60-140*		
MRL Check (BFG2349-MRL2)				Prepared: 7/19/2022 Analyzed: 8/3/2022						
Acenaphthylene	4.75		2.20	ug/kg wet	3.52		135	50-150		
Anthracene	<2.20	J1, U	2.20	ug/kg wet	3.52			50-150		
Phenanthrene	2.57		2.20	ug/kg wet	3.52		73.0	50-150		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*21.9*	*ug/kg wet*	*70.4*		*31.1*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*25.0*	*ug/kg wet*	*35.2*		*71.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*48.0*	*ug/kg wet*	*70.4*		*68.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*54.4*	*ug/kg wet*	*35.2*		*155*	*60-140*		
Surrogate: Phenol-d5-surr			*89.1*	*ug/kg wet*	*70.4*		*127*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*11.4*	*ug/kg wet*	*35.2*		*32.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2349 - SW-3570 (Continued)										
22F4225-41 MS (BFG2349-MS1)		**Source: 22F4225-41**		Prepared: 7/19/2022 Analyzed: 8/15/2022						
4-Nitrophenol	599	J1	26.6	ug/kg dry	1060	<26.6	56.4	60-140		
Acenaphthene	183		13.3	ug/kg dry	213	<13.3	86.3	60-140		
Acenaphthylene	127	J1	13.3	ug/kg dry	213	<13.3	59.6	60-140		
Anthracene	189		13.3	ug/kg dry	213	<13.3	88.8	60-140		
Benzo(a)anthracene	25.8	J1	13.3	ug/kg dry	213	<13.3	12.2	60-140		
Benzo(a)pyrene	<13.3	J1, U	13.3	ug/kg dry	213	<13.3		60-140		
benzo(b&k)fluoranthene	<26.6	J1, U	26.6	ug/kg dry	425	<26.6		60-140		
Benzo(g,h,i)perylene	14.3	J1	13.3	ug/kg dry	213	<13.3	6.71	60-140		
Bis(2-ethylhexyl)phthalate	<13.3	J1, U	13.3	ug/kg dry	213	<13.3		60-140		
Chrysene	18.0	J1	13.3	ug/kg dry	213	<13.3	8.49	60-140		
Dibenzo(a,h)anthracene	22.6	J1	13.3	ug/kg dry	213	<13.3	10.6	60-140		
Di-n-butyl phthalate	465	J1	13.3	ug/kg dry	213	18.2	210	60-140		
Fluoranthene	<13.3	J1, U	13.3	ug/kg dry	213	<13.3		60-140		
Fluorene	168		13.3	ug/kg dry	213	<13.3	78.9	60-140		
Indeno(1,2,3-cd) pyrene	21.9	J1	13.3	ug/kg dry	213	<13.3	10.3	60-140		
Naphthalene	187		13.3	ug/kg dry	213	<13.3	87.9	60-140		
Phenanthrene	<13.3	J1, U	13.3	ug/kg dry	213	<13.3		60-140		
Phenol, Total	766		26.6	ug/kg dry	425	231	126	60-140		
Pyrene	42.9	J1	13.3	ug/kg dry	213	<13.3	20.2	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*158*	*ug/kg dry*	*425*		*37.2*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*135*	*ug/kg dry*	*213*		*63.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*303*	*ug/kg dry*	*425*		*71.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*154*	*ug/kg dry*	*213*		*72.4*	*60-140*		
Surrogate: Phenol-d5-surr			*405*	*ug/kg dry*	*425*		*95.2*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*18.4*	*ug/kg dry*	*213*		*8.65*	*60-140*		
Matrix Spike (BFG2349-MS2)		**Source: 22F4225-41RE1**		Prepared: 7/19/2022 Analyzed: 8/3/2022						
Acenaphthylene	233		13.3	ug/kg dry	213	<13.3	110	60-140		
Anthracene	171		13.3	ug/kg dry	213	<13.3	80.3	60-140		
Phenanthrene	137		13.3	ug/kg dry	213	<13.3	64.2	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*202*	*ug/kg dry*	*425*		*47.6*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*183*	*ug/kg dry*	*213*		*86.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*400*	*ug/kg dry*	*425*		*94.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*357*	*ug/kg dry*	*213*		*168*	*60-140*		
Surrogate: Phenol-d5-surr		*S*	*695*	*ug/kg dry*	*425*		*163*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*28.7*	*ug/kg dry*	*213*		*13.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2349 - SW-3570 (Continued)										
22F4225-41 MSD (BFG2349-MSD1)	**Source: 22F4225-41**			Prepared: 7/19/2022 Analyzed: 8/15/2022						
4-Nitrophenol	680		25.9	ug/kg dry	1040	<25.9	65.6	60-140	12.6	40
Acenaphthene	178		13.0	ug/kg dry	207	<13.0	86.0	60-140	2.91	40
Acenaphthylene	212	J1	13.0	ug/kg dry	207	<13.0	102	60-140	50.3	40
Anthracene	126		13.0	ug/kg dry	207	<13.0	60.8	60-140	39.9	40
Benzo(a)anthracene	35.8	J1	13.0	ug/kg dry	207	<13.0	17.3	60-140	32.2	40
Benzo(a)pyrene	16.3	J1	13.0	ug/kg dry	207	<13.0	7.85	60-140	200	40
benzo(b&k)fluoranthene	<25.9	J1, U	25.9	ug/kg dry	414	<25.9		60-140		40
Benzo(g,h,i)perylene	15.6	J1	13.0	ug/kg dry	207	<13.0	7.54	60-140	200	40
Bis(2-ethylhexyl)phthalate	<13.0	J1, U	13.0	ug/kg dry	207	<13.0		60-140		40
Chrysene	17.9	J1	13.0	ug/kg dry	207	<13.0	8.65	60-140	0.688	40
Dibenzo(a,h)anthracene	22.0	J1	13.0	ug/kg dry	207	<13.0	10.6	60-140	2.73	40
Di-n-butyl phthalate	151	J1	13.0	ug/kg dry	207	18.2	64.2	60-140	102	40
Fluoranthene	46.0	J1	13.0	ug/kg dry	207	<13.0	22.2	60-140	200	40
Fluorene	162		13.0	ug/kg dry	207	<13.0	78.1	60-140	3.50	40
Indeno(1,2,3-cd) pyrene	21.4	J1	13.0	ug/kg dry	207	<13.0	10.3	60-140	2.17	40
Naphthalene	190		13.0	ug/kg dry	207	<13.0	91.5	60-140	1.54	40
Phenanthrene	129	J1	13.0	ug/kg dry	207	<13.0	62.1	60-140	200	40
Phenol, Total	661		25.9	ug/kg dry	414	231	104	60-140	14.7	40
Pyrene	39.9	J1	13.0	ug/kg dry	207	<13.0	19.3	60-140	7.26	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*179*	*ug/kg dry*	*414*		*43.1*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*154*	*ug/kg dry*	*207*		*74.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*324*	*ug/kg dry*	*414*		*78.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*168*	*ug/kg dry*	*207*		*81.3*	*60-140*		
Surrogate: Phenol-d5-surr			*425*	*ug/kg dry*	*414*		*102*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*22.8*	*ug/kg dry*	*207*		*11.0*	*60-140*		
Matrix Spike Dup (BFG2349-MSD2)	**Source: 22F4225-41RE1**			Prepared: 7/19/2022 Analyzed: 8/3/2022						
Acenaphthylene	231		13.0	ug/kg dry	207	<13.0	112	60-140	0.645	40
Anthracene	131		13.0	ug/kg dry	207	<13.0	63.4	60-140	26.1	40
Phenanthrene	124	J1	13.0	ug/kg dry	207	<13.0	59.7	60-140	9.91	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*205*	*ug/kg dry*	*414*		*49.6*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*192*	*ug/kg dry*	*207*		*92.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*483*	*ug/kg dry*	*414*		*117*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*354*	*ug/kg dry*	*207*		*171*	*60-140*		
Surrogate: Phenol-d5-surr		*S*	*731*	*ug/kg dry*	*414*		*176*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*37.5*	*ug/kg dry*	*207*		*18.1*	*60-140*		

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2359 - SW-3570										
Blank (BFG2359-BLK1)				Prepared: 7/19/2022 Analyzed: 8/2/2022						
4-Nitrophenol	<5.00	U	5.00	ug/kg wet						
Acenaphthene	<2.50	U	2.50	ug/kg wet						
Acenaphthylene	<2.50	U	2.50	ug/kg wet						
Anthracene	<2.50	U	2.50	ug/kg wet						
Benzo(a)anthracene	<2.50	U	2.50	ug/kg wet						
Benzo(a)pyrene	<2.50	U	2.50	ug/kg wet						
benzo(b&k)fluoranthene	<5.00	U	5.00	ug/kg wet						
Benzo(g,h,i)perylene	<2.50	U	2.50	ug/kg wet						
Bis(2-ethylhexyl)phthalate	30.1		2.50	ug/kg wet						
Chrysene	<2.50	U	2.50	ug/kg wet						
Dibenzo(a,h)anthracene	<2.50	U	2.50	ug/kg wet						
Di-n-butyl phthalate	3.42		2.50	ug/kg wet						
Fluoranthene	<2.50	U	2.50	ug/kg wet						
Fluorene	<2.50	U	2.50	ug/kg wet						
Indeno(1,2,3-cd) pyrene	<2.50	U	2.50	ug/kg wet						
Naphthalene	<2.50	U	2.50	ug/kg wet						
Phenanthrene	<2.50	U	2.50	ug/kg wet						
Phenol, Total	14.6		5.00	ug/kg wet						
Pyrene	<2.50	U	2.50	ug/kg wet						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*29.9*	*ug/kg wet*	*80.0*		*37.3*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*22.6*	*ug/kg wet*	*40.0*		*56.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*77.0*	*ug/kg wet*	*80.0*		*96.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*37.4*	*ug/kg wet*	*40.0*		*93.4*	*60-140*		
Surrogate: Phenol-d5-surr			*102*	*ug/kg wet*	*80.0*		*128*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*16.5*	*ug/kg wet*	*40.0*		*41.3*	*60-140*		
BS SV (BFG2359-BS1)				Prepared: 7/19/2022 Analyzed: 8/2/2022						
4-Nitrophenol	145		4.89	ug/kg wet	196		74.3	60-140		
Acenaphthene	23.9		2.45	ug/kg wet	39.1		61.0	60-140		
Acenaphthylene	22.3	J1	2.45	ug/kg wet	39.1		57.0	60-140		
Anthracene	18.1	J1	2.45	ug/kg wet	39.1		46.3	60-140		
Benzo(a)anthracene	26.3		2.45	ug/kg wet	39.1		67.2	60-140		
Benzo(a)pyrene	18.0	J1	2.45	ug/kg wet	39.1		46.0	60-140		
benzo(b&k)fluoranthene	51.5		4.89	ug/kg wet	78.3		65.8	60-140		
Benzo(g,h,i)perylene	5.50	J1	2.45	ug/kg wet	39.1		14.1	60-140		
Bis(2-ethylhexyl)phthalate	69.6	J1	2.45	ug/kg wet	39.1		178	60-140		
Chrysene	19.0	J1	2.45	ug/kg wet	39.1		48.5	60-140		
Dibenzo(a,h)anthracene	7.66	J1	2.45	ug/kg wet	39.1		19.6	60-140		
Di-n-butyl phthalate	26.7		2.45	ug/kg wet	39.1		68.1	60-140		
Fluoranthene	17.9	J1	2.45	ug/kg wet	39.1		45.8	60-140		
Fluorene	21.6	J1	2.45	ug/kg wet	39.1		55.2	60-140		
Indeno(1,2,3-cd) pyrene	6.88	J1	2.45	ug/kg wet	39.1		17.6	60-140		
Naphthalene	21.8	J1	2.45	ug/kg wet	39.1		55.6	60-140		
Phenanthrene	22.2	J1	2.45	ug/kg wet	39.1		56.8	60-140		
Phenol, Total	75.3		4.89	ug/kg wet	78.3		96.2	60-140		
Pyrene	13.3	J1	2.45	ug/kg wet	39.1		34.1	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2359 - SW-3570 (Continued)										
BS SV (BFG2359-BS1)				Prepared: 7/19/2022 Analyzed: 8/2/2022						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*21.9*	*ug/kg wet*	*78.3*		*28.0*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*18.8*	*ug/kg wet*	*39.1*		*48.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*39.7*	*ug/kg wet*	*78.3*		*50.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*41.4*	*ug/kg wet*	*39.1*		*106*	*60-140*		
Surrogate: Phenol-d5-surr			*71.6*	*ug/kg wet*	*78.3*		*91.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*13.5*	*ug/kg wet*	*39.1*		*34.5*	*60-140*		
BSD SV (BFG2359-BSD1)				Prepared: 7/19/2022 Analyzed: 8/2/2022						
4-Nitrophenol	161		4.79	ug/kg wet	192		83.8	60-140	9.93	40
Acenaphthene	25.0		2.39	ug/kg wet	38.3		65.2	60-140	4.48	40
Acenaphthylene	25.5		2.39	ug/kg wet	38.3		66.6	60-140	13.4	40
Anthracene	21.9	J1	2.39	ug/kg wet	38.3		57.2	60-140	19.0	40
Benzo(a)anthracene	32.4		2.39	ug/kg wet	38.3		84.6	60-140	20.8	40
Benzo(a)pyrene	17.8	J1	2.39	ug/kg wet	38.3		46.4	60-140	1.32	40
benzo(b&k)fluoranthene	54.9		4.79	ug/kg wet	76.6		71.6	60-140	6.39	40
Benzo(g,h,i)perylene	4.10	J1	2.39	ug/kg wet	38.3		10.7	60-140	29.1	40
Bis(2-ethylhexyl)phthalate	78.0	J1, L	2.39	ug/kg wet	38.3		204	60-140	11.3	40
Chrysene	23.2		2.39	ug/kg wet	38.3		60.7	60-140	20.2	40
Dibenzo(a,h)anthracene	6.18	J1	2.39	ug/kg wet	38.3		16.1	60-140	21.5	40
Di-n-butyl phthalate	25.1		2.39	ug/kg wet	38.3		65.5	60-140	6.02	40
Fluoranthene	19.9	J1	2.39	ug/kg wet	38.3		51.9	60-140	10.3	40
Fluorene	24.6		2.39	ug/kg wet	38.3		64.2	60-140	13.0	40
Indeno(1,2,3-cd) pyrene	5.46	J1	2.39	ug/kg wet	38.3		14.3	60-140	22.9	40
Naphthalene	23.8		2.39	ug/kg wet	38.3		62.0	60-140	8.71	40
Phenanthrene	24.5		2.39	ug/kg wet	38.3		64.0	60-140	9.72	40
Phenol, Total	81.3		4.79	ug/kg wet	76.6		106	60-140	7.68	40
Pyrene	15.5	J1	2.39	ug/kg wet	38.3		40.4	60-140	15.0	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*24.8*	*ug/kg wet*	*76.6*		*32.4*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*24.0*	*ug/kg wet*	*38.3*		*62.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*52.3*	*ug/kg wet*	*76.6*		*68.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*50.7*	*ug/kg wet*	*38.3*		*132*	*60-140*		
Surrogate: Phenol-d5-surr			*89.9*	*ug/kg wet*	*76.6*		*117*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*13.6*	*ug/kg wet*	*38.3*		*35.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2359 - SW-3570 (Continued)										
MDL SV (BFG2359-MRL1)					Prepared: 7/19/2022 Analyzed: 8/2/2022					
4-Nitrophenol	<4.66	J1, U	4.66	ug/kg wet	18.7			50-150		
Acenaphthene	2.54		2.33	ug/kg wet	3.73		68.1	50-150		
Acenaphthylene	3.09		2.33	ug/kg wet	3.73		82.8	50-150		
Anthracene	<2.33	J1, U	2.33	ug/kg wet	3.73			50-150		
Benzo(a)anthracene	3.62		2.33	ug/kg wet	3.73		97.0	50-150		
Benzo(a)pyrene	<2.33	J1, U	2.33	ug/kg wet	3.73			50-150		
benzo(b&k)fluoranthene	<4.66	J1, U	4.66	ug/kg wet	7.46			50-150		
Benzo(g,h,i)perylene	<2.33	J1, U	2.33	ug/kg wet	3.73			50-150		
Bis(2-ethylhexyl)phthalate	57.0	J1	2.33	ug/kg wet	3.73		NR	50-150		
Chrysene	<2.33	J1, U	2.33	ug/kg wet	3.73			50-150		
Dibenzo(a,h)anthracene	<2.33	J1, U	2.33	ug/kg wet	3.73			50-150		
Di-n-butyl phthalate	15.2	J1	2.33	ug/kg wet	3.73		407	50-150		
Fluoranthene	<2.33	J1, U	2.33	ug/kg wet	3.73			50-150		
Fluorene	3.41		2.33	ug/kg wet	3.73		91.4	50-150		
Indeno(1,2,3-cd) pyrene	<2.33	J1, U	2.33	ug/kg wet	3.73			50-150		
Naphthalene	<2.33	J1, U	2.33	ug/kg wet	3.73			50-150		
Phenanthrene	<2.33	J1, U	2.33	ug/kg wet	3.73			50-150		
Phenol, Total	25.3	J1	4.66	ug/kg wet	7.46		339	50-150		
Pyrene	<2.33	J1, U	2.33	ug/kg wet	3.73			50-150		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*16.6*	*ug/kg wet*	*74.6*		*22.2*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*18.2*	*ug/kg wet*	*37.3*		*48.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*46.6*	*ug/kg wet*	*74.6*		*62.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*43.8*	*ug/kg wet*	*37.3*		*117*	*60-140*		
Surrogate: Phenol-d5-surr			*73.7*	*ug/kg wet*	*74.6*		*98.8*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*7.87*	*ug/kg wet*	*37.3*		*21.1*	*60-140*		
22F4225-01 MS (BFG2359-MS1)		**Source: 22F4225-01**			Prepared: 7/19/2022 Analyzed: 8/2/2022					
4-Nitrophenol	1660		49.1	ug/kg dry	1970	<49.1	84.5	60-140		
Acenaphthene	273		24.6	ug/kg dry	393	<24.6	69.4	60-140		
Acenaphthylene	318		24.6	ug/kg dry	393	<24.6	80.9	60-140		
Anthracene	238		24.6	ug/kg dry	393	<24.6	60.6	60-140		
Benzo(a)anthracene	340		24.6	ug/kg dry	393	<24.6	86.5	60-140		
Benzo(a)pyrene	310		24.6	ug/kg dry	393	<24.6	78.8	60-140		
benzo(b&k)fluoranthene	513		49.1	ug/kg dry	786	<49.1	65.2	60-140		
Benzo(g,h,i)perylene	90.7	J1	24.6	ug/kg dry	393	<24.6	23.1	60-140		
Bis(2-ethylhexyl)phthalate	155	J1	24.6	ug/kg dry	393	<24.6	39.4	60-140		
Chrysene	161	J1	24.6	ug/kg dry	393	<24.6	41.0	60-140		
Dibenzo(a,h)anthracene	83.3	J1	24.6	ug/kg dry	393	<24.6	21.2	60-140		
Di-n-butyl phthalate	236	J1	24.6	ug/kg dry	393	49.3	47.5	60-140		
Fluoranthene	232	J1	24.6	ug/kg dry	393	<24.6	58.9	60-140		
Fluorene	268		24.6	ug/kg dry	393	<24.6	68.1	60-140		
Indeno(1,2,3-cd) pyrene	70.6	J1	24.6	ug/kg dry	393	<24.6	18.0	60-140		
Naphthalene	269		24.6	ug/kg dry	393	<24.6	68.4	60-140		
Phenanthrene	289		24.6	ug/kg dry	393	<24.6	73.4	60-140		
Phenol, Total	943		49.1	ug/kg dry	786	225	91.3	60-140		
Pyrene	176	J1	24.6	ug/kg dry	393	<24.6	44.7	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2359 - SW-3570 (Continued)										
22F4225-01 MS (BFG2359-MS1)		**Source: 22F4225-01**			Prepared: 7/19/2022 Analyzed: 8/2/2022					
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*358*	*ug/kg dry*	*786*		*45.5*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*232*	*ug/kg dry*	*393*		*59.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*715*	*ug/kg dry*	*786*		*90.9*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*327*	*ug/kg dry*	*393*		*83.1*	*60-140*		
Surrogate: Phenol-d5-surr			*960*	*ug/kg dry*	*786*		*122*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*120*	*ug/kg dry*	*393*		*30.5*	*60-140*		
22F4225-01 MSD (BFG2359-MSD1)		**Source: 22F4225-01**			Prepared: 7/19/2022 Analyzed: 8/2/2022					
4-Nitrophenol	2450		54.1	ug/kg dry	2160	<54.1	113	60-140	38.4	40
Acenaphthene	318		27.1	ug/kg dry	433	<27.1	73.4	60-140	15.3	40
Acenaphthylene	370		27.1	ug/kg dry	433	<27.1	85.5	60-140	15.1	40
Anthracene	305		27.1	ug/kg dry	433	<27.1	70.5	60-140	24.7	40
Benzo(a)anthracene	250	J1	27.1	ug/kg dry	433	<27.1	57.8	60-140	30.4	40
Benzo(a)pyrene	289		27.1	ug/kg dry	433	<27.1	66.8	60-140	6.82	40
benzo(b&k)fluoranthene	542		54.1	ug/kg dry	866	<54.1	62.6	60-140	5.49	40
Benzo(g,h,i)perylene	43.7	J1	27.1	ug/kg dry	433	<27.1	10.1	60-140	70.0	40
Bis(2-ethylhexyl)phthalate	195	J1	27.1	ug/kg dry	433	<27.1	45.1	60-140	22.9	40
Chrysene	285	J1	27.1	ug/kg dry	433	<27.1	65.9	60-140	55.6	40
Dibenzo(a,h)anthracene	56.4	J1	27.1	ug/kg dry	433	<27.1	13.0	60-140	38.6	40
Di-n-butyl phthalate	339		27.1	ug/kg dry	433	49.3	67.0	60-140	35.9	40
Fluoranthene	291		27.1	ug/kg dry	433	<27.1	67.2	60-140	22.7	40
Fluorene	328		27.1	ug/kg dry	433	<27.1	75.8	60-140	20.4	40
Indeno(1,2,3-cd) pyrene	57.9	J1	27.1	ug/kg dry	433	<27.1	13.4	60-140	19.9	40
Naphthalene	339		27.1	ug/kg dry	433	<27.1	78.2	60-140	22.9	40
Phenanthrene	337		27.1	ug/kg dry	433	<27.1	77.8	60-140	15.4	40
Phenol, Total	947		54.1	ug/kg dry	866	225	83.4	60-140	0.455	40
Pyrene	206	J1	27.1	ug/kg dry	433	<27.1	47.5	60-140	15.7	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*391*	*ug/kg dry*	*866*		*45.2*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*237*	*ug/kg dry*	*433*		*54.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*616*	*ug/kg dry*	*866*		*71.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*359*	*ug/kg dry*	*433*		*82.9*	*60-140*		
Surrogate: Phenol-d5-surr			*989*	*ug/kg dry*	*866*		*114*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*118*	*ug/kg dry*	*433*		*27.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2556 - SW-3570										
Blank (BFG2556-BLK1)				Prepared: 7/20/2022 Analyzed: 8/11/2022						
4-Nitrophenol	<4.62	U	4.62	ug/kg wet						
Bis(2-ethylhexyl)phthalate	107	L	2.31	ug/kg wet						
Di-n-butyl phthalate	10.6		2.31	ug/kg wet						
Phenol, Total	23.1		4.62	ug/kg wet						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*10.7*	*ug/kg wet*	*73.9*		*14.5*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*25.3*	*ug/kg wet*	*37.0*		*68.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*54.8*	*ug/kg wet*	*73.9*		*74.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*36.4*	*ug/kg wet*	*37.0*		*98.4*	*60-140*		
Surrogate: Phenol-d5-surr			*63.9*	*ug/kg wet*	*73.9*		*86.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*21.5*	*ug/kg wet*	*37.0*		*58.1*	*60-140*		
BS SV (BFG2556-BS1)				Prepared: 7/20/2022 Analyzed: 8/11/2022						
4-Nitrophenol	123		4.82	ug/kg wet	193		64.1	60-140		
Bis(2-ethylhexyl)phthalate	120	J1, L	2.41	ug/kg wet	38.5		311	60-140		
Di-n-butyl phthalate	25.5		2.41	ug/kg wet	38.5		66.3	60-140		
Phenol, Total	91.4		4.82	ug/kg wet	77.1		119	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*8.72*	*ug/kg wet*	*77.1*		*11.3*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*29.6*	*ug/kg wet*	*38.5*		*76.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*47.0*	*ug/kg wet*	*77.1*		*60.9*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*46.6*	*ug/kg wet*	*38.5*		*121*	*60-140*		
Surrogate: Phenol-d5-surr			*78.1*	*ug/kg wet*	*77.1*		*101*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*20.3*	*ug/kg wet*	*38.5*		*52.7*	*60-140*		
BSD SV (BFG2556-BSD1)				Prepared: 7/20/2022 Analyzed: 8/11/2022						
4-Nitrophenol	131		4.46	ug/kg wet	178		73.6	60-140	6.17	40
Bis(2-ethylhexyl)phthalate	139	J1, L	2.23	ug/kg wet	35.7		389	60-140	14.7	40
Di-n-butyl phthalate	28.2		2.23	ug/kg wet	35.7		79.2	60-140	10.1	40
Phenol, Total	82.7		4.46	ug/kg wet	71.3		116	60-140	9.93	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*8.39*	*ug/kg wet*	*71.3*		*11.8*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*27.4*	*ug/kg wet*	*35.7*		*76.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*44.2*	*ug/kg wet*	*71.3*		*62.0*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*36.2*	*ug/kg wet*	*35.7*		*101*	*60-140*		
Surrogate: Phenol-d5-surr			*58.8*	*ug/kg wet*	*71.3*		*82.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*20.1*	*ug/kg wet*	*35.7*		*56.4*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2556 - SW-3570 (Continued)										
MDL SV (BFG2556-MRL1)					Prepared: 7/20/2022 Analyzed: 8/11/2022					
4-Nitrophenol	58.9	J1	4.60	ug/kg wet	18.4		320	50-150		
Bis(2-ethylhexyl)phthalate	97.7	J1, L	2.30	ug/kg wet	3.68		NR	50-150		
Di-n-butyl phthalate	9.09	J1	2.30	ug/kg wet	3.68		247	50-150		
Phenol, Total	30.4	J1	4.60	ug/kg wet	7.35		413	50-150		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*14.6*	*ug/kg wet*	*73.5*		*19.8*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*28.1*	*ug/kg wet*	*36.8*		*76.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*54.0*	*ug/kg wet*	*73.5*		*73.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*38.3*	*ug/kg wet*	*36.8*		*104*	*60-140*		
Surrogate: Phenol-d5-surr			*60.6*	*ug/kg wet*	*73.5*		*82.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*19.8*	*ug/kg wet*	*36.8*		*54.0*	*60-140*		
22F4225-06 MS (BFG2556-MS1)		**Source: 22F4225-06**			Prepared: 7/20/2022 Analyzed: 8/11/2022					
4-Nitrophenol	1550		38.0	ug/kg dry	1520	<38.0	102	60-140		
Bis(2-ethylhexyl)phthalate	180	J1	19.0	ug/kg dry	304	35.1	47.7	60-140		
Di-n-butyl phthalate	254	J1	19.0	ug/kg dry	304	84.4	55.7	60-140		
Phenol, Total	709		38.0	ug/kg dry	609	142	93.2	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*291*	*ug/kg dry*	*609*		*47.8*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*271*	*ug/kg dry*	*304*		*89.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*477*	*ug/kg dry*	*609*		*78.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*277*	*ug/kg dry*	*304*		*90.9*	*60-140*		
Surrogate: Phenol-d5-surr			*646*	*ug/kg dry*	*609*		*106*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*146*	*ug/kg dry*	*304*		*48.0*	*60-140*		
22F4225-06 MSD (BFG2556-MSD1)		**Source: 22F4225-06**			Prepared: 7/20/2022 Analyzed: 8/11/2022					
4-Nitrophenol	717	J1	38.8	ug/kg dry	1550	<38.8	46.2	60-140	73.3	40
Bis(2-ethylhexyl)phthalate	271	J1	19.4	ug/kg dry	311	35.1	75.8	60-140	40.2	40
Di-n-butyl phthalate	264	J1	19.4	ug/kg dry	311	84.4	57.8	60-140	3.84	40
Phenol, Total	636		38.8	ug/kg dry	622	142	79.6	60-140	10.8	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*107*	*ug/kg dry*	*622*		*17.3*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*250*	*ug/kg dry*	*311*		*80.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*411*	*ug/kg dry*	*622*		*66.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*233*	*ug/kg dry*	*311*		*74.9*	*60-140*		
Surrogate: Phenol-d5-surr			*623*	*ug/kg dry*	*622*		*100*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*194*	*ug/kg dry*	*311*		*62.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2755 - SW-3570										
Blank (BFG2755-BLK1)				Prepared: 7/21/2022 Analyzed: 8/12/2022						
4-Nitrophenol	<4.89	U	4.89	ug/kg wet						
Bis(2-ethylhexyl)phthalate	102	L	2.45	ug/kg wet						
Di-n-butyl phthalate	<2.45	U	2.45	ug/kg wet						
Phenol, Total	42.8		4.89	ug/kg wet						
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*11.4*	*ug/kg wet*	*78.3*		*14.6*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*32.3*	*ug/kg wet*	*39.1*		*82.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*48.9*	*ug/kg wet*	*78.3*		*62.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*37.3*	*ug/kg wet*	*39.1*		*95.3*	*60-140*		
Surrogate: Phenol-d5-surr			*78.1*	*ug/kg wet*	*78.3*		*99.8*	*60-140*		
Surrogate: p-Terphenyl-d14-surr	*S*		*18.7*	*ug/kg wet*	*39.1*		*47.7*	*60-140*		
BS SV (BFG2755-BS1)				Prepared: 7/21/2022 Analyzed: 8/12/2022						
4-Nitrophenol	151		4.66	ug/kg wet	186		80.8	60-140		
Bis(2-ethylhexyl)phthalate	170	J1, L	2.33	ug/kg wet	37.2		457	60-140		
Di-n-butyl phthalate	34.4		2.33	ug/kg wet	37.2		92.4	60-140		
Phenol, Total	113	J1	4.66	ug/kg wet	74.5		151	60-140		
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*19.0*	*ug/kg wet*	*74.5*		*25.5*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*46.0*	*ug/kg wet*	*37.2*		*124*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*53.0*	*ug/kg wet*	*74.5*		*71.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*46.5*	*ug/kg wet*	*37.2*		*125*	*60-140*		
Surrogate: Phenol-d5-surr			*73.7*	*ug/kg wet*	*74.5*		*99.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*28.0*	*ug/kg wet*	*37.2*		*75.2*	*60-140*		
BSD SV (BFG2755-BSD1)				Prepared: 7/21/2022 Analyzed: 8/12/2022						
4-Nitrophenol	114	J1	4.81	ug/kg wet	192		59.5	60-140	27.3	40
Bis(2-ethylhexyl)phthalate	150	J1, L	2.40	ug/kg wet	38.5		389	60-140	12.8	40
Di-n-butyl phthalate	30.1		2.40	ug/kg wet	38.5		78.3	60-140	13.3	40
Phenol, Total	139	J1	4.81	ug/kg wet	76.9		181	60-140	21.1	40
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*11.2*	*ug/kg wet*	*76.9*		*14.5*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*34.5*	*ug/kg wet*	*38.5*		*89.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*54.3*	*ug/kg wet*	*76.9*		*70.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*50.4*	*ug/kg wet*	*38.5*		*131*	*60-140*		
Surrogate: Phenol-d5-surr			*73.4*	*ug/kg wet*	*76.9*		*95.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr	*S*		*22.6*	*ug/kg wet*	*38.5*		*58.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2755 - SW-3570 (Continued)										
MDL SV (BFG2755-MRL1)					Prepared: 7/21/2022 Analyzed: 8/12/2022					
4-Nitrophenol	<4.50	J1, U	4.50	ug/kg wet	18.0			50-150		
Bis(2-ethylhexyl)phthalate	97.0	L, J1	2.25	ug/kg wet	3.60		NR	50-150		
Di-n-butyl phthalate	4.01		2.25	ug/kg wet	3.60		111	50-150		
Phenol, Total	57.2	J1	4.50	ug/kg wet	7.19		795	50-150		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*6.81*	*ug/kg wet*	*71.9*		*9.46*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*30.1*	*ug/kg wet*	*36.0*		*83.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*40.1*	*ug/kg wet*	*71.9*		*55.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*34.4*	*ug/kg wet*	*36.0*		*95.5*	*60-140*		
Surrogate: Phenol-d5-surr			*72.1*	*ug/kg wet*	*71.9*		*100*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*18.1*	*ug/kg wet*	*36.0*		*50.2*	*60-140*		
22F4225-54 MS (BFG2755-MS1)		**Source: 22F4225-54**			Prepared: 7/21/2022 Analyzed: 8/12/2022					
4-Nitrophenol	831	J1	38.5	ug/kg dry	1540	<38.5	53.9	60-140		
Bis(2-ethylhexyl)phthalate	484	J1	19.3	ug/kg dry	308	318	53.9	60-140		
Di-n-butyl phthalate	207		19.3	ug/kg dry	308	<19.3	67.2	60-140		
Phenol, Total	1010	J1	38.5	ug/kg dry	616	1060	NR	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*346*	*ug/kg dry*	*616*		*56.1*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*339*	*ug/kg dry*	*308*		*110*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*484*	*ug/kg dry*	*616*		*78.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*253*	*ug/kg dry*	*308*		*82.1*	*60-140*		
Surrogate: Phenol-d5-surr		*S*	*928*	*ug/kg dry*	*616*		*151*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*66.8*	*ug/kg dry*	*308*		*21.7*	*60-140*		
22F4225-54 MSD (BFG2755-MSD1)		**Source: 22F4225-54**			Prepared: 7/21/2022 Analyzed: 8/12/2022					
4-Nitrophenol	1080		36.9	ug/kg dry	1470	<36.9	73.1	60-140	25.9	40
Bis(2-ethylhexyl)phthalate	666	L	18.4	ug/kg dry	295	318	118	60-140	31.6	40
Di-n-butyl phthalate	757	J1, L	18.4	ug/kg dry	295	<18.4	257	60-140	114	40
Phenol, Total	1160	J1	36.9	ug/kg dry	590	1060	17.0	60-140	13.6	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*306*	*ug/kg dry*	*590*		*51.8*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*376*	*ug/kg dry*	*295*		*127*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*516*	*ug/kg dry*	*590*		*87.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*221*	*ug/kg dry*	*295*		*74.9*	*60-140*		
Surrogate: Phenol-d5-surr		*S*	*992*	*ug/kg dry*	*590*		*168*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*60.3*	*ug/kg dry*	*295*		*20.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2759 - SW-3570										
Blank (BFG2759-BLK1)				Prepared: 7/21/2022 Analyzed: 8/12/2022						
4-Nitrophenol	<4.54	U	4.54	ug/kg wet						
Acenaphthene	<2.27	U	2.27	ug/kg wet						
Acenaphthylene	<2.27	U	2.27	ug/kg wet						
Anthracene	<2.27	U	2.27	ug/kg wet						
Benzo(a)anthracene	<2.27	U	2.27	ug/kg wet						
Benzo(a)pyrene	<2.27	U	2.27	ug/kg wet						
benzo(b&k)fluoranthene	<4.54	U	4.54	ug/kg wet						
Benzo(g,h,i)perylene	<2.27	U	2.27	ug/kg wet						
Bis(2-ethylhexyl)phthalate	19.9		2.27	ug/kg wet						
Chrysene	<2.27	U	2.27	ug/kg wet						
Dibenzo(a,h)anthracene	<2.27	U	2.27	ug/kg wet						
Di-n-butyl phthalate	5.78		2.27	ug/kg wet						
Fluoranthene	<2.27	U	2.27	ug/kg wet						
Fluorene	<2.27	U	2.27	ug/kg wet						
Indeno(1,2,3-cd) pyrene	<2.27	U	2.27	ug/kg wet						
Naphthalene	<2.27	U	2.27	ug/kg wet						
Phenanthrene	<2.27	U	2.27	ug/kg wet						
Phenol, Total	59.9		4.54	ug/kg wet						
Pyrene	<2.27	U	2.27	ug/kg wet						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*2.45*	*ug/kg wet*	*72.6*		*3.37*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*19.6*	*ug/kg wet*	*36.3*		*54.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*43.6*	*ug/kg wet*	*72.6*		*60.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*32.8*	*ug/kg wet*	*36.3*		*90.5*	*60-140*		
Surrogate: Phenol-d5-surr			*50.4*	*ug/kg wet*	*72.6*		*69.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*11.8*	*ug/kg wet*	*36.3*		*32.4*	*60-140*		
BS SV (BFG2759-BS1)				Prepared: 7/21/2022 Analyzed: 8/12/2022						
4-Nitrophenol	73.6	J1	4.66	ug/kg wet	186		39.5	60-140		
Acenaphthene	25.3		2.33	ug/kg wet	37.2		67.9	60-140		
Acenaphthylene	27.5		2.33	ug/kg wet	37.2		73.8	60-140		
Anthracene	19.2	J1	2.33	ug/kg wet	37.2		51.6	60-140		
Benzo(a)anthracene	12.4	J1	2.33	ug/kg wet	37.2		33.3	60-140		
Benzo(a)pyrene	18.6	J1	2.33	ug/kg wet	37.2		49.8	60-140		
benzo(b&k)fluoranthene	32.9	J1	4.66	ug/kg wet	74.5		44.2	60-140		
Benzo(g,h,i)perylene	13.1	J1	2.33	ug/kg wet	37.2		35.1	60-140		
Bis(2-ethylhexyl)phthalate	31.3		2.33	ug/kg wet	37.2		84.1	60-140		
Chrysene	7.71	J1	2.33	ug/kg wet	37.2		20.7	60-140		
Dibenzo(a,h)anthracene	17.0	J1	2.33	ug/kg wet	37.2		45.6	60-140		
Di-n-butyl phthalate	16.9	J1	2.33	ug/kg wet	37.2		45.5	60-140		
Fluoranthene	15.6	J1	2.33	ug/kg wet	37.2		42.0	60-140		
Fluorene	24.0		2.33	ug/kg wet	37.2		64.5	60-140		
Indeno(1,2,3-cd) pyrene	17.4	J1	2.33	ug/kg wet	37.2		46.8	60-140		
Naphthalene	30.0		2.33	ug/kg wet	37.2		80.7	60-140		
Phenanthrene	20.3	J1	2.33	ug/kg wet	37.2		54.6	60-140		
Phenol, Total	103	L	4.66	ug/kg wet	74.5		138	60-140		
Pyrene	7.28	J1	2.33	ug/kg wet	37.2		19.6	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2759 - SW-3570 (Continued)										
BS SV (BFG2759-BS1)				Prepared: 7/21/2022 Analyzed: 8/12/2022						
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*6.91*	*ug/kg wet*	*74.5*		*9.28*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*20.5*	*ug/kg wet*	*37.2*		*55.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*58.1*	*ug/kg wet*	*74.5*		*78.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*34.1*	*ug/kg wet*	*37.2*		*91.5*	*60-140*		
Surrogate: Phenol-d5-surr			*56.3*	*ug/kg wet*	*74.5*		*75.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*2.40*	*ug/kg wet*	*37.2*		*6.43*	*60-140*		
LCS (BFG2759-BS2)				Prepared: 7/21/2022 Analyzed: 8/18/2022						
Acenaphthene	27.1		4.66	ug/kg wet	37.2		72.8	60-140		
Acenaphthylene	26.7		4.66	ug/kg wet	37.2		71.7	60-140		
Anthracene	24.7		4.66	ug/kg wet	37.2		66.4	60-140		
Benzo(a)anthracene	21.5	J1	4.66	ug/kg wet	37.2		57.7	60-140		
Benzo(a)pyrene	16.5	J1	4.66	ug/kg wet	37.2		44.3	60-140		
benzo(b&k)fluoranthene	26.9	J1	9.31	ug/kg wet	74.5		36.1	60-140		
Bis(2-ethylhexyl)phthalate	93.9	J1	4.66	ug/kg wet	37.2		252	60-140		
Chrysene	16.1	J1	4.66	ug/kg wet	37.2		43.3	60-140		
Dibenzo(a,h)anthracene	19.1	J1	4.66	ug/kg wet	37.2		51.3	60-140		
Di-n-butyl phthalate	24.1		4.66	ug/kg wet	37.2		64.7	60-140		
Fluoranthene	21.8	J1	4.66	ug/kg wet	37.2		58.6	60-140		
Fluorene	21.5	J1	4.66	ug/kg wet	37.2		57.8	60-140		
Indeno(1,2,3-cd) pyrene	21.2	J1	4.66	ug/kg wet	37.2		56.9	60-140		
Naphthalene	29.6		4.66	ug/kg wet	37.2		79.3	60-140		
Phenanthrene	24.2		4.66	ug/kg wet	37.2		65.0	60-140		
Phenol, Total	97.3		9.31	ug/kg wet	74.5		131	60-140		
Pyrene	20.0	J1	4.66	ug/kg wet	37.2		53.8	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*5.58*	*ug/kg wet*	*74.5*		*7.49*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*14.7*	*ug/kg wet*	*37.2*		*39.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*40.8*	*ug/kg wet*	*74.5*		*54.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*27.3*	*ug/kg wet*	*37.2*		*73.4*	*60-140*		
Surrogate: Phenol-d5-surr			*74.4*	*ug/kg wet*	*74.5*		*99.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*11.6*	*ug/kg wet*	*37.2*		*31.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2759 - SW-3570 (Continued)										
BSD SV (BFG2759-BSD1)				Prepared: 7/21/2022 Analyzed: 8/12/2022						
4-Nitrophenol	64.5	J1	4.95	ug/kg wet	198		32.6	60-140	13.1	40
Acenaphthene	25.7		2.48	ug/kg wet	39.6		64.9	60-140	1.52	40
Acenaphthylene	28.7		2.48	ug/kg wet	39.6		72.5	60-140	4.42	40
Anthracene	18.8	J1	2.48	ug/kg wet	39.6		47.5	60-140	2.15	40
Benzo(a)anthracene	12.3	J1	2.48	ug/kg wet	39.6		31.1	60-140	0.634	40
Benzo(a)pyrene	18.2	J1	2.48	ug/kg wet	39.6		46.1	60-140	1.70	40
benzo(b&k)fluoranthene	32.9	J1	4.95	ug/kg wet	79.2		41.5	60-140	0.0925	40
Benzo(g,h,i)perylene	13.8	J1	2.48	ug/kg wet	39.6		34.8	60-140	5.36	40
Bis(2-ethylhexyl)phthalate	26.5		2.48	ug/kg wet	39.6		67.0	60-140	16.5	40
Chrysene	7.27	J1	2.48	ug/kg wet	39.6		18.4	60-140	5.80	40
Dibenzo(a,h)anthracene	16.2	J1	2.48	ug/kg wet	39.6		40.9	60-140	4.73	40
Di-n-butyl phthalate	17.5	J1	2.48	ug/kg wet	39.6		44.1	60-140	3.05	40
Fluoranthene	15.7	J1	2.48	ug/kg wet	39.6		39.5	60-140	0.0454	40
Fluorene	24.3		2.48	ug/kg wet	39.6		61.5	60-140	1.28	40
Indeno(1,2,3-cd) pyrene	17.3	J1	2.48	ug/kg wet	39.6		43.6	60-140	0.944	40
Naphthalene	30.4		2.48	ug/kg wet	39.6		76.7	60-140	1.06	40
Phenanthrene	19.9	J1	2.48	ug/kg wet	39.6		50.4	60-140	2.01	40
Phenol, Total	110	L	4.95	ug/kg wet	79.2		139	60-140	6.79	40
Pyrene	8.22	J1	2.48	ug/kg wet	39.6		20.8	60-140	12.1	40
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*6.47*	*ug/kg wet*	*79.2*		*8.17*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*30.9*	*ug/kg wet*	*39.6*		*78.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*65.1*	*ug/kg wet*	*79.2*		*82.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*41.1*	*ug/kg wet*	*39.6*		*104*	*60-140*		
Surrogate: Phenol-d5-surr			*68.1*	*ug/kg wet*	*79.2*		*86.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr	*S*		*16.2*	*ug/kg wet*	*39.6*		*40.8*	*60-140*		
LCS Dup (BFG2759-BSD2)				Prepared: 7/21/2022 Analyzed: 8/18/2022						
Acenaphthene	27.3		4.95	ug/kg wet	39.6		69.0	60-140	0.739	40
Acenaphthylene	28.3		4.95	ug/kg wet	39.6		71.5	60-140	5.90	40
Anthracene	25.4		4.95	ug/kg wet	39.6		64.2	60-140	2.77	40
Benzo(a)anthracene	20.5	J1	4.95	ug/kg wet	39.6		51.7	60-140	4.73	40
Benzo(a)pyrene	17.2	J1	4.95	ug/kg wet	39.6		43.4	60-140	4.02	40
benzo(b&k)fluoranthene	28.9	J1	9.90	ug/kg wet	79.2		36.5	60-140	7.41	40
Bis(2-ethylhexyl)phthalate	81.7	J1	4.95	ug/kg wet	39.6		206	60-140	13.9	40
Chrysene	18.6	J1	4.95	ug/kg wet	39.6		46.9	60-140	14.2	40
Dibenzo(a,h)anthracene	19.1	J1	4.95	ug/kg wet	39.6		48.2	60-140	0.0466	40
Di-n-butyl phthalate	37.9	J1	4.95	ug/kg wet	39.6		95.6	60-140	44.5	40
Fluoranthene	22.0	J1	4.95	ug/kg wet	39.6		55.5	60-140	0.598	40
Fluorene	22.6	J1	4.95	ug/kg wet	39.6		57.1	60-140	4.97	40
Indeno(1,2,3-cd) pyrene	22.2	J1	4.95	ug/kg wet	39.6		56.1	60-140	4.67	40
Naphthalene	31.9		4.95	ug/kg wet	39.6		80.5	60-140	7.56	40
Phenanthrene	24.7		4.95	ug/kg wet	39.6		62.4	60-140	2.05	40
Phenol, Total	128	J1	9.90	ug/kg wet	79.2		162	60-140	27.2	40
Pyrene	21.4	J1	4.95	ug/kg wet	39.6		54.0	60-140	6.48	40
Surrogate: 2,4,6-Tribromophenol-surr	*S*		*5.52*	*ug/kg wet*	*79.2*		*6.98*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2759 - SW-3570 (Continued)										
LCS Dup (BFG2759-BSD2)				Prepared: 7/21/2022 Analyzed: 8/18/2022						
Surrogate: 2-Fluorobiphenyl-surr			*25.5*	*ug/kg wet*	*39.6*		*64.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*43.8*	*ug/kg wet*	*79.2*		*55.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*34.6*	*ug/kg wet*	*39.6*		*87.4*	*60-140*		
Surrogate: Phenol-d5-surr			*73.2*	*ug/kg wet*	*79.2*		*92.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*23.8*	*ug/kg wet*	*39.6*		*60.1*	*60-140*		
MDL SV (BFG2759-MRL1)				Prepared: 7/21/2022 Analyzed: 8/12/2022						
4-Nitrophenol	6.86	J1	4.65	ug/kg wet	18.6		36.9	50-150		
Acenaphthene	2.36		2.32	ug/kg wet	3.72		63.4	50-150		
Acenaphthylene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Anthracene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Benzo(a)anthracene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Benzo(a)pyrene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
benzo(b&k)fluoranthene	<4.65	J1, U	4.65	ug/kg wet	7.43			50-150		
Benzo(g,h,i)perylene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Bis(2-ethylhexyl)phthalate	24.4	J1	2.32	ug/kg wet	3.72		656	50-150		
Chrysene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Dibenzo(a,h)anthracene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Di-n-butyl phthalate	4.40		2.32	ug/kg wet	3.72		118	50-150		
Fluoranthene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Fluorene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Indeno(1,2,3-cd) pyrene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Naphthalene	5.08		2.32	ug/kg wet	3.72		137	50-150		
Phenanthrene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Phenol, Total	62.9	J1	4.65	ug/kg wet	7.43		846	50-150		
Pyrene	<2.32	J1, U	2.32	ug/kg wet	3.72			50-150		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*5.28*	*ug/kg wet*	*74.3*		*7.10*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*23.0*	*ug/kg wet*	*37.2*		*62.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*61.8*	*ug/kg wet*	*74.3*		*83.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*39.0*	*ug/kg wet*	*37.2*		*105*	*60-140*		
Surrogate: Phenol-d5-surr			*58.8*	*ug/kg wet*	*74.3*		*79.1*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*11.0*	*ug/kg wet*	*37.2*		*29.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2759 - SW-3570 (Continued)										
22F4225-81 MS (BFG2759-MS1)		**Source: 22F4225-81**		Prepared: 7/21/2022 Analyzed: 8/12/2022						
4-Nitrophenol	878	J1	36.9	ug/kg dry	1480	<36.9	59.5	60-140		
Acenaphthene	214		18.5	ug/kg dry	295	<18.5	72.6	60-140		
Acenaphthylene	235		18.5	ug/kg dry	295	<18.5	79.4	60-140		
Anthracene	99.3	J1	18.5	ug/kg dry	295	<18.5	33.6	60-140		
Benzo(a)anthracene	26.9	J1	18.5	ug/kg dry	295	<18.5	9.12	60-140		
Benzo(a)pyrene	26.5	J1	18.5	ug/kg dry	295	<18.5	8.96	60-140		
benzo(b&k)fluoranthene	<36.9	J1, U	36.9	ug/kg dry	591	<36.9		60-140		
Benzo(g,h,i)perylene	32.1	J1	18.5	ug/kg dry	295	<18.5	10.9	60-140		
Bis(2-ethylhexyl)phthalate	22.3	J1	18.5	ug/kg dry	295	<18.5	7.56	60-140		
Chrysene	23.9	J1	18.5	ug/kg dry	295	<18.5	8.08	60-140		
Dibenzo(a,h)anthracene	39.8	J1	18.5	ug/kg dry	295	<18.5	13.5	60-140		
Di-n-butyl phthalate	96.5	J1	18.5	ug/kg dry	295	20.5	25.7	60-140		
Fluoranthene	26.9	J1	18.5	ug/kg dry	295	<18.5	9.12	60-140		
Fluorene	196		18.5	ug/kg dry	295	<18.5	66.2	60-140		
Indeno(1,2,3-cd) pyrene	39.5	J1	18.5	ug/kg dry	295	<18.5	13.4	60-140		
Naphthalene	279		18.5	ug/kg dry	295	<18.5	94.3	60-140		
Phenanthrene	248		18.5	ug/kg dry	295	<18.5	84.0	60-140		
Phenol, Total	1470	J1, L	36.9	ug/kg dry	591	511	163	60-140		
Pyrene	93.3	J1	18.5	ug/kg dry	295	<18.5	31.6	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*199*	*ug/kg dry*	*591*		*33.8*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*271*	*ug/kg dry*	*295*		*91.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*733*	*ug/kg dry*	*591*		*124*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*371*	*ug/kg dry*	*295*		*125*	*60-140*		
Surrogate: Phenol-d5-surr			*711*	*ug/kg dry*	*591*		*120*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*36.0*	*ug/kg dry*	*295*		*12.2*	*60-140*		
Matrix Spike (BFG2759-MS2)		**Source: 22F4225-81RE1**		Prepared: 7/21/2022 Analyzed: 8/18/2022						
Acenaphthene	273		92.3	ug/kg dry	295	<92.3	92.5	60-140		
Acenaphthylene	288		92.3	ug/kg dry	295	<92.3	97.4	60-140		
Anthracene	234		92.3	ug/kg dry	295	<92.3	79.2	60-140		
Benzo(a)anthracene	136	J1	92.3	ug/kg dry	295	<92.3	46.1	60-140		
Benzo(a)pyrene	<92.3	J1, U	92.3	ug/kg dry	295	<92.3		60-140		
benzo(b&k)fluoranthene	<185	J1, U	185	ug/kg dry	591	<185		60-140		
Bis(2-ethylhexyl)phthalate	147	J1	92.3	ug/kg dry	295	<92.3	49.8	60-140		
Chrysene	169	J1	92.3	ug/kg dry	295	<92.3	57.1	60-140		
Dibenzo(a,h)anthracene	153	J1	92.3	ug/kg dry	295	<92.3	51.8	60-140		
Di-n-butyl phthalate	430	J1	92.3	ug/kg dry	295	<92.3	146	60-140		
Fluoranthene	166	J1	92.3	ug/kg dry	295	<92.3	56.2	60-140		
Fluorene	224		92.3	ug/kg dry	295	<92.3	75.7	60-140		
Indeno(1,2,3-cd) pyrene	198		92.3	ug/kg dry	295	<92.3	67.2	60-140		
Naphthalene	316		92.3	ug/kg dry	295	<92.3	107	60-140		
Phenanthrene	240		92.3	ug/kg dry	295	<92.3	81.3	60-140		
Phenol, Total	1780	J1	185	ug/kg dry	591	620	196	60-140		
Pyrene	133	J1	92.3	ug/kg dry	295	<92.3	45.1	60-140		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*135*	*ug/kg dry*	*591*		*22.9*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2759 - SW-3570 (Continued)										
Matrix Spike (BFG2759-MS2)		**Source: 22F4225-81RE1**			Prepared: 7/21/2022 Analyzed: 8/18/2022					
Surrogate: 2-Fluorobiphenyl-surr			*243*	*ug/kg dry*	*295*		*82.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*488*	*ug/kg dry*	*591*		*82.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*337*	*ug/kg dry*	*295*		*114*	*60-140*		
Surrogate: Phenol-d5-surr			*721*	*ug/kg dry*	*591*		*122*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*141*	*ug/kg dry*	*295*		*47.8*	*60-140*		
22F4225-81 MSD (BFG2759-MSD1)		**Source: 22F4225-81**			Prepared: 7/21/2022 Analyzed: 8/12/2022					
4-Nitrophenol	641	J1	36.9	ug/kg dry	1480	<36.9	43.4	60-140	31.2	40
Acenaphthene	180		18.5	ug/kg dry	295	<18.5	61.0	60-140	17.3	40
Acenaphthylene	199		18.5	ug/kg dry	295	<18.5	67.4	60-140	16.3	40
Anthracene	129	J1	18.5	ug/kg dry	295	<18.5	43.7	60-140	26.1	40
Benzo(a)anthracene	51.9	J1	18.5	ug/kg dry	295	<18.5	17.6	60-140	63.3	40
Benzo(a)pyrene	24.6	J1	18.5	ug/kg dry	295	<18.5	8.34	60-140	7.22	40
benzo(b&k)fluoranthene	37.2	J1	36.9	ug/kg dry	591	<36.9	6.30	60-140	200	40
Benzo(g,h,i)perylene	55.1	J1	18.5	ug/kg dry	295	<18.5	18.6	60-140	52.8	40
Bis(2-ethylhexyl)phthalate	23.7	J1	18.5	ug/kg dry	295	<18.5	8.01	60-140	5.82	40
Chrysene	<18.5	J1, U	18.5	ug/kg dry	295	<18.5		60-140	200	40
Dibenzo(a,h)anthracene	44.5	J1	18.5	ug/kg dry	295	<18.5	15.1	60-140	11.3	40
Di-n-butyl phthalate	99.5	J1	18.5	ug/kg dry	295	20.5	26.8	60-140	3.14	40
Fluoranthene	34.8	J1	18.5	ug/kg dry	295	<18.5	11.8	60-140	25.5	40
Fluorene	165	J1	18.5	ug/kg dry	295	<18.5	55.9	60-140	16.9	40
Indeno(1,2,3-cd) pyrene	55.5	J1	18.5	ug/kg dry	295	<18.5	18.8	60-140	33.7	40
Naphthalene	226		18.5	ug/kg dry	295	<18.5	76.6	60-140	20.7	40
Phenanthrene	135	J1	18.5	ug/kg dry	295	<18.5	45.8	60-140	58.9	40
Phenol, Total	1250	L	36.9	ug/kg dry	591	511	125	60-140	16.2	40
Pyrene	61.7	J1	18.5	ug/kg dry	295	<18.5	20.9	60-140	40.8	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*86.1*	*ug/kg dry*	*591*		*14.6*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr			*204*	*ug/kg dry*	*295*		*69.2*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*580*	*ug/kg dry*	*591*		*98.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*298*	*ug/kg dry*	*295*		*101*	*60-140*		
Surrogate: Phenol-d5-surr			*606*	*ug/kg dry*	*591*		*103*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*19.2*	*ug/kg dry*	*295*		*6.50*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2759 - SW-3570 (Continued)										
Matrix Spike Dup (BFG2759-MSD2)		**Source: 22F4225-81RE1**		Prepared: 7/21/2022 Analyzed: 8/18/2022						
Acenaphthene	199		92.3	ug/kg dry	295	<92.3	67.4	60-140	31.4	40
Acenaphthylene	207		92.3	ug/kg dry	295	<92.3	69.9	60-140	32.8	40
Anthracene	193		92.3	ug/kg dry	295	<92.3	65.3	60-140	19.4	40
Benzo(a)anthracene	147	J1	92.3	ug/kg dry	295	<92.3	49.9	60-140	7.92	40
Benzo(a)pyrene	98.7	J1	92.3	ug/kg dry	295	<92.3	33.4	60-140	9.99	40
benzo(b&k)fluoranthene	<185	J1, U	185	ug/kg dry	591	<185		60-140	200	40
Bis(2-ethylhexyl)phthalate	139	J1	92.3	ug/kg dry	295	<92.3	46.9	60-140	5.90	40
Chrysene	132	J1	92.3	ug/kg dry	295	<92.3	44.5	60-140	24.8	40
Dibenzo(a,h)anthracene	123	J1	92.3	ug/kg dry	295	<92.3	41.5	60-140	22.1	40
Di-n-butyl phthalate	312		92.3	ug/kg dry	295	<92.3	106	60-140	31.9	40
Fluoranthene	151	J1	92.3	ug/kg dry	295	<92.3	51.0	60-140	9.59	40
Fluorene	168	J1	92.3	ug/kg dry	295	<92.3	56.8	60-140	28.5	40
Indeno(1,2,3-cd) pyrene	159	J1	92.3	ug/kg dry	295	<92.3	53.9	60-140	21.9	40
Naphthalene	244		92.3	ug/kg dry	295	<92.3	82.6	60-140	25.7	40
Phenanthrene	156	J1	92.3	ug/kg dry	295	<92.3	52.8	60-140	42.6	40
Phenol, Total	1470	J1	185	ug/kg dry	591	620	144	60-140	19.0	40
Pyrene	145	J1	92.3	ug/kg dry	295	<92.3	49.0	60-140	8.37	40
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*77.6*	*ug/kg dry*	*591*		*13.1*	*60-140*		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*167*	*ug/kg dry*	*295*		*56.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*381*	*ug/kg dry*	*591*		*64.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*262*	*ug/kg dry*	*295*		*88.7*	*60-140*		
Surrogate: Phenol-d5-surr			*585*	*ug/kg dry*	*591*		*98.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*170*	*ug/kg dry*	*295*		*57.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Organics by GC

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2416 - SW-3570										
Blank (BFG2416-BLK1)					Prepared: 7/19/2022 Analyzed: 8/19/2022					
PCBs, Total	<3.98	U	3.98	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*2.31*	*ug/kg wet*	*1.99*		*116*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.70*	*ug/kg wet*	*1.99*		*85.3*	*60-140*		
LCS (BFG2416-BS1)					Prepared: 7/19/2022 Analyzed: 8/19/2022					
PCBs, Total	15.7		3.94	ug/kg wet	19.7		79.6	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*1.78*	*ug/kg wet*	*1.97*		*90.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.18*	*ug/kg wet*	*1.97*		*60.1*	*60-140*		
LCS Dup (BFG2416-BSD1)					Prepared: 7/19/2022 Analyzed: 8/19/2022					
PCBs, Total	14.9		3.73	ug/kg wet	18.7		80.1	60-140	4.67	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*1.76*	*ug/kg wet*	*1.87*		*94.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.19*	*ug/kg wet*	*1.87*		*64.0*	*60-140*		
MDL Check (BFG2416-MRL1)					Prepared: 7/19/2022 Analyzed: 8/19/2022					
PCBs, Total	2.47	J	3.92	ug/kg wet	1.96		126			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*1.80*	*ug/kg wet*	*1.96*		*91.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.34*	*ug/kg wet*	*1.96*		*68.2*	*60-140*		
Matrix Spike (BFG2416-MS1)		**Source: 22F4225-92**			Prepared: 7/19/2022 Analyzed: 8/19/2022					
PCBs, Total	121		30.2	ug/kg dry	151	<30.2	80.2	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*18.3*	*ug/kg dry*	*15.1*		*121*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*10.4*	*ug/kg dry*	*15.1*		*68.7*	*60-140*		
Matrix Spike Dup (BFG2416-MSD1)		**Source: 22F4225-92**			Prepared: 7/19/2022 Analyzed: 8/19/2022					
PCBs, Total	115		30.5	ug/kg dry	152	<30.5	75.7	60-140	5.07	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*19.9*	*ug/kg dry*	*15.2*		*131*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*11.6*	*ug/kg dry*	*15.2*		*76.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2419 - SW-3570										
Blank (BFG2419-BLK1)				Prepared: 7/19/2022 Analyzed: 8/20/2022						
PCBs, Total	<3.72	U	3.72	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*2.94*	*ug/kg wet*	*1.86*		*158*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*2.06*	*ug/kg wet*	*1.86*		*111*	*60-140*		
LCS (BFG2419-BS1)				Prepared: 7/19/2022 Analyzed: 8/20/2022						
PCBs, Total	17.3		3.88	ug/kg wet	19.4		88.9	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*2.18*	*ug/kg wet*	*1.94*		*112*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.48*	*ug/kg wet*	*1.94*		*76.1*	*60-140*		
LCS Dup (BFG2419-BSD1)				Prepared: 7/19/2022 Analyzed: 8/20/2022						
PCBs, Total	18.3		3.79	ug/kg wet	18.9		96.8	60-140	6.11	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*2.28*	*ug/kg wet*	*1.89*		*120*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.57*	*ug/kg wet*	*1.89*		*83.0*	*60-140*		
MDL Check (BFG2419-MRL1)				Prepared: 7/19/2022 Analyzed: 8/20/2022						
PCBs, Total	3.07	J	3.89	ug/kg wet	1.95		158			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*2.25*	*ug/kg wet*	*1.95*		*115*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.50*	*ug/kg wet*	*1.95*		*77.1*	*60-140*		
Matrix Spike (BFG2419-MS1)		**Source: 22F4225-31**		Prepared: 7/19/2022 Analyzed: 8/20/2022						
PCBs, Total	131		35.6	ug/kg dry	178	<35.6	73.5	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*29.1*	*ug/kg dry*	*17.8*		*163*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*14.0*	*ug/kg dry*	*17.8*		*78.7*	*60-140*		
Matrix Spike Dup (BFG2419-MSD1)		**Source: 22F4225-31**		Prepared: 7/19/2022 Analyzed: 8/20/2022						
PCBs, Total	146		39.2	ug/kg dry	196	<39.2	74.5	60-140	10.9	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*27.2*	*ug/kg dry*	*19.6*		*139*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*12.2*	*ug/kg dry*	*19.6*		*62.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2970 - SW-3570										
Blank (BFG2970-BLK1)					Prepared: 7/22/2022 Analyzed: 8/20/2022					
PCBs, Total	<1.20	U	1.20	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*2.11*	*ug/kg wet*	*2.00*		*105*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.63*	*ug/kg wet*	*2.00*		*81.4*	*60-140*		
LCS (BFG2970-BS1)					Prepared: 7/22/2022 Analyzed: 8/20/2022					
PCBs, Total	13.4		1.20	ug/kg wet	20.0		67.2	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*2.31*	*ug/kg wet*	*2.00*		*116*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.77*	*ug/kg wet*	*2.00*		*88.6*	*60-140*		
LCS Dup (BFG2970-BSD1)					Prepared: 7/22/2022 Analyzed: 8/20/2022					
PCBs, Total	13.4		1.20	ug/kg wet	20.0		66.8	60-140	0.659	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*2.24*	*ug/kg wet*	*2.00*		*112*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.75*	*ug/kg wet*	*2.00*		*87.6*	*60-140*		
MRL Check (BFG2970-MRL1)					Prepared: 7/22/2022 Analyzed: 8/20/2022					
PCBs, Total	1.61		1.20	ug/kg wet	2.00		80.3	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*1.39*	*ug/kg wet*	*2.00*		*69.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*1.14*	*ug/kg wet*	*2.00*		*57.1*	*60-140*		
Matrix Spike (BFG2970-MS1)		**Source: 22F4225-31RE1**			Prepared: 7/22/2022 Analyzed: 8/20/2022					
PCBs, Total	107	J1	12.1	ug/kg dry	202	<12.1	53.2	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*19.8*	*ug/kg dry*	*20.2*		*97.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*9.05*	*ug/kg dry*	*20.2*		*44.8*	*60-140*		
Matrix Spike Dup (BFG2970-MSD1)		**Source: 22F4225-31RE1**			Prepared: 7/22/2022 Analyzed: 8/20/2022					
PCBs, Total	97.7	J1	12.1	ug/kg dry	202	<12.1	48.3	60-140	9.56	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*19.6*	*ug/kg dry*	*20.2*		*96.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*8.25*	*ug/kg dry*	*20.2*		*40.8*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG1228 - Cr VI										
Blank (BFG1228-BLK1)					Prepared & Analyzed: 7/11/2022					
Chromium (VI)	<5.00	U	5.00	mg/kg (dry wt) wet						
Duplicate (BFG1228-DUP1)		**Source: 22F4225-25**			Prepared & Analyzed: 7/11/2022					
Chromium (VI)	<46.0	U	46.0	mg/kg (dry wt) dry		16.9			200	20
Duplicate (BFG1228-DUP2)		**Source: 22F4225-33**			Prepared & Analyzed: 7/11/2022					
Chromium (VI)	<48.5	U	48.5	mg/kg (dry wt) dry		<48.5				20
MRL Check (BFG1228-MRL1)					Prepared & Analyzed: 7/11/2022					
Chromium (VI)	4.52	J	5.00	mg/kg (dry wt) wet	5.00		90.5	50-150		
SMS (BFG1228-MS1)		**Source: 22F4225-25**			Prepared & Analyzed: 7/11/2022					
Chromium (VI)	<46.7	J1, U	46.7	mg/kg (dry wt) dry	93.4	16.9	NR	75-125		
IMS (BFG1228-MS2)		**Source: 22F4225-25**			Prepared & Analyzed: 7/11/2022					
Chromium (VI)	<11400	J1, U	11400	mg/kg (dry wt) dry	2950	<11400		75-125		
PMS (BFG1228-PS1)		**Source: 22F4225-25**			Prepared & Analyzed: 7/11/2022					
Chromium (VI)	33.2	J1		ug/L	250	44.9	NR	85-115		
Batch: BFG2026 - Cr VI										
Blank (BFG2026-BLK1)					Prepared & Analyzed: 7/15/2022					
Chromium (VI)	<5.00	U	5.00	mg/kg (dry wt) wet						
Duplicate (BFG2026-DUP1)		**Source: 22F4225-22**			Prepared & Analyzed: 7/15/2022					
Chromium (VI)	<64.3	U	64.3	mg/kg (dry wt) dry		36.3			200	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2026 - Cr VI (Continued)										
Duplicate (BFG2026-DUP2)		**Source: 22F4225-18**			Prepared & Analyzed: 7/15/2022					
Chromium (VI)	<46.7	U	46.7	mg/kg (dry wt) dry		<46.7				20
MRL Check (BFG2026-MRL1)					Prepared & Analyzed: 7/15/2022					
Chromium (VI)	4.11	J	5.00	mg/kg (dry wt) wet	5.00		82.2	50-150		
SMS (BFG2026-MS1)		**Source: 22F4225-22**			Prepared & Analyzed: 7/15/2022					
Chromium (VI)	<69.3	J1, U	69.3	mg/kg (dry wt) dry	139	36.3	NR	75-125		
IMS (BFG2026-MS2)		**Source: 22F4225-22**			Prepared & Analyzed: 7/15/2022					
Chromium (VI)	<16200	J1, U	16200	mg/kg (dry wt) dry	4170	<16200		75-125		
PMS (BFG2026-PS1)		**Source: 22F4225-22**			Prepared & Analyzed: 7/15/2022					
Chromium (VI)	18.0	J1		ug/L	250	61.8	NR	85-115		
Batch: BFG2213 - Cr VI										
Blank (BFG2213-BLK1)					Prepared & Analyzed: 7/18/2022					
Chromium (VI)	<5.00	U	5.00	mg/kg (dry wt) wet						
Duplicate (BFG2213-DUP1)		**Source: 22F4225-47**			Prepared & Analyzed: 7/18/2022					
Chromium (VI)	<53.6	U	53.6	mg/kg (dry wt) dry		<53.6				20
Duplicate (BFG2213-DUP2)		**Source: 22F4225-88**			Prepared & Analyzed: 7/18/2022					
Chromium (VI)	<39.2	U	39.2	mg/kg (dry wt) dry		<39.2				20
MRL Check (BFG2213-MRL1)					Prepared & Analyzed: 7/18/2022					
Chromium (VI)	4.71	J	5.00	mg/kg (dry wt) wet	5.00		94.3	50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2213 - Cr VI (Continued)										
SMS (BFG2213-MS1)		**Source: 22F4225-47**			Prepared & Analyzed: 7/18/2022					
Chromium (VI)	<48.8	J1, U	48.8	mg/kg (dry wt) dry	97.5	<48.8		75-125		
IMS (BFG2213-MS2)		**Source: 22F4225-47**			Prepared & Analyzed: 7/18/2022					
Chromium (VI)	<12900	J1, U	12900	mg/kg (dry wt) dry	3330	<12900		75-125		
PMS (BFG2213-PS1)		**Source: 22F4225-47**			Prepared & Analyzed: 7/18/2022					
Chromium (VI)	28.4	J1		ug/L	250	32.2	NR	85-115		
Batch: BFG2216 - Cr VI										
Blank (BFG2216-BLK1)					Prepared: 7/19/2022 Analyzed: 7/20/2022					
Chromium (VI)	<5.00	U	5.00	mg/kg (dry wt) wet						
Duplicate (BFG2216-DUP1)		**Source: 22F4225-44**			Prepared: 7/19/2022 Analyzed: 7/20/2022					
Chromium (VI)	36.9	J	58.8	mg/kg (dry wt) dry		41.2			11.0	20
Duplicate (BFG2216-DUP2)		**Source: 22F4225-23**			Prepared: 7/19/2022 Analyzed: 7/20/2022					
Chromium (VI)	43.7	J	62.8	mg/kg (dry wt) dry		36.9			16.9	20
MRL Check (BFG2216-MRL1)					Prepared: 7/19/2022 Analyzed: 7/20/2022					
Chromium (VI)	4.22	J	5.00	mg/kg (dry wt) wet	5.00		84.4	50-150		
SMS (BFG2216-MS1)		**Source: 22F4225-44**			Prepared: 7/19/2022 Analyzed: 7/20/2022					
Chromium (VI)	31.1	J1, J	52.6	mg/kg (dry wt) dry	105	41.2	NR	75-125		
IMS (BFG2216-MS2)		**Source: 22F4225-44**			Prepared: 7/19/2022 Analyzed: 7/20/2022					
Chromium (VI)	<14500	J1, U	14500	mg/kg (dry wt) dry	3730	<14500		75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2216 - Cr VI (Continued)										
PMS (BFG2216-PS1)		**Source: 22F4225-44**			Prepared: 7/19/2022 Analyzed: 7/20/2022					
Chromium (VI)	72.2	J1		ug/L	250	94.2	NR	85-115		
Batch: BFG2440 - Cr VI										
Blank (BFG2440-BLK1)					Prepared: 7/20/2022 Analyzed: 7/22/2022					
Chromium (VI)	<5.00	U	5.00	mg/kg (dry wt) wet						
Duplicate (BFG2440-DUP1)		**Source: 22F4225-48**			Prepared: 7/20/2022 Analyzed: 7/22/2022					
Chromium (VI)	39.2	J	53.7	mg/kg (dry wt) dry		31.8			21.0	20
Duplicate (BFG2440-DUP2)		**Source: 22F4225-73**			Prepared: 7/20/2022 Analyzed: 7/22/2022					
Chromium (VI)	<39.9	U	39.9	mg/kg (dry wt) dry		<39.9				20
MRL Check (BFG2440-MRL1)					Prepared: 7/20/2022 Analyzed: 7/22/2022					
Chromium (VI)	4.54	J	5.00	mg/kg (dry wt) wet	5.00		90.8	50-150		
sms (BFG2440-MS1)		**Source: 22F4225-48**			Prepared: 7/20/2022 Analyzed: 7/22/2022					
Chromium (VI)	<50.5	J1, U	50.5	mg/kg (dry wt) dry	101	31.8	NR	75-125		
ims (BFG2440-MS2)		**Source: 22F4225-48**			Prepared: 7/20/2022 Analyzed: 7/22/2022					
Chromium (VI)	<12600	J1, U	12600	mg/kg (dry wt) dry	3240	<12600		75-125		
pms (BFG2440-PS1)		**Source: 22F4225-48**			Prepared: 7/20/2022 Analyzed: 7/22/2022					
Chromium (VI)	10.8	J1		ug/L	250	75.5	NR	85-115		
Batch: BFG2911 - SW-7471										
MDL Check (BFG2911-MRL1)					Prepared & Analyzed: 7/22/2022					
Mercury	0.00357	J	0.0183	mg/kg wet	0.00916		39.0			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG2911 - SW-7471 (Continued)										
Matrix Spike (BFG2911-MS1)		**Source: 22F4225-23**			Prepared & Analyzed: 7/22/2022					
Mercury	<0.0996	J1, U	0.0996	mg/kg dry	1.24	<0.0996		80-120		
Matrix Spike (BFG2911-MS2)		**Source: 22F4225-25**			Prepared & Analyzed: 7/22/2022					
Mercury	0.992		0.0949	mg/kg dry	1.19	<0.0949	83.6	80-120		
Matrix Spike Dup (BFG2911-MSD1)		**Source: 22F4225-23**			Prepared & Analyzed: 7/22/2022					
Mercury	2.29	J1	0.126	mg/kg dry	1.57	<0.126	146	80-120	200	20
Matrix Spike Dup (BFG2911-MSD2)		**Source: 22F4225-25**			Prepared & Analyzed: 7/22/2022					
Mercury	0.971		0.0926	mg/kg dry	1.16	<0.0926	83.9	80-120	2.06	20
Batch: BFG3191 - Cr VI										
Blank (BFG3191-BLK1)					Prepared & Analyzed: 7/25/2022					
Chromium (VI)	<5.00	U	5.00	mg/kg (dry wt) wet						
Duplicate (BFG3191-DUP1)		**Source: 22F4225-05**			Prepared & Analyzed: 7/25/2022					
Chromium (VI)	<53.9	U	53.9	mg/kg (dry wt) dry		<53.9				20
MRL Check (BFG3191-MRL1)					Prepared & Analyzed: 7/25/2022					
Chromium (VI)	4.71	J	5.00	mg/kg (dry wt) wet	5.00		94.3	50-150		
SMS (BFG3191-MS1)		**Source: 22F4225-05**			Prepared & Analyzed: 7/25/2022					
Chromium (VI)	<55.6	J1, U	55.6	mg/kg (dry wt) dry	111	<55.6		75-125		
IMS (BFG3191-MS2)		**Source: 22F4225-05**			Prepared & Analyzed: 7/25/2022					
Chromium (VI)	<13100	J1, U	13100	mg/kg (dry wt) dry	3370	<13100		75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG3191 - Cr VI (Continued)										
PMS (BFG3191-PS1)		**Source: 22F4225-05**			Prepared & Analyzed: 7/25/2022					
Chromium (VI)	22.5	J1		ug/L	250	26.3	NR	85-115		
Batch: BFG3636 - SW-7471										
MDL Check (BFG3636-MRL1)					Prepared & Analyzed: 7/28/2022					
Mercury	0.000670	J	0.0191	mg/kg wet	0.00957		7.00			
Matrix Spike (BFG3636-MS1)		**Source: 22F4225-36**			Prepared & Analyzed: 7/28/2022					
Mercury	1.11	J1	0.113	mg/kg dry	1.41	<0.113	78.9	80-120		
Matrix Spike (BFG3636-MS2)		**Source: 22F4225-40**			Prepared & Analyzed: 7/28/2022					
Mercury	0.999	J1	0.102	mg/kg dry	1.27	<0.102	78.6	80-120		
Matrix Spike Dup (BFG3636-MSD1)		**Source: 22F4225-36**			Prepared & Analyzed: 7/28/2022					
Mercury	1.11	J1	0.112	mg/kg dry	1.40	<0.112	79.6	80-120	0.133	20
Matrix Spike Dup (BFG3636-MSD2)		**Source: 22F4225-40**			Prepared & Analyzed: 7/28/2022					
Mercury	1.08		0.105	mg/kg dry	1.31	<0.105	82.4	80-120	7.99	20
Batch: BFH0373 - SW-7471										
MDL Check (BFH0373-MRL1)					Prepared & Analyzed: 8/3/2022					
Mercury	0.0151	J	0.0186	mg/kg wet	0.00929		163			
Matrix Spike (BFH0373-MS1)		**Source: 22F4225-02**			Prepared & Analyzed: 8/3/2022					
Mercury	1.29		0.113	mg/kg dry	1.42	<0.113	90.8	80-120		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH0373 - SW-7471 (Continued)										
Matrix Spike (BFH0373-MS2)		**Source: 22F4225-27**			Prepared & Analyzed: 8/3/2022					
Mercury	0.810		0.0735	mg/kg dry	0.918	<0.0735	88.2	80-120		
Matrix Spike Dup (BFH0373-MSD1)		**Source: 22F4225-02**			Prepared & Analyzed: 8/3/2022					
Mercury	1.21		0.107	mg/kg dry	1.34	<0.107	90.7	80-120	5.99	20
Matrix Spike Dup (BFH0373-MSD2)		**Source: 22F4225-27**			Prepared & Analyzed: 8/3/2022					
Mercury	0.953		0.0819	mg/kg dry	1.02	<0.0819	93.1	80-120	16.2	20
Batch: BFH0643 - SW-7471										
MDL Check (BFH0643-MRL1)					Prepared & Analyzed: 8/4/2022					
Mercury	0.0159	J	0.0183	mg/kg wet	0.00916		174			
Matrix Spike (BFH0643-MS1)		**Source: 22F4225-29**			Prepared & Analyzed: 8/4/2022					
Mercury	0.997		0.0734	mg/kg dry	0.917	<0.0734	109	80-120		
Matrix Spike (BFH0643-MS2)		**Source: 22F4225-48**			Prepared & Analyzed: 8/4/2022					
Mercury	1.21		0.0993	mg/kg dry	1.24	<0.0993	97.8	80-120		
Matrix Spike Dup (BFH0643-MSD1)		**Source: 22F4225-29**			Prepared & Analyzed: 8/4/2022					
Mercury	1.07		0.0826	mg/kg dry	1.03	<0.0826	103	80-120	6.59	20
Matrix Spike Dup (BFH0643-MSD2)		**Source: 22F4225-48**			Prepared & Analyzed: 8/4/2022					
Mercury	1.36		0.103	mg/kg dry	1.29	<0.103	105	80-120	11.3	20
Batch: BFH1110 - EPA 200.3										
Blank (BFH1110-BLK1)					Prepared: 8/9/2022 Analyzed: 8/15/2022					
Antimony	<1.59	U	1.59	mg/kg wet						
Arsenic	<0.794	U	0.794	mg/kg wet						
Cadmium	<1.59	U	1.59	mg/kg wet						
Chromium	<4.76	U	4.76	mg/kg wet						
Copper	<1.59	U	1.59	mg/kg wet						
Lead	<0.794	U	0.794	mg/kg wet						
Nickel	<1.59	U	1.59	mg/kg wet						
Silver	<0.794	U	0.794	mg/kg wet						
Thallium	<0.794	U	0.794	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1110 - EPA 200.3 (Continued)										
Blank (BFH1110-BLK2)					Prepared: 8/9/2022 Analyzed: 8/16/2022					
Zinc	<3.17	U	3.17	mg/kg wet						
Blank (BFH1110-BLK3)					Prepared: 8/9/2022 Analyzed: 8/23/2022					
Beryllium	<0.317	U	0.317	mg/kg wet						
Selenium	<7.94	U	7.94	mg/kg wet						
LCS (BFH1110-BS1)					Prepared: 8/9/2022 Analyzed: 8/15/2022					
Antimony	9.83		1.06	mg/kg wet	8.87		111	85-115		
Arsenic	4.62		0.532	mg/kg wet	4.43		104	85-115		
Cadmium	9.46		1.06	mg/kg wet	8.87		107	85-115		
Chromium	25.9		3.19	mg/kg wet	26.6		97.3	85-115		
Copper	9.07		1.06	mg/kg wet	8.87		102	85-115		
Lead	4.53		0.532	mg/kg wet	4.43		102	85-115		
Nickel	8.52		1.06	mg/kg wet	8.87		96.2	85-115		
Silver	4.56		0.532	mg/kg wet	4.43		103	85-115		
Thallium	4.45		0.532	mg/kg wet	4.43		100	85-115		
LCS (BFH1110-BS2)					Prepared: 8/9/2022 Analyzed: 8/16/2022					
Zinc	18.7		2.13	mg/kg wet	17.7		106	85-115		
LCS (BFH1110-BS3)					Prepared: 8/9/2022 Analyzed: 8/23/2022					
Beryllium	1.85		0.213	mg/kg wet	1.77		104	85-115		
Selenium	18.9		5.32	mg/kg wet	17.7		107	85-115		
Duplicate (BFH1110-DUP1)			**Source: 22F4225-02**		Prepared: 8/9/2022 Analyzed: 8/15/2022					
Antimony	<4.89	U	4.89	mg/kg dry		<4.89				20
Arsenic	9.09		2.45	mg/kg dry		8.69			4.51	20
Cadmium	0.549	J	4.89	mg/kg dry		0.528			3.97	20
Chromium	<14.7	U	14.7	mg/kg dry		<14.7				20
Copper	14.0		4.89	mg/kg dry		13.0			7.50	20
Lead	0.496	J	2.45	mg/kg dry		0.376			200	20
Nickel	3.59	J	4.89	mg/kg dry		3.42			4.73	20
Silver	0.143	J	2.45	mg/kg dry		0.131			8.52	20
Thallium	<2.45	U	2.45	mg/kg dry		<2.45				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1110 - EPA 200.3 (Continued)										
Duplicate (BFH1110-DUP2)		**Source: 22F4225-17**		Prepared: 8/9/2022 Analyzed: 8/15/2022						
Antimony	<6.28	U	6.28	mg/kg dry		<6.28				20
Cadmium	0.619	J	6.28	mg/kg dry		0.765			21.1	20
Chromium	<18.8	U	18.8	mg/kg dry		<18.8			200	20
Copper	16.0	J1	6.28	mg/kg dry		19.7			20.5	20
Lead	0.599	J	3.14	mg/kg dry		0.752			22.7	20
Nickel	3.34	J	6.28	mg/kg dry		3.82			13.4	20
Silver	0.184	J	3.14	mg/kg dry		0.242			27.1	20
Thallium	<3.14	U	3.14	mg/kg dry		<3.14				20
Duplicate (BFH1110-DUP3)		**Source: 22F4225-02**		Prepared: 8/9/2022 Analyzed: 8/16/2022						
Zinc	125		9.78	mg/kg dry		118			5.15	20
Duplicate (BFH1110-DUP4)		**Source: 22F4225-17**		Prepared: 8/9/2022 Analyzed: 8/16/2022						
Arsenic	9.80		3.14	mg/kg dry		11.3			14.5	20
Zinc	140		12.6	mg/kg dry		169			19.2	20
Duplicate (BFH1110-DUP5)		**Source: 22F4225-02**		Prepared: 8/9/2022 Analyzed: 8/23/2022						
Beryllium	<0.978	U	0.978	mg/kg dry		<0.978				20
Selenium	<24.5	U	24.5	mg/kg dry		<24.5				20
Duplicate (BFH1110-DUP6)		**Source: 22F4225-17**		Prepared: 8/9/2022 Analyzed: 8/23/2022						
Beryllium	<1.26	U	1.26	mg/kg dry		<1.26				20
Selenium	<31.4	U	31.4	mg/kg dry		<31.4				20
MDL Check (BFH1110-MRL1)				Prepared: 8/9/2022 Analyzed: 8/15/2022						
Cadmium	0.0490	J	1.78	mg/kg wet	0.0148		330			
MDL Check (BFH1110-MRL2)				Prepared: 8/9/2022 Analyzed: 8/15/2022						
Antimony	6.78		1.46	mg/kg wet	6.08		112			
Arsenic	0.667	J	0.730	mg/kg wet	0.608		110			
Chromium	2.04	J	4.38	mg/kg wet	1.82		112			
Copper	1.51		1.46	mg/kg wet	1.22		124			
Lead	0.601	J	0.730	mg/kg wet	0.608		98.8			
Silver	0.333	J	0.730	mg/kg wet	0.304		109			
Thallium	0.299	J	0.730	mg/kg wet	0.304		98.4			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1110 - EPA 200.3 (Continued)										
MDL Check (BFH1110-MRL4)					Prepared: 8/9/2022 Analyzed: 8/16/2022					
Zinc	16.1		2.92	mg/kg wet	12.2		132			
MDL Check (BFH1110-MRL6)					Prepared: 8/9/2022 Analyzed: 8/23/2022					
Beryllium	0.123	J	0.292	mg/kg wet	0.122		101			
Selenium	12.2		7.30	mg/kg wet	12.2		100			
Matrix Spike (BFH1110-MS1)		**Source: 22F4225-02**			Prepared: 8/9/2022 Analyzed: 8/15/2022					
Antimony	50.0		5.54	mg/kg dry	46.2	<5.54	108	75-125		
Arsenic	34.9		2.77	mg/kg dry	23.1	8.69	114	75-125		
Cadmium	47.4		5.54	mg/kg dry	46.2	0.528	101	75-125		
Chromium	137		16.6	mg/kg dry	139	<16.6	99.1	75-125		
Copper	60.0		5.54	mg/kg dry	46.2	13.0	102	75-125		
Lead	23.8		2.77	mg/kg dry	23.1	<2.77	103	75-125		
Nickel	47.1		5.54	mg/kg dry	46.2	3.42	94.5	75-125		
Silver	21.8		2.77	mg/kg dry	23.1	0.131	93.8	75-125		
Thallium	22.4		2.77	mg/kg dry	23.1	<2.77	96.9	75-125		
Matrix Spike (BFH1110-MS2)		**Source: 22F4225-17**			Prepared: 8/9/2022 Analyzed: 8/15/2022					
Antimony	55.9		6.22	mg/kg dry	51.9	<6.22	108	75-125		
Cadmium	55.0		6.22	mg/kg dry	51.9	0.765	105	75-125		
Chromium	151		18.7	mg/kg dry	156	<18.7	97.0	75-125		
Copper	64.0		6.22	mg/kg dry	51.9	19.7	85.6	75-125		
Lead	25.9		3.11	mg/kg dry	25.9	0.752	96.8	75-125		
Nickel	50.5		6.22	mg/kg dry	51.9	3.82	90.0	75-125		
Silver	25.0		3.11	mg/kg dry	25.9	0.242	95.4	75-125		
Thallium	25.9		3.11	mg/kg dry	25.9	<3.11	100	75-125		
Matrix Spike (BFH1110-MS3)		**Source: 22F4225-02**			Prepared: 8/9/2022 Analyzed: 8/16/2022					
Zinc	221		22.2	mg/kg dry	92.4	118	111	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1110 - EPA 200.3 (Continued)										
Matrix Spike (BFH1110-MS4)		**Source: 22F4225-17**			Prepared: 8/9/2022 Analyzed: 8/16/2022					
Arsenic	43.1		3.11	mg/kg dry	25.9	11.3	123	75-125		
Zinc	258		24.9	mg/kg dry	104	169	85.6	75-125		
Matrix Spike (BFH1110-MS5)		**Source: 22F4225-02**			Prepared: 8/9/2022 Analyzed: 8/23/2022					
Beryllium	9.46		1.11	mg/kg dry	9.24	<1.11	102	75-125		
Selenium	114		27.7	mg/kg dry	92.4	<27.7	123	75-125		
Matrix Spike (BFH1110-MS6)		**Source: 22F4225-17**			Prepared: 8/9/2022 Analyzed: 8/23/2022					
Beryllium	10.9		1.24	mg/kg dry	10.4	<1.24	105	75-125		
Selenium	128		31.1	mg/kg dry	104	<31.1	123	75-125		
Batch: BFH1125 - EPA 200.3										
Blank (BFH1125-BLK1)					Prepared: 8/9/2022 Analyzed: 8/16/2022					
Antimony	<1.45	U	1.45	mg/kg wet						
Arsenic	<0.725	U	0.725	mg/kg wet						
Cadmium	<1.45	U	1.45	mg/kg wet						
Chromium	<4.35	U	4.35	mg/kg wet						
Copper	0.157	J	1.45	mg/kg wet						
Lead	<0.725	U	0.725	mg/kg wet						
Nickel	0.0310	J	1.45	mg/kg wet						
Silver	<0.725	U	0.725	mg/kg wet						
Thallium	<0.725	U	0.725	mg/kg wet						
Zinc	<2.90	U	2.90	mg/kg wet						
Blank (BFH1125-BLK2)					Prepared: 8/9/2022 Analyzed: 8/17/2022					
Beryllium	<0.290	U	0.290	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1125 - EPA 200.3 (Continued)										
Blank (BFH1125-BLK3)				Prepared: 8/9/2022 Analyzed: 8/23/2022						
Selenium	<7.25	U	7.25	mg/kg wet						
LCS (BFH1125-BS1)				Prepared: 8/9/2022 Analyzed: 8/16/2022						
Antimony	13.3		1.45	mg/kg wet	12.1		110	85-115		
Arsenic	6.33		0.725	mg/kg wet	6.04		105	85-115		
Cadmium	13.4		1.45	mg/kg wet	12.1		111	85-115		
Chromium	36.8		4.35	mg/kg wet	36.2		101	85-115		
Copper	12.9		1.45	mg/kg wet	12.1		107	85-115		
Lead	6.24		0.725	mg/kg wet	6.04		103	85-115		
Nickel	12.2		1.45	mg/kg wet	12.1		101	85-115		
Silver	6.58		0.725	mg/kg wet	6.04		109	85-115		
Thallium	6.25		0.725	mg/kg wet	6.04		104	85-115		
Zinc	25.5		2.90	mg/kg wet	24.2		106	85-115		
LCS (BFH1125-BS2)				Prepared: 8/9/2022 Analyzed: 8/17/2022						
Beryllium	2.61		0.290	mg/kg wet	2.42		108	85-115		
LCS (BFH1125-BS3)				Prepared: 8/9/2022 Analyzed: 8/23/2022						
Selenium	27.7		7.25	mg/kg wet	24.2		115	85-115		
Duplicate (BFH1125-DUP1)			**Source: 22F4225-25**	Prepared: 8/9/2022 Analyzed: 8/16/2022						
Antimony	<3.92	U	3.92	mg/kg dry		<3.92				20
Arsenic	11.5		1.96	mg/kg dry		11.1			4.16	20
Cadmium	0.583	J	3.92	mg/kg dry		0.604			3.65	20
Chromium	0.295	J	11.8	mg/kg dry		<11.8			200	20
Copper	16.1		3.92	mg/kg dry		16.2			0.537	20
Lead	0.532	J	1.96	mg/kg dry		0.554			4.04	20
Nickel	4.00		3.92	mg/kg dry		3.57			11.5	20
Silver	0.213	J	1.96	mg/kg dry		0.199			7.03	20
Thallium	<1.96	U	1.96	mg/kg dry		<1.96				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1125 - EPA 200.3 (Continued)										
Duplicate (BFH1125-DUP2)		**Source: 22F4225-27**		Prepared: 8/9/2022 Analyzed: 8/17/2022						
Antimony	<4.66	U	4.66	mg/kg dry		<4.66				20
Arsenic	11.2		2.33	mg/kg dry		10.1			10.2	20
Beryllium	<0.932	U	0.932	mg/kg dry		<0.932				20
Cadmium	0.562	J	4.66	mg/kg dry		0.502			11.4	20
Chromium	0.405	J	14.0	mg/kg dry		0.501			21.3	20
Copper	16.2		4.66	mg/kg dry		15.1			7.44	20
Lead	0.568	J	2.33	mg/kg dry		0.511			10.6	20
Nickel	3.55	J	4.66	mg/kg dry		3.34			6.08	20
Silver	0.216	J	2.33	mg/kg dry		0.209			3.64	20
Thallium	<2.33	U	2.33	mg/kg dry		<2.33				20
Duplicate (BFH1125-DUP3)		**Source: 22F4225-25**		Prepared: 8/9/2022 Analyzed: 8/17/2022						
Beryllium	<0.784	U	0.784	mg/kg dry		<0.784				20
Duplicate (BFH1125-DUP4)		**Source: 22F4225-25**		Prepared: 8/9/2022 Analyzed: 8/23/2022						
Selenium	<19.6	U	19.6	mg/kg dry		<19.6				20
Zinc	131		15.7	mg/kg dry		129			2.03	20
Duplicate (BFH1125-DUP5)		**Source: 22F4225-27**		Prepared: 8/9/2022 Analyzed: 8/23/2022						
Selenium	<23.3	U	23.3	mg/kg dry		<23.3				20
Zinc	116		9.32	mg/kg dry		111			5.09	20
MDL Check (BFH1125-MRL1)				Prepared: 8/9/2022 Analyzed: 8/16/2022						
Cadmium	0.0260	J	1.55	mg/kg wet	0.0130		201			
Nickel	0.0323	J	1.55	mg/kg wet	0.0130		249			
MDL Check (BFH1125-MRL2)				Prepared: 8/9/2022 Analyzed: 8/16/2022						
Antimony	5.49		1.10	mg/kg wet	4.58		120			
Arsenic	0.529	J	0.549	mg/kg wet	0.458		116			
Chromium	1.72	J	3.30	mg/kg wet	1.37		125			
Copper	1.20		1.10	mg/kg wet	0.916		131			
Lead	0.494	J	0.549	mg/kg wet	0.458		108			
Silver	0.284	J	0.549	mg/kg wet	0.229		124			
Thallium	0.251	J	0.549	mg/kg wet	0.229		110			
Zinc	10.5		2.20	mg/kg wet	9.16		114			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1125 - EPA 200.3 (Continued)										
MDL Check (BFH1125-MRL4)					Prepared: 8/9/2022 Analyzed: 8/17/2022					
Beryllium	0.0952	J	0.220	mg/kg wet	0.0916		104			
MDL Check (BFH1125-MRL6)					Prepared: 8/9/2022 Analyzed: 8/23/2022					
Selenium	9.67		5.49	mg/kg wet	9.16		106	70-130		
Matrix Spike (BFH1125-MS1)		**Source: 22F4225-25**			Prepared: 8/9/2022 Analyzed: 8/16/2022					
Antimony	35.3		3.38	mg/kg dry	28.2	<3.38	125	75-125		
Cadmium	34.7		3.38	mg/kg dry	28.2	0.604	121	75-125		
Chromium	102		10.1	mg/kg dry	84.6	0.266	120	75-125		
Copper	44.1		3.38	mg/kg dry	28.2	16.2	99.1	75-125		
Lead	15.5		1.69	mg/kg dry	14.1	0.554	106	75-125		
Nickel	35.2		3.38	mg/kg dry	28.2	3.57	112	75-125		
Silver	15.7		1.69	mg/kg dry	14.1	0.199	110	75-125		
Thallium	15.5		1.69	mg/kg dry	14.1	<1.69	110	75-125		
Matrix Spike (BFH1125-MS2)		**Source: 22F4225-27**			Prepared: 8/9/2022 Analyzed: 8/17/2022					
Antimony	37.5		3.72	mg/kg dry	31.0	<3.72	121	75-125		
Arsenic	30.6	J1	3.72	mg/kg dry	15.5	10.1	132	75-125		
Beryllium	8.16	J1	0.744	mg/kg dry	6.20	<0.744	132	75-125		
Cadmium	38.0		3.72	mg/kg dry	31.0	0.502	121	75-125		
Chromium	112		11.2	mg/kg dry	93.0	0.501	119	75-125		
Copper	49.6		3.72	mg/kg dry	31.0	15.1	111	75-125		
Lead	17.0		1.86	mg/kg dry	15.5	0.511	106	75-125		
Nickel	39.0		3.72	mg/kg dry	31.0	3.34	115	75-125		
Silver	17.6		1.86	mg/kg dry	15.5	0.209	112	75-125		
Thallium	17.1		1.86	mg/kg dry	15.5	<1.86	111	75-125		
Matrix Spike (BFH1125-MS3)		**Source: 22F4225-25**			Prepared: 8/9/2022 Analyzed: 8/17/2022					
Arsenic	26.8		3.38	mg/kg dry	14.1	11.1	111	75-125		
Beryllium	6.73		0.676	mg/kg dry	5.64	0.0371	119	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH1125 - EPA 200.3 (Continued)										
Matrix Spike (BFH1125-MS4)		**Source: 22F4225-25**			Prepared: 8/9/2022 Analyzed: 8/23/2022					
Selenium	82.1	J1	16.9	mg/kg dry	56.4	<16.9	146	75-125		
Zinc	168	J1	13.5	mg/kg dry	56.4	129	70.3	75-125		
Matrix Spike (BFH1125-MS5)		**Source: 22F4225-27**			Prepared: 8/9/2022 Analyzed: 8/23/2022					
Selenium	92.2	J1	18.6	mg/kg dry	62.0	<18.6	149	75-125		
Zinc	187		14.9	mg/kg dry	62.0	111	123	75-125		
Batch: BFH1159 - SW-7471										
MDL Check (BFH1159-MRL1)					Prepared & Analyzed: 8/9/2022					
Mercury	0.00856	J	0.0183	mg/kg wet	0.00916		93.5			
Matrix Spike (BFH1159-MS1)		**Source: 22F4225-44**			Prepared & Analyzed: 8/9/2022					
Mercury	1.22		0.102	mg/kg dry	1.28	<0.102	95.3	80-120		
Matrix Spike (BFH1159-MS2)		**Source: 22F4240-08**			Prepared & Analyzed: 8/9/2022					
Mercury	1.08		0.0841	mg/kg dry	1.05	<0.0841	102	80-120		
Matrix Spike Dup (BFH1159-MSD1)		**Source: 22F4225-44**			Prepared & Analyzed: 8/9/2022					
Mercury	1.31		0.109	mg/kg dry	1.36	<0.109	96.6	80-120	7.50	20
Matrix Spike Dup (BFH1159-MSD2)		**Source: 22F4240-08**			Prepared & Analyzed: 8/9/2022					
Mercury	1.19		0.0952	mg/kg dry	1.19	<0.0952	100	80-120	10.2	20
Batch: BFH2042 - EPA 200.3										
Blank (BFH2042-BLK1)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	<0.605	U	0.605	mg/kg wet						
Cadmium	<1.21	U	1.21	mg/kg wet						
Chromium	<3.63	U	3.63	mg/kg wet						
Copper	<1.21	U	1.21	mg/kg wet						
Nickel	<1.21	U	1.21	mg/kg wet						
Thallium	<0.605	U	0.605	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2042 - EPA 200.3 (Continued)										
Blank (BFH2042-BLK2)					Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	<1.21	U	1.21	mg/kg wet						
Beryllium	<0.242	U	0.242	mg/kg wet						
Lead	<0.605	U	0.605	mg/kg wet						
Silver	<0.605	U	0.605	mg/kg wet						
Zinc	<2.42	U	2.42	mg/kg wet						
Blank (BFH2042-BLK3)					Prepared: 8/15/2022 Analyzed: 8/23/2022					
Selenium	<6.05	U	6.05	mg/kg wet						
LCS (BFH2042-BS1)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	5.37		0.586	mg/kg wet	4.88		110	85-115		
Cadmium	9.42		1.17	mg/kg wet	9.77		96.4	85-115		
Chromium	30.1		3.52	mg/kg wet	29.3		103	85-115		
Copper	9.35		1.17	mg/kg wet	9.77		95.7	85-115		
Nickel	9.28		1.17	mg/kg wet	9.77		95.0	85-115		
Thallium	4.71		0.586	mg/kg wet	4.88		96.5	85-115		
LCS (BFH2042-BS2)					Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	11.2		1.17	mg/kg wet	9.77		114	85-115		
Beryllium	2.13		0.234	mg/kg wet	1.95		109	85-115		
Lead	5.29		0.586	mg/kg wet	4.88		108	85-115		
Silver	4.33		0.586	mg/kg wet	4.88		88.7	85-115		
Zinc	22.1		2.34	mg/kg wet	19.5		113	85-115		
LCS (BFH2042-BS3)					Prepared: 8/15/2022 Analyzed: 8/23/2022					
Selenium	22.1		5.86	mg/kg wet	19.5		113	85-115		
Duplicate (BFH2042-DUP1)			**Source: 22F4225-47**		Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	9.88		2.49	mg/kg dry		10.3			3.76	20
Cadmium	0.568	J	4.98	mg/kg dry		0.602			5.72	20
Chromium	<15.0	U	15.0	mg/kg dry		0.388			200	20
Copper	13.0		4.98	mg/kg dry		13.7			5.44	20
Nickel	3.52	J	4.98	mg/kg dry		3.76			6.60	20
Thallium	<2.49	U	2.49	mg/kg dry		<2.49				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2042 - EPA 200.3 (Continued)										
Duplicate (BFH2042-DUP2)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	<4.98	U	4.98	mg/kg dry		<4.98				20
Beryllium	<0.997	U	0.997	mg/kg dry		<0.997				20
Lead	0.661	J	2.49	mg/kg dry		0.727			9.55	20
Silver	0.245	J	2.49	mg/kg dry		0.270			9.53	20
Zinc	148		9.97	mg/kg dry		134			9.88	20
Duplicate (BFH2042-DUP3)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/23/2022					
Selenium	<24.9	U	24.9	mg/kg dry		<24.9				20
MRL Check (BFH2042-MRL1)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	0.535	J	0.574	mg/kg wet	0.478		112			
Chromium	1.67	J	3.44	mg/kg wet	1.43		117			
Copper	1.10	J	1.15	mg/kg wet	0.956		115			
Thallium	0.226	J	0.574	mg/kg wet	0.239		94.6			
MRL Check (BFH2042-MRL2)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Cadmium	0.00798	J	0.939	mg/kg wet	0.00391		204			
Nickel	0.00845	J	0.939	mg/kg wet	0.00391		216			
MRL Check (BFH2042-MRL3)					Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	6.71		1.15	mg/kg wet	4.78		140			
Beryllium	0.116	J	0.229	mg/kg wet	0.0956		122			
Lead	0.605		0.574	mg/kg wet	0.478		127			
Silver	0.321	J	0.574	mg/kg wet	0.239		134			
Zinc	12.4		2.29	mg/kg wet	9.56		130			
MRL Check (BFH2042-MRL5)					Prepared: 8/15/2022 Analyzed: 8/23/2022					
Selenium	10.6		5.74	mg/kg wet	9.56		111			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2042 - EPA 200.3 (Continued)										
Matrix Spike (BFH2042-MS1)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	28.8		1.99	mg/kg dry	16.6	10.3	112	75-125		
Cadmium	34.4		3.97	mg/kg dry	33.1	0.602	102	75-125		
Chromium	99.8		11.9	mg/kg dry	99.3	0.388	100	75-125		
Copper	45.1		3.97	mg/kg dry	33.1	13.7	94.9	75-125		
Nickel	35.6		3.97	mg/kg dry	33.1	3.76	96.2	75-125		
Thallium	15.0		1.99	mg/kg dry	16.6	<1.99	90.8	75-125		
Matrix Spike (BFH2042-MS2)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	44.7	J1	3.97	mg/kg dry	33.1	<3.97	135	75-125		
Beryllium	8.93	J1	0.795	mg/kg dry	6.62	<0.795	135	75-125		
Lead	20.5		1.99	mg/kg dry	16.6	0.727	119	75-125		
Silver	14.2		1.99	mg/kg dry	16.6	0.270	84.3	75-125		
Matrix Spike (BFH2042-MS3)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/22/2022					
Zinc	194		15.9	mg/kg dry	66.2	134	91.4	75-125		
Matrix Spike (BFH2042-MS4)		**Source: 22F4225-47**			Prepared: 8/15/2022 Analyzed: 8/23/2022					
Selenium	85.3	J1	19.9	mg/kg dry	66.2	<19.9	129	75-125		
Batch: BFH2043 - EPA 200.3										
Blank (BFH2043-BLK1)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Antimony	<1.01	U	1.01	mg/kg wet						
Beryllium	<0.201	U	0.201	mg/kg wet						
Cadmium	<1.01	U	1.01	mg/kg wet						
Chromium	<3.02	U	3.02	mg/kg wet						
Copper	<1.01	U	1.01	mg/kg wet						
Lead	<0.503	U	0.503	mg/kg wet						
Nickel	<1.01	U	1.01	mg/kg wet						
Silver	<0.503	U	0.503	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2043 - EPA 200.3 (Continued)										
Blank (BFH2043-BLK2)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	<0.503	U	0.503	mg/kg wet						
Thallium	<0.503	U	0.503	mg/kg wet						
Blank (BFH2043-BLK3)					Prepared: 8/15/2022 Analyzed: 8/22/2022					
Zinc	<2.01	U	2.01	mg/kg wet						
Blank (BFH2043-BLK4)					Prepared: 8/15/2022 Analyzed: 8/25/2022					
Selenium	<5.03	U	5.03	mg/kg wet						
LCS (BFH2043-BS1)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Antimony	9.42		0.988	mg/kg wet	8.24		114	85-115		
Beryllium	1.76		0.198	mg/kg wet	1.65		107	85-115		
Cadmium	9.50		0.988	mg/kg wet	8.24		115	85-115		
Chromium	24.8		2.97	mg/kg wet	24.7		100	85-115		
Copper	8.77		0.988	mg/kg wet	8.24		107	85-115		
Lead	3.87		0.494	mg/kg wet	4.12		94.0	85-115		
Nickel	8.29		0.988	mg/kg wet	8.24		101	85-115		
Silver	4.51		0.494	mg/kg wet	4.12		110	85-115		
LCS (BFH2043-BS2)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	4.44		0.494	mg/kg wet	4.12		108	85-115		
Thallium	4.19		0.494	mg/kg wet	4.12		102	85-115		
LCS (BFH2043-BS3)					Prepared: 8/15/2022 Analyzed: 8/22/2022					
Zinc	18.7		1.98	mg/kg wet	16.5		113	85-115		
LCS (BFH2043-BS4)					Prepared: 8/15/2022 Analyzed: 8/25/2022					
Selenium	19.8	J1	4.94	mg/kg wet	16.5		120	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2043 - EPA 200.3 (Continued)										
Duplicate (BFH2043-DUP1)			**Source: 22F4225-22**		Prepared: 8/15/2022 Analyzed: 8/17/2022					
Antimony	<6.96	U	6.96	mg/kg dry		<6.96				20
Beryllium	<1.39	U	1.39	mg/kg dry		<1.39				20
Cadmium	0.589	J	6.96	mg/kg dry		0.668			12.5	20
Chromium	<20.9	U	20.9	mg/kg dry		<20.9				20
Copper	14.2		6.96	mg/kg dry		13.5			5.05	20
Lead	0.533	J	3.48	mg/kg dry		0.726			30.7	20
Nickel	3.75	J	6.96	mg/kg dry		3.97			5.67	20
Silver	0.205	J	3.48	mg/kg dry		0.263			25.0	20
Duplicate (BFH2043-DUP2)			**Source: 22F4225-23**		Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	10.6		1.98	mg/kg dry		10.3			2.70	20
Cadmium	0.590	J	3.96	mg/kg dry		0.624			5.75	20
Chromium	<11.9	U	11.9	mg/kg dry		<11.9				20
Copper	12.4		3.96	mg/kg dry		12.8			3.55	20
Nickel	2.89	J	3.96	mg/kg dry		3.07			6.04	20
Silver	0.156	J	1.98	mg/kg dry		0.164			4.64	20
Thallium	<1.98	U	1.98	mg/kg dry		<1.98				20
Duplicate (BFH2043-DUP3)			**Source: 22F4225-22**		Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	10.2		3.48	mg/kg dry		10.7			4.25	20
Thallium	<3.48	U	3.48	mg/kg dry		<3.48				20
Duplicate (BFH2043-DUP4)			**Source: 22F4225-22**		Prepared: 8/15/2022 Analyzed: 8/22/2022					
Zinc	157		13.9	mg/kg dry		165			5.00	20
Duplicate (BFH2043-DUP5)			**Source: 22F4225-23**		Prepared: 8/15/2022 Analyzed: 8/22/2022					
Antimony	<3.96	U	3.96	mg/kg dry		<3.96				20
Lead	0.382	J	1.98	mg/kg dry		0.646			51.4	20
Zinc	135		15.8	mg/kg dry		161			17.1	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2043 - EPA 200.3 (Continued)										
Duplicate (BFH2043-DUP6)		**Source: 22F4225-22**			Prepared: 8/15/2022 Analyzed: 8/25/2022					
Selenium	<34.8	U	34.8	mg/kg dry		<34.8				20
Duplicate (BFH2043-DUP7)		**Source: 22F4225-23**			Prepared: 8/15/2022 Analyzed: 8/25/2022					
Selenium	<19.8	U	19.8	mg/kg dry		<19.8				20
Duplicate (BFH2043-DUP8)		**Source: 22F4225-23**			Prepared: 8/15/2022 Analyzed: 8/25/2022					
Beryllium	<0.792	U	0.792	mg/kg dry		<0.792				20
MDL Check (BFH2043-MRL1)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Antimony	4.53		0.949	mg/kg wet	3.96		114			
Beryllium	0.0833	J	0.190	mg/kg wet	0.0791		105			
Chromium	1.31	J	2.85	mg/kg wet	1.19		110			
Copper	0.905	J	0.949	mg/kg wet	0.791		114			
Lead	0.381	J	0.475	mg/kg wet	0.396		96.3			
Silver	0.233	J	0.475	mg/kg wet	0.198		118			
MDL Check (BFH2043-MRL2)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Cadmium	0.00730	J	0.942	mg/kg wet	0.00392		186			
Nickel	0.00942	J	0.942	mg/kg wet	0.00392		240			
MDL Check (BFH2043-MRL3)					Prepared: 8/15/2022 Analyzed: 8/17/2022					
Arsenic	0.436	J	0.475	mg/kg wet	0.396		110			
Thallium	0.200	J	0.475	mg/kg wet	0.198		101			
MDL Check (BFH2043-MRL5)					Prepared: 8/15/2022 Analyzed: 8/22/2022					
Zinc	12.3		1.90	mg/kg wet	7.91		156			
MDL Check (BFH2043-MRL7)					Prepared: 8/15/2022 Analyzed: 8/25/2022					
Selenium	10.3		4.75	mg/kg wet	7.91		131			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2043 - EPA 200.3 (Continued)										
Matrix Spike (BFH2043-MS1)		**Source: 22F4225-22**		Prepared: 8/15/2022 Analyzed: 8/17/2022						
Antimony	62.4		6.62	mg/kg dry	55.2	<6.62	113	75-125		
Beryllium	12.4		1.32	mg/kg dry	11.0	<1.32	112	75-125		
Cadmium	60.8		6.62	mg/kg dry	55.2	0.668	109	75-125		
Chromium	160		19.9	mg/kg dry	166	<19.9	96.9	75-125		
Copper	70.5		6.62	mg/kg dry	55.2	13.5	103	75-125		
Lead	26.8		3.31	mg/kg dry	27.6	0.726	94.5	75-125		
Nickel	56.5		6.62	mg/kg dry	55.2	3.97	95.2	75-125		
Silver	25.7		3.31	mg/kg dry	27.6	0.263	92.0	75-125		
Matrix Spike (BFH2043-MS2)		**Source: 22F4225-23**		Prepared: 8/15/2022 Analyzed: 8/17/2022						
Arsenic	36.2		2.72	mg/kg dry	22.6	10.3	114	75-125		
Cadmium	47.4		5.43	mg/kg dry	45.3	0.624	103	75-125		
Chromium	135		16.3	mg/kg dry	136	<16.3	99.1	75-125		
Copper	57.4		5.43	mg/kg dry	45.3	12.8	98.5	75-125		
Nickel	45.8		5.43	mg/kg dry	45.3	3.07	94.4	75-125		
Silver	15.7	J1	2.72	mg/kg dry	22.6	0.164	68.4	75-125		
Thallium	21.4		2.72	mg/kg dry	22.6	<2.72	94.6	75-125		
Matrix Spike (BFH2043-MS3)		**Source: 22F4225-22**		Prepared: 8/15/2022 Analyzed: 8/17/2022						
Arsenic	40.8		3.31	mg/kg dry	27.6	10.7	109	75-125		
Thallium	25.7		3.31	mg/kg dry	27.6	<3.31	93.1	75-125		
Matrix Spike (BFH2043-MS4)		**Source: 22F4225-22**		Prepared: 8/15/2022 Analyzed: 8/22/2022						
Zinc	278		26.5	mg/kg dry	110	165	103	75-125		
Matrix Spike (BFH2043-MS5)		**Source: 22F4225-23**		Prepared: 8/15/2022 Analyzed: 8/22/2022						
Antimony	58.3	J1	5.43	mg/kg dry	45.3	<5.43	129	75-125		
Lead	25.2		2.72	mg/kg dry	22.6	0.646	109	75-125		
Zinc	265		21.7	mg/kg dry	90.5	161	116	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2043 - EPA 200.3 (Continued)										
Matrix Spike (BFH2043-MS6)		**Source: 22F4225-22**			Prepared: 8/15/2022 Analyzed: 8/25/2022					
Selenium	149	J1	33.1	mg/kg dry	110	<33.1	135	75-125		
Matrix Spike (BFH2043-MS7)		**Source: 22F4225-23**			Prepared: 8/15/2022 Analyzed: 8/25/2022					
Selenium	126	J1	27.2	mg/kg dry	90.5	<27.2	139	75-125		
Matrix Spike (BFH2043-MS8)		**Source: 22F4225-23**			Prepared: 8/15/2022 Analyzed: 8/25/2022					
Beryllium	10.5		1.09	mg/kg dry	9.05	<1.09	116	75-125		
Batch: BFH2148 - EPA 200.3										
Blank (BFH2148-BLK1)					Prepared: 8/16/2022 Analyzed: 8/18/2022					
Antimony	<1.47	U	1.47	mg/kg wet						
Arsenic	<0.737	U	0.737	mg/kg wet						
Cadmium	<1.47	U	1.47	mg/kg wet						
Lead	<0.737	U	0.737	mg/kg wet						
Thallium	<0.737	U	0.737	mg/kg wet						
Blank (BFH2148-BLK2)					Prepared: 8/16/2022 Analyzed: 8/19/2022					
Chromium	<4.42	U	4.42	mg/kg wet						
Copper	<1.47	U	1.47	mg/kg wet						
Nickel	<1.47	U	1.47	mg/kg wet						
Selenium	<7.37	U	7.37	mg/kg wet						
Zinc	<2.95	U	2.95	mg/kg wet						
Blank (BFH2148-BLK3)					Prepared: 8/16/2022 Analyzed: 8/23/2022					
Beryllium	<0.295	U	0.295	mg/kg wet						
Silver	<0.737	U	0.737	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2148 - EPA 200.3 (Continued)										
LCS (BFH2148-BS1)					Prepared: 8/16/2022 Analyzed: 8/18/2022					
Antimony	12.6		1.38	mg/kg wet	11.5		110	85-115		
Arsenic	6.22		0.690	mg/kg wet	5.75		108	85-115		
Cadmium	12.3		1.38	mg/kg wet	11.5		107	85-115		
Lead	5.60		0.690	mg/kg wet	5.75		97.4	85-115		
Thallium	5.88		0.690	mg/kg wet	5.75		102	85-115		
LCS (BFH2148-BS2)					Prepared: 8/16/2022 Analyzed: 8/19/2022					
Chromium	34.2		4.14	mg/kg wet	34.5		99.1	85-115		
Copper	11.4		1.38	mg/kg wet	11.5		99.0	85-115		
Nickel	11.3		1.38	mg/kg wet	11.5		98.3	85-115		
Selenium	25.8		6.90	mg/kg wet	23.0		112	85-115		
Zinc	24.3		2.76	mg/kg wet	23.0		106	85-115		
LCS (BFH2148-BS3)					Prepared: 8/16/2022 Analyzed: 8/23/2022					
Beryllium	2.35		0.276	mg/kg wet	2.30		102	85-115		
Silver	3.43	J1	0.690	mg/kg wet	5.75		59.7	85-115		
Duplicate (BFH2148-DUP1)		**Source: 22F4225-44**			Prepared: 8/16/2022 Analyzed: 8/18/2022					
Antimony	<4.82	U	4.82	mg/kg dry		<4.82				20
Arsenic	10.7		2.41	mg/kg dry		10.8			1.42	20
Cadmium	0.555	J	4.82	mg/kg dry		0.558			0.660	20
Lead	0.411	J	2.41	mg/kg dry		0.463			11.9	20
Thallium	<2.41	U	2.41	mg/kg dry		<2.41				20
Duplicate (BFH2148-DUP2)		**Source: 22F4225-48**			Prepared: 8/16/2022 Analyzed: 8/18/2022					
Antimony	<4.85	U	4.85	mg/kg dry		<4.85				20
Arsenic	10.9		2.42	mg/kg dry		11.3			3.15	20
Cadmium	0.532	J	4.85	mg/kg dry		0.558			4.77	20
Lead	0.592	J	2.42	mg/kg dry		0.686			14.8	20
Thallium	<2.42	U	2.42	mg/kg dry		<2.42				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2148 - EPA 200.3 (Continued)										
Duplicate (BFH2148-DUP3)		**Source: 22F4225-44**		Prepared: 8/16/2022 Analyzed: 8/19/2022						
Chromium	<14.5	U	14.5	mg/kg dry		<14.5				20
Copper	11.2		4.82	mg/kg dry		11.4			2.21	20
Nickel	2.73	J	4.82	mg/kg dry		2.81			2.82	20
Selenium	<24.1	U	24.1	mg/kg dry		<24.1				20
Zinc	107		9.65	mg/kg dry		109			1.58	20
Duplicate (BFH2148-DUP4)		**Source: 22F4225-48**		Prepared: 8/16/2022 Analyzed: 8/19/2022						
Chromium	0.426	J	14.5	mg/kg dry		0.493			14.5	20
Copper	20.8		4.85	mg/kg dry		21.0			0.882	20
Nickel	3.44	J	4.85	mg/kg dry		3.53			2.64	20
Zinc	127		9.70	mg/kg dry		132			3.57	20
Duplicate (BFH2148-DUP5)		**Source: 22F4225-44**		Prepared: 8/16/2022 Analyzed: 8/23/2022						
Beryllium	<0.965	U	0.965	mg/kg dry		<0.965				20
Silver	0.156	J	2.41	mg/kg dry		0.166			6.00	20
Duplicate (BFH2148-DUP6)		**Source: 22F4225-48**		Prepared: 8/16/2022 Analyzed: 8/23/2022						
Beryllium	<0.970	U	0.970	mg/kg dry		<0.970				20
Silver	0.168	J	2.42	mg/kg dry		0.181			7.14	20
Duplicate (BFH2148-DUP7)		**Source: 22F4225-48**		Prepared: 8/16/2022 Analyzed: 8/23/2022						
Selenium	<24.2	U	24.2	mg/kg dry		<24.2				20
MDL Check (BFH2148-MRL1)				Prepared: 8/16/2022 Analyzed: 8/18/2022						
Antimony	6.55		1.36	mg/kg wet	5.66		116			
Arsenic	0.624	J	0.679	mg/kg wet	0.566		110			
Lead	0.556	J	0.679	mg/kg wet	0.566		98.4			
Thallium	0.300	J	0.679	mg/kg wet	0.283		106			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2148 - EPA 200.3 (Continued)										
MDL Check (BFH2148-MRL2)					Prepared: 8/16/2022 Analyzed: 8/18/2022					
Cadmium	0.0207	J	1.28	mg/kg wet	0.0107		193			
MDL Check (BFH2148-MRL3)					Prepared: 8/16/2022 Analyzed: 8/19/2022					
Chromium	1.95	J	4.07	mg/kg wet	1.70		115			
Copper	1.38		1.36	mg/kg wet	1.13		122			
Selenium	12.3		6.79	mg/kg wet	11.3		109			
Zinc	12.5		2.71	mg/kg wet	11.3		111			
MDL Check (BFH2148-MRL4)					Prepared: 8/16/2022 Analyzed: 8/19/2022					
Nickel	0.0304	J	1.28	mg/kg wet	0.0107		284			
MDL Check (BFH2148-MRL5)					Prepared: 8/16/2022 Analyzed: 8/23/2022					
Beryllium	0.124	J	0.271	mg/kg wet	0.113		110			
Silver	0.312	J	0.679	mg/kg wet	0.283		110	70-130		
Matrix Spike (BFH2148-MS1)		**Source: 22F4225-44**			Prepared: 8/16/2022 Analyzed: 8/18/2022					
Antimony	47.4		5.03	mg/kg dry	41.9	<5.03	113	75-125		
Arsenic	35.9		2.51	mg/kg dry	20.9	10.8	120	75-125		
Cadmium	45.9		5.03	mg/kg dry	41.9	0.558	108	75-125		
Lead	20.0		2.51	mg/kg dry	20.9	0.463	93.5	75-125		
Thallium	20.3		2.51	mg/kg dry	20.9	<2.51	96.9	75-125		
Matrix Spike (BFH2148-MS2)		**Source: 22F4225-48**			Prepared: 8/16/2022 Analyzed: 8/18/2022					
Antimony	42.8		4.56	mg/kg dry	38.0	<4.56	113	75-125		
Arsenic	34.2		2.28	mg/kg dry	19.0	11.3	121	75-125		
Cadmium	42.1		4.56	mg/kg dry	38.0	0.558	109	75-125		
Lead	18.7		2.28	mg/kg dry	19.0	0.686	94.7	75-125		
Thallium	18.3		2.28	mg/kg dry	19.0	<2.28	96.3	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2148 - EPA 200.3 (Continued)										
Matrix Spike (BFH2148-MS3)		**Source: 22F4225-44**			Prepared: 8/16/2022 Analyzed: 8/19/2022					
Chromium	126		15.1	mg/kg dry	126	<15.1	100	75-125		
Copper	53.3		5.03	mg/kg dry	41.9	11.4	100	75-125		
Nickel	43.4		5.03	mg/kg dry	41.9	2.81	96.8	75-125		
Selenium	112	J1	25.1	mg/kg dry	83.8	<25.1	134	75-125		
Zinc	201		20.1	mg/kg dry	83.8	109	111	75-125		
Matrix Spike (BFH2148-MS4)		**Source: 22F4225-48**			Prepared: 8/16/2022 Analyzed: 8/19/2022					
Chromium	119		13.7	mg/kg dry	114	0.493	104	75-125		
Copper	57.7		4.56	mg/kg dry	38.0	21.0	96.5	75-125		
Nickel	41.1		4.56	mg/kg dry	38.0	3.53	98.9	75-125		
Zinc	205		18.2	mg/kg dry	76.0	132	95.8	75-125		
Matrix Spike (BFH2148-MS5)		**Source: 22F4225-44**			Prepared: 8/16/2022 Analyzed: 8/23/2022					
Beryllium	9.26		1.01	mg/kg dry	8.38	<1.01	111	75-125		
Silver	12.0	J1	2.51	mg/kg dry	20.9	0.166	56.4	75-125		
Matrix Spike (BFH2148-MS6)		**Source: 22F4225-48**			Prepared: 8/16/2022 Analyzed: 8/23/2022					
Beryllium	9.07		0.912	mg/kg dry	7.60	<0.912	119	75-125		
Selenium	98.9	J1	22.8	mg/kg dry	76.0	<22.8	130	75-125		
Silver	10.4	J1	2.28	mg/kg dry	19.0	0.181	53.6	75-125		
Batch: BFH2149 - EPA 200.3										
Blank (BFH2149-BLK1)					Prepared: 8/16/2022 Analyzed: 8/19/2022					
Antimony	<1.26	U	1.26	mg/kg wet						
Arsenic	<0.632	U	0.632	mg/kg wet						
Beryllium	<0.253	U	0.253	mg/kg wet						
Cadmium	<1.26	U	1.26	mg/kg wet						
Chromium	<3.79	U	3.79	mg/kg wet						
Copper	<1.26	U	1.26	mg/kg wet						
Lead	<0.632	U	0.632	mg/kg wet						
Nickel	<1.26	U	1.26	mg/kg wet						
Selenium	<6.32	U	6.32	mg/kg wet						
Silver	<0.632	U	0.632	mg/kg wet						
Thallium	<0.632	U	0.632	mg/kg wet						
Zinc	<2.53	U	2.53	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2149 - EPA 200.3 (Continued)										
LCS (BFH2149-BS1)					Prepared: 8/16/2022 Analyzed: 8/19/2022					
Antimony	10.3		1.16	mg/kg wet	9.65		107	85-115		
Arsenic	5.18		0.579	mg/kg wet	4.83		107	85-115		
Beryllium	2.15		0.232	mg/kg wet	1.93		111	85-115		
Cadmium	10.3		1.16	mg/kg wet	9.65		106	85-115		
Chromium	28.7		3.47	mg/kg wet	29.0		99.2	85-115		
Copper	9.52		1.16	mg/kg wet	9.65		98.6	85-115		
Lead	4.93		0.579	mg/kg wet	4.83		102	85-115		
Nickel	9.42		1.16	mg/kg wet	9.65		97.6	85-115		
Selenium	22.2		5.79	mg/kg wet	19.3		115	85-115		
Silver	2.70	J1	0.579	mg/kg wet	4.83		56.0	85-115		
Thallium	4.85		0.579	mg/kg wet	4.83		101	85-115		
Zinc	20.7		2.32	mg/kg wet	19.3		107	85-115		
Duplicate (BFH2149-DUP1)			**Source: 22F4225-36**		Prepared: 8/16/2022 Analyzed: 8/19/2022					
Antimony	<5.69	U	5.69	mg/kg dry		<5.69				20
Arsenic	9.55		2.85	mg/kg dry		9.73			1.89	20
Beryllium	<1.14	U	1.14	mg/kg dry		<1.14				20
Cadmium	0.573	J	5.69	mg/kg dry		0.625			8.77	20
Chromium	<17.1	U	17.1	mg/kg dry		0.432			200	20
Copper	14.6		5.69	mg/kg dry		14.1			3.54	20
Lead	0.430	J	2.85	mg/kg dry		0.524			19.5	20
Nickel	3.73	J	5.69	mg/kg dry		3.73			0.136	20
Selenium	<28.5	U	28.5	mg/kg dry		<28.5				20
Silver	0.189	J	2.85	mg/kg dry		0.204			7.40	20
Thallium	<2.85	U	2.85	mg/kg dry		<2.85				20
Zinc	126		11.4	mg/kg dry		127			1.15	20
Duplicate (BFH2149-DUP2)			**Source: 22F4225-40**		Prepared: 8/16/2022 Analyzed: 8/19/2022					
Antimony	<4.24	U	4.24	mg/kg dry		<4.24				20
Arsenic	10.4		2.12	mg/kg dry		10.7			3.42	20
Beryllium	<0.847	U	0.847	mg/kg dry		<0.847				20
Cadmium	0.651	J	4.24	mg/kg dry		0.661			1.56	20
Chromium	0.372	J	12.7	mg/kg dry		0.322			14.7	20
Copper	14.1		4.24	mg/kg dry		15.1			6.81	20
Lead	0.464	J	2.12	mg/kg dry		0.445			4.18	20
Nickel	3.64	J	4.24	mg/kg dry		3.66			0.522	20
Selenium	<21.2	U	21.2	mg/kg dry		<21.2				20
Silver	0.189	J	2.12	mg/kg dry		0.195			3.25	20
Thallium	<2.12	U	2.12	mg/kg dry		<2.12				20
Zinc	138		8.47	mg/kg dry		137			0.895	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2149 - EPA 200.3 (Continued)										
MRL Check (BFH2149-MRL1)					Prepared: 8/16/2022 Analyzed: 8/19/2022					
Antimony	5.54		1.03	mg/kg wet	4.30		129			
Arsenic	0.546		0.515	mg/kg wet	0.430		127			
Beryllium	0.108	J	0.206	mg/kg wet	0.0859		126			
Chromium	1.65	J	3.09	mg/kg wet	1.29		128			
Copper	1.11		1.03	mg/kg wet	0.859		129			
Lead	0.486	J	0.515	mg/kg wet	0.430		113			
Selenium	11.4		5.15	mg/kg wet	8.59		132			
Silver	0.277	J	0.515	mg/kg wet	0.215		129			
Thallium	0.256	J	0.515	mg/kg wet	0.215		119			
Zinc	11.0		2.06	mg/kg wet	8.59		128			
MRL Check (BFH2149-MRL2)					Prepared: 8/16/2022 Analyzed: 8/19/2022					
Cadmium	0.0149	J	0.901	mg/kg wet	0.00751		198			
Nickel	0.0116	J	0.901	mg/kg wet	0.00751		154			
Matrix Spike (BFH2149-MS1)		**Source: 22F4225-36**			Prepared: 8/16/2022 Analyzed: 8/19/2022					
Antimony	47.6		4.79	mg/kg dry	39.9	<4.79	119	75-125		
Arsenic	35.0	J1	2.39	mg/kg dry	19.9	9.73	127	75-125		
Beryllium	9.81		0.957	mg/kg dry	7.98	<0.957	123	75-125		
Cadmium	48.0		4.79	mg/kg dry	39.9	0.625	119	75-125		
Chromium	125		14.4	mg/kg dry	120	0.432	104	75-125		
Copper	55.4		4.79	mg/kg dry	39.9	14.1	104	75-125		
Lead	21.0		2.39	mg/kg dry	19.9	0.524	102	75-125		
Nickel	45.1		4.79	mg/kg dry	39.9	3.73	104	75-125		
Selenium	117	J1	23.9	mg/kg dry	79.8	<23.9	146	75-125		
Silver	9.53	J1	2.39	mg/kg dry	19.9	0.204	46.8	75-125		
Thallium	21.3		2.39	mg/kg dry	19.9	<2.39	107	75-125		
Zinc	213		19.1	mg/kg dry	79.8	127	108	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2149 - EPA 200.3 (Continued)										
Matrix Spike (BFH2149-MS2)		**Source: 22F4225-40**			Prepared: 8/16/2022 Analyzed: 8/19/2022					
Antimony	42.2		4.29	mg/kg dry	35.8	<4.29	118	75-125		
Arsenic	33.2	J1	2.15	mg/kg dry	17.9	10.7	126	75-125		
Beryllium	9.04	J1	0.859	mg/kg dry	7.16	<0.859	126	75-125		
Cadmium	42.9		4.29	mg/kg dry	35.8	0.661	118	75-125		
Chromium	118		12.9	mg/kg dry	107	0.322	110	75-125		
Copper	51.4		4.29	mg/kg dry	35.8	15.1	101	75-125		
Lead	18.8		2.15	mg/kg dry	17.9	0.445	102	75-125		
Nickel	41.3		4.29	mg/kg dry	35.8	3.66	105	75-125		
Selenium	108	J1	21.5	mg/kg dry	71.6	<21.5	151	75-125		
Silver	14.4		2.15	mg/kg dry	17.9	0.195	79.2	75-125		
Thallium	18.5		2.15	mg/kg dry	17.9	<2.15	103	75-125		
Zinc	215		17.2	mg/kg dry	71.6	137	109	75-125		
Batch: BFH2169 - SW-7471										
MDL Check (BFH2169-MRL1)					Prepared & Analyzed: 8/16/2022					
Mercury	0.00925	J	0.0199	mg/kg wet	0.00995		93.0			
Matrix Spike (BFH2169-MS1)		**Source: 22F4225-47**			Prepared & Analyzed: 8/16/2022					
Mercury	0.836	J1	0.0888	mg/kg dry	1.11	<0.0888	75.3	80-120		
Matrix Spike (BFH2169-MS2)		**Source: 22F4225-30**			Prepared & Analyzed: 8/16/2022					
Mercury	0.966		0.0905	mg/kg dry	1.13	<0.0905	85.4	80-120		
Matrix Spike Dup (BFH2169-MSD1)		**Source: 22F4225-47**			Prepared & Analyzed: 8/16/2022					
Mercury	0.511	J1	0.114	mg/kg dry	1.10	<0.114	46.6	80-120	48.1	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFH2169 - SW-7471 (Continued)										
Matrix Spike Dup (BFH2169-MSD2)		**Source: 22F4225-30**			Prepared & Analyzed: 8/16/2022					
Mercury	0.965		0.0934	mg/kg dry	1.17	<0.0934	82.6	80-120	0.160	20
Batch: BFH2628 - SW-7471										
MDL Check (BFH2628-MRL1)					Prepared & Analyzed: 8/18/2022					
Mercury	0.0311		0.0183	mg/kg wet	0.00917		339			
Matrix Spike (BFH2628-MS1)		**Source: 22F4225-05RE1**			Prepared & Analyzed: 8/18/2022					
Mercury	1.01		0.101	mg/kg dry	1.27	<0.101	80.1	80-120		
Matrix Spike (BFH2628-MS2)		**Source: 22F4225-20RE1**			Prepared & Analyzed: 8/18/2022					
Mercury	0.985		0.0935	mg/kg dry	1.17	<0.0935	84.2	80-120		
Matrix Spike Dup (BFH2628-MSD1)		**Source: 22F4225-05RE1**			Prepared & Analyzed: 8/18/2022					
Mercury	1.07		0.103	mg/kg dry	1.29	<0.103	83.4	80-120	5.65	20
Matrix Spike Dup (BFH2628-MSD2)		**Source: 22F4225-20RE1**			Prepared & Analyzed: 8/18/2022					
Mercury	0.969		0.0935	mg/kg dry	1.17	<0.0935	82.8	80-120	1.68	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

General Chemistry

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG0299 - Percent Solids										
Blank (BFG0299-BLK1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFG0299-DUP1)			**Source: 22F4240-26**		Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	12.7		0.100	%		13.6			6.82	10
Duplicate (BFG0299-DUP2)			**Source: 22F4240-45**		Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	14.5		0.100	%		15.2			4.53	10
Reference (BFG0299-SRM1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	0.346		0.100	%	0.350		98.8	78.9-118		
Batch: BFG0300 - Percent Solids										
Blank (BFG0300-BLK1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFG0300-DUP1)			**Source: 22F4225-06**		Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	11.6		0.100	%		11.4			1.82	10
Duplicate (BFG0300-DUP2)			**Source: 22F4225-60**		Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	9.83		0.100	%		9.67			1.67	10
Reference (BFG0300-SRM1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	0.359		0.100	%	0.350		102	78.9-118		
Batch: BFG0301 - Percent Solids										
Blank (BFG0301-BLK1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	<0.100	U	0.100	%						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG0301 - Percent Solids (Continued)										
Duplicate (BFG0301-DUP1)		**Source: 22F4225-70**			Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	13.0		0.100	%		12.8			1.17	10
Duplicate (BFG0301-DUP2)		**Source: 22F4225-90**			Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	14.5		0.100	%		14.8			2.55	10
Reference (BFG0301-SRM1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	0.357		0.100	%	0.350		102	78.9-118		
Batch: BFG0354 - Percent Solids										
Blank (BFG0354-BLK1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFG0354-DUP1)		**Source: 22F4225-01**			Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	8.91		0.100	%		8.65			2.94	10
Duplicate (BFG0354-DUP2)		**Source: 22F4225-36**			Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	8.86		0.100	%		9.08			2.48	10
Reference (BFG0354-SRM1)					Prepared: 7/5/2022 Analyzed: 7/6/2022					
% Solids	0.362		0.100	%	0.350		104	78.9-118		
Batch: BFG0444 - Percent Solids										
Blank (BFG0444-BLK1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	<0.100	U	0.100	%						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG0444 - Percent Solids (Continued)										
Duplicate (BFG0444-DUP1)		**Source: 22F4225-17**			Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	8.70		0.100	%		8.76			0.744	10
Reference (BFG0444-SRM1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	0.357		0.100	%	0.350		102	78.9-118		
Batch: BFG0445 - Percent Solids										
Blank (BFG0445-BLK1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFG0445-DUP1)		**Source: 22F4225-07**			Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	11.4		0.100	%		11.2			2.30	10
Duplicate (BFG0445-DUP2)		**Source: 22F4240-09**			Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	11.0		0.100	%		11.3			2.53	10
Reference (BFG0445-SRM1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	0.349		0.100	%	0.350		99.8	78.9-118		
Batch: BFG0446 - Percent Solids										
Blank (BFG0446-BLK1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	<0.100	U	0.100	%						
Duplicate (BFG0446-DUP1)		**Source: 22F4225-09**			Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	8.58		0.100	%		8.75			1.87	10

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFG0446 - Percent Solids (Continued)										
Duplicate (BFG0446-DUP2)			**Source: 22F4240-23**		Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	14.4		0.100	%		14.9			3.09	10
Reference (BFG0446-SRM1)					Prepared: 7/6/2022 Analyzed: 7/7/2022					
% Solids	0.349		0.100	%	0.350		99.8	78.9-118		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Sample Condition Checklist

Work Order: 22F4225

Check Points	
Yes	Custody Seals
Yes	Containers Intact
Yes	COC/Labels Agree
Yes	Received On Ice
Yes	Appropriate Containers
Yes	Appropriate Sample Volume
Yes	Coolers Intact
Yes	Samples Accepted

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-22-36
TCEQ-TOX T104704202-21-16

Terracon_Houston	Project: PCCA HI TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	09/01/2022 17:46

Term and Qualifier Definitions

Item	Definition
B	Analyte was found in the associated method blank.
CQ	CCV out of control high, no hit in sample, data unaffected
CQa	Internal Standard response less than 50% calibration response
J	Estimated value - The reported value is between the detection limit and reporting limit.
J1	Estimated value - The reported value is outside the established quality control criteria for accuracy and/or precision.
L	Off scale high - The concentration of the analyte exceeds the linear range.
S	The surrogate recovery was outside the established laboratory recovery limit.
U	Non-detected compound.
V	Analyte was detected in both sample and method blank.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated
*	A = Accredited, N = Not Accredited or Accreditation not available
DF	Dilution Factor - the factor applied to the reported data due to sample preparation, dilution, or moisture content
MDL	Method Detection Limit - The minimum concentration of a substance (or analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. Based on standard deviation of replicate spiked samples take through all steps of the analytical procedure following 40 CFR Part 136 Appendix B.
SDL	Sample Detection Limit - The minimum concentration of a substance (analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. The SDL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MDL = SDL.
MRL	Method Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The MRL is at or above the lowest calibration standard.
LRL	Laboratory Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The LRL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MRL = LRL.

July 31, 2022 Service Request No:K2207378

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 22F4225

Dear Monica,

Enclosed are the results of the sample(s) submitted to our laboratory June 30, 2022
For your reference, these analyses have been assigned our service request number **K2207378.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental



Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Sample Matrix: Animal Tissue

Service Request: K2207378
Date Received: 06/30/2022

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Twenty six animal tissue samples were received for analysis at ALS Environmental on 06/30/2022. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivoa GC:

Method ALS SOP, 07/28/2022:The analysis of Butyltins by ALS SOP requires the use of dual column confirmation. When the Continuing Calibration Verification (CCV) criterion is met for both columns, the lower of the two sample results is generally reported. The primary evaluation criteria were not met on the confirmation column for Di-n-butyltin, Tri-n-butyltin and the surrogate compound, Tri-n-propyltin. The results were reported from the column with an acceptable CCV or samples were non-detect. The data quality was not affected. No further corrective action was necessary.

Method ALS SOP, 07/28/2022:The lower control criterion was exceeded for Tri-n-propyltin in method blank KQ2211578-01. No target analytes were detected in the Method Blank. The problem indicated a potential negative bias to the Method Blank results. Target analytes detected in the field samples could contain a high bias. A re-analysis was not performed because insufficient sample remained for additional testing. No further corrective action was possible.

Method ALS SOP, 07/28/2022:The lower control criterion was exceeded for Tri-n-propyltin in samples 22F42255-01, 22F42255-42, 22F42255-43 and replicate LCS/DLCS KQ2211578-02/-03. The error associated with the recovery equated to a low bias. A re-analysis was not performed because insufficient sample remained for additional testing. No further corrective action was possible.

Method ALS SOP, 07/28/2022:The spike recovery of analytes for replicate LCS/DLCS KQ2211578-02/-03 were outside the lower control criterion. The error associated with reduced recovery indicated a potential low bias. Additional analysis of the associated field samples was not performed because insufficient sample remained for testing. The data was flagged to indicate the problem.

Method ALS SOP, 07/28/2022:The Relative Percent Difference (RPD) for analytes in the replicate LCS/DLCS KQ2211613-02/-03 was outside control criteria. All spike recoveries were within acceptance limits, indicating the analytical batch was in control. No further corrective action was taken.

Metals:

No significant anomalies were noted with this analysis.

Approved by  Date 07/31/2022

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 22F42255-02			Lab ID: K2207378-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	2.0	P	0.21	1.1	ug/Kg	ALS SOP
Di-n-butyltin Cation	0.38	J	0.13	1.1	ug/Kg	ALS SOP

CLIENT ID: 22F42255-04			Lab ID: K2207378-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.56	JP	0.20	1.1	ug/Kg	ALS SOP

CLIENT ID: 22F42255-05			Lab ID: K2207378-005			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.33	J	0.20	1.1	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.56	J	0.12	1.1	ug/Kg	ALS SOP

CLIENT ID: 22F42255-44			Lab ID: K2207378-009			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	1.1		0.19	1.0	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.38	J	0.12	1.0	ug/Kg	ALS SOP

CLIENT ID: 22F42255-46			Lab ID: K2207378-011			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.84	J	0.18	0.98	ug/Kg	ALS SOP
Di-n-butyltin Cation	0.54	J	0.11	0.98	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.44	J	0.11	0.98	ug/Kg	ALS SOP

CLIENT ID: 22F42255-47			Lab ID: K2207378-012			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.67	J	0.18	0.98	ug/Kg	ALS SOP

CLIENT ID: 22F42255-49			Lab ID: K2207378-014			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	2.4		0.24	1.3	ug/Kg	ALS SOP
Di-n-butyltin Cation	2.4		0.15	1.3	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.33	J	0.15	1.3	ug/Kg	ALS SOP

CLIENT ID: 22F42255-50			Lab ID: K2207378-015			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	4.9		0.24	1.3	ug/Kg	ALS SOP
Di-n-butyltin Cation	4.0		0.15	1.3	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.24	J	0.15	1.3	ug/Kg	ALS SOP

CLIENT ID: 22F42255-51			Lab ID: K2207378-016			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	2.7		0.23	1.2	ug/Kg	ALS SOP
Di-n-butyltin Cation	3.0		0.14	1.2	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.15	JP	0.14	1.2	ug/Kg	ALS SOP

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 22F42255-52			Lab ID: K2207378-017			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	2.6		0.23	1.3	ug/Kg	ALS SOP
Di-n-butyltin Cation	2.8		0.14	1.3	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.21	JP	0.14	1.3	ug/Kg	ALS SOP

CLIENT ID: 22F42255-53			Lab ID: K2207378-018			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	2.6		0.25	1.4	ug/Kg	ALS SOP
Di-n-butyltin Cation	3.6		0.15	1.4	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.22	JP	0.15	1.4	ug/Kg	ALS SOP

CLIENT ID: 22F42255-89			Lab ID: K2207378-019			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.96	P	0.18	0.95	ug/Kg	ALS SOP
Di-n-butyltin Cation	0.11	J	0.11	0.95	ug/Kg	ALS SOP

CLIENT ID: 22F42255-90			Lab ID: K2207378-020			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	1.3		0.22	1.2	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.18	J	0.14	1.2	ug/Kg	ALS SOP

CLIENT ID: 22F42255-91			Lab ID: K2207378-021			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	1.0	J	0.23	1.3	ug/Kg	ALS SOP
Di-n-butyltin Cation	0.18	J	0.14	1.3	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.23	JP	0.14	1.3	ug/Kg	ALS SOP

CLIENT ID: 22F42255-92			Lab ID: K2207378-022			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	2.8		0.23	1.3	ug/Kg	ALS SOP
Di-n-butyltin Cation	2.5		0.14	1.3	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.22	J	0.14	1.3	ug/Kg	ALS SOP

CLIENT ID: 22F42255-93			Lab ID: K2207378-023			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	2.3		0.24	1.3	ug/Kg	ALS SOP
Di-n-butyltin Cation	2.7		0.15	1.3	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.23	JP	0.15	1.3	ug/Kg	ALS SOP

CLIENT ID: 22F42255-94			Lab ID: K2207378-024			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	2.2		0.22	1.2	ug/Kg	ALS SOP
Di-n-butyltin Cation	1.8		0.14	1.2	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.17	JP	0.14	1.2	ug/Kg	ALS SOP

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 22F42255-95			Lab ID: K2207378-025			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	2.2		0.23	1.2	ug/Kg	ALS SOP
Di-n-butyltin Cation	1.7		0.14	1.2	ug/Kg	ALS SOP

CLIENT ID: 22F42255-96			Lab ID: K2207378-026			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	1.9		0.25	1.3	ug/Kg	ALS SOP
Di-n-butyltin Cation	1.7		0.15	1.3	ug/Kg	ALS SOP

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2207378
Project: 22F4225

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2207378-001	22F42255-01	4/14/2022	1030
K2207378-002	22F42255-02	4/14/2022	1030
K2207378-003	22F42255-03	4/14/2022	1030
K2207378-004	22F42255-04	4/14/2022	1030
K2207378-005	22F42255-05	4/14/2022	1030
K2207378-006	22F42255-41	4/14/2022	1030
K2207378-007	22F42255-42	4/14/2022	1030
K2207378-008	22F42255-43	4/14/2022	1030
K2207378-009	22F42255-44	4/14/2022	1030
K2207378-010	22F42255-45	4/14/2022	1030
K2207378-011	22F42255-46	4/14/2022	1030
K2207378-012	22F42255-47	4/14/2022	1030
K2207378-013	22F42255-48	4/14/2022	1030
K2207378-014	22F42255-49	4/15/2022	1300
K2207378-015	22F42255-50	4/15/2022	1300
K2207378-016	22F42255-51	4/15/2022	1300
K2207378-017	22F42255-52	4/15/2022	1300
K2207378-018	22F42255-53	4/15/2022	1300
K2207378-019	22F42255-89	4/15/2022	1300
K2207378-020	22F42255-90	4/15/2022	1300
K2207378-021	22F42255-91	4/15/2022	1300
K2207378-022	22F42255-92	4/15/2022	1300
K2207378-023	22F42255-93	4/15/2022	1300
K2207378-024	22F42255-94	4/15/2022	1300
K2207378-025	22F42255-95	4/15/2022	1300
K2207378-026	22F42255-96	4/15/2022	1300

SUBCONTRACT ORDER

122073178

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 22F4225

Analysis	Due	Expires	Comments
Sample ID: 22F4225-01 *Tissue* *Sampled: 05/11/2022 14:00*			
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-02 *Tissue* *Sampled: 05/11/2022 14:00*			
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-03 *Tissue* *Sampled: 05/11/2022 14:00*			
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-04 *Tissue* *Sampled: 05/11/2022 14:00*			
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-05 *Tissue* *Sampled: 05/11/2022 14:00*			
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-41	***Tissue Sampled: 05/11/2022 14:00***		
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-42	***Tissue Sampled: 05/11/2022 14:00***		
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-43	***Tissue Sampled: 05/11/2022 14:00***		
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-44	***Tissue Sampled: 05/11/2022 14:00***		
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-45	***Tissue Sampled: 05/11/2022 14:00***		
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-46	***Tissue Sampled: 05/11/2022 14:00***		
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-47 ***Tissue Sampled: 05/11/2022 14:00***			
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-48 ***Tissue Sampled: 05/11/2022 14:00***			
Sub_Organotins-TX1001	08/19/2022	05/25/2022 14:00	
Containers Supplied:			
Sample ID: 22F4225-49 ***Tissue Sampled: 04/16/2022 12:30***			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			
Sample ID: 22F4225-50 ***Tissue Sampled: 04/16/2022 12:30***			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			
Sample ID: 22F4225-51 ***Tissue Sampled: 04/16/2022 12:30***			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			
Sample ID: 22F4225-52 ***Tissue Sampled: 04/16/2022 12:30***			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			

NWDLS

SUBCONTRACT ORDER
(Continued)

K2207378

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-53 *Tissue* *Sampled: 04/16/2022 12:30*			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			
Sample ID: 22F4225-89 *Tissue* *Sampled: 04/16/2022 12:30*			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			
Sample ID: 22F4225-90 *Tissue* *Sampled: 04/16/2022 12:30*			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			
Sample ID: 22F4225-91 *Tissue* *Sampled: 04/16/2022 12:30*			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			
Sample ID: 22F4225-92 *Tissue* *Sampled: 04/16/2022 12:30*			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			
Sample ID: 22F4225-93 *Tissue* *Sampled: 04/16/2022 12:30*			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			

SUBCONTRACT ORDER
(Continued)

K22073T8

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-94 ***Tissue Sampled: 04/16/2022 12:30***			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			
Sample ID: 22F4225-95 ***Tissue Sampled: 04/16/2022 12:30***			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			
Sample ID: 22F4225-96 ***Tissue Sampled: 04/16/2022 12:30***			
Sub_Organotins-TX1001	08/19/2022	04/30/2022 12:30	
Containers Supplied:			

QCD — Released By — 6.29.22 — Date

UPS — Received By — 6.29.22 — Date

6/30/22 1010

PM LR

Cooler Receipt and Preservation Form

Client NWDLS Service Request K22 D73378

Received: 6/30/22 Opened: 6/30/22 By: [illegible] Unloaded: 6/30/22 By: [illegible]

1. Samples were received via? *USPS* *Fed Ex* *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) *Cooler* *Box* *Envelope* *Other*_____ *NA*
3. Were custody seals on coolers? NA Y N If yes, how many and where? _____
   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified if out of temp	Tracking Number NA	Filed
	3.6	IR02				1Z12W40N0197166 3529	

4. Was a Temperature Blank present in cooler? NA Y N If yes, notate the temperature in the appropriate column above:
   If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
5. Were samples received within the method specified temperature ranges? NA Y N
   If no, were they received on ice and same day as collected? If not, notate the cooler # below and notify the PM. NA Y N

If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

6. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* *Wet Ice* *Dry Ice* *Sleeves* _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA Y N
8. Were samples received in good condition (unbroken) NA Y N
9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA Y N
10. Did all sample labels and tags agree with custody papers? NA Y N
11. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y N
12. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA Y N
13. Were VOA vials received without headspace? *Indicate in the table below.* NA Y N
14. Was C12/Res negative? NA Y N
15. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? NA Y N Under filled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: _____

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 22F4225

Analysis	Due	Expires	Comments
Sample ID: 22F4225-01 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-02 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-03 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-04 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-05 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-41 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-42 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-43 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-44 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-45 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-46 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-47 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-48 ***Tissue Sampled: 04/14/2022 10:30***			
Sub_Organotins-TX1001	08/19/2022	04/28/2022 10:30	
Containers Supplied:			
Sample ID: 22F4225-49 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			
Sample ID: 22F4225-50 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			
Sample ID: 22F4225-51 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			
Sample ID: 22F4225-52 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-53 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			
Sample ID: 22F4225-89 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			
Sample ID: 22F4225-90 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			
Sample ID: 22F4225-91 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			
Sample ID: 22F4225-92 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			
Sample ID: 22F4225-93 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			

SUBCONTRACT ORDER
(Continued)

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-94 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			
Sample ID: 22F4225-95 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			
Sample ID: 22F4225-96 ***Tissue Sampled: 04/15/2022 13:00***			
Sub_Organotins-TX1001	08/19/2022	04/29/2022 13:00	
Containers Supplied:			

Released By	Date	Received By	Date

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: North Water District Lab Services (NWDLS) **Service Request:** K2207378
Project: 22F4225/

Sample Name: 22F42255-01 **Date Collected:** 04/14/22
Lab Code: K2207378-001 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-01 **Date Collected:** 04/14/22
Lab Code: K2207378-001.R01 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-02 **Date Collected:** 04/14/22
Lab Code: K2207378-002 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-03 **Date Collected:** 04/14/22
Lab Code: K2207378-003 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-04 **Date Collected:** 04/14/22
Lab Code: K2207378-004 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2207378
Project: 22F4225/

Sample Name: 22F42255-05 **Date Collected:** 04/14/22
Lab Code: K2207378-005 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-41 **Date Collected:** 04/14/22
Lab Code: K2207378-006 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-42 **Date Collected:** 04/14/22
Lab Code: K2207378-007 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-43 **Date Collected:** 04/14/22
Lab Code: K2207378-008 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-43 **Date Collected:** 04/14/22
Lab Code: K2207378-008.R01 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2207378
Project: 22F4225/

Sample Name: 22F42255-44 **Date Collected:** 04/14/22
Lab Code: K2207378-009 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-45 **Date Collected:** 04/14/22
Lab Code: K2207378-010 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-46 **Date Collected:** 04/14/22
Lab Code: K2207378-011 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-47 **Date Collected:** 04/14/22
Lab Code: K2207378-012 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-48 **Date Collected:** 04/14/22
Lab Code: K2207378-013 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2207378
Project: 22F4225/

Sample Name: 22F42255-49 **Date Collected:** 04/15/22
Lab Code: K2207378-014 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-50 **Date Collected:** 04/15/22
Lab Code: K2207378-015 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-51 **Date Collected:** 04/15/22
Lab Code: K2207378-016 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-52 **Date Collected:** 04/15/22
Lab Code: K2207378-017 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-53 **Date Collected:** 04/15/22
Lab Code: K2207378-018 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2207378
Project: 22F4225/

Sample Name: 22F42255-89 **Date Collected:** 04/15/22
Lab Code: K2207378-019 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-90 **Date Collected:** 04/15/22
Lab Code: K2207378-020 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-91 **Date Collected:** 04/15/22
Lab Code: K2207378-021 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-92 **Date Collected:** 04/15/22
Lab Code: K2207378-022 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name: 22F42255-93 **Date Collected:** 04/15/22
Lab Code: K2207378-023 **Date Received:** 06/30/22
Sample Matrix: Animal Tissue

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225/		

Sample Name:	22F42255-94	**Date Collected:**	04/15/22
Lab Code:	K2207378-024	**Date Received:**	06/30/22
Sample Matrix:	Animal Tissue		

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name:	22F42255-95	**Date Collected:**	04/15/22
Lab Code:	K2207378-025	**Date Received:**	06/30/22
Sample Matrix:	Animal Tissue		

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Name:	22F42255-96	**Date Collected:**	04/15/22
Lab Code:	K2207378-026	**Date Received:**	06/30/22
Sample Matrix:	Animal Tissue		

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	GTRIGG	BBRIGHT

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-01	**Units:**	ug/Kg
Lab Code:	K2207378-001	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.22	1	07/28/22 07:50	7/19/22	*
Di-n-butyltin Cation	ND U	1.2	0.14	1	07/28/22 07:50	7/19/22	*
Tri-n-butyltin Cation	ND U	1.2	0.14	1	07/28/22 07:50	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	4	23 - 145	07/28/22 07:50	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-02	**Units:**	ug/Kg
Lab Code:	K2207378-002	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**2.0**	**P**	1.1	0.21	1	07/28/22 08:08	7/19/22	*
Di-n-butyltin Cation	**0.38**	**J**	1.1	0.13	1	07/28/22 08:08	7/19/22	*
Tri-n-butyltin Cation	ND	Ui	1.1	0.16	1	07/28/22 08:08	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	58	23 - 145	07/28/22 08:08	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-03	**Units:**	ug/Kg
Lab Code:	K2207378-003	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.1	0.21	1	07/28/22 08:25	7/19/22	*
Di-n-butyltin Cation	ND U	1.1	0.13	1	07/28/22 08:25	7/19/22	*
Tri-n-butyltin Cation	ND Ui	1.1	0.16	1	07/28/22 08:25	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	69	23 - 145	07/28/22 08:25	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-04	**Units:**	ug/Kg
Lab Code:	K2207378-004	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.56 JP**	1.1	0.20	1	07/28/22 08:42	7/19/22	*
Di-n-butyltin Cation	ND U	1.1	0.12	1	07/28/22 08:42	7/19/22	*
Tri-n-butyltin Cation	ND U	1.1	0.12	1	07/28/22 08:42	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	71	23 - 145	07/28/22 08:42	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-05	**Units:**	ug/Kg
Lab Code:	K2207378-005	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.33 J**	1.1	0.20	1	07/28/22 09:00	7/19/22	*
Di-n-butyltin Cation	ND U	1.1	0.12	1	07/28/22 09:00	7/19/22	*
Tri-n-butyltin Cation	**0.56 J**	1.1	0.12	1	07/28/22 09:00	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	92	23 - 145	07/28/22 09:00	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-41	**Units:**	ug/Kg
Lab Code:	K2207378-006	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.22	1	07/28/22 09:17	7/19/22	*
Di-n-butyltin Cation	ND U	1.2	0.14	1	07/28/22 09:17	7/19/22	*
Tri-n-butyltin Cation	ND U	1.2	0.14	1	07/28/22 09:17	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	89	23 - 145	07/28/22 09:17	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-42	**Units:**	ug/Kg
Lab Code:	K2207378-007	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.3	0.23	1	07/28/22 09:35	7/19/22	*
Di-n-butyltin Cation	ND U	1.3	0.14	1	07/28/22 09:35	7/19/22	*
Tri-n-butyltin Cation	ND U	1.3	0.14	1	07/28/22 09:35	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	0	23 - 145	07/28/22 09:35	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-43	**Units:**	ug/Kg
Lab Code:	K2207378-008	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.1	0.21	1	07/28/22 09:52	7/19/22	*
Di-n-butyltin Cation	ND U	1.1	0.13	1	07/28/22 09:52	7/19/22	*
Tri-n-butyltin Cation	ND U	1.1	0.13	1	07/28/22 09:52	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	10	23 - 145	07/28/22 09:52	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-44	**Units:**	ug/Kg
Lab Code:	K2207378-009	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**1.1**	1.0	0.19	1	07/28/22 10:10	7/19/22	*
Di-n-butyltin Cation	ND U	1.0	0.12	1	07/28/22 10:10	7/19/22	*
Tri-n-butyltin Cation	**0.38 J**	1.0	0.12	1	07/28/22 10:10	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	90	23 - 145	07/28/22 10:10	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-45	**Units:**	ug/Kg
Lab Code:	K2207378-010	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.0	0.19	1	07/28/22 10:28	7/19/22	*
Di-n-butyltin Cation	ND U	1.0	0.12	1	07/28/22 10:28	7/19/22	*
Tri-n-butyltin Cation	ND U	1.0	0.12	1	07/28/22 10:28	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	62	23 - 145	07/28/22 10:28	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-46	**Units:**	ug/Kg
Lab Code:	K2207378-011	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.84 J**	0.98	0.18	1	07/28/22 11:22	7/19/22	*
Di-n-butyltin Cation	**0.54 J**	0.98	0.11	1	07/28/22 11:22	7/19/22	*
Tri-n-butyltin Cation	**0.44 J**	0.98	0.11	1	07/28/22 11:22	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	98	23 - 145	07/28/22 11:22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-47	**Units:**	ug/Kg
Lab Code:	K2207378-012	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.67**	**J**	0.98	0.18	1	07/28/22 11:40	7/19/22	*
Di-n-butyltin Cation	ND	U	0.98	0.11	1	07/28/22 11:40	7/19/22	*
Tri-n-butyltin Cation	ND	U	0.98	0.11	1	07/28/22 11:40	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	71	23 - 145	07/28/22 11:40	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/14/22 10:30
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-48	**Units:**	ug/Kg
Lab Code:	K2207378-013	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.0	0.18	1	07/28/22 11:58	7/19/22	*
Di-n-butyltin Cation	ND U	1.0	0.11	1	07/28/22 11:58	7/19/22	*
Tri-n-butyltin Cation	ND U	1.0	0.11	1	07/28/22 11:58	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	62	23 - 145	07/28/22 11:58	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-49	**Units:**	ug/Kg
Lab Code:	K2207378-014	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**2.4**	1.3	0.24	1	07/28/22 02:11	7/19/22	
Di-n-butyltin Cation	**2.4**	1.3	0.15	1	07/28/22 02:11	7/19/22	
Tri-n-butyltin Cation	**0.33**	1.3	0.15	1	07/28/22 02:11	7/19/22	J

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	74	23 - 145	07/28/22 02:11	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-50	**Units:**	ug/Kg
Lab Code:	K2207378-015	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**4.9**	1.3	0.24	1	07/28/22 02:27	7/19/22	
Di-n-butyltin Cation	**4.0**	1.3	0.15	1	07/28/22 02:27	7/19/22	
Tri-n-butyltin Cation	**0.24** J	1.3	0.15	1	07/28/22 02:27	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	99	23 - 145	07/28/22 02:27	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-51	**Units:**	ug/Kg
Lab Code:	K2207378-016	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**2.7**	1.2	0.23	1	07/28/22 02:44	7/19/22	
Di-n-butyltin Cation	**3.0**	1.2	0.14	1	07/28/22 02:44	7/19/22	
Tri-n-butyltin Cation	**0.15 JP**	1.2	0.14	1	07/28/22 02:44	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	72	23 - 145	07/28/22 02:44	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-52	**Units:**	ug/Kg
Lab Code:	K2207378-017	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**2.6**	1.3	0.23	1	07/28/22 03:01	7/19/22	
Di-n-butyltin Cation	**2.8**	1.3	0.14	1	07/28/22 03:01	7/19/22	
Tri-n-butyltin Cation	**0.21 JP**	1.3	0.14	1	07/28/22 03:01	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	98	23 - 145	07/28/22 03:01	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-53	**Units:**	ug/Kg
Lab Code:	K2207378-018	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**2.6**	1.4	0.25	1	07/28/22 03:18	7/19/22	
Di-n-butyltin Cation	**3.6**	1.4	0.15	1	07/28/22 03:18	7/19/22	
Tri-n-butyltin Cation	**0.22 JP**	1.4	0.15	1	07/28/22 03:18	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	99	23 - 145	07/28/22 03:18	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-89	**Units:**	ug/Kg
Lab Code:	K2207378-019	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.96**	**P**	0.95	0.18	1	07/28/22 03:34	7/19/22	
Di-n-butyltin Cation	**0.11**	**J**	0.95	0.11	1	07/28/22 03:34	7/19/22	
Tri-n-butyltin Cation	ND	U	0.95	0.11	1	07/28/22 03:34	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	72	23 - 145	07/28/22 03:34	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-90	**Units:**	ug/Kg
Lab Code:	K2207378-020	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**1.3**	1.2	0.22	1	07/28/22 03:51	7/19/22	
Di-n-butyltin Cation	ND U	1.2	0.14	1	07/28/22 03:51	7/19/22	
Tri-n-butyltin Cation	**0.18 J**	1.2	0.14	1	07/28/22 03:51	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	73	23 - 145	07/28/22 03:51	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-91	**Units:**	ug/Kg
Lab Code:	K2207378-021	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**1.0**	**J**	1.3	0.23	1	07/28/22 04:08	7/19/22	
Di-n-butyltin Cation	**0.18**	**J**	1.3	0.14	1	07/28/22 04:08	7/19/22	
Tri-n-butyltin Cation	**0.23**	**JP**	1.3	0.14	1	07/28/22 04:08	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	86	23 - 145	07/28/22 04:08	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-92	**Units:**	ug/Kg
Lab Code:	K2207378-022	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**2.8**	1.3	0.23	1	07/28/22 04:25	7/19/22	
Di-n-butyltin Cation	**2.5**	1.3	0.14	1	07/28/22 04:25	7/19/22	
Tri-n-butyltin Cation	**0.22**	1.3	0.14	1	07/28/22 04:25	7/19/22	J

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	92	23 - 145	07/28/22 04:25	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-93	**Units:**	ug/Kg
Lab Code:	K2207378-023	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**2.3**	1.3	0.24	1	07/28/22 04:42	7/19/22	
Di-n-butyltin Cation	**2.7**	1.3	0.15	1	07/28/22 04:42	7/19/22	
Tri-n-butyltin Cation	**0.23 JP**	1.3	0.15	1	07/28/22 04:42	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	100	23 - 145	07/28/22 04:42	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-94	**Units:**	ug/Kg
Lab Code:	K2207378-024	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**2.2**	1.2	0.22	1	07/28/22 05:33	7/19/22	
Di-n-butyltin Cation	**1.8**	1.2	0.14	1	07/28/22 05:33	7/19/22	
Tri-n-butyltin Cation	**0.17 JP**	1.2	0.14	1	07/28/22 05:33	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	91	23 - 145	07/28/22 05:33	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-95	**Units:**	ug/Kg
Lab Code:	K2207378-025	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**2.2**	1.2	0.23	1	07/28/22 05:50	7/19/22	
Di-n-butyltin Cation	**1.7**	1.2	0.14	1	07/28/22 05:50	7/19/22	
Tri-n-butyltin Cation	ND U	1.2	0.14	1	07/28/22 05:50	7/19/22	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	73	23 - 145	07/28/22 05:50	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	04/15/22 13:00
Sample Matrix:	Animal Tissue	**Date Received:**	06/30/22 10:10
Sample Name:	22F42255-96	**Units:**	ug/Kg
Lab Code:	K2207378-026	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**1.9**	1.3	0.25	1	07/28/22 06:07	7/19/22	
Di-n-butyltin Cation	**1.7**	1.3	0.15	1	07/28/22 06:07	7/19/22	
Tri-n-butyltin Cation	ND U	1.3	0.15	1	07/28/22 06:07	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	41	23 - 145	07/28/22 06:07	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2207378
Project: 22F4225
Sample Matrix: Animal Tissue

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: Method

Sample Name	Lab Code	Tri-n-propyltin 23-145
22F42255-01	K2207378-001	4*
22F42255-02	K2207378-002	58
22F42255-03	K2207378-003	69
22F42255-04	K2207378-004	71
22F42255-05	K2207378-005	92
22F42255-41	K2207378-006	89
22F42255-42	K2207378-007	0*
22F42255-43	K2207378-008	10*
22F42255-44	K2207378-009	90
22F42255-45	K2207378-010	62
22F42255-46	K2207378-011	98
22F42255-47	K2207378-012	71
22F42255-48	K2207378-013	62
22F42255-49	K2207378-014	74
22F42255-50	K2207378-015	99
22F42255-51	K2207378-016	72
22F42255-52	K2207378-017	98
22F42255-53	K2207378-018	99
22F42255-89	K2207378-019	72
22F42255-90	K2207378-020	73
22F42255-91	K2207378-021	86
22F42255-92	K2207378-022	92
22F42255-93	K2207378-023	100
22F42255-94	K2207378-024	91
22F42255-95	K2207378-025	73
22F42255-96	K2207378-026	41
Method Blank	KQ2211578-01	8*
Method Blank	KQ2211613-01	32
Lab Control Sample	KQ2211578-02	21*
Duplicate Lab Control Sample	KQ2211578-03	10*
Lab Control Sample	KQ2211613-02	40
Duplicate Lab Control Sample	KQ2211613-03	76

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	NA
Sample Matrix:	Animal Tissue	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2211578-01	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.18	1	07/28/22 06:59	7/19/22	
Di-n-butyltin Cation	ND U	0.98	0.11	1	07/28/22 06:59	7/19/22	
Tri-n-butyltin Cation	ND U	0.98	0.11	1	07/28/22 06:59	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	8	23 - 145	07/28/22 06:59	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	NA
Sample Matrix:	Animal Tissue	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2211613-01	**Basis:**	Wet

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.95	0.18	1	07/28/22 01:22	7/19/22	
Di-n-butyltin Cation	ND U	0.95	0.11	1	07/28/22 01:22	7/19/22	
Tri-n-butyltin Cation	ND U	0.95	0.11	1	07/28/22 01:22	7/19/22	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	32	23 - 145	07/28/22 01:22	

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Analyzed:**	07/28/22
Sample Matrix:	Animal Tissue	**Date Extracted:**	07/19/22

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Wet
		Analysis Lot:	772201

	Lab Control Sample KQ2211578-02			Duplicate Lab Control Sample KQ2211578-03					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	3.95 P	19.2	21 *	1.53 P	19.2	8 *	27-141	88 *	40
n-Butyltin Cation	3.63	15.6	23	1.45	15.6	9 *	10-152	86 *	40
Tri-n-butyltin Cation	4.67	22.3	21 *	1.96	22.3	9 *	25-124	82 *	40

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Analyzed:**	07/28/22
Sample Matrix:	Animal Tissue	**Date Extracted:**	07/19/22

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Wet
		Analysis Lot:	772205

	Lab Control Sample KQ2211613-02			Duplicate Lab Control Sample KQ2211613-03					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	6.25	19.2	33	11.9	19.2	62	27-141	62 *	40
n-Butyltin Cation	5.85	15.6	38	12.0	15.6	77	10-152	69 *	40
Tri-n-butyltin Cation	8.28	22.3	37	15.0	22.3	67	25-124	58 *	40

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/14/22 10:30
Date Received: 6/30/22

Sample Name: 22F42255-02
Lab Code: K2207378-002

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.13	0.38	0.48	23	J	1	07/28/22 08:08
n-Butyltin Cation	0.21	2.0	3.1	43	P	1	07/28/22 08:08

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/14/22 10:30
Date Received: 6/30/22

Sample Name: 22F42255-04
Lab Code: K2207378-004

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.20	0.56	0.92	49	JP	1	07/28/22 08:42

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/14/22 10:30
Date Received: 6/30/22

Sample Name: 22F42255-05
Lab Code: K2207378-005

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Tri-n-butyltin Cation	0.12	0.56	0.57	2	J	1	07/28/22 09:00
n-Butyltin Cation	0.20	0.33	0.47	35	J	1	07/28/22 09:00

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/14/22 10:30
Date Received: 6/30/22

Sample Name: 22F42255-44
Lab Code: K2207378-009

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Tri-n-butyltin Cation	0.12	0.38	0.50	27	J	1	07/28/22 10:10
n-Butyltin Cation	0.19	1.1	1.3	17		1	07/28/22 10:10

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/14/22 10:30
Date Received: 6/30/22

Sample Name: 22F42255-46
Lab Code: K2207378-011

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.11	0.54	0.43	23	J	1	07/28/22 11:22
Tri-n-butyltin Cation	0.11	0.44	0.42	5	J	1	07/28/22 11:22
n-Butyltin Cation	0.18	0.84	1.1	27	J	1	07/28/22 11:22

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/14/22 10:30
Date Received: 6/30/22

Sample Name: 22F42255-47
Lab Code: K2207378-012

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.18	0.67	0.82	20	J	1	07/28/22 11:40

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-49
Lab Code: K2207378-014

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.15	2.4	3.0	22		1	07/28/22 02:11
Tri-n-butyltin Cation	0.15	0.33	0.42	24	J	1	07/28/22 02:11
n-Butyltin Cation	0.24	2.4	3.2	29		1	07/28/22 02:11

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-50
Lab Code: K2207378-015

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.15	4.0	5.6	33		1	07/28/22 02:27
Tri-n-butyltin Cation	0.15	0.24	0.34	34	J	1	07/28/22 02:27
n-Butyltin Cation	0.24	4.9	6.8	32		1	07/28/22 02:27

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-51
Lab Code: K2207378-016

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.14	3.0	4.2	33		1	07/28/22 02:44
Tri-n-butyltin Cation	0.14	0.15	0.26	54	JP	1	07/28/22 02:44
n-Butyltin Cation	0.23	2.7	3.6	29		1	07/28/22 02:44

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-52
Lab Code: K2207378-017

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.14	2.8	4.0	35		1	07/28/22 03:01
Tri-n-butyltin Cation	0.14	0.21	0.32	42	JP	1	07/28/22 03:01
n-Butyltin Cation	0.23	2.6	3.8	37		1	07/28/22 03:01

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-53
Lab Code: K2207378-018

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.15	3.6	4.9	31		1	07/28/22 03:18
Tri-n-butyltin Cation	0.15	0.22	0.36	48	JP	1	07/28/22 03:18
n-Butyltin Cation	0.25	2.6	3.7	35		1	07/28/22 03:18

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-89
Lab Code: K2207378-019

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.11	0.11	0.16	37	J	1	07/28/22 03:34
n-Butyltin Cation	0.18	0.96	1.5	44	P	1	07/28/22 03:34

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-90
Lab Code: K2207378-020

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Tri-n-butyltin Cation	0.14	0.18	0.18	<1	J	1	07/28/22 03:51
n-Butyltin Cation	0.22	1.3	1.7	27		1	07/28/22 03:51

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-91
Lab Code: K2207378-021

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.14	0.18	0.23	24	J	1	07/28/22 04:08
Tri-n-butyltin Cation	0.14	0.23	0.38	49	JP	1	07/28/22 04:08
n-Butyltin Cation	0.23	1.0	1.4	33	J	1	07/28/22 04:08

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-92
Lab Code: K2207378-022

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.14	2.5	3.7	39		1	07/28/22 04:25
Tri-n-butyltin Cation	0.14	0.22	0.33	40	J	1	07/28/22 04:25
n-Butyltin Cation	0.23	2.8	4.0	35		1	07/28/22 04:25

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-93
Lab Code: K2207378-023

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.15	2.7	3.6	29		1	07/28/22 04:42
Tri-n-butyltin Cation	0.15	0.23	0.46	67	JP	1	07/28/22 04:42
n-Butyltin Cation	0.24	2.3	3.2	33		1	07/28/22 04:42

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-94
Lab Code: K2207378-024

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.14	1.8	2.3	24		1	07/28/22 05:33
Tri-n-butyltin Cation	0.14	0.17	0.28	49	JP	1	07/28/22 05:33
n-Butyltin Cation	0.22	2.2	2.7	20		1	07/28/22 05:33

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-95
Lab Code: K2207378-025

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.14	1.7	2.3	30		1	07/28/22 05:50
n-Butyltin Cation	0.23	2.2	2.9	27		1	07/28/22 05:50

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: 04/15/22 13:00
Date Received: 6/30/22

Sample Name: 22F42255-96
Lab Code: K2207378-026

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.15	1.7	2.1	21		1	07/28/22 06:07
n-Butyltin Cation	0.25	1.9	2.6	31		1	07/28/22 06:07

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 22F4225
Matrix: Animal Tissue

Service Request: K2207378
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2211578-02

Units: ug/Kg
Basis: Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.11	3.95	6.21	44	P	1	07/28/22 07:16
Tri-n-butyltin Cation	0.11	4.67	6.60	34		1	07/28/22 07:16
n-Butyltin Cation	0.18	3.63	4.49	21		1	07/28/22 07:16

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	NA
Matrix:	Animal Tissue	**Date Received:**	
Sample Name:	Duplicate Lab Control Sample		
Lab Code:	KQ2211578-03	**Units:**	ug/Kg
		Basis:	Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.11	1.53	3.47	78	P	1	07/28/22 07:33
Tri-n-butyltin Cation	0.11	1.96	2.63	29		1	07/28/22 07:33
n-Butyltin Cation	0.18	1.45	1.84	24		1	07/28/22 07:33

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	NA
Matrix:	Animal Tissue	**Date Received:**	
Sample Name:	Lab Control Sample		
Lab Code:	KQ2211613-02	**Units:**	ug/Kg
		Basis:	Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.11	6.25	8.82	34		1	07/28/22 01:38
Tri-n-butyltin Cation	0.11	8.28	11.0	28		1	07/28/22 01:38
n-Butyltin Cation	0.18	5.85	7.99	31		1	07/28/22 01:38

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2207378
Project:	22F4225	**Date Collected:**	NA
Matrix:	Animal Tissue	**Date Received:**	
Sample Name:	Duplicate Lab Control Sample		
Lab Code:	KQ2211613-03	**Units:**	ug/Kg
		Basis:	Wet

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.11	11.9	15.5	26		1	07/28/22 01:55
Tri-n-butyltin Cation	0.11	15.0	21.5	36		1	07/28/22 01:55
n-Butyltin Cation	0.18	12.0	15.8	27		1	07/28/22 01:55

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Houston
4145 Greenbriar Dr
Stafford, TX 77477
Tel: (281)240-4200

Laboratory Job ID: 860-30001-1
Client Project/Site: Fish Tissue 22F4225

For:
North Water District Laboratory Services
8725 Fawn Trail
Conroe, Texas 77385

Attn: Monica Martin

Authorized for release by:
8/22/2022 9:55:01 PM

Travis Richter, Project Manager
(281)794-7216
Travis.Richter@et.eurofinsus.com

LINKS

Review your project results through my EOL

Have a Question? Ask The Expert

Visit us at:
www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Detection Summary 6
Client Sample Results 16
Surrogate Summary 44
QC Sample Results 47
QC Association Summary 55
Lab Chronicle 65
Certification Summary 85
Method Summary 86
Sample Summary 87
Chain of Custody 89
Receipt Checklists 106

Definitions/Glossary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
B	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
H	Sample was prepped or analyzed beyond the specified holding time
H3	Sample was received and analyzed past holding time.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 860-30001-1

Laboratory: Eurofins Houston

Narrative

Job Narrative
860-30001-1

Receipt
The samples were received on 7/19/2022 3:54 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.2°C

GC Semi VOA
Method TX_1005: The method blank for preparation batch 860-63798 and analytical batch 860-63735 contained Over C12-C28 above the method detection limit. The blank matrix used to extract the MB for preparation batch 860-63798 and analytical batch 860-63735 was provided by the client, so the contamination in the MB may be from the matrix provided. This target analyte concentration was less than the reporting limit (RL) and there is no more sample to re-extract; therefore, re-extraction and/or re-analysis of samples was not performed.

Method TX_1005: The following samples were received outside of holding time: 22F4225-01 (860-30001-1), 22F4225-02 (860-30001-2), 22F4225-03 (860-30001-3), 22F4225-04 (860-30001-4), 22F4225-05 (860-30001-5), 22F4225-06 (860-30001-6), 22F4225-07 (860-30001-7), 22F4225-08 (860-30001-8), 22F4225-09 (860-30001-9), 22F4225-10 (860-30001-10), 22F4225-12 (860-30001-12), 22F4225-13 (860-30001-13), 22F4225-14 (860-30001-14), 22F4225-15 (860-30001-15) and 22F4225-17 (860-30001-17).

Method TX_1005: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 860-63798 and analytical batch 860-63735 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method TX_1005: The following samples were received outside of holding time: 22F4225-18 (860-30001-18), 22F4225-19 (860-30001-19), 22F4225-20 (860-30001-20), 22F4225-21 (860-30001-21) and 22F4225-22 (860-30001-22).

Method TX_1005: The surrogate recovery for the LCS/LCSD associated with preparation batch 860-63798 and analytical batch 860-63965 was outside the control limits. Spiked analytes recovered within control limits so the data was reported.

Method TX_1005: The blank matrix used to extract the LCS/LCSD for prep batch preparation batch 860-63798 and analytical batch 860-63965 was provided by the client.(LCS 860-63798/2-A) and (LCSD 860-63798/3-A)

Method TX_1005: Surrogate 1-Chlorooctane (Surr) recovery for the following sample was outside the upper control limit: 22F4225-17 (860-30001-17). This sample did not contain any target analytes for the affected range; therefore, re-extraction and/or re-analysis was not performed.

Method TX_1005: The laboratory control sample duplicate (LCSD) for preparation batch 860-64426 and analytical batch 860-64359 recovered outside control limits for the following analytes: Over C12-C28. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method TX_1005: The following samples were received outside of holding time: 22F4225-11 (860-30001-11), 22F4225-23 (860-30001-23), 22F4225-24 (860-30001-24), 22F4225-25 (860-30001-25), 22F4225-26 (860-30001-26), 22F4225-27 (860-30001-27), 22F4225-28 (860-30001-28), 22F4225-29 (860-30001-29), 22F4225-30 (860-30001-30), 22F4225-31 (860-30001-31), 22F4225-32 (860-30001-32), 22F4225-33 (860-30001-33), 22F4225-34 (860-30001-34), 22F4225-35 (860-30001-35), 22F4225-36 (860-30001-36), 22F4225-37 (860-30001-37), 22F4225-38 (860-30001-38), 22F4225-39 (860-30001-39), 22F4225-40 (860-30001-40) and 22F4225-41 (860-30001-41).

Method TX_1005: The following samples were received outside of holding time: 22F4225-16 (860-30001-16), 22F4225-16 (860-30001-16[MS]), 22F4225-16 (860-30001-16[MSD]), 22F4225-26 (860-30001-26[MS]), 22F4225-26 (860-30001-26[MSD]), 22F4225-33 (860-30001-33[MS]), 22F4225-33 (860-30001-33[MSD]), 22F4225-42 (860-30001-42), 22F4225-43 (860-30001-43), 22F4225-44 (860-30001-44), 22F4225-45 (860-30001-45), 22F4225-46 (860-30001-46), 22F4225-47 (860-30001-47), 22F4225-48 (860-30001-48), 22F4225-49 (860-30001-49), 22F4225-50 (860-30001-50), 22F4225-51 (860-30001-51), 22F4225-52 (860-30001-52), 22F4225-53 (860-30001-53), 22F4225-54 (860-30001-54), 22F4225-55 (860-30001-55), 22F4225-56 (860-30001-56), 22F4225-57 (860-30001-57), 22F4225-58 (860-30001-58), 22F4225-59 (860-30001-59) and 22F4225-60 (860-30001-60).

Job ID: 860-30001-1 (Continued)

Laboratory: Eurofins Houston (Continued)

Method TX_1005: The following samples were received outside of holding time: 22F4225-16 (860-30001-16), 22F4225-16 (860-30001-16[MS]), 22F4225-16 (860-30001-16[MSD]), 22F4225-42 (860-30001-42), 22F4225-43 (860-30001-43), 22F4225-44 (860-30001-44), 22F4225-45 (860-30001-45), 22F4225-46 (860-30001-46), 22F4225-47 (860-30001-47), 22F4225-48 (860-30001-48), 22F4225-49 (860-30001-49), 22F4225-50 (860-30001-50), 22F4225-51 (860-30001-51), 22F4225-52 (860-30001-52), 22F4225-53 (860-30001-53), 22F4225-54 (860-30001-54), 22F4225-55 (860-30001-55), 22F4225-56 (860-30001-56), 22F4225-57 (860-30001-57), 22F4225-58 (860-30001-58), 22F4225-59 (860-30001-59) and 22F4225-60 (860-30001-60).

Method TX_1005: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 860-64426 and analytical batch 860-64509 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method TX_1005: The following samples were received outside of holding time: 22F4225-61 (860-30001-61), 22F4225-62 (860-30001-62), 22F4225-63 (860-30001-63), 22F4225-64 (860-30001-64), 22F4225-65 (860-30001-65), 22F4225-66 (860-30001-66), 22F4225-67 (860-30001-67), 22F4225-68 (860-30001-68), 22F4225-69 (860-30001-69), 22F4225-70 (860-30001-70), 22F4225-71 (860-30001-71), 22F4225-72 (860-30001-72) and 22F4225-73 (860-30001-73).

Method TX_1005: The following samples were received outside of holding time: 22F4225-74 (860-30001-74), 22F4225-75 (860-30001-75), 22F4225-79 (860-30001-79) and 22F4225-80 (860-30001-80).

Method TX_1005: The following samples were received outside of holding time: 22F4225-76 (860-30001-76), 22F4225-77 (860-30001-77), 22F4225-81 (860-30001-81), 22F4225-82 (860-30001-82), 22F4225-83 (860-30001-83), 22F4225-84 (860-30001-84), 22F4225-85 (860-30001-85), 22F4225-86 (860-30001-86), 22F4225-87 (860-30001-87), 22F4225-88 (860-30001-88), 22F4225-89 (860-30001-89), 22F4225-90 (860-30001-90), 22F4225-91 (860-30001-91), 22F4225-92 (860-30001-92), 22F4225-93 (860-30001-93), 22F4225-94 (860-30001-94), 22F4225-95 (860-30001-95) and 22F4225-96 (860-30001-96).

Method TX_1005: The following sample was received outside of holding time: 22F4225-78 (860-30001-78).

Method TX_1005: The following samples were received outside of holding time: 22F4225-81 (860-30001-81), 22F4225-82 (860-30001-82), 22F4225-83 (860-30001-83), 22F4225-84 (860-30001-84), 22F4225-85 (860-30001-85), 22F4225-86 (860-30001-86), 22F4225-87 (860-30001-87), 22F4225-88 (860-30001-88), 22F4225-89 (860-30001-89), 22F4225-90 (860-30001-90), 22F4225-91 (860-30001-91), 22F4225-92 (860-30001-92), 22F4225-93 (860-30001-93), 22F4225-94 (860-30001-94), 22F4225-95 (860-30001-95) and 22F4225-96 (860-30001-96).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-01 — Lab Sample ID: 860-30001-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	187	H H3 B	98.0	41.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	187		98.0	41.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-02 — Lab Sample ID: 860-30001-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	239	H H3 B	98.6	41.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	239		98.6	41.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-03 — Lab Sample ID: 860-30001-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	93.8	J H H3 B	99.8	42.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	93.8	J	99.8	42.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-04 — Lab Sample ID: 860-30001-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	62.1	J H H3 B	99.4	41.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	62.1	J	99.4	41.9	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-05 — Lab Sample ID: 860-30001-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	262	H H3 B	100	42.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	262		100	42.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-06 — Lab Sample ID: 860-30001-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	65.5	J H H3 B	96.5	40.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	65.5	J	96.5	40.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-07 — Lab Sample ID: 860-30001-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	73.9	J H H3 B	96.5	40.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	73.9	J	96.5	40.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-08 — Lab Sample ID: 860-30001-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C6-C12 Range Hydrocarbons	51.1	J H H3	100	42.3	mg/Kg	1		TX 1005	Total/NA
>C12-C28 Range Hydrocarbons	612	H H3 B	100	42.3	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	47.8	J H H3	100	42.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	711		100	42.3	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-09 — Lab Sample ID: 860-30001-9

No Detections.

Client Sample ID: 22F4225-10 — Lab Sample ID: 860-30001-10

No Detections.

Client Sample ID: 22F4225-11 — Lab Sample ID: 860-30001-11

No Detections.

Client Sample ID: 22F4225-12 — Lab Sample ID: 860-30001-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	251	H H3 B	101	42.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	251		101	42.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-13 — Lab Sample ID: 860-30001-13

No Detections.

Client Sample ID: 22F4225-14 — Lab Sample ID: 860-30001-14

No Detections.

Client Sample ID: 22F4225-15 — Lab Sample ID: 860-30001-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	165	H H3 B	97.7	41.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	165		97.7	41.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-16 — Lab Sample ID: 860-30001-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	198	H H3	101	42.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	198		101	42.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-17 — Lab Sample ID: 860-30001-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	200	H H3 B	98.0	41.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	200		98.0	41.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-18 — Lab Sample ID: 860-30001-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	108	H H3 B	100	42.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	108		100	42.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-19 — Lab Sample ID: 860-30001-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	86.9	J H H3 B	96.2	40.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	86.9	J	96.2	40.6	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-20 — Lab Sample ID: 860-30001-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	257	H H3 B	97.7	41.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	257		97.7	41.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-21 — Lab Sample ID: 860-30001-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	124	H H3 B	95.1	40.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	124		95.1	40.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-22 — Lab Sample ID: 860-30001-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	111	H H3 B	101	42.5	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	111		101	42.5	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-23 — Lab Sample ID: 860-30001-23

No Detections.

Client Sample ID: 22F4225-24 — Lab Sample ID: 860-30001-24

No Detections.

Client Sample ID: 22F4225-25 — Lab Sample ID: 860-30001-25

No Detections.

Client Sample ID: 22F4225-26 — Lab Sample ID: 860-30001-26

No Detections.

Client Sample ID: 22F4225-27 — Lab Sample ID: 860-30001-27

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C6-C12 Range Hydrocarbons	49.0	J H H3 B	100	42.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	49.0	J	100	42.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-28 — Lab Sample ID: 860-30001-28

No Detections.

Client Sample ID: 22F4225-29 — Lab Sample ID: 860-30001-29

No Detections.

Client Sample ID: 22F4225-30 — Lab Sample ID: 860-30001-30

No Detections.

Client Sample ID: 22F4225-31 — Lab Sample ID: 860-30001-31

No Detections.

Client Sample ID: 22F4225-32 — Lab Sample ID: 860-30001-32

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Houston

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-33 — Lab Sample ID: 860-30001-33

No Detections.

Client Sample ID: 22F4225-34 — Lab Sample ID: 860-30001-34

No Detections.

Client Sample ID: 22F4225-35 — Lab Sample ID: 860-30001-35

No Detections.

Client Sample ID: 22F4225-36 — Lab Sample ID: 860-30001-36

No Detections.

Client Sample ID: 22F4225-37 — Lab Sample ID: 860-30001-37

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C6-C12 Range Hydrocarbons	43.3	J H H3 B	94.0	39.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	43.3	J	94.0	39.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-38 — Lab Sample ID: 860-30001-38

No Detections.

Client Sample ID: 22F4225-39 — Lab Sample ID: 860-30001-39

No Detections.

Client Sample ID: 22F4225-40 — Lab Sample ID: 860-30001-40

No Detections.

Client Sample ID: 22F4225-41 — Lab Sample ID: 860-30001-41

No Detections.

Client Sample ID: 22F4225-42 — Lab Sample ID: 860-30001-42

No Detections.

Client Sample ID: 22F4225-43 — Lab Sample ID: 860-30001-43

No Detections.

Client Sample ID: 22F4225-44 — Lab Sample ID: 860-30001-44

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	71.2	J H H3	96.3	40.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	71.2	J	96.3	40.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-45 — Lab Sample ID: 860-30001-45

No Detections.

Client Sample ID: 22F4225-46 — Lab Sample ID: 860-30001-46

No Detections.

Client Sample ID: 22F4225-47 — Lab Sample ID: 860-30001-47

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Houston

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-48 — Lab Sample ID: 860-30001-48

No Detections.

Client Sample ID: 22F4225-49 — Lab Sample ID: 860-30001-49

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	55.0	J H H3	97.7	41.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	55.0	J	97.7	41.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-50 — Lab Sample ID: 860-30001-50

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	47.8	J H H3	99.0	41.8	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	47.8	J	99.0	41.8	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-51 — Lab Sample ID: 860-30001-51

No Detections.

Client Sample ID: 22F4225-52 — Lab Sample ID: 860-30001-52

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	54.4	J H H3	96.2	40.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	54.4	J	96.2	40.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-53 — Lab Sample ID: 860-30001-53

No Detections.

Client Sample ID: 22F4225-54 — Lab Sample ID: 860-30001-54

No Detections.

Client Sample ID: 22F4225-55 — Lab Sample ID: 860-30001-55

No Detections.

Client Sample ID: 22F4225-56 — Lab Sample ID: 860-30001-56

No Detections.

Client Sample ID: 22F4225-57 — Lab Sample ID: 860-30001-57

No Detections.

Client Sample ID: 22F4225-58 — Lab Sample ID: 860-30001-58

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	64.2	J H H3	87.7	37.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	64.2	J	87.7	37.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-59 — Lab Sample ID: 860-30001-59

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	63.3	J H H3	96.9	40.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	63.3	J	96.9	40.9	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-60 — Lab Sample ID: 860-30001-60

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	90.3	J H H3	99.0	41.8	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	90.3	J	99.0	41.8	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-61 — Lab Sample ID: 860-30001-61

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	113	H H3	98.0	41.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	113		98.0	41.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-62 — Lab Sample ID: 860-30001-62

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	223	H H3	98.8	41.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	223		98.8	41.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-63 — Lab Sample ID: 860-30001-63

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	298	H H3	95.4	40.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	298		95.4	40.3	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-64 — Lab Sample ID: 860-30001-64

No Detections.

Client Sample ID: 22F4225-65 — Lab Sample ID: 860-30001-65

No Detections.

Client Sample ID: 22F4225-66 — Lab Sample ID: 860-30001-66

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	426	H H3	101	42.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	426		101	42.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-67 — Lab Sample ID: 860-30001-67

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	41.2	J H H3	88.2	37.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	41.2	J	88.2	37.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-68 — Lab Sample ID: 860-30001-68

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	119	H H3	83.8	35.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	119		83.8	35.3	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-69 — Lab Sample ID: 860-30001-69

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	206	H H3	96.3	40.7	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-69 (Continued) — Lab Sample ID: 860-30001-69

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Petroleum Hydrocarbons (C6-C35)	206		96.3	40.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-70 — Lab Sample ID: 860-30001-70

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	379	H H3	100	42.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	379		100	42.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-71 — Lab Sample ID: 860-30001-71

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	141	H H3	91.7	38.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	141		91.7	38.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-72 — Lab Sample ID: 860-30001-72

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	337	H H3	95.1	40.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	337		95.1	40.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-73 — Lab Sample ID: 860-30001-73

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	334	H H3	91.9	38.8	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	42.4	J H H3	91.9	38.8	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	376		91.9	38.8	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-74 — Lab Sample ID: 860-30001-74

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	65.5	J H H3	99.4	41.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	65.5	J	99.4	41.9	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-75 — Lab Sample ID: 860-30001-75

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	107	H H3	101	42.5	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	107		101	42.5	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-76 — Lab Sample ID: 860-30001-76

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	42.3	J H H3	94.5	39.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	42.3	J	94.5	39.9	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-77 — Lab Sample ID: 860-30001-77

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	40.6	J H H3	96.2	40.6	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Houston

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-77 (Continued) — Lab Sample ID: 860-30001-77

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Petroleum Hydrocarbons (C6-C35)	40.6	J	96.2	40.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-78 — Lab Sample ID: 860-30001-78

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	109	H H3	92.6	39.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	109		92.6	39.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-79 — Lab Sample ID: 860-30001-79

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	181	H H3	94.2	39.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	181		94.2	39.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-80 — Lab Sample ID: 860-30001-80

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	210	H H3	84.6	35.7	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	55.7	J H H3	84.6	35.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	266		84.6	35.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-81 — Lab Sample ID: 860-30001-81

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	85.2	J H H3	100	42.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	85.2	J	100	42.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-82 — Lab Sample ID: 860-30001-82

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	213	H H3	96.2	40.6	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	41.0	J H H3	96.2	40.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	254		96.2	40.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-83 — Lab Sample ID: 860-30001-83

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	196	H H3	93.5	39.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	196		93.5	39.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-84 — Lab Sample ID: 860-30001-84

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	332	H H3	95.6	40.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	332		95.6	40.3	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-85 — Lab Sample ID: 860-30001-85

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	279	H H3	85.5	36.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	279		85.5	36.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-86 — Lab Sample ID: 860-30001-86

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	168	H H3	90.9	38.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	168		90.9	38.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-87 — Lab Sample ID: 860-30001-87

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	75.5	J H H3	102	43.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	75.5	J	102	43.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-88 — Lab Sample ID: 860-30001-88

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	187	H H3	94.9	40.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	187		94.9	40.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-89 — Lab Sample ID: 860-30001-89

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	146	H H3	95.4	40.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	146		95.4	40.3	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-90 — Lab Sample ID: 860-30001-90

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	417	H H3	97.7	41.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	417		97.7	41.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-91 — Lab Sample ID: 860-30001-91

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	999	H H3	94.5	39.9	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	48.7	J H H3	94.5	39.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	187		50.0	21.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-92 — Lab Sample ID: 860-30001-92

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	658	H H3	93.8	39.6	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	52.2	J H H3	93.8	39.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	710		93.8	39.6	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-93 — Lab Sample ID: 860-30001-93

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	948	H H3	92.1	38.9	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	72.5	J H H3	92.1	38.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	1020		92.1	38.9	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-94 — Lab Sample ID: 860-30001-94

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	515	H H3	97.5	41.1	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	48.8	J H H3	97.5	41.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	564		97.5	41.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-95 — Lab Sample ID: 860-30001-95

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	56.3	H H3	50.0	21.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	56.3		50.0	21.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 22F4225-96 — Lab Sample ID: 860-30001-96

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	424	H H3	99.2	41.9	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	42.6	J H H3	99.2	41.9	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	467		99.2	41.9	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: 22F4225-01
Lab Sample ID: 860-30001-1
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		08/05/22 12:41	08/05/22 20:19	1
>C12-C28 Range Hydrocarbons	**187**	**H H3 B**	98.0	41.4	mg/Kg		08/05/22 12:41	08/05/22 20:19	1
>C28-C35 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		08/05/22 12:41	08/05/22 20:19	1
Total Petroleum Hydrocarbons (C6-C35)	**187**		98.0	41.4	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*100*		*70 - 130*	*08/05/22 12:41*	*08/05/22 20:19*	*1*
o-Terphenyl (Surr)	*97*		*70 - 130*	*08/05/22 12:41*	*08/05/22 20:19*	*1*

Client Sample ID: 22F4225-02
Lab Sample ID: 860-30001-2
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.6	U H H3	98.6	41.6	mg/Kg		08/05/22 12:41	08/05/22 20:39	1
>C12-C28 Range Hydrocarbons	**239**	**H H3 B**	98.6	41.6	mg/Kg		08/05/22 12:41	08/05/22 20:39	1
>C28-C35 Range Hydrocarbons	<41.6	U H H3	98.6	41.6	mg/Kg		08/05/22 12:41	08/05/22 20:39	1
Total Petroleum Hydrocarbons (C6-C35)	**239**		98.6	41.6	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*119*		*70 - 130*	*08/05/22 12:41*	*08/05/22 20:39*	*1*
o-Terphenyl (Surr)	*114*		*70 - 130*	*08/05/22 12:41*	*08/05/22 20:39*	*1*

Client Sample ID: 22F4225-03
Lab Sample ID: 860-30001-3
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.1	U H H3	99.8	42.1	mg/Kg		08/05/22 12:41	08/05/22 20:59	1
>C12-C28 Range Hydrocarbons	**93.8**	**J H H3 B**	99.8	42.1	mg/Kg		08/05/22 12:41	08/05/22 20:59	1
>C28-C35 Range Hydrocarbons	<42.1	U H H3	99.8	42.1	mg/Kg		08/05/22 12:41	08/05/22 20:59	1
Total Petroleum Hydrocarbons (C6-C35)	**93.8**	**J**	99.8	42.1	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*102*		*70 - 130*	*08/05/22 12:41*	*08/05/22 20:59*	*1*
o-Terphenyl (Surr)	*99*		*70 - 130*	*08/05/22 12:41*	*08/05/22 20:59*	*1*

Client Sample ID: 22F4225-04
Lab Sample ID: 860-30001-4
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/05/22 12:41	08/05/22 21:19	1
>C12-C28 Range Hydrocarbons	**62.1**	**J H H3 B**	99.4	41.9	mg/Kg		08/05/22 12:41	08/05/22 21:19	1
>C28-C35 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/05/22 12:41	08/05/22 21:19	1
Total Petroleum Hydrocarbons (C6-C35)	**62.1**	**J**	99.4	41.9	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4225-04
Lab Sample ID: 860-30001-4
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	110		70 - 130	08/05/22 12:41	08/05/22 21:19	1
o-Terphenyl (Surr)	109		70 - 130	08/05/22 12:41	08/05/22 21:19	1

Client Sample ID: 22F4225-05
Lab Sample ID: 860-30001-5
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/05/22 12:41	08/05/22 21:58	1
>C12-C28 Range Hydrocarbons	**262**	**H H3 B**	100	42.4	mg/Kg		08/05/22 12:41	08/05/22 21:58	1
>C28-C35 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/05/22 12:41	08/05/22 21:58	1
Total Petroleum Hydrocarbons (C6-C35)	**262**		100	42.4	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	116		70 - 130	08/05/22 12:41	08/05/22 21:58	1
o-Terphenyl (Surr)	113		70 - 130	08/05/22 12:41	08/05/22 21:58	1

Client Sample ID: 22F4225-06
Lab Sample ID: 860-30001-6
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.7	U H H3	96.5	40.7	mg/Kg		08/05/22 12:41	08/05/22 22:18	1
>C12-C28 Range Hydrocarbons	**65.5**	**J H H3 B**	96.5	40.7	mg/Kg		08/05/22 12:41	08/05/22 22:18	1
>C28-C35 Range Hydrocarbons	<40.7	U H H3	96.5	40.7	mg/Kg		08/05/22 12:41	08/05/22 22:18	1
Total Petroleum Hydrocarbons (C6-C35)	**65.5**	**J**	96.5	40.7	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	109		70 - 130	08/05/22 12:41	08/05/22 22:18	1
o-Terphenyl (Surr)	104		70 - 130	08/05/22 12:41	08/05/22 22:18	1

Client Sample ID: 22F4225-07
Lab Sample ID: 860-30001-7
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.7	U H H3	96.5	40.7	mg/Kg		08/05/22 12:41	08/05/22 22:38	1
>C12-C28 Range Hydrocarbons	**73.9**	**J H H3 B**	96.5	40.7	mg/Kg		08/05/22 12:41	08/05/22 22:38	1
>C28-C35 Range Hydrocarbons	<40.7	U H H3	96.5	40.7	mg/Kg		08/05/22 12:41	08/05/22 22:38	1
Total Petroleum Hydrocarbons (C6-C35)	**73.9**	**J**	96.5	40.7	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	108		70 - 130	08/05/22 12:41	08/05/22 22:38	1
o-Terphenyl (Surr)	105		70 - 130	08/05/22 12:41	08/05/22 22:38	1

Client Sample ID: 22F4225-08
Lab Sample ID: 860-30001-8
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	51.1	J H H3	100	42.3	mg/Kg		08/05/22 12:41	08/05/22 22:57	1
>C12-C28 Range Hydrocarbons	612	H H3 B	100	42.3	mg/Kg		08/05/22 12:41	08/05/22 22:57	1
>C28-C35 Range Hydrocarbons	47.8	J H H3	100	42.3	mg/Kg		08/05/22 12:41	08/05/22 22:57	1
Total Petroleum Hydrocarbons (C6-C35)	711		100	42.3	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*117*		*70 - 130*	*08/05/22 12:41*	*08/05/22 22:57*	*1*
o-Terphenyl (Surr)	*117*		*70 - 130*	*08/05/22 12:41*	*08/05/22 22:57*	*1*

Client Sample ID: 22F4225-09
Lab Sample ID: 860-30001-9
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.7	U H H3	96.5	40.7	mg/Kg		08/05/22 12:41	08/05/22 19:20	1
>C12-C28 Range Hydrocarbons	<40.7	U H F1 H3	96.5	40.7	mg/Kg		08/05/22 12:41	08/05/22 19:20	1
>C28-C35 Range Hydrocarbons	<40.7	U H H3	96.5	40.7	mg/Kg		08/05/22 12:41	08/05/22 19:20	1
Total Petroleum Hydrocarbons (C6-C35)	<40.7	U	96.5	40.7	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*105*		*70 - 130*	*08/05/22 12:41*	*08/05/22 19:20*	*1*
o-Terphenyl (Surr)	*107*		*70 - 130*	*08/05/22 12:41*	*08/05/22 19:20*	*1*

Client Sample ID: 22F4225-10
Lab Sample ID: 860-30001-10
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/05/22 12:41	08/05/22 23:17	1
>C12-C28 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/05/22 12:41	08/05/22 23:17	1
>C28-C35 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/05/22 12:41	08/05/22 23:17	1
Total Petroleum Hydrocarbons (C6-C35)	<41.5	U	98.4	41.5	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*100*		*70 - 130*	*08/05/22 12:41*	*08/05/22 23:17*	*1*
o-Terphenyl (Surr)	*96*		*70 - 130*	*08/05/22 12:41*	*08/05/22 23:17*	*1*

Client Sample ID: 22F4225-11
Lab Sample ID: 860-30001-11
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.3	U H H3	95.6	40.3	mg/Kg		08/10/22 16:46	08/10/22 20:13	1
>C12-C28 Range Hydrocarbons	<40.3	U *+ H H3	95.6	40.3	mg/Kg		08/10/22 16:46	08/10/22 20:13	1
>C28-C35 Range Hydrocarbons	<40.3	U H H3	95.6	40.3	mg/Kg		08/10/22 16:46	08/10/22 20:13	1
Total Petroleum Hydrocarbons (C6-C35)	<40.3	U	95.6	40.3	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4225-11
Lab Sample ID: 860-30001-11
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	114		70 - 130	08/10/22 16:46	08/10/22 20:13	1
o-Terphenyl (Surr)	108		70 - 130	08/10/22 16:46	08/10/22 20:13	1

Client Sample ID: 22F4225-12
Lab Sample ID: 860-30001-12
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.6	U H H3	101	42.6	mg/Kg		08/05/22 12:41	08/05/22 23:36	1
>C12-C28 Range Hydrocarbons	**251**	**H H3 B**	101	42.6	mg/Kg		08/05/22 12:41	08/05/22 23:36	1
>C28-C35 Range Hydrocarbons	<42.6	U H H3	101	42.6	mg/Kg		08/05/22 12:41	08/05/22 23:36	1
Total Petroleum Hydrocarbons (C6-C35)	**251**		101	42.6	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	115		70 - 130	08/05/22 12:41	08/05/22 23:36	1
o-Terphenyl (Surr)	102		70 - 130	08/05/22 12:41	08/05/22 23:36	1

Client Sample ID: 22F4225-13
Lab Sample ID: 860-30001-13
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.5	U H H3	101	42.5	mg/Kg		08/05/22 12:41	08/05/22 23:56	1
>C12-C28 Range Hydrocarbons	<42.5	U H H3	101	42.5	mg/Kg		08/05/22 12:41	08/05/22 23:56	1
>C28-C35 Range Hydrocarbons	<42.5	U H H3	101	42.5	mg/Kg		08/05/22 12:41	08/05/22 23:56	1
Total Petroleum Hydrocarbons (C6-C35)	<42.5	U	101	42.5	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	100		70 - 130	08/05/22 12:41	08/05/22 23:56	1
o-Terphenyl (Surr)	97		70 - 130	08/05/22 12:41	08/05/22 23:56	1

Client Sample ID: 22F4225-14
Lab Sample ID: 860-30001-14
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/05/22 12:41	08/06/22 00:16	1
>C12-C28 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/05/22 12:41	08/06/22 00:16	1
>C28-C35 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/05/22 12:41	08/06/22 00:16	1
Total Petroleum Hydrocarbons (C6-C35)	<41.5	U	98.4	41.5	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	107		70 - 130	08/05/22 12:41	08/06/22 00:16	1
o-Terphenyl (Surr)	110		70 - 130	08/05/22 12:41	08/06/22 00:16	1

Client Sample ID: 22F4225-15
Lab Sample ID: 860-30001-15
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/05/22 12:41	08/06/22 00:36	1
>C12-C28 Range Hydrocarbons	**165**	**H H3 B**	97.7	41.2	mg/Kg		08/05/22 12:41	08/06/22 00:36	1
>C28-C35 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/05/22 12:41	08/06/22 00:36	1
Total Petroleum Hydrocarbons (C6-C35)	**165**		97.7	41.2	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*109*		*70 - 130*	*08/05/22 12:41*	*08/06/22 00:36*	*1*
o-Terphenyl (Surr)	*99*		*70 - 130*	*08/05/22 12:41*	*08/06/22 00:36*	*1*

Client Sample ID: 22F4225-16
Lab Sample ID: 860-30001-16
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.6	U H H3	101	42.6	mg/Kg		08/11/22 15:03	08/11/22 19:09	1
>C12-C28 Range Hydrocarbons	**198**	**H H3**	101	42.6	mg/Kg		08/11/22 15:03	08/11/22 19:09	1
>C28-C35 Range Hydrocarbons	<42.6	U H H3	101	42.6	mg/Kg		08/11/22 15:03	08/11/22 19:09	1
Total Petroleum Hydrocarbons (C6-C35)	**198**		101	42.6	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*86*		*70 - 130*	*08/11/22 15:03*	*08/11/22 19:09*	*1*
o-Terphenyl (Surr)	*91*		*70 - 130*	*08/11/22 15:03*	*08/11/22 19:09*	*1*

Client Sample ID: 22F4225-17
Lab Sample ID: 860-30001-17
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		08/05/22 12:41	08/06/22 00:55	1
>C12-C28 Range Hydrocarbons	**200**	**H H3 B**	98.0	41.4	mg/Kg		08/05/22 12:41	08/06/22 00:55	1
>C28-C35 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		08/05/22 12:41	08/06/22 00:55	1
Total Petroleum Hydrocarbons (C6-C35)	**200**		98.0	41.4	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*134*	*S1+*	*70 - 130*	*08/05/22 12:41*	*08/06/22 00:55*	*1*
o-Terphenyl (Surr)	*120*		*70 - 130*	*08/05/22 12:41*	*08/06/22 00:55*	*1*

Client Sample ID: 22F4225-18
Lab Sample ID: 860-30001-18
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/05/22 12:41	08/05/22 22:38	1
>C12-C28 Range Hydrocarbons	**108**	**H H3 B**	100	42.4	mg/Kg		08/05/22 12:41	08/05/22 22:38	1
>C28-C35 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/05/22 12:41	08/05/22 22:38	1
Total Petroleum Hydrocarbons (C6-C35)	**108**		100	42.4	mg/Kg			08/18/22 16:48	1

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-18
Lab Sample ID: 860-30001-18
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	81		70 - 130	08/05/22 12:41	08/05/22 22:38	1
o-Terphenyl (Surr)	83		70 - 130	08/05/22 12:41	08/05/22 22:38	1

Client Sample ID: 22F4225-19
Lab Sample ID: 860-30001-19
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/05/22 12:41	08/05/22 22:58	1
>C12-C28 Range Hydrocarbons	**86.9**	**J H H3 B**	96.2	40.6	mg/Kg		08/05/22 12:41	08/05/22 22:58	1
>C28-C35 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/05/22 12:41	08/05/22 22:58	1
Total Petroleum Hydrocarbons (C6-C35)	**86.9**	**J**	96.2	40.6	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	87		70 - 130	08/05/22 12:41	08/05/22 22:58	1
o-Terphenyl (Surr)	90		70 - 130	08/05/22 12:41	08/05/22 22:58	1

Client Sample ID: 22F4225-20
Lab Sample ID: 860-30001-20
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/05/22 12:41	08/05/22 23:17	1
>C12-C28 Range Hydrocarbons	**257**	**H H3 B**	97.7	41.2	mg/Kg		08/05/22 12:41	08/05/22 23:17	1
>C28-C35 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/05/22 12:41	08/05/22 23:17	1
Total Petroleum Hydrocarbons (C6-C35)	**257**		97.7	41.2	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	118		70 - 130	08/05/22 12:41	08/05/22 23:17	1
o-Terphenyl (Surr)	117		70 - 130	08/05/22 12:41	08/05/22 23:17	1

Client Sample ID: 22F4225-21
Lab Sample ID: 860-30001-21
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.1	U H H3	95.1	40.1	mg/Kg		08/05/22 12:41	08/05/22 23:36	1
>C12-C28 Range Hydrocarbons	**124**	**H H3 B**	95.1	40.1	mg/Kg		08/05/22 12:41	08/05/22 23:36	1
>C28-C35 Range Hydrocarbons	<40.1	U H H3	95.1	40.1	mg/Kg		08/05/22 12:41	08/05/22 23:36	1
Total Petroleum Hydrocarbons (C6-C35)	**124**		95.1	40.1	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	87		70 - 130	08/05/22 12:41	08/05/22 23:36	1
o-Terphenyl (Surr)	87		70 - 130	08/05/22 12:41	08/05/22 23:36	1

Client Sample ID: 22F4225-22
Lab Sample ID: 860-30001-22
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.5	U H H3	101	42.5	mg/Kg		08/05/22 12:48	08/05/22 23:55	1
>C12-C28 Range Hydrocarbons	**111**	**H H3 B**	101	42.5	mg/Kg		08/05/22 12:48	08/05/22 23:55	1
>C28-C35 Range Hydrocarbons	<42.5	U H H3	101	42.5	mg/Kg		08/05/22 12:48	08/05/22 23:55	1
Total Petroleum Hydrocarbons (C6-C35)	**111**		101	42.5	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*93*		*70 - 130*	*08/05/22 12:48*	*08/05/22 23:55*	*1*
o-Terphenyl (Surr)	*95*		*70 - 130*	*08/05/22 12:48*	*08/05/22 23:55*	*1*

Client Sample ID: 22F4225-23
Lab Sample ID: 860-30001-23
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.2	U H H3	92.9	39.2	mg/Kg		08/10/22 16:46	08/10/22 21:13	1
>C12-C28 Range Hydrocarbons	<39.2	U *+ H H3	92.9	39.2	mg/Kg		08/10/22 16:46	08/10/22 21:13	1
>C28-C35 Range Hydrocarbons	<39.2	U H H3	92.9	39.2	mg/Kg		08/10/22 16:46	08/10/22 21:13	1
Total Petroleum Hydrocarbons (C6-C35)	<39.2	U	92.9	39.2	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*107*		*70 - 130*	*08/10/22 16:46*	*08/10/22 21:13*	*1*
o-Terphenyl (Surr)	*99*		*70 - 130*	*08/10/22 16:46*	*08/10/22 21:13*	*1*

Client Sample ID: 22F4225-24
Lab Sample ID: 860-30001-24
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.6	U H H3	91.6	38.6	mg/Kg		08/10/22 16:46	08/10/22 21:33	1
>C12-C28 Range Hydrocarbons	<38.6	U *+ H H3	91.6	38.6	mg/Kg		08/10/22 16:46	08/10/22 21:33	1
>C28-C35 Range Hydrocarbons	<38.6	U H H3	91.6	38.6	mg/Kg		08/10/22 16:46	08/10/22 21:33	1
Total Petroleum Hydrocarbons (C6-C35)	<38.6	U	91.6	38.6	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*113*		*70 - 130*	*08/10/22 16:46*	*08/10/22 21:33*	*1*
o-Terphenyl (Surr)	*104*		*70 - 130*	*08/10/22 16:46*	*08/10/22 21:33*	*1*

Client Sample ID: 22F4225-25
Lab Sample ID: 860-30001-25
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.3	U H H3	95.4	40.3	mg/Kg		08/10/22 16:46	08/10/22 21:53	1
>C12-C28 Range Hydrocarbons	<40.3	U H H3 *+	95.4	40.3	mg/Kg		08/10/22 16:46	08/10/22 21:53	1
>C28-C35 Range Hydrocarbons	<40.3	U H H3	95.4	40.3	mg/Kg		08/10/22 16:46	08/10/22 21:53	1
Total Petroleum Hydrocarbons (C6-C35)	<40.3	U	95.4	40.3	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4225-25
Lab Sample ID: 860-30001-25
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	113		70 - 130	08/10/22 16:46	08/10/22 21:53	1
o-Terphenyl (Surr)	110		70 - 130	08/10/22 16:46	08/10/22 21:53	1

Client Sample ID: 22F4225-26
Lab Sample ID: 860-30001-26
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/10/22 16:46	08/10/22 22:13	1
>C12-C28 Range Hydrocarbons	<42.4	U *+ H H3	100	42.4	mg/Kg		08/10/22 16:46	08/10/22 22:13	1
>C28-C35 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/10/22 16:46	08/10/22 22:13	1
Total Petroleum Hydrocarbons (C6-C35)	<42.4	U	100	42.4	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	115		70 - 130	08/10/22 16:46	08/10/22 22:13	1
o-Terphenyl (Surr)	110		70 - 130	08/10/22 16:46	08/10/22 22:13	1

Client Sample ID: 22F4225-27
Lab Sample ID: 860-30001-27
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	**49.0**	**J H H3 B**	100	42.4	mg/Kg		08/10/22 16:46	08/10/22 22:52	1
>C12-C28 Range Hydrocarbons	<42.4	U *+ H H3	100	42.4	mg/Kg		08/10/22 16:46	08/10/22 22:52	1
>C28-C35 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/10/22 16:46	08/10/22 22:52	1
Total Petroleum Hydrocarbons (C6-C35)	**49.0**	**J**	100	42.4	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	116		70 - 130	08/10/22 16:46	08/10/22 22:52	1
o-Terphenyl (Surr)	113		70 - 130	08/10/22 16:46	08/10/22 22:52	1

Client Sample ID: 22F4225-28
Lab Sample ID: 860-30001-28
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/10/22 16:46	08/10/22 23:12	1
>C12-C28 Range Hydrocarbons	<41.5	U *+ H H3	98.4	41.5	mg/Kg		08/10/22 16:46	08/10/22 23:12	1
>C28-C35 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		08/10/22 16:46	08/10/22 23:12	1
Total Petroleum Hydrocarbons (C6-C35)	<41.5	U	98.4	41.5	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	121		70 - 130	08/10/22 16:46	08/10/22 23:12	1
o-Terphenyl (Surr)	118		70 - 130	08/10/22 16:46	08/10/22 23:12	1

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-29
Lab Sample ID: 860-30001-29
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		08/10/22 16:46	08/10/22 23:32	1
>C12-C28 Range Hydrocarbons	<41.0	U *+ H H3	97.1	41.0	mg/Kg		08/10/22 16:46	08/10/22 23:32	1
>C28-C35 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		08/10/22 16:46	08/10/22 23:32	1
Total Petroleum Hydrocarbons (C6-C35)	<41.0	U	97.1	41.0	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*118*		*70 - 130*	*08/10/22 16:46*	*08/10/22 23:32*	*1*
o-Terphenyl (Surr)	*112*		*70 - 130*	*08/10/22 16:46*	*08/10/22 23:32*	*1*

Client Sample ID: 22F4225-30
Lab Sample ID: 860-30001-30
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		08/10/22 16:46	08/10/22 23:51	1
>C12-C28 Range Hydrocarbons	<41.4	U *+ H H3	98.0	41.4	mg/Kg		08/10/22 16:46	08/10/22 23:51	1
>C28-C35 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		08/10/22 16:46	08/10/22 23:51	1
Total Petroleum Hydrocarbons (C6-C35)	<41.4	U	98.0	41.4	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*119*		*70 - 130*	*08/10/22 16:46*	*08/10/22 23:51*	*1*
o-Terphenyl (Surr)	*120*		*70 - 130*	*08/10/22 16:46*	*08/10/22 23:51*	*1*

Client Sample ID: 22F4225-31
Lab Sample ID: 860-30001-31
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/10/22 16:46	08/11/22 00:11	1
>C12-C28 Range Hydrocarbons	<42.2	U *+ H H3	100	42.2	mg/Kg		08/10/22 16:46	08/11/22 00:11	1
>C28-C35 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/10/22 16:46	08/11/22 00:11	1
Total Petroleum Hydrocarbons (C6-C35)	<42.2	U	100	42.2	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*115*		*70 - 130*	*08/10/22 16:46*	*08/11/22 00:11*	*1*
o-Terphenyl (Surr)	*107*		*70 - 130*	*08/10/22 16:46*	*08/11/22 00:11*	*1*

Client Sample ID: 22F4225-32
Lab Sample ID: 860-30001-32
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/10/22 16:46	08/11/22 00:30	1
>C12-C28 Range Hydrocarbons	<42.2	U *+ H H3	100	42.2	mg/Kg		08/10/22 16:46	08/11/22 00:30	1
>C28-C35 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/10/22 16:46	08/11/22 00:30	1
Total Petroleum Hydrocarbons (C6-C35)	<42.2	U	100	42.2	mg/Kg			08/18/22 16:48	1

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-32
Lab Sample ID: 860-30001-32
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	119		70 - 130	08/10/22 16:46	08/11/22 00:30	1
o-Terphenyl (Surr)	119		70 - 130	08/10/22 16:46	08/11/22 00:30	1

Client Sample ID: 22F4225-33
Lab Sample ID: 860-30001-33
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		08/10/22 16:46	08/11/22 00:50	1
>C12-C28 Range Hydrocarbons	<41.0	U *+ H H3	97.1	41.0	mg/Kg		08/10/22 16:46	08/11/22 00:50	1
>C28-C35 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		08/10/22 16:46	08/11/22 00:50	1
Total Petroleum Hydrocarbons (C6-C35)	<41.0	U	97.1	41.0	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	118		70 - 130	08/10/22 16:46	08/11/22 00:50	1
o-Terphenyl (Surr)	115		70 - 130	08/10/22 16:46	08/11/22 00:50	1

Client Sample ID: 22F4225-34
Lab Sample ID: 860-30001-34
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.6	U H H3	101	42.6	mg/Kg		08/10/22 16:46	08/11/22 01:09	1
>C12-C28 Range Hydrocarbons	<42.6	U *+ H H3	101	42.6	mg/Kg		08/10/22 16:46	08/11/22 01:09	1
>C28-C35 Range Hydrocarbons	<42.6	U H H3	101	42.6	mg/Kg		08/10/22 16:46	08/11/22 01:09	1
Total Petroleum Hydrocarbons (C6-C35)	<42.6	U	101	42.6	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	117		70 - 130	08/10/22 16:46	08/11/22 01:09	1
o-Terphenyl (Surr)	110		70 - 130	08/10/22 16:46	08/11/22 01:09	1

Client Sample ID: 22F4225-35
Lab Sample ID: 860-30001-35
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.9	U H H3	99.2	41.9	mg/Kg		08/10/22 16:46	08/11/22 01:29	1
>C12-C28 Range Hydrocarbons	<41.9	U *+ H H3	99.2	41.9	mg/Kg		08/10/22 16:46	08/11/22 01:29	1
>C28-C35 Range Hydrocarbons	<41.9	U H H3	99.2	41.9	mg/Kg		08/10/22 16:46	08/11/22 01:29	1
Total Petroleum Hydrocarbons (C6-C35)	<41.9	U	99.2	41.9	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	126		70 - 130	08/10/22 16:46	08/11/22 01:29	1
o-Terphenyl (Surr)	128		70 - 130	08/10/22 16:46	08/11/22 01:29	1

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-36
Lab Sample ID: 860-30001-36
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.5	U H H3	101	42.5	mg/Kg		08/10/22 16:46	08/11/22 01:48	1
>C12-C28 Range Hydrocarbons	<42.5	U *+ H H3	101	42.5	mg/Kg		08/10/22 16:46	08/11/22 01:48	1
>C28-C35 Range Hydrocarbons	<42.5	U H H3	101	42.5	mg/Kg		08/10/22 16:46	08/11/22 01:48	1
Total Petroleum Hydrocarbons (C6-C35)	<42.5	U	101	42.5	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*120*		*70 - 130*	*08/10/22 16:46*	*08/11/22 01:48*	*1*
o-Terphenyl (Surr)	*116*		*70 - 130*	*08/10/22 16:46*	*08/11/22 01:48*	*1*

Client Sample ID: 22F4225-37
Lab Sample ID: 860-30001-37
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	**43.3**	**J H H3 B**	94.0	39.7	mg/Kg		08/10/22 16:46	08/11/22 02:27	1
>C12-C28 Range Hydrocarbons	<39.7	U *+ H H3	94.0	39.7	mg/Kg		08/10/22 16:46	08/11/22 02:27	1
>C28-C35 Range Hydrocarbons	<39.7	U H H3	94.0	39.7	mg/Kg		08/10/22 16:46	08/11/22 02:27	1
Total Petroleum Hydrocarbons (C6-C35)	**43.3**	**J**	94.0	39.7	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*121*		*70 - 130*	*08/10/22 16:46*	*08/11/22 02:27*	*1*
o-Terphenyl (Surr)	*121*		*70 - 130*	*08/10/22 16:46*	*08/11/22 02:27*	*1*

Client Sample ID: 22F4225-38
Lab Sample ID: 860-30001-38
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.7	U H H3	96.3	40.7	mg/Kg		08/10/22 16:46	08/11/22 02:47	1
>C12-C28 Range Hydrocarbons	<40.7	U *+ H H3	96.3	40.7	mg/Kg		08/10/22 16:46	08/11/22 02:47	1
>C28-C35 Range Hydrocarbons	<40.7	U H H3	96.3	40.7	mg/Kg		08/10/22 16:46	08/11/22 02:47	1
Total Petroleum Hydrocarbons (C6-C35)	<40.7	U	96.3	40.7	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*122*		*70 - 130*	*08/10/22 16:46*	*08/11/22 02:47*	*1*
o-Terphenyl (Surr)	*122*		*70 - 130*	*08/10/22 16:46*	*08/11/22 02:47*	*1*

Client Sample ID: 22F4225-39
Lab Sample ID: 860-30001-39
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.3	U H H3	97.8	41.3	mg/Kg		08/10/22 16:46	08/11/22 03:06	1
>C12-C28 Range Hydrocarbons	<41.3	U *+ H H3	97.8	41.3	mg/Kg		08/10/22 16:46	08/11/22 03:06	1
>C28-C35 Range Hydrocarbons	<41.3	U H H3	97.8	41.3	mg/Kg		08/10/22 16:46	08/11/22 03:06	1
Total Petroleum Hydrocarbons (C6-C35)	<41.3	U	97.8	41.3	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4225-39
Lab Sample ID: 860-30001-39
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	121		70 - 130	08/10/22 16:46	08/11/22 03:06	1
o-Terphenyl (Surr)	119		70 - 130	08/10/22 16:46	08/11/22 03:06	1

Client Sample ID: 22F4225-40
Lab Sample ID: 860-30001-40
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/10/22 16:46	08/11/22 03:26	1
>C12-C28 Range Hydrocarbons	<41.9	U *+ H H3	99.4	41.9	mg/Kg		08/10/22 16:46	08/11/22 03:26	1
>C28-C35 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/10/22 16:46	08/11/22 03:26	1
Total Petroleum Hydrocarbons (C6-C35)	<41.9	U	99.4	41.9	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	113		70 - 130	08/10/22 16:46	08/11/22 03:26	1
o-Terphenyl (Surr)	104		70 - 130	08/10/22 16:46	08/11/22 03:26	1

Client Sample ID: 22F4225-41
Lab Sample ID: 860-30001-41
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		08/10/22 16:47	08/11/22 03:45	1
>C12-C28 Range Hydrocarbons	<41.7	U *+ H H3	98.8	41.7	mg/Kg		08/10/22 16:47	08/11/22 03:45	1
>C28-C35 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		08/10/22 16:47	08/11/22 03:45	1
Total Petroleum Hydrocarbons (C6-C35)	<41.7	U	98.8	41.7	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	108		70 - 130	08/10/22 16:47	08/11/22 03:45	1
o-Terphenyl (Surr)	99		70 - 130	08/10/22 16:47	08/11/22 03:45	1

Client Sample ID: 22F4225-42
Lab Sample ID: 860-30001-42
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.1	U H H3	99.8	42.1	mg/Kg		08/11/22 15:03	08/11/22 20:09	1
>C12-C28 Range Hydrocarbons	<42.1	U H H3	99.8	42.1	mg/Kg		08/11/22 15:03	08/11/22 20:09	1
>C28-C35 Range Hydrocarbons	<42.1	U H H3	99.8	42.1	mg/Kg		08/11/22 15:03	08/11/22 20:09	1
Total Petroleum Hydrocarbons (C6-C35)	<42.1	U	99.8	42.1	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	85		70 - 130	08/11/22 15:03	08/11/22 20:09	1
o-Terphenyl (Surr)	105		70 - 130	08/11/22 15:03	08/11/22 20:09	1

Client Sample ID: 22F4225-43
Lab Sample ID: 860-30001-43
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.5	U H H3	93.6	39.5	mg/Kg		08/11/22 15:03	08/11/22 20:28	1
>C12-C28 Range Hydrocarbons	<39.5	U H H3	93.6	39.5	mg/Kg		08/11/22 15:03	08/11/22 20:28	1
>C28-C35 Range Hydrocarbons	<39.5	U H H3	93.6	39.5	mg/Kg		08/11/22 15:03	08/11/22 20:28	1
Total Petroleum Hydrocarbons (C6-C35)	<39.5	U	93.6	39.5	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*96*		*70 - 130*	*08/11/22 15:03*	*08/11/22 20:28*	*1*
o-Terphenyl (Surr)	*119*		*70 - 130*	*08/11/22 15:03*	*08/11/22 20:28*	*1*

Client Sample ID: 22F4225-44
Lab Sample ID: 860-30001-44
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.7	U H H3	96.3	40.7	mg/Kg		08/11/22 15:03	08/11/22 20:48	1
>C12-C28 Range Hydrocarbons	**71.2**	**J H H3**	96.3	40.7	mg/Kg		08/11/22 15:03	08/11/22 20:48	1
>C28-C35 Range Hydrocarbons	<40.7	U H H3	96.3	40.7	mg/Kg		08/11/22 15:03	08/11/22 20:48	1
Total Petroleum Hydrocarbons (C6-C35)	**71.2**	**J**	96.3	40.7	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*96*		*70 - 130*	*08/11/22 15:03*	*08/11/22 20:48*	*1*
o-Terphenyl (Surr)	*116*		*70 - 130*	*08/11/22 15:03*	*08/11/22 20:48*	*1*

Client Sample ID: 22F4225-45
Lab Sample ID: 860-30001-45
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.8	U H H3	101	42.8	mg/Kg		08/11/22 15:03	08/11/22 21:08	1
>C12-C28 Range Hydrocarbons	<42.8	U H H3	101	42.8	mg/Kg		08/11/22 15:03	08/11/22 21:08	1
>C28-C35 Range Hydrocarbons	<42.8	U H H3	101	42.8	mg/Kg		08/11/22 15:03	08/11/22 21:08	1
Total Petroleum Hydrocarbons (C6-C35)	<42.8	U	101	42.8	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*90*		*70 - 130*	*08/11/22 15:03*	*08/11/22 21:08*	*1*
o-Terphenyl (Surr)	*111*		*70 - 130*	*08/11/22 15:03*	*08/11/22 21:08*	*1*

Client Sample ID: 22F4225-46
Lab Sample ID: 860-30001-46
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.5	U H H3	98.2	41.5	mg/Kg		08/11/22 15:03	08/11/22 21:47	1
>C12-C28 Range Hydrocarbons	<41.5	U H H3	98.2	41.5	mg/Kg		08/11/22 15:03	08/11/22 21:47	1
>C28-C35 Range Hydrocarbons	<41.5	U H H3	98.2	41.5	mg/Kg		08/11/22 15:03	08/11/22 21:47	1
Total Petroleum Hydrocarbons (C6-C35)	<41.5	U	98.2	41.5	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4225-46
Lab Sample ID: 860-30001-46
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*97*		*70 - 130*	*08/11/22 15:03*	*08/11/22 21:47*	*1*
o-Terphenyl (Surr)	*118*		*70 - 130*	*08/11/22 15:03*	*08/11/22 21:47*	*1*

Client Sample ID: 22F4225-47
Lab Sample ID: 860-30001-47
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.1	U H H3	97.5	41.1	mg/Kg		08/11/22 15:03	08/11/22 22:07	1
>C12-C28 Range Hydrocarbons	<41.1	U H H3	97.5	41.1	mg/Kg		08/11/22 15:03	08/11/22 22:07	1
>C28-C35 Range Hydrocarbons	<41.1	U H H3	97.5	41.1	mg/Kg		08/11/22 15:03	08/11/22 22:07	1
Total Petroleum Hydrocarbons (C6-C35)	<41.1	U	97.5	41.1	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*95*		*70 - 130*	*08/11/22 15:03*	*08/11/22 22:07*	*1*
o-Terphenyl (Surr)	*117*		*70 - 130*	*08/11/22 15:03*	*08/11/22 22:07*	*1*

Client Sample ID: 22F4225-48
Lab Sample ID: 860-30001-48
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/11/22 15:03	08/11/22 22:27	1
>C12-C28 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/11/22 15:03	08/11/22 22:27	1
>C28-C35 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/11/22 15:03	08/11/22 22:27	1
Total Petroleum Hydrocarbons (C6-C35)	<41.2	U	97.7	41.2	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*97*		*70 - 130*	*08/11/22 15:03*	*08/11/22 22:27*	*1*
o-Terphenyl (Surr)	*118*		*70 - 130*	*08/11/22 15:03*	*08/11/22 22:27*	*1*

Client Sample ID: 22F4225-49
Lab Sample ID: 860-30001-49
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/11/22 15:03	08/11/22 22:46	1
>C12-C28 Range Hydrocarbons	**55.0**	**J H H3**	97.7	41.2	mg/Kg		08/11/22 15:03	08/11/22 22:46	1
>C28-C35 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/11/22 15:03	08/11/22 22:46	1
Total Petroleum Hydrocarbons (C6-C35)	**55.0**	**J**	97.7	41.2	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*94*		*70 - 130*	*08/11/22 15:03*	*08/11/22 22:46*	*1*
o-Terphenyl (Surr)	*117*		*70 - 130*	*08/11/22 15:03*	*08/11/22 22:46*	*1*

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-50
Lab Sample ID: 860-30001-50
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.8	U H H3	99.0	41.8	mg/Kg		08/11/22 15:03	08/11/22 23:06	1
>C12-C28 Range Hydrocarbons	**47.8**	**J H H3**	99.0	41.8	mg/Kg		08/11/22 15:03	08/11/22 23:06	1
>C28-C35 Range Hydrocarbons	<41.8	U H H3	99.0	41.8	mg/Kg		08/11/22 15:03	08/11/22 23:06	1
Total Petroleum Hydrocarbons (C6-C35)	**47.8**	**J**	99.0	41.8	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*90*		*70 - 130*	*08/11/22 15:03*	*08/11/22 23:06*	*1*
o-Terphenyl (Surr)	*115*		*70 - 130*	*08/11/22 15:03*	*08/11/22 23:06*	*1*

Client Sample ID: 22F4225-51
Lab Sample ID: 860-30001-51
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/11/22 15:03	08/11/22 23:26	1
>C12-C28 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/11/22 15:03	08/11/22 23:26	1
>C28-C35 Range Hydrocarbons	<42.2	U H H3	100	42.2	mg/Kg		08/11/22 15:03	08/11/22 23:26	1
Total Petroleum Hydrocarbons (C6-C35)	<42.2	U	100	42.2	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*91*		*70 - 130*	*08/11/22 15:03*	*08/11/22 23:26*	*1*
o-Terphenyl (Surr)	*116*		*70 - 130*	*08/11/22 15:03*	*08/11/22 23:26*	*1*

Client Sample ID: 22F4225-52
Lab Sample ID: 860-30001-52
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/11/22 15:03	08/11/22 23:45	1
>C12-C28 Range Hydrocarbons	**54.4**	**J H H3**	96.2	40.6	mg/Kg		08/11/22 15:03	08/11/22 23:45	1
>C28-C35 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/11/22 15:03	08/11/22 23:45	1
Total Petroleum Hydrocarbons (C6-C35)	**54.4**	**J**	96.2	40.6	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*96*		*70 - 130*	*08/11/22 15:03*	*08/11/22 23:45*	*1*
o-Terphenyl (Surr)	*121*		*70 - 130*	*08/11/22 15:03*	*08/11/22 23:45*	*1*

Client Sample ID: 22F4225-53
Lab Sample ID: 860-30001-53
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		08/11/22 15:03	08/12/22 00:05	1
>C12-C28 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		08/11/22 15:03	08/12/22 00:05	1
>C28-C35 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		08/11/22 15:03	08/12/22 00:05	1
Total Petroleum Hydrocarbons (C6-C35)	<41.7	U	98.8	41.7	mg/Kg			08/18/22 16:48	1

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-53
Lab Sample ID: 860-30001-53
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	89		70 - 130	08/11/22 15:03	08/12/22 00:05	1
o-Terphenyl (Surr)	112		70 - 130	08/11/22 15:03	08/12/22 00:05	1

Client Sample ID: 22F4225-54
Lab Sample ID: 860-30001-54
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.3	U H H3	93.1	39.3	mg/Kg		08/11/22 15:03	08/12/22 00:24	1
>C12-C28 Range Hydrocarbons	<39.3	U H H3	93.1	39.3	mg/Kg		08/11/22 15:03	08/12/22 00:24	1
>C28-C35 Range Hydrocarbons	<39.3	U H H3	93.1	39.3	mg/Kg		08/11/22 15:03	08/12/22 00:24	1
Total Petroleum Hydrocarbons (C6-C35)	<39.3	U	93.1	39.3	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	96		70 - 130	08/11/22 15:03	08/12/22 00:24	1
o-Terphenyl (Surr)	121		70 - 130	08/11/22 15:03	08/12/22 00:24	1

Client Sample ID: 22F4225-55
Lab Sample ID: 860-30001-55
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.9	U H H3	94.5	39.9	mg/Kg		08/11/22 15:03	08/12/22 00:44	1
>C12-C28 Range Hydrocarbons	<39.9	U H H3	94.5	39.9	mg/Kg		08/11/22 15:03	08/12/22 00:44	1
>C28-C35 Range Hydrocarbons	<39.9	U H H3	94.5	39.9	mg/Kg		08/11/22 15:03	08/12/22 00:44	1
Total Petroleum Hydrocarbons (C6-C35)	<39.9	U	94.5	39.9	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	94		70 - 130	08/11/22 15:03	08/12/22 00:44	1
o-Terphenyl (Surr)	118		70 - 130	08/11/22 15:03	08/12/22 00:44	1

Client Sample ID: 22F4225-56
Lab Sample ID: 860-30001-56
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.4	U H H3	95.8	40.4	mg/Kg		08/11/22 15:03	08/12/22 01:23	1
>C12-C28 Range Hydrocarbons	<40.4	U H H3	95.8	40.4	mg/Kg		08/11/22 15:03	08/12/22 01:23	1
>C28-C35 Range Hydrocarbons	<40.4	U H H3	95.8	40.4	mg/Kg		08/11/22 15:03	08/12/22 01:23	1
Total Petroleum Hydrocarbons (C6-C35)	<40.4	U	95.8	40.4	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	87		70 - 130	08/11/22 15:03	08/12/22 01:23	1
o-Terphenyl (Surr)	110		70 - 130	08/11/22 15:03	08/12/22 01:23	1

Client Sample ID: 22F4225-57
Lab Sample ID: 860-30001-57
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.6	U H H3	91.6	38.6	mg/Kg		08/11/22 15:03	08/12/22 01:42	1
>C12-C28 Range Hydrocarbons	<38.6	U H H3	91.6	38.6	mg/Kg		08/11/22 15:03	08/12/22 01:42	1
>C28-C35 Range Hydrocarbons	<38.6	U H H3	91.6	38.6	mg/Kg		08/11/22 15:03	08/12/22 01:42	1
Total Petroleum Hydrocarbons (C6-C35)	<38.6	U	91.6	38.6	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*89*		*70 - 130*	*08/11/22 15:03*	*08/12/22 01:42*	*1*
o-Terphenyl (Surr)	*114*		*70 - 130*	*08/11/22 15:03*	*08/12/22 01:42*	*1*

Client Sample ID: 22F4225-58
Lab Sample ID: 860-30001-58
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<37.0	U H H3	87.7	37.0	mg/Kg		08/11/22 15:03	08/12/22 02:01	1
>C12-C28 Range Hydrocarbons	**64.2**	**J H H3**	87.7	37.0	mg/Kg		08/11/22 15:03	08/12/22 02:01	1
>C28-C35 Range Hydrocarbons	<37.0	U H H3	87.7	37.0	mg/Kg		08/11/22 15:03	08/12/22 02:01	1
Total Petroleum Hydrocarbons (C6-C35)	**64.2**	**J**	87.7	37.0	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*95*		*70 - 130*	*08/11/22 15:03*	*08/12/22 02:01*	*1*
o-Terphenyl (Surr)	*115*		*70 - 130*	*08/11/22 15:03*	*08/12/22 02:01*	*1*

Client Sample ID: 22F4225-59
Lab Sample ID: 860-30001-59
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.9	U H H3	96.9	40.9	mg/Kg		08/11/22 15:03	08/12/22 02:21	1
>C12-C28 Range Hydrocarbons	**63.3**	**J H H3**	96.9	40.9	mg/Kg		08/11/22 15:03	08/12/22 02:21	1
>C28-C35 Range Hydrocarbons	<40.9	U H H3	96.9	40.9	mg/Kg		08/11/22 15:03	08/12/22 02:21	1
Total Petroleum Hydrocarbons (C6-C35)	**63.3**	**J**	96.9	40.9	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*92*		*70 - 130*	*08/11/22 15:03*	*08/12/22 02:21*	*1*
o-Terphenyl (Surr)	*112*		*70 - 130*	*08/11/22 15:03*	*08/12/22 02:21*	*1*

Client Sample ID: 22F4225-60
Lab Sample ID: 860-30001-60
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.8	U H H3	99.0	41.8	mg/Kg		08/11/22 15:04	08/12/22 02:40	1
>C12-C28 Range Hydrocarbons	**90.3**	**J H H3**	99.0	41.8	mg/Kg		08/11/22 15:04	08/12/22 02:40	1
>C28-C35 Range Hydrocarbons	<41.8	U H H3	99.0	41.8	mg/Kg		08/11/22 15:04	08/12/22 02:40	1
Total Petroleum Hydrocarbons (C6-C35)	**90.3**	**J**	99.0	41.8	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4225-60
Lab Sample ID: 860-30001-60
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	87		70 - 130	08/11/22 15:04	08/12/22 02:40	1
o-Terphenyl (Surr)	108		70 - 130	08/11/22 15:04	08/12/22 02:40	1

Client Sample ID: 22F4225-61
Lab Sample ID: 860-30001-61
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		08/17/22 14:02	08/18/22 04:21	1
>C12-C28 Range Hydrocarbons	**113**	**H H3**	98.0	41.4	mg/Kg		08/17/22 14:02	08/18/22 04:21	1
>C28-C35 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		08/17/22 14:02	08/18/22 04:21	1
Total Petroleum Hydrocarbons (C6-C35)	**113**		98.0	41.4	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	85		70 - 130	08/17/22 14:02	08/18/22 04:21	1
o-Terphenyl (Surr)	89		70 - 130	08/17/22 14:02	08/18/22 04:21	1

Client Sample ID: 22F4225-62
Lab Sample ID: 860-30001-62
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		08/17/22 14:02	08/18/22 04:40	1
>C12-C28 Range Hydrocarbons	**223**	**H H3**	98.8	41.7	mg/Kg		08/17/22 14:02	08/18/22 04:40	1
>C28-C35 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		08/17/22 14:02	08/18/22 04:40	1
Total Petroleum Hydrocarbons (C6-C35)	**223**		98.8	41.7	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	82		70 - 130	08/17/22 14:02	08/18/22 04:40	1
o-Terphenyl (Surr)	84		70 - 130	08/17/22 14:02	08/18/22 04:40	1

Client Sample ID: 22F4225-63
Lab Sample ID: 860-30001-63
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.3	U H H3	95.4	40.3	mg/Kg		08/17/22 14:02	08/18/22 04:59	1
>C12-C28 Range Hydrocarbons	**298**	**H H3**	95.4	40.3	mg/Kg		08/17/22 14:02	08/18/22 04:59	1
>C28-C35 Range Hydrocarbons	<40.3	U H H3	95.4	40.3	mg/Kg		08/17/22 14:02	08/18/22 04:59	1
Total Petroleum Hydrocarbons (C6-C35)	**298**		95.4	40.3	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	90		70 - 130	08/17/22 14:02	08/18/22 04:59	1
o-Terphenyl (Surr)	91		70 - 130	08/17/22 14:02	08/18/22 04:59	1

Client Sample ID: 22F4225-64
Lab Sample ID: 860-30001-64
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.9	U H H3	96.9	40.9	mg/Kg		08/17/22 14:02	08/18/22 05:18	1
>C12-C28 Range Hydrocarbons	<40.9	U H H3	96.9	40.9	mg/Kg		08/17/22 14:02	08/18/22 05:18	1
>C28-C35 Range Hydrocarbons	<40.9	U H H3	96.9	40.9	mg/Kg		08/17/22 14:02	08/18/22 05:18	1
Total Petroleum Hydrocarbons (C6-C35)	<40.9	U	96.9	40.9	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*83*		*70 - 130*	*08/17/22 14:02*	*08/18/22 05:18*	*1*
o-Terphenyl (Surr)	*89*		*70 - 130*	*08/17/22 14:02*	*08/18/22 05:18*	*1*

Client Sample ID: 22F4225-65
Lab Sample ID: 860-30001-65
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.3	U H H3	93.1	39.3	mg/Kg		08/17/22 14:02	08/18/22 05:57	1
>C12-C28 Range Hydrocarbons	<39.3	U H H3	93.1	39.3	mg/Kg		08/17/22 14:02	08/18/22 05:57	1
>C28-C35 Range Hydrocarbons	<39.3	U H H3	93.1	39.3	mg/Kg		08/17/22 14:02	08/18/22 05:57	1
Total Petroleum Hydrocarbons (C6-C35)	<39.3	U	93.1	39.3	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*88*		*70 - 130*	*08/17/22 14:02*	*08/18/22 05:57*	*1*
o-Terphenyl (Surr)	*94*		*70 - 130*	*08/17/22 14:02*	*08/18/22 05:57*	*1*

Client Sample ID: 22F4225-66
Lab Sample ID: 860-30001-66
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.6	U H H3	101	42.6	mg/Kg		08/17/22 14:02	08/18/22 06:16	1
>C12-C28 Range Hydrocarbons	**426**	**H H3**	101	42.6	mg/Kg		08/17/22 14:02	08/18/22 06:16	1
>C28-C35 Range Hydrocarbons	<42.6	U H H3	101	42.6	mg/Kg		08/17/22 14:02	08/18/22 06:16	1
Total Petroleum Hydrocarbons (C6-C35)	**426**		101	42.6	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*88*		*70 - 130*	*08/17/22 14:02*	*08/18/22 06:16*	*1*
o-Terphenyl (Surr)	*89*		*70 - 130*	*08/17/22 14:02*	*08/18/22 06:16*	*1*

Client Sample ID: 22F4225-67
Lab Sample ID: 860-30001-67
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<37.2	U H H3	88.2	37.2	mg/Kg		08/17/22 14:02	08/18/22 06:35	1
>C12-C28 Range Hydrocarbons	**41.2**	**J H H3**	88.2	37.2	mg/Kg		08/17/22 14:02	08/18/22 06:35	1
>C28-C35 Range Hydrocarbons	<37.2	U H H3	88.2	37.2	mg/Kg		08/17/22 14:02	08/18/22 06:35	1
Total Petroleum Hydrocarbons (C6-C35)	**41.2**	**J**	88.2	37.2	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4225-67
Lab Sample ID: 860-30001-67
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	82		70 - 130	08/17/22 14:02	08/18/22 06:35	1
o-Terphenyl (Surr)	87		70 - 130	08/17/22 14:02	08/18/22 06:35	1

Client Sample ID: 22F4225-68
Lab Sample ID: 860-30001-68
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<35.3	U H H3	83.8	35.3	mg/Kg		08/17/22 14:02	08/18/22 06:54	1
>C12-C28 Range Hydrocarbons	**119**	**H H3**	83.8	35.3	mg/Kg		08/17/22 14:02	08/18/22 06:54	1
>C28-C35 Range Hydrocarbons	<35.3	U H H3	83.8	35.3	mg/Kg		08/17/22 14:02	08/18/22 06:54	1
Total Petroleum Hydrocarbons (C6-C35)	**119**		83.8	35.3	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	89		70 - 130	08/17/22 14:02	08/18/22 06:54	1
o-Terphenyl (Surr)	93		70 - 130	08/17/22 14:02	08/18/22 06:54	1

Client Sample ID: 22F4225-69
Lab Sample ID: 860-30001-69
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.7	U H H3	96.3	40.7	mg/Kg		08/17/22 14:02	08/18/22 07:13	1
>C12-C28 Range Hydrocarbons	**206**	**H H3**	96.3	40.7	mg/Kg		08/17/22 14:02	08/18/22 07:13	1
>C28-C35 Range Hydrocarbons	<40.7	U H H3	96.3	40.7	mg/Kg		08/17/22 14:02	08/18/22 07:13	1
Total Petroleum Hydrocarbons (C6-C35)	**206**		96.3	40.7	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	87		70 - 130	08/17/22 14:02	08/18/22 07:13	1
o-Terphenyl (Surr)	90		70 - 130	08/17/22 14:02	08/18/22 07:13	1

Client Sample ID: 22F4225-70
Lab Sample ID: 860-30001-70
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/17/22 14:02	08/18/22 07:32	1
>C12-C28 Range Hydrocarbons	**379**	**H H3**	100	42.4	mg/Kg		08/17/22 14:02	08/18/22 07:32	1
>C28-C35 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/17/22 14:02	08/18/22 07:32	1
Total Petroleum Hydrocarbons (C6-C35)	**379**		100	42.4	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	82		70 - 130	08/17/22 14:02	08/18/22 07:32	1
o-Terphenyl (Surr)	85		70 - 130	08/17/22 14:02	08/18/22 07:32	1

Client Sample ID: 22F4225-71
Lab Sample ID: 860-30001-71
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.7	U H H3	91.7	38.7	mg/Kg		08/17/22 14:02	08/18/22 07:51	1
>C12-C28 Range Hydrocarbons	**141**	**H H3**	91.7	38.7	mg/Kg		08/17/22 14:02	08/18/22 07:51	1
>C28-C35 Range Hydrocarbons	<38.7	U H H3	91.7	38.7	mg/Kg		08/17/22 14:02	08/18/22 07:51	1
Total Petroleum Hydrocarbons (C6-C35)	**141**		91.7	38.7	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*81*		*70 - 130*	*08/17/22 14:02*	*08/18/22 07:51*	*1*
o-Terphenyl (Surr)	*85*		*70 - 130*	*08/17/22 14:02*	*08/18/22 07:51*	*1*

Client Sample ID: 22F4225-72
Lab Sample ID: 860-30001-72
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.1	U H H3	95.1	40.1	mg/Kg		08/17/22 14:02	08/18/22 08:10	1
>C12-C28 Range Hydrocarbons	**337**	**H H3**	95.1	40.1	mg/Kg		08/17/22 14:02	08/18/22 08:10	1
>C28-C35 Range Hydrocarbons	<40.1	U H H3	95.1	40.1	mg/Kg		08/17/22 14:02	08/18/22 08:10	1
Total Petroleum Hydrocarbons (C6-C35)	**337**		95.1	40.1	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*88*		*70 - 130*	*08/17/22 14:02*	*08/18/22 08:10*	*1*
o-Terphenyl (Surr)	*89*		*70 - 130*	*08/17/22 14:02*	*08/18/22 08:10*	*1*

Client Sample ID: 22F4225-73
Lab Sample ID: 860-30001-73
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.8	U H H3	91.9	38.8	mg/Kg		08/17/22 14:02	08/18/22 08:29	1
>C12-C28 Range Hydrocarbons	**334**	**H H3**	91.9	38.8	mg/Kg		08/17/22 14:02	08/18/22 08:29	1
>C28-C35 Range Hydrocarbons	**42.4**	**J H H3**	91.9	38.8	mg/Kg		08/17/22 14:02	08/18/22 08:29	1
Total Petroleum Hydrocarbons (C6-C35)	**376**		91.9	38.8	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*87*		*70 - 130*	*08/17/22 14:02*	*08/18/22 08:29*	*1*
o-Terphenyl (Surr)	*89*		*70 - 130*	*08/17/22 14:02*	*08/18/22 08:29*	*1*

Client Sample ID: 22F4225-74
Lab Sample ID: 860-30001-74
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/17/22 14:02	08/18/22 11:24	1
>C12-C28 Range Hydrocarbons	**65.5**	**J H H3**	99.4	41.9	mg/Kg		08/17/22 14:02	08/18/22 11:24	1
>C28-C35 Range Hydrocarbons	<41.9	U H H3	99.4	41.9	mg/Kg		08/17/22 14:02	08/18/22 11:24	1
Total Petroleum Hydrocarbons (C6-C35)	**65.5**	**J**	99.4	41.9	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4225-74
Lab Sample ID: 860-30001-74
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	78		70 - 130	08/17/22 14:02	08/18/22 11:24	1
o-Terphenyl (Surr)	79		70 - 130	08/17/22 14:02	08/18/22 11:24	1

Client Sample ID: 22F4225-75
Lab Sample ID: 860-30001-75
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.5	U H H3	101	42.5	mg/Kg		08/17/22 14:02	08/18/22 11:43	1
>C12-C28 Range Hydrocarbons	**107**	**H H3**	101	42.5	mg/Kg		08/17/22 14:02	08/18/22 11:43	1
>C28-C35 Range Hydrocarbons	<42.5	U H H3	101	42.5	mg/Kg		08/17/22 14:02	08/18/22 11:43	1
Total Petroleum Hydrocarbons (C6-C35)	**107**		101	42.5	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	83		70 - 130	08/17/22 14:02	08/18/22 11:43	1
o-Terphenyl (Surr)	83		70 - 130	08/17/22 14:02	08/18/22 11:43	1

Client Sample ID: 22F4225-76
Lab Sample ID: 860-30001-76
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.9	U H H3	94.5	39.9	mg/Kg		08/17/22 14:02	08/18/22 11:24	1
>C12-C28 Range Hydrocarbons	**42.3**	**J H H3**	94.5	39.9	mg/Kg		08/17/22 14:02	08/18/22 11:24	1
>C28-C35 Range Hydrocarbons	<39.9	U H H3	94.5	39.9	mg/Kg		08/17/22 14:02	08/18/22 11:24	1
Total Petroleum Hydrocarbons (C6-C35)	**42.3**	**J**	94.5	39.9	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	90		70 - 130	08/17/22 14:02	08/18/22 11:24	1
o-Terphenyl (Surr)	95		70 - 130	08/17/22 14:02	08/18/22 11:24	1

Client Sample ID: 22F4225-77
Lab Sample ID: 860-30001-77
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/17/22 14:02	08/18/22 11:43	1
>C12-C28 Range Hydrocarbons	**40.6**	**J H H3**	96.2	40.6	mg/Kg		08/17/22 14:02	08/18/22 11:43	1
>C28-C35 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/17/22 14:02	08/18/22 11:43	1
Total Petroleum Hydrocarbons (C6-C35)	**40.6**	**J**	96.2	40.6	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	80		70 - 130	08/17/22 14:02	08/18/22 11:43	1
o-Terphenyl (Surr)	85		70 - 130	08/17/22 14:02	08/18/22 11:43	1

Client Sample ID: 22F4225-78
Lab Sample ID: 860-30001-78
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.1	U H H3	92.6	39.1	mg/Kg		08/17/22 14:02	08/18/22 12:09	1
>C12-C28 Range Hydrocarbons	**109**	**H H3**	92.6	39.1	mg/Kg		08/17/22 14:02	08/18/22 12:09	1
>C28-C35 Range Hydrocarbons	<39.1	U H H3	92.6	39.1	mg/Kg		08/17/22 14:02	08/18/22 12:09	1
Total Petroleum Hydrocarbons (C6-C35)	**109**		92.6	39.1	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*89*		*70 - 130*	*08/17/22 14:02*	*08/18/22 12:09*	*1*
o-Terphenyl (Surr)	*83*		*70 - 130*	*08/17/22 14:02*	*08/18/22 12:09*	*1*

Client Sample ID: 22F4225-79
Lab Sample ID: 860-30001-79
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.7	U H H3	94.2	39.7	mg/Kg		08/17/22 14:02	08/18/22 10:45	1
>C12-C28 Range Hydrocarbons	**181**	**H H3**	94.2	39.7	mg/Kg		08/17/22 14:02	08/18/22 10:45	1
>C28-C35 Range Hydrocarbons	<39.7	U H H3	94.2	39.7	mg/Kg		08/17/22 14:02	08/18/22 10:45	1
Total Petroleum Hydrocarbons (C6-C35)	**181**		94.2	39.7	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*86*		*70 - 130*	*08/17/22 14:02*	*08/18/22 10:45*	*1*
o-Terphenyl (Surr)	*89*		*70 - 130*	*08/17/22 14:02*	*08/18/22 10:45*	*1*

Client Sample ID: 22F4225-80
Lab Sample ID: 860-30001-80
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<35.7	U H H3	84.6	35.7	mg/Kg		08/17/22 14:02	08/18/22 11:04	1
>C12-C28 Range Hydrocarbons	**210**	**H H3**	84.6	35.7	mg/Kg		08/17/22 14:02	08/18/22 11:04	1
>C28-C35 Range Hydrocarbons	**55.7**	**J H H3**	84.6	35.7	mg/Kg		08/17/22 14:02	08/18/22 11:04	1
Total Petroleum Hydrocarbons (C6-C35)	**266**		84.6	35.7	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*80*		*70 - 130*	*08/17/22 14:02*	*08/18/22 11:04*	*1*
o-Terphenyl (Surr)	*83*		*70 - 130*	*08/17/22 14:02*	*08/18/22 11:04*	*1*

Client Sample ID: 22F4225-81
Lab Sample ID: 860-30001-81
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/18/22 15:08	08/18/22 18:24	1
>C12-C28 Range Hydrocarbons	**85.2**	**J H H3**	100	42.4	mg/Kg		08/18/22 15:08	08/18/22 18:24	1
>C28-C35 Range Hydrocarbons	<42.4	U H H3	100	42.4	mg/Kg		08/18/22 15:08	08/18/22 18:24	1
Total Petroleum Hydrocarbons (C6-C35)	**85.2**	**J**	100	42.4	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4225-81
Lab Sample ID: 860-30001-81
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	94		70 - 130	08/18/22 15:08	08/18/22 18:24	1
o-Terphenyl (Surr)	98		70 - 130	08/18/22 15:08	08/18/22 18:24	1

Client Sample ID: 22F4225-82
Lab Sample ID: 860-30001-82
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.6	U H H3	96.2	40.6	mg/Kg		08/18/22 15:08	08/18/22 18:44	1
>C12-C28 Range Hydrocarbons	**213**	**H H3**	96.2	40.6	mg/Kg		08/18/22 15:08	08/18/22 18:44	1
>C28-C35 Range Hydrocarbons	**41.0**	**J H H3**	96.2	40.6	mg/Kg		08/18/22 15:08	08/18/22 18:44	1
Total Petroleum Hydrocarbons (C6-C35)	**254**		96.2	40.6	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	84		70 - 130	08/18/22 15:08	08/18/22 18:44	1
o-Terphenyl (Surr)	89		70 - 130	08/18/22 15:08	08/18/22 18:44	1

Client Sample ID: 22F4225-83
Lab Sample ID: 860-30001-83
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.4	U H H3	93.5	39.4	mg/Kg		08/18/22 15:08	08/18/22 19:03	1
>C12-C28 Range Hydrocarbons	**196**	**H H3**	93.5	39.4	mg/Kg		08/18/22 15:08	08/18/22 19:03	1
>C28-C35 Range Hydrocarbons	<39.4	U H H3	93.5	39.4	mg/Kg		08/18/22 15:08	08/18/22 19:03	1
Total Petroleum Hydrocarbons (C6-C35)	**196**		93.5	39.4	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	91		70 - 130	08/18/22 15:08	08/18/22 19:03	1
o-Terphenyl (Surr)	95		70 - 130	08/18/22 15:08	08/18/22 19:03	1

Client Sample ID: 22F4225-84
Lab Sample ID: 860-30001-84
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.3	U H H3	95.6	40.3	mg/Kg		08/18/22 15:08	08/18/22 19:23	1
>C12-C28 Range Hydrocarbons	**332**	**H H3**	95.6	40.3	mg/Kg		08/18/22 15:08	08/18/22 19:23	1
>C28-C35 Range Hydrocarbons	<40.3	U H H3	95.6	40.3	mg/Kg		08/18/22 15:08	08/18/22 19:23	1
Total Petroleum Hydrocarbons (C6-C35)	**332**		95.6	40.3	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	87		70 - 130	08/18/22 15:08	08/18/22 19:23	1
o-Terphenyl (Surr)	76		70 - 130	08/18/22 15:08	08/18/22 19:23	1

Client Sample ID: 22F4225-85
Lab Sample ID: 860-30001-85
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<36.1	U H H3	85.5	36.1	mg/Kg		08/18/22 15:08	08/18/22 19:43	1
>C12-C28 Range Hydrocarbons	**279**	**H H3**	85.5	36.1	mg/Kg		08/18/22 15:08	08/18/22 19:43	1
>C28-C35 Range Hydrocarbons	<36.1	U H H3	85.5	36.1	mg/Kg		08/18/22 15:08	08/18/22 19:43	1
Total Petroleum Hydrocarbons (C6-C35)	**279**		85.5	36.1	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*85*		*70 - 130*	*08/18/22 15:08*	*08/18/22 19:43*	*1*
o-Terphenyl (Surr)	*91*		*70 - 130*	*08/18/22 15:08*	*08/18/22 19:43*	*1*

Client Sample ID: 22F4225-86
Lab Sample ID: 860-30001-86
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.4	U H H3	90.9	38.4	mg/Kg		08/18/22 15:08	08/18/22 20:02	1
>C12-C28 Range Hydrocarbons	**168**	**H H3**	90.9	38.4	mg/Kg		08/18/22 15:08	08/18/22 20:02	1
>C28-C35 Range Hydrocarbons	<38.4	U H H3	90.9	38.4	mg/Kg		08/18/22 15:08	08/18/22 20:02	1
Total Petroleum Hydrocarbons (C6-C35)	**168**		90.9	38.4	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*86*		*70 - 130*	*08/18/22 15:08*	*08/18/22 20:02*	*1*
o-Terphenyl (Surr)	*91*		*70 - 130*	*08/18/22 15:08*	*08/18/22 20:02*	*1*

Client Sample ID: 22F4225-87
Lab Sample ID: 860-30001-87
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<43.1	U H H3	102	43.1	mg/Kg		08/18/22 15:08	08/18/22 20:21	1
>C12-C28 Range Hydrocarbons	**75.5**	**J H H3**	102	43.1	mg/Kg		08/18/22 15:08	08/18/22 20:21	1
>C28-C35 Range Hydrocarbons	<43.1	U H H3	102	43.1	mg/Kg		08/18/22 15:08	08/18/22 20:21	1
Total Petroleum Hydrocarbons (C6-C35)	**75.5**	**J**	102	43.1	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*86*		*70 - 130*	*08/18/22 15:08*	*08/18/22 20:21*	*1*
o-Terphenyl (Surr)	*92*		*70 - 130*	*08/18/22 15:08*	*08/18/22 20:21*	*1*

Client Sample ID: 22F4225-88
Lab Sample ID: 860-30001-88
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.0	U H H3	94.9	40.0	mg/Kg		08/18/22 15:08	08/18/22 21:00	1
>C12-C28 Range Hydrocarbons	**187**	**H H3**	94.9	40.0	mg/Kg		08/18/22 15:08	08/18/22 21:00	1
>C28-C35 Range Hydrocarbons	<40.0	U H H3	94.9	40.0	mg/Kg		08/18/22 15:08	08/18/22 21:00	1
Total Petroleum Hydrocarbons (C6-C35)	**187**		94.9	40.0	mg/Kg			08/18/22 16:48	1

Client Sample ID: 22F4225-88
Lab Sample ID: 860-30001-88
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	88		70 - 130	08/18/22 15:08	08/18/22 21:00	1
o-Terphenyl (Surr)	92		70 - 130	08/18/22 15:08	08/18/22 21:00	1

Client Sample ID: 22F4225-89
Lab Sample ID: 860-30001-89
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.3	U H H3	95.4	40.3	mg/Kg		08/18/22 15:08	08/18/22 21:20	1
>C12-C28 Range Hydrocarbons	**146**	**H H3**	95.4	40.3	mg/Kg		08/18/22 15:08	08/18/22 21:20	1
>C28-C35 Range Hydrocarbons	<40.3	U H H3	95.4	40.3	mg/Kg		08/18/22 15:08	08/18/22 21:20	1
Total Petroleum Hydrocarbons (C6-C35)	**146**		95.4	40.3	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	91		70 - 130	08/18/22 15:08	08/18/22 21:20	1
o-Terphenyl (Surr)	96		70 - 130	08/18/22 15:08	08/18/22 21:20	1

Client Sample ID: 22F4225-90
Lab Sample ID: 860-30001-90
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/18/22 15:08	08/18/22 21:39	1
>C12-C28 Range Hydrocarbons	**417**	**H H3**	97.7	41.2	mg/Kg		08/18/22 15:08	08/18/22 21:39	1
>C28-C35 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		08/18/22 15:08	08/18/22 21:39	1
Total Petroleum Hydrocarbons (C6-C35)	**417**		97.7	41.2	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	86		70 - 130	08/18/22 15:08	08/18/22 21:39	1
o-Terphenyl (Surr)	74		70 - 130	08/18/22 15:08	08/18/22 21:39	1

Client Sample ID: 22F4225-91
Lab Sample ID: 860-30001-91
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.9	U H H3	94.5	39.9	mg/Kg		08/18/22 15:08	08/18/22 21:59	1
>C12-C28 Range Hydrocarbons	**999**	**H H3**	94.5	39.9	mg/Kg		08/18/22 15:08	08/18/22 21:59	1
>C28-C35 Range Hydrocarbons	**48.7**	**J H H3**	94.5	39.9	mg/Kg		08/18/22 15:08	08/18/22 21:59	1
Total Petroleum Hydrocarbons (C6-C35)	**187**		50.0	21.1	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	80		70 - 130	08/18/22 15:08	08/18/22 21:59	1
o-Terphenyl (Surr)	74		70 - 130	08/18/22 15:08	08/18/22 21:59	1

Client Sample ID: 22F4225-92
Lab Sample ID: 860-30001-92
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.6	U H H3	93.8	39.6	mg/Kg		08/18/22 15:08	08/18/22 22:18	1
>C12-C28 Range Hydrocarbons	**658**	**H H3**	93.8	39.6	mg/Kg		08/18/22 15:08	08/18/22 22:18	1
>C28-C35 Range Hydrocarbons	**52.2**	**J H H3**	93.8	39.6	mg/Kg		08/18/22 15:08	08/18/22 22:18	1
Total Petroleum Hydrocarbons (C6-C35)	**710**		93.8	39.6	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*88*		*70 - 130*	*08/18/22 15:08*	*08/18/22 22:18*	*1*
o-Terphenyl (Surr)	*72*		*70 - 130*	*08/18/22 15:08*	*08/18/22 22:18*	*1*

Client Sample ID: 22F4225-93
Lab Sample ID: 860-30001-93
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.9	U H H3	92.1	38.9	mg/Kg		08/18/22 15:08	08/18/22 22:37	1
>C12-C28 Range Hydrocarbons	**948**	**H H3**	92.1	38.9	mg/Kg		08/18/22 15:08	08/18/22 22:37	1
>C28-C35 Range Hydrocarbons	**72.5**	**J H H3**	92.1	38.9	mg/Kg		08/18/22 15:08	08/18/22 22:37	1
Total Petroleum Hydrocarbons (C6-C35)	**1020**		92.1	38.9	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*87*		*70 - 130*	*08/18/22 15:08*	*08/18/22 22:37*	*1*
o-Terphenyl (Surr)	*74*		*70 - 130*	*08/18/22 15:08*	*08/18/22 22:37*	*1*

Client Sample ID: 22F4225-94
Lab Sample ID: 860-30001-94
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.1	U H H3	97.5	41.1	mg/Kg		08/18/22 15:08	08/18/22 22:57	1
>C12-C28 Range Hydrocarbons	**515**	**H H3**	97.5	41.1	mg/Kg		08/18/22 15:08	08/18/22 22:57	1
>C28-C35 Range Hydrocarbons	**48.8**	**J H H3**	97.5	41.1	mg/Kg		08/18/22 15:08	08/18/22 22:57	1
Total Petroleum Hydrocarbons (C6-C35)	**564**		97.5	41.1	mg/Kg			08/18/22 16:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*87*		*70 - 130*	*08/18/22 15:08*	*08/18/22 22:57*	*1*
o-Terphenyl (Surr)	*88*		*70 - 130*	*08/18/22 15:08*	*08/18/22 22:57*	*1*

Client Sample ID: 22F4225-95
Lab Sample ID: 860-30001-95
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<21.1	U H H3	50.0	21.1	mg/Kg		08/18/22 15:08	08/18/22 23:16	1
>C12-C28 Range Hydrocarbons	**56.3**	**H H3**	50.0	21.1	mg/Kg		08/18/22 15:08	08/18/22 23:16	1
>C28-C35 Range Hydrocarbons	<21.1	U H H3	50.0	21.1	mg/Kg		08/18/22 15:08	08/18/22 23:16	1
Total Petroleum Hydrocarbons (C6-C35)	**56.3**		50.0	21.1	mg/Kg			08/18/22 16:48	1

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-95
Lab Sample ID: 860-30001-95
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*86*		*70 - 130*	*08/18/22 15:08*	*08/18/22 23:16*	*1*
o-Terphenyl (Surr)	*91*		*70 - 130*	*08/18/22 15:08*	*08/18/22 23:16*	*1*

Client Sample ID: 22F4225-96
Lab Sample ID: 860-30001-96
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.9	U H H3	99.2	41.9	mg/Kg		08/18/22 15:08	08/18/22 23:35	1
>C12-C28 Range Hydrocarbons	**424**	**H H3**	99.2	41.9	mg/Kg		08/18/22 15:08	08/18/22 23:35	1
>C28-C35 Range Hydrocarbons	**42.6**	**J H H3**	99.2	41.9	mg/Kg		08/18/22 15:08	08/18/22 23:35	1
Total Petroleum Hydrocarbons (C6-C35)	**467**		99.2	41.9	mg/Kg			08/18/22 16:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*92*		*70 - 130*	*08/18/22 15:08*	*08/18/22 23:35*	*1*
o-Terphenyl (Surr)	*94*		*70 - 130*	*08/18/22 15:08*	*08/18/22 23:35*	*1*

Surrogate Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Matrix: Solid
Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)											
Lab Sample ID	Client Sample ID	1CO (70-130)	OTPH (70-130)										
860-30001-1	22F4225-01	100	97										
860-30001-2	22F4225-02	119	114										
860-30001-3	22F4225-03	102	99										
860-30001-4	22F4225-04	110	109										
860-30001-5	22F4225-05	116	113										
860-30001-6	22F4225-06	109	104										
860-30001-7	22F4225-07	108	105										
860-30001-8	22F4225-08	117	117										
860-30001-9	22F4225-09	105	107										
860-30001-9 MS	22F4225-09	111	114										
860-30001-9 MSD	22F4225-09	105	119										
860-30001-10	22F4225-10	100	96										
860-30001-11	22F4225-11	114	108										
860-30001-11 MS	22F4225-11	101	108										
860-30001-11 MSD	22F4225-11	113	110										
860-30001-12	22F4225-12	115	102										
860-30001-13	22F4225-13	100	97										
860-30001-14	22F4225-14	107	110										
860-30001-15	22F4225-15	109	99										
860-30001-16	22F4225-16	86	91										
860-30001-16 MS	22F4225-16	94	121										
860-30001-16 MSD	22F4225-16	93	116										
860-30001-17	22F4225-17	134 S1+	120										
860-30001-18	22F4225-18	81	83										
860-30001-19	22F4225-19	87	90										
860-30001-20	22F4225-20	118	117										
860-30001-21	22F4225-21	87	87										
860-30001-22	22F4225-22	93	95										
860-30001-23	22F4225-23	107	99										
860-30001-24	22F4225-24	113	104										
860-30001-25	22F4225-25	113	110										
860-30001-26	22F4225-26	115	110										
860-30001-26 MS	22F4225-26	93	117										
860-30001-26 MSD	22F4225-26	96	123										
860-30001-27	22F4225-27	116	113										
860-30001-28	22F4225-28	121	118										
860-30001-29	22F4225-29	118	112										
860-30001-30	22F4225-30	119	120										
860-30001-31	22F4225-31	115	107										
860-30001-32	22F4225-32	119	119										
860-30001-33	22F4225-33	118	115										
860-30001-33 MS	22F4225-33	96	120										
860-30001-33 MSD	22F4225-33	97	122										
860-30001-34	22F4225-34	117	110										
860-30001-35	22F4225-35	126	128										
860-30001-36	22F4225-36	120	116										
860-30001-37	22F4225-37	121	121										
860-30001-38	22F4225-38	122	122										
860-30001-39	22F4225-39	121	119										

Surrogate Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Matrix: Solid
Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)									
Lab Sample ID	Client Sample ID	1CO (70-130)	OTPH (70-130)								
860-30001-40	22F4225-40	113	104								
860-30001-41	22F4225-41	108	99								
860-30001-42	22F4225-42	85	105								
860-30001-43	22F4225-43	96	119								
860-30001-44	22F4225-44	96	116								
860-30001-45	22F4225-45	90	111								
860-30001-46	22F4225-46	97	118								
860-30001-47	22F4225-47	95	117								
860-30001-48	22F4225-48	97	118								
860-30001-49	22F4225-49	94	117								
860-30001-50	22F4225-50	90	115								
860-30001-51	22F4225-51	91	116								
860-30001-52	22F4225-52	96	121								
860-30001-53	22F4225-53	89	112								
860-30001-54	22F4225-54	96	121								
860-30001-55	22F4225-55	94	118								
860-30001-56	22F4225-56	87	110								
860-30001-57	22F4225-57	89	114								
860-30001-58	22F4225-58	95	115								
860-30001-59	22F4225-59	92	112								
860-30001-60	22F4225-60	87	108								
860-30001-61	22F4225-61	85	89								
860-30001-62	22F4225-62	82	84								
860-30001-63	22F4225-63	90	91								
860-30001-64	22F4225-64	83	89								
860-30001-65	22F4225-65	88	94								
860-30001-66	22F4225-66	88	89								
860-30001-67	22F4225-67	82	87								
860-30001-68	22F4225-68	89	93								
860-30001-69	22F4225-69	87	90								
860-30001-70	22F4225-70	82	85								
860-30001-71	22F4225-71	81	85								
860-30001-72	22F4225-72	88	89								
860-30001-73	22F4225-73	87	89								
860-30001-74	22F4225-74	78	79								
860-30001-75	22F4225-75	83	83								
860-30001-76	22F4225-76	90	95								
860-30001-77	22F4225-77	80	85								
860-30001-78	22F4225-78	89	83								
860-30001-79	22F4225-79	86	89								
860-30001-80	22F4225-80	80	83								
860-30001-81	22F4225-81	94	98								
860-30001-82	22F4225-82	84	89								
860-30001-83	22F4225-83	91	95								
860-30001-84	22F4225-84	87	76								
860-30001-85	22F4225-85	85	91								
860-30001-86	22F4225-86	86	91								
860-30001-87	22F4225-87	86	92								
860-30001-88	22F4225-88	88	92								
860-30001-89	22F4225-89	91	96								

Surrogate Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Matrix: Solid
Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
		1CO	OTPH
Lab Sample ID	Client Sample ID	(70-130)	(70-130)
860-30001-90	22F4225-90	86	74
860-30001-91	22F4225-91	80	74
860-30001-92	22F4225-92	88	72
860-30001-93	22F4225-93	87	74
860-30001-94	22F4225-94	87	88
860-30001-95	22F4225-95	86	91
860-30001-96	22F4225-96	92	94
LCS 860-63798/2-A - RA2	Lab Control Sample	91	69 S1-
LCS 860-64426/2-A	Lab Control Sample	102	108
LCS 860-64601/2-A	Lab Control Sample	99	81
LCS 860-65434/2-A	Lab Control Sample	103	84
LCS 860-65625/2-A	Lab Control Sample	104	87
LCSD 860-63798/3-A - RA2	Lab Control Sample Dup	94	68 S1-
LCSD 860-64426/3-A	Lab Control Sample Dup	109	115
LCSD 860-64601/3-A	Lab Control Sample Dup	99	81
LCSD 860-65434/3-A	Lab Control Sample Dup	99	80
LCSD 860-65625/3-A	Lab Control Sample Dup	107	87
MB 860-63798/1-A	Method Blank	103	99
MB 860-64426/1-A	Method Blank	102	96
MB 860-64426/26-A	Method Blank	113	104
MB 860-64601/1-A	Method Blank	90	112
MB 860-64601/26-A	Method Blank	88	112
MB 860-65434/1-A	Method Blank	91	95
MB 860-65434/24-A	Method Blank	98	101
MB 860-65625/1-A	Method Blank	91	96
MB 860-65625/20-A	Method Blank	88	94

Surrogate Legend

1CO = 1-Chlorooctane (Surr)
OTPH = o-Terphenyl (Surr)

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Lab Sample ID: MB 860-63798/1-A
Matrix: Solid
Analysis Batch: 63735

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 63798

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.8	U	101	42.8	mg/Kg		08/05/22 12:41	08/05/22 18:20	1
>C12-C28 Range Hydrocarbons	45.99	J	101	42.8	mg/Kg		08/05/22 12:41	08/05/22 18:20	1
>C28-C35 Range Hydrocarbons	<42.8	U	101	42.8	mg/Kg		08/05/22 12:41	08/05/22 18:20	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*103*		*70 - 130*	*08/05/22 12:41*	*08/05/22 18:20*	*1*
o-Terphenyl (Surr)	*99*		*70 - 130*	*08/05/22 12:41*	*08/05/22 18:20*	*1*

Lab Sample ID: 860-30001-9 MS
Matrix: Solid
Analysis Batch: 63735

Client Sample ID: 22F4225-09
Prep Type: Total/NA
Prep Batch: 63798

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
C6-C12 Range Hydrocarbons	<40.7	U H H3	1970	2328	H H3	mg/Kg		118	75 - 125
>C12-C28 Range Hydrocarbons	<40.7	U H F1 H3	1970	2632	H F1 H3	mg/Kg		134	75 - 125

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*111*		*70 - 130*
o-Terphenyl (Surr)	*114*		*70 - 130*

Lab Sample ID: 860-30001-9 MSD
Matrix: Solid
Analysis Batch: 63735

Client Sample ID: 22F4225-09
Prep Type: Total/NA
Prep Batch: 63798

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	<40.7	U H H3	1960	2308	H H3	mg/Kg		118	75 - 125	1	20
>C12-C28 Range Hydrocarbons	<40.7	U H F1 H3	1960	2772	H H3 F1	mg/Kg		141	75 - 125	5	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*105*		*70 - 130*
o-Terphenyl (Surr)	*119*		*70 - 130*

Lab Sample ID: MB 860-64426/1-A
Matrix: Solid
Analysis Batch: 64359

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 64426

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.8	U	99.0	41.8	mg/Kg		08/10/22 16:46	08/10/22 19:13	1
>C12-C28 Range Hydrocarbons	<41.8	U	99.0	41.8	mg/Kg		08/10/22 16:46	08/10/22 19:13	1
>C28-C35 Range Hydrocarbons	<41.8	U	99.0	41.8	mg/Kg		08/10/22 16:46	08/10/22 19:13	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*102*		*70 - 130*	*08/10/22 16:46*	*08/10/22 19:13*	*1*
o-Terphenyl (Surr)	*96*		*70 - 130*	*08/10/22 16:46*	*08/10/22 19:13*	*1*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: MB 860-64426/26-A
Matrix: Solid
Analysis Batch: 64359

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 64426

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	21.21	J	50.0	21.1	mg/Kg		08/10/22 16:47	08/11/22 04:05	1
>C12-C28 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/10/22 16:47	08/11/22 04:05	1
>C28-C35 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/10/22 16:47	08/11/22 04:05	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*113*		*70 - 130*	*08/10/22 16:47*	*08/11/22 04:05*	*1*
o-Terphenyl (Surr)	*104*		*70 - 130*	*08/10/22 16:47*	*08/11/22 04:05*	*1*

Lab Sample ID: LCS 860-64426/2-A
Matrix: Solid
Analysis Batch: 64359

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 64426

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons			1940	2057		mg/Kg		106	75 - 125		
>C12-C28 Range Hydrocarbons			1950	2278		mg/Kg		117	75 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*102*		*70 - 130*
o-Terphenyl (Surr)	*108*		*70 - 130*

Lab Sample ID: LCSD 860-64426/3-A
Matrix: Solid
Analysis Batch: 64359

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 64426

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons			1890	2145		mg/Kg		113	75 - 125	4	20
>C12-C28 Range Hydrocarbons			1890	2407	*+	mg/Kg		127	75 - 125	6	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*109*		*70 - 130*
o-Terphenyl (Surr)	*115*		*70 - 130*

Lab Sample ID: 860-30001-11 MS
Matrix: Solid
Analysis Batch: 64359

Client Sample ID: 22F4225-11
Prep Type: Total/NA
Prep Batch: 64426

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons	<40.3	U H H3	2010	2228	H H3	mg/Kg		111	75 - 125		
>C12-C28 Range Hydrocarbons	<40.3	U *+ H H3	2010	2365	H H3	mg/Kg		118	75 - 125		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*101*		*70 - 130*
o-Terphenyl (Surr)	*108*		*70 - 130*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: 860-30001-11 MSD
Matrix: Solid
Analysis Batch: 64359

Client Sample ID: 22F4225-11
Prep Type: Total/NA
Prep Batch: 64426

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	<40.3	U H H3	2000	2240	H H3	mg/Kg		112	75 - 125	1	20
>C12-C28 Range Hydrocarbons	<40.3	U *+ H H3	2000	2424	H H3	mg/Kg		121	75 - 125	2	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*113*		*70 - 130*
o-Terphenyl (Surr)	*110*		*70 - 130*

Lab Sample ID: 860-30001-26 MS
Matrix: Solid
Analysis Batch: 64509

Client Sample ID: 22F4225-26
Prep Type: Total/NA
Prep Batch: 64426

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
C6-C12 Range Hydrocarbons	<42.4	U H H3	1930	2016	H H3	mg/Kg		105	75 - 125
>C12-C28 Range Hydrocarbons	<42.4	U *+ H H3	1930	2516	H H3 F1	mg/Kg		130	75 - 125

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*93*		*70 - 130*
o-Terphenyl (Surr)	*117*		*70 - 130*

Lab Sample ID: 860-30001-26 MSD
Matrix: Solid
Analysis Batch: 64509

Client Sample ID: 22F4225-26
Prep Type: Total/NA
Prep Batch: 64426

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	<42.4	U H H3	1950	2072	H H3	mg/Kg		106	75 - 125	3	20
>C12-C28 Range Hydrocarbons	<42.4	U *+ H H3	1950	2519	H H3 F1	mg/Kg		129	75 - 125	0	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*96*		*70 - 130*
o-Terphenyl (Surr)	*123*		*70 - 130*

Lab Sample ID: 860-30001-33 MS
Matrix: Solid
Analysis Batch: 64509

Client Sample ID: 22F4225-33
Prep Type: Total/NA
Prep Batch: 64426

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
C6-C12 Range Hydrocarbons	<41.0	U H H3	1920	2032	H H3	mg/Kg		106	75 - 125
>C12-C28 Range Hydrocarbons	<41.0	U *+ H H3	1920	2529	H H3 F1	mg/Kg		132	75 - 125

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*96*		*70 - 130*
o-Terphenyl (Surr)	*120*		*70 - 130*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: 860-30001-33 MSD
Matrix: Solid
Analysis Batch: 64509

Client Sample ID: 22F4225-33
Prep Type: Total/NA
Prep Batch: 64426

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	<41.0	U H H3	2010	2096	H H3	mg/Kg		104	75 - 125	3	20
>C12-C28 Range Hydrocarbons	<41.0	U *+ H H3	2020	2594	H H3 F1	mg/Kg		129	75 - 125	3	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*97*		*70 - 130*
o-Terphenyl (Surr)	*122*		*70 - 130*

Lab Sample ID: MB 860-64601/1-A
Matrix: Solid
Analysis Batch: 64509

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 64601

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.8	U	99.0	41.8	mg/Kg		08/11/22 15:03	08/11/22 18:49	1
>C12-C28 Range Hydrocarbons	<41.8	U	99.0	41.8	mg/Kg		08/11/22 15:03	08/11/22 18:49	1
>C28-C35 Range Hydrocarbons	<41.8	U	99.0	41.8	mg/Kg		08/11/22 15:03	08/11/22 18:49	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*90*		*70 - 130*	*08/11/22 15:03*	*08/11/22 18:49*	*1*
o-Terphenyl (Surr)	*112*		*70 - 130*	*08/11/22 15:03*	*08/11/22 18:49*	*1*

Lab Sample ID: MB 860-64601/26-A
Matrix: Solid
Analysis Batch: 64509

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 64601

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/11/22 15:04	08/12/22 03:00	1
>C12-C28 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/11/22 15:04	08/12/22 03:00	1
>C28-C35 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/11/22 15:04	08/12/22 03:00	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*88*		*70 - 130*	*08/11/22 15:04*	*08/12/22 03:00*	*1*
o-Terphenyl (Surr)	*112*		*70 - 130*	*08/11/22 15:04*	*08/12/22 03:00*	*1*

Lab Sample ID: LCS 860-64601/2-A
Matrix: Solid
Analysis Batch: 64715

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 64601

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons			1910	2009		mg/Kg		105	75 - 125		
>C12-C28 Range Hydrocarbons			1910	1929		mg/Kg		101	75 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*99*		*70 - 130*
o-Terphenyl (Surr)	*81*		*70 - 130*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: LCSD 860-64601/3-A
Matrix: Solid
Analysis Batch: 64715

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 64601

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons			1900	2023		mg/Kg		107	75 - 125	1	20
>C12-C28 Range Hydrocarbons			1900	1947		mg/Kg		103	75 - 125	1	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*99*		*70 - 130*
o-Terphenyl (Surr)	*81*		*70 - 130*

Lab Sample ID: 860-30001-16 MS
Matrix: Solid
Analysis Batch: 64509

Client Sample ID: 22F4225-16
Prep Type: Total/NA
Prep Batch: 64601

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons	<42.6	U H H3	1910	1924	H H3	mg/Kg		101	75 - 125		
>C12-C28 Range Hydrocarbons	198	H H3	1920	2546	H H3	mg/Kg		123	75 - 125		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*94*		*70 - 130*
o-Terphenyl (Surr)	*121*		*70 - 130*

Lab Sample ID: 860-30001-16 MSD
Matrix: Solid
Analysis Batch: 64509

Client Sample ID: 22F4225-16
Prep Type: Total/NA
Prep Batch: 64601

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	<42.6	U H H3	1960	1990	H H3	mg/Kg		102	75 - 125	3	20
>C12-C28 Range Hydrocarbons	198	H H3	1960	2445	H H3	mg/Kg		115	75 - 125	4	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*93*		*70 - 130*
o-Terphenyl (Surr)	*116*		*70 - 130*

Lab Sample ID: MB 860-65434/1-A
Matrix: Solid
Analysis Batch: 65335

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 65434

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.1	U	92.8	39.1	mg/Kg		08/17/22 14:02	08/18/22 04:02	1
>C12-C28 Range Hydrocarbons	<39.1	U	92.8	39.1	mg/Kg		08/17/22 14:02	08/18/22 04:02	1
>C28-C35 Range Hydrocarbons	<39.1	U	92.8	39.1	mg/Kg		08/17/22 14:02	08/18/22 04:02	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*91*		*70 - 130*	*08/17/22 14:02*	*08/18/22 04:02*	*1*
o-Terphenyl (Surr)	*95*		*70 - 130*	*08/17/22 14:02*	*08/18/22 04:02*	*1*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: MB 860-65434/24-A
Matrix: Solid
Analysis Batch: 65515

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 65434

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/17/22 14:02	08/18/22 10:29	1
>C12-C28 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/17/22 14:02	08/18/22 10:29	1
>C28-C35 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		08/17/22 14:02	08/18/22 10:29	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*98*		*70 - 130*	*08/17/22 14:02*	*08/18/22 10:29*	*1*
o-Terphenyl (Surr)	*101*		*70 - 130*	*08/17/22 14:02*	*08/18/22 10:29*	*1*

Lab Sample ID: LCS 860-65434/2-A
Matrix: Solid
Analysis Batch: 65335

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 65434

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons			2030	2030		mg/Kg		100	75 - 125		
>C12-C28 Range Hydrocarbons			2030	2186		mg/Kg		108	75 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*103*		*70 - 130*
o-Terphenyl (Surr)	*84*		*70 - 130*

Lab Sample ID: LCSD 860-65434/3-A
Matrix: Solid
Analysis Batch: 65335

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 65434

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons			1930	1847		mg/Kg		96	75 - 125	9	20
>C12-C28 Range Hydrocarbons			1930	2013		mg/Kg		104	75 - 125	8	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*99*		*70 - 130*
o-Terphenyl (Surr)	*80*		*70 - 130*

Lab Sample ID: MB 860-65625/1-A
Matrix: Solid
Analysis Batch: 65523

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 65625

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.8	U	101	42.8	mg/Kg		08/18/22 15:08	08/18/22 18:05	1
>C12-C28 Range Hydrocarbons	<42.8	U	101	42.8	mg/Kg		08/18/22 15:08	08/18/22 18:05	1
>C28-C35 Range Hydrocarbons	<42.8	U	101	42.8	mg/Kg		08/18/22 15:08	08/18/22 18:05	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*91*		*70 - 130*	*08/18/22 15:08*	*08/18/22 18:05*	*1*
o-Terphenyl (Surr)	*96*		*70 - 130*	*08/18/22 15:08*	*08/18/22 18:05*	*1*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: MB 860-65625/20-A
Matrix: Solid
Analysis Batch: 65523

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 65625

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.2	U	100	42.2	mg/Kg		08/18/22 15:08	08/18/22 23:54	1
>C12-C28 Range Hydrocarbons	<42.2	U	100	42.2	mg/Kg		08/18/22 15:08	08/18/22 23:54	1
>C28-C35 Range Hydrocarbons	<42.2	U	100	42.2	mg/Kg		08/18/22 15:08	08/18/22 23:54	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*88*		*70 - 130*	*08/18/22 15:08*	*08/18/22 23:54*	*1*
o-Terphenyl (Surr)	*94*		*70 - 130*	*08/18/22 15:08*	*08/18/22 23:54*	*1*

Lab Sample ID: LCS 860-65625/2-A
Matrix: Solid
Analysis Batch: 65523

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 65625

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons			1890	1941		mg/Kg		102	75 - 125		
>C12-C28 Range Hydrocarbons			1900	2128		mg/Kg		112	75 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*104*		*70 - 130*
o-Terphenyl (Surr)	*87*		*70 - 130*

Lab Sample ID: LCSD 860-65625/3-A
Matrix: Solid
Analysis Batch: 65523

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 65625

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons			1940	2033		mg/Kg		105	75 - 125	5	20
>C12-C28 Range Hydrocarbons			1940	2148		mg/Kg		111	75 - 125	1	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*107*		*70 - 130*
o-Terphenyl (Surr)	*87*		*70 - 130*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) - RA2

Lab Sample ID: LCS 860-63798/2-A
Matrix: Solid
Analysis Batch: 63965

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 63798

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons - RA2			951	925.6		mg/Kg		97	75 - 125		
>C12-C28 Range Hydrocarbons - RA2			952	1012		mg/Kg		106	75 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr) - RA2	*91*		*70 - 130*
o-Terphenyl (Surr) - RA2	*69*	*S1-*	*70 - 130*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) - RA2 (Continued)

Lab Sample ID: LCSD 860-63798/3-A
Matrix: Solid
Analysis Batch: 63965

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 63798

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons - RA2			951	947.3		mg/Kg		100	75 - 125	2	20
>C12-C28 Range Hydrocarbons - RA2			952	1054		mg/Kg		111	75 - 125	4	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr) - RA2	*94*		*70 - 130*
o-Terphenyl (Surr) - RA2	*68*	*S1-*	*70 - 130*

QC Association Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

GC Semi VOA

Analysis Batch: 63735

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-1	22F4225-01	Total/NA	Solid	TX 1005	63798
860-30001-2	22F4225-02	Total/NA	Solid	TX 1005	63798
860-30001-3	22F4225-03	Total/NA	Solid	TX 1005	63798
860-30001-4	22F4225-04	Total/NA	Solid	TX 1005	63798
860-30001-5	22F4225-05	Total/NA	Solid	TX 1005	63798
860-30001-6	22F4225-06	Total/NA	Solid	TX 1005	63798
860-30001-7	22F4225-07	Total/NA	Solid	TX 1005	63798
860-30001-8	22F4225-08	Total/NA	Solid	TX 1005	63798
860-30001-9	22F4225-09	Total/NA	Solid	TX 1005	63798
860-30001-10	22F4225-10	Total/NA	Solid	TX 1005	63798
860-30001-12	22F4225-12	Total/NA	Solid	TX 1005	63798
860-30001-13	22F4225-13	Total/NA	Solid	TX 1005	63798
860-30001-14	22F4225-14	Total/NA	Solid	TX 1005	63798
860-30001-15	22F4225-15	Total/NA	Solid	TX 1005	63798
860-30001-17	22F4225-17	Total/NA	Solid	TX 1005	63798
MB 860-63798/1-A	Method Blank	Total/NA	Solid	TX 1005	63798
860-30001-9 MS	22F4225-09	Total/NA	Solid	TX 1005	63798
860-30001-9 MSD	22F4225-09	Total/NA	Solid	TX 1005	63798

Analysis Batch: 63737

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-18	22F4225-18	Total/NA	Solid	TX 1005	63798
860-30001-19	22F4225-19	Total/NA	Solid	TX 1005	63798
860-30001-20	22F4225-20	Total/NA	Solid	TX 1005	63798
860-30001-21	22F4225-21	Total/NA	Solid	TX 1005	63798
860-30001-22	22F4225-22	Total/NA	Solid	TX 1005	63798

Prep Batch: 63798

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-1	22F4225-01	Total/NA	Solid	TX_1005_S_Prep	
860-30001-2	22F4225-02	Total/NA	Solid	TX_1005_S_Prep	
860-30001-3	22F4225-03	Total/NA	Solid	TX_1005_S_Prep	
860-30001-4	22F4225-04	Total/NA	Solid	TX_1005_S_Prep	
860-30001-5	22F4225-05	Total/NA	Solid	TX_1005_S_Prep	
860-30001-6	22F4225-06	Total/NA	Solid	TX_1005_S_Prep	
860-30001-7	22F4225-07	Total/NA	Solid	TX_1005_S_Prep	
860-30001-8	22F4225-08	Total/NA	Solid	TX_1005_S_Prep	
860-30001-9	22F4225-09	Total/NA	Solid	TX_1005_S_Prep	
860-30001-10	22F4225-10	Total/NA	Solid	TX_1005_S_Prep	
860-30001-12	22F4225-12	Total/NA	Solid	TX_1005_S_Prep	
860-30001-13	22F4225-13	Total/NA	Solid	TX_1005_S_Prep	

GC Semi VOA (Continued)

Prep Batch: 63798 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-14	22F4225-14	Total/NA	Solid	TX_1005_S_Prep	
860-30001-15	22F4225-15	Total/NA	Solid	TX_1005_S_Prep	
860-30001-17	22F4225-17	Total/NA	Solid	TX_1005_S_Prep	
860-30001-18	22F4225-18	Total/NA	Solid	TX_1005_S_Prep	
860-30001-19	22F4225-19	Total/NA	Solid	TX_1005_S_Prep	
860-30001-20	22F4225-20	Total/NA	Solid	TX_1005_S_Prep	
860-30001-21	22F4225-21	Total/NA	Solid	TX_1005_S_Prep	
860-30001-22	22F4225-22	Total/NA	Solid	TX_1005_S_Prep	
MB 860-63798/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-63798/2-A - RA2	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	
LCSD 860-63798/3-A - RA2	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	
860-30001-9 MS	22F4225-09	Total/NA	Solid	TX_1005_S_Prep	
860-30001-9 MSD	22F4225-09	Total/NA	Solid	TX_1005_S_Prep	

Analysis Batch: 63965

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 860-63798/2-A - RA2	Lab Control Sample	Total/NA	Solid	TX 1005	63798
LCSD 860-63798/3-A - RA2	Lab Control Sample Dup	Total/NA	Solid	TX 1005	63798

Analysis Batch: 64359

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-11	22F4225-11	Total/NA	Solid	TX 1005	64426
860-30001-23	22F4225-23	Total/NA	Solid	TX 1005	64426
860-30001-24	22F4225-24	Total/NA	Solid	TX 1005	64426
860-30001-25	22F4225-25	Total/NA	Solid	TX 1005	64426
860-30001-26	22F4225-26	Total/NA	Solid	TX 1005	64426
860-30001-27	22F4225-27	Total/NA	Solid	TX 1005	64426
860-30001-28	22F4225-28	Total/NA	Solid	TX 1005	64426
860-30001-29	22F4225-29	Total/NA	Solid	TX 1005	64426
860-30001-30	22F4225-30	Total/NA	Solid	TX 1005	64426
860-30001-31	22F4225-31	Total/NA	Solid	TX 1005	64426
860-30001-32	22F4225-32	Total/NA	Solid	TX 1005	64426
860-30001-33	22F4225-33	Total/NA	Solid	TX 1005	64426
860-30001-34	22F4225-34	Total/NA	Solid	TX 1005	64426
860-30001-35	22F4225-35	Total/NA	Solid	TX 1005	64426
860-30001-36	22F4225-36	Total/NA	Solid	TX 1005	64426
860-30001-37	22F4225-37	Total/NA	Solid	TX 1005	64426
860-30001-38	22F4225-38	Total/NA	Solid	TX 1005	64426
860-30001-39	22F4225-39	Total/NA	Solid	TX 1005	64426
860-30001-40	22F4225-40	Total/NA	Solid	TX 1005	64426
860-30001-41	22F4225-41	Total/NA	Solid	TX 1005	64426

GC Semi VOA (Continued)

Analysis Batch: 64359 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 860-64426/1-A	Method Blank	Total/NA	Solid	TX 1005	64426
MB 860-64426/26-A	Method Blank	Total/NA	Solid	TX 1005	64426
LCS 860-64426/2-A	Lab Control Sample	Total/NA	Solid	TX 1005	64426
LCSD 860-64426/3-A	Lab Control Sample Dup	Total/NA	Solid	TX 1005	64426
860-30001-11 MS	22F4225-11	Total/NA	Solid	TX 1005	64426
860-30001-11 MSD	22F4225-11	Total/NA	Solid	TX 1005	64426

Prep Batch: 64426

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-11	22F4225-11	Total/NA	Solid	TX_1005_S_Prep	
860-30001-23	22F4225-23	Total/NA	Solid	TX_1005_S_Prep	
860-30001-24	22F4225-24	Total/NA	Solid	TX_1005_S_Prep	
860-30001-25	22F4225-25	Total/NA	Solid	TX_1005_S_Prep	
860-30001-26	22F4225-26	Total/NA	Solid	TX_1005_S_Prep	
860-30001-27	22F4225-27	Total/NA	Solid	TX_1005_S_Prep	
860-30001-28	22F4225-28	Total/NA	Solid	TX_1005_S_Prep	
860-30001-29	22F4225-29	Total/NA	Solid	TX_1005_S_Prep	
860-30001-30	22F4225-30	Total/NA	Solid	TX_1005_S_Prep	
860-30001-31	22F4225-31	Total/NA	Solid	TX_1005_S_Prep	
860-30001-32	22F4225-32	Total/NA	Solid	TX_1005_S_Prep	
860-30001-33	22F4225-33	Total/NA	Solid	TX_1005_S_Prep	
860-30001-34	22F4225-34	Total/NA	Solid	TX_1005_S_Prep	
860-30001-35	22F4225-35	Total/NA	Solid	TX_1005_S_Prep	
860-30001-36	22F4225-36	Total/NA	Solid	TX_1005_S_Prep	
860-30001-37	22F4225-37	Total/NA	Solid	TX_1005_S_Prep	
860-30001-38	22F4225-38	Total/NA	Solid	TX_1005_S_Prep	
860-30001-39	22F4225-39	Total/NA	Solid	TX_1005_S_Prep	
860-30001-40	22F4225-40	Total/NA	Solid	TX_1005_S_Prep	
860-30001-41	22F4225-41	Total/NA	Solid	TX_1005_S_Prep	
MB 860-64426/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
MB 860-64426/26-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-64426/2-A	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	
LCSD 860-64426/3-A	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	

GC Semi VOA (Continued)

Prep Batch: 64426 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-11 MS	22F4225-11	Total/NA	Solid	TX_1005_S_Prep	
860-30001-11 MSD	22F4225-11	Total/NA	Solid	TX_1005_S_Prep	
860-30001-26 MS	22F4225-26	Total/NA	Solid	TX_1005_S_Prep	
860-30001-26 MSD	22F4225-26	Total/NA	Solid	TX_1005_S_Prep	
860-30001-33 MS	22F4225-33	Total/NA	Solid	TX_1005_S_Prep	
860-30001-33 MSD	22F4225-33	Total/NA	Solid	TX_1005_S_Prep	

Analysis Batch: 64509

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-16	22F4225-16	Total/NA	Solid	TX 1005	64601
860-30001-42	22F4225-42	Total/NA	Solid	TX 1005	64601
860-30001-43	22F4225-43	Total/NA	Solid	TX 1005	64601
860-30001-44	22F4225-44	Total/NA	Solid	TX 1005	64601
860-30001-45	22F4225-45	Total/NA	Solid	TX 1005	64601
860-30001-46	22F4225-46	Total/NA	Solid	TX 1005	64601
860-30001-47	22F4225-47	Total/NA	Solid	TX 1005	64601
860-30001-48	22F4225-48	Total/NA	Solid	TX 1005	64601
860-30001-49	22F4225-49	Total/NA	Solid	TX 1005	64601
860-30001-50	22F4225-50	Total/NA	Solid	TX 1005	64601
860-30001-51	22F4225-51	Total/NA	Solid	TX 1005	64601
860-30001-52	22F4225-52	Total/NA	Solid	TX 1005	64601
860-30001-53	22F4225-53	Total/NA	Solid	TX 1005	64601
860-30001-54	22F4225-54	Total/NA	Solid	TX 1005	64601
860-30001-55	22F4225-55	Total/NA	Solid	TX 1005	64601
860-30001-56	22F4225-56	Total/NA	Solid	TX 1005	64601
860-30001-57	22F4225-57	Total/NA	Solid	TX 1005	64601
860-30001-58	22F4225-58	Total/NA	Solid	TX 1005	64601
860-30001-59	22F4225-59	Total/NA	Solid	TX 1005	64601
860-30001-60	22F4225-60	Total/NA	Solid	TX 1005	64601
MB 860-64601/1-A	Method Blank	Total/NA	Solid	TX 1005	64601
MB 860-64601/26-A	Method Blank	Total/NA	Solid	TX 1005	64601
860-30001-16 MS	22F4225-16	Total/NA	Solid	TX 1005	64601
860-30001-16 MSD	22F4225-16	Total/NA	Solid	TX 1005	64601
860-30001-26 MS	22F4225-26	Total/NA	Solid	TX 1005	64426
860-30001-26 MSD	22F4225-26	Total/NA	Solid	TX 1005	64426
860-30001-33 MS	22F4225-33	Total/NA	Solid	TX 1005	64426
860-30001-33 MSD	22F4225-33	Total/NA	Solid	TX 1005	64426

Prep Batch: 64601

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-16	22F4225-16	Total/NA	Solid	TX_1005_S_Prep	
860-30001-42	22F4225-42	Total/NA	Solid	TX_1005_S_Prep	
860-30001-43	22F4225-43	Total/NA	Solid	TX_1005_S_Prep	
860-30001-44	22F4225-44	Total/NA	Solid	TX_1005_S_Prep	

GC Semi VOA (Continued)

Prep Batch: 64601 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-45	22F4225-45	Total/NA	Solid	TX_1005_S_Prep	
860-30001-46	22F4225-46	Total/NA	Solid	TX_1005_S_Prep	
860-30001-47	22F4225-47	Total/NA	Solid	TX_1005_S_Prep	
860-30001-48	22F4225-48	Total/NA	Solid	TX_1005_S_Prep	
860-30001-49	22F4225-49	Total/NA	Solid	TX_1005_S_Prep	
860-30001-50	22F4225-50	Total/NA	Solid	TX_1005_S_Prep	
860-30001-51	22F4225-51	Total/NA	Solid	TX_1005_S_Prep	
860-30001-52	22F4225-52	Total/NA	Solid	TX_1005_S_Prep	
860-30001-53	22F4225-53	Total/NA	Solid	TX_1005_S_Prep	
860-30001-54	22F4225-54	Total/NA	Solid	TX_1005_S_Prep	
860-30001-55	22F4225-55	Total/NA	Solid	TX_1005_S_Prep	
860-30001-56	22F4225-56	Total/NA	Solid	TX_1005_S_Prep	
860-30001-57	22F4225-57	Total/NA	Solid	TX_1005_S_Prep	
860-30001-58	22F4225-58	Total/NA	Solid	TX_1005_S_Prep	
860-30001-59	22F4225-59	Total/NA	Solid	TX_1005_S_Prep	
860-30001-60	22F4225-60	Total/NA	Solid	TX_1005_S_Prep	
MB 860-64601/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
MB 860-64601/26-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-64601/2-A	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	
LCSD 860-64601/3-A	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	
860-30001-16 MS	22F4225-16	Total/NA	Solid	TX_1005_S_Prep	
860-30001-16 MSD	22F4225-16	Total/NA	Solid	TX_1005_S_Prep	

Analysis Batch: 64715

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 860-64601/2-A	Lab Control Sample	Total/NA	Solid	TX 1005	64601
LCSD 860-64601/3-A	Lab Control Sample Dup	Total/NA	Solid	TX 1005	64601

Analysis Batch: 65335

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-61	22F4225-61	Total/NA	Solid	TX 1005	65434
860-30001-62	22F4225-62	Total/NA	Solid	TX 1005	65434
860-30001-63	22F4225-63	Total/NA	Solid	TX 1005	65434
860-30001-64	22F4225-64	Total/NA	Solid	TX 1005	65434
860-30001-65	22F4225-65	Total/NA	Solid	TX 1005	65434

GC Semi VOA (Continued)

Analysis Batch: 65335 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-66	22F4225-66	Total/NA	Solid	TX 1005	65434
860-30001-67	22F4225-67	Total/NA	Solid	TX 1005	65434
860-30001-68	22F4225-68	Total/NA	Solid	TX 1005	65434
860-30001-69	22F4225-69	Total/NA	Solid	TX 1005	65434
860-30001-70	22F4225-70	Total/NA	Solid	TX 1005	65434
860-30001-71	22F4225-71	Total/NA	Solid	TX 1005	65434
860-30001-72	22F4225-72	Total/NA	Solid	TX 1005	65434
860-30001-73	22F4225-73	Total/NA	Solid	TX 1005	65434
MB 860-65434/1-A	Method Blank	Total/NA	Solid	TX 1005	65434
LCS 860-65434/2-A	Lab Control Sample	Total/NA	Solid	TX 1005	65434
LCSD 860-65434/3-A	Lab Control Sample Dup	Total/NA	Solid	TX 1005	65434

Prep Batch: 65434

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-61	22F4225-61	Total/NA	Solid	TX_1005_S_Prep	
860-30001-62	22F4225-62	Total/NA	Solid	TX_1005_S_Prep	
860-30001-63	22F4225-63	Total/NA	Solid	TX_1005_S_Prep	
860-30001-64	22F4225-64	Total/NA	Solid	TX_1005_S_Prep	
860-30001-65	22F4225-65	Total/NA	Solid	TX_1005_S_Prep	
860-30001-66	22F4225-66	Total/NA	Solid	TX_1005_S_Prep	
860-30001-67	22F4225-67	Total/NA	Solid	TX_1005_S_Prep	
860-30001-68	22F4225-68	Total/NA	Solid	TX_1005_S_Prep	
860-30001-69	22F4225-69	Total/NA	Solid	TX_1005_S_Prep	
860-30001-70	22F4225-70	Total/NA	Solid	TX_1005_S_Prep	
860-30001-71	22F4225-71	Total/NA	Solid	TX_1005_S_Prep	
860-30001-72	22F4225-72	Total/NA	Solid	TX_1005_S_Prep	
860-30001-73	22F4225-73	Total/NA	Solid	TX_1005_S_Prep	
860-30001-74	22F4225-74	Total/NA	Solid	TX_1005_S_Prep	
860-30001-75	22F4225-75	Total/NA	Solid	TX_1005_S_Prep	
860-30001-76	22F4225-76	Total/NA	Solid	TX_1005_S_Prep	
860-30001-77	22F4225-77	Total/NA	Solid	TX_1005_S_Prep	
860-30001-78	22F4225-78	Total/NA	Solid	TX_1005_S_Prep	
860-30001-79	22F4225-79	Total/NA	Solid	TX_1005_S_Prep	
860-30001-80	22F4225-80	Total/NA	Solid	TX_1005_S_Prep	
MB 860-65434/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	

GC Semi VOA (Continued)

Prep Batch: 65434 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 860-65434/24-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-65434/2-A	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	
LCSD 860-65434/3-A	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	

Analysis Batch: 65515

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-78	22F4225-78	Total/NA	Solid	TX 1005	65434
MB 860-65434/24-A	Method Blank	Total/NA	Solid	TX 1005	65434

Analysis Batch: 65523

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-76	22F4225-76	Total/NA	Solid	TX 1005	65434
860-30001-77	22F4225-77	Total/NA	Solid	TX 1005	65434
860-30001-81	22F4225-81	Total/NA	Solid	TX 1005	65625
860-30001-82	22F4225-82	Total/NA	Solid	TX 1005	65625
860-30001-83	22F4225-83	Total/NA	Solid	TX 1005	65625
860-30001-84	22F4225-84	Total/NA	Solid	TX 1005	65625
860-30001-85	22F4225-85	Total/NA	Solid	TX 1005	65625
860-30001-86	22F4225-86	Total/NA	Solid	TX 1005	65625
860-30001-87	22F4225-87	Total/NA	Solid	TX 1005	65625
860-30001-88	22F4225-88	Total/NA	Solid	TX 1005	65625
860-30001-89	22F4225-89	Total/NA	Solid	TX 1005	65625
860-30001-90	22F4225-90	Total/NA	Solid	TX 1005	65625
860-30001-91	22F4225-91	Total/NA	Solid	TX 1005	65625
860-30001-92	22F4225-92	Total/NA	Solid	TX 1005	65625
860-30001-93	22F4225-93	Total/NA	Solid	TX 1005	65625
860-30001-94	22F4225-94	Total/NA	Solid	TX 1005	65625
860-30001-95	22F4225-95	Total/NA	Solid	TX 1005	65625
860-30001-96	22F4225-96	Total/NA	Solid	TX 1005	65625
MB 860-65625/1-A	Method Blank	Total/NA	Solid	TX 1005	65625
MB 860-65625/20-A	Method Blank	Total/NA	Solid	TX 1005	65625
LCS 860-65625/2-A	Lab Control Sample	Total/NA	Solid	TX 1005	65625
LCSD 860-65625/3-A	Lab Control Sample Dup	Total/NA	Solid	TX 1005	65625

Analysis Batch: 65525

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-74	22F4225-74	Total/NA	Solid	TX 1005	65434
860-30001-75	22F4225-75	Total/NA	Solid	TX 1005	65434
860-30001-79	22F4225-79	Total/NA	Solid	TX 1005	65434
860-30001-80	22F4225-80	Total/NA	Solid	TX 1005	65434

Prep Batch: 65625

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-81	22F4225-81	Total/NA	Solid	TX_1005_S_Prep	
860-30001-82	22F4225-82	Total/NA	Solid	TX_1005_S_Prep	
860-30001-83	22F4225-83	Total/NA	Solid	TX_1005_S_Prep	

GC Semi VOA (Continued)

Prep Batch: 65625 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-84	22F4225-84	Total/NA	Solid	TX_1005_S_Prep	
860-30001-85	22F4225-85	Total/NA	Solid	TX_1005_S_Prep	
860-30001-86	22F4225-86	Total/NA	Solid	TX_1005_S_Prep	
860-30001-87	22F4225-87	Total/NA	Solid	TX_1005_S_Prep	
860-30001-88	22F4225-88	Total/NA	Solid	TX_1005_S_Prep	
860-30001-89	22F4225-89	Total/NA	Solid	TX_1005_S_Prep	
860-30001-90	22F4225-90	Total/NA	Solid	TX_1005_S_Prep	
860-30001-91	22F4225-91	Total/NA	Solid	TX_1005_S_Prep	
860-30001-92	22F4225-92	Total/NA	Solid	TX_1005_S_Prep	
860-30001-93	22F4225-93	Total/NA	Solid	TX_1005_S_Prep	
860-30001-94	22F4225-94	Total/NA	Solid	TX_1005_S_Prep	
860-30001-95	22F4225-95	Total/NA	Solid	TX_1005_S_Prep	
860-30001-96	22F4225-96	Total/NA	Solid	TX_1005_S_Prep	
MB 860-65625/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
MB 860-65625/20-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-65625/2-A	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	
LCSD 860-65625/3-A	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	

Analysis Batch: 65668

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-1	22F4225-01	Total/NA	Solid	TX 1005	
860-30001-2	22F4225-02	Total/NA	Solid	TX 1005	
860-30001-3	22F4225-03	Total/NA	Solid	TX 1005	
860-30001-4	22F4225-04	Total/NA	Solid	TX 1005	
860-30001-5	22F4225-05	Total/NA	Solid	TX 1005	
860-30001-6	22F4225-06	Total/NA	Solid	TX 1005	
860-30001-7	22F4225-07	Total/NA	Solid	TX 1005	
860-30001-8	22F4225-08	Total/NA	Solid	TX 1005	
860-30001-9	22F4225-09	Total/NA	Solid	TX 1005	
860-30001-10	22F4225-10	Total/NA	Solid	TX 1005	
860-30001-11	22F4225-11	Total/NA	Solid	TX 1005	
860-30001-12	22F4225-12	Total/NA	Solid	TX 1005	
860-30001-13	22F4225-13	Total/NA	Solid	TX 1005	
860-30001-14	22F4225-14	Total/NA	Solid	TX 1005	
860-30001-15	22F4225-15	Total/NA	Solid	TX 1005	
860-30001-16	22F4225-16	Total/NA	Solid	TX 1005	
860-30001-17	22F4225-17	Total/NA	Solid	TX 1005	
860-30001-18	22F4225-18	Total/NA	Solid	TX 1005	

GC Semi VOA (Continued)

Analysis Batch: 65668 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-19	22F4225-19	Total/NA	Solid	TX 1005	
860-30001-20	22F4225-20	Total/NA	Solid	TX 1005	
860-30001-21	22F4225-21	Total/NA	Solid	TX 1005	
860-30001-22	22F4225-22	Total/NA	Solid	TX 1005	
860-30001-23	22F4225-23	Total/NA	Solid	TX 1005	
860-30001-24	22F4225-24	Total/NA	Solid	TX 1005	
860-30001-25	22F4225-25	Total/NA	Solid	TX 1005	
860-30001-26	22F4225-26	Total/NA	Solid	TX 1005	
860-30001-27	22F4225-27	Total/NA	Solid	TX 1005	
860-30001-28	22F4225-28	Total/NA	Solid	TX 1005	
860-30001-29	22F4225-29	Total/NA	Solid	TX 1005	
860-30001-30	22F4225-30	Total/NA	Solid	TX 1005	
860-30001-31	22F4225-31	Total/NA	Solid	TX 1005	
860-30001-32	22F4225-32	Total/NA	Solid	TX 1005	
860-30001-33	22F4225-33	Total/NA	Solid	TX 1005	
860-30001-34	22F4225-34	Total/NA	Solid	TX 1005	
860-30001-35	22F4225-35	Total/NA	Solid	TX 1005	
860-30001-36	22F4225-36	Total/NA	Solid	TX 1005	
860-30001-37	22F4225-37	Total/NA	Solid	TX 1005	
860-30001-38	22F4225-38	Total/NA	Solid	TX 1005	
860-30001-39	22F4225-39	Total/NA	Solid	TX 1005	
860-30001-40	22F4225-40	Total/NA	Solid	TX 1005	
860-30001-41	22F4225-41	Total/NA	Solid	TX 1005	
860-30001-42	22F4225-42	Total/NA	Solid	TX 1005	
860-30001-43	22F4225-43	Total/NA	Solid	TX 1005	
860-30001-44	22F4225-44	Total/NA	Solid	TX 1005	
860-30001-45	22F4225-45	Total/NA	Solid	TX 1005	
860-30001-46	22F4225-46	Total/NA	Solid	TX 1005	
860-30001-47	22F4225-47	Total/NA	Solid	TX 1005	
860-30001-48	22F4225-48	Total/NA	Solid	TX 1005	
860-30001-49	22F4225-49	Total/NA	Solid	TX 1005	
860-30001-50	22F4225-50	Total/NA	Solid	TX 1005	
860-30001-51	22F4225-51	Total/NA	Solid	TX 1005	
860-30001-52	22F4225-52	Total/NA	Solid	TX 1005	
860-30001-53	22F4225-53	Total/NA	Solid	TX 1005	
860-30001-54	22F4225-54	Total/NA	Solid	TX 1005	
860-30001-55	22F4225-55	Total/NA	Solid	TX 1005	
860-30001-56	22F4225-56	Total/NA	Solid	TX 1005	
860-30001-57	22F4225-57	Total/NA	Solid	TX 1005	
860-30001-58	22F4225-58	Total/NA	Solid	TX 1005	
860-30001-59	22F4225-59	Total/NA	Solid	TX 1005	
860-30001-60	22F4225-60	Total/NA	Solid	TX 1005	
860-30001-61	22F4225-61	Total/NA	Solid	TX 1005	
860-30001-62	22F4225-62	Total/NA	Solid	TX 1005	
860-30001-63	22F4225-63	Total/NA	Solid	TX 1005	
860-30001-64	22F4225-64	Total/NA	Solid	TX 1005	
860-30001-65	22F4225-65	Total/NA	Solid	TX 1005	
860-30001-66	22F4225-66	Total/NA	Solid	TX 1005	
860-30001-67	22F4225-67	Total/NA	Solid	TX 1005	
860-30001-68	22F4225-68	Total/NA	Solid	TX 1005	
860-30001-69	22F4225-69	Total/NA	Solid	TX 1005	

GC Semi VOA (Continued)

Analysis Batch: 65668 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-30001-70	22F4225-70	Total/NA	Solid	TX 1005	
860-30001-71	22F4225-71	Total/NA	Solid	TX 1005	
860-30001-72	22F4225-72	Total/NA	Solid	TX 1005	
860-30001-73	22F4225-73	Total/NA	Solid	TX 1005	
860-30001-74	22F4225-74	Total/NA	Solid	TX 1005	
860-30001-75	22F4225-75	Total/NA	Solid	TX 1005	
860-30001-76	22F4225-76	Total/NA	Solid	TX 1005	
860-30001-77	22F4225-77	Total/NA	Solid	TX 1005	
860-30001-78	22F4225-78	Total/NA	Solid	TX 1005	
860-30001-79	22F4225-79	Total/NA	Solid	TX 1005	
860-30001-80	22F4225-80	Total/NA	Solid	TX 1005	
860-30001-81	22F4225-81	Total/NA	Solid	TX 1005	
860-30001-82	22F4225-82	Total/NA	Solid	TX 1005	
860-30001-83	22F4225-83	Total/NA	Solid	TX 1005	
860-30001-84	22F4225-84	Total/NA	Solid	TX 1005	
860-30001-85	22F4225-85	Total/NA	Solid	TX 1005	
860-30001-86	22F4225-86	Total/NA	Solid	TX 1005	
860-30001-87	22F4225-87	Total/NA	Solid	TX 1005	
860-30001-88	22F4225-88	Total/NA	Solid	TX 1005	
860-30001-89	22F4225-89	Total/NA	Solid	TX 1005	
860-30001-90	22F4225-90	Total/NA	Solid	TX 1005	
860-30001-91	22F4225-91	Total/NA	Solid	TX 1005	
860-30001-92	22F4225-92	Total/NA	Solid	TX 1005	
860-30001-93	22F4225-93	Total/NA	Solid	TX 1005	
860-30001-94	22F4225-94	Total/NA	Solid	TX 1005	
860-30001-95	22F4225-95	Total/NA	Solid	TX 1005	
860-30001-96	22F4225-96	Total/NA	Solid	TX 1005	

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-01
Lab Sample ID: 860-30001-1
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.10 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 20:19	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-02
Lab Sample ID: 860-30001-2
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.07 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 20:39	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-03
Lab Sample ID: 860-30001-3
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.01 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 20:59	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-04
Lab Sample ID: 860-30001-4
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.03 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 21:19	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-05
Lab Sample ID: 860-30001-5
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.98 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 21:58	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-06
Lab Sample ID: 860-30001-6
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.18 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 22:18	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-07
Lab Sample ID: 860-30001-7
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.18 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 22:38	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-08
Lab Sample ID: 860-30001-8
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.99 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 22:57	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-09
Lab Sample ID: 860-30001-9
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.18 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 19:20	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-10
Lab Sample ID: 860-30001-10
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.08 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 23:17	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-11
Lab Sample ID: 860-30001-11
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.23 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/10/22 20:13	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-12
Lab Sample ID: 860-30001-12
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.95 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 23:36	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-13
Lab Sample ID: 860-30001-13
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.97 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/05/22 23:56	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-14
Lab Sample ID: 860-30001-14
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.08 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/06/22 00:16	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-15
Lab Sample ID: 860-30001-15
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.12 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/06/22 00:36	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-16
Lab Sample ID: 860-30001-16
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.95 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 19:09	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-17
Lab Sample ID: 860-30001-17
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.10 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63735	08/06/22 00:55	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-18
Lab Sample ID: 860-30001-18
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.98 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63737	08/05/22 22:38	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-19
Lab Sample ID: 860-30001-19
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.20 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63737	08/05/22 22:58	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-20
Lab Sample ID: 860-30001-20
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.12 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63737	08/05/22 23:17	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-21
Lab Sample ID: 860-30001-21
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.26 g	10 mL	63798	08/05/22 12:41	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63737	08/05/22 23:36	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-22
Lab Sample ID: 860-30001-22
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.96 g	10 mL	63798	08/05/22 12:48	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			63737	08/05/22 23:55	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-23
Lab Sample ID: 860-30001-23
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.38 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/10/22 21:13	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-24
Lab Sample ID: 860-30001-24
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.46 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/10/22 21:33	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-25
Lab Sample ID: 860-30001-25
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.24 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/10/22 21:53	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-26
Lab Sample ID: 860-30001-26
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.98 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/10/22 22:13	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-27
Lab Sample ID: 860-30001-27
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.98 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/10/22 22:52	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-28
Lab Sample ID: 860-30001-28
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.08 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/10/22 23:12	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-29
Lab Sample ID: 860-30001-29
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.15 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/10/22 23:32	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-30
Lab Sample ID: 860-30001-30
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.10 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/10/22 23:51	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-31
Lab Sample ID: 860-30001-31
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 00:11	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-32
Lab Sample ID: 860-30001-32
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 00:30	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-33
Lab Sample ID: 860-30001-33
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.15 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 00:50	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-34
Lab Sample ID: 860-30001-34
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.95 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 01:09	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-35
Lab Sample ID: 860-30001-35
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.04 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 01:29	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-36
Lab Sample ID: 860-30001-36
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.96 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 01:48	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-37
Lab Sample ID: 860-30001-37
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.32 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 02:27	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-38
Lab Sample ID: 860-30001-38
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.19 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 02:47	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-39
Lab Sample ID: 860-30001-39
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.11 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 03:06	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-40
Lab Sample ID: 860-30001-40
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.03 g	10 mL	64426	08/10/22 16:46	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 03:26	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-41
Lab Sample ID: 860-30001-41
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.06 g	10 mL	64426	08/10/22 16:47	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64359	08/11/22 03:45	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-42
Lab Sample ID: 860-30001-42
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.01 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 20:09	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-43
Lab Sample ID: 860-30001-43
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.34 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 20:28	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-44
Lab Sample ID: 860-30001-44
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.19 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 20:48	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-45
Lab Sample ID: 860-30001-45
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.93 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 21:08	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-46
Lab Sample ID: 860-30001-46
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.09 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 21:47	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-47
Lab Sample ID: 860-30001-47
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.13 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 22:07	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-48
Lab Sample ID: 860-30001-48
Date Collected: 04/14/22 10:30
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.12 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 22:27	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-49
Lab Sample ID: 860-30001-49
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.12 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 22:46	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-50
Lab Sample ID: 860-30001-50
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.05 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 23:06	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-51
Lab Sample ID: 860-30001-51
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 23:26	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-52
Lab Sample ID: 860-30001-52
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.20 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/11/22 23:45	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-53
Lab Sample ID: 860-30001-53
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.06 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/12/22 00:05	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-54
Lab Sample ID: 860-30001-54
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.37 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/12/22 00:24	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-55
Lab Sample ID: 860-30001-55
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.29 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/12/22 00:44	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-56
Lab Sample ID: 860-30001-56
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.22 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/12/22 01:23	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-57
Lab Sample ID: 860-30001-57
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.46 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/12/22 01:42	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-58
Lab Sample ID: 860-30001-58
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.70 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/12/22 02:01	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-59
Lab Sample ID: 860-30001-59
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.16 g	10 mL	64601	08/11/22 15:03	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/12/22 02:21	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-60
Lab Sample ID: 860-30001-60
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.05 g	10 mL	64601	08/11/22 15:04	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			64509	08/12/22 02:40	T1S	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-61
Lab Sample ID: 860-30001-61
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.10 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 04:21	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-62
Lab Sample ID: 860-30001-62
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.06 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 04:40	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-63
Lab Sample ID: 860-30001-63
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.24 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 04:59	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-64
Lab Sample ID: 860-30001-64
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.16 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 05:18	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-65
Lab Sample ID: 860-30001-65
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.37 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 05:57	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-66
Lab Sample ID: 860-30001-66
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.95 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 06:16	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-67
Lab Sample ID: 860-30001-67
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.67 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 06:35	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-68
Lab Sample ID: 860-30001-68
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.97 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 06:54	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-69
Lab Sample ID: 860-30001-69
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.19 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 07:13	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-70
Lab Sample ID: 860-30001-70
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.98 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 07:32	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-71
Lab Sample ID: 860-30001-71
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.45 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 07:51	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-72
Lab Sample ID: 860-30001-72
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.26 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 08:10	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-73
Lab Sample ID: 860-30001-73
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.44 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65335	08/18/22 08:29	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-74
Lab Sample ID: 860-30001-74
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.03 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65525	08/18/22 11:24	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-75
Lab Sample ID: 860-30001-75
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.97 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65525	08/18/22 11:43	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-76
Lab Sample ID: 860-30001-76
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.29 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 11:24	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-77
Lab Sample ID: 860-30001-77
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.20 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 11:43	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-78
Lab Sample ID: 860-30001-78
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.40 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65515	08/18/22 12:09	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-79
Lab Sample ID: 860-30001-79
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.31 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65525	08/18/22 10:45	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-80
Lab Sample ID: 860-30001-80
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.91 g	10 mL	65434	08/17/22 14:02	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65525	08/18/22 11:04	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-81
Lab Sample ID: 860-30001-81
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.98 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 18:24	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-82
Lab Sample ID: 860-30001-82
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.20 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 18:44	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-83
Lab Sample ID: 860-30001-83
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.35 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 19:03	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-84
Lab Sample ID: 860-30001-84
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.23 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 19:23	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-85
Lab Sample ID: 860-30001-85
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.85 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 19:43	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-86
Lab Sample ID: 860-30001-86
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.50 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 20:02	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-87
Lab Sample ID: 860-30001-87
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			4.90 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 20:21	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-88
Lab Sample ID: 860-30001-88
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.27 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 21:00	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-89
Lab Sample ID: 860-30001-89
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.24 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 21:20	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-90
Lab Sample ID: 860-30001-90
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.12 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 21:39	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-91
Lab Sample ID: 860-30001-91
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.29 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 21:59	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-92
Lab Sample ID: 860-30001-92
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.33 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 22:18	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-93
Lab Sample ID: 860-30001-93
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.43 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 22:37	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-94
Lab Sample ID: 860-30001-94
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.13 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 22:57	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Client Sample ID: 22F4225-95
Lab Sample ID: 860-30001-95
Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			10 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 23:16	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Client Sample ID: 22F4225-96
Lab Sample ID: 860-30001-96

Date Collected: 04/15/22 13:00
Matrix: Solid
Date Received: 07/19/22 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.04 g	10 mL	65625	08/18/22 15:08	SYH	EET HOU
Total/NA	Analysis	TX 1005		1			65523	08/18/22 23:35	SAR	EET HOU
Total/NA	Analysis	TX 1005		1			65668	08/18/22 16:48	DD	EET HOU

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Laboratory: Eurofins Houston

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704215-22-47	06-30-23

Method Summary

Client: North Water District Laboratory Services
Job ID: 860-30001-1
Project/Site: Fish Tissue 22F4225

Method	Method Description	Protocol	Laboratory
TX 1005	Texas - Total Petroleum Hydrocarbon (GC)	TCEQ	EET HOU
TX_1005_S_Prep	Extraction - Texas Total petroleum Hyrdocarbons	TCEQ	EET HOU

Protocol References:

TCEQ = Texas Commission of Environmental Quality

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary

Client: North Water District Laboratory Services
Project/Site: Fish Tissue 22F4225

Job ID: 860-30001-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
860-30001-1	22F4225-01	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-2	22F4225-02	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-3	22F4225-03	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-4	22F4225-04	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-5	22F4225-05	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-6	22F4225-06	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-7	22F4225-07	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-8	22F4225-08	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-9	22F4225-09	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-10	22F4225-10	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-11	22F4225-11	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-12	22F4225-12	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-13	22F4225-13	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-14	22F4225-14	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-15	22F4225-15	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-16	22F4225-16	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-17	22F4225-17	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-18	22F4225-18	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-19	22F4225-19	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-20	22F4225-20	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-21	22F4225-21	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-22	22F4225-22	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-23	22F4225-23	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-24	22F4225-24	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-25	22F4225-25	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-26	22F4225-26	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-27	22F4225-27	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-28	22F4225-28	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-29	22F4225-29	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-30	22F4225-30	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-31	22F4225-31	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-32	22F4225-32	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-33	22F4225-33	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-34	22F4225-34	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-35	22F4225-35	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-36	22F4225-36	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-37	22F4225-37	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-38	22F4225-38	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-39	22F4225-39	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-40	22F4225-40	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-41	22F4225-41	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-42	22F4225-42	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-43	22F4225-43	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-44	22F4225-44	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-45	22F4225-45	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-46	22F4225-46	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-47	22F4225-47	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-48	22F4225-48	Solid	04/14/22 10:30	07/19/22 15:54
860-30001-49	22F4225-49	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-50	22F4225-50	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-51	22F4225-51	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-52	22F4225-52	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-53	22F4225-53	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-54	22F4225-54	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-55	22F4225-55	Solid	04/15/22 13:00	07/19/22 15:54

Sample Summary

Client: North Water District Laboratory Services
Project/Site: Fish Tissue 22F4225

Job ID: 860-30001-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
860-30001-56	22F4225-56	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-57	22F4225-57	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-58	22F4225-58	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-59	22F4225-59	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-60	22F4225-60	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-61	22F4225-61	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-62	22F4225-62	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-63	22F4225-63	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-64	22F4225-64	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-65	22F4225-65	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-66	22F4225-66	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-67	22F4225-67	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-68	22F4225-68	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-69	22F4225-69	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-70	22F4225-70	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-71	22F4225-71	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-72	22F4225-72	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-73	22F4225-73	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-74	22F4225-74	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-75	22F4225-75	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-76	22F4225-76	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-77	22F4225-77	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-78	22F4225-78	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-79	22F4225-79	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-80	22F4225-80	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-81	22F4225-81	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-82	22F4225-82	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-83	22F4225-83	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-84	22F4225-84	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-85	22F4225-85	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-86	22F4225-86	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-87	22F4225-87	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-88	22F4225-88	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-89	22F4225-89	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-90	22F4225-90	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-91	22F4225-91	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-92	22F4225-92	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-93	22F4225-93	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-94	22F4225-94	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-95	22F4225-95	Solid	04/15/22 13:00	07/19/22 15:54
860-30001-96	22F4225-96	Solid	04/15/22 13:00	07/19/22 15:54

NWDLS

860-30001 Chain of Custody

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

Eurofins Xenco_Subcontract
4145 Greenbriar Drive
Stafford, TX 77477
Phone: (281) 240-4200
Fax:

Temp: 4.6 IR ID:HOU-339
C/F:-1.4
Corrected Temp: 3 2

Work Order: 22F4225

Analysis	Due	Expires	Comments
Sample ID: 22F4225-01 ***Tissue Sampled: 04/14/2022 10:30***			
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4225-02 ***Tissue Sampled: 04/14/2022 10:30***			
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4225-03 ***Tissue Sampled: 04/14/2022 10:30***			
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4225-04 ***Tissue Sampled: 04/14/2022 10:30***			
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-05 ***Tissue Sampled: 04/14/2022 10:30***			
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 22F4225-06 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-07 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH) C6-C35

Containers Supplied.

Sample ID: 22F4225-08 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-09 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10:30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-10 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-11 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 22F4225-12 ***Tissue Sampled: 04/14/2022 10:30***

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-13 ***Tissue Sampled: 04/14/2022 10:30***

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-14 ***Tissue Sampled: 04/14/2022 10:30***

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-15 ***Tissue Sampled: 04/14/2022 10:30***

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-16 ***Tissue Sampled: 04/14/2022 10:30***

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-17 ***Tissue Sampled: 04/14/2022 10:30***

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 22F4225-18 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-19 *Tissue Sampled: 04/14/2022 10:30*

TPH 1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-20 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s) 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-21 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-22 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-23 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr — 1-Chlorooctane-surr — Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-24	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4225-25	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-26	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-27	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-28	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4225-29	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022	04/28/2022 10 30	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			

NWDLS
North American Drilling Laboratories, Inc.

SUBCONTRACT ORDER (Continued)

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-30	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022 04/28/2022 10 30		
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		*Total Petroleum Hydrocarbons* (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-31	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022 04/28/2022 10 30		
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH) C6-C35
Containers Supplied.			
Sample ID: 22F4225-32	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022 04/28/2022 10 30		
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-33	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022 04/28/2022 10 30		
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		*Total Petroleum Hydrocarbons* (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-34	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022 04/28/2022 10 30		
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-35	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022 04/28/2022 10 30		
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 22F4225-36 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-37 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-38 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-39 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s) 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-40 *Tissue Sampled: 04/14/2022 10:30*

TPH 1005 08/19/2022 04/28/2022 10:30

Analyte(s). 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-41 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 22F4225-42 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s) 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-43 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-44 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s). 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-45 *Tissue Sampled: 04/14/2022 10:30*

TPH 1005 08/19/2022 04/28/2022 10 30

Analyte(s) 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-46 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s) 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-47 *Tissue Sampled: 04/14/2022 10:30*

TPH-1005 08/19/2022 04/28/2022 10 30

Analyte(s) 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-48	***Tissue Sampled: 04/14/2022 10:30***		
TPH-1005	08/19/2022	04/28/2022 10:30	
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-49	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13:00	
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-50	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13:00	
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4225-51	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13:00	
Analyte(s). 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-52	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13:00	
Analyte(s) 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-53	***Tissue Sampled: 04/15/2022 13:00***		
TPH 1005	08/19/2022	04/29/2022 13:00	
Analyte(s) 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 22F4225-54 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s). 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-55 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s) 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-56 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s). 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-57 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s) 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-58 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s) 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-59 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s). 1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

NWDLS
North Water District Laboratory Services Inc

SUBCONTRACT ORDER
(Continued)

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-60	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-61	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-62	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4225-63	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-64	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-65	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			

NWDLS

SUBCONTRACT ORDER (Continued)

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 22F4225-66 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-67 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-68 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-69 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-70 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-71 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 22F4225-72 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-73 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-74 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-75 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-76 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-77 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 22F4225-78 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-79 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-80 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s)
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied

Sample ID: 22F4225-81 *Tissue Sampled: 04/15/2022 13:00*

TPH 1005 08/19/2022 04/29/2022 13 00

Analyte(s).
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Sample ID: 22F4225-82 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s)
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Sample ID: 22F4225-83 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s)
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied.

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-84	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-85	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-86	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied.			
Sample ID: 22F4225-87	***Tissue Sampled: 04/15/2022 13:00***		
TPH 1005	08/19/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-88	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13:00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4225-89	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			

SUBCONTRACT ORDER
(Continued)

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 22F4225-90	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH) C6-C35
Containers Supplied:			
Sample ID: 22F4225-91	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-92	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			
Sample ID: 22F4225-93	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4225-94	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 22F4225-95	***Tissue Sampled: 04/15/2022 13:00***		
TPH-1005	08/19/2022	04/29/2022 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied			

NWDLS

SUBCONTRACT ORDER (Continued)

Work Order: 22F4225 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 22F4225-96 *Tissue Sampled: 04/15/2022 13:00*

TPH-1005 08/19/2022 04/29/2022 13 00

Analyte(s)

1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35

Containers Supplied:

Released By Date Received By Date

7/19/22 7-19-22 15:54

Login Sample Receipt Checklist

Client: North Water District Laboratory Services

Job Number: 860-30001-1

Login Number: 30001
List Number: 1
Creator: Palmar, Pedro

List Source: Eurofins Houston

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	N/A	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

April 03, 2023

LAB REPORT

Gregg Pawlak
Terracon_Houston
11555 Clay Road
Houston, TX 77043


Report ID: 20230403134428MM

RE: PCCA HI & CDP Resampling 2023

The following test results meet all NELAP requirements for analytes for which certification is available. Any deviations from our quality system will be noted in the case narrative. All analyses performed by North Water District Laboratory Services, Inc. unless noted.

For questions regarding this report, contact Monica Martin at 936-321-6060.

Sincerely,



Monica O. Martin
Chief Administrative Officer

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Work Order Case Narrative

A total of 18 samples for the CDP Resampling Event were collected on:

Laboratory ID	Sample Name	Sample Date
23A1459-05	HI-REF-W	01/27/2023 11:25
23A1459-47	REF-S	01/27/2023 09:20
23A1459-49	CDP-06-W	01/27/2023 15:32
23A1459-50	CDP-07-W	01/27/2023 14:40
23A1459-51	CDP-06-E	01/23/2023 13:05
23A1459-52	CDP-07-E	01/21/2023 10:00
23A1459-53	CDP-06-S	01/23/2023 13:05
23A1459-54	CDP-06-6A-S	01/25/2023 08:00
23A1459-55	CDP-06-6B-S	01/23/2023 16:00
23A1459-56	CDP-06-6C-S	01/23/2023 13:05
23A1459-57	CDP-07-S	01/21/2023 10:00
23A1459-58	CDP-07-7A-S	01/21/2023 10:00
23A1459-59	CDP-07-7C-S	01/21/2023 15:10
23A1459-60	CDP-DUP-S	01/21/2023 11:45
23A1459-62	ODMDS-W	01/27/2023 13:10
23A1459-63	CDP-DUP-W	01/27/2023 15:15
23A1459-65	CDP-DUP-E	01/21/2023 11:45
23A1459-66	ODMDS-S	01/27/2023 12:30

Samples were received and accepted at NWDLS on 01/19/2023 - 01/28/2023. Any receiving discrepancies are recorded and stored in NWDLS' database. The samples received a Work Order of 23A1459. The lab sample IDs, client sample IDs, and dates of collection can be found at the top of each result page.

NWDLS provided their lowest detection limit for all requested analyses. Note that detection and reporting limits are adjusted to account for sample specific parameters.

Any QC that did not meet the laboratory specified control limits was flagged and reported with qualifiers. For additional information, please refer to the included quality control data pages.

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results

Client Sample ID: HI-REF-W
Lab Sample ID: 23A1459-05
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 11:25
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/08/2023 00:57	KRB
SW-8270	Benzidine	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/08/2023 00:57	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*96.3%*		*54.6-148*					*02/08/2023 00:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*121%*		*55-152*					*02/08/2023 00:57*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*146%*	*S*	*52.4-136*					*02/08/2023 00:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*118%*		*52-162*					*02/08/2023 00:57*	
SW-8270	*Surrogate: Phenol-d5-surr*		*119%*		*58.7-152*					*02/08/2023 00:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*79.5%*		*51.9-147*					*02/08/2023 00:57*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	4,4'-DDE	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	4,4'-DDT	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Aldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00600	C+, U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Chlordane (tech.)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	delta-BHC	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Dieldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Endosulfan I	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Endosulfan II	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Endosulfan sulfate	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Endrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Endrin aldehyde	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Endrin ketone	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	gamma-Chlordane	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Heptachlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Heptachlor epoxide	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Methoxychlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 22:42	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.300	U	ug/L	1	0.300	0.300	BGA3839	02/06/2023 22:42	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*96.6%*		*60-140*					*02/06/2023 22:42*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: HI-REF-W (Continued)
Lab Sample ID: 23A1459-05
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 11:25
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*62.9%*		*60-140*					*02/06/2023 22:42*	
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BGB0277	02/11/2023 09:04	cdg
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*93.0%*		*60-140*					*02/11/2023 09:04*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*62.8%*		*60-140*					*02/11/2023 09:04*	
Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BGA3813	01/30/2023 15:20	NAZ
EPA 200.8	Selenium	A	<1.65	U	ug/L	5	1.65	10.0	BGB1605	02/22/2023 13:51	JLK
Metals, Dissolved											
EPA 200.8	Antimony	A	<1.00	U	ug/L	5	1.00	5.00	BGB0721	02/09/2023 14:11	JLK
EPA 200.8	Arsenic	A	1.21	J	ug/L	5	0.500	2.50	BGB0721	02/08/2023 15:47	JLK
EPA 200.8	Beryllium	A	<0.0500	U	ug/L	5	0.0500	1.00	BGB0721	02/14/2023 16:33	TBB
EPA 200.8	Cadmium	A	0.312	J	ug/L	5	0.250	5.00	BGB0721	02/09/2023 14:11	JLK
EPA 200.8	Chromium	A	0.448	J	ug/L	5	0.400	15.0	BGB0721	02/08/2023 15:47	JLK
EPA 200.8	Copper	A	<1.00	B, U	ug/L	5	1.00	5.00	BGB0721	02/08/2023 15:47	JLK
Calc	Chromium (III)		<1.90	U	ug/L	5	1.90	18.0	[CALC]	02/10/2023 14:47	SAB
EPA 200.8	Lead	A	<0.500	U	ug/L	5	0.500	2.50	BGB0721	02/08/2023 15:47	JLK
EPA 200.8	Nickel	A	0.302	J	ug/L	5	0.250	5.00	BGB0721	02/08/2023 15:47	JLK
EPA 200.8	Silver	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	02/08/2023 15:47	JLK
EPA 200.8	Thallium	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	02/08/2023 15:47	JLK
EPA 200.8	Zinc	A	<1.00	U	ug/L	5	1.00	10.0	BGB0721	02/09/2023 14:11	JLK
General Chemistry											
EPA 350.1	Ammonia as N	A	0.520		mg/L	1	0.0200	0.0500	BGB0479	02/03/2023 12:50	DLK
SM 2520 B	Salinity	N	29.2		Salinity units	1	1.00	1.00	BGB1516	02/10/2023 12:31	AKA
SM 2540 D	Residue-nonfilterable (TSS)	A	9.47		mg/L	1	1.00	1.00	BGA3833	01/31/2023 12:49	BP / JRU

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	HI-REF-W	Sample Matrix:	Marine Water
Lab Sample ID:	23A1459-05RE1	Date Collected:	01/27/2023 11:25
Sample Alias:		Collected by:	Michael Madonna

Semivolatile Organic Compounds by GCMS

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	2,4,5 & 2,4,6 -Trichlorophenol (Rerun)	N	<1.11U	ug/L	1	1.11	2.23	BGA3953	02/13/2023 21:25	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.556U	ug/L	1	0.556	1.12	BGA3953	02/13/2023 21:25	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.556U	ug/L	1	0.556	1.12	BGA3953	02/13/2023 21:25	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.47C+, U	ug/L	1	4.47	4.47	BGA3953	02/13/2023 21:25	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.556U	ug/L	1	0.556	1.12	BGA3953	02/13/2023 21:25	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.556C+, U	ug/L	1	0.556	1.12	BGA3953	02/13/2023 21:25	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.556U	ug/L	1	0.556	1.12	BGA3953	02/13/2023 21:25	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.556U	ug/L	1	0.556	1.12	BGA3953	02/13/2023 21:25	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.47U	ug/L	1	4.47	4.47	BGA3953	02/13/2023 21:25	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Anthracene (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.279U	ug/L	1	0.279	1.12	BGA3953	02/13/2023 21:25	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.279U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: HI-REF-W (Continued)
Lab Sample ID: 23A1459-05RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 11:25
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Chrysene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Diethyl phthalate (Rerun)	A	0.685	V	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.279	B, U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	0.865	V	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Fluorene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.279	C+, U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Isophorone (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Naphthalene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.279	U	ug/L	1	0.279	2.23	BGA3953	02/13/2023 21:25	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.556	U	ug/L	1	0.556	1.12	BGA3953	02/13/2023 21:25	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	Phenol, Total (Rerun)	A	0.766	J	ug/L	1	0.556	1.12	BGA3953	02/13/2023 21:25	KRB
SW-8270	Pyrene (Rerun)	A	<0.279	U	ug/L	1	0.279	0.559	BGA3953	02/13/2023 21:25	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*95.0%*		*54.6-148*					*02/13/2023 21:25*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*120%*		*55-152*					*02/13/2023 21:25*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*88.3%*		*52.4-136*					*02/13/2023 21:25*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*81.7%*		*52-162*					*02/13/2023 21:25*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*118%*		*58.7-152*					*02/13/2023 21:25*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	HI-REF-W (Continued)	Sample Matrix:	Marine Water
Lab Sample ID:	23A1459-05RE1	Date Collected:	01/27/2023 11:25
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*73.9%*		*51.9-147*					*02/13/2023 21:25*	
Metals, Dissolved											
SM 3500-Cr B	Chromium (VI) (Rerun)	A	7.62		ug/L	1	1.50	3.00	BGB1154	02/10/2023 14:47	SAB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: REF-S
Lab Sample ID: 23A1459-47
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/27/2023 9:20
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/09/2023 21:48	KRB
SW-8270	Benzidine	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/09/2023 21:48	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*74.4%*		*60-140*					*02/09/2023 21:48*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*79.5%*		*60-140*					*02/09/2023 21:48*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*110%*		*60-140*					*02/09/2023 21:48*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*85.4%*		*60-140*					*02/09/2023 21:48*	
SW-8270	*Surrogate: Phenol-d5-surr*		*92.2%*		*60-140*					*02/09/2023 21:48*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*51.2%*	*S*	*60-140*					*02/09/2023 21:48*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	4,4'-DDE	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	4,4'-DDT	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Aldrin	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Chlordane (tech.)	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	delta-BHC	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Dieldrin	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Endosulfan I	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Endosulfan II	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Endosulfan sulfate	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Endrin	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Endrin aldehyde	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Endrin ketone	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	gamma-Chlordane	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Heptachlor	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Heptachlor epoxide	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Methoxychlor	A	<0.434	U	ug/kg dry	10	0.434	1.45	BGB0044	02/08/2023 01:42	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<21.7	C+, U	ug/kg dry	10	21.7	21.7	BGB0044	02/08/2023 01:42	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*78.5%*		*60-140*					*02/08/2023 01:42*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: REF-S (Continued)
Lab Sample ID: 23A1459-47
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/27/2023 9:20
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)										
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*108%*	*60-140*					*02/08/2023 01:42*	
SW-8082	PCBs, Total	A	<1.45C+, U	ug/kg dry	1	1.45	2.90	BGB1177	02/25/2023 03:54	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*146% S*	*60-140*					*02/25/2023 03:54*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*130%*	*60-140*					*02/25/2023 03:54*	
Metals, Total										
EPA 200.8	Antimony	A	<0.0297U	mg/kg dry	1	0.0297	0.0596	BGB0820	02/07/2023 14:00	JLK
EPA 200.8	Arsenic	A	1.71	mg/kg dry	1	0.00297	0.0297	BGB0820	02/27/2023 10:30	TBB
EPA 200.8	Beryllium	A	0.176	mg/kg dry	5	0.00298	0.0594	BGB0820	02/27/2023 15:52	TBB
EPA 200.8	Cadmium	A	0.0152J	mg/kg dry	1	0.00297	0.0596	BGB0820	02/07/2023 14:00	JLK
EPA 200.8	Chromium	A	2.91	mg/kg dry	1	0.00893	0.179	BGB0820	02/07/2023 14:00	JLK
EPA 200.8	Copper	A	1.68V	mg/kg dry	1	0.0119	0.0596	BGB0820	02/08/2023 11:03	TBB
Calc	Chromium (III)		2.32J	mg/kg (dry wt) dry	1	0.153	5.18	[CALC]	02/24/2023 14:39	GJG
SW-7196	Chromium (VI)	A	0.587J	mg/kg dry	1	0.144	5.00	BGB3245	02/24/2023 14:39	GJG
SW-7471B	Mercury	A	0.0121J	mg/kg dry	1	0.00991	0.0198	BGB1025	02/08/2023 16:28	AKR
EPA 200.8	Lead	A	2.73	mg/kg dry	1	0.00297	0.0297	BGB0820	02/07/2023 14:00	JLK
EPA 200.8	Nickel	A	3.03	mg/kg dry	1	0.0596	0.0596	BGB0820	02/07/2023 14:00	JLK
EPA 200.8	Selenium	A	0.458	mg/kg dry	1	0.0596	0.119	BGB0820	02/08/2023 11:03	TBB
EPA 200.8	Silver	A	0.00851J	mg/kg dry	1	0.00149	0.0297	BGB0820	02/07/2023 14:00	JLK
EPA 200.8	Thallium	A	0.0295J	mg/kg dry	1	0.00149	0.0297	BGB0820	02/07/2023 14:00	JLK
EPA 200.8	Zinc	A	11.3	mg/kg dry	1	0.0596	0.119	BGB0820	02/07/2023 14:00	JLK
General Chemistry										
SW-9014	Total Cyanide	A	<0.0362U	mg/kg dry	1	0.0362	0.0724	BGB0157	02/02/2023 17:57	GJG
EPA 350.2	Ammonia as N	A	13.4J	mg/kg dry	1	7.23	14.5	BGB0953	02/08/2023 09:15	GIW
SW-9045C	pH	A	8.53H	pH Units @ 25 °C	1		0.100	BGA3958	01/31/2023 12:52	AKA
SM 2540 G	% Solids	A	69.0H, V	%	1	0.100	0.100	BGA3978	02/01/2023 12:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: REF-S
Lab Sample ID: 23A1459-47RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/27/2023 9:20
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<3.62	U	ug/kg dry	1	3.62	7.24	BGB0288	02/27/2023 19:40	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<3.62	U	ug/kg dry	1	3.62	7.24	BGB0288	02/27/2023 19:40	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<3.62	U	ug/kg dry	1	3.62	7.24	BGB0288	02/27/2023 19:40	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<3.62	U	ug/kg dry	1	3.62	7.24	BGB0288	02/27/2023 19:40	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<3.62	U	ug/kg dry	1	3.62	7.24	BGB0288	02/27/2023 19:40	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<14.5	U	ug/kg dry	1	14.5	29.0	BGB0288	02/27/2023 19:40	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<3.62	U	ug/kg dry	1	3.62	7.24	BGB0288	02/27/2023 19:40	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<3.62	U	ug/kg dry	1	3.62	7.24	BGB0288	02/27/2023 19:40	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Anthracene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Benzo(b)fluoranthene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Benzo(k)fluoranthene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: REF-S (Continued)
Lab Sample ID: 23A1459-47RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/27/2023 9:20
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Chrysene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	3.54	V, J	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Fluorene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Isophorone (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Naphthalene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.81	C+, U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<3.62	U	ug/kg dry	1	3.62	7.24	BGB0288	02/27/2023 19:40	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	Phenol, Total (Rerun)	A	<3.62	U	ug/kg dry	1	3.62	7.24	BGB0288	02/27/2023 19:40	KRB
SW-8270	Pyrene (Rerun)	A	<1.81	U	ug/kg dry	1	1.81	3.62	BGB0288	02/27/2023 19:40	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*43.8%*	*S*	*60-140*					*02/27/2023 19:40*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*55.9%*	*S*	*60-140*					*02/27/2023 19:40*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*50.2%*	*S*	*60-140*					*02/27/2023 19:40*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*50.8%*	*S*	*60-140*					*02/27/2023 19:40*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*58.4%*	*S*	*60-140*					*02/27/2023 19:40*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*29.2%*	*S*	*60-140*					*02/27/2023 19:40*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-06-W	Sample Matrix:	Marine Water
Lab Sample ID:	23A1459-49	Date Collected:	01/27/2023 15:32
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/08/2023 01:32	KRB
SW-8270	Benzidine	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/08/2023 01:32	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*94.2%*		*54.6-148*					*02/08/2023 01:32*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*121%*		*55-152*					*02/08/2023 01:32*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*136%*		*52.4-136*					*02/08/2023 01:32*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*113%*		*52-162*					*02/08/2023 01:32*	
SW-8270	*Surrogate: Phenol-d5-surr*		*111%*		*58.7-152*					*02/08/2023 01:32*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*78.5%*		*51.9-147*					*02/08/2023 01:32*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	4,4'-DDE	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	4,4'-DDT	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Aldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00600	C+, U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Chlordane (tech.)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	delta-BHC	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Dieldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Endosulfan I	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Endosulfan II	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Endosulfan sulfate	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Endrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Endrin aldehyde	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Endrin ketone	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	gamma-Chlordane	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Heptachlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Heptachlor epoxide	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Methoxychlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:09	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.300	U	ug/L	1	0.300	0.300	BGA3839	02/06/2023 23:09	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*105%*		*60-140*					*02/06/2023 23:09*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-W (Continued)
Lab Sample ID: 23A1459-49
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 15:32
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*58.6%*	*S*	*60-140*					*02/06/2023 23:09*	
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BGB0277	02/11/2023 07:17	cdg
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*90.4%*		*60-140*					*02/11/2023 07:17*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*50.5%*	*S*	*60-140*					*02/11/2023 07:17*	
Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BGA3813	01/30/2023 15:30	NAZ
EPA 200.8	Selenium	A	<1.65	U	ug/L	5	1.65	10.0	BGB1605	02/22/2023 15:21	TBB
Metals, Dissolved											
EPA 200.8	Antimony	A	<1.00	U	ug/L	5	1.00	5.00	BGB0721	02/09/2023 14:34	JLK
EPA 200.8	Arsenic	A	1.23	J	ug/L	5	0.500	2.50	BGB0721	02/14/2023 16:59	TBB
EPA 200.8	Beryllium	A	<0.0500	U	ug/L	5	0.0500	1.00	BGB0721	02/28/2023 12:26	TBB
EPA 200.8	Cadmium	A	<0.250	U	ug/L	5	0.250	5.00	BGB0721	02/09/2023 14:34	JLK
EPA 200.8	Chromium	A	<0.400	U	ug/L	5	0.400	15.0	BGB0721	02/14/2023 16:59	TBB
EPA 200.8	Copper	A	1.31	V, J	ug/L	5	1.00	5.00	BGB0721	02/09/2023 14:34	JLK
Calc	Chromium (III)		<1.90	U	ug/L	5	1.90	18.0	[CALC]	02/15/2023 14:47	SAB
SM 3500-Cr B	Chromium (VI)	A	28.9		ug/L	1	1.50	3.00	BGB2104	02/15/2023 14:47	SAB
EPA 200.8	Lead	A	0.539	J	ug/L	5	0.500	2.50	BGB0721	02/08/2023 16:13	JLK
EPA 200.8	Nickel	A	0.531	J	ug/L	5	0.250	5.00	BGB0721	02/14/2023 16:59	TBB
EPA 200.8	Silver	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	02/09/2023 14:34	JLK
EPA 200.8	Thallium	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	02/08/2023 16:13	JLK
EPA 200.8	Zinc	A	<1.00	U	ug/L	5	1.00	10.0	BGB0721	02/09/2023 14:34	JLK
General Chemistry											
EPA 350.1	Ammonia as N	A	0.630		mg/L	1	0.0200	0.0500	BGB0480	02/03/2023 13:10	DLK
SM 2520 B	Salinity	N	28.4		Salinity units	1	1.00	1.00	BGB1516	02/10/2023 12:39	AKA
SM 2540 D	Residue-nonfilterable (TSS)	A	14.3		mg/L	1	1.00	1.00	BGA3833	01/31/2023 12:49	BP / JRU

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-06-W	Sample Matrix:	Marine Water
Lab Sample ID:	23A1459-49RE1	Date Collected:	01/27/2023 15:32
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	2,4,5 & 2,4,6 -Trichlorophenol (Rerun)	N	<1.11U	ug/L	1	1.11	2.23	BGA3953	02/13/2023 22:00	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.554U	ug/L	1	0.554	1.11	BGA3953	02/13/2023 22:00	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.554U	ug/L	1	0.554	1.11	BGA3953	02/13/2023 22:00	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.45C+, U	ug/L	1	4.45	4.45	BGA3953	02/13/2023 22:00	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.554U	ug/L	1	0.554	1.11	BGA3953	02/13/2023 22:00	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.554C+, U	ug/L	1	0.554	1.11	BGA3953	02/13/2023 22:00	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.554U	ug/L	1	0.554	1.11	BGA3953	02/13/2023 22:00	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.554U	ug/L	1	0.554	1.11	BGA3953	02/13/2023 22:00	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.45U	ug/L	1	4.45	4.45	BGA3953	02/13/2023 22:00	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Anthracene (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.278U	ug/L	1	0.278	1.11	BGA3953	02/13/2023 22:00	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.278U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-W (Continued)
Lab Sample ID: 23A1459-49RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 15:32
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Chrysene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Diethyl phthalate (Rerun)	A	0.680	V	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.278	B, U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	2.00	V	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Fluorene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.278	C+, U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Isophorone (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Naphthalene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.278	U	ug/L	1	0.278	2.23	BGA3953	02/13/2023 22:00	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.554	U	ug/L	1	0.554	1.11	BGA3953	02/13/2023 22:00	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	Phenol, Total (Rerun)	A	0.680	J	ug/L	1	0.554	1.11	BGA3953	02/13/2023 22:00	KRB
SW-8270	Pyrene (Rerun)	A	<0.278	U	ug/L	1	0.278	0.557	BGA3953	02/13/2023 22:00	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*93.3%*		*54.6-148*					*02/13/2023 22:00*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*119%*		*55-152*					*02/13/2023 22:00*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*86.3%*		*52.4-136*					*02/13/2023 22:00*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*86.3%*		*52-162*					*02/13/2023 22:00*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*115%*		*58.7-152*					*02/13/2023 22:00*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-06-W (Continued)	Sample Matrix:	Marine Water
Lab Sample ID:	23A1459-49RE1	Date Collected:	01/27/2023 15:32
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*74.9%*		*51.9-147*					*02/13/2023 22:00*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-W
Lab Sample ID: 23A1459-50
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 14:40
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/08/2023 02:07	KRB
SW-8270	Benzidine	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/08/2023 02:07	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*114%*		*54.6-148*					*02/08/2023 02:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*140%*		*55-152*					*02/08/2023 02:07*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*172%*	*S*	*52.4-136*					*02/08/2023 02:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*142%*		*52-162*					*02/08/2023 02:07*	
SW-8270	*Surrogate: Phenol-d5-surr*		*141%*		*58.7-152*					*02/08/2023 02:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*79.9%*		*51.9-147*					*02/08/2023 02:07*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	4,4'-DDE	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	4,4'-DDT	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Aldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00600	C+, U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Chlordane (tech.)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	delta-BHC	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Dieldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Endosulfan I	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Endosulfan II	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Endosulfan sulfate	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Endrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Endrin aldehyde	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Endrin ketone	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	gamma-Chlordane	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Heptachlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Heptachlor epoxide	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Methoxychlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/06/2023 23:36	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.300	U	ug/L	1	0.300	0.300	BGA3839	02/06/2023 23:36	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*114%*		*60-140*					*02/06/2023 23:36*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-W (Continued)
Lab Sample ID: 23A1459-50
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 14:40
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*65.2%*		*60-140*					*02/06/2023 23:36*	
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BGB0277	02/11/2023 09:30	cdg
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*102%*		*60-140*					*02/11/2023 09:30*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*53.3%*	*S*	*60-140*					*02/11/2023 09:30*	
Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BGA3813	01/30/2023 15:33	NAZ
EPA 200.8	Selenium	A	<1.65	U	ug/L	5	1.65	10.0	BGB1605	02/22/2023 15:24	TBB
Metals, Dissolved											
EPA 200.8	Antimony	A	<1.00	U	ug/L	5	1.00	5.00	BGB0721	02/09/2023 14:54	JLK
EPA 200.8	Arsenic	A	1.43	J	ug/L	5	0.500	2.50	BGB0721	02/22/2023 11:38	TBB
EPA 200.8	Beryllium	A	<0.0500	U	ug/L	5	0.0500	1.00	BGB0721	02/28/2023 12:44	TBB
EPA 200.8	Cadmium	A	<0.250	U	ug/L	5	0.250	5.00	BGB0721	02/09/2023 14:54	JLK
EPA 200.8	Chromium	A	0.450	J	ug/L	5	0.400	15.0	BGB0721	02/14/2023 17:22	TBB
EPA 200.8	Copper	A	1.23	V, J	ug/L	5	1.00	5.00	BGB0721	02/09/2023 14:54	JLK
Calc	Chromium (III)		<1.90	U	ug/L	5	1.90	18.0	[CALC]	02/15/2023 14:47	SAB
SM 3500-Cr B	Chromium (VI)	A	26.6		ug/L	1	1.50	3.00	BGB2104	02/15/2023 14:47	SAB
EPA 200.8	Lead	A	<0.500	U	ug/L	5	0.500	2.50	BGB0721	02/08/2023 16:35	JLK
EPA 200.8	Nickel	A	0.626	J	ug/L	5	0.250	5.00	BGB0721	02/14/2023 17:22	TBB
EPA 200.8	Silver	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	02/09/2023 14:54	JLK
EPA 200.8	Thallium	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	02/08/2023 16:35	JLK
EPA 200.8	Zinc	A	1.32	J	ug/L	5	1.00	10.0	BGB0721	02/09/2023 14:54	JLK
General Chemistry											
EPA 350.1	Ammonia as N	A	1.45		mg/L	2	0.0400	0.100	BGB0480	02/03/2023 14:45	DLK
SM 2520 B	Salinity	N	28.6		Salinity units	1	1.00	1.00	BGB1516	02/10/2023 13:18	AKA
SM 2540 D	Residue-nonfilterable (TSS)	A	23.5		mg/L	1	1.00	1.00	BGA3833	01/31/2023 12:49	BP / JRU

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-07-W	Sample Matrix:	Marine Water
Lab Sample ID:	23A1459-50RE1	Date Collected:	01/27/2023 14:40
Sample Alias:		Collected by:	Michael Madonna

Semivolatile Organic Compounds by GCMS

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	2,4,5 & 2,4,6 -Trichlorophenol (Rerun)	N	<1.11	U	ug/L	1	1.11	2.24	BGA3953	02/13/2023 22:35	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BGA3953	02/13/2023 22:35	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BGA3953	02/13/2023 22:35	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.48	C+, U	ug/L	1	4.48	4.48	BGA3953	02/13/2023 22:35	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BGA3953	02/13/2023 22:35	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.557	C+, U	ug/L	1	0.557	1.12	BGA3953	02/13/2023 22:35	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BGA3953	02/13/2023 22:35	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BGA3953	02/13/2023 22:35	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.48	U	ug/L	1	4.48	4.48	BGA3953	02/13/2023 22:35	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Anthracene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.280	U	ug/L	1	0.280	1.12	BGA3953	02/13/2023 22:35	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-W (Continued)
Lab Sample ID: 23A1459-50RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 14:40
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Chrysene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Diethyl phthalate (Rerun)	A	0.628	V	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.280	B, U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.73	V	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Fluorene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.280	C+, U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Isophorone (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Naphthalene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.280	U	ug/L	1	0.280	2.24	BGA3953	02/13/2023 22:35	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.557	U	ug/L	1	0.557	1.12	BGA3953	02/13/2023 22:35	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	Phenol, Total (Rerun)	A	0.976	J	ug/L	1	0.557	1.12	BGA3953	02/13/2023 22:35	KRB
SW-8270	Pyrene (Rerun)	A	<0.280	U	ug/L	1	0.280	0.560	BGA3953	02/13/2023 22:35	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*113%*		*54.6-148*					*02/13/2023 22:35*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*144%*		*55-152*					*02/13/2023 22:35*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*103%*		*52.4-136*					*02/13/2023 22:35*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*104%*		*52-162*					*02/13/2023 22:35*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*142%*		*58.7-152*					*02/13/2023 22:35*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-07-W (Continued)	Sample Matrix:	Marine Water
Lab Sample ID:	23A1459-50RE1	Date Collected:	01/27/2023 14:40
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*79.2%*		*51.9-147*					*02/13/2023 22:35*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-E
Lab Sample ID: 23A1459-51
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 01/23/2023 13:05
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/11/2023 01:36	KRB
SW-8270	Benzidine	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/11/2023 01:36	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*87.2%*		*54.6-148*					*02/11/2023 01:36*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*86.3%*		*55-152*					*02/11/2023 01:36*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*110%*		*52.4-136*					*02/11/2023 01:36*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*98.5%*		*52-162*					*02/11/2023 01:36*	
SW-8270	*Surrogate: Phenol-d5-surr*		*92.1%*		*58.7-152*					*02/11/2023 01:36*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*77.9%*		*51.9-147*					*02/11/2023 01:36*	
Elutriate Organics by GC											
SW-8081	4,4'-DDD	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	4,4'-DDE	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	4,4'-DDT	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Aldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00600	C+, U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Chlordane (tech.)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	delta-BHC	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Dieldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Endosulfan I	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Endosulfan II	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Endosulfan sulfate	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Endrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Endrin aldehyde	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Endrin ketone	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	gamma-Chlordane	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Heptachlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Heptachlor epoxide	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Methoxychlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:24	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.300	U	ug/L	1	0.300	0.300	BGB0543	02/09/2023 01:24	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*105%*		*60-140*					*02/09/2023 01:24*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-E (Continued)
Lab Sample ID: 23A1459-51
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 01/23/2023 13:05
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Organics by GC (Continued)										
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*84.5%*	*60-140*					*02/09/2023 01:24*	
SW-8082	PCBs, Total	A	<0.00600U	ug/L	1	0.00600	0.120	BGB1127	02/17/2023 07:51	cro
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*118%*	*60-140*					*02/17/2023 07:51*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*73.9%*	*60-140*					*02/17/2023 07:51*	
Elutriate Metals, Dissolved										
EPA 200.8	Antimony	A	<1.00B2, U	ug/L	5	1.00	5.00	BGB0721	02/09/2023 14:56	JLK
EPA 200.8	Arsenic	A	1.46J	ug/L	5	0.500	2.50	BGB0721	02/22/2023 11:41	TBB
EPA 200.8	Beryllium	A	<0.0500B2, U	ug/L	5	0.0500	1.00	BGB0721	02/28/2023 15:54	TBB
EPA 200.8	Cadmium	A	0.384J	ug/L	5	0.250	5.00	BGB0721	02/09/2023 14:56	JLK
EPA 200.8	Chromium	A	<0.400U	ug/L	5	0.400	15.0	BGB0721	02/14/2023 17:25	TBB
EPA 200.8	Copper	A	<1.00B, B2, U	ug/L	5	1.00	5.00	BGB0721	02/09/2023 14:56	JLK
Calc	Chromium (III)		<1.90U	ug/L	5	1.90	18.0	[CALC]	02/15/2023 14:48	SAB
SM 3500-Cr B	Chromium (VI)	A	0.0276V2	mg/L	1	0.00150	0.00300	BGB2104	02/15/2023 14:48	SAB
EPA 200.8	Lead	A	<0.500U	ug/L	5	0.500	2.50	BGB0721	02/08/2023 16:38	JLK
EPA 200.8	Nickel	A	2.74V2, J	ug/L	5	0.250	5.00	BGB0721	02/14/2023 17:25	TBB
EPA 200.8	Silver	A	<0.150U	ug/L	5	0.150	2.50	BGB0721	02/09/2023 14:56	JLK
EPA 200.8	Thallium	A	<0.150U	ug/L	5	0.150	2.50	BGB0721	02/08/2023 16:38	JLK
EPA 200.8	Zinc	A	2.08V2, J	ug/L	5	1.00	10.0	BGB0721	02/09/2023 14:56	JLK
Elutriate Metals, Total										
EPA 245.1	Mercury	A	<0.150U	ug/L	1	0.150	0.200	BGB0678	02/06/2023 16:54	NAZ
EPA 200.8	Selenium	A	<1.65U	ug/L	5	1.65	10.0	BGB3632	03/01/2023 11:23	TBB
Elutriate General Chemistry										
SM 2540 D	Residue-nonfilterable (TSS)	A	1.89	mg/L	1	1.00	1.00	BGB0150	02/02/2023 11:48	JRU

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-06-E	Sample Matrix:	Elutriate
Lab Sample ID:	23A1459-51RE1	Date Collected:	01/23/2023 13:05
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	2,4,5 & 2,4,6 -Trichlorophenol (Rerun)	N	<1.12	U	ug/L	1	1.12	2.25	BGB0925	02/15/2023 01:01	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.560	U	ug/L	1	0.560	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:01	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.50	U	ug/L	1	4.50	4.50	BGB0925	02/15/2023 01:01	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:01	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:01	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:01	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:01	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.50	U	ug/L	1	4.50	4.50	BGB0925	02/15/2023 01:01	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Anthracene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.562	U	ug/L	1	0.562	1.12	BGB0925	02/15/2023 01:01	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-E (Continued)
Lab Sample ID: 23A1459-51RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 01/23/2023 13:05
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Chrysene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Diethyl phthalate (Rerun)	A	0.909	V, V2	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.281	B, B2, U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.98	V, V2	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Fluorene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.281	C+, U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Isophorone (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Naphthalene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.281	U	ug/L	1	0.281	2.25	BGB0925	02/15/2023 01:01	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.281	C+, U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.560	C+, U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:01	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	Phenol, Total (Rerun)	A	0.651	V2, J	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:01	KRB
SW-8270	Pyrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:01	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*92.4%*		*54.6-148*					*02/15/2023 01:01*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*111%*		*55-152*					*02/15/2023 01:01*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*105%*		*52.4-136*					*02/15/2023 01:01*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*80.2%*		*52-162*					*02/15/2023 01:01*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*124%*		*58.7-152*					*02/15/2023 01:01*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-06-E (Continued)	Sample Matrix:	Elutriate
Lab Sample ID:	23A1459-51RE1	Date Collected:	01/23/2023 13:05
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*80.9%*		*51.9-147*					*02/15/2023 01:01*	
Elutriate General Chemistry											
EPA 350.1	Ammonia as N (Rerun)	A	0.660		mg/L	1	0.0200	0.0500	BGB0807	02/07/2023 10:09	DLK

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-07-E	Sample Matrix:	Elutriate
Lab Sample ID:	23A1459-52	Date Collected:	01/21/2023 10:00
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/11/2023 02:11	KRB
SW-8270	Benzidine	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/11/2023 02:11	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*87.1%*		*54.6-148*					*02/11/2023 02:11*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*93.2%*		*55-152*					*02/11/2023 02:11*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*120%*		*52.4-136*					*02/11/2023 02:11*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*103%*		*52-162*					*02/11/2023 02:11*	
SW-8270	*Surrogate: Phenol-d5-surr*		*96.9%*		*58.7-152*					*02/11/2023 02:11*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*90.3%*		*51.9-147*					*02/11/2023 02:11*	
Elutriate Organics by GC											
SW-8081	4,4'-DDD	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	4,4'-DDE	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	4,4'-DDT	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Aldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00600	C+, U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Chlordane (tech.)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	delta-BHC	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Dieldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Endosulfan I	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Endosulfan II	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Endosulfan sulfate	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Endrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Endrin aldehyde	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Endrin ketone	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	gamma-Chlordane	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Heptachlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Heptachlor epoxide	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Methoxychlor	A	0.00902	P	ug/L	1	0.00600	0.00600	BGB0543	02/09/2023 01:51	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.300	U	ug/L	1	0.300	0.300	BGB0543	02/09/2023 01:51	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*110%*		*60-140*					*02/09/2023 01:51*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-E (Continued)
Lab Sample ID: 23A1459-52
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 01/21/2023 10:00
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*86.5%*		*60-140*					*02/09/2023 01:51*	
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BGB1127	02/17/2023 08:18	cro
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*123%*		*60-140*					*02/17/2023 08:18*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*71.2%*		*60-140*					*02/17/2023 08:18*	
Elutriate Metals, Dissolved											
EPA 200.8	Antimony	A	<1.00	B2, U	ug/L	5	1.00	5.00	BGB0721	02/09/2023 14:59	JLK
EPA 200.8	Arsenic	A	0.752	J	ug/L	5	0.500	2.50	BGB0721	02/22/2023 11:44	TBB
EPA 200.8	Beryllium	A	<0.0500	B2, U	ug/L	5	0.0500	1.00	BGB0721	02/28/2023 15:57	TBB
EPA 200.8	Cadmium	A	<0.250	U	ug/L	5	0.250	5.00	BGB0721	02/09/2023 14:59	JLK
EPA 200.8	Chromium	A	<0.400	U	ug/L	5	0.400	15.0	BGB0721	02/14/2023 17:28	TBB
EPA 200.8	Copper	A	5.30	V, V2	ug/L	5	1.00	5.00	BGB0721	02/14/2023 17:28	TBB
Calc	Chromium (III)		<1.90	U	ug/L	5	1.90	18.0	[CALC]	02/15/2023 14:48	SAB
SM 3500-Cr B	Chromium (VI)	A	0.0206	V2	mg/L	1	0.00150	0.00300	BGB2104	02/15/2023 14:48	SAB
EPA 200.8	Lead	A	<0.500	U	ug/L	5	0.500	2.50	BGB0721	02/08/2023 16:41	JLK
EPA 200.8	Nickel	A	2.97	V2, J	ug/L	5	0.250	5.00	BGB0721	02/14/2023 17:28	TBB
EPA 200.8	Silver	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	02/09/2023 14:59	JLK
EPA 200.8	Thallium	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	02/08/2023 16:41	JLK
EPA 200.8	Zinc	A	2.18	V2, J	ug/L	5	1.00	10.0	BGB0721	02/14/2023 17:28	TBB
Elutriate Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BGB0678	02/06/2023 16:57	NAZ
EPA 200.8	Selenium	A	<1.65	U	ug/L	1	1.65	10.0	BGB3632	03/01/2023 11:26	TBB
Elutriate General Chemistry											
SM 2540 D	Residue-nonfilterable (TSS)	A	1.68		mg/L	1	1.00	1.00	BGB0150	02/02/2023 11:48	JRU

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-07-E	Sample Matrix:	Elutriate
Lab Sample ID:	23A1459-52RE1	Date Collected:	01/21/2023 10:00
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	2,4,5 & 2,4,6 -Trichlorophenol (Rerun)	N	<1.12	U	ug/L	1	1.12	2.25	BGB0925	02/15/2023 01:36	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.560	U	ug/L	1	0.560	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:36	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.50	U	ug/L	1	4.50	4.50	BGB0925	02/15/2023 01:36	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:36	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:36	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:36	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:36	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.50	U	ug/L	1	4.50	4.50	BGB0925	02/15/2023 01:36	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Anthracene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.562	U	ug/L	1	0.562	1.12	BGB0925	02/15/2023 01:36	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-07-E (Continued)	Sample Matrix:	Elutriate
Lab Sample ID:	23A1459-52RE1	Date Collected:	01/21/2023 10:00
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Chrysene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Diethyl phthalate (Rerun)	A	0.958	V, V2	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.281	B, B2, U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	2.51	V, V2	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Fluorene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.281	C+, U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Isophorone (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Naphthalene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.281	U	ug/L	1	0.281	2.25	BGB0925	02/15/2023 01:36	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.281	C+, U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.560	C+, U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:36	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	Phenol, Total (Rerun)	A	0.796	V2, J	ug/L	1	0.560	1.12	BGB0925	02/15/2023 01:36	KRB
SW-8270	Pyrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 01:36	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*94.9%*		*54.6-148*					*02/15/2023 01:36*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*113%*		*55-152*					*02/15/2023 01:36*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*107%*		*52.4-136*					*02/15/2023 01:36*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*83.9%*		*52-162*					*02/15/2023 01:36*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*130%*		*58.7-152*					*02/15/2023 01:36*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-E (Continued)
Lab Sample ID: 23A1459-52RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 01/21/2023 10:00
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*91.9%*		*51.9-147*					*02/15/2023 01:36*	
Elutriate General Chemistry											
EPA 350.1	Ammonia as N (Rerun)	A	0.689		mg/L	1	0.0200	0.0500	BGB0807	02/07/2023 10:11	DLK

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6A-S
Lab Sample ID: 23A1459-54
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/25/2023 8:00
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	3,3'-Dichlorobenzidine	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/09/2023 20:38	KRB
SW-8270	Benzidine	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/09/2023 20:38	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*54.8% S*	*60-140*					*02/09/2023 20:38*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*85.2%*	*60-140*					*02/09/2023 20:38*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*91.5%*	*60-140*					*02/09/2023 20:38*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*87.9%*	*60-140*					*02/09/2023 20:38*	
SW-8270	*Surrogate: Phenol-d5-surr*		*92.8%*	*60-140*					*02/09/2023 20:38*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*68.3%*	*60-140*					*02/09/2023 20:38*	
Organics by GC										
SW-8081	4,4'-DDD	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	4,4'-DDE	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	4,4'-DDT	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Aldrin	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Chlordane (tech.)	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	delta-BHC	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Dieldrin	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Endosulfan I	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Endosulfan II	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Endosulfan sulfate	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Endrin	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Endrin aldehyde	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Endrin ketone	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	gamma-Chlordane	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Heptachlor	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Heptachlor epoxide	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Methoxychlor	A	<0.374U	ug/kg dry	10	0.374	1.25	BGB0044	02/08/2023 02:36	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<18.7C+, U	ug/kg dry	10	18.7	18.7	BGB0044	02/08/2023 02:36	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*104%*	*60-140*					*02/08/2023 02:36*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6A-S (Continued)
Lab Sample ID: 23A1459-54
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/25/2023 8:00
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*106%*		*60-140*					*02/08/2023 02:36*	
SW-8082	PCBs, Total	A	<1.25	C+, U	ug/kg dry	1	1.25	2.49	BGB1177	02/25/2023 04:18	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*130%*		*60-140*					*02/25/2023 04:18*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*126%*		*60-140*					*02/25/2023 04:18*	
Metals, Total											
EPA 200.8	Antimony	A	<0.124	U	mg/kg dry	5	0.124	0.249	BGB0820	02/07/2023 14:15	JLK
EPA 200.8	Arsenic	A	3.99		mg/kg dry	1	0.00248	0.0248	BGB0820	02/27/2023 10:33	TBB
EPA 200.8	Beryllium	A	0.705		mg/kg dry	5	0.00249	0.0496	BGB0820	02/27/2023 17:11	TBB
EPA 200.8	Cadmium	A	0.137	J	mg/kg dry	5	0.0124	0.249	BGB0820	02/07/2023 14:15	JLK
EPA 200.8	Chromium	A	7.11		mg/kg dry	1	0.00745	0.149	BGB0820	02/07/2023 14:05	JLK
EPA 200.8	Copper	A	15.4	V	mg/kg dry	5	0.0496	0.249	BGB0820	02/08/2023 11:18	TBB
Calc	Chromium (III)		6.60		mg/kg (dry wt) dry	1	0.131	5.15	[CALC]	02/07/2023 14:05	EM
SW-7196	Chromium (VI)	A	0.508	J	mg/kg dry	1	0.124	5.00	BGA3845	01/31/2023 17:20	EM
SW-7471B	Mercury	A	0.0263		mg/kg dry	1	0.00986	0.0197	BGB1025	02/08/2023 16:41	AKR
EPA 200.8	Lead	A	10.8		mg/kg dry	5	0.0124	0.124	BGB0820	02/07/2023 14:15	JLK
EPA 200.8	Nickel	A	8.74		mg/kg dry	1	0.0497	0.0497	BGB0820	02/07/2023 14:05	JLK
EPA 200.8	Selenium	A	1.50		mg/kg dry	1	0.0497	0.0992	BGB0820	02/08/2023 11:16	TBB
EPA 200.8	Silver	A	0.0124	J	mg/kg dry	1	0.00124	0.0248	BGB0820	02/07/2023 14:05	JLK
EPA 200.8	Thallium	A	0.0906		mg/kg dry	1	0.00124	0.0248	BGB0820	02/07/2023 14:05	JLK
EPA 200.8	Zinc	A	24.9		mg/kg dry	5	0.249	0.496	BGB0820	02/07/2023 14:15	JLK
General Chemistry											
SW-9014	Total Cyanide	A	<0.0312	U	mg/kg dry	1	0.0312	0.0623	BGB0157	02/02/2023 17:58	GJG
EPA 350.2	Ammonia as N	A	<6.21	U	mg/kg dry	1	6.21	12.4	BGB0953	02/08/2023 09:15	GIW
SW-9045C	pH	A	8.61	H	pH Units @ 25 °C	1		0.100	BGA3958	01/31/2023 12:52	AKA
SM 2540 G	% Solids	A	80.2	V	%	1	0.100	0.100	BGA3870	02/01/2023 12:00	JRU

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6A-S
Lab Sample ID: 23A1459-54RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/25/2023 8:00
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<3.12U	ug/kg dry	1	3.12	6.23	BGB0288	02/27/2023 18:30	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<3.12U	ug/kg dry	1	3.12	6.23	BGB0288	02/27/2023 18:30	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<3.12U	ug/kg dry	1	3.12	6.23	BGB0288	02/27/2023 18:30	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<3.12U	ug/kg dry	1	3.12	6.23	BGB0288	02/27/2023 18:30	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<3.12U	ug/kg dry	1	3.12	6.23	BGB0288	02/27/2023 18:30	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<12.5U	ug/kg dry	1	12.5	24.9	BGB0288	02/27/2023 18:30	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<3.12U	ug/kg dry	1	3.12	6.23	BGB0288	02/27/2023 18:30	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<3.12U	ug/kg dry	1	3.12	6.23	BGB0288	02/27/2023 18:30	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Anthracene (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Benzo(b)fluoranthene (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Benzo(k)fluoranthene (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.56U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6A-S (Continued)
Lab Sample ID: 23A1459-54RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/25/2023 8:00
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Chrysene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	<1.56	B, U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Fluorene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Isophorone (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Naphthalene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.56	C+, U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<3.12	U	ug/kg dry	1	3.12	6.23	BGB0288	02/27/2023 18:30	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	Phenol, Total (Rerun)	A	<3.12	U	ug/kg dry	1	3.12	6.23	BGB0288	02/27/2023 18:30	KRB
SW-8270	Pyrene (Rerun)	A	<1.56	U	ug/kg dry	1	1.56	3.12	BGB0288	02/27/2023 18:30	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*35.0%*	*S*	*60-140*					*02/27/2023 18:30*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*55.9%*	*S*	*60-140*					*02/27/2023 18:30*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*47.5%*	*S*	*60-140*					*02/27/2023 18:30*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*47.8%*	*S*	*60-140*					*02/27/2023 18:30*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*58.4%*	*S*	*60-140*					*02/27/2023 18:30*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*45.6%*	*S*	*60-140*					*02/27/2023 18:30*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6B-S
Lab Sample ID: 23A1459-55
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/23/2023 16:00
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	3,3'-Dichlorobenzidine	A	<1.50U	ug/kg dry	1	1.50	3.00	BGB0288	02/09/2023 22:22	KRB
SW-8270	Benzidine	A	<1.50U	ug/kg dry	1	1.50	3.00	BGB0288	02/09/2023 22:22	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*53.6% S*	*60-140*					*02/09/2023 22:22*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*81.9%*	*60-140*					*02/09/2023 22:22*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*94.3%*	*60-140*					*02/09/2023 22:22*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*83.2%*	*60-140*					*02/09/2023 22:22*	
SW-8270	*Surrogate: Phenol-d5-surr*		*89.7%*	*60-140*					*02/09/2023 22:22*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*60.4%*	*60-140*					*02/09/2023 22:22*	
Organics by GC										
SW-8081	4,4'-DDD	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	4,4'-DDE	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	4,4'-DDT	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Aldrin	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Chlordane (tech.)	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	delta-BHC	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Dieldrin	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Endosulfan I	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Endosulfan II	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Endosulfan sulfate	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Endrin	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Endrin aldehyde	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Endrin ketone	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	gamma-Chlordane	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Heptachlor	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Heptachlor epoxide	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Methoxychlor	A	<0.360U	ug/kg dry	10	0.360	1.20	BGB0044	02/08/2023 03:03	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<18.0C+, U	ug/kg dry	10	18.0	18.0	BGB0044	02/08/2023 03:03	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*93.6%*	*60-140*					*02/08/2023 03:03*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6B-S (Continued)
Lab Sample ID: 23A1459-55
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/23/2023 16:00
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*110%*		*60-140*					*02/08/2023 03:03*	
SW-8082	PCBs, Total	A	<1.20	C+, U	ug/kg dry	1	1.20	2.40	BGB1177	02/25/2023 04:43	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*100%*		*60-140*					*02/25/2023 04:43*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*108%*		*60-140*					*02/25/2023 04:43*	
Metals, Total											
EPA 200.8	Antimony	A	<0.0243	U	mg/kg dry	1	0.0243	0.0486	BGB0820	02/07/2023 14:18	JLK
EPA 200.8	Arsenic	A	1.08		mg/kg dry	5	0.0121	0.121	BGB0820	02/27/2023 11:32	TBB
EPA 200.8	Beryllium	A	0.447		mg/kg dry	5	0.00243	0.0485	BGB0820	02/27/2023 15:56	TBB
EPA 200.8	Cadmium	A	0.00849	J	mg/kg dry	1	0.00243	0.0486	BGB0820	02/07/2023 14:18	JLK
EPA 200.8	Chromium	A	4.25		mg/kg dry	1	0.00728	0.146	BGB0820	02/07/2023 14:18	JLK
EPA 200.8	Copper	A	5.09	V	mg/kg dry	1	0.00970	0.0486	BGB0820	02/08/2023 11:21	TBB
Calc	Chromium (III)		3.63	J	mg/kg (dry wt) dry	1	0.127	5.15	[CALC]	02/07/2023 14:18	EM
SW-7196	Chromium (VI)	A	0.616	J	mg/kg dry	1	0.119	5.00	BGA3845	01/31/2023 17:20	EM
SW-7471B	Mercury	A	0.0135	J	mg/kg dry	1	0.00992	0.0198	BGB1025	02/08/2023 16:38	AKR
EPA 200.8	Lead	A	3.63		mg/kg dry	1	0.00243	0.0243	BGB0820	02/07/2023 14:18	JLK
EPA 200.8	Nickel	A	4.55		mg/kg dry	1	0.0486	0.0486	BGB0820	02/07/2023 14:18	JLK
EPA 200.8	Selenium	A	1.29		mg/kg dry	1	0.0486	0.0970	BGB0820	02/08/2023 11:21	TBB
EPA 200.8	Silver	A	0.00262	J	mg/kg dry	1	0.00121	0.0243	BGB0820	02/07/2023 14:18	JLK
EPA 200.8	Thallium	A	0.0643		mg/kg dry	1	0.00121	0.0243	BGB0820	02/07/2023 14:18	JLK
EPA 200.8	Zinc	A	12.7		mg/kg dry	1	0.0486	0.0970	BGB0820	02/07/2023 14:18	JLK
General Chemistry											
SW-9014	Total Cyanide	A	<0.0300	U	mg/kg dry	1	0.0300	0.0600	BGB0157	02/02/2023 17:58	GJG
EPA 350.2	Ammonia as N	A	<5.99	U	mg/kg dry	1	5.99	12.0	BGB0953	02/08/2023 09:15	GIW
SW-9045C	pH	A	8.90	H	pH Units @ 25 °C	1		0.100	BGA3958	01/31/2023 12:52	AKA
SM 2540 G	% Solids	A	83.3	V	%	1	0.100	0.100	BGA3870	02/01/2023 12:00	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-06-6B-S	Sample Matrix:	Sediment
Lab Sample ID:	23A1459-55RE1	Date Collected:	01/23/2023 16:00
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<3.00	U	ug/kg dry	1	3.00	6.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<3.00	U	ug/kg dry	1	3.00	6.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<3.00	U	ug/kg dry	1	3.00	6.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<3.00	U	ug/kg dry	1	3.00	6.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<3.00	U	ug/kg dry	1	3.00	6.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<12.0	U	ug/kg dry	1	12.0	24.0	BGB0288	02/27/2023 20:15	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<3.00	U	ug/kg dry	1	3.00	6.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<3.00	U	ug/kg dry	1	3.00	6.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Anthracene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Benzo(b)fluoranthene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Benzo(k)fluoranthene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6B-S (Continued)
Lab Sample ID: 23A1459-55RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/23/2023 16:00
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Chrysene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	<1.50	B, U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Fluorene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Isophorone (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Naphthalene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.50	C+, U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<3.00	U	ug/kg dry	1	3.00	6.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Phenol, Total (Rerun)	A	<3.00	U	ug/kg dry	1	3.00	6.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	Pyrene (Rerun)	A	<1.50	U	ug/kg dry	1	1.50	3.00	BGB0288	02/27/2023 20:15	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*32.0%*	*S*	*60-140*					*02/27/2023 20:15*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*54.6%*	*S*	*60-140*					*02/27/2023 20:15*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*45.8%*	*S*	*60-140*					*02/27/2023 20:15*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*48.7%*	*S*	*60-140*					*02/27/2023 20:15*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*57.9%*	*S*	*60-140*					*02/27/2023 20:15*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*38.3%*	*S*	*60-140*					*02/27/2023 20:15*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6C-S
Lab Sample ID: 23A1459-56
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/23/2023 13:05
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	3,3'-Dichlorobenzidine	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/09/2023 22:57	KRB
SW-8270	Benzidine	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/09/2023 22:57	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*48.6% S*	*60-140*					*02/09/2023 22:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*79.6%*	*60-140*					*02/09/2023 22:57*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*81.0%*	*60-140*					*02/09/2023 22:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*81.0%*	*60-140*					*02/09/2023 22:57*	
SW-8270	*Surrogate: Phenol-d5-surr*		*88.0%*	*60-140*					*02/09/2023 22:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*34.9% S*	*60-140*					*02/09/2023 22:57*	
Organics by GC										
SW-8081	4,4'-DDD	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	4,4'-DDE	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	4,4'-DDT	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Aldrin	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Chlordane (tech.)	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	delta-BHC	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Dieldrin	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Endosulfan I	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Endosulfan II	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Endosulfan sulfate	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Endrin	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Endrin aldehyde	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Endrin ketone	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	gamma-Chlordane	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Heptachlor	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Heptachlor epoxide	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Methoxychlor	A	<0.370U	ug/kg dry	10	0.370	1.23	BGB0044	02/08/2023 03:30	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<18.5C+, U	ug/kg dry	10	18.5	18.5	BGB0044	02/08/2023 03:30	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*88.2%*	*60-140*					*02/08/2023 03:30*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6C-S (Continued)
Lab Sample ID: 23A1459-56
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/23/2023 13:05
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*104%*		*60-140*					*02/08/2023 03:30*	
SW-8082	PCBs, Total	A	<1.23	C+, U	ug/kg dry	1	1.23	2.47	BGB1177	02/25/2023 05:07	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*96.2%*		*60-140*					*02/25/2023 05:07*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*114%*		*60-140*					*02/25/2023 05:07*	
Metals, Total											
EPA 200.8	Antimony	A	<0.0256	U	mg/kg dry	1	0.0256	0.0513	BGB0820	02/07/2023 14:23	JLK
EPA 200.8	Arsenic	A	3.11		mg/kg dry	5	0.0128	0.128	BGB0820	02/27/2023 10:38	TBB
EPA 200.8	Beryllium	A	0.587		mg/kg dry	5	0.00256	0.0511	BGB0820	02/27/2023 17:14	TBB
EPA 200.8	Cadmium	A	0.0147	J	mg/kg dry	1	0.00256	0.0513	BGB0820	02/07/2023 14:23	JLK
EPA 200.8	Chromium	A	5.70		mg/kg dry	1	0.00767	0.153	BGB0820	02/07/2023 14:23	JLK
EPA 200.8	Copper	A	4.69	V	mg/kg dry	1	0.0102	0.0513	BGB0820	02/08/2023 11:26	TBB
Calc	Chromium (III)		5.26		mg/kg (dry wt) dry	1	0.130	5.15	[CALC]	02/07/2023 14:23	EM
SW-7196	Chromium (VI)	A	0.439	J	mg/kg dry	1	0.123	5.00	BGA3845	01/31/2023 17:21	EM
SW-7471B	Mercury	A	<0.00994	U	mg/kg dry	1	0.00994	0.0199	BGB1927	02/15/2023 13:26	AKR
EPA 200.8	Lead	A	7.55		mg/kg dry	5	0.0128	0.128	BGB0820	02/07/2023 14:25	JLK
EPA 200.8	Nickel	A	10.0		mg/kg dry	1	0.0513	0.0513	BGB0820	02/07/2023 14:23	JLK
EPA 200.8	Selenium	A	1.16		mg/kg dry	1	0.0513	0.102	BGB0820	02/08/2023 11:26	TBB
EPA 200.8	Silver	A	0.00384	J	mg/kg dry	1	0.00128	0.0256	BGB0820	02/07/2023 14:23	JLK
EPA 200.8	Thallium	A	0.0643		mg/kg dry	1	0.00128	0.0256	BGB0820	02/07/2023 14:23	JLK
EPA 200.8	Zinc	A	17.9		mg/kg dry	1	0.0513	0.102	BGB0820	02/07/2023 14:23	JLK
General Chemistry											
SW-9014	Total Cyanide	A	<0.0309	U	mg/kg dry	1	0.0309	0.0617	BGB0157	02/02/2023 17:59	GJG
EPA 350.2	Ammonia as N	A	<6.11	U	mg/kg dry	1	6.11	12.2	BGB1156	02/09/2023 09:45	GIW
SW-9045C	pH	A	8.60	H	pH Units @ 25 °C	1		0.100	BGA3958	01/31/2023 12:52	AKA
SM 2540 G	% Solids	A	81.0	V	%	1	0.100	0.100	BGA3870	02/01/2023 12:00	JRU

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6C-S
Lab Sample ID: 23A1459-56RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/23/2023 13:05
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<3.09	U	ug/kg dry	1	3.09	6.17	BGB0288	02/27/2023 20:50	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<3.09	U	ug/kg dry	1	3.09	6.17	BGB0288	02/27/2023 20:50	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<3.09	U	ug/kg dry	1	3.09	6.17	BGB0288	02/27/2023 20:50	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<3.09	U	ug/kg dry	1	3.09	6.17	BGB0288	02/27/2023 20:50	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<3.09	U	ug/kg dry	1	3.09	6.17	BGB0288	02/27/2023 20:50	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<12.3	U	ug/kg dry	1	12.3	24.7	BGB0288	02/27/2023 20:50	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<3.09	U	ug/kg dry	1	3.09	6.17	BGB0288	02/27/2023 20:50	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<3.09	U	ug/kg dry	1	3.09	6.17	BGB0288	02/27/2023 20:50	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Anthracene (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Benzo(b)fluoranthene (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Benzo(k)fluoranthene (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.54	U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-06-6C-S (Continued)
Lab Sample ID: 23A1459-56RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/23/2023 13:05
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)										
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Chrysene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	<1.54B, U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Fluorene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Isophorone (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Naphthalene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.54C+, U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<3.09U	ug/kg dry	1	3.09	6.17	BGB0288	02/27/2023 20:50	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	Phenol, Total (Rerun)	A	6.52	ug/kg dry	1	3.09	6.17	BGB0288	02/27/2023 20:50	KRB
SW-8270	Pyrene (Rerun)	A	<1.54U	ug/kg dry	1	1.54	3.09	BGB0288	02/27/2023 20:50	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*31.0% S*	*60-140*					*02/27/2023 20:50*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*50.0% S*	*60-140*					*02/27/2023 20:50*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*42.8% S*	*60-140*					*02/27/2023 20:50*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*44.4% S*	*60-140*					*02/27/2023 20:50*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*53.6% S*	*60-140*					*02/27/2023 20:50*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*23.2% S*	*60-140*					*02/27/2023 20:50*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-7A-S
Lab Sample ID: 23A1459-58
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 10:00
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/14/2023 03:16	KRB
SW-8270	Benzidine	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/14/2023 03:16	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*84.6%*		*60-140*					*02/14/2023 03:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*121%*		*60-140*					*02/14/2023 03:16*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*147%*	*S*	*60-140*					*02/14/2023 03:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*131%*		*60-140*					*02/14/2023 03:16*	
SW-8270	*Surrogate: Phenol-d5-surr*		*152%*	*S*	*60-140*					*02/14/2023 03:16*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*72.7%*		*60-140*					*02/14/2023 03:16*	
Organics by GC											
SW-8082	PCBs, Total	A	<1.15	U	ug/kg dry	1	1.15	2.30	BGA3651	02/11/2023 20:34	cdg
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*130%*		*60-140*					*02/11/2023 20:34*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*104%*		*60-140*					*02/11/2023 20:34*	
Metals, Total											
EPA 200.8	Antimony	A	<0.0245	U	mg/kg dry	1	0.0245	0.0491	BGA3233	01/31/2023 17:02	TBB
EPA 200.8	Arsenic	A	0.462		mg/kg dry	1	0.00245	0.0245	BGA3233	01/31/2023 17:02	TBB
EPA 200.8	Beryllium	A	0.280		mg/kg dry	1	0.000491	0.00980	BGA3233	02/01/2023 11:28	TBB
EPA 200.8	Cadmium	A	0.00525	J	mg/kg dry	1	0.00245	0.0491	BGA3233	01/31/2023 17:02	TBB
EPA 200.8	Chromium	A	5.04	V	mg/kg dry	1	0.00736	0.147	BGA3233	01/31/2023 17:02	TBB
EPA 200.8	Copper	A	5.41	V	mg/kg dry	1	0.00980	0.0491	BGA3233	02/01/2023 13:57	TBB
Calc	Chromium (III)		4.68	J	mg/kg (dry wt) dry	1	0.121	5.15	[CALC]	01/31/2023 17:22	EM
SW-7196	Chromium (VI)	A	0.356	J	mg/kg dry	1	0.114	5.00	BGA3845	01/31/2023 17:22	EM
SW-7471B	Mercury	A	<0.00996	U	mg/kg dry	1	0.00996	0.0199	BGB0014	02/01/2023 16:00	AKR
EPA 200.8	Lead	A	3.74		mg/kg dry	1	0.00245	0.0245	BGA3233	01/31/2023 17:02	TBB
EPA 200.8	Nickel	A	3.22		mg/kg dry	1	0.0491	0.0491	BGA3233	01/31/2023 17:02	TBB
EPA 200.8	Selenium	A	0.778		mg/kg dry	1	0.0491	0.0980	BGA3233	02/01/2023 11:28	TBB
EPA 200.8	Silver	A	0.00589	J	mg/kg dry	1	0.00123	0.0245	BGA3233	01/31/2023 17:02	TBB
EPA 200.8	Thallium	A	0.0464		mg/kg dry	1	0.00123	0.0245	BGA3233	01/31/2023 17:02	TBB
EPA 200.8	Zinc	A	9.43		mg/kg dry	1	0.0491	0.0980	BGA3233	02/01/2023 11:28	TBB
General Chemistry											
SW-9014	Total Cyanide	A	<0.0290	U	mg/kg dry	1	0.0290	0.0580	BGA3582	01/27/2023 17:37	GJG
EPA 350.2	Ammonia as N	A	<5.89	U	mg/kg dry	1	5.89	11.8	BGB1156	02/09/2023 09:45	GIW
SW-9045C	pH	A	8.12	H	pH Units @ 25 °C	1		0.100	BGA3071	01/24/2023 13:11	AKA
SM 2540 G	% Solids	A	84.5	V	%	1	0.100	0.100	BGA3093	01/25/2023 11:53	JRU

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-7A-S
Lab Sample ID: 23A1459-58RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 10:00
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<2.84	U	ug/kg dry	1	2.84	5.67	BGA3368	02/28/2023 04:20	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<2.84	U	ug/kg dry	1	2.84	5.67	BGA3368	02/28/2023 04:20	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<2.84	U	ug/kg dry	1	2.84	5.67	BGA3368	02/28/2023 04:20	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<2.84	C+, U	ug/kg dry	1	2.84	5.67	BGA3368	02/28/2023 04:20	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.42	C+, U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<2.84	U	ug/kg dry	1	2.84	5.67	BGA3368	02/28/2023 04:20	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<11.3	U	ug/kg dry	1	11.3	22.7	BGA3368	02/28/2023 04:20	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<2.84	U	ug/kg dry	1	2.84	5.67	BGA3368	02/28/2023 04:20	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<2.84	U	ug/kg dry	1	2.84	5.67	BGA3368	02/28/2023 04:20	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Anthracene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-7A-S (Continued)
Lab Sample ID: 23A1459-58RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 10:00
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	2.35	V, J	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Chrysene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Diethyl phthalate (Rerun)	A	1.60	V, J	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	10.3	V	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Fluorene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Isophorone (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Naphthalene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<2.84	U	ug/kg dry	1	2.84	5.67	BGA3368	02/28/2023 04:20	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	Phenol, Total (Rerun)	A	<2.84	U	ug/kg dry	1	2.84	5.67	BGA3368	02/28/2023 04:20	KRB
SW-8270	Pyrene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	02/28/2023 04:20	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*45.8%*	*S*	*60-140*					*02/28/2023 04:20*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*68.2%*		*60-140*					*02/28/2023 04:20*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*64.1%*		*60-140*					*02/28/2023 04:20*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*67.3%*		*60-140*					*02/28/2023 04:20*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*68.9%*		*60-140*					*02/28/2023 04:20*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*43.5%*	*S*	*60-140*					*02/28/2023 04:20*	
Organics by GC											
SW-8081	4,4'-DDD (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-7A-S (Continued)
Lab Sample ID: 23A1459-58RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 10:00
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	4,4'-DDE (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	4,4'-DDT (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Aldrin (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane) (Rerun)	A	<0.695	C+, U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane) (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Chlordane (tech.) (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	cis-Chlordane (alpha-Chlordane) (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	delta-BHC (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Dieldrin (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Endosulfan I (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Endosulfan II (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Endosulfan sulfate (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Endrin (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Endrin aldehyde (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Endrin ketone (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane) (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	gamma-Chlordane (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Heptachlor (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Heptachlor epoxide (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Methoxychlor (Rerun)	A	<0.695	U	ug/kg dry	20	0.695	2.32	BGA3603	02/10/2023 04:31	ALA
SW-8081	Toxaphene (Chlorinated Camphene) (Rerun)	A	<34.7	U	ug/kg dry	20	34.7	34.7	BGA3603	02/10/2023 04:31	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*119%*		*60-140*					*02/10/2023 04:31*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*114%*		*60-140*					*02/10/2023 04:31*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-07-7A-S	Sample Matrix:	Sediment
Lab Sample ID:	23A1459-58RE2	Date Collected:	01/21/2023 10:00
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.42	U	ug/kg dry	1	1.42	2.84	BGA3368	03/07/2023 05:08	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*55.8%*	*S*	*60-140*					*03/07/2023 05:08*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*76.0%*		*60-140*					*03/07/2023 05:08*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*77.7%*		*60-140*					*03/07/2023 05:08*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*78.5%*		*60-140*					*03/07/2023 05:08*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*72.7%*		*60-140*					*03/07/2023 05:08*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*59.2%*	*S*	*60-140*					*03/07/2023 05:08*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-7C-S
Lab Sample ID: 23A1459-59
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 15:10
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/14/2023 03:50	KRB
SW-8270	Benzidine	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/14/2023 03:50	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*175%*	*S*	*60-140*					*02/14/2023 03:50*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*134%*		*60-140*					*02/14/2023 03:50*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*207%*	*S*	*60-140*					*02/14/2023 03:50*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*171%*	*S*	*60-140*					*02/14/2023 03:50*	
SW-8270	*Surrogate: Phenol-d5-surr*		*288%*	*S*	*60-140*					*02/14/2023 03:50*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*120%*		*60-140*					*02/14/2023 03:50*	
Organics by GC											
SW-8082	PCBs, Total	A	<1.18	U	ug/kg dry	1	1.18	2.36	BGA3651	02/11/2023 21:01	cdg
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*141%*	*S*	*60-140*					*02/11/2023 21:01*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*103%*		*60-140*					*02/11/2023 21:01*	
Metals, Total											
EPA 200.8	Antimony	A	<0.0259	U	mg/kg dry	1	0.0259	0.0520	BGA3233	01/31/2023 17:04	TBB
EPA 200.8	Arsenic	A	1.87		mg/kg dry	1	0.00259	0.0259	BGA3233	01/31/2023 17:04	TBB
EPA 200.8	Beryllium	A	0.465		mg/kg dry	1	0.000520	0.0104	BGA3233	02/01/2023 11:31	TBB
EPA 200.8	Cadmium	A	0.0199	J	mg/kg dry	1	0.00259	0.0520	BGA3233	01/31/2023 17:04	TBB
EPA 200.8	Chromium	A	5.00	V	mg/kg dry	1	0.00778	0.156	BGA3233	01/31/2023 17:04	TBB
EPA 200.8	Copper	A	7.21	V	mg/kg dry	1	0.0104	0.0520	BGA3233	02/01/2023 15:06	TBB
Calc	Chromium (III)		4.76	J	mg/kg (dry wt) dry	1	0.128	5.16	[CALC]	01/31/2023 17:23	EM
SW-7196	Chromium (VI)	A	0.241	J	mg/kg dry	1	0.120	5.00	BGA3845	01/31/2023 17:23	EM
SW-7471B	Mercury	A	0.0199		mg/kg dry	1	0.00990	0.0198	BGB0014	02/01/2023 16:04	AKR
EPA 200.8	Lead	A	7.37		mg/kg dry	5	0.0130	0.130	BGA3233	02/01/2023 11:33	TBB
EPA 200.8	Nickel	A	8.30		mg/kg dry	1	0.0520	0.0520	BGA3233	01/31/2023 17:04	TBB
EPA 200.8	Selenium	A	1.51		mg/kg dry	1	0.0520	0.104	BGA3233	02/01/2023 11:31	TBB
EPA 200.8	Silver	A	0.00571	J	mg/kg dry	1	0.00130	0.0259	BGA3233	01/31/2023 17:04	TBB
EPA 200.8	Thallium	A	0.0744		mg/kg dry	1	0.00130	0.0259	BGA3233	01/31/2023 17:04	TBB
EPA 200.8	Zinc	A	18.0		mg/kg dry	1	0.0520	0.104	BGA3233	02/01/2023 11:31	TBB
General Chemistry											
SW-9014	Total Cyanide	A	<0.0307	U	mg/kg dry	1	0.0307	0.0613	BGA3582	01/27/2023 17:37	GJG
EPA 350.2	Ammonia as N	A	8.03	J	mg/kg dry	1	6.24	12.5	BGB1156	02/09/2023 09:45	GIW
SW-9045C	pH	A	7.91	H	pH Units @ 25 °C	1		0.100	BGA3071	01/24/2023 13:11	AKA
SM 2540 G	% Solids	A	79.9	V	%	1	0.100	0.100	BGA3093	01/25/2023 11:53	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-7C-S
Lab Sample ID: 23A1459-59RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 15:10
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<3.07	U	ug/kg dry	1	3.07	6.13	BGA3368	02/28/2023 04:54	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<3.07	U	ug/kg dry	1	3.07	6.13	BGA3368	02/28/2023 04:54	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<3.07	U	ug/kg dry	1	3.07	6.13	BGA3368	02/28/2023 04:54	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<3.07	C+, U	ug/kg dry	1	3.07	6.13	BGA3368	02/28/2023 04:54	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.53	C+, U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<3.07	U	ug/kg dry	1	3.07	6.13	BGA3368	02/28/2023 04:54	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<12.3	U	ug/kg dry	1	12.3	24.5	BGA3368	02/28/2023 04:54	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<3.07	U	ug/kg dry	1	3.07	6.13	BGA3368	02/28/2023 04:54	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<3.07	U	ug/kg dry	1	3.07	6.13	BGA3368	02/28/2023 04:54	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Anthracene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-7C-S (Continued)
Lab Sample ID: 23A1459-59RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 15:10
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)										
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	5.27V	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Chrysene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Diethyl phthalate (Rerun)	A	1.65V, J	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	10.5V	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	3.38	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Fluorene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Isophorone (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Naphthalene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<3.07U	ug/kg dry	1	3.07	6.13	BGA3368	02/28/2023 04:54	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	Phenol, Total (Rerun)	A	10.2	ug/kg dry	1	3.07	6.13	BGA3368	02/28/2023 04:54	KRB
SW-8270	Pyrene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.07	BGA3368	02/28/2023 04:54	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.8%*	*60-140*					*02/28/2023 04:54*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*70.1%*	*60-140*					*02/28/2023 04:54*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*69.0%*	*60-140*					*02/28/2023 04:54*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*58.2% S*	*60-140*					*02/28/2023 04:54*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*71.4%*	*60-140*					*02/28/2023 04:54*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*59.5% S*	*60-140*					*02/28/2023 04:54*	
Organics by GC										
SW-8081	4,4'-DDD (Rerun)	A	<0.724U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-07-7C-S (Continued)
Lab Sample ID: 23A1459-59RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 15:10
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	4,4'-DDE (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	4,4'-DDT (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Aldrin (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane) (Rerun)	A	<0.724	C+, U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane) (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Chlordane (tech.) (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	cis-Chlordane (alpha-Chlordane) (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	delta-BHC (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Dieldrin (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Endosulfan I (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Endosulfan II (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Endosulfan sulfate (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Endrin (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Endrin aldehyde (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Endrin ketone (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane) (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	gamma-Chlordane (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Heptachlor (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Heptachlor epoxide (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Methoxychlor (Rerun)	A	<0.724	U	ug/kg dry	20	0.724	2.41	BGA3603	02/10/2023 05:24	ALA
SW-8081	Toxaphene (Chlorinated Camphene) (Rerun)	A	<36.2	U	ug/kg dry	20	36.2	36.2	BGA3603	02/10/2023 05:24	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*129%*		*60-140*					*02/10/2023 05:24*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*122%*		*60-140*					*02/10/2023 05:24*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-07-7C-S	Sample Matrix:	Sediment
Lab Sample ID:	23A1459-59RE2	Date Collected:	01/21/2023 15:10
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.07	BGA3368	03/07/2023 05:43	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*84.8%*		*60-140*					*03/07/2023 05:43*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*77.9%*		*60-140*					*03/07/2023 05:43*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*81.3%*		*60-140*					*03/07/2023 05:43*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*71.4%*		*60-140*					*03/07/2023 05:43*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*74.8%*		*60-140*					*03/07/2023 05:43*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*68.7%*		*60-140*					*03/07/2023 05:43*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-DUP-S
Lab Sample ID: 23A1459-60
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 11:45
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	3,3'-Dichlorobenzidine	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/14/2023 04:25	KRB
SW-8270	Benzidine	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/14/2023 04:25	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*99.8%*	*60-140*					*02/14/2023 04:25*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*126%*	*60-140*					*02/14/2023 04:25*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*169% S*	*60-140*					*02/14/2023 04:25*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*137%*	*60-140*					*02/14/2023 04:25*	
SW-8270	*Surrogate: Phenol-d5-surr*		*148% S*	*60-140*					*02/14/2023 04:25*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*70.7%*	*60-140*					*02/14/2023 04:25*	
Organics by GC										
SW-8082	PCBs, Total	A	<1.20U	ug/kg dry	1	1.20	2.40	BGA3651	02/11/2023 21:27	cdg
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*128%*	*60-140*					*02/11/2023 21:27*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*105%*	*60-140*					*02/11/2023 21:27*	
Metals, Total										
EPA 200.8	Antimony	A	<0.0253U	mg/kg dry	1	0.0253	0.0508	BGA3233	01/31/2023 17:07	TBB
EPA 200.8	Arsenic	A	0.371	mg/kg dry	1	0.00253	0.0253	BGA3233	01/31/2023 17:07	TBB
EPA 200.8	Beryllium	A	0.331	mg/kg dry	1	0.000508	0.0101	BGA3233	02/01/2023 11:36	TBB
EPA 200.8	Cadmium	A	0.0161J	mg/kg dry	1	0.00253	0.0508	BGA3233	01/31/2023 17:07	TBB
EPA 200.8	Chromium	A	4.31V	mg/kg dry	1	0.00761	0.152	BGA3233	01/31/2023 17:07	TBB
EPA 200.8	Copper	A	17.5V	mg/kg dry	5	0.0507	0.254	BGA3233	02/01/2023 15:11	TBB
Calc	Chromium (III)		4.14J	mg/kg (dry wt) dry	1	0.127	5.15	[CALC]	01/31/2023 17:07	EM
SW-7196	Chromium (VI)	A	0.165J	mg/kg dry	1	0.119	5.00	BGA3845	01/31/2023 17:00	EM
SW-7471B	Mercury	A	0.0118J	mg/kg dry	1	0.00990	0.0198	BGB0014	02/01/2023 16:07	AKR
EPA 200.8	Lead	A	9.18	mg/kg dry	5	0.0127	0.127	BGA3233	02/01/2023 11:38	TBB
EPA 200.8	Nickel	A	3.72	mg/kg dry	1	0.0508	0.0508	BGA3233	01/31/2023 17:07	TBB
EPA 200.8	Selenium	A	0.860	mg/kg dry	1	0.0508	0.101	BGA3233	02/01/2023 11:36	TBB
EPA 200.8	Silver	A	0.0174J	mg/kg dry	1	0.00127	0.0253	BGA3233	01/31/2023 17:07	TBB
EPA 200.8	Thallium	A	0.0575	mg/kg dry	1	0.00127	0.0253	BGA3233	01/31/2023 17:07	TBB
EPA 200.8	Zinc	A	12.3	mg/kg dry	1	0.0508	0.101	BGA3233	02/01/2023 11:36	TBB
General Chemistry										
SW-9014	Total Cyanide	A	<0.0295U	mg/kg dry	1	0.0295	0.0590	BGA3582	01/27/2023 17:38	GJG
EPA 350.2	Ammonia as N	A	<6.11U	mg/kg dry	1	6.11	12.2	BGB1156	02/09/2023 09:45	GIW
SW-9045C	pH	A	8.22H	pH Units @ 25 °C	1		0.100	BGA3071	01/24/2023 13:11	AKA
SM 2540 G	% Solids	A	81.5V	%	1	0.100	0.100	BGA3093	01/25/2023 11:53	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-DUP-S
Lab Sample ID: 23A1459-60RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 11:45
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<3.05U	ug/kg dry	1	3.05	6.10	BGA3368	02/28/2023 05:29	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<3.05U	ug/kg dry	1	3.05	6.10	BGA3368	02/28/2023 05:29	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<3.05U	ug/kg dry	1	3.05	6.10	BGA3368	02/28/2023 05:29	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<3.05C+, U	ug/kg dry	1	3.05	6.10	BGA3368	02/28/2023 05:29	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.53C+, U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<3.05U	ug/kg dry	1	3.05	6.10	BGA3368	02/28/2023 05:29	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<12.2U	ug/kg dry	1	12.2	24.4	BGA3368	02/28/2023 05:29	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<3.05U	ug/kg dry	1	3.05	6.10	BGA3368	02/28/2023 05:29	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<3.05U	ug/kg dry	1	3.05	6.10	BGA3368	02/28/2023 05:29	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Acenaphthene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Acenaphthylene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Anthracene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.53U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-DUP-S (Continued)
Lab Sample ID: 23A1459-60RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 11:45
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	1.87	V, J	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Chrysene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Diethyl phthalate (Rerun)	A	<1.53	B, U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	9.01	V	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Fluoranthene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Fluorene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Hexachloroethane (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Isophorone (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Naphthalene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Nitrobenzene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<3.05	U	ug/kg dry	1	3.05	6.10	BGA3368	02/28/2023 05:29	KRB
SW-8270	Phenanthrene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	Phenol, Total (Rerun)	A	<3.05	U	ug/kg dry	1	3.05	6.10	BGA3368	02/28/2023 05:29	KRB
SW-8270	Pyrene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	02/28/2023 05:29	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*50.6%*	*S*	*60-140*					*02/28/2023 05:29*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*75.7%*		*60-140*					*02/28/2023 05:29*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*73.6%*		*60-140*					*02/28/2023 05:29*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*69.7%*		*60-140*					*02/28/2023 05:29*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*63.5%*		*60-140*					*02/28/2023 05:29*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*40.8%*	*S*	*60-140*					*02/28/2023 05:29*	
Organics by GC											
SW-8081	4,4'-DDD (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-DUP-S (Continued)
Lab Sample ID: 23A1459-60RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/21/2023 11:45
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	4,4'-DDE (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	4,4'-DDT (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Aldrin (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane) (Rerun)	A	<0.705	C+, U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane) (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Chlordane (tech.) (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	cis-Chlordane (alpha-Chlordane) (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	delta-BHC (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Dieldrin (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Endosulfan I (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Endosulfan II (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Endosulfan sulfate (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Endrin (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Endrin aldehyde (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Endrin ketone (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE) (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	gamma-Chlordane (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Heptachlor (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Heptachlor epoxide (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Methoxychlor (Rerun)	A	<0.705	U	ug/kg dry	20	0.705	2.35	BGA3603	02/10/2023 06:18	ALA
SW-8081	Toxaphene (Chlorinated Camphene) (Rerun)	A	<35.2	U	ug/kg dry	20	35.2	35.2	BGA3603	02/10/2023 06:18	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*140%*		*60-140*					*02/10/2023 06:18*	
SW-8081	*Surrogate: Decachlorobiphenyl-surr (Rerun)*		*129%*		*60-140*					*02/10/2023 06:18*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-DUP-S	Sample Matrix:	Sediment
Lab Sample ID:	23A1459-60RE2	Date Collected:	01/21/2023 11:45
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.53	U	ug/kg dry	1	1.53	3.05	BGA3368	03/07/2023 06:17	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*58.8%*	*S*	*60-140*					*03/07/2023 06:17*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*76.6%*		*60-140*					*03/07/2023 06:17*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*100%*		*60-140*					*03/07/2023 06:17*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*85.5%*		*60-140*					*03/07/2023 06:17*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*78.2%*		*60-140*					*03/07/2023 06:17*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*57.8%*	*S*	*60-140*					*03/07/2023 06:17*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: ODMDS-W
Lab Sample ID: 23A1459-62
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 13:10
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/08/2023 02:42	KRB
SW-8270	Benzidine	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/08/2023 02:42	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*99.1%*		*54.6-148*					*02/08/2023 02:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*117%*		*55-152*					*02/08/2023 02:42*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*151%*	*S*	*52.4-136*					*02/08/2023 02:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*122%*		*52-162*					*02/08/2023 02:42*	
SW-8270	*Surrogate: Phenol-d5-surr*		*117%*		*58.7-152*					*02/08/2023 02:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*83.4%*		*51.9-147*					*02/08/2023 02:42*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	4,4'-DDE	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	4,4'-DDT	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Aldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00600	C+, U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Chlordane (tech.)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	delta-BHC	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Dieldrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Endosulfan I	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Endosulfan II	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Endosulfan sulfate	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Endrin	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Endrin aldehyde	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Endrin ketone	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	gamma-Chlordane	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Heptachlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Heptachlor epoxide	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Methoxychlor	A	<0.00600	U	ug/L	1	0.00600	0.00600	BGA3839	02/07/2023 00:03	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.300	U	ug/L	1	0.300	0.300	BGA3839	02/07/2023 00:03	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*113%*		*60-140*					*02/07/2023 00:03*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: ODMDS-W (Continued)
Lab Sample ID: 23A1459-62
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 13:10
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*75.9%*		*60-140*					*02/07/2023 00:03*	
SW-8082	PCBs, Total	A	<0.00600	U	ug/L	1	0.00600	0.120	BGB0277	02/11/2023 09:57	cdg
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*102%*		*60-140*					*02/11/2023 09:57*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*56.4%*	*S*	*60-140*					*02/11/2023 09:57*	
Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BGA3813	01/30/2023 15:36	NAZ
EPA 200.8	Selenium	A	<1.65	U	ug/L	5	1.65	10.0	BGB1605	02/22/2023 15:27	TBB
Metals, Dissolved											
EPA 200.8	Antimony	A	<1.00	U	ug/L	5	1.00	5.00	BGB0721	02/22/2023 11:46	TBB
EPA 200.8	Arsenic	A	1.56	J	ug/L	5	0.500	2.50	BGB0721	02/22/2023 11:46	TBB
EPA 200.8	Beryllium	A	<0.0500	U	ug/L	5	0.0500	1.00	BGB0721	02/28/2023 15:59	TBB
EPA 200.8	Cadmium	A	<0.250	U	ug/L	5	0.250	5.00	BGB0721	02/22/2023 11:46	TBB
EPA 200.8	Chromium	A	<0.400	U	ug/L	5	0.400	15.0	BGB0721	02/14/2023 17:31	TBB
EPA 200.8	Copper	A	<1.00	U	ug/L	5	1.00	5.00	BGB0721	02/14/2023 17:31	TBB
Calc	Chromium (III)		<1.90	U	ug/L	5	1.90	18.0	[CALC]	02/15/2023 14:49	SAB
SM 3500-Cr B	Chromium (VI)	A	9.69		ug/L	1	1.50	3.00	BGB2104	02/15/2023 14:49	SAB
EPA 200.8	Lead	A	<0.500	U	ug/L	5	0.500	2.50	BGB0721	02/08/2023 16:44	JLK
EPA 200.8	Nickel	A	<0.250	U	ug/L	5	0.250	5.00	BGB0721	02/14/2023 17:31	TBB
EPA 200.8	Silver	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	03/01/2023 10:08	TBB
EPA 200.8	Thallium	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	02/08/2023 16:44	JLK
EPA 200.8	Zinc	A	1.11	J	ug/L	5	1.00	10.0	BGB0721	02/14/2023 17:31	TBB
General Chemistry											
EPA 350.1	Ammonia as N	A	0.621		mg/L	1	0.0200	0.0500	BGB0480	02/03/2023 13:13	DLK
SM 2520 B	Salinity	N	30.4		Salinity units	1	1.00	1.00	BGB1516	02/10/2023 13:10	AKA
SM 2540 D	Residue-nonfilterable (TSS)	A	6.95		mg/L	1	1.00	1.00	BGA3833	01/31/2023 12:49	BP / JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	ODMDS-W	Sample Matrix:	Marine Water
Lab Sample ID:	23A1459-62RE1	Date Collected:	01/27/2023 13:10
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS										
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	2,4,5 & 2,4,6 -Trichlorophenol (Rerun)	N	<1.10U	ug/L	1	1.10	2.22	BGA3953	02/13/2023 23:11	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.552U	ug/L	1	0.552	1.11	BGA3953	02/13/2023 23:11	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.552U	ug/L	1	0.552	1.11	BGA3953	02/13/2023 23:11	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.44C+, U	ug/L	1	4.44	4.44	BGA3953	02/13/2023 23:11	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.552U	ug/L	1	0.552	1.11	BGA3953	02/13/2023 23:11	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.552C+, U	ug/L	1	0.552	1.11	BGA3953	02/13/2023 23:11	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.552U	ug/L	1	0.552	1.11	BGA3953	02/13/2023 23:11	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.552U	ug/L	1	0.552	1.11	BGA3953	02/13/2023 23:11	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.44U	ug/L	1	4.44	4.44	BGA3953	02/13/2023 23:11	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Anthracene (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.277U	ug/L	1	0.277	1.11	BGA3953	02/13/2023 23:11	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.277U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: ODMDS-W (Continued)
Lab Sample ID: 23A1459-62RE1
Sample Alias:

Sample Matrix: Marine Water
Date Collected: 01/27/2023 13:10
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Chrysene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Diethyl phthalate (Rerun)	A	0.770	V	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.277	B, U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.12	V	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Fluorene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.277	C+, U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Isophorone (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Naphthalene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.277	U	ug/L	1	0.277	2.22	BGA3953	02/13/2023 23:11	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.552	U	ug/L	1	0.552	1.11	BGA3953	02/13/2023 23:11	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	Phenol, Total (Rerun)	A	0.872	J	ug/L	1	0.552	1.11	BGA3953	02/13/2023 23:11	KRB
SW-8270	Pyrene (Rerun)	A	<0.277	U	ug/L	1	0.277	0.554	BGA3953	02/13/2023 23:11	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*96.5%*		*54.6-148*					*02/13/2023 23:11*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*121%*		*55-152*					*02/13/2023 23:11*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*90.3%*		*52.4-136*					*02/13/2023 23:11*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*89.2%*		*52-162*					*02/13/2023 23:11*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*126%*		*58.7-152*					*02/13/2023 23:11*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	ODMDS-W (Continued)	Sample Matrix:	Marine Water
Lab Sample ID:	23A1459-62RE1	Date Collected:	01/27/2023 13:10
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*76.6%*		*51.9-147*					*02/13/2023 23:11*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-DUP-E
Lab Sample ID: 23A1459-65
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 01/21/2023 11:45
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS										
SW-8270	3,3'-Dichlorobenzidine	A	<0.281U	ug/L	1	0.281	0.562	BGB0925	02/14/2023 05:00	KRB
SW-8270	Benzidine	A	<0.281U	ug/L	1	0.281	0.562	BGB0925	02/14/2023 05:00	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*146%*	*54.6-148*					*02/14/2023 05:00*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*143%*	*55-152*					*02/14/2023 05:00*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*209% S*	*52.4-136*					*02/14/2023 05:00*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*169% S*	*52-162*					*02/14/2023 05:00*	
SW-8270	*Surrogate: Phenol-d5-surr*		*171% S*	*58.7-152*					*02/14/2023 05:00*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*125%*	*51.9-147*					*02/14/2023 05:00*	
Elutriate Organics by GC										
SW-8081	4,4'-DDD	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	4,4'-DDE	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	4,4'-DDT	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Aldrin	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.00596C+, U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Chlordane (tech.)	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	delta-BHC	A	<0.00596B2, U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Dieldrin	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Endosulfan I	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Endosulfan II	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Endosulfan sulfate	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Endrin	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Endrin aldehyde	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Endrin ketone	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	gamma-Chlordane	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Heptachlor	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Heptachlor epoxide	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Methoxychlor	A	<0.00596U	ug/L	1	0.00596	0.00596	BGB0543	02/09/2023 05:00	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<0.298U	ug/L	1	0.298	0.298	BGB0543	02/09/2023 05:00	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*134%*	*60-140*					*02/09/2023 05:00*	

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-DUP-E (Continued)
Lab Sample ID: 23A1459-65
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 01/21/2023 11:45
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*101%*		*60-140*					*02/09/2023 05:00*	
SW-8082	PCBs, Total	A	<0.00599	U	ug/L	1	0.00599	0.120	BGB1127	02/17/2023 11:53	cro
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*134%*		*60-140*					*02/17/2023 11:53*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*86.4%*		*60-140*					*02/17/2023 11:53*	
Elutriate Metals, Dissolved											
EPA 200.8	Antimony	A	<1.00	U	ug/L	5	1.00	5.00	BGB0721	02/22/2023 11:52	TBB
EPA 200.8	Arsenic	A	1.78	J	ug/L	5	0.500	2.50	BGB0721	02/22/2023 11:52	TBB
EPA 200.8	Beryllium	A	<0.0500	B2, U	ug/L	5	0.0500	1.00	BGB0721	02/28/2023 16:04	TBB
EPA 200.8	Cadmium	A	<0.250	U	ug/L	5	0.250	5.00	BGB0721	02/22/2023 11:52	TBB
EPA 200.8	Chromium	A	<0.400	B2, U	ug/L	5	0.400	15.0	BGB0721	02/22/2023 11:52	TBB
EPA 200.8	Copper	A	<2.00	B, B2, U	ug/L	10	2.00	10.0	BGB0721	03/01/2023 10:19	TBB
Calc	Chromium (III)		<1.90	U	ug/L	5	1.90	18.0	[CALC]	02/22/2023 11:52	SAB
SM 3500-Cr B	Chromium (VI)	A	0.0388	V2	mg/L	1	0.00150	0.00300	BGB2104	02/15/2023 15:04	SAB
EPA 200.8	Lead	A	<0.500	U	ug/L	5	0.500	2.50	BGB0721	02/08/2023 16:49	JLK
EPA 200.8	Nickel	A	1.61	V2, J	ug/L	5	0.250	5.00	BGB0721	02/22/2023 11:52	TBB
EPA 200.8	Silver	A	<0.300	U	ug/L	10	0.300	5.00	BGB0721	03/01/2023 10:19	TBB
EPA 200.8	Thallium	A	<0.150	U	ug/L	5	0.150	2.50	BGB0721	02/22/2023 11:52	TBB
EPA 200.8	Zinc	A	1.48	V2, J	ug/L	5	1.00	10.0	BGB0721	02/14/2023 17:37	TBB
Elutriate Metals, Total											
EPA 245.1	Mercury	A	<0.150	U	ug/L	1	0.150	0.200	BGB0678	02/06/2023 17:10	NAZ
EPA 200.8	Selenium	A	<1.65	U	ug/L	5	1.65	10.0	BGB1605	02/22/2023 15:32	TBB
Elutriate General Chemistry											
SM 2540 D	Residue-nonfilterable (TSS)	A	7.42	V2	mg/L	1	1.00	1.00	BGB0805	02/07/2023 13:44	BP

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-DUP-E	Sample Matrix:	Elutriate
Lab Sample ID:	23A1459-65RE1	Date Collected:	01/21/2023 11:45
Sample Alias:		Collected by:	Michael Madonna

Elutriate Semivolatile Organic Compounds by GCMS

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	2,4,5 & 2,4,6 -Trichlorophenol (Rerun)	N	<1.12	U	ug/L	1	1.12	2.25	BGB0925	02/15/2023 06:16	KRB
SW-8270	2,4-Dichlorophenol (Rerun)	A	<0.560	U	ug/L	1	0.560	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	2,4-Dimethylphenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 06:16	KRB
SW-8270	2,4-Dinitrophenol (Rerun)	A	<4.50	U	ug/L	1	4.50	4.50	BGB0925	02/15/2023 06:16	KRB
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	2-Chloronaphthalene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	2-Chlorophenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 06:16	KRB
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 06:16	KRB
SW-8270	2-Nitrophenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 06:16	KRB
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<0.560	U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 06:16	KRB
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	4-Nitrophenol (Rerun)	A	<4.50	U	ug/L	1	4.50	4.50	BGB0925	02/15/2023 06:16	KRB
SW-8270	Acenaphthene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Acenaphthylene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Anthracene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Benzo(a)anthracene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Benzo(a)pyrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	benzo(b&k)fluoranthene (Rerun)	A	<0.562	U	ug/L	1	0.562	1.12	BGB0925	02/15/2023 06:16	KRB
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: CDP-DUP-E (Continued)
Lab Sample ID: 23A1459-65RE1
Sample Alias:

Sample Matrix: Elutriate
Date Collected: 01/21/2023 11:45
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Butyl benzyl phthalate (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Chrysene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Diethyl phthalate (Rerun)	A	0.938	V, V2	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Dimethyl phthalate (Rerun)	A	<0.281	B, B2, U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Di-n-butyl phthalate (Rerun)	A	1.85	V, V2	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Fluoranthene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Fluorene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Hexachlorobenzene (Rerun)	A	<0.281	C+, U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Hexachlorobutadiene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Hexachloroethane (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Isophorone (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Naphthalene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Nitrobenzene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<0.281	U	ug/L	1	0.281	2.25	BGB0925	02/15/2023 06:16	KRB
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<0.281	C+, U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Pentachlorophenol (Rerun)	A	<0.560	C+, U	ug/L	1	0.560	1.12	BGB0925	02/15/2023 06:16	KRB
SW-8270	Phenanthrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	Phenol, Total (Rerun)	A	0.841	V2, J	ug/L	1	0.560	1.12	BGB0925	02/15/2023 06:16	KRB
SW-8270	Pyrene (Rerun)	A	<0.281	U	ug/L	1	0.281	0.562	BGB0925	02/15/2023 06:16	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*93.1%*		*54.6-148*					*02/15/2023 06:16*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*107%*		*55-152*					*02/15/2023 06:16*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*105%*		*52.4-136*					*02/15/2023 06:16*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*80.1%*		*52-162*					*02/15/2023 06:16*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*125%*		*58.7-152*					*02/15/2023 06:16*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	CDP-DUP-E (Continued)	Sample Matrix:	Elutriate
Lab Sample ID:	23A1459-65RE1	Date Collected:	01/21/2023 11:45
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Elutriate Semivolatile Organic Compounds by GCMS (Continued)											
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*92.0%*		*51.9-147*					*02/15/2023 06:16*	
Elutriate General Chemistry											
EPA 350.1	Ammonia as N (Rerun)	A	0.970		mg/L	5	0.100	0.250	BGB0807	02/07/2023 10:12	DLK

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	ODMDS-S	Sample Matrix:	Sediment
Lab Sample ID:	23A1459-66	Date Collected:	01/27/2023 12:30
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	3,3'-Dichlorobenzidine	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/08/2023 07:19	KRB
SW-8270	Benzidine	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/08/2023 07:19	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*78.2%*		*60-140*					*02/08/2023 07:19*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*90.1%*		*60-140*					*02/08/2023 07:19*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*136%*		*60-140*					*02/08/2023 07:19*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*98.5%*		*60-140*					*02/08/2023 07:19*	
SW-8270	*Surrogate: Phenol-d5-surr*		*97.1%*		*60-140*					*02/08/2023 07:19*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*80.0%*		*60-140*					*02/08/2023 07:19*	
Organics by GC											
SW-8081	4,4'-DDD	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	4,4'-DDE	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	4,4'-DDT	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Aldrin	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	alpha-BHC (alpha-Hexachlorocyclohexane)	A	<0.395	C+, U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	beta-BHC (beta-Hexachlorocyclohexane)	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Chlordane (tech.)	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	cis-Chlordane (alpha-Chlordane)	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	delta-BHC	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Dieldrin	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Endosulfan I	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Endosulfan II	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Endosulfan sulfate	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Endrin	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Endrin aldehyde	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Endrin ketone	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	gamma-Chlordane	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Heptachlor	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Heptachlor epoxide	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Methoxychlor	A	<0.395	U	ug/kg dry	10	0.395	1.32	BGB0477	02/10/2023 10:45	ALA
SW-8081	Toxaphene (Chlorinated Camphene)	A	<19.7	U	ug/kg dry	10	19.7	19.7	BGB0477	02/10/2023 10:45	ALA
SW-8081	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*81.0%*		*60-140*					*02/10/2023 10:45*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: ODMDS-S (Continued)
Lab Sample ID: 23A1459-66
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/27/2023 12:30
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Organics by GC (Continued)											
SW-8081	*Surrogate: Decachlorobiphenyl-surr*		*97.2%*		*60-140*					*02/10/2023 10:45*	
SW-8082	PCBs, Total	A	<1.31	C+, U	ug/kg dry	1	1.31	2.62	BGB1177	02/25/2023 05:32	KRB
SW-8082	*Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr*		*126%*		*60-140*					*02/25/2023 05:32*	
SW-8082	*Surrogate: Decachlorobiphenyl-surr*		*128%*		*60-140*					*02/25/2023 05:32*	
Metals, Total											
EPA 200.8	Antimony	A	<0.0270	U	mg/kg dry	1	0.0270	0.0542	BGB0820	02/07/2023 14:28	JLK
EPA 200.8	Arsenic	A	1.39		mg/kg dry	5	0.0135	0.135	BGB0820	02/27/2023 10:48	TBB
EPA 200.8	Beryllium	A	0.0655		mg/kg dry	5	0.00271	0.0541	BGB0820	02/27/2023 16:07	TBB
EPA 200.8	Cadmium	A	0.00909	J	mg/kg dry	1	0.00270	0.0542	BGB0820	02/07/2023 14:28	JLK
EPA 200.8	Chromium	A	1.27		mg/kg dry	1	0.00812	0.162	BGB0820	02/07/2023 14:28	JLK
EPA 200.8	Copper	A	0.435	V	mg/kg dry	1	0.0108	0.0542	BGB0820	02/08/2023 11:31	TBB
Calc	Chromium (III)		1.13	J	mg/kg (dry wt) dry	1	0.137	5.16	[CALC]	02/24/2023 14:20	GJG
SW-7196	Chromium (VI)	A	0.144	J	mg/kg dry	1	0.129	5.00	BGB3245	02/24/2023 14:20	GJG
SW-7471B	Mercury	A	<0.00999	U	mg/kg dry	1	0.00999	0.0200	BGB1025	02/08/2023 16:21	AKR
EPA 200.8	Lead	A	1.70		mg/kg dry	1	0.00270	0.0270	BGB0820	02/07/2023 14:28	JLK
EPA 200.8	Nickel	A	1.17		mg/kg dry	1	0.0542	0.0542	BGB0820	02/07/2023 14:28	JLK
EPA 200.8	Selenium	A	0.363		mg/kg dry	1	0.0542	0.108	BGB0820	02/08/2023 11:31	TBB
EPA 200.8	Silver	A	0.00411	J	mg/kg dry	1	0.00135	0.0270	BGB0820	02/07/2023 14:28	JLK
EPA 200.8	Thallium	A	0.0218	J	mg/kg dry	1	0.00135	0.0270	BGB0820	02/07/2023 14:28	JLK
EPA 200.8	Zinc	A	5.47		mg/kg dry	1	0.0542	0.108	BGB0820	02/07/2023 14:28	JLK
General Chemistry											
SW-9014	Total Cyanide	A	<0.0331	U	mg/kg dry	1	0.0331	0.0662	BGB0157	02/02/2023 18:01	GJG
EPA 350.2	Ammonia as N	A	<6.60	U	mg/kg dry	1	6.60	13.2	BGB1156	02/09/2023 09:45	GIW
SW-9045C	pH	A	8.41	H	pH Units @ 25 °C	1		0.100	BGB0847	02/07/2023 10:02	AKA
SM 2540 G	% Solids	A	75.6	H, V	%	1	0.100	0.100	BGB0296	02/03/2023 12:46	JRU

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: ODMDS-S
Lab Sample ID: 23A1459-66RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/27/2023 12:30
Collected by: Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	1,2,4-Trichlorobenzene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	1,2-Dichlorobenzene (o-Dichlorobenzene) (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	1,2-Diphenylhydrazine (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	1,3-Dichlorobenzene (m-Dichlorobenzene) (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	1,4-Dichlorobenzene (p-Dichlorobenzene) (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	2,4,6-Trichlorophenol (Rerun)	A	<3.11	U	ug/kg dry	1	3.11	6.22	BGB0424	02/17/2023 19:59	krb
SW-8270	2,4-Dichlorophenol (Rerun)	A	<3.11	U	ug/kg dry	1	3.11	6.22	BGB0424	02/17/2023 19:59	krb
SW-8270	2,4-Dimethylphenol (Rerun)	A	<3.11	U	ug/kg dry	1	3.11	6.22	BGB0424	02/17/2023 19:59	krb
SW-8270	2,4-Dinitrophenol (Rerun)	A	<3.11	U	ug/kg dry	1	3.11	6.22	BGB0424	02/17/2023 19:59	krb
SW-8270	2,4-Dinitrotoluene (2,4-DNT) (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	2,6-Dinitrotoluene (2,6-DNT) (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	2-Chloronaphthalene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	2-Chlorophenol (Rerun)	A	<3.11	U	ug/kg dry	1	3.11	6.22	BGB0424	02/17/2023 19:59	krb
SW-8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph (Rerun)	A	<12.4	U	ug/kg dry	1	12.4	24.9	BGB0424	02/17/2023 19:59	krb
SW-8270	2-Nitrophenol (Rerun)	A	<3.11	U	ug/kg dry	1	3.11	6.22	BGB0424	02/17/2023 19:59	krb
SW-8270	4-Bromophenyl phenyl ether (BDE-3) (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	4-Chloro-3-methylphenol (Rerun)	A	<3.11	U	ug/kg dry	1	3.11	6.22	BGB0424	02/17/2023 19:59	krb
SW-8270	4-Chlorophenyl phenylether (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	4-Nitrophenol (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Acenaphthene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Acenaphthylene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Anthracene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Benzo(a)anthracene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Benzo(a)pyrene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Benzo(b)fluoranthene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Benzo(g,h,i)perylene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Benzo(k)fluoranthene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	bis(2-Chloroethoxy)methane (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID: ODMDS-S (Continued)
Lab Sample ID: 23A1459-66RE1
Sample Alias:

Sample Matrix: Sediment
Date Collected: 01/27/2023 12:30
Collected by: Michael Madonna

Method	Analyte	*	Result Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS (Continued)										
SW-8270	bis(2-Chloroethyl) ether (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<1.55B, U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Butyl benzyl phthalate (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Chrysene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Dibenzo(a,h)anthracene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Diethyl phthalate (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Dimethyl phthalate (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Di-n-butyl phthalate (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Di-n-octyl phthalate (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Fluoranthene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Fluorene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Hexachlorobenzene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Hexachlorobutadiene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Hexachloroethane (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Indeno(1,2,3-cd) pyrene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Isophorone (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Naphthalene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Nitrobenzene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	n-Nitrosodimethylamine (Rerun)	A	<1.55C+, U	ug/kg dry	1	1.55	31.1	BGB0424	02/17/2023 19:59	krb
SW-8270	n-Nitrosodi-n-propylamine (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	n-Nitrosodiphenylamine (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Pentachlorophenol (Rerun)	A	<3.11U	ug/kg dry	1	3.11	6.22	BGB0424	02/17/2023 19:59	krb
SW-8270	Phenanthrene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	Phenol, Total (Rerun)	A	11.3V	ug/kg dry	1	3.11	6.22	BGB0424	02/17/2023 19:59	krb
SW-8270	Pyrene (Rerun)	A	<1.55U	ug/kg dry	1	1.55	3.11	BGB0424	02/17/2023 19:59	krb
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*62.1%*	*60-140*					*02/17/2023 19:59*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*68.9%*	*60-140*					*02/17/2023 19:59*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*60.0%*	*60-140*					*02/17/2023 19:59*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*78.6%*	*60-140*					*02/17/2023 19:59*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*71.2%*	*60-140*					*02/17/2023 19:59*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*50.1% S*	*60-140*					*02/17/2023 19:59*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Results
(Continued)

Client Sample ID:	ODMDS-S	Sample Matrix:	Sediment
Lab Sample ID:	23A1459-66RE2	Date Collected:	01/27/2023 12:30
Sample Alias:		Collected by:	Michael Madonna

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Hexachlorocyclopentadiene (Rerun)	A	<1.55	U	ug/kg dry	1	1.55	3.11	BGB0424	02/27/2023 17:51	KRB
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*58.9%*	*S*	*60-140*					*02/27/2023 17:51*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*71.3%*		*60-140*					*02/27/2023 17:51*	
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerun*		*72.6%*		*60-140*					*02/27/2023 17:51*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*75.6%*		*60-140*					*02/27/2023 17:51*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*62.8%*		*60-140*					*02/27/2023 17:51*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*64.8%*		*60-140*					*02/27/2023 17:51*	

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control

Semivolatile Organic Compounds by GCMS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570										
Blank (BGA3368-BLK1)				Prepared: 1/26/2023 Analyzed: 2/13/2023						
3,3'-Dichlorobenzidine	<2.42	U	2.42	ug/kg wet						
Benzidine	<2.42	U	2.42	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*20.1*	*ug/kg wet*	*19.4*		*104*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*41.8*	*ug/kg wet*	*38.8*		*108*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*35.2*	*ug/kg wet*	*38.8*		*90.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*21.8*	*ug/kg wet*	*19.4*		*112*	*60-140*		
Surrogate: Phenol-d5-surr			*39.8*	*ug/kg wet*	*38.8*		*103*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*21.1*	*ug/kg wet*	*19.4*		*109*	*60-140*		
Blank (BGA3368-BLK2)				Prepared: 1/26/2023 Analyzed: 2/27/2023						
1,2,4-Trichlorobenzene	<2.42	U	2.42	ug/kg wet						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<2.42	U	2.42	ug/kg wet						
1,2-Diphenylhydrazine	<2.42	U	2.42	ug/kg wet						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.42	U	2.42	ug/kg wet						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<2.42	U	2.42	ug/kg wet						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<2.42	U	2.42	ug/kg wet						
2,4,6-Trichlorophenol	<4.85	U	4.85	ug/kg wet						
2,4-Dichlorophenol	<4.85	U	4.85	ug/kg wet						
2,4-Dimethylphenol	<4.85	U	4.85	ug/kg wet						
2,4-Dinitrophenol	<4.85	U	4.85	ug/kg wet						
2,4-Dinitrotoluene (2,4-DNT)	<2.42	U	2.42	ug/kg wet						
2,6-Dinitrotoluene (2,6-DNT)	<2.42	U	2.42	ug/kg wet						
2-Chloronaphthalene	<2.42	U	2.42	ug/kg wet						
2-Chlorophenol	<4.85	U	4.85	ug/kg wet						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<19.4	U	19.4	ug/kg wet						
2-Nitrophenol	<4.85	U	4.85	ug/kg wet						
4-Bromophenyl phenyl ether (BDE-3)	<2.42	U	2.42	ug/kg wet						
4-Chloro-3-methylphenol	<4.85	U	4.85	ug/kg wet						
4-Chlorophenyl phenylether	<2.42	U	2.42	ug/kg wet						
4-Nitrophenol	<2.42	U	2.42	ug/kg wet						
Acenaphthene	<2.42	U	2.42	ug/kg wet						
Acenaphthylene	<2.42	U	2.42	ug/kg wet						
Anthracene	<2.42	U	2.42	ug/kg wet						
Benzo(a)anthracene	<2.42	U	2.42	ug/kg wet						
Benzo(a)pyrene	<2.42	U	2.42	ug/kg wet						
benzo(b&k)fluoranthene	<2.42	U	2.42	ug/kg wet						
Benzo(g,h,i)perylene	<2.42	U	2.42	ug/kg wet						
bis(2-Chloroethoxy)methane	<2.42	U	2.42	ug/kg wet						
bis(2-Chloroethyl) ether	<2.42	U	2.42	ug/kg wet						
Bis(2-ethylhexyl)phthalate	1.56	J	2.42	ug/kg wet						
Butyl benzyl phthalate	<2.42	U	2.42	ug/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
Blank (BGA3368-BLK2)				Prepared: 1/26/2023 Analyzed: 2/27/2023						
Chrysene	<2.42	U	2.42	ug/kg wet						
Dibenzo(a,h)anthracene	<2.42	U	2.42	ug/kg wet						
Diethyl phthalate	2.53		2.42	ug/kg wet						
Dimethyl phthalate	<2.42	U	2.42	ug/kg wet						
Di-n-butyl phthalate	12.0		2.42	ug/kg wet						
Di-n-octyl phthalate	<2.42	U	2.42	ug/kg wet						
Fluoranthene	<2.42	U	2.42	ug/kg wet						
Fluorene	<2.42	U	2.42	ug/kg wet						
Hexachlorobenzene	<2.42	U	2.42	ug/kg wet						
Hexachlorobutadiene	<2.42	U	2.42	ug/kg wet						
Hexachlorocyclopentadiene	<2.42	U	2.42	ug/kg wet						
Hexachloroethane	<2.42	U	2.42	ug/kg wet						
Indeno(1,2,3-cd) pyrene	<2.42	U	2.42	ug/kg wet						
Isophorone	<2.42	U	2.42	ug/kg wet						
Naphthalene	<2.42	U	2.42	ug/kg wet						
Nitrobenzene	<2.42	U	2.42	ug/kg wet						
n-Nitrosodimethylamine	<2.42	U	2.42	ug/kg wet						
n-Nitrosodi-n-propylamine	<2.42	U	2.42	ug/kg wet						
n-Nitrosodiphenylamine	<2.42	U	2.42	ug/kg wet						
Pentachlorophenol	<4.85	U	4.85	ug/kg wet						
Phenanthrene	<2.42	U	2.42	ug/kg wet						
Phenol, Total	<4.85	U	4.85	ug/kg wet						
Pyrene	<2.42	U	2.42	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*11.9*	*ug/kg wet*	*19.4*		*61.4*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*26.4*	*ug/kg wet*	*38.8*		*68.2*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*31.6*	*ug/kg wet*	*38.8*		*81.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*14.7*	*ug/kg wet*	*19.4*		*76.0*	*60-140*		
Surrogate: Phenol-d5-surr			*27.0*	*ug/kg wet*	*38.8*		*69.7*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.3*	*ug/kg wet*	*19.4*		*73.8*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
BS BENZ (BGA3368-BS1)					Prepared: 1/26/2023 Analyzed: 2/13/2023					
3,3'-Dichlorobenzidine	16.4		2.46	ug/kg wet	19.7		83.5	60-140		
Benzidine	2.58	J1	2.46	ug/kg wet	19.7		13.1	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*23.2*	*ug/kg wet*	*19.7*		*118*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*47.1*	*ug/kg wet*	*39.4*		*120*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*55.0*	*ug/kg wet*	*39.4*		*140*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*23.4*	*ug/kg wet*	*19.7*		*119*	*60-140*		
Surrogate: Phenol-d5-surr			*37.3*	*ug/kg wet*	*39.4*		*94.8*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*23.5*	*ug/kg wet*	*19.7*		*119*	*60-140*		
BS SV (BGA3368-BS2)					Prepared: 1/26/2023 Analyzed: 2/27/2023					
1,2,4-Trichlorobenzene	14.0		2.46	ug/kg wet	19.7		71.0	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	12.8		2.46	ug/kg wet	19.7		65.1	60-140		
1,2-Diphenylhydrazine	17.8		2.46	ug/kg wet	19.7		90.2	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	12.9		2.46	ug/kg wet	19.7		65.4	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	14.1		2.46	ug/kg wet	19.7		71.5	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	17.3		2.46	ug/kg wet	19.7		87.9	60-140		
2,4,6-Trichlorophenol	34.0		4.92	ug/kg wet	39.4		86.5	60-140		
2,4-Dichlorophenol	34.1		4.92	ug/kg wet	39.4		86.6	60-140		
2,4-Dimethylphenol	34.6		4.92	ug/kg wet	39.4		87.9	60-140		
2,4-Dinitrophenol	16.3		4.92	ug/kg wet	98.4		16.5	10-50.4		
2,4-Dinitrotoluene (2,4-DNT)	15.5		2.46	ug/kg wet	19.7		78.5	60-140		
2,6-Dinitrotoluene (2,6-DNT)	17.6		2.46	ug/kg wet	19.7		89.2	60-140		
2-Chloronaphthalene	16.3		2.46	ug/kg wet	19.7		82.8	60-140		
2-Chlorophenol	35.8		4.92	ug/kg wet	39.4		91.0	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	17.7	J1, J	19.7	ug/kg wet	39.4		44.9	60-140		
2-Nitrophenol	31.8		4.92	ug/kg wet	39.4		80.7	60-140		
4-Bromophenyl phenyl ether (BDE-3)	17.3		2.46	ug/kg wet	19.7		87.8	60-140		
4-Chloro-3-methylphenol	35.6		4.92	ug/kg wet	39.4		90.4	60-140		
4-Chlorophenyl phenylether	16.4		2.46	ug/kg wet	19.7		83.2	60-140		
4-Nitrophenol	86.1		2.46	ug/kg wet	98.4		87.5	60-140		
Acenaphthene	16.1		2.46	ug/kg wet	19.7		82.0	60-140		
Acenaphthylene	18.4		2.46	ug/kg wet	19.7		93.7	60-140		
Anthracene	16.6		2.46	ug/kg wet	19.7		84.6	60-140		
Benzo(a)anthracene	16.8		2.46	ug/kg wet	19.7		85.4	60-140		
Benzo(a)pyrene	17.4		2.46	ug/kg wet	19.7		88.4	60-140		
benzo(b&k)fluoranthene	34.4		2.46	ug/kg wet	39.4		87.3	60-140		
Benzo(g,h,i)perylene	16.2		2.46	ug/kg wet	19.7		82.2	60-140		
bis(2-Chloroethoxy)methane	16.3		2.46	ug/kg wet	19.7		82.7	60-140		
bis(2-Chloroethyl) ether	18.0		2.46	ug/kg wet	19.7		91.5	60-140		
Bis(2-ethylhexyl)phthalate	20.2		2.46	ug/kg wet	19.7		103	60-140		
Butyl benzyl phthalate	17.9		2.46	ug/kg wet	19.7		90.7	60-140		
Chrysene	16.4		2.46	ug/kg wet	19.7		83.4	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
BS SV (BGA3368-BS2)					Prepared: 1/26/2023 Analyzed: 2/27/2023					
Dibenzo(a,h)anthracene	17.2		2.46	ug/kg wet	19.7		87.4	60-140		
Diethyl phthalate	20.6		2.46	ug/kg wet	19.7		105	60-140		
Dimethyl phthalate	17.6		2.46	ug/kg wet	19.7		89.3	60-140		
Di-n-butyl phthalate	30.2	J1	2.46	ug/kg wet	19.7		153	60-140		
Di-n-octyl phthalate	15.2		2.46	ug/kg wet	19.7		77.2	60-140		
Fluoranthene	16.2		2.46	ug/kg wet	19.7		82.4	60-140		
Fluorene	16.7		2.46	ug/kg wet	19.7		84.7	60-140		
Hexachlorobenzene	18.9		2.46	ug/kg wet	19.7		96.1	60-140		
Hexachlorobutadiene	12.6		2.46	ug/kg wet	19.7		63.8	60-140		
Hexachlorocyclopentadiene	12.7		2.46	ug/kg wet	19.7		64.4	60-140		
Hexachloroethane	9.98	J1	2.46	ug/kg wet	19.7		50.7	60-140		
Indeno(1,2,3-cd) pyrene	16.4		2.46	ug/kg wet	19.7		83.2	60-140		
Isophorone	15.5		2.46	ug/kg wet	19.7		78.7	60-140		
Naphthalene	15.8		2.46	ug/kg wet	19.7		80.5	60-140		
Nitrobenzene	17.4		2.46	ug/kg wet	19.7		88.4	60-140		
n-Nitrosodimethylamine	74.2		2.46	ug/kg wet	98.4		75.4	60-140		
n-Nitrosodi-n-propylamine	18.8		2.46	ug/kg wet	19.7		95.3	60-140		
n-Nitrosodiphenylamine	16.3		2.46	ug/kg wet	19.7		82.9	60-140		
Pentachlorophenol	33.4		4.92	ug/kg wet	39.4		84.7	60-140		
Phenanthrene	16.8		2.46	ug/kg wet	19.7		85.5	60-140		
Phenol, Total	36.1		4.92	ug/kg wet	39.4		91.8	60-140		
Pyrene	15.5		2.46	ug/kg wet	19.7		78.7	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*13.8*	*ug/kg wet*	*19.7*		*70.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*36.9*	*ug/kg wet*	*39.4*		*93.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*33.5*	*ug/kg wet*	*39.4*		*85.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.1*	*ug/kg wet*	*19.7*		*91.9*	*60-140*		
Surrogate: Phenol-d5-surr			*38.0*	*ug/kg wet*	*39.4*		*96.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.2*	*ug/kg wet*	*19.7*		*77.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
BSD BENZ (BGA3368-BSD1)				Prepared: 1/26/2023 Analyzed: 2/13/2023						
3,3'-Dichlorobenzidine	18.1		2.48	ug/kg wet	19.8		91.2	60-140	9.59	40
Benzidine	3.02	J1	2.48	ug/kg wet	19.8		15.2	60-140	15.7	40
Surrogate: 2-Fluorobiphenyl-surr			*21.1*	*ug/kg wet*	*19.8*		*106*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.4*	*ug/kg wet*	*39.7*		*84.2*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*54.4*	*ug/kg wet*	*39.7*		*137*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*20.2*	*ug/kg wet*	*19.8*		*102*	*60-140*		
Surrogate: Phenol-d5-surr			*32.8*	*ug/kg wet*	*39.7*		*82.8*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*23.3*	*ug/kg wet*	*19.8*		*118*	*60-140*		
BSD SV (BGA3368-BSD2)				Prepared: 1/26/2023 Analyzed: 2/27/2023						
1,2,4-Trichlorobenzene	13.3		2.34	ug/kg wet	18.7		70.8	60-140	5.12	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	11.1	J1	2.34	ug/kg wet	18.7		59.3	60-140	14.1	40
1,2-Diphenylhydrazine	17.8		2.34	ug/kg wet	18.7		94.9	60-140	0.165	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	11.2	J1	2.34	ug/kg wet	18.7		59.8	60-140	13.8	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	11.4		2.34	ug/kg wet	18.7		61.0	60-140	20.7	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	15.3		2.34	ug/kg wet	18.7		81.4	60-140	12.6	40
2,4,6-Trichlorophenol	33.1		4.69	ug/kg wet	37.5		88.4	60-140	2.70	40
2,4-Dichlorophenol	31.7		4.69	ug/kg wet	37.5		84.4	60-140	7.38	40
2,4-Dimethylphenol	30.8		4.69	ug/kg wet	37.5		82.2	60-140	11.6	40
2,4-Dinitrophenol	23.0		4.69	ug/kg wet	93.7		24.5	10-50.4	34.0	40
2,4-Dinitrotoluene (2,4-DNT)	15.8		2.34	ug/kg wet	18.7		84.5	60-140	2.48	40
2,6-Dinitrotoluene (2,6-DNT)	15.8		2.34	ug/kg wet	18.7		84.3	60-140	10.6	40
2-Chloronaphthalene	14.6		2.34	ug/kg wet	18.7		77.8	60-140	11.1	40
2-Chlorophenol	28.7		4.69	ug/kg wet	37.5		76.6	60-140	22.0	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	22.5		18.7	ug/kg wet	37.5		60.1	60-140	24.2	40
2-Nitrophenol	29.3		4.69	ug/kg wet	37.5		78.1	60-140	8.22	40
4-Bromophenyl phenyl ether (BDE-3)	14.7		2.34	ug/kg wet	18.7		78.2	60-140	16.5	40
4-Chloro-3-methylphenol	33.3		4.69	ug/kg wet	37.5		88.8	60-140	6.68	40
4-Chlorophenyl phenylether	15.4		2.34	ug/kg wet	18.7		82.1	60-140	6.25	40
4-Nitrophenol	78.8		2.34	ug/kg wet	93.7		84.1	60-140	8.79	40
Acenaphthene	15.1		2.34	ug/kg wet	18.7		80.4	60-140	6.86	40
Acenaphthylene	17.4		2.34	ug/kg wet	18.7		92.7	60-140	5.94	40
Anthracene	15.5		2.34	ug/kg wet	18.7		82.5	60-140	7.39	40
Benzo(a)anthracene	15.9		2.34	ug/kg wet	18.7		85.0	60-140	5.40	40
Benzo(a)pyrene	16.5		2.34	ug/kg wet	18.7		88.2	60-140	5.11	40
benzo(b&k)fluoranthene	27.2		2.34	ug/kg wet	37.5		72.4	60-140	23.4	40
Benzo(g,h,i)perylene	14.5		2.34	ug/kg wet	18.7		77.2	60-140	11.2	40
bis(2-Chloroethoxy)methane	14.1		2.34	ug/kg wet	18.7		75.4	60-140	14.2	40
bis(2-Chloroethyl) ether	20.1		2.34	ug/kg wet	18.7		107	60-140	11.1	40
Bis(2-ethylhexyl)phthalate	20.0		2.34	ug/kg wet	18.7		107	60-140	1.13	40
Butyl benzyl phthalate	17.4		2.34	ug/kg wet	18.7		92.7	60-140	2.69	40
Chrysene	15.4		2.34	ug/kg wet	18.7		82.2	60-140	6.32	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
BSD SV (BGA3368-BSD2)					Prepared: 1/26/2023 Analyzed: 2/27/2023					
Dibenzo(a,h)anthracene	15.7		2.34	ug/kg wet	18.7		83.7	60-140	9.26	40
Diethyl phthalate	20.3		2.34	ug/kg wet	18.7		108	60-140	1.72	40
Dimethyl phthalate	17.0		2.34	ug/kg wet	18.7		90.5	60-140	3.47	40
Di-n-butyl phthalate	29.6	J1	2.34	ug/kg wet	18.7		158	60-140	1.98	40
Di-n-octyl phthalate	15.6		2.34	ug/kg wet	18.7		83.2	60-140	2.61	40
Fluoranthene	14.0		2.34	ug/kg wet	18.7		74.8	60-140	14.6	40
Fluorene	15.7		2.34	ug/kg wet	18.7		83.6	60-140	6.18	40
Hexachlorobenzene	15.8		2.34	ug/kg wet	18.7		84.5	60-140	17.7	40
Hexachlorobutadiene	10.3	J1	2.34	ug/kg wet	18.7		54.7	60-140	20.2	40
Hexachlorocyclopentadiene	10.5	J1	2.34	ug/kg wet	18.7		56.2	60-140	18.4	40
Hexachloroethane	9.28	J1	2.34	ug/kg wet	18.7		49.5	60-140	7.25	40
Indeno(1,2,3-cd) pyrene	14.5		2.34	ug/kg wet	18.7		77.2	60-140	12.4	40
Isophorone	13.6		2.34	ug/kg wet	18.7		72.5	60-140	13.1	40
Naphthalene	13.7		2.34	ug/kg wet	18.7		73.1	60-140	14.5	40
Nitrobenzene	15.6		2.34	ug/kg wet	18.7		83.1	60-140	11.0	40
n-Nitrosodimethylamine	60.8		2.34	ug/kg wet	93.7		64.9	60-140	19.8	40
n-Nitrosodi-n-propylamine	15.9		2.34	ug/kg wet	18.7		84.7	60-140	16.6	40
n-Nitrosodiphenylamine	16.6		2.34	ug/kg wet	18.7		88.7	60-140	1.84	40
Pentachlorophenol	27.4		4.69	ug/kg wet	37.5		73.1	60-140	19.6	40
Phenanthrene	15.7		2.34	ug/kg wet	18.7		83.9	60-140	6.78	40
Phenol, Total	34.5		4.69	ug/kg wet	37.5		92.0	60-140	4.70	40
Pyrene	13.7		2.34	ug/kg wet	18.7		73.2	60-140	12.2	40
Surrogate: 2-Fluorobiphenyl-surr			*12.3*	*ug/kg wet*	*18.7*		*65.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*29.0*	*ug/kg wet*	*37.5*		*77.3*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*28.3*	*ug/kg wet*	*37.5*		*75.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.9*	*ug/kg wet*	*18.7*		*90.0*	*60-140*		
Surrogate: Phenol-d5-surr			*32.9*	*ug/kg wet*	*37.5*		*87.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*12.6*	*ug/kg wet*	*18.7*		*67.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
MDL BENZ (BGA3368-MRL1)					Prepared: 1/26/2023 Analyzed: 2/13/2023					
3,3'-Dichlorobenzidine	<2.38	U	2.38	ug/kg wet	1.90					
Benzidine	<2.38	U	2.38	ug/kg wet	1.90					
Surrogate: 2-Fluorobiphenyl-surr			*21.3*	*ug/kg wet*	*19.0*		*112*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*42.8*	*ug/kg wet*	*38.0*		*113*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*47.1*	*ug/kg wet*	*38.0*		*124*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*22.5*	*ug/kg wet*	*19.0*		*119*	*60-140*		
Surrogate: Phenol-d5-surr			*39.4*	*ug/kg wet*	*38.0*		*104*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*21.8*	*ug/kg wet*	*19.0*		*114*	*60-140*		
MDL SV (BGA3368-MRL2)					Prepared: 1/26/2023 Analyzed: 2/27/2023					
1,2,4-Trichlorobenzene	1.56	J	2.36	ug/kg wet	1.89		82.6			
1,2-Dichlorobenzene (o-Dichlorobenzene)	<2.36	U	2.36	ug/kg wet	1.89					
1,2-Diphenylhydrazine	2.17	J	2.36	ug/kg wet	1.89		115			
1,3-Dichlorobenzene (m-Dichlorobenzene)	1.19	J	2.36	ug/kg wet	1.89		62.9			
1,4-Dichlorobenzene (p-Dichlorobenzene)	1.42	J	2.36	ug/kg wet	1.89		75.3			
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	1.85	J	2.36	ug/kg wet	1.89		97.9			
2,4,6-Trichlorophenol	4.28	J	4.71	ug/kg wet	3.77		113			
2,4-Dichlorophenol	3.70	J	4.71	ug/kg wet	3.77		98.1			
2,4-Dimethylphenol	3.35	J	4.71	ug/kg wet	3.77		88.9			
2,4-Dinitrophenol	7.00		4.71	ug/kg wet	9.43		74.3	50-150		
2,4-Dinitrotoluene (2,4-DNT)	1.51	J	2.36	ug/kg wet	1.89		79.9			
2,6-Dinitrotoluene (2,6-DNT)	2.19	J	2.36	ug/kg wet	1.89		116			
2-Chloronaphthalene	1.59	J	2.36	ug/kg wet	1.89		84.1			
2-Chlorophenol	3.75	J	4.71	ug/kg wet	3.77		99.6			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<18.9	U	18.9	ug/kg wet	3.77					
2-Nitrophenol	3.64	J	4.71	ug/kg wet	3.77		96.5			
4-Bromophenyl phenyl ether (BDE-3)	1.60	J	2.36	ug/kg wet	1.89		84.7			
4-Chloro-3-methylphenol	4.61	J	4.71	ug/kg wet	3.77		122			
4-Chlorophenyl phenylether	1.62	J	2.36	ug/kg wet	1.89		85.8			
4-Nitrophenol	10.4		2.36	ug/kg wet	9.43		110	50-150		
Acenaphthene	1.73	J	2.36	ug/kg wet	1.89		92.0			
Acenaphthylene	2.06	J	2.36	ug/kg wet	1.89		109			
Anthracene	1.70	J	2.36	ug/kg wet	1.89		90.4			
Benzo(a)anthracene	1.68	J	2.36	ug/kg wet	1.89		88.9			
Benzo(a)pyrene	1.65	J	2.36	ug/kg wet	1.89		87.5			
benzo(b&k)fluoranthene	2.63		2.36	ug/kg wet	3.77		69.8	50-150		
Benzo(g,h,i)perylene	1.50	J	2.36	ug/kg wet	1.89		79.8			
bis(2-Chloroethoxy)methane	1.86	J	2.36	ug/kg wet	1.89		98.5			
bis(2-Chloroethyl) ether	1.36	J	2.36	ug/kg wet	1.89		72.3			
Bis(2-ethylhexyl)phthalate	3.33		2.36	ug/kg wet	1.89		177			
Butyl benzyl phthalate	1.51	J	2.36	ug/kg wet	1.89		80.1			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
MDL SV (BGA3368-MRL2)					Prepared: 1/26/2023 Analyzed: 2/27/2023					
Chrysene	1.63	J	2.36	ug/kg wet	1.89		86.3			
Dibenzo(a,h)anthracene	1.46	J	2.36	ug/kg wet	1.89		77.3			
Diethyl phthalate	4.23		2.36	ug/kg wet	1.89		225			
Dimethyl phthalate	1.82	J	2.36	ug/kg wet	1.89		96.5			
Di-n-butyl phthalate	12.5		2.36	ug/kg wet	1.89		666			
Di-n-octyl phthalate	1.55	J	2.36	ug/kg wet	1.89		82.2			
Fluoranthene	1.71	J	2.36	ug/kg wet	1.89		90.8			
Fluorene	1.56	J	2.36	ug/kg wet	1.89		82.6			
Hexachlorobenzene	1.84	J	2.36	ug/kg wet	1.89		97.4			
Hexachlorobutadiene	<2.36	U	2.36	ug/kg wet	1.89					
Hexachlorocyclopentadiene	<2.36	J1, U	2.36	ug/kg wet	1.89					
Hexachloroethane	<2.36	U	2.36	ug/kg wet	1.89					
Indeno(1,2,3-cd) pyrene	1.65	J	2.36	ug/kg wet	1.89		87.3			
Isophorone	1.67	J	2.36	ug/kg wet	1.89		88.8			
Naphthalene	1.58	J	2.36	ug/kg wet	1.89		83.9			
Nitrobenzene	1.67	J	2.36	ug/kg wet	1.89		88.7			
n-Nitrosodimethylamine	<2.36	J1, U	2.36	ug/kg wet	9.43			50-150		
n-Nitrosodi-n-propylamine	2.79		2.36	ug/kg wet	1.89		148			
n-Nitrosodiphenylamine	1.48	J	2.36	ug/kg wet	1.89		78.6			
Pentachlorophenol	2.65	J	4.71	ug/kg wet	3.77		70.2			
Phenanthrene	1.60	J	2.36	ug/kg wet	1.89		84.7			
Phenol, Total	8.91		4.71	ug/kg wet	3.77		236			
Pyrene	1.32	J	2.36	ug/kg wet	1.89		70.2			
Surrogate: 2-Fluorobiphenyl-surr			*14.7*	*ug/kg wet*	*18.9*		*78.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*30.0*	*ug/kg wet*	*37.7*		*79.6*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*34.1*	*ug/kg wet*	*37.7*		*90.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*15.4*	*ug/kg wet*	*18.9*		*81.8*	*60-140*		
Surrogate: Phenol-d5-surr			*35.6*	*ug/kg wet*	*37.7*		*94.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.1*	*ug/kg wet*	*18.9*		*80.0*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
23A1459-24 MS (BGA3368-MS1)		**Source: 23A1459-24RE1**		Prepared: 1/26/2023 Analyzed: 2/27/2023						
1,2,4-Trichlorobenzene	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	17.0	J	33.9	ug/kg dry	27.1	<33.9	62.7	60-140		
1,2-Diphenylhydrazine	<33.9	CQ, J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	19.9	J	33.9	ug/kg dry	27.1	<33.9	73.6	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	21.9	J	33.9	ug/kg dry	27.1	<33.9	80.8	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
2,4,6-Trichlorophenol	<67.8	J1, U	67.8	ug/kg dry	54.2	<67.8		60-140		
2,4-Dichlorophenol	<67.8	J1, U	67.8	ug/kg dry	54.2	<67.8		60-140		
2,4-Dimethylphenol	<67.8	J1, U	67.8	ug/kg dry	54.2	<67.8		60-140		
2,4-Dinitrophenol	<67.8	J1, U	67.8	ug/kg dry	136	<67.8		10-51.3		
2,4-Dinitrotoluene (2,4-DNT)	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
2,6-Dinitrotoluene (2,6-DNT)	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
2-Chloronaphthalene	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
2-Chlorophenol	35.2	J	67.8	ug/kg dry	54.2	<67.8	65.0	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<271	J1, U	271	ug/kg dry	54.2	<271		60-140		
2-Nitrophenol	<67.8	J1, U	67.8	ug/kg dry	54.2	<67.8		60-140		
4-Bromophenyl phenyl ether (BDE-3)	<33.9	CQ, J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
4-Chloro-3-methylphenol	<67.8	J1, U	67.8	ug/kg dry	54.2	<67.8		60-140		
4-Chlorophenyl phenylether	<33.9	CQ, J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
4-Nitrophenol	<33.9	CQ, J1, U	33.9	ug/kg dry	136	<33.9		60-140		
Acenaphthene	421	J1	33.9	ug/kg dry	27.1	355	246	60-140		
Acenaphthylene	370		33.9	ug/kg dry	27.1	333	134	60-140		
Anthracene	<33.9	CQ, J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
Benzo(a)anthracene	91.0	CQ	33.9	ug/kg dry	27.1	52.9	140	60-140		
Benzo(a)pyrene	52.6	CQ, J1	33.9	ug/kg dry	27.1	<33.9	194	60-140		
benzo(b&k)fluoranthene	<33.9	CQ, J1, U	33.9	ug/kg dry	54.2	<33.9		60-140		
Benzo(g,h,i)perylene	113	J1, CQ	33.9	ug/kg dry	27.1	65.2	175	60-140		
bis(2-Chloroethoxy)methane	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
bis(2-Chloroethyl) ether	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
Bis(2-ethylhexyl)phthalate	76.0	CQ, J1	33.9	ug/kg dry	27.1	21.3	202	60-140		
Butyl benzyl phthalate	55.1	CQ, J1	33.9	ug/kg dry	27.1	<33.9	203	60-140		
Chrysene	85.5	CQ, J1	33.9	ug/kg dry	27.1	71.5	51.7	60-140		
Dibenzo(a,h)anthracene	52.8	CQ, J1	33.9	ug/kg dry	27.1	<33.9	195	60-140		
Diethyl phthalate	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
Dimethyl phthalate	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
Di-n-butyl phthalate	311	CQ	33.9	ug/kg dry	27.1	293	66.7	60-140		
Di-n-octyl phthalate	39.0	CQ, J1	33.9	ug/kg dry	27.1	<33.9	144	60-140		
Fluoranthene	187	CQ, J1	33.9	ug/kg dry	27.1	181	21.2	60-140		
Fluorene	1750	CQ, J1, L	33.9	ug/kg dry	27.1	1840	NR	60-140		
Hexachlorobenzene	18.8	CQ, J	33.9	ug/kg dry	27.1	<33.9	69.3	60-140		
Hexachlorobutadiene	18.1	J	33.9	ug/kg dry	27.1	<33.9	66.8	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
23A1459-24 MS (BGA3368-MS1)		**Source: 23A1459-24RE1**		Prepared: 1/26/2023 Analyzed: 2/27/2023						
Hexachlorocyclopentadiene	16.9	CQ, J1, J	33.9	ug/kg dry	27.1	<33.9		60-140		
Hexachloroethane	26.9	J	33.9	ug/kg dry	27.1	<33.9	99.4	60-140		
Indeno(1,2,3-cd) pyrene	80.2	CQ	33.9	ug/kg dry	27.1	44.3	132	60-140		
Isophorone	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
Naphthalene	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
Nitrobenzene	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
n-Nitrosodimethylamine	<33.9	J1, U	33.9	ug/kg dry	136	<33.9		60-140		
n-Nitrosodi-n-propylamine	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
n-Nitrosodiphenylamine	<33.9	J1, U	33.9	ug/kg dry	27.1	<33.9		60-140		
Pentachlorophenol	52.7	CQ, J	67.8	ug/kg dry	54.2	<67.8	97.1	60-140		
Phenanthrene	1320	CQ, J1	33.9	ug/kg dry	27.1	1380	NR	60-140		
Phenol, Total	183	J1	67.8	ug/kg dry	54.2	<67.8	337	60-140		
Pyrene	256	CQ	33.9	ug/kg dry	27.1	232	89.9	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*164*	*ug/kg dry*	*27.1*		*603*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*32.0*	*ug/kg dry*	*54.2*		*59.1*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr		*CQ*	*34.6*	*ug/kg dry*	*54.2*		*63.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*324*	*ug/kg dry*	*27.1*		*NR*	*60-140*		
Surrogate: Phenol-d5-surr		*S*	*80.8*	*ug/kg dry*	*54.2*		*149*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*CQ*	*25.0*	*ug/kg dry*	*27.1*		*92.2*	*60-140*		
Matrix Spike (BGA3368-MS2)		**Source: 23A1459-24RE3**		Prepared: 1/26/2023 Analyzed: 3/16/2023						
Fluorene	1420	J1	84.7	ug/kg dry	27.1	1470	NR	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*42.9*	*ug/kg dry*	*27.1*		*158*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*255*	*ug/kg dry*	*27.1*		*940*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*19.7*	*ug/kg dry*	*27.1*		*72.8*	*60-140*		
23A1459-24 MSD (BGA3368-MSD1)		**Source: 23A1459-24RE1**		Prepared: 1/26/2023 Analyzed: 2/27/2023						
1,2,4-Trichlorobenzene	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
1,2-Dichlorobenzene (o-Dichlorobenzene)	18.4	J	33.2	ug/kg dry	26.5	<33.2	69.4	60-140	7.90	40
1,2-Diphenylhydrazine	<33.2	CQ, J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
1,3-Dichlorobenzene (m-Dichlorobenzene)	23.7	J	33.2	ug/kg dry	26.5	<33.2	89.5	60-140	17.4	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	24.0	J	33.2	ug/kg dry	26.5	<33.2	90.4	60-140	9.14	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
2,4,6-Trichlorophenol	<66.3	J1, U	66.3	ug/kg dry	53.1	<66.3		60-140		40
2,4-Dichlorophenol	<66.3	J1, U	66.3	ug/kg dry	53.1	<66.3		60-140		40
2,4-Dimethylphenol	<66.3	J1, U	66.3	ug/kg dry	53.1	<66.3		60-140		40
2,4-Dinitrophenol	<66.3	J1, U	66.3	ug/kg dry	133	<66.3		10-51.3		40
2,4-Dinitrotoluene (2,4-DNT)	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
2,6-Dinitrotoluene (2,6-DNT)	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
2-Chloronaphthalene	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
2-Chlorophenol	35.3	J	66.3	ug/kg dry	53.1	<66.3	66.6	60-140	0.316	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
23A1459-24 MSD (BGA3368-MSD1)	**Source: 23A1459-24RE1**			Prepared: 1/26/2023 Analyzed: 2/27/2023						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<265	J1, U	265	ug/kg dry	53.1	<265		60-140		40
2-Nitrophenol	<66.3	J1, U	66.3	ug/kg dry	53.1	<66.3		60-140		40
4-Bromophenyl phenyl ether (BDE-3)	<33.2	CQ, J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
4-Chloro-3-methylphenol	<66.3	J1, U	66.3	ug/kg dry	53.1	<66.3		60-140		40
4-Chlorophenyl phenylether	<33.2	CQ, J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
4-Nitrophenol	<33.2	CQ, J1, U	33.2	ug/kg dry	133	<33.2		60-140		40
Acenaphthene	386		33.2	ug/kg dry	26.5	355	117	60-140	8.84	40
Acenaphthylene	348	J1	33.2	ug/kg dry	26.5	333	56.2	60-140	6.00	40
Anthracene	<33.2	CQ, J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
Benzo(a)anthracene	97.0	CQ, J1	33.2	ug/kg dry	26.5	52.9	166	60-140	6.42	40
Benzo(a)pyrene	53.7	CQ, J1	33.2	ug/kg dry	26.5	<33.2	202	60-140	2.18	40
benzo(b&k)fluoranthene	<33.2	CQ, J1, U	33.2	ug/kg dry	53.1	<33.2		60-140		40
Benzo(g,h,i)perylene	114	CQ, J1	33.2	ug/kg dry	26.5	65.2	185	60-140	1.36	40
bis(2-Chloroethoxy)methane	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
bis(2-Chloroethyl) ether	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
Bis(2-ethylhexyl)phthalate	64.8	CQ, J1	33.2	ug/kg dry	26.5	21.3	164	60-140	16.0	40
Butyl benzyl phthalate	41.0	CQ, J1	33.2	ug/kg dry	26.5	<33.2	155	60-140	29.3	40
Chrysene	96.6	CQ	33.2	ug/kg dry	26.5	71.5	94.5	60-140	12.2	40
Dibenzo(a,h)anthracene	61.7	CQ, J1	33.2	ug/kg dry	26.5	<33.2	233	60-140	15.5	40
Diethyl phthalate	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
Dimethyl phthalate	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
Di-n-butyl phthalate	321	CQ	33.2	ug/kg dry	26.5	293	105	60-140	3.09	40
Di-n-octyl phthalate	39.6	CQ, J1	33.2	ug/kg dry	26.5	<33.2	149	60-140	1.71	40
Fluoranthene	207	CQ	33.2	ug/kg dry	26.5	181	96.1	60-140	10.0	40
Fluorene	1790	CQ, J1, L	33.2	ug/kg dry	26.5	1840	NR	60-140	2.33	40
Hexachlorobenzene	<33.2	CQ, J1, U	33.2	ug/kg dry	26.5	<33.2		60-140	200	40
Hexachlorobutadiene	20.3	J	33.2	ug/kg dry	26.5	<33.2	76.4	60-140	11.3	40
Hexachlorocyclopentadiene	32.1	CQ, J1, J	33.2	ug/kg dry	26.5	<33.2	121	60-140	62.0	40
Hexachloroethane	26.1	J	33.2	ug/kg dry	26.5	<33.2	98.2	60-140	3.38	40
Indeno(1,2,3-cd) pyrene	73.4	CQ	33.2	ug/kg dry	26.5	44.3	110	60-140	8.79	40
Isophorone	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
Naphthalene	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
Nitrobenzene	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
n-Nitrosodimethylamine	<33.2	J1, U	33.2	ug/kg dry	133	<33.2		60-140		40
n-Nitrosodi-n-propylamine	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
n-Nitrosodiphenylamine	<33.2	J1, U	33.2	ug/kg dry	26.5	<33.2		60-140		40
Pentachlorophenol	46.2	CQ, J	66.3	ug/kg dry	53.1	<66.3	87.0	60-140	13.1	40
Phenanthrene	1310	J1, CQ	33.2	ug/kg dry	26.5	1380	NR	60-140	0.637	40
Phenol, Total	129	J1	66.3	ug/kg dry	53.1	<66.3	243	60-140	34.6	40
Pyrene	264	CQ	33.2	ug/kg dry	26.5	232	124	60-140	3.26	40
Surrogate: 2-Fluorobiphenyl-surr		*S*	*142*	*ug/kg dry*	*26.5*		*535*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*44.9*	*ug/kg dry*	*53.1*		*84.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr		*CQ, S*	*27.4*	*ug/kg dry*	*53.1*		*51.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*338*	*ug/kg dry*	*26.5*		*NR*	*60-140*		
Surrogate: Phenol-d5-surr			*67.1*	*ug/kg dry*	*53.1*		*126*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3368 - SW-3570 (Continued)										
23A1459-24 MSD (BGA3368-MSD1)			**Source: 23A1459-24RE1**		Prepared: 1/26/2023 Analyzed: 2/27/2023					
Surrogate: p-Terphenyl-d14-surr		*CQ*	*30.0*	*ug/kg dry*	*26.5*		*113*	*60-140*		
Matrix Spike Dup (BGA3368-MSD2)			**Source: 23A1459-24RE3**		Prepared: 1/26/2023 Analyzed: 3/16/2023					
Fluorene	1220	J1	82.9	ug/kg dry	26.5	1470	NR	60-140	15.1	40
Surrogate: 2-Fluorobiphenyl-surr			*32.8*	*ug/kg dry*	*26.5*		*124*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*211*	*ug/kg dry*	*26.5*		*796*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.0*	*ug/kg dry*	*26.5*		*60.4*	*60-140*		
Batch: BGA3953 - SW-3511										
Blank (BGA3953-BLK1)					Prepared: 1/31/2023 Analyzed: 2/7/2023					
3,3'-Dichlorobenzidine	<0.560	U	0.560	ug/L						
Benzidine	<0.560	U	0.560	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.40*	*ug/L*	*9.95*		*94.4*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*20.8*	*ug/L*	*19.9*		*105*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*25.7*	*ug/L*	*19.9*		*129*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.8*	*ug/L*	*9.95*		*108*	*52-162*		
Surrogate: Phenol-d5-surr			*21.6*	*ug/L*	*19.9*		*109*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.36*	*ug/L*	*9.95*		*94.0*	*51.9-147*		
Blank (BGA3953-BLK2)					Prepared: 1/31/2023 Analyzed: 2/13/2023					
1,2,4-Trichlorobenzene	<0.560	U	0.560	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.560	U	0.560	ug/L						
1,2-Diphenylhydrazine	<0.560	U	0.560	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.560	U	0.560	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.560	U	0.560	ug/L						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<0.560	U	0.560	ug/L						
2,4-Dichlorophenol	<0.560	U	0.560	ug/L						
2,4-Dimethylphenol	<1.12	U	1.12	ug/L						
2,4-Dinitrophenol	<4.48	U	4.48	ug/L						
2,4-Dinitrotoluene (2,4-DNT)	<0.560	U	0.560	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.560	U	0.560	ug/L						
2-Chloronaphthalene	<0.560	U	0.560	ug/L						
2-Chlorophenol	<1.12	U	1.12	ug/L						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<1.12	U	1.12	ug/L						
2-Nitrophenol	<1.12	U	1.12	ug/L						
4-Bromophenyl phenyl ether (BDE-3)	<0.560	U	0.560	ug/L						
4-Chloro-3-methylphenol	<1.12	U	1.12	ug/L						
4-Chlorophenyl phenylether	<0.560	U	0.560	ug/L						
4-Nitrophenol	<4.48	U	4.48	ug/L						
Acenaphthene	<0.560	U	0.560	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3953 - SW-3511 (Continued)										
Blank (BGA3953-BLK2)					Prepared: 1/31/2023 Analyzed: 2/13/2023					
Acenaphthylene	<0.560	U	0.560	ug/L						
Anthracene	<0.560	U	0.560	ug/L						
Benzo(a)anthracene	<0.560	U	0.560	ug/L						
Benzo(a)pyrene	<0.560	U	0.560	ug/L						
benzo(b&k)fluoranthene	<0.560	U	0.560	ug/L						
Benzo(g,h,i)perylene	<0.560	U	0.560	ug/L						
bis(2-Chloroethoxy)methane	<0.560	U	0.560	ug/L						
bis(2-Chloroethyl) ether	<0.560	U	0.560	ug/L						
Bis(2-ethylhexyl)phthalate	<0.560	U	0.560	ug/L						
Butyl benzyl phthalate	<0.560	U	0.560	ug/L						
Chrysene	<0.560	U	0.560	ug/L						
Dibenzo(a,h)anthracene	<0.560	U	0.560	ug/L						
Diethyl phthalate	0.617		0.560	ug/L						
Dimethyl phthalate	1.20		0.560	ug/L						
Di-n-butyl phthalate	7.07		0.560	ug/L						
Di-n-octyl phthalate	<0.560	U	0.560	ug/L						
Fluoranthene	<0.560	U	0.560	ug/L						
Fluorene	<0.560	U	0.560	ug/L						
Hexachlorobenzene	<0.560	U	0.560	ug/L						
Hexachlorobutadiene	<0.560	U	0.560	ug/L						
Hexachlorocyclopentadiene	<0.560	U	0.560	ug/L						
Hexachloroethane	<0.560	U	0.560	ug/L						
Indeno(1,2,3-cd) pyrene	<0.560	U	0.560	ug/L						
Isophorone	<0.560	U	0.560	ug/L						
Naphthalene	<0.560	U	0.560	ug/L						
Nitrobenzene	<0.560	U	0.560	ug/L						
n-Nitrosodimethylamine	<2.24	U	2.24	ug/L						
n-Nitrosodi-n-propylamine	<0.560	U	0.560	ug/L						
n-Nitrosodiphenylamine	<0.560	U	0.560	ug/L						
Pentachlorophenol	<1.12	U	1.12	ug/L						
Phenanthrene	<0.560	U	0.560	ug/L						
Phenol, Total	<1.12	U	1.12	ug/L						
Pyrene	<0.560	U	0.560	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.68*	*ug/L*	*9.95*		*97.2*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.7*	*ug/L*	*19.9*		*114*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.4*	*ug/L*	*19.9*		*97.7*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*8.62*	*ug/L*	*9.95*		*86.7*	*52-162*		
Surrogate: Phenol-d5-surr			*21.0*	*ug/L*	*19.9*		*106*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.26*	*ug/L*	*9.95*		*83.0*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3953 - SW-3511 (Continued)										
BS BENZ (BGA3953-BS1)					Prepared: 1/31/2023 Analyzed: 2/7/2023					
3,3'-Dichlorobenzidine	5.75		0.561	ug/L	9.98		57.6	22.3-156		
Benzidine	0.563	J1	0.561	ug/L	9.98		5.64	9.32-162		
Surrogate: 2-Fluorobiphenyl-surr			*8.20*	*ug/L*	*9.98*		*82.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.6*	*ug/L*	*20.0*		*113*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*24.2*	*ug/L*	*20.0*		*121*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.6*	*ug/L*	*9.98*		*106*	*52-162*		
Surrogate: Phenol-d5-surr			*20.5*	*ug/L*	*20.0*		*103*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.89*	*ug/L*	*9.98*		*89.0*	*51.9-147*		
BS SV (BGA3953-BS2)					Prepared: 1/31/2023 Analyzed: 2/13/2023					
1,2,4-Trichlorobenzene	11.5		0.556	ug/L	9.88		117	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	10.5		0.556	ug/L	9.88		106	60-140		
1,2-Diphenylhydrazine	12.1		0.556	ug/L	9.88		122	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	9.21		0.556	ug/L	9.88		93.1	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	10.3		0.556	ug/L	9.88		104	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	11.6		0.556	ug/L	9.88		117	60-140		
2,4-Dichlorophenol	22.4		0.556	ug/L	19.8		114	60-140		
2,4-Dimethylphenol	25.2		1.11	ug/L	19.8		128	35.9-153		
2,4-Dinitrophenol	64.8		4.45	ug/L	49.4		131	60-140		
2,4-Dinitrotoluene (2,4-DNT)	12.7		0.556	ug/L	9.88		129	60-140		
2,6-Dinitrotoluene (2,6-DNT)	13.0		0.556	ug/L	9.88		132	60-140		
2-Chloronaphthalene	11.5		0.556	ug/L	9.88		117	60-140		
2-Chlorophenol	12.7		1.11	ug/L	19.8		64.1	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	26.3		1.11	ug/L	19.8		133	60-140		
2-Nitrophenol	21.8		1.11	ug/L	19.8		110	60-140		
4-Bromophenyl phenyl ether (BDE-3)	11.0		0.556	ug/L	9.88		112	60-140		
4-Chloro-3-methylphenol	24.0		1.11	ug/L	19.8		121	60-140		
4-Chlorophenyl phenylether	10.4		0.556	ug/L	9.88		106	60-140		
4-Nitrophenol	59.0		4.45	ug/L	49.4		119	60-140		
Acenaphthene	11.7		0.556	ug/L	9.88		118	60-140		
Acenaphthylene	13.5		0.556	ug/L	9.88		137	60-140		
Anthracene	11.9		0.556	ug/L	9.88		120	60-140		
Benzo(a)anthracene	12.3		0.556	ug/L	9.88		124	60-140		
Benzo(a)pyrene	12.0		0.556	ug/L	9.88		121	60-140		
benzo(b&k)fluoranthene	24.3		0.556	ug/L	19.8		123	60-140		
Benzo(g,h,i)perylene	11.1		0.556	ug/L	9.88		112	60-140		
bis(2-Chloroethoxy)methane	12.0		0.556	ug/L	9.88		121	60-140		
bis(2-Chloroethyl) ether	8.62		0.556	ug/L	9.88		87.3	60-140		
Bis(2-ethylhexyl)phthalate	11.4		0.556	ug/L	9.88		116	60-140		
Butyl benzyl phthalate	11.5		0.556	ug/L	9.88		116	60-140		
Chrysene	10.8		0.556	ug/L	9.88		109	60-140		
Dibenzo(a,h)anthracene	11.3		0.556	ug/L	9.88		114	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3953 - SW-3511 (Continued)										
BS SV (BGA3953-BS2)					Prepared: 1/31/2023 Analyzed: 2/13/2023					
Diethyl phthalate	12.0		0.556	ug/L	9.88		122	60-140		
Dimethyl phthalate	13.5		0.556	ug/L	9.88		137	60-140		
Di-n-butyl phthalate	<0.556	J1, L, U	0.556	ug/L	9.88			60-140		
Di-n-octyl phthalate	13.4		0.556	ug/L	9.88		135	60-140		
Fluoranthene	11.6		0.556	ug/L	9.88		117	60-140		
Fluorene	11.6		0.556	ug/L	9.88		118	60-140		
Hexachlorobenzene	10.7		0.556	ug/L	9.88		109	60-140		
Hexachlorobutadiene	6.91		0.556	ug/L	9.88		69.9	60-140		
Hexachlorocyclopentadiene	9.30		0.556	ug/L	9.88		94.1	60-140		
Hexachloroethane	8.37		0.556	ug/L	9.88		84.7	60-140		
Indeno(1,2,3-cd) pyrene	10.9		0.556	ug/L	9.88		111	60-140		
Isophorone	10.7		0.556	ug/L	9.88		108	60-140		
Naphthalene	11.7		0.556	ug/L	9.88		118	60-140		
Nitrobenzene	12.7		0.556	ug/L	9.88		128	60-140		
n-Nitrosodimethylamine	4.57		2.22	ug/L	49.4		9.25	2.5-65.7		
n-Nitrosodi-n-propylamine	11.6		0.556	ug/L	9.88		118	60-140		
n-Nitrosodiphenylamine	9.55		0.556	ug/L	9.88		96.6	60-140		
Pentachlorophenol	24.0		1.11	ug/L	19.8		121	36.8-149		
Phenanthrene	11.6		0.556	ug/L	9.88		117	60-140		
Phenol, Total	21.2		1.11	ug/L	19.8		107	60-140		
Pyrene	9.70		0.556	ug/L	9.88		98.1	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*10.8*	*ug/L*	*9.88*		*110*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*26.2*	*ug/L*	*19.8*		*133*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.4*	*ug/L*	*19.8*		*98.0*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.1*	*ug/L*	*9.88*		*102*	*52-162*		
Surrogate: Phenol-d5-surr			*26.2*	*ug/L*	*19.8*		*132*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.07*	*ug/L*	*9.88*		*91.8*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3953 - SW-3511 (Continued)										
BSD BENZ (BGA3953-BSD1)					Prepared: 1/31/2023 Analyzed: 2/7/2023					
3,3'-Dichlorobenzidine	6.24		0.550	ug/L	9.78		63.8	22.3-156	8.11	40
Benzidine	0.941	J1	0.550	ug/L	9.78		9.63	9.32-162	50.2	40
Surrogate: 2-Fluorobiphenyl-surr			*9.15*	*ug/L*	*9.78*		*93.6*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.3*	*ug/L*	*19.6*		*119*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*25.9*	*ug/L*	*19.6*		*133*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.4*	*ug/L*	*9.78*		*117*	*52-162*		
Surrogate: Phenol-d5-surr			*22.5*	*ug/L*	*19.6*		*115*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.26*	*ug/L*	*9.78*		*94.7*	*51.9-147*		
BSD SV (BGA3953-BSD2)					Prepared: 1/31/2023 Analyzed: 2/13/2023					
1,2,4-Trichlorobenzene	9.53		0.562	ug/L	10.0		95.3	60-140	18.9	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	9.17		0.562	ug/L	10.0		91.8	60-140	13.1	40
1,2-Diphenylhydrazine	11.1		0.562	ug/L	10.0		111	60-140	8.45	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	8.07		0.562	ug/L	10.0		80.8	60-140	13.1	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	8.96		0.562	ug/L	10.0		89.6	60-140	13.7	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	10.1		0.562	ug/L	10.0		101	60-140	13.5	40
2,4-Dichlorophenol	19.7		0.562	ug/L	20.0		98.7	60-140	12.8	40
2,4-Dimethylphenol	22.7		1.12	ug/L	20.0		113	35.9-153	10.6	40
2,4-Dinitrophenol	62.4		4.50	ug/L	50.0		125	60-140	3.76	40
2,4-Dinitrotoluene (2,4-DNT)	11.3		0.562	ug/L	10.0		113	60-140	11.5	40
2,6-Dinitrotoluene (2,6-DNT)	11.0		0.562	ug/L	10.0		111	60-140	16.3	40
2-Chloronaphthalene	10.1		0.562	ug/L	10.0		101	60-140	13.2	40
2-Chlorophenol	11.0	J1	1.12	ug/L	20.0		55.0	60-140	14.2	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	24.2		1.12	ug/L	20.0		121	60-140	8.62	40
2-Nitrophenol	21.4		1.12	ug/L	20.0		107	60-140	1.70	40
4-Bromophenyl phenyl ether (BDE-3)	9.43		0.562	ug/L	10.0		94.4	60-140	15.7	40
4-Chloro-3-methylphenol	21.2		1.12	ug/L	20.0		106	60-140	12.4	40
4-Chlorophenyl phenylether	7.34		0.562	ug/L	10.0		73.4	60-140	34.9	40
4-Nitrophenol	55.7		4.50	ug/L	50.0		111	60-140	5.84	40
Acenaphthene	10.2		0.562	ug/L	10.0		102	60-140	13.5	40
Acenaphthylene	12.0		0.562	ug/L	10.0		120	60-140	11.9	40
Anthracene	10.3		0.562	ug/L	10.0		104	60-140	13.6	40
Benzo(a)anthracene	11.5		0.562	ug/L	10.0		115	60-140	6.82	40
Benzo(a)pyrene	10.7		0.562	ug/L	10.0		107	60-140	11.2	40
benzo(b&k)fluoranthene	18.8		0.562	ug/L	20.0		94.0	60-140	25.5	40
Benzo(g,h,i)perylene	9.30		0.562	ug/L	10.0		93.1	60-140	17.2	40
bis(2-Chloroethoxy)methane	10.4		0.562	ug/L	10.0		104	60-140	14.1	40
bis(2-Chloroethyl) ether	9.61		0.562	ug/L	10.0		96.1	60-140	10.8	40
Bis(2-ethylhexyl)phthalate	10.1		0.562	ug/L	10.0		101	60-140	12.2	40
Butyl benzyl phthalate	10.5		0.562	ug/L	10.0		105	60-140	8.71	40
Chrysene	9.66		0.562	ug/L	10.0		96.7	60-140	10.7	40
Dibenzo(a,h)anthracene	10.3		0.562	ug/L	10.0		104	60-140	8.75	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3953 - SW-3511 (Continued)										
BSD SV (BGA3953-BSD2)					Prepared: 1/31/2023 Analyzed: 2/13/2023					
Diethyl phthalate	10.5		0.562	ug/L	10.0		105	60-140	13.3	40
Dimethyl phthalate	11.3		0.562	ug/L	10.0		113	60-140	18.4	40
Di-n-butyl phthalate	18.4	J1, L	0.562	ug/L	10.0		184	60-140	200	40
Di-n-octyl phthalate	11.6		0.562	ug/L	10.0		117	60-140	13.8	40
Fluoranthene	10.1		0.562	ug/L	10.0		101	60-140	13.9	40
Fluorene	9.56		0.562	ug/L	10.0		95.7	60-140	19.6	40
Hexachlorobenzene	8.38		0.562	ug/L	10.0		83.8	60-140	24.6	40
Hexachlorobutadiene	5.86	J1	0.562	ug/L	10.0		58.7	60-140	16.4	40
Hexachlorocyclopentadiene	9.45		0.562	ug/L	10.0		94.6	60-140	1.67	40
Hexachloroethane	7.33		0.562	ug/L	10.0		73.3	60-140	13.3	40
Indeno(1,2,3-cd) pyrene	10.2		0.562	ug/L	10.0		102	60-140	7.38	40
Isophorone	9.05		0.562	ug/L	10.0		90.5	60-140	16.4	40
Naphthalene	9.90		0.562	ug/L	10.0		99.1	60-140	16.4	40
Nitrobenzene	11.3		0.562	ug/L	10.0		113	60-140	11.3	40
n-Nitrosodimethylamine	4.02		2.25	ug/L	50.0		8.05	2.5-65.7	12.7	40
n-Nitrosodi-n-propylamine	10.3		0.562	ug/L	10.0		104	60-140	11.8	40
n-Nitrosodiphenylamine	7.85		0.562	ug/L	10.0		78.6	60-140	19.5	40
Pentachlorophenol	21.0		1.12	ug/L	20.0		105	36.8-149	13.2	40
Phenanthrene	10.2		0.562	ug/L	10.0		102	60-140	12.9	40
Phenol, Total	19.7		1.12	ug/L	20.0		98.5	60-140	7.39	40
Pyrene	7.07		0.562	ug/L	10.0		70.7	60-140	31.3	40
Surrogate: 2-Fluorobiphenyl-surr			*9.87*	*ug/L*	*10.0*		*98.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.3*	*ug/L*	*20.0*		*116*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.2*	*ug/L*	*20.0*		*85.8*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.88*	*ug/L*	*10.0*		*98.8*	*52-162*		
Surrogate: Phenol-d5-surr			*25.4*	*ug/L*	*20.0*		*127*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.98*	*ug/L*	*10.0*		*79.8*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3953 - SW-3511 (Continued)										
MDL BENZ (BGA3953-MRL1)					Prepared: 1/31/2023 Analyzed: 2/7/2023					
3,3'-Dichlorobenzidine	<0.560	U	0.560	ug/L	0.498					
Benzidine	<0.560	J1, U	0.560	ug/L	0.498					
Surrogate: 2-Fluorobiphenyl-surr			*9.32*	*ug/L*	*9.96*		*93.6*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.2*	*ug/L*	*19.9*		*117*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*25.8*	*ug/L*	*19.9*		*130*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*11.1*	*ug/L*	*9.96*		*112*	*52-162*		
Surrogate: Phenol-d5-surr			*22.4*	*ug/L*	*19.9*		*113*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.08*	*ug/L*	*9.96*		*91.2*	*51.9-147*		
MDL SV (BGA3953-MRL2)					Prepared: 1/31/2023 Analyzed: 2/13/2023					
1,2,4-Trichlorobenzene	0.533	J	0.558	ug/L	0.496		107			
1,2-Dichlorobenzene (o-Dichlorobenzene)	0.573		0.558	ug/L	0.496		115			
1,2-Diphenylhydrazine	0.727		0.558	ug/L	0.496		146			
1,3-Dichlorobenzene (m-Dichlorobenzene)	0.459	J	0.558	ug/L	0.496		92.4			
1,4-Dichlorobenzene (p-Dichlorobenzene)	0.485	J	0.558	ug/L	0.496		97.6			
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	0.662		0.558	ug/L	0.496		133			
2,4-Dichlorophenol	1.17		0.558	ug/L	0.993		118	50-150		
2,4-Dimethylphenol	1.17		1.12	ug/L	0.993		118			
2,4-Dinitrophenol	<4.47	U	4.47	ug/L	2.48					
2,4-Dinitrotoluene (2,4-DNT)	0.389	J	0.558	ug/L	0.496		78.4			
2,6-Dinitrotoluene (2,6-DNT)	0.953		0.558	ug/L	0.496		192			
2-Chloronaphthalene	0.556	J	0.558	ug/L	0.496		112			
2-Chlorophenol	0.644	J	1.12	ug/L	0.993		64.9			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	0.922	J	1.12	ug/L	0.993		92.9			
2-Nitrophenol	1.35		1.12	ug/L	0.993		136			
4-Bromophenyl phenyl ether (BDE-3)	0.350	J	0.558	ug/L	0.496		70.5			
4-Chloro-3-methylphenol	1.30		1.12	ug/L	0.993		130			
4-Chlorophenyl phenylether	0.398	J	0.558	ug/L	0.496		80.2			
4-Nitrophenol	<4.47	U	4.47	ug/L	2.48					
Acenaphthene	0.542	J	0.558	ug/L	0.496		109			
Acenaphthylene	0.727		0.558	ug/L	0.496		147			
Anthracene	0.381	J	0.558	ug/L	0.496		76.8			
Benzo(a)anthracene	0.610		0.558	ug/L	0.496		123			
Benzo(a)pyrene	0.581		0.558	ug/L	0.496		117			
benzo(b&k)fluoranthene	1.11		0.558	ug/L	0.993		111	50-150		
Benzo(g,h,i)perylene	0.469	J	0.558	ug/L	0.496		94.5			
bis(2-Chloroethoxy)methane	0.696		0.558	ug/L	0.496		140			
bis(2-Chloroethyl) ether	0.600		0.558	ug/L	0.496		121			
Bis(2-ethylhexyl)phthalate	0.507	J	0.558	ug/L	0.496		102			
Butyl benzyl phthalate	0.502	J	0.558	ug/L	0.496		101			
Chrysene	0.382	J	0.558	ug/L	0.496		77.0			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3953 - SW-3511 (Continued)										
MDL SV (BGA3953-MRL2)					Prepared: 1/31/2023 Analyzed: 2/13/2023					
Dibenzo(a,h)anthracene	0.409	J	0.558	ug/L	0.496		82.4			
Diethyl phthalate	1.26		0.558	ug/L	0.496		254			
Dimethyl phthalate	1.82		0.558	ug/L	0.496		367			
Di-n-butyl phthalate	7.40		0.558	ug/L	0.496		NR			
Di-n-octyl phthalate	0.562		0.558	ug/L	0.496		113			
Fluoranthene	0.298	J	0.558	ug/L	0.496		60.0			
Fluorene	0.641		0.558	ug/L	0.496		129			
Hexachlorobenzene	0.350	J	0.558	ug/L	0.496		70.6			
Hexachlorobutadiene	0.302	J	0.558	ug/L	0.496		60.8			
Hexachlorocyclopentadiene	0.796		0.558	ug/L	0.496		160			
Hexachloroethane	0.376	J	0.558	ug/L	0.496		75.7			
Indeno(1,2,3-cd) pyrene	0.460	J	0.558	ug/L	0.496		92.7			
Isophorone	0.480	J	0.558	ug/L	0.496		96.6			
Naphthalene	0.533	J	0.558	ug/L	0.496		107			
Nitrobenzene	0.677		0.558	ug/L	0.496		136			
n-Nitrosodimethylamine	0.539	J1, J	2.23	ug/L	2.48		21.7	50-150		
n-Nitrosodi-n-propylamine	0.789		0.558	ug/L	0.496		159			
n-Nitrosodiphenylamine	0.501	J	0.558	ug/L	0.496		101			
Pentachlorophenol	0.590	J	1.12	ug/L	0.993		59.5			
Phenanthrene	0.483	J	0.558	ug/L	0.496		97.3			
Phenol, Total	1.36		1.12	ug/L	0.993		137			
Pyrene	0.352	J	0.558	ug/L	0.496		70.9			
Surrogate: 2-Fluorobiphenyl-surr			*9.61*	*ug/L*	*9.93*		*96.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.8*	*ug/L*	*19.9*		*115*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.0*	*ug/L*	*19.9*		*95.9*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.03*	*ug/L*	*9.93*		*90.9*	*52-162*		
Surrogate: Phenol-d5-surr			*22.4*	*ug/L*	*19.9*		*113*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.10*	*ug/L*	*9.93*		*91.7*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3953 - SW-3511 (Continued)										
23A1459-02 MS (BGA3953-MS1)		**Source: 23A1459-02RE1**		Prepared: 1/31/2023 Analyzed: 2/13/2023						
1,2,4-Trichlorobenzene	10.6		0.556	ug/L	9.89	<0.556	108	35.3-142		
1,2-Dichlorobenzene (o-Dichlorobenzene)	9.70		0.556	ug/L	9.89	<0.556	98.1	31.4-142		
1,2-Diphenylhydrazine	11.7		0.556	ug/L	9.89	<0.556	119	48.9-156		
1,3-Dichlorobenzene (m-Dichlorobenzene)	8.72		0.556	ug/L	9.89	<0.556	88.2	30.5-135		
1,4-Dichlorobenzene (p-Dichlorobenzene)	9.85		0.556	ug/L	9.89	<0.556	99.6	37.2-133		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	11.0		0.556	ug/L	9.89	<0.556	112	41.7-151		
2,4-Dichlorophenol	21.2		0.556	ug/L	19.8	<0.556	107	42.7-158		
2,4-Dimethylphenol	24.1		1.11	ug/L	19.8	<1.11	122	38.4-170		
2,4-Dinitrophenol	61.7		4.45	ug/L	49.4	<4.45	125	60-140		
2,4-Dinitrotoluene (2,4-DNT)	12.1		0.556	ug/L	9.89	<0.556	122	50.3-144		
2,6-Dinitrotoluene (2,6-DNT)	12.4		0.556	ug/L	9.89	<0.556	125	43.7-157		
2-Chloronaphthalene	10.9		0.556	ug/L	9.89	<0.556	110	27.4-158		
2-Chlorophenol	12.4		1.11	ug/L	19.8	<1.11	62.8	49.2-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	24.1		1.11	ug/L	19.8	<1.11	122	41.9-153		
2-Nitrophenol	23.1		1.11	ug/L	19.8	<1.11	117	51.9-150		
4-Bromophenyl phenyl ether (BDE-3)	10.2		0.556	ug/L	9.89	<0.556	103	45.2-146		
4-Chloro-3-methylphenol	23.1		1.11	ug/L	19.8	<1.11	117	46.9-147		
4-Chlorophenyl phenylether	8.64		0.556	ug/L	9.89	<0.556	87.4	44.5-143		
4-Nitrophenol	60.1		4.45	ug/L	49.4	<4.45	122	2-173		
Acenaphthene	10.8		0.556	ug/L	9.89	<0.556	110	47.3-149		
Acenaphthylene	12.9		0.556	ug/L	9.89	<0.556	131	56.5-173		
Anthracene	11.1		0.556	ug/L	9.89	<0.556	112	49.7-160		
Benzo(a)anthracene	10.7		0.556	ug/L	9.89	<0.556	108	41.7-151		
Benzo(a)pyrene	9.25		0.556	ug/L	9.89	<0.556	93.5	45.4-133		
benzo(b&k)fluoranthene	19.6		0.556	ug/L	19.8	<0.556	99.3	55.3-137		
Benzo(g,h,i)perylene	8.01		0.556	ug/L	9.89	<0.556	81.0	37.9-152		
bis(2-Chloroethoxy)methane	11.3		0.556	ug/L	9.89	<0.556	114	40.1-151		
bis(2-Chloroethyl) ether	8.68		0.556	ug/L	9.89	<0.556	87.7	45.9-163		
Bis(2-ethylhexyl)phthalate	6.87		0.556	ug/L	9.89	<0.556	69.5	38.3-135		
Butyl benzyl phthalate	9.87		0.556	ug/L	9.89	<0.556	99.8	41.1-148		
Chrysene	9.03		0.556	ug/L	9.89	<0.556	91.3	51-147		
Dibenzo(a,h)anthracene	7.39		0.556	ug/L	9.89	<0.556	74.8	27.5-156		
Diethyl phthalate	11.5		0.556	ug/L	9.89	0.522	111	53.4-146		
Dimethyl phthalate	11.7		0.556	ug/L	9.89	<0.556	118	53-151		
Di-n-butyl phthalate	11.0		0.556	ug/L	9.89	1.19	98.8	25.4-168		
Di-n-octyl phthalate	7.53		0.556	ug/L	9.89	<0.556	76.2	39.2-123		
Fluoranthene	10.6		0.556	ug/L	9.89	<0.556	108	45.3-156		
Fluorene	11.0		0.556	ug/L	9.89	<0.556	111	56.3-145		
Hexachlorobenzene	8.95		0.556	ug/L	9.89	<0.556	90.5	56.1-137		
Hexachlorobutadiene	6.55		0.556	ug/L	9.89	<0.556	66.3	33.1-110		
Hexachlorocyclopentadiene	9.34		0.556	ug/L	9.89	<0.556	94.5	2-179		
Hexachloroethane	7.58		0.556	ug/L	9.89	<0.556	76.7	36.2-106		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3953 - SW-3511 (Continued)										
23A1459-02 MS (BGA3953-MS1)		**Source: 23A1459-02RE1**			Prepared: 1/31/2023 Analyzed: 2/13/2023					
Indeno(1,2,3-cd) pyrene	7.69		0.556	ug/L	9.89	<0.556	77.7	33.4-153		
Isophorone	9.43		0.556	ug/L	9.89	<0.556	95.4	43.3-154		
Naphthalene	11.2		0.556	ug/L	9.89	<0.556	113	45.1-153		
Nitrobenzene	13.2		0.556	ug/L	9.89	<0.556	134	54.9-156		
n-Nitrosodimethylamine	4.91		2.22	ug/L	49.4	<2.22	9.93	2-56.4		
n-Nitrosodi-n-propylamine	10.9		0.556	ug/L	9.89	<0.556	110	38.3-160		
n-Nitrosodiphenylamine	7.41		0.556	ug/L	9.89	<0.556	75.0	38.1-163		
Pentachlorophenol	22.5		1.11	ug/L	19.8	<1.11	114	42.2-151		
Phenanthrene	10.9		0.556	ug/L	9.89	<0.556	110	45.3-165		
Phenol, Total	21.4		1.11	ug/L	19.8	0.803	104	39.8-164		
Pyrene	8.86		0.556	ug/L	9.89	<0.556	89.6	46.3-149		
Surrogate: 2-Fluorobiphenyl-surr			*10.3*	*ug/L*	*9.89*		*105*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*25.1*	*ug/L*	*19.8*		*127*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.5*	*ug/L*	*19.8*		*93.4*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.94*	*ug/L*	*9.89*		*101*	*52-162*		
Surrogate: Phenol-d5-surr			*26.1*	*ug/L*	*19.8*		*132*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*6.91*	*ug/L*	*9.89*		*69.9*	*51.9-147*		
23A1459-02 MSD (BGA3953-MSD1)		**Source: 23A1459-02RE1**			Prepared: 1/31/2023 Analyzed: 2/13/2023					
1,2,4-Trichlorobenzene	9.43		0.559	ug/L	9.94	<0.559	94.9	35.3-142	12.0	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	9.66		0.559	ug/L	9.94	<0.559	97.2	31.4-142	0.363	40
1,2-Diphenylhydrazine	10.9		0.559	ug/L	9.94	<0.559	109	48.9-156	7.56	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	7.96		0.559	ug/L	9.94	<0.559	80.1	30.5-135	9.15	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	9.34		0.559	ug/L	9.94	<0.559	93.9	37.2-133	5.38	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	11.1		0.559	ug/L	9.94	<0.559	111	41.7-151	0.358	40
2,4-Dichlorophenol	21.3		0.559	ug/L	19.9	<0.559	107	42.7-158	0.638	40
2,4-Dimethylphenol	22.9		1.12	ug/L	19.9	<1.12	115	38.4-170	5.12	40
2,4-Dinitrophenol	65.1		4.47	ug/L	49.7	<4.47	131	60-140	5.44	40
2,4-Dinitrotoluene (2,4-DNT)	11.8		0.559	ug/L	9.94	<0.559	119	50.3-144	2.30	40
2,6-Dinitrotoluene (2,6-DNT)	11.8		0.559	ug/L	9.94	<0.559	119	43.7-157	4.70	40
2-Chloronaphthalene	9.93		0.559	ug/L	9.94	<0.559	99.9	27.4-158	8.90	40
2-Chlorophenol	11.8		1.12	ug/L	19.9	<1.12	59.4	49.2-150	5.17	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	24.6		1.12	ug/L	19.9	<1.12	124	41.9-153	2.07	40
2-Nitrophenol	20.8		1.12	ug/L	19.9	<1.12	105	51.9-150	10.4	40
4-Bromophenyl phenyl ether (BDE-3)	9.04		0.559	ug/L	9.94	<0.559	91.0	45.2-146	11.9	40
4-Chloro-3-methylphenol	21.6		1.12	ug/L	19.9	<1.12	108	46.9-147	6.68	40
4-Chlorophenyl phenylether	7.66		0.559	ug/L	9.94	<0.559	77.1	44.5-143	12.0	40
4-Nitrophenol	57.3		4.47	ug/L	49.7	<4.47	115	2-173	4.81	40
Acenaphthene	9.98		0.559	ug/L	9.94	<0.559	100	47.3-149	8.28	40
Acenaphthylene	11.8		0.559	ug/L	9.94	<0.559	119	56.5-173	8.91	40
Anthracene	10.0		0.559	ug/L	9.94	<0.559	101	49.7-160	10.1	40
Benzo(a)anthracene	10.2		0.559	ug/L	9.94	<0.559	103	41.7-151	4.68	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3953 - SW-3511 (Continued)										
23A1459-02 MSD (BGA3953-MSD1)		**Source: 23A1459-02RE1**		Prepared: 1/31/2023 Analyzed: 2/13/2023						
Benzo(a)pyrene	8.59		0.559	ug/L	9.94	<0.559	86.4	45.4-133	7.36	40
benzo(b&k)fluoranthene	18.8		0.559	ug/L	19.9	<0.559	94.7	55.3-137	4.20	40
Benzo(g,h,i)perylene	7.48		0.559	ug/L	9.94	<0.559	75.3	37.9-152	6.80	40
bis(2-Chloroethoxy)methane	11.0		0.559	ug/L	9.94	<0.559	110	40.1-151	2.53	40
bis(2-Chloroethyl) ether	9.19		0.559	ug/L	9.94	<0.559	92.5	45.9-163	5.79	40
Bis(2-ethylhexyl)phthalate	6.32		0.559	ug/L	9.94	<0.559	63.6	38.3-135	8.30	40
Butyl benzyl phthalate	9.22		0.559	ug/L	9.94	<0.559	92.8	41.1-148	6.79	40
Chrysene	8.28		0.559	ug/L	9.94	<0.559	83.3	51-147	8.66	40
Dibenzo(a,h)anthracene	7.05		0.559	ug/L	9.94	<0.559	70.9	27.5-156	4.77	40
Diethyl phthalate	10.3		0.559	ug/L	9.94	0.522	98.4	53.4-146	10.5	40
Dimethyl phthalate	10.7		0.559	ug/L	9.94	<0.559	108	53-151	8.93	40
Di-n-butyl phthalate	9.80		0.559	ug/L	9.94	1.19	86.6	25.4-168	11.2	40
Di-n-octyl phthalate	6.94		0.559	ug/L	9.94	<0.559	69.9	39.2-123	8.13	40
Fluoranthene	9.84		0.559	ug/L	9.94	<0.559	99.0	45.3-156	7.69	40
Fluorene	9.84		0.559	ug/L	9.94	<0.559	99.0	56.3-145	10.8	40
Hexachlorobenzene	7.97		0.559	ug/L	9.94	<0.559	80.2	56.1-137	11.6	40
Hexachlorobutadiene	6.16		0.559	ug/L	9.94	<0.559	62.0	33.1-110	6.11	40
Hexachlorocyclopentadiene	9.74		0.559	ug/L	9.94	<0.559	98.0	2-179	4.18	40
Hexachloroethane	7.69		0.559	ug/L	9.94	<0.559	77.3	36.2-106	1.37	40
Indeno(1,2,3-cd) pyrene	7.30		0.559	ug/L	9.94	<0.559	73.5	33.4-153	5.15	40
Isophorone	9.70		0.559	ug/L	9.94	<0.559	97.6	43.3-154	2.79	40
Naphthalene	10.4		0.559	ug/L	9.94	<0.559	105	45.1-153	7.58	40
Nitrobenzene	12.3		0.559	ug/L	9.94	<0.559	124	54.9-156	7.44	40
n-Nitrosodimethylamine	4.78		2.24	ug/L	49.7	<2.24	9.61	2-56.4	2.74	40
n-Nitrosodi-n-propylamine	11.1		0.559	ug/L	9.94	<0.559	112	38.3-160	1.68	40
n-Nitrosodiphenylamine	5.14		0.559	ug/L	9.94	<0.559	51.7	38.1-163	36.3	40
Pentachlorophenol	21.3		1.12	ug/L	19.9	<1.12	107	42.2-151	5.81	40
Phenanthrene	10.3		0.559	ug/L	9.94	<0.559	104	45.3-165	5.16	40
Phenol, Total	20.1		1.12	ug/L	19.9	0.803	97.2	39.8-164	5.87	40
Pyrene	8.36		0.559	ug/L	9.94	<0.559	84.1	46.3-149	5.84	40
Surrogate: 2-Fluorobiphenyl-surr			*9.18*	*ug/L*	*9.94*		*92.4*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.2*	*ug/L*	*19.9*		*117*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.3*	*ug/L*	*19.9*		*87.1*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.06*	*ug/L*	*9.94*		*91.1*	*52-162*		
Surrogate: Phenol-d5-surr			*24.8*	*ug/L*	*19.9*		*125*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*6.92*	*ug/L*	*9.94*		*69.7*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570										
Blank (BGB0288-BLK1)				Prepared: 2/2/2023 Analyzed: 2/9/2023						
3,3'-Dichlorobenzidine	<2.50	U	2.50	ug/kg wet						
Benzidine	<2.50	U	2.50	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*14.2*	*ug/kg wet*	*20.0*		*70.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*36.8*	*ug/kg wet*	*40.0*		*92.1*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*42.2*	*ug/kg wet*	*40.0*		*105*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*20.0*	*ug/kg wet*	*20.0*		*100*	*60-140*		
Surrogate: Phenol-d5-surr			*40.0*	*ug/kg wet*	*40.0*		*100*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.6*	*ug/kg wet*	*20.0*		*78.0*	*60-140*		
Blank (BGB0288-BLK2)				Prepared: 2/2/2023 Analyzed: 2/27/2023						
1,2,4-Trichlorobenzene	<2.50	U	2.50	ug/kg wet						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<2.50	U	2.50	ug/kg wet						
1,2-Diphenylhydrazine	<2.50	U	2.50	ug/kg wet						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.50	U	2.50	ug/kg wet						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<2.50	U	2.50	ug/kg wet						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<2.50	U	2.50	ug/kg wet						
2,4,6-Trichlorophenol	<5.00	U	5.00	ug/kg wet						
2,4-Dichlorophenol	<5.00	U	5.00	ug/kg wet						
2,4-Dimethylphenol	<5.00	U	5.00	ug/kg wet						
2,4-Dinitrophenol	<5.00	U	5.00	ug/kg wet						
2,4-Dinitrotoluene (2,4-DNT)	<2.50	U	2.50	ug/kg wet						
2,6-Dinitrotoluene (2,6-DNT)	<2.50	U	2.50	ug/kg wet						
2-Chloronaphthalene	<2.50	U	2.50	ug/kg wet						
2-Chlorophenol	<5.00	U	5.00	ug/kg wet						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<20.0	U	20.0	ug/kg wet						
2-Nitrophenol	<5.00	U	5.00	ug/kg wet						
4-Bromophenyl phenyl ether (BDE-3)	<2.50	U	2.50	ug/kg wet						
4-Chloro-3-methylphenol	<5.00	U	5.00	ug/kg wet						
4-Chlorophenyl phenylether	<2.50	U	2.50	ug/kg wet						
4-Nitrophenol	<2.50	U	2.50	ug/kg wet						
Acenaphthene	<2.50	U	2.50	ug/kg wet						
Acenaphthylene	<2.50	U	2.50	ug/kg wet						
Anthracene	<2.50	U	2.50	ug/kg wet						
Benzo(a)anthracene	<2.50	U	2.50	ug/kg wet						
Benzo(a)pyrene	<2.50	U	2.50	ug/kg wet						
Benzo(b)fluoranthene	<2.50	U	2.50	ug/kg wet						
Benzo(g,h,i)perylene	<2.50	U	2.50	ug/kg wet						
Benzo(k)fluoranthene	<2.50	U	2.50	ug/kg wet						
bis(2-Chloroethoxy)methane	<2.50	U	2.50	ug/kg wet						
bis(2-Chloroethyl) ether	<2.50	U	2.50	ug/kg wet						
Bis(2-ethylhexyl)phthalate	<2.50	U	2.50	ug/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570 (Continued)										
Blank (BGB0288-BLK2)				Prepared: 2/2/2023 Analyzed: 2/27/2023						
Butyl benzyl phthalate	<2.50	U	2.50	ug/kg wet						
Chrysene	<2.50	U	2.50	ug/kg wet						
Dibenzo(a,h)anthracene	<2.50	U	2.50	ug/kg wet						
Diethyl phthalate	<2.50	U	2.50	ug/kg wet						
Dimethyl phthalate	<2.50	U	2.50	ug/kg wet						
Di-n-butyl phthalate	1.58	J	2.50	ug/kg wet						
Di-n-octyl phthalate	<2.50	U	2.50	ug/kg wet						
Fluoranthene	<2.50	U	2.50	ug/kg wet						
Fluorene	<2.50	U	2.50	ug/kg wet						
Hexachlorobenzene	<2.50	U	2.50	ug/kg wet						
Hexachlorobutadiene	<2.50	U	2.50	ug/kg wet						
Hexachlorocyclopentadiene	<2.50	U	2.50	ug/kg wet						
Hexachloroethane	<2.50	U	2.50	ug/kg wet						
Indeno(1,2,3-cd) pyrene	<2.50	U	2.50	ug/kg wet						
Isophorone	<2.50	U	2.50	ug/kg wet						
Naphthalene	<2.50	U	2.50	ug/kg wet						
Nitrobenzene	<2.50	U	2.50	ug/kg wet						
n-Nitrosodimethylamine	<2.50	U	2.50	ug/kg wet						
n-Nitrosodi-n-propylamine	<2.50	U	2.50	ug/kg wet						
n-Nitrosodiphenylamine	<2.50	U	2.50	ug/kg wet						
Pentachlorophenol	<5.00	U	5.00	ug/kg wet						
Phenanthrene	<2.50	U	2.50	ug/kg wet						
Phenol, Total	<5.00	U	5.00	ug/kg wet						
Pyrene	<2.50	U	2.50	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr		*S*	*11.0*	*ug/kg wet*	*20.0*		*55.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr		*S*	*23.5*	*ug/kg wet*	*40.0*		*58.8*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*23.5*	*ug/kg wet*	*40.0*		*58.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*10.1*	*ug/kg wet*	*20.0*		*50.5*	*60-140*		
Surrogate: Phenol-d5-surr		*S*	*21.9*	*ug/kg wet*	*40.0*		*54.7*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*11.2*	*ug/kg wet*	*20.0*		*56.0*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570 (Continued)										
BS BENZ (BGB0288-BS1)					Prepared: 2/2/2023 Analyzed: 2/9/2023					
3,3'-Dichlorobenzidine	3.39	J1	2.50	ug/kg wet	20.0		16.9	60-140		
Benzidine	<2.50	J1, U	2.50	ug/kg wet	20.0			60-140		
Surrogate: 2-Fluorobiphenyl-surr			*13.9*	*ug/kg wet*	*20.0*		*69.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*36.4*	*ug/kg wet*	*40.0*		*91.0*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*40.5*	*ug/kg wet*	*40.0*		*101*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.9*	*ug/kg wet*	*20.0*		*99.3*	*60-140*		
Surrogate: Phenol-d5-surr			*39.3*	*ug/kg wet*	*40.0*		*98.2*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.4*	*ug/kg wet*	*20.0*		*77.1*	*60-140*		
BS SV (BGB0288-BS2)					Prepared: 2/2/2023 Analyzed: 2/27/2023					
1,2,4-Trichlorobenzene	14.0		2.50	ug/kg wet	20.0		70.1	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	12.5		2.50	ug/kg wet	20.0		62.5	60-140		
1,2-Diphenylhydrazine	16.7		2.50	ug/kg wet	20.0		83.6	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	11.6	J1	2.50	ug/kg wet	20.0		58.1	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	12.3		2.50	ug/kg wet	20.0		61.6	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	16.4		2.50	ug/kg wet	20.0		81.8	60-140		
2,4,6-Trichlorophenol	32.5		5.00	ug/kg wet	40.0		81.4	60-140		
2,4-Dichlorophenol	33.6		5.00	ug/kg wet	40.0		84.0	60-140		
2,4-Dimethylphenol	39.6		5.00	ug/kg wet	40.0		99.1	60-140		
2,4-Dinitrophenol	24.8		5.00	ug/kg wet	100		24.8	10-50.4		
2,4-Dinitrotoluene (2,4-DNT)	15.7		2.50	ug/kg wet	20.0		78.4	60-140		
2,6-Dinitrotoluene (2,6-DNT)	16.8		2.50	ug/kg wet	20.0		84.1	60-140		
2-Chloronaphthalene	14.7		2.50	ug/kg wet	20.0		73.3	60-140		
2-Chlorophenol	36.9		5.00	ug/kg wet	40.0		92.3	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	23.9	J1	20.0	ug/kg wet	40.0		59.8	60-140		
2-Nitrophenol	33.6		5.00	ug/kg wet	40.0		83.9	60-140		
4-Bromophenyl phenyl ether (BDE-3)	16.5		2.50	ug/kg wet	20.0		82.6	60-140		
4-Chloro-3-methylphenol	33.9		5.00	ug/kg wet	40.0		84.7	60-140		
4-Chlorophenyl phenylether	16.4		2.50	ug/kg wet	20.0		81.8	60-140		
4-Nitrophenol	88.4		2.50	ug/kg wet	100		88.4	60-140		
Acenaphthene	15.3		2.50	ug/kg wet	20.0		76.7	60-140		
Acenaphthylene	18.3		2.50	ug/kg wet	20.0		91.3	60-140		
Anthracene	17.1		2.50	ug/kg wet	20.0		85.4	60-140		
Benzo(a)anthracene	16.4		2.50	ug/kg wet	20.0		82.2	60-140		
Benzo(a)pyrene	17.2		2.50	ug/kg wet	20.0		85.8	60-140		
Benzo(b)fluoranthene	16.2		2.50	ug/kg wet	20.0		81.0	60-140		
Benzo(g,h,i)perylene	16.3		2.50	ug/kg wet	20.0		81.7	60-140		
Benzo(k)fluoranthene	16.5		2.50	ug/kg wet	20.0		82.5	60-140		
bis(2-Chloroethoxy)methane	17.7		2.50	ug/kg wet	20.0		88.7	60-140		
bis(2-Chloroethyl) ether	17.1		2.50	ug/kg wet	20.0		85.3	60-140		
Bis(2-ethylhexyl)phthalate	17.6		2.50	ug/kg wet	20.0		88.0	60-140		
Butyl benzyl phthalate	17.7		2.50	ug/kg wet	20.0		88.3	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570 (Continued)										
BS SV (BGB0288-BS2)					Prepared: 2/2/2023 Analyzed: 2/27/2023					
Chrysene	16.2		2.50	ug/kg wet	20.0		81.2	60-140		
Dibenzo(a,h)anthracene	16.0		2.50	ug/kg wet	20.0		79.9	60-140		
Diethyl phthalate	18.2		2.50	ug/kg wet	20.0		91.1	60-140		
Dimethyl phthalate	17.1		2.50	ug/kg wet	20.0		85.3	60-140		
Di-n-butyl phthalate	19.3		2.50	ug/kg wet	20.0		96.6	60-140		
Di-n-octyl phthalate	17.5		2.50	ug/kg wet	20.0		87.4	60-140		
Fluoranthene	16.7		2.50	ug/kg wet	20.0		83.4	60-140		
Fluorene	16.4		2.50	ug/kg wet	20.0		82.0	60-140		
Hexachlorobenzene	16.2		2.50	ug/kg wet	20.0		81.0	60-140		
Hexachlorobutadiene	9.92	J1	2.50	ug/kg wet	20.0		49.6	60-140		
Hexachlorocyclopentadiene	15.3		2.50	ug/kg wet	20.0		76.3	60-140		
Hexachloroethane	10.3	J1	2.50	ug/kg wet	20.0		51.3	60-140		
Indeno(1,2,3-cd) pyrene	16.0		2.50	ug/kg wet	20.0		80.2	60-140		
Isophorone	15.0		2.50	ug/kg wet	20.0		74.9	60-140		
Naphthalene	15.2		2.50	ug/kg wet	20.0		76.0	60-140		
Nitrobenzene	16.8		2.50	ug/kg wet	20.0		84.0	60-140		
n-Nitrosodimethylamine	42.3	J1	2.50	ug/kg wet	100		42.3	60-140		
n-Nitrosodi-n-propylamine	18.3		2.50	ug/kg wet	20.0		91.3	60-140		
n-Nitrosodiphenylamine	15.8		2.50	ug/kg wet	20.0		78.8	60-140		
Pentachlorophenol	34.1		5.00	ug/kg wet	40.0		85.3	60-140		
Phenanthrene	16.9		2.50	ug/kg wet	20.0		84.4	60-140		
Phenol, Total	38.0		5.00	ug/kg wet	40.0		94.9	60-140		
Pyrene	16.6		2.50	ug/kg wet	20.0		83.2	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*12.0*	*ug/kg wet*	*20.0*		*60.0*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*34.7*	*ug/kg wet*	*40.0*		*86.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*33.5*	*ug/kg wet*	*40.0*		*83.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.2*	*ug/kg wet*	*20.0*		*80.9*	*60-140*		
Surrogate: Phenol-d5-surr			*36.5*	*ug/kg wet*	*40.0*		*91.2*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.1*	*ug/kg wet*	*20.0*		*80.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570 (Continued)										
BSD BENZ (BGB0288-BSD1)					Prepared: 2/2/2023 Analyzed: 2/9/2023					
3,3'-Dichlorobenzidine	1.84	J1, J	2.50	ug/kg wet	20.0		9.19	60-140	59.2	40
Benzidine	<2.50	J1, U	2.50	ug/kg wet	20.0			60-140		40
Surrogate: 2-Fluorobiphenyl-surr			*12.8*	*ug/kg wet*	*20.0*		*63.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*35.2*	*ug/kg wet*	*40.0*		*88.1*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*42.2*	*ug/kg wet*	*40.0*		*105*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.4*	*ug/kg wet*	*20.0*		*96.8*	*60-140*		
Surrogate: Phenol-d5-surr			*38.5*	*ug/kg wet*	*40.0*		*96.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.1*	*ug/kg wet*	*20.0*		*75.4*	*60-140*		
BSD SV (BGB0288-BSD2)					Prepared: 2/2/2023 Analyzed: 2/27/2023					
1,2,4-Trichlorobenzene	14.4		2.50	ug/kg wet	20.0		72.1	60-140	2.77	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	13.1		2.50	ug/kg wet	20.0		65.5	60-140	4.65	40
1,2-Diphenylhydrazine	17.1		2.50	ug/kg wet	20.0		85.6	60-140	2.35	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	12.2		2.50	ug/kg wet	20.0		61.0	60-140	4.79	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	12.9		2.50	ug/kg wet	20.0		64.4	60-140	4.40	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	16.7		2.50	ug/kg wet	20.0		83.7	60-140	2.28	40
2,4,6-Trichlorophenol	33.5		5.00	ug/kg wet	40.0		83.7	60-140	2.77	40
2,4-Dichlorophenol	35.4		5.00	ug/kg wet	40.0		88.4	60-140	5.07	40
2,4-Dimethylphenol	40.4		5.00	ug/kg wet	40.0		101	60-140	2.00	40
2,4-Dinitrophenol	23.7		5.00	ug/kg wet	100		23.7	10-50.4	4.67	40
2,4-Dinitrotoluene (2,4-DNT)	16.5		2.50	ug/kg wet	20.0		82.4	60-140	5.06	40
2,6-Dinitrotoluene (2,6-DNT)	17.6		2.50	ug/kg wet	20.0		88.2	60-140	4.79	40
2-Chloronaphthalene	15.1		2.50	ug/kg wet	20.0		75.4	60-140	2.83	40
2-Chlorophenol	36.8		5.00	ug/kg wet	40.0		92.1	60-140	0.164	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	24.0	J1	20.0	ug/kg wet	40.0		59.9	60-140	0.261	40
2-Nitrophenol	35.8		5.00	ug/kg wet	40.0		89.4	60-140	6.29	40
4-Bromophenyl phenyl ether (BDE-3)	17.0		2.50	ug/kg wet	20.0		85.2	60-140	3.08	40
4-Chloro-3-methylphenol	35.1		5.00	ug/kg wet	40.0		87.7	60-140	3.59	40
4-Chlorophenyl phenylether	16.8		2.50	ug/kg wet	20.0		84.1	60-140	2.77	40
4-Nitrophenol	96.7		2.50	ug/kg wet	100		96.7	60-140	8.95	40
Acenaphthene	15.7		2.50	ug/kg wet	20.0		78.6	60-140	2.48	40
Acenaphthylene	19.0		2.50	ug/kg wet	20.0		95.1	60-140	4.04	40
Anthracene	17.7		2.50	ug/kg wet	20.0		88.7	60-140	3.84	40
Benzo(a)anthracene	17.6		2.50	ug/kg wet	20.0		88.2	60-140	7.02	40
Benzo(a)pyrene	18.4		2.50	ug/kg wet	20.0		91.8	60-140	6.78	40
Benzo(b)fluoranthene	17.4		2.50	ug/kg wet	20.0		87.2	60-140	7.29	40
Benzo(g,h,i)perylene	18.0		2.50	ug/kg wet	20.0		89.8	60-140	9.35	40
Benzo(k)fluoranthene	17.6		2.50	ug/kg wet	20.0		88.1	60-140	6.49	40
bis(2-Chloroethoxy)methane	18.6		2.50	ug/kg wet	20.0		93.0	60-140	4.79	40
bis(2-Chloroethyl) ether	18.2		2.50	ug/kg wet	20.0		91.1	60-140	6.58	40
Bis(2-ethylhexyl)phthalate	18.4		2.50	ug/kg wet	20.0		92.1	60-140	4.57	40
Butyl benzyl phthalate	18.0		2.50	ug/kg wet	20.0		90.2	60-140	2.17	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570 (Continued)										
BSD SV (BGB0288-BSD2)				Prepared: 2/2/2023 Analyzed: 2/27/2023						
Chrysene	17.1		2.50	ug/kg wet	20.0		85.5	60-140	5.19	40
Dibenzo(a,h)anthracene	17.6		2.50	ug/kg wet	20.0		87.8	60-140	9.39	40
Diethyl phthalate	18.4		2.50	ug/kg wet	20.0		92.0	60-140	0.932	40
Dimethyl phthalate	17.5		2.50	ug/kg wet	20.0		87.5	60-140	2.59	40
Di-n-butyl phthalate	30.0	J1	2.50	ug/kg wet	20.0		150	60-140	43.5	40
Di-n-octyl phthalate	18.1		2.50	ug/kg wet	20.0		90.7	60-140	3.73	40
Fluoranthene	16.9		2.50	ug/kg wet	20.0		84.4	60-140	1.14	40
Fluorene	16.8		2.50	ug/kg wet	20.0		84.0	60-140	2.42	40
Hexachlorobenzene	16.5		2.50	ug/kg wet	20.0		82.5	60-140	1.85	40
Hexachlorobutadiene	10.6	J1	2.50	ug/kg wet	20.0		53.2	60-140	7.11	40
Hexachlorocyclopentadiene	18.0		2.50	ug/kg wet	20.0		89.9	60-140	16.3	40
Hexachloroethane	11.0	J1	2.50	ug/kg wet	20.0		55.2	60-140	7.27	40
Indeno(1,2,3-cd) pyrene	17.6		2.50	ug/kg wet	20.0		88.2	60-140	9.56	40
Isophorone	15.7		2.50	ug/kg wet	20.0		78.7	60-140	4.99	40
Naphthalene	15.9		2.50	ug/kg wet	20.0		79.4	60-140	4.44	40
Nitrobenzene	18.0		2.50	ug/kg wet	20.0		89.9	60-140	6.80	40
n-Nitrosodimethylamine	47.7	J1	2.50	ug/kg wet	100		47.7	60-140	11.8	40
n-Nitrosodi-n-propylamine	18.1		2.50	ug/kg wet	20.0		90.5	60-140	0.879	40
n-Nitrosodiphenylamine	15.3		2.50	ug/kg wet	20.0		76.7	60-140	2.65	40
Pentachlorophenol	35.3		5.00	ug/kg wet	40.0		88.2	60-140	3.27	40
Phenanthrene	17.5		2.50	ug/kg wet	20.0		87.3	60-140	3.37	40
Phenol, Total	38.7		5.00	ug/kg wet	40.0		96.8	60-140	1.98	40
Pyrene	17.0		2.50	ug/kg wet	20.0		84.8	60-140	1.92	40
Surrogate: 2-Fluorobiphenyl-surr			*12.4*	*ug/kg wet*	*20.0*		*62.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*36.2*	*ug/kg wet*	*40.0*		*90.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*33.9*	*ug/kg wet*	*40.0*		*84.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.2*	*ug/kg wet*	*20.0*		*85.9*	*60-140*		
Surrogate: Phenol-d5-surr			*38.0*	*ug/kg wet*	*40.0*		*95.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.5*	*ug/kg wet*	*20.0*		*82.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570 (Continued)										
MDL BENZ (BGB0288-MRL1)					Prepared: 2/2/2023 Analyzed: 2/9/2023					
3,3'-Dichlorobenzidine	<2.50	U	2.50	ug/kg wet	2.00					
Benzidine	<2.50	J1, U	2.50	ug/kg wet	2.00					
Surrogate: 2-Fluorobiphenyl-surr			*12.1*	*ug/kg wet*	*20.0*		*60.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*34.3*	*ug/kg wet*	*40.0*		*85.8*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*38.2*	*ug/kg wet*	*40.0*		*95.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.4*	*ug/kg wet*	*20.0*		*91.9*	*60-140*		
Surrogate: Phenol-d5-surr			*37.7*	*ug/kg wet*	*40.0*		*94.2*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*14.1*	*ug/kg wet*	*20.0*		*70.4*	*60-140*		
MDL SV (BGB0288-MRL2)					Prepared: 2/2/2023 Analyzed: 2/27/2023					
1,2,4-Trichlorobenzene	1.54	J	2.50	ug/kg wet	2.00		77.2			
1,2-Dichlorobenzene (o-Dichlorobenzene)	1.33	J	2.50	ug/kg wet	2.00		66.3			
1,2-Diphenylhydrazine	2.08	J	2.50	ug/kg wet	2.00		104			
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.50	U	2.50	ug/kg wet	2.00					
1,4-Dichlorobenzene (p-Dichlorobenzene)	1.27	J	2.50	ug/kg wet	2.00		63.5			
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	2.09	J	2.50	ug/kg wet	2.00		104			
2,4,6-Trichlorophenol	4.01	J	5.00	ug/kg wet	4.00		100			
2,4-Dichlorophenol	3.97	J	5.00	ug/kg wet	4.00		99.3			
2,4-Dimethylphenol	3.91	J	5.00	ug/kg wet	4.00		97.7			
2,4-Dinitrophenol	6.11		5.00	ug/kg wet	10.0		61.1	50-150		
2,4-Dinitrotoluene (2,4-DNT)	1.71	J	2.50	ug/kg wet	2.00		85.3			
2,6-Dinitrotoluene (2,6-DNT)	1.88	J	2.50	ug/kg wet	2.00		94.1			
2-Chloronaphthalene	1.66	J	2.50	ug/kg wet	2.00		83.2			
2-Chlorophenol	3.70	J	5.00	ug/kg wet	4.00		92.6			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<20.0	U	20.0	ug/kg wet	4.00					
2-Nitrophenol	3.82	J	5.00	ug/kg wet	4.00		95.5			
4-Bromophenyl phenyl ether (BDE-3)	1.80	J	2.50	ug/kg wet	2.00		89.8			
4-Chloro-3-methylphenol	4.02	J	5.00	ug/kg wet	4.00		101			
4-Chlorophenyl phenylether	1.73	J	2.50	ug/kg wet	2.00		86.6			
4-Nitrophenol	10.1		2.50	ug/kg wet	10.0		101	50-150		
Acenaphthene	1.79	J	2.50	ug/kg wet	2.00		89.6			
Acenaphthylene	1.98	J	2.50	ug/kg wet	2.00		98.9			
Anthracene	1.78	J	2.50	ug/kg wet	2.00		89.0			
Benzo(a)anthracene	1.60	J	2.50	ug/kg wet	2.00		80.2			
Benzo(a)pyrene	1.70	J	2.50	ug/kg wet	2.00		84.9			
Benzo(b)fluoranthene	1.69	J	2.50	ug/kg wet	2.00		84.7			
Benzo(g,h,i)perylene	1.59	J	2.50	ug/kg wet	2.00		79.3			
Benzo(k)fluoranthene	1.87	J	2.50	ug/kg wet	2.00		93.5			
bis(2-Chloroethoxy)methane	1.78	J	2.50	ug/kg wet	2.00		89.0			
bis(2-Chloroethyl) ether	1.74	J	2.50	ug/kg wet	2.00		86.8			
Bis(2-ethylhexyl)phthalate	3.02		2.50	ug/kg wet	2.00		151			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570 (Continued)										
MDL SV (BGB0288-MRL2)					Prepared: 2/2/2023 Analyzed: 2/27/2023					
Butyl benzyl phthalate	1.88	J	2.50	ug/kg wet	2.00		94.1			
Chrysene	1.78	J	2.50	ug/kg wet	2.00		89.1			
Dibenzo(a,h)anthracene	1.61	J	2.50	ug/kg wet	2.00		80.7			
Diethyl phthalate	2.93		2.50	ug/kg wet	2.00		146			
Dimethyl phthalate	1.93	J	2.50	ug/kg wet	2.00		96.3			
Di-n-butyl phthalate	4.57		2.50	ug/kg wet	2.00		229			
Di-n-octyl phthalate	1.61	J	2.50	ug/kg wet	2.00		80.7			
Fluoranthene	1.73	J	2.50	ug/kg wet	2.00		86.7			
Fluorene	1.88	J	2.50	ug/kg wet	2.00		94.2			
Hexachlorobenzene	1.72	J	2.50	ug/kg wet	2.00		85.8			
Hexachlorobutadiene	<2.50	U	2.50	ug/kg wet	2.00					
Hexachlorocyclopentadiene	<2.50	J1, U	2.50	ug/kg wet	2.00					
Hexachloroethane	<2.50	U	2.50	ug/kg wet	2.00					
Indeno(1,2,3-cd) pyrene	1.59	J	2.50	ug/kg wet	2.00		79.3			
Isophorone	1.79	J	2.50	ug/kg wet	2.00		89.7			
Naphthalene	1.60	J	2.50	ug/kg wet	2.00		79.8			
Nitrobenzene	1.66	J	2.50	ug/kg wet	2.00		83.0			
n-Nitrosodimethylamine	<2.50	J1, U	2.50	ug/kg wet	10.0			50-150		
n-Nitrosodi-n-propylamine	2.08	J	2.50	ug/kg wet	2.00		104			
n-Nitrosodiphenylamine	1.65	J	2.50	ug/kg wet	2.00		82.4			
Pentachlorophenol	3.33	J	5.00	ug/kg wet	4.00		83.2			
Phenanthrene	1.74	J	2.50	ug/kg wet	2.00		86.9			
Phenol, Total	6.41		5.00	ug/kg wet	4.00		160			
Pyrene	1.69	J	2.50	ug/kg wet	2.00		84.7			
Surrogate: 2-Fluorobiphenyl-surr			*13.9*	*ug/kg wet*	*20.0*		*69.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*36.2*	*ug/kg wet*	*40.0*		*90.6*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*35.0*	*ug/kg wet*	*40.0*		*87.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.6*	*ug/kg wet*	*20.0*		*83.0*	*60-140*		
Surrogate: Phenol-d5-surr			*36.7*	*ug/kg wet*	*40.0*		*91.8*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*17.2*	*ug/kg wet*	*20.0*		*86.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570 (Continued)										
23A1459-54 MS (BGB0288-MS1)	**Source: 23A1459-54RE1**				Prepared: 2/2/2023 Analyzed: 2/27/2023					
1,2,4-Trichlorobenzene	15.3		3.12	ug/kg dry	24.9	<3.12	61.2	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	13.2	J1	3.12	ug/kg dry	24.9	<3.12	52.9	60-140		
1,2-Diphenylhydrazine	17.7		3.12	ug/kg dry	24.9	<3.12	71.0	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	12.6	J1	3.12	ug/kg dry	24.9	<3.12	50.6	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	13.1	J1	3.12	ug/kg dry	24.9	<3.12	52.4	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	18.3		3.12	ug/kg dry	24.9	<3.12	73.5	60-140		
2,4,6-Trichlorophenol	38.6		6.23	ug/kg dry	49.8	<6.23	77.4	60-140		
2,4-Dichlorophenol	39.9		6.23	ug/kg dry	49.8	<6.23	80.1	60-140		
2,4-Dimethylphenol	42.9		6.23	ug/kg dry	49.8	<6.23	86.1	60-140		
2,4-Dinitrophenol	110	J1	6.23	ug/kg dry	125	<6.23	88.2	10-51.3		
2,4-Dinitrotoluene (2,4-DNT)	18.9		3.12	ug/kg dry	24.9	<3.12	75.9	60-140		
2,6-Dinitrotoluene (2,6-DNT)	20.1		3.12	ug/kg dry	24.9	<3.12	80.7	60-140		
2-Chloronaphthalene	16.3		3.12	ug/kg dry	24.9	<3.12	65.4	60-140		
2-Chlorophenol	41.8		6.23	ug/kg dry	49.8	<6.23	83.8	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	40.9		24.9	ug/kg dry	49.8	<24.9	82.0	60-140		
2-Nitrophenol	41.0		6.23	ug/kg dry	49.8	<6.23	82.2	60-140		
4-Bromophenyl phenyl ether (BDE-3)	18.2		3.12	ug/kg dry	24.9	<3.12	72.9	60-140		
4-Chloro-3-methylphenol	38.8		6.23	ug/kg dry	49.8	<6.23	77.8	60-140		
4-Chlorophenyl phenylether	18.0		3.12	ug/kg dry	24.9	<3.12	72.3	60-140		
4-Nitrophenol	109		3.12	ug/kg dry	125	<3.12	87.3	60-140		
Acenaphthene	17.5		3.12	ug/kg dry	24.9	<3.12	70.0	60-140		
Acenaphthylene	20.9		3.12	ug/kg dry	24.9	<3.12	83.8	60-140		
Anthracene	18.8		3.12	ug/kg dry	24.9	<3.12	75.4	60-140		
Benzo(a)anthracene	18.9		3.12	ug/kg dry	24.9	<3.12	75.8	60-140		
Benzo(a)pyrene	19.9		3.12	ug/kg dry	24.9	<3.12	80.0	60-140		
Benzo(b)fluoranthene	18.9		3.12	ug/kg dry	24.9	<3.12	75.7	60-140		
Benzo(g,h,i)perylene	18.8		3.12	ug/kg dry	24.9	<3.12	75.6	60-140		
Benzo(k)fluoranthene	19.0		3.12	ug/kg dry	24.9	<3.12	76.2	60-140		
bis(2-Chloroethoxy)methane	21.1		3.12	ug/kg dry	24.9	<3.12	84.6	60-140		
bis(2-Chloroethyl) ether	20.6		3.12	ug/kg dry	24.9	<3.12	82.7	60-140		
Bis(2-ethylhexyl)phthalate	20.7		3.12	ug/kg dry	24.9	<3.12	83.0	60-140		
Butyl benzyl phthalate	18.3		3.12	ug/kg dry	24.9	<3.12	73.4	60-140		
Chrysene	17.8		3.12	ug/kg dry	24.9	<3.12	71.5	60-140		
Dibenzo(a,h)anthracene	18.6		3.12	ug/kg dry	24.9	<3.12	74.8	60-140		
Diethyl phthalate	20.3		3.12	ug/kg dry	24.9	<3.12	81.4	60-140		
Dimethyl phthalate	19.2		3.12	ug/kg dry	24.9	<3.12	77.0	60-140		
Di-n-butyl phthalate	17.9		3.12	ug/kg dry	24.9	<3.12	71.9	60-140		
Di-n-octyl phthalate	20.5		3.12	ug/kg dry	24.9	<3.12	82.2	60-140		
Fluoranthene	18.1		3.12	ug/kg dry	24.9	<3.12	72.6	60-140		
Fluorene	17.8		3.12	ug/kg dry	24.9	<3.12	71.6	60-140		
Hexachlorobenzene	18.1		3.12	ug/kg dry	24.9	<3.12	72.7	60-140		
Hexachlorobutadiene	13.0	J1	3.12	ug/kg dry	24.9	<3.12	52.2	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570 (Continued)										
23A1459-54 MS (BGB0288-MS1)		**Source: 23A1459-54RE1**			Prepared: 2/2/2023 Analyzed: 2/27/2023					
Hexachlorocyclopentadiene	13.5	J1	3.12	ug/kg dry	24.9	<3.12	54.3	60-140		
Hexachloroethane	12.8	J1	3.12	ug/kg dry	24.9	<3.12	51.5	60-140		
Indeno(1,2,3-cd) pyrene	18.7		3.12	ug/kg dry	24.9	<3.12	75.2	60-140		
Isophorone	17.5		3.12	ug/kg dry	24.9	<3.12	70.2	60-140		
Naphthalene	16.3		3.12	ug/kg dry	24.9	<3.12	65.2	60-140		
Nitrobenzene	19.4		3.12	ug/kg dry	24.9	<3.12	77.9	60-140		
n-Nitrosodimethylamine	52.5	J1	3.12	ug/kg dry	125	<3.12	42.2	60-140		
n-Nitrosodi-n-propylamine	20.9		3.12	ug/kg dry	24.9	<3.12	83.8	60-140		
n-Nitrosodiphenylamine	15.4		3.12	ug/kg dry	24.9	<3.12	61.7	60-140		
Pentachlorophenol	38.0		6.23	ug/kg dry	49.8	<6.23	76.2	60-140		
Phenanthrene	18.8		3.12	ug/kg dry	24.9	<3.12	75.5	60-140		
Phenol, Total	42.6		6.23	ug/kg dry	49.8	<6.23	85.5	60-140		
Pyrene	18.1		3.12	ug/kg dry	24.9	<3.12	72.5	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*12.7*	*ug/kg dry*	*24.9*		*51.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*40.1*	*ug/kg dry*	*49.8*		*80.4*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*37.4*	*ug/kg dry*	*49.8*		*75.0*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.9*	*ug/kg dry*	*24.9*		*71.6*	*60-140*		
Surrogate: Phenol-d5-surr			*42.0*	*ug/kg dry*	*49.8*		*84.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*17.4*	*ug/kg dry*	*24.9*		*69.9*	*60-140*		
23A1459-54 MSD (BGB0288-MSD1)		**Source: 23A1459-54RE1**			Prepared: 2/2/2023 Analyzed: 2/27/2023					
1,2,4-Trichlorobenzene	16.3		3.12	ug/kg dry	24.9	<3.12	65.5	60-140	6.86	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	14.1	J1	3.12	ug/kg dry	24.9	<3.12	56.6	60-140	6.81	40
1,2-Diphenylhydrazine	19.5		3.12	ug/kg dry	24.9	<3.12	78.3	60-140	9.83	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	13.7	J1	3.12	ug/kg dry	24.9	<3.12	54.9	60-140	8.13	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	13.9	J1	3.12	ug/kg dry	24.9	<3.12	55.7	60-140	6.16	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	18.8		3.12	ug/kg dry	24.9	<3.12	75.3	60-140	2.37	40
2,4,6-Trichlorophenol	40.2		6.23	ug/kg dry	49.8	<6.23	80.6	60-140	4.07	40
2,4-Dichlorophenol	41.5		6.23	ug/kg dry	49.8	<6.23	83.3	60-140	3.83	40
2,4-Dimethylphenol	46.7		6.23	ug/kg dry	49.8	<6.23	93.6	60-140	8.28	40
2,4-Dinitrophenol	120	J1	6.23	ug/kg dry	125	<6.23	96.2	10-51.3	8.70	40
2,4-Dinitrotoluene (2,4-DNT)	20.2		3.12	ug/kg dry	24.9	<3.12	81.1	60-140	6.58	40
2,6-Dinitrotoluene (2,6-DNT)	21.0		3.12	ug/kg dry	24.9	<3.12	84.2	60-140	4.19	40
2-Chloronaphthalene	17.3		3.12	ug/kg dry	24.9	<3.12	69.3	60-140	5.79	40
2-Chlorophenol	44.2		6.23	ug/kg dry	49.8	<6.23	88.6	60-140	5.59	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	43.4		24.9	ug/kg dry	49.8	<24.9	87.0	60-140	5.93	40
2-Nitrophenol	43.5		6.23	ug/kg dry	49.8	<6.23	87.2	60-140	5.83	40
4-Bromophenyl phenyl ether (BDE-3)	19.6		3.12	ug/kg dry	24.9	<3.12	78.7	60-140	7.70	40
4-Chloro-3-methylphenol	40.8		6.23	ug/kg dry	49.8	<6.23	81.9	60-140	5.15	40
4-Chlorophenyl phenylether	19.1		3.12	ug/kg dry	24.9	<3.12	76.6	60-140	5.80	40
4-Nitrophenol	115		3.12	ug/kg dry	125	<3.12	92.3	60-140	5.57	40
Acenaphthene	18.4		3.12	ug/kg dry	24.9	<3.12	73.6	60-140	5.04	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0288 - SW-3570 (Continued)										
23A1459-54 MSD (BGB0288-MSD1)	**Source: 23A1459-54RE1**		Prepared: 2/2/2023 Analyzed: 2/27/2023							
Acenaphthylene	22.0		3.12	ug/kg dry	24.9	<3.12	88.4	60-140	5.34	40
Anthracene	20.5		3.12	ug/kg dry	24.9	<3.12	82.2	60-140	8.66	40
Benzo(a)anthracene	20.4		3.12	ug/kg dry	24.9	<3.12	81.9	60-140	7.73	40
Benzo(a)pyrene	21.3		3.12	ug/kg dry	24.9	<3.12	85.4	60-140	6.56	40
Benzo(b)fluoranthene	20.1		3.12	ug/kg dry	24.9	<3.12	80.6	60-140	6.24	40
Benzo(g,h,i)perylene	20.3		3.12	ug/kg dry	24.9	<3.12	81.6	60-140	7.62	40
Benzo(k)fluoranthene	20.4		3.12	ug/kg dry	24.9	<3.12	81.8	60-140	7.17	40
bis(2-Chloroethoxy)methane	22.5		3.12	ug/kg dry	24.9	<3.12	90.2	60-140	6.39	40
bis(2-Chloroethyl) ether	21.4		3.12	ug/kg dry	24.9	<3.12	85.9	60-140	3.71	40
Bis(2-ethylhexyl)phthalate	22.2		3.12	ug/kg dry	24.9	<3.12	89.2	60-140	7.19	40
Butyl benzyl phthalate	20.0		3.12	ug/kg dry	24.9	<3.12	80.3	60-140	9.11	40
Chrysene	19.2		3.12	ug/kg dry	24.9	<3.12	76.8	60-140	7.27	40
Dibenzo(a,h)anthracene	20.1		3.12	ug/kg dry	24.9	<3.12	80.7	60-140	7.59	40
Diethyl phthalate	20.4		3.12	ug/kg dry	24.9	<3.12	81.7	60-140	0.349	40
Dimethyl phthalate	20.3		3.12	ug/kg dry	24.9	<3.12	81.5	60-140	5.57	40
Di-n-butyl phthalate	29.5	J1	3.12	ug/kg dry	24.9	<3.12	118	60-140	48.8	40
Di-n-octyl phthalate	21.8		3.12	ug/kg dry	24.9	<3.12	87.6	60-140	6.33	40
Fluoranthene	19.3		3.12	ug/kg dry	24.9	<3.12	77.3	60-140	6.20	40
Fluorene	19.1		3.12	ug/kg dry	24.9	<3.12	76.7	60-140	6.81	40
Hexachlorobenzene	19.3		3.12	ug/kg dry	24.9	<3.12	77.2	60-140	6.04	40
Hexachlorobutadiene	13.7	J1	3.12	ug/kg dry	24.9	<3.12	55.0	60-140	5.19	40
Hexachlorocyclopentadiene	20.6	J1	3.12	ug/kg dry	24.9	<3.12	82.8	60-140	41.7	40
Hexachloroethane	13.7	J1	3.12	ug/kg dry	24.9	<3.12	55.1	60-140	6.75	40
Indeno(1,2,3-cd) pyrene	20.1		3.12	ug/kg dry	24.9	<3.12	80.8	60-140	7.20	40
Isophorone	18.4		3.12	ug/kg dry	24.9	<3.12	74.0	60-140	5.29	40
Naphthalene	17.2		3.12	ug/kg dry	24.9	<3.12	69.0	60-140	5.62	40
Nitrobenzene	20.8		3.12	ug/kg dry	24.9	<3.12	83.3	60-140	6.71	40
n-Nitrosodimethylamine	63.2	J1	3.12	ug/kg dry	125	<3.12	50.7	60-140	18.4	40
n-Nitrosodi-n-propylamine	22.4		3.12	ug/kg dry	24.9	<3.12	89.8	60-140	6.89	40
n-Nitrosodiphenylamine	15.7		3.12	ug/kg dry	24.9	<3.12	62.9	60-140	1.98	40
Pentachlorophenol	40.1		6.23	ug/kg dry	49.8	<6.23	80.4	60-140	5.41	40
Phenanthrene	20.1		3.12	ug/kg dry	24.9	<3.12	80.8	60-140	6.73	40
Phenol, Total	46.0		6.23	ug/kg dry	49.8	<6.23	92.3	60-140	7.58	40
Pyrene	19.3		3.12	ug/kg dry	24.9	<3.12	77.6	60-140	6.73	40
Surrogate: 2-Fluorobiphenyl-surr	*S*		*13.3*	*ug/kg dry*	*24.9*		*53.2*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*42.7*	*ug/kg dry*	*49.8*		*85.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*39.3*	*ug/kg dry*	*49.8*		*78.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.8*	*ug/kg dry*	*24.9*		*75.6*	*60-140*		
Surrogate: Phenol-d5-surr			*45.6*	*ug/kg dry*	*49.8*		*91.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*18.3*	*ug/kg dry*	*24.9*		*73.4*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570										
Blank (BGB0424-BLK1)				Prepared: 2/3/2023 Analyzed: 2/8/2023						
3,3'-Dichlorobenzidine	<2.50	U	2.50	ug/kg wet						
Benzidine	<2.50	U	2.50	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*15.6*	*ug/kg wet*	*20.0*		*77.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*37.1*	*ug/kg wet*	*40.0*		*92.7*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*46.8*	*ug/kg wet*	*40.0*		*117*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.7*	*ug/kg wet*	*20.0*		*93.6*	*60-140*		
Surrogate: Phenol-d5-surr			*36.5*	*ug/kg wet*	*40.0*		*91.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*17.2*	*ug/kg wet*	*20.0*		*86.0*	*60-140*		
Blank (BGB0424-BLK2)				Prepared: 2/3/2023 Analyzed: 2/17/2023						
1,2,4-Trichlorobenzene	<2.50	U	2.50	ug/kg wet						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<2.50	U	2.50	ug/kg wet						
1,2-Diphenylhydrazine	<2.50	U	2.50	ug/kg wet						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.50	U	2.50	ug/kg wet						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<2.50	U	2.50	ug/kg wet						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<2.50	U	2.50	ug/kg wet						
2,4,6-Trichlorophenol	<5.00	U	5.00	ug/kg wet						
2,4-Dichlorophenol	<5.00	U	5.00	ug/kg wet						
2,4-Dimethylphenol	<5.00	U	5.00	ug/kg wet						
2,4-Dinitrophenol	<5.00	U	5.00	ug/kg wet						
2,4-Dinitrotoluene (2,4-DNT)	<2.50	U	2.50	ug/kg wet						
2,6-Dinitrotoluene (2,6-DNT)	<2.50	U	2.50	ug/kg wet						
2-Chloronaphthalene	<2.50	U	2.50	ug/kg wet						
2-Chlorophenol	<5.00	U	5.00	ug/kg wet						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<20.0	U	20.0	ug/kg wet						
2-Nitrophenol	<5.00	U	5.00	ug/kg wet						
4-Bromophenyl phenyl ether (BDE-3)	<2.50	U	2.50	ug/kg wet						
4-Chloro-3-methylphenol	<5.00	U	5.00	ug/kg wet						
4-Chlorophenyl phenylether	<2.50	U	2.50	ug/kg wet						
4-Nitrophenol	<2.50	U	2.50	ug/kg wet						
Acenaphthene	<2.50	U	2.50	ug/kg wet						
Acenaphthylene	<2.50	U	2.50	ug/kg wet						
Anthracene	<2.50	U	2.50	ug/kg wet						
Benzo(a)anthracene	<2.50	U	2.50	ug/kg wet						
Benzo(a)pyrene	<2.50	U	2.50	ug/kg wet						
Benzo(b)fluoranthene	<2.50	U	2.50	ug/kg wet						
Benzo(g,h,i)perylene	<2.50	U	2.50	ug/kg wet						
Benzo(k)fluoranthene	<2.50	U	2.50	ug/kg wet						
bis(2-Chloroethoxy)methane	<2.50	U	2.50	ug/kg wet						
bis(2-Chloroethyl) ether	<2.50	U	2.50	ug/kg wet						
Bis(2-ethylhexyl)phthalate	8.75		2.50	ug/kg wet						

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
Blank (BGB0424-BLK2)				Prepared: 2/3/2023 Analyzed: 2/17/2023						
Butyl benzyl phthalate	<2.50	U	2.50	ug/kg wet						
Chrysene	<2.50	U	2.50	ug/kg wet						
Dibenzo(a,h)anthracene	<2.50	U	2.50	ug/kg wet						
Diethyl phthalate	<2.50	U	2.50	ug/kg wet						
Dimethyl phthalate	<2.50	U	2.50	ug/kg wet						
Di-n-butyl phthalate	<2.50	U	2.50	ug/kg wet						
Di-n-octyl phthalate	<2.50	U	2.50	ug/kg wet						
Fluoranthene	<2.50	U	2.50	ug/kg wet						
Fluorene	<2.50	U	2.50	ug/kg wet						
Hexachlorobenzene	<2.50	U	2.50	ug/kg wet						
Hexachlorobutadiene	<2.50	U	2.50	ug/kg wet						
Hexachloroethane	<2.50	U	2.50	ug/kg wet						
Indeno(1,2,3-cd) pyrene	<2.50	U	2.50	ug/kg wet						
Isophorone	<2.50	U	2.50	ug/kg wet						
Naphthalene	<2.50	U	2.50	ug/kg wet						
Nitrobenzene	<2.50	U	2.50	ug/kg wet						
n-Nitrosodimethylamine	<2.50	U	2.50	ug/kg wet						
n-Nitrosodi-n-propylamine	<2.50	U	2.50	ug/kg wet						
n-Nitrosodiphenylamine	<2.50	U	2.50	ug/kg wet						
Pentachlorophenol	<5.00	U	5.00	ug/kg wet						
Phenanthrene	<2.50	U	2.50	ug/kg wet						
Phenol, Total	3.93	J	5.00	ug/kg wet						
Pyrene	<2.50	U	2.50	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*13.6*	*ug/kg wet*	*20.0*		*68.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*27.5*	*ug/kg wet*	*40.0*		*68.8*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*24.2*	*ug/kg wet*	*40.0*		*60.4*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*14.4*	*ug/kg wet*	*20.0*		*72.0*	*60-140*		
Surrogate: Phenol-d5-surr			*28.2*	*ug/kg wet*	*40.0*		*70.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*10.9*	*ug/kg wet*	*20.0*		*54.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
Blank (BGB0424-BLK3)				Prepared: 2/3/2023 Analyzed: 2/27/2023						
Hexachlorocyclopentadiene	<2.50	U	2.50	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*12.2*	*ug/kg wet*	*20.0*		*61.1*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*27.1*	*ug/kg wet*	*40.0*		*67.8*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*29.5*	*ug/kg wet*	*40.0*		*73.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*12.5*	*ug/kg wet*	*20.0*		*62.6*	*60-140*		
Surrogate: Phenol-d5-surr			*25.2*	*ug/kg wet*	*40.0*		*63.1*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*10.7*	*ug/kg wet*	*20.0*		*53.6*	*60-140*		
BS BENZ (BGB0424-BS1)				Prepared: 2/3/2023 Analyzed: 2/8/2023						
3,3'-Dichlorobenzidine	6.26	J1	2.50	ug/kg wet	20.0		31.3	60-140		
Benzidine	<2.50	J1, U	2.50	ug/kg wet	20.0			60-140		
Surrogate: 2-Fluorobiphenyl-surr			*14.9*	*ug/kg wet*	*20.0*		*74.5*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*34.9*	*ug/kg wet*	*40.0*		*87.4*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*46.5*	*ug/kg wet*	*40.0*		*116*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.0*	*ug/kg wet*	*20.0*		*95.2*	*60-140*		
Surrogate: Phenol-d5-surr			*39.0*	*ug/kg wet*	*40.0*		*97.7*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.7*	*ug/kg wet*	*20.0*		*83.6*	*60-140*		
BS SV (BGB0424-BS2)				Prepared: 2/3/2023 Analyzed: 2/17/2023						
1,2,4-Trichlorobenzene	14.4		2.48	ug/kg wet	19.8		72.6	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	11.8	J1	2.48	ug/kg wet	19.8		59.3	60-140		
1,2-Diphenylhydrazine	16.8		2.48	ug/kg wet	19.8		84.8	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	11.5	J1	2.48	ug/kg wet	19.8		58.0	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	11.6	J1	2.48	ug/kg wet	19.8		58.6	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	15.0		2.48	ug/kg wet	19.8		75.5	60-140		
2,4,6-Trichlorophenol	36.0		4.96	ug/kg wet	39.7		90.7	60-140		
2,4-Dichlorophenol	35.8		4.96	ug/kg wet	39.7		90.2	60-140		
2,4-Dimethylphenol	35.1		4.96	ug/kg wet	39.7		88.4	60-140		
2,4-Dinitrophenol	15.7		4.96	ug/kg wet	99.2		15.8	10-50.4		
2,4-Dinitrotoluene (2,4-DNT)	15.3		2.48	ug/kg wet	19.8		76.9	60-140		
2,6-Dinitrotoluene (2,6-DNT)	16.4		2.48	ug/kg wet	19.8		82.6	60-140		
2-Chloronaphthalene	17.2		2.48	ug/kg wet	19.8		86.9	60-140		
2-Chlorophenol	35.6		4.96	ug/kg wet	39.7		89.7	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	18.9	J1, J	19.8	ug/kg wet	39.7		47.6	60-140		
2-Nitrophenol	38.1		4.96	ug/kg wet	39.7		95.9	60-140		
4-Bromophenyl phenyl ether (BDE-3)	15.5		2.48	ug/kg wet	19.8		78.2	60-140		
4-Chloro-3-methylphenol	35.4		4.96	ug/kg wet	39.7		89.2	60-140		
4-Chlorophenyl phenylether	16.3		2.48	ug/kg wet	19.8		82.0	60-140		
4-Nitrophenol	68.1		2.48	ug/kg wet	99.2		68.6	60-140		
Acenaphthene	15.4		2.48	ug/kg wet	19.8		77.5	60-140		
Acenaphthylene	17.8		2.48	ug/kg wet	19.8		89.6	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
BS SV (BGB0424-BS2)					Prepared: 2/3/2023 Analyzed: 2/17/2023					
Anthracene	15.8		2.48	ug/kg wet	19.8		79.5	60-140		
Benzo(a)anthracene	16.1		2.48	ug/kg wet	19.8		81.3	60-140		
Benzo(a)pyrene	16.4		2.48	ug/kg wet	19.8		82.7	60-140		
Benzo(b)fluoranthene	9.79	J1	2.48	ug/kg wet	19.8		49.4	60-140		
Benzo(g,h,i)perylene	14.6		2.48	ug/kg wet	19.8		73.4	60-140		
Benzo(k)fluoranthene	14.5		2.48	ug/kg wet	19.8		73.0	60-140		
bis(2-Chloroethoxy)methane	17.8		2.48	ug/kg wet	19.8		89.9	60-140		
bis(2-Chloroethyl) ether	16.3		2.48	ug/kg wet	19.8		82.1	60-140		
Bis(2-ethylhexyl)phthalate	16.1		2.48	ug/kg wet	19.8		81.1	60-140		
Butyl benzyl phthalate	13.3		2.48	ug/kg wet	19.8		67.0	60-140		
Chrysene	15.6		2.48	ug/kg wet	19.8		78.8	60-140		
Dibenzo(a,h)anthracene	14.5		2.48	ug/kg wet	19.8		72.8	60-140		
Diethyl phthalate	16.9		2.48	ug/kg wet	19.8		84.9	60-140		
Dimethyl phthalate	17.8		2.48	ug/kg wet	19.8		89.9	60-140		
Di-n-butyl phthalate	15.6		2.48	ug/kg wet	19.8		78.8	60-140		
Di-n-octyl phthalate	14.3		2.48	ug/kg wet	19.8		72.0	60-140		
Fluoranthene	13.8		2.48	ug/kg wet	19.8		69.4	60-140		
Fluorene	16.2		2.48	ug/kg wet	19.8		81.8	60-140		
Hexachlorobenzene	14.7		2.48	ug/kg wet	19.8		73.9	60-140		
Hexachlorobutadiene	10.2	J1	2.48	ug/kg wet	19.8		51.6	60-140		
Hexachloroethane	10.5	J1	2.48	ug/kg wet	19.8		52.8	60-140		
Indeno(1,2,3-cd) pyrene	14.5		2.48	ug/kg wet	19.8		72.8	60-140		
Isophorone	14.4		2.48	ug/kg wet	19.8		72.5	60-140		
Naphthalene	14.4		2.48	ug/kg wet	19.8		72.4	60-140		
Nitrobenzene	18.1		2.48	ug/kg wet	19.8		91.4	60-140		
n-Nitrosodimethylamine	75.9		2.48	ug/kg wet	99.2		76.5	60-140		
n-Nitrosodi-n-propylamine	16.4		2.48	ug/kg wet	19.8		82.5	60-140		
n-Nitrosodiphenylamine	9.19	J1	2.48	ug/kg wet	19.8		46.3	60-140		
Pentachlorophenol	27.7		4.96	ug/kg wet	39.7		69.9	60-140		
Phenanthrene	15.5		2.48	ug/kg wet	19.8		77.9	60-140		
Phenol, Total	38.6		4.96	ug/kg wet	39.7		97.2	60-140		
Pyrene	13.0		2.48	ug/kg wet	19.8		65.3	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*14.0*	*ug/kg wet*	*19.8*		*70.6*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*32.4*	*ug/kg wet*	*39.7*		*81.6*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*30.3*	*ug/kg wet*	*39.7*		*76.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.0*	*ug/kg wet*	*19.8*		*90.6*	*60-140*		
Surrogate: Phenol-d5-surr			*34.0*	*ug/kg wet*	*39.7*		*85.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*12.9*	*ug/kg wet*	*19.8*		*64.9*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
LCS (BGB0424-BS3)					Prepared: 2/3/2023 Analyzed: 2/27/2023					
Hexachlorocyclopentadiene	10.1	J1	2.48	ug/kg wet	19.8		50.7	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*13.7*	*ug/kg wet*	*19.8*		*69.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*33.4*	*ug/kg wet*	*39.7*		*84.2*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*33.7*	*ug/kg wet*	*39.7*		*84.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.6*	*ug/kg wet*	*19.8*		*83.7*	*60-140*		
Surrogate: Phenol-d5-surr			*36.9*	*ug/kg wet*	*39.7*		*93.1*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.7*	*ug/kg wet*	*19.8*		*79.2*	*60-140*		
BSD BENZ (BGB0424-BSD1)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
3,3'-Dichlorobenzidine	5.92	J1	2.47	ug/kg wet	19.8		29.9	60-140	5.52	40
Benzidine	2.48	J1	2.47	ug/kg wet	19.8		12.5	60-140	82.5	40
Surrogate: 2-Fluorobiphenyl-surr			*13.2*	*ug/kg wet*	*19.8*		*66.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*35.1*	*ug/kg wet*	*39.6*		*88.6*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*42.3*	*ug/kg wet*	*39.6*		*107*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.1*	*ug/kg wet*	*19.8*		*91.3*	*60-140*		
Surrogate: Phenol-d5-surr			*36.0*	*ug/kg wet*	*39.6*		*90.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.9*	*ug/kg wet*	*19.8*		*85.2*	*60-140*		
BSD SV (BGB0424-BSD2)					Prepared: 2/3/2023 Analyzed: 2/17/2023					
1,2,4-Trichlorobenzene	15.3		2.46	ug/kg wet	19.7		77.5	60-140	5.81	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	12.2		2.46	ug/kg wet	19.7		62.2	60-140	4.04	40
1,2-Diphenylhydrazine	17.7		2.46	ug/kg wet	19.7		90.0	60-140	5.23	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	11.8	J1	2.46	ug/kg wet	19.7		59.9	60-140	2.53	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	11.9		2.46	ug/kg wet	19.7		60.6	60-140	2.62	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	15.7		2.46	ug/kg wet	19.7		79.4	60-140	4.40	40
2,4,6-Trichlorophenol	38.0		4.93	ug/kg wet	39.4		96.4	60-140	5.31	40
2,4-Dichlorophenol	38.1		4.93	ug/kg wet	39.4		96.8	60-140	6.34	40
2,4-Dimethylphenol	37.9		4.93	ug/kg wet	39.4		96.1	60-140	7.75	40
2,4-Dinitrophenol	27.8	J1	4.93	ug/kg wet	98.5		28.2	10-50.4	55.8	40
2,4-Dinitrotoluene (2,4-DNT)	16.3		2.46	ug/kg wet	19.7		82.9	60-140	6.88	40
2,6-Dinitrotoluene (2,6-DNT)	17.2		2.46	ug/kg wet	19.7		87.2	60-140	4.75	40
2-Chloronaphthalene	18.6		2.46	ug/kg wet	19.7		94.1	60-140	7.36	40
2-Chlorophenol	37.8		4.93	ug/kg wet	39.4		95.9	60-140	5.96	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	24.3		19.7	ug/kg wet	39.4		61.7	60-140	25.2	40
2-Nitrophenol	40.3		4.93	ug/kg wet	39.4		102	60-140	5.68	40
4-Bromophenyl phenyl ether (BDE-3)	16.7		2.46	ug/kg wet	19.7		84.7	60-140	7.31	40
4-Chloro-3-methylphenol	37.7		4.93	ug/kg wet	39.4		95.6	60-140	6.26	40
4-Chlorophenyl phenylether	15.8		2.46	ug/kg wet	19.7		80.2	60-140	2.90	40
4-Nitrophenol	71.6		2.46	ug/kg wet	98.5		72.6	60-140	4.97	40
Acenaphthene	16.4		2.46	ug/kg wet	19.7		83.1	60-140	6.30	40
Acenaphthylene	18.9		2.46	ug/kg wet	19.7		95.9	60-140	6.03	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
BSD SV (BGB0424-BSD2)					Prepared: 2/3/2023 Analyzed: 2/17/2023					
Anthracene	16.6		2.46	ug/kg wet	19.7		84.4	60-140	5.31	40
Benzo(a)anthracene	16.9		2.46	ug/kg wet	19.7		85.9	60-140	4.88	40
Benzo(a)pyrene	17.7		2.46	ug/kg wet	19.7		90.1	60-140	7.82	40
Benzo(b)fluoranthene	9.80	J1	2.46	ug/kg wet	19.7		49.8	60-140	0.100	40
Benzo(g,h,i)perylene	16.1		2.46	ug/kg wet	19.7		81.8	60-140	10.1	40
Benzo(k)fluoranthene	14.6		2.46	ug/kg wet	19.7		74.3	60-140	1.14	40
bis(2-Chloroethoxy)methane	19.7		2.46	ug/kg wet	19.7		100	60-140	9.90	40
bis(2-Chloroethyl) ether	17.3		2.46	ug/kg wet	19.7		87.6	60-140	5.79	40
Bis(2-ethylhexyl)phthalate	17.2		2.46	ug/kg wet	19.7		87.4	60-140	6.77	40
Butyl benzyl phthalate	14.0		2.46	ug/kg wet	19.7		70.9	60-140	4.95	40
Chrysene	16.5		2.46	ug/kg wet	19.7		83.7	60-140	5.34	40
Dibenzo(a,h)anthracene	15.6		2.46	ug/kg wet	19.7		79.4	60-140	7.93	40
Diethyl phthalate	18.3		2.46	ug/kg wet	19.7		93.0	60-140	8.37	40
Dimethyl phthalate	17.5		2.46	ug/kg wet	19.7		88.7	60-140	1.99	40
Di-n-butyl phthalate	16.3		2.46	ug/kg wet	19.7		82.9	60-140	4.45	40
Di-n-octyl phthalate	14.9		2.46	ug/kg wet	19.7		75.8	60-140	4.51	40
Fluoranthene	14.2		2.46	ug/kg wet	19.7		72.2	60-140	3.22	40
Fluorene	15.8		2.46	ug/kg wet	19.7		80.0	60-140	2.94	40
Hexachlorobenzene	15.9		2.46	ug/kg wet	19.7		80.6	60-140	7.89	40
Hexachlorobutadiene	10.7	J1	2.46	ug/kg wet	19.7		54.1	60-140	4.00	40
Hexachloroethane	10.8	J1	2.46	ug/kg wet	19.7		54.9	60-140	3.21	40
Indeno(1,2,3-cd) pyrene	15.7		2.46	ug/kg wet	19.7		79.5	60-140	8.11	40
Isophorone	15.4		2.46	ug/kg wet	19.7		78.1	60-140	6.78	40
Naphthalene	14.9		2.46	ug/kg wet	19.7		75.8	60-140	3.86	40
Nitrobenzene	19.4		2.46	ug/kg wet	19.7		98.3	60-140	6.56	40
n-Nitrosodimethylamine	77.5		2.46	ug/kg wet	98.5		78.6	60-140	2.06	40
n-Nitrosodi-n-propylamine	17.1		2.46	ug/kg wet	19.7		87.0	60-140	4.52	40
n-Nitrosodiphenylamine	8.58	J1	2.46	ug/kg wet	19.7		43.6	60-140	6.87	40
Pentachlorophenol	28.9		4.93	ug/kg wet	39.4		73.3	60-140	4.08	40
Phenanthrene	16.3		2.46	ug/kg wet	19.7		82.8	60-140	5.35	40
Phenol, Total	41.5		4.93	ug/kg wet	39.4		105	60-140	7.26	40
Pyrene	12.5		2.46	ug/kg wet	19.7		63.6	60-140	3.35	40
Surrogate: 2-Fluorobiphenyl-surr			*15.3*	*ug/kg wet*	*19.7*		*77.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*34.1*	*ug/kg wet*	*39.4*		*86.6*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*32.1*	*ug/kg wet*	*39.4*		*81.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*19.3*	*ug/kg wet*	*19.7*		*98.1*	*60-140*		
Surrogate: Phenol-d5-surr			*36.6*	*ug/kg wet*	*39.4*		*92.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*13.3*	*ug/kg wet*	*19.7*		*67.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
LCS Dup (BGB0424-BSD3)					Prepared: 2/3/2023 Analyzed: 2/27/2023					
Hexachlorocyclopentadiene	12.5		2.46	ug/kg wet	19.7		63.6	60-140	21.9	40
Surrogate: 2-Fluorobiphenyl-surr			*14.6*	*ug/kg wet*	*19.7*		*73.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*36.2*	*ug/kg wet*	*39.4*		*92.0*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*38.7*	*ug/kg wet*	*39.4*		*98.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*18.2*	*ug/kg wet*	*19.7*		*92.6*	*60-140*		
Surrogate: Phenol-d5-surr			*35.3*	*ug/kg wet*	*39.4*		*89.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*13.6*	*ug/kg wet*	*19.7*		*69.1*	*60-140*		
BENZ MDL (BGB0424-MRL1)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
3,3'-Dichlorobenzidine	<2.33	U	2.33	ug/kg wet	1.86					
Benzidine	<2.33	J1, U	2.33	ug/kg wet	1.86					
Surrogate: 2-Fluorobiphenyl-surr			*13.7*	*ug/kg wet*	*18.6*		*73.7*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*36.1*	*ug/kg wet*	*37.2*		*96.9*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*42.0*	*ug/kg wet*	*37.2*		*113*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*17.8*	*ug/kg wet*	*18.6*		*95.4*	*60-140*		
Surrogate: Phenol-d5-surr			*37.0*	*ug/kg wet*	*37.2*		*99.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*15.6*	*ug/kg wet*	*18.6*		*84.0*	*60-140*		
SV MDL (BGB0424-MRL2)					Prepared: 2/3/2023 Analyzed: 2/17/2023					
1,2,4-Trichlorobenzene	1.42	J	2.37	ug/kg wet	1.90		74.7			
1,2-Dichlorobenzene (o-Dichlorobenzene)	<2.37	U	2.37	ug/kg wet	1.90					
1,2-Diphenylhydrazine	1.46	J	2.37	ug/kg wet	1.90		77.1			
1,3-Dichlorobenzene (m-Dichlorobenzene)	<2.37	U	2.37	ug/kg wet	1.90					
1,4-Dichlorobenzene (p-Dichlorobenzene)	<2.37	U	2.37	ug/kg wet	1.90					
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	1.64	J	2.37	ug/kg wet	1.90		86.1			
2,4,6-Trichlorophenol	3.79	J	4.75	ug/kg wet	3.80		99.9			
2,4-Dichlorophenol	3.66	J	4.75	ug/kg wet	3.80		96.4			
2,4-Dimethylphenol	3.54	J	4.75	ug/kg wet	3.80		93.2			
2,4-Dinitrophenol	5.77		4.75	ug/kg wet	9.50		60.7	50-150		
2,4-Dinitrotoluene (2,4-DNT)	1.45	J	2.37	ug/kg wet	1.90		76.2			
2,6-Dinitrotoluene (2,6-DNT)	1.64	J	2.37	ug/kg wet	1.90		86.5			
2-Chloronaphthalene	1.61	J	2.37	ug/kg wet	1.90		84.8			
2-Chlorophenol	3.08	J	4.75	ug/kg wet	3.80		81.1			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<19.0	U	19.0	ug/kg wet	3.80					
2-Nitrophenol	4.15	J	4.75	ug/kg wet	3.80		109			
4-Bromophenyl phenyl ether (BDE-3)	1.47	J	2.37	ug/kg wet	1.90		77.7			
4-Chloro-3-methylphenol	3.59	J	4.75	ug/kg wet	3.80		94.5			
4-Chlorophenyl phenylether	1.64	J	2.37	ug/kg wet	1.90		86.3			
4-Nitrophenol	8.08		2.37	ug/kg wet	9.50		85.1	50-150		
Acenaphthene	1.48	J	2.37	ug/kg wet	1.90		77.7			
Acenaphthylene	1.83	J	2.37	ug/kg wet	1.90		96.2			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
SV MDL (BGB0424-MRL2)					Prepared: 2/3/2023 Analyzed: 2/17/2023					
Anthracene	1.48	J	2.37	ug/kg wet	1.90		77.7			
Benzo(a)anthracene	1.46	J	2.37	ug/kg wet	1.90		77.0			
Benzo(a)pyrene	1.53	J	2.37	ug/kg wet	1.90		80.4			
Benzo(b)fluoranthene	1.60	J	2.37	ug/kg wet	1.90		84.4			
Benzo(g,h,i)perylene	1.62	J	2.37	ug/kg wet	1.90		85.4			
Benzo(k)fluoranthene	1.53	J	2.37	ug/kg wet	1.90		80.8			
bis(2-Chloroethoxy)methane	1.79	J	2.37	ug/kg wet	1.90		94.3			
bis(2-Chloroethyl) ether	1.51	J	2.37	ug/kg wet	1.90		79.8			
Bis(2-ethylhexyl)phthalate	1.85	J	2.37	ug/kg wet	1.90		97.2			
Butyl benzyl phthalate	1.31	J	2.37	ug/kg wet	1.90		69.2			
Chrysene	1.53	J	2.37	ug/kg wet	1.90		80.6			
Dibenzo(a,h)anthracene	1.41	J	2.37	ug/kg wet	1.90		74.5			
Diethyl phthalate	2.23	J	2.37	ug/kg wet	1.90		117			
Dimethyl phthalate	1.67	J	2.37	ug/kg wet	1.90		87.8			
Di-n-butyl phthalate	2.21	J	2.37	ug/kg wet	1.90		116			
Di-n-octyl phthalate	1.32	J	2.37	ug/kg wet	1.90		69.6			
Fluoranthene	1.32	J	2.37	ug/kg wet	1.90		69.4			
Fluorene	1.76	J	2.37	ug/kg wet	1.90		92.8			
Hexachlorobenzene	1.40	J	2.37	ug/kg wet	1.90		73.8			
Hexachlorobutadiene	<2.37	U	2.37	ug/kg wet	1.90					
Hexachloroethane	<2.37	U	2.37	ug/kg wet	1.90					
Indeno(1,2,3-cd) pyrene	1.45	J	2.37	ug/kg wet	1.90		76.1			
Isophorone	1.51	J	2.37	ug/kg wet	1.90		79.4			
Naphthalene	1.43	J	2.37	ug/kg wet	1.90		75.5			
Nitrobenzene	1.68	J	2.37	ug/kg wet	1.90		88.4			
n-Nitrosodimethylamine	14.7	J1	2.37	ug/kg wet	9.50		155	50-150		
n-Nitrosodi-n-propylamine	1.68	J	2.37	ug/kg wet	1.90		88.5			
n-Nitrosodiphenylamine	<2.37	U	2.37	ug/kg wet	1.90					
Pentachlorophenol	2.43	J	4.75	ug/kg wet	3.80		64.1			
Phenanthrene	1.45	J	2.37	ug/kg wet	1.90		76.2			
Phenol, Total	5.03		4.75	ug/kg wet	3.80		132			
Pyrene	1.32	J	2.37	ug/kg wet	1.90		69.7			
Surrogate: 2-Fluorobiphenyl-surr			*12.7*	*ug/kg wet*	*19.0*		*66.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*29.4*	*ug/kg wet*	*38.0*		*77.3*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*27.8*	*ug/kg wet*	*38.0*		*73.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*16.4*	*ug/kg wet*	*19.0*		*86.2*	*60-140*		
Surrogate: Phenol-d5-surr			*30.6*	*ug/kg wet*	*38.0*		*80.7*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*12.9*	*ug/kg wet*	*19.0*		*67.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
MRL Check (BGB0424-MRL3)					Prepared: 2/3/2023 Analyzed: 2/27/2023					
Hexachlorocyclopentadiene	<2.37	J1, U	2.37	ug/kg wet	1.90					
Surrogate: 2-Fluorobiphenyl-surr			*12.6*	*ug/kg wet*	*19.0*		*66.3*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*29.5*	*ug/kg wet*	*38.0*		*77.8*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*31.0*	*ug/kg wet*	*38.0*		*81.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*13.6*	*ug/kg wet*	*19.0*		*71.4*	*60-140*		
Surrogate: Phenol-d5-surr			*31.3*	*ug/kg wet*	*38.0*		*82.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.1*	*ug/kg wet*	*19.0*		*84.8*	*60-140*		
23A1459-66 MS (BGB0424-MS1)			**Source: 23A1459-66RE1**		Prepared: 2/3/2023 Analyzed: 2/17/2023					
1,2,4-Trichlorobenzene	20.4		3.18	ug/kg dry	25.4	<3.18	80.2	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	15.2	J1	3.18	ug/kg dry	25.4	<3.18	59.9	60-140		
1,2-Diphenylhydrazine	23.4		3.18	ug/kg dry	25.4	<3.18	92.0	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	15.0	J1	3.18	ug/kg dry	25.4	<3.18	59.2	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	15.2	J1	3.18	ug/kg dry	25.4	<3.18	59.8	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	20.8		3.18	ug/kg dry	25.4	<3.18	82.0	60-140		
2,4,6-Trichlorophenol	49.6		6.35	ug/kg dry	50.8	<6.35	97.6	60-140		
2,4-Dichlorophenol	50.0		6.35	ug/kg dry	50.8	<6.35	98.3	60-140		
2,4-Dimethylphenol	49.5		6.35	ug/kg dry	50.8	<6.35	97.4	60-140		
2,4-Dinitrophenol	18.2		6.35	ug/kg dry	127	<6.35	14.3	10-51.3		
2,4-Dinitrotoluene (2,4-DNT)	21.4		3.18	ug/kg dry	25.4	<3.18	84.3	60-140		
2,6-Dinitrotoluene (2,6-DNT)	22.9		3.18	ug/kg dry	25.4	<3.18	90.3	60-140		
2-Chloronaphthalene	24.1		3.18	ug/kg dry	25.4	<3.18	94.9	60-140		
2-Chlorophenol	51.1		6.35	ug/kg dry	50.8	<6.35	101	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	24.9	J1, J	25.4	ug/kg dry	50.8	<25.4	49.1	60-140		
2-Nitrophenol	53.8		6.35	ug/kg dry	50.8	<6.35	106	60-140		
4-Bromophenyl phenyl ether (BDE-3)	21.6		3.18	ug/kg dry	25.4	<3.18	85.0	60-140		
4-Chloro-3-methylphenol	50.6		6.35	ug/kg dry	50.8	<6.35	99.7	60-140		
4-Chlorophenyl phenylether	22.1		3.18	ug/kg dry	25.4	<3.18	86.9	60-140		
4-Nitrophenol	96.3		3.18	ug/kg dry	127	<3.18	75.8	60-140		
Acenaphthene	21.3		3.18	ug/kg dry	25.4	<3.18	84.0	60-140		
Acenaphthylene	24.5		3.18	ug/kg dry	25.4	<3.18	96.3	60-140		
Anthracene	21.7		3.18	ug/kg dry	25.4	<3.18	85.4	60-140		
Benzo(a)anthracene	21.8		3.18	ug/kg dry	25.4	<3.18	85.9	60-140		
Benzo(a)pyrene	21.9		3.18	ug/kg dry	25.4	<3.18	86.2	60-140		
Benzo(b)fluoranthene	14.9	J1	3.18	ug/kg dry	25.4	<3.18	58.7	60-140		
Benzo(g,h,i)perylene	19.1		3.18	ug/kg dry	25.4	<3.18	75.2	60-140		
Benzo(k)fluoranthene	20.1		3.18	ug/kg dry	25.4	<3.18	79.3	60-140		
bis(2-Chloroethoxy)methane	26.3		3.18	ug/kg dry	25.4	<3.18	104	60-140		
bis(2-Chloroethyl) ether	22.6		3.18	ug/kg dry	25.4	<3.18	88.8	60-140		
Bis(2-ethylhexyl)phthalate	19.9		3.18	ug/kg dry	25.4	<3.18	78.3	60-140		
Butyl benzyl phthalate	18.2		3.18	ug/kg dry	25.4	<3.18	71.8	60-140		
Chrysene	21.1		3.18	ug/kg dry	25.4	<3.18	82.9	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
23A1459-66 MS (BGB0424-MS1)			**Source: 23A1459-66RE1**		Prepared: 2/3/2023 Analyzed: 2/17/2023					
Dibenzo(a,h)anthracene	19.3		3.18	ug/kg dry	25.4	<3.18	75.8	60-140		
Diethyl phthalate	23.3		3.18	ug/kg dry	25.4	<3.18	91.7	60-140		
Dimethyl phthalate	24.4		3.18	ug/kg dry	25.4	<3.18	95.9	60-140		
Di-n-butyl phthalate	19.5		3.18	ug/kg dry	25.4	<3.18	76.8	60-140		
Di-n-octyl phthalate	18.4		3.18	ug/kg dry	25.4	<3.18	72.5	60-140		
Fluoranthene	17.6		3.18	ug/kg dry	25.4	<3.18	69.3	60-140		
Fluorene	22.0		3.18	ug/kg dry	25.4	<3.18	86.7	60-140		
Hexachlorobenzene	19.9		3.18	ug/kg dry	25.4	<3.18	78.3	60-140		
Hexachlorobutadiene	16.0		3.18	ug/kg dry	25.4	<3.18	63.1	60-140		
Hexachloroethane	15.1	J1	3.18	ug/kg dry	25.4	<3.18	59.5	60-140		
Indeno(1,2,3-cd) pyrene	18.8		3.18	ug/kg dry	25.4	<3.18	74.0	60-140		
Isophorone	20.4		3.18	ug/kg dry	25.4	<3.18	80.3	60-140		
Naphthalene	18.8		3.18	ug/kg dry	25.4	<3.18	73.9	60-140		
Nitrobenzene	25.7		3.18	ug/kg dry	25.4	<3.18	101	60-140		
n-Nitrosodimethylamine	71.9	J1	3.18	ug/kg dry	127	<3.18	56.6	60-140		
n-Nitrosodi-n-propylamine	22.8		3.18	ug/kg dry	25.4	<3.18	89.7	60-140		
n-Nitrosodiphenylamine	8.65	J1	3.18	ug/kg dry	25.4	<3.18	34.0	60-140		
Pentachlorophenol	38.0		6.35	ug/kg dry	50.8	<6.35	74.8	60-140		
Phenanthrene	21.2		3.18	ug/kg dry	25.4	<3.18	83.3	60-140		
Phenol, Total	52.2		6.35	ug/kg dry	50.8	11.3	80.7	60-140		
Pyrene	16.8		3.18	ug/kg dry	25.4	<3.18	66.1	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*20.3*	*ug/kg dry*	*25.4*		*79.9*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*44.2*	*ug/kg dry*	*50.8*		*86.9*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*40.9*	*ug/kg dry*	*50.8*		*80.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*25.1*	*ug/kg dry*	*25.4*		*98.7*	*60-140*		
Surrogate: Phenol-d5-surr			*46.5*	*ug/kg dry*	*50.8*		*91.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.6*	*ug/kg dry*	*25.4*		*65.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
Matrix Spike (BGB0424-MS2)			**Source: 23A1459-66RE2**		Prepared: 2/3/2023 Analyzed: 2/27/2023					
Hexachlorocyclopentadiene	13.4	J1	3.18	ug/kg dry	25.4	<3.18	52.6	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*19.5*	*ug/kg dry*	*25.4*		*76.8*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*44.5*	*ug/kg dry*	*50.8*		*87.5*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*49.5*	*ug/kg dry*	*50.8*		*97.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*24.3*	*ug/kg dry*	*25.4*		*95.7*	*60-140*		
Surrogate: Phenol-d5-surr			*50.8*	*ug/kg dry*	*50.8*		*100*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*22.3*	*ug/kg dry*	*25.4*		*87.7*	*60-140*		
23A1459-66 MSD (BGB0424-MSD1)			**Source: 23A1459-66RE1**		Prepared: 2/3/2023 Analyzed: 2/17/2023					
1,2,4-Trichlorobenzene	19.8		3.15	ug/kg dry	25.2	<3.15	78.6	60-140	2.72	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	15.4		3.15	ug/kg dry	25.2	<3.15	61.1	60-140	1.35	40
1,2-Diphenylhydrazine	23.2		3.15	ug/kg dry	25.2	<3.15	91.8	60-140	0.939	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	15.3		3.15	ug/kg dry	25.2	<3.15	60.8	60-140	2.01	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	15.4		3.15	ug/kg dry	25.2	<3.15	61.2	60-140	1.60	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	20.6		3.15	ug/kg dry	25.2	<3.15	81.7	60-140	1.12	40
2,4,6-Trichlorophenol	49.1		6.31	ug/kg dry	50.5	<6.31	97.2	60-140	1.10	40
2,4-Dichlorophenol	48.9		6.31	ug/kg dry	50.5	<6.31	96.9	60-140	2.14	40
2,4-Dimethylphenol	48.4		6.31	ug/kg dry	50.5	<6.31	96.0	60-140	2.09	40
2,4-Dinitrophenol	19.3		6.31	ug/kg dry	126	<6.31	15.3	10-51.3	6.07	40
2,4-Dinitrotoluene (2,4-DNT)	21.2		3.15	ug/kg dry	25.2	<3.15	84.2	60-140	0.748	40
2,6-Dinitrotoluene (2,6-DNT)	22.9		3.15	ug/kg dry	25.2	<3.15	90.8	60-140	0.0949	40
2-Chloronaphthalene	23.0		3.15	ug/kg dry	25.2	<3.15	91.0	60-140	4.95	40
2-Chlorophenol	49.9		6.31	ug/kg dry	50.5	<6.31	98.9	60-140	2.44	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	26.4	J1	25.2	ug/kg dry	50.5	<25.2	52.4	60-140	5.83	40
2-Nitrophenol	54.2		6.31	ug/kg dry	50.5	<6.31	107	60-140	0.645	40
4-Bromophenyl phenyl ether (BDE-3)	21.0		3.15	ug/kg dry	25.2	<3.15	83.3	60-140	2.71	40
4-Chloro-3-methylphenol	49.8		6.31	ug/kg dry	50.5	<6.31	98.6	60-140	1.76	40
4-Chlorophenyl phenylether	22.0		3.15	ug/kg dry	25.2	<3.15	87.2	60-140	0.310	40
4-Nitrophenol	95.2		3.15	ug/kg dry	126	<3.15	75.5	60-140	1.08	40
Acenaphthene	20.6		3.15	ug/kg dry	25.2	<3.15	81.8	60-140	3.25	40
Acenaphthylene	23.9		3.15	ug/kg dry	25.2	<3.15	94.6	60-140	2.52	40
Anthracene	21.4		3.15	ug/kg dry	25.2	<3.15	85.0	60-140	1.11	40
Benzo(a)anthracene	22.1		3.15	ug/kg dry	25.2	<3.15	87.6	60-140	1.27	40
Benzo(a)pyrene	21.9		3.15	ug/kg dry	25.2	<3.15	87.0	60-140	0.271	40
Benzo(b)fluoranthene	16.8		3.15	ug/kg dry	25.2	<3.15	66.7	60-140	12.0	40
Benzo(g,h,i)perylene	18.7		3.15	ug/kg dry	25.2	<3.15	74.2	60-140	2.07	40
Benzo(k)fluoranthene	20.9		3.15	ug/kg dry	25.2	<3.15	82.7	60-140	3.51	40
bis(2-Chloroethoxy)methane	25.6		3.15	ug/kg dry	25.2	<3.15	102	60-140	2.66	40
bis(2-Chloroethyl) ether	22.2		3.15	ug/kg dry	25.2	<3.15	87.8	60-140	1.76	40
Bis(2-ethylhexyl)phthalate	21.5		3.15	ug/kg dry	25.2	<3.15	85.4	60-140	7.96	40
Butyl benzyl phthalate	18.4		3.15	ug/kg dry	25.2	<3.15	73.1	60-140	1.07	40
Chrysene	21.2		3.15	ug/kg dry	25.2	<3.15	84.1	60-140	0.705	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
23A1459-66 MSD (BGB0424-MSD1)		**Source: 23A1459-66RE1**		Prepared: 2/3/2023 Analyzed: 2/17/2023						
Dibenzo(a,h)anthracene	19.1		3.15	ug/kg dry	25.2	<3.15	75.5	60-140	1.06	40
Diethyl phthalate	22.8		3.15	ug/kg dry	25.2	<3.15	90.3	60-140	2.19	40
Dimethyl phthalate	24.0		3.15	ug/kg dry	25.2	<3.15	94.9	60-140	1.69	40
Di-n-butyl phthalate	19.1		3.15	ug/kg dry	25.2	<3.15	75.7	60-140	2.11	40
Di-n-octyl phthalate	19.2		3.15	ug/kg dry	25.2	<3.15	76.0	60-140	4.03	40
Fluoranthene	17.6		3.15	ug/kg dry	25.2	<3.15	69.9	60-140	0.165	40
Fluorene	22.2		3.15	ug/kg dry	25.2	<3.15	88.0	60-140	0.756	40
Hexachlorobenzene	19.5		3.15	ug/kg dry	25.2	<3.15	77.3	60-140	1.87	40
Hexachlorobutadiene	16.3		3.15	ug/kg dry	25.2	<3.15	64.8	60-140	1.90	40
Hexachloroethane	15.6		3.15	ug/kg dry	25.2	<3.15	61.9	60-140	3.24	40
Indeno(1,2,3-cd) pyrene	18.6		3.15	ug/kg dry	25.2	<3.15	73.8	60-140	1.03	40
Isophorone	20.6		3.15	ug/kg dry	25.2	<3.15	81.7	60-140	1.07	40
Naphthalene	18.3		3.15	ug/kg dry	25.2	<3.15	72.4	60-140	2.72	40
Nitrobenzene	25.6		3.15	ug/kg dry	25.2	<3.15	101	60-140	0.543	40
n-Nitrosodimethylamine	63.8	J1	3.15	ug/kg dry	126	<3.15	50.6	60-140	11.9	40
n-Nitrosodi-n-propylamine	22.3		3.15	ug/kg dry	25.2	<3.15	88.2	60-140	2.32	40
n-Nitrosodiphenylamine	8.57	J1	3.15	ug/kg dry	25.2	<3.15	34.0	60-140	0.879	40
Pentachlorophenol	37.6		6.31	ug/kg dry	50.5	<6.31	74.5	60-140	1.20	40
Phenanthrene	20.7		3.15	ug/kg dry	25.2	<3.15	82.2	60-140	2.03	40
Phenol, Total	50.2		6.31	ug/kg dry	50.5	11.3	77.1	60-140	4.00	40
Pyrene	17.7		3.15	ug/kg dry	25.2	<3.15	70.2	60-140	5.36	40
Surrogate: 2-Fluorobiphenyl-surr			*19.2*	*ug/kg dry*	*25.2*		*76.2*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*44.7*	*ug/kg dry*	*50.5*		*88.6*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*41.0*	*ug/kg dry*	*50.5*		*81.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*25.0*	*ug/kg dry*	*25.2*		*98.9*	*60-140*		
Surrogate: Phenol-d5-surr			*46.2*	*ug/kg dry*	*50.5*		*91.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*16.8*	*ug/kg dry*	*25.2*		*66.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0424 - SW-3570 (Continued)										
Matrix Spike Dup (BGB0424-MSD2)			**Source: 23A1459-66RE2**		Prepared: 2/3/2023 Analyzed: 2/27/2023					
Hexachlorocyclopentadiene	14.6	J1	3.15	ug/kg dry	25.2	<3.15	57.9	60-140	8.84	40
Surrogate: 2-Fluorobiphenyl-surr			*19.2*	*ug/kg dry*	*25.2*		*76.2*	*60-140*		
Surrogate: 2-Fluorophenol-surr			*45.5*	*ug/kg dry*	*50.5*		*90.2*	*60-140*		
Surrogate: 2,4,6-Tribromophenol-surr			*48.0*	*ug/kg dry*	*50.5*		*95.1*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*23.0*	*ug/kg dry*	*25.2*		*91.0*	*60-140*		
Surrogate: Phenol-d5-surr			*47.8*	*ug/kg dry*	*50.5*		*94.8*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*20.8*	*ug/kg dry*	*25.2*		*82.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3603 - SW-3570										
Blank (BGA3603-BLK1)				Prepared: 1/27/2023 Analyzed: 2/3/2023						
4,4'-DDD	<0.943	U	0.943	ug/kg wet						
4,4'-DDE	<0.943	U	0.943	ug/kg wet						
4,4'-DDT	<0.943	U	0.943	ug/kg wet						
Aldrin	<0.943	U	0.943	ug/kg wet						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.943	U	0.943	ug/kg wet						
beta-BHC (beta-Hexachlorocyclohexane)	<0.943	U	0.943	ug/kg wet						
Chlordane (tech.)	<0.943	U	0.943	ug/kg wet						
cis-Chlordane (alpha-Chlordane)	<0.943	U	0.943	ug/kg wet						
delta-BHC	<0.943	U	0.943	ug/kg wet						
Dieldrin	<0.943	U	0.943	ug/kg wet						
Endosulfan I	<0.943	U	0.943	ug/kg wet						
Endosulfan II	<0.943	U	0.943	ug/kg wet						
Endosulfan sulfate	<0.943	U	0.943	ug/kg wet						
Endrin	<0.943	U	0.943	ug/kg wet						
Endrin aldehyde	<0.943	U	0.943	ug/kg wet						
Endrin ketone	<0.943	U	0.943	ug/kg wet						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.943	U	0.943	ug/kg wet						
gamma-Chlordane	<0.943	U	0.943	ug/kg wet						
Heptachlor	<0.943	U	0.943	ug/kg wet						
Heptachlor epoxide	<0.943	U	0.943	ug/kg wet						
Methoxychlor	<0.943	U	0.943	ug/kg wet						
Toxaphene (Chlorinated Camphene)	<14.2	U	14.2	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.90*	*ug/kg wet*	*5.66*		*86.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.13*	*ug/kg wet*	*5.66*		*108*	*60-140*		
TOX LCS (BGA3603-BS1)				Prepared: 1/27/2023 Analyzed: 2/3/2023						
Toxaphene (Chlorinated Camphene)	57.2		13.9	ug/kg wet	55.5		103	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.24*	*ug/kg wet*	*5.55*		*94.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.78*	*ug/kg wet*	*5.55*		*104*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3603 - SW-3570 (Continued)										
LCS (BGA3603-BS2)				Prepared: 1/27/2023 Analyzed: 2/3/2023						
4,4'-DDD	4.86		0.960	ug/kg wet	5.76		84.5	60-140		
4,4'-DDE	4.45		0.960	ug/kg wet	5.76		77.2	60-140		
4,4'-DDT	3.37	J1	0.960	ug/kg wet	5.76		58.6	60-140		
Aldrin	5.38		0.960	ug/kg wet	5.76		93.5	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	6.12		0.960	ug/kg wet	5.76		106	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	5.45		0.960	ug/kg wet	5.76		94.7	60-140		
Chlordane (tech.)	20.8		0.960	ug/kg wet	23.0		90.4	60-140		
cis-Chlordane (alpha-Chlordane)	5.17		0.960	ug/kg wet	5.76		89.8	60-140		
delta-BHC	5.85		0.960	ug/kg wet	5.76		102	60-140		
Dieldrin	5.14		0.960	ug/kg wet	5.76		89.2	60-140		
Endosulfan I	4.99		0.960	ug/kg wet	5.76		86.7	60-140		
Endosulfan II	5.15		0.960	ug/kg wet	5.76		89.5	60-140		
Endosulfan sulfate	4.67		0.960	ug/kg wet	5.76		81.1	60-140		
Endrin	5.28		0.960	ug/kg wet	5.76		91.6	60-140		
Endrin aldehyde	4.09		0.960	ug/kg wet	5.76		71.1	60-140		
Endrin ketone	5.15		0.960	ug/kg wet	5.76		89.4	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	5.42		0.960	ug/kg wet	5.76		94.1	60-140		
gamma-Chlordane	5.22		0.960	ug/kg wet	5.76		90.7	60-140		
Heptachlor	5.30		0.960	ug/kg wet	5.76		92.1	60-140		
Heptachlor epoxide	5.12		0.960	ug/kg wet	5.76		88.9	60-140		
Methoxychlor	4.23		0.960	ug/kg wet	5.76		73.5	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.79*	*ug/kg wet*	*5.76*		*101*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.09*	*ug/kg wet*	*5.76*		*106*	*60-140*		
TOX LCSD (BGA3603-BSD1)				Prepared: 1/27/2023 Analyzed: 2/3/2023						
Toxaphene (Chlorinated Camphene)	56.3		14.5	ug/kg wet	58.2		96.8	60-140	1.46	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.30*	*ug/kg wet*	*5.82*		*91.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.06*	*ug/kg wet*	*5.82*		*104*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3603 - SW-3570 (Continued)										
LCS Dup (BGA3603-BSD2)				Prepared: 1/27/2023 Analyzed: 2/3/2023						
4,4'-DDD	4.98		0.963	ug/kg wet	5.78		86.2	60-140	2.37	40
4,4'-DDE	4.55		0.963	ug/kg wet	5.78		78.7	60-140	2.26	40
4,4'-DDT	3.56		0.963	ug/kg wet	5.78		61.5	60-140	5.32	40
Aldrin	4.87		0.963	ug/kg wet	5.78		84.2	60-140	10.1	40
alpha-BHC (alpha-Hexachlorocyclohexane)	4.76		0.963	ug/kg wet	5.78		82.4	60-140	24.9	40
beta-BHC (beta-Hexachlorocyclohexane)	5.01		0.963	ug/kg wet	5.78		86.7	60-140	8.40	40
Chlordane (tech.)	19.7		0.963	ug/kg wet	23.1		85.2	60-140	5.50	40
cis-Chlordane (alpha-Chlordane)	4.96		0.963	ug/kg wet	5.78		85.7	60-140	4.31	40
delta-BHC	5.36		0.963	ug/kg wet	5.78		92.7	60-140	8.79	40
Dieldrin	5.18		0.963	ug/kg wet	5.78		89.7	60-140	0.916	40
Endosulfan I	4.70		0.963	ug/kg wet	5.78		81.3	60-140	6.07	40
Endosulfan II	4.84		0.963	ug/kg wet	5.78		83.8	60-140	6.21	40
Endosulfan sulfate	4.53		0.963	ug/kg wet	5.78		78.4	60-140	3.01	40
Endrin	5.15		0.963	ug/kg wet	5.78		89.1	60-140	2.39	40
Endrin aldehyde	3.91		0.963	ug/kg wet	5.78		67.6	60-140	4.64	40
Endrin ketone	4.56		0.963	ug/kg wet	5.78		78.9	60-140	12.1	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	4.83		0.963	ug/kg wet	5.78		83.6	60-140	11.5	40
gamma-Chlordane	5.01		0.963	ug/kg wet	5.78		86.7	60-140	4.20	40
Heptachlor	4.75		0.963	ug/kg wet	5.78		82.2	60-140	10.9	40
Heptachlor epoxide	4.98		0.963	ug/kg wet	5.78		86.2	60-140	2.62	40
Methoxychlor	4.16		0.963	ug/kg wet	5.78		72.0	60-140	1.68	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.42*	*ug/kg wet*	*5.78*		*93.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.32*	*ug/kg wet*	*5.78*		*109*	*60-140*		
TOX MRL (BGA3603-MRL1)				Prepared: 1/27/2023 Analyzed: 2/3/2023						
Toxaphene (Chlorinated Camphene)	16.5		14.3	ug/kg wet	14.3		115	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*6.22*	*ug/kg wet*	*5.71*		*109*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*7.38*	*ug/kg wet*	*5.71*		*129*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3603 - SW-3570 (Continued)										
MRL Check (BGA3603-MRL2)					Prepared: 1/27/2023 Analyzed: 2/3/2023					
4,4'-DDD	0.303	J	0.980	ug/kg wet	0.392		77.2			
4,4'-DDE	0.320	J	0.980	ug/kg wet	0.392		81.7			
4,4'-DDT	0.243	J	0.980	ug/kg wet	0.392		61.9			
Aldrin	0.356	J	0.980	ug/kg wet	0.392		90.8			
alpha-BHC (alpha-Hexachlorocyclohexane)	0.432	J	0.980	ug/kg wet	0.392		110			
beta-BHC (beta-Hexachlorocyclohexane)	0.298	J	0.980	ug/kg wet	0.392		76.0			
Chlordane (tech.)	1.26		0.980	ug/kg wet	1.57		80.1	50-150		
cis-Chlordane (alpha-Chlordane)	0.338	J	0.980	ug/kg wet	0.392		86.1			
delta-BHC	<0.980	J1, U	0.980	ug/kg wet	0.392					
Dieldrin	0.286	J	0.980	ug/kg wet	0.392		72.9			
Endosulfan I	0.300	J	0.980	ug/kg wet	0.392		76.4			
Endosulfan II	0.294	J	0.980	ug/kg wet	0.392		75.0			
Endosulfan sulfate	0.309	J	0.980	ug/kg wet	0.392		78.9			
Endrin	0.281	J	0.980	ug/kg wet	0.392		71.8			
Endrin aldehyde	0.284	J	0.980	ug/kg wet	0.392		72.5			
Endrin ketone	0.361	J	0.980	ug/kg wet	0.392		92.1			
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.309	J	0.980	ug/kg wet	0.392		78.7			
gamma-Chlordane	0.308	J	0.980	ug/kg wet	0.392		78.6			
Heptachlor	0.278	J	0.980	ug/kg wet	0.392		70.9			
Heptachlor epoxide	0.332	J	0.980	ug/kg wet	0.392		84.7			
Methoxychlor	0.236	J	0.980	ug/kg wet	0.392		60.2			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.81*	*ug/kg wet*	*5.88*		*98.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.48*	*ug/kg wet*	*5.88*		*110*	*60-140*		
Matrix Spike (BGA3603-MS1)	**Source: 23A1459-25**				Prepared: 1/27/2023 Analyzed: 2/3/2023					
4,4'-DDD	7.03		1.33	ug/kg dry	7.98	<1.33	88.0	60-140		
4,4'-DDE	5.97		1.33	ug/kg dry	7.98	<1.33	74.7	60-140		
4,4'-DDT	5.45		1.33	ug/kg dry	7.98	<1.33	68.3	60-140		
Aldrin	7.32		1.33	ug/kg dry	7.98	<1.33	91.6	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	8.54		1.33	ug/kg dry	7.98	<1.33	107	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	7.79		1.33	ug/kg dry	7.98	<1.33	97.6	60-140		
Chlordane (tech.)	30.1		1.33	ug/kg dry	31.9	<1.33	94.3	60-140		
cis-Chlordane (alpha-Chlordane)	7.28		1.33	ug/kg dry	7.98	<1.33	91.1	60-140		
delta-BHC	8.52		1.33	ug/kg dry	7.98	<1.33	107	60-140		
Dieldrin	7.47		1.33	ug/kg dry	7.98	<1.33	93.5	60-140		
Endosulfan I	6.83		1.33	ug/kg dry	7.98	<1.33	85.5	60-140		
Endosulfan II	7.08		1.33	ug/kg dry	7.98	<1.33	88.6	60-140		
Endosulfan sulfate	6.70		1.33	ug/kg dry	7.98	<1.33	83.9	60-140		
Endrin	7.45		1.33	ug/kg dry	7.98	<1.33	93.3	60-140		
Endrin aldehyde	5.66		1.33	ug/kg dry	7.98	<1.33	70.8	60-140		
Endrin ketone	7.21		1.33	ug/kg dry	7.98	<1.33	90.3	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3603 - SW-3570 (Continued)										
Matrix Spike (BGA3603-MS1)	**Source: 23A1459-25**			Prepared: 1/27/2023 Analyzed: 2/3/2023						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	7.52		1.33	ug/kg dry	7.98	<1.33	94.2	60-140		
gamma-Chlordane	8.18		1.33	ug/kg dry	7.98	<1.33	102	60-140		
Heptachlor	7.31		1.33	ug/kg dry	7.98	<1.33	91.6	60-140		
Heptachlor epoxide	7.35		1.33	ug/kg dry	7.98	<1.33	92.1	60-140		
Methoxychlor	6.76		1.33	ug/kg dry	7.98	<1.33	84.6	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*8.12*	*ug/kg dry*	*7.98*		*102*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*8.83*	*ug/kg dry*	*7.98*		*111*	*60-140*		
Matrix Spike Dup (BGA3603-MSD1)	**Source: 23A1459-25**			Prepared: 1/27/2023 Analyzed: 2/3/2023						
4,4'-DDD	6.19		1.27	ug/kg dry	7.64	<1.27	81.0	60-140	12.8	40
4,4'-DDE	5.71		1.27	ug/kg dry	7.64	<1.27	74.7	60-140	4.51	40
4,4'-DDT	4.83		1.27	ug/kg dry	7.64	<1.27	63.2	60-140	12.2	40
Aldrin	6.24		1.27	ug/kg dry	7.64	<1.27	81.7	60-140	15.8	40
alpha-BHC (alpha-Hexachlorocyclohexane)	7.22		1.27	ug/kg dry	7.64	<1.27	94.5	60-140	16.8	40
beta-BHC (beta-Hexachlorocyclohexane)	6.79		1.27	ug/kg dry	7.64	<1.27	89.0	60-140	13.7	40
Chlordane (tech.)	25.8		1.27	ug/kg dry	30.6	<1.27	84.3	60-140	15.6	40
cis-Chlordane (alpha-Chlordane)	6.21		1.27	ug/kg dry	7.64	<1.27	81.4	60-140	15.7	40
delta-BHC	7.36		1.27	ug/kg dry	7.64	<1.27	96.4	60-140	14.6	40
Dieldrin	6.38		1.27	ug/kg dry	7.64	<1.27	83.5	60-140	15.7	40
Endosulfan I	6.12		1.27	ug/kg dry	7.64	<1.27	80.1	60-140	11.0	40
Endosulfan II	6.14		1.27	ug/kg dry	7.64	<1.27	80.4	60-140	14.2	40
Endosulfan sulfate	6.03		1.27	ug/kg dry	7.64	<1.27	79.0	60-140	10.5	40
Endrin	6.49		1.27	ug/kg dry	7.64	<1.27	85.0	60-140	13.7	40
Endrin aldehyde	5.29		1.27	ug/kg dry	7.64	<1.27	69.3	60-140	6.67	40
Endrin ketone	6.31		1.27	ug/kg dry	7.64	<1.27	82.6	60-140	13.3	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	6.58		1.27	ug/kg dry	7.64	<1.27	86.2	60-140	13.4	40
gamma-Chlordane	7.07		1.27	ug/kg dry	7.64	<1.27	92.5	60-140	14.6	40
Heptachlor	6.36		1.27	ug/kg dry	7.64	<1.27	83.3	60-140	13.9	40
Heptachlor epoxide	6.12		1.27	ug/kg dry	7.64	<1.27	80.1	60-140	18.4	40
Methoxychlor	6.09		1.27	ug/kg dry	7.64	<1.27	79.7	60-140	10.4	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*6.72*	*ug/kg dry*	*7.64*		*87.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*8.07*	*ug/kg dry*	*7.64*		*106*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3651 - SW-3570										
Blank (BGA3651-BLK1)				Prepared: 1/27/2023 Analyzed: 2/11/2023						
PCBs, Total	<1.97	U	1.97	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.583*	*ug/kg wet*	*0.592*		*98.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.629*	*ug/kg wet*	*0.592*		*106*	*60-140*		
Blank (BGA3651-BLK2)				Prepared: 1/27/2023 Analyzed: 2/24/2023						
PCBs, Total	<1.97	U	1.97	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr	*S*		*0.355*	*ug/kg wet*	*0.592*		*59.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.573*	*ug/kg wet*	*0.592*		*96.8*	*60-140*		
LCS (BGA3651-BS1)				Prepared: 1/27/2023 Analyzed: 2/11/2023						
Aroclor-1016 (PCB-1016)	3.95		1.98	ug/kg wet	5.93		66.6	60-140		
Aroclor-1260 (PCB-1260)	4.12		1.98	ug/kg wet	5.93		69.6	60-140		
PCBs, Total	4.10		1.98	ug/kg wet	5.93		69.2	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.498*	*ug/kg wet*	*0.593*		*84.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.577*	*ug/kg wet*	*0.593*		*97.2*	*60-140*		
LCS (BGA3651-BS2)				Prepared: 1/27/2023 Analyzed: 2/24/2023						
Aroclor-1016 (PCB-1016)	3.71		1.98	ug/kg wet	5.93		62.6	60-140		
Aroclor-1260 (PCB-1260)	4.02		1.98	ug/kg wet	5.93		67.7	60-140		
PCBs, Total	3.96		1.98	ug/kg wet	5.93		66.8	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr	*S*		*0.302*	*ug/kg wet*	*0.593*		*50.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.580*	*ug/kg wet*	*0.593*		*97.8*	*60-140*		
LCS Dup (BGA3651-BSD1)				Prepared: 1/27/2023 Analyzed: 2/11/2023						
Aroclor-1016 (PCB-1016)	4.14		1.96	ug/kg wet	5.88		70.5	60-140	4.77	40
Aroclor-1260 (PCB-1260)	4.32		1.96	ug/kg wet	5.88		73.5	60-140	4.64	40
PCBs, Total	4.30		1.96	ug/kg wet	5.88		73.1	60-140	4.66	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.487*	*ug/kg wet*	*0.588*		*82.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.437*	*ug/kg wet*	*0.588*		*74.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3651 - SW-3570 (Continued)										
LCS Dup (BGA3651-BSD2)					Prepared: 1/27/2023 Analyzed: 2/24/2023					
Aroclor-1016 (PCB-1016)	4.82		1.96	ug/kg wet	5.88		82.0	60-140	25.9	40
Aroclor-1260 (PCB-1260)	4.91		1.96	ug/kg wet	5.88		83.6	60-140	20.1	40
PCBs, Total	4.89		1.96	ug/kg wet	5.88		83.3	60-140	21.1	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.369*	*ug/kg wet*	*0.588*		*62.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.573*	*ug/kg wet*	*0.588*		*97.5*	*60-140*		
Matrix Spike (BGA3651-MS1)		**Source: 23A1459-27**			Prepared: 1/27/2023 Analyzed: 2/11/2023					
Aroclor-1016 (PCB-1016)	6.23		3.01	ug/kg dry	9.02	<3.01	69.1	60-140		
Aroclor-1260 (PCB-1260)	6.60		3.01	ug/kg dry	9.02	<3.01	73.2	60-140		
PCBs, Total	6.55		3.01	ug/kg dry	9.02	<3.01	72.6	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.784*	*ug/kg dry*	*0.902*		*87.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.880*	*ug/kg dry*	*0.902*		*97.6*	*60-140*		
Matrix Spike Dup (BGA3651-MSD1)		**Source: 23A1459-27**			Prepared: 1/27/2023 Analyzed: 2/11/2023					
Aroclor-1016 (PCB-1016)	5.15	J1	2.94	ug/kg dry	8.83	<2.94	58.4	60-140	18.9	40
Aroclor-1260 (PCB-1260)	5.98		2.94	ug/kg dry	8.83	<2.94	67.8	60-140	9.80	40
PCBs, Total	5.87		2.94	ug/kg dry	8.83	<2.94	66.5	60-140	10.9	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.663*	*ug/kg dry*	*0.883*		*75.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.837*	*ug/kg dry*	*0.883*		*94.8*	*60-140*		

Analyte	Result	Qual	Reporting Limit	Units
Batch: BGA3839 - SW-3511				
Blank (BGA3839-BLK1)			Prepared: 1/30/2023 Analyzed: 2/6/2023	
4,4'-DDD	<0.00600	U	0.00600	ug/L
4,4'-DDE	<0.00600	U	0.00600	ug/L
4,4'-DDT	<0.00600	U	0.00600	ug/L
Aldrin	<0.00600	U	0.00600	ug/L
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L
Chlordane (tech.)	<0.00600	U	0.00600	ug/L
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L
delta-BHC	<0.00600	U	0.00600	ug/L
Dieldrin	<0.00600	U	0.00600	ug/L
Endosulfan I	<0.00600	U	0.00600	ug/L
Endosulfan II	<0.00600	U	0.00600	ug/L
Endosulfan sulfate	<0.00600	U	0.00600	ug/L
Endrin	<0.00600	U	0.00600	ug/L
Endrin aldehyde	<0.00600	U	0.00600	ug/L
Endrin ketone	<0.00600	U	0.00600	ug/L
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00600	U	0.00600	ug/L

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3839 - SW-3511 (Continued)										
Blank (BGA3839-BLK1)					Prepared: 1/30/2023 Analyzed: 2/6/2023					
gamma-Chlordane	<0.00600	U	0.00600	ug/L						
Heptachlor	<0.00600	U	0.00600	ug/L						
Heptachlor epoxide	<0.00600	U	0.00600	ug/L						
Methoxychlor	<0.00600	U	0.00600	ug/L						
Toxaphene (Chlorinated Camphene)	<0.300	U	0.300	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.123*	*ug/L*	*0.120*		*103*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.107*	*ug/L*	*0.120*		*89.4*	*60-140*		
LCS (BGA3839-BS1)					Prepared: 1/30/2023 Analyzed: 2/6/2023					
Toxaphene (Chlorinated Camphene)	0.982		0.300	ug/L	1.20		81.8	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0838*	*ug/L*	*0.120*		*69.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.0987*	*ug/L*	*0.120*		*82.2*	*60-140*		
LCS (BGA3839-BS2)					Prepared: 1/30/2023 Analyzed: 2/6/2023					
4,4'-DDD	0.0901		0.00600	ug/L	0.120		75.1	60-140		
4,4'-DDE	0.0879		0.00600	ug/L	0.120		73.3	60-140		
4,4'-DDT	0.0864		0.00600	ug/L	0.120		72.0	60-140		
Aldrin	0.0902		0.00600	ug/L	0.120		75.2	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.120		0.00600	ug/L	0.120		100	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.0971		0.00600	ug/L	0.120		80.9	60-140		
Chlordane (tech.)	0.363		0.00600	ug/L	0.480		75.7	60-140		
cis-Chlordane (alpha-Chlordane)	0.0925		0.00600	ug/L	0.120		77.1	60-140		
delta-BHC	0.101		0.00600	ug/L	0.120		84.2	60-140		
Dieldrin	0.0940		0.00600	ug/L	0.120		78.3	60-140		
Endosulfan I	0.0853		0.00600	ug/L	0.120		71.0	60-140		
Endosulfan II	0.0903		0.00600	ug/L	0.120		75.2	60-140		
Endosulfan sulfate	0.0910		0.00600	ug/L	0.120		75.8	60-140		
Endrin	0.0830		0.00600	ug/L	0.120		69.2	60-140		
Endrin aldehyde	0.101		0.00600	ug/L	0.120		83.8	60-140		
Endrin ketone	0.0938		0.00600	ug/L	0.120		78.1	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.106		0.00600	ug/L	0.120		88.0	60-140		
gamma-Chlordane	0.0863		0.00600	ug/L	0.120		71.9	60-140		
Heptachlor	0.0908		0.00600	ug/L	0.120		75.7	60-140		
Heptachlor epoxide	0.0936		0.00600	ug/L	0.120		78.0	60-140		
Methoxychlor	0.0878		0.00600	ug/L	0.120		73.2	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.122*	*ug/L*	*0.120*		*102*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.106*	*ug/L*	*0.120*		*88.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3839 - SW-3511 (Continued)										
LCS Dup (BGA3839-BSD1)					Prepared: 1/30/2023 Analyzed: 2/6/2023					
Toxaphene (Chlorinated Camphene)	1.21		0.300	ug/L	1.20		101	60-140	21.1	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.103*	*ug/L*	*0.120*		*86.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.118*	*ug/L*	*0.120*		*98.3*	*60-140*		
LCS Dup (BGA3839-BSD2)					Prepared: 1/30/2023 Analyzed: 2/6/2023					
4,4'-DDD	0.0863		0.00600	ug/L	0.120		72.0	60-140	4.27	40
4,4'-DDE	0.0911		0.00600	ug/L	0.120		75.9	60-140	3.58	40
4,4'-DDT	0.0877		0.00600	ug/L	0.120		73.1	60-140	1.43	40
Aldrin	0.0870		0.00600	ug/L	0.120		72.5	60-140	3.69	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.121		0.00600	ug/L	0.120		101	60-140	0.770	40
beta-BHC (beta-Hexachlorocyclohexane)	0.0975		0.00600	ug/L	0.120		81.3	60-140	0.407	40
Chlordane (tech.)	0.357		0.00600	ug/L	0.480		74.5	60-140	1.61	40
cis-Chlordane (alpha-Chlordane)	0.0907		0.00600	ug/L	0.120		75.6	60-140	1.95	40
delta-BHC	0.0996		0.00600	ug/L	0.120		83.0	60-140	1.42	40
Dieldrin	0.0955		0.00600	ug/L	0.120		79.6	60-140	1.62	40
Endosulfan I	0.0850		0.00600	ug/L	0.120		70.8	60-140	0.345	40
Endosulfan II	0.0872		0.00600	ug/L	0.120		72.6	60-140	3.50	40
Endosulfan sulfate	0.0934		0.00600	ug/L	0.120		77.8	60-140	2.63	40
Endrin	0.0840		0.00600	ug/L	0.120		70.0	60-140	1.18	40
Endrin aldehyde	0.0938		0.00600	ug/L	0.120		78.1	60-140	6.97	40
Endrin ketone	0.0904		0.00600	ug/L	0.120		75.3	60-140	3.64	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.104		0.00600	ug/L	0.120		87.1	60-140	1.02	40
gamma-Chlordane	0.0872		0.00600	ug/L	0.120		72.6	60-140	0.975	40
Heptachlor	0.0906		0.00600	ug/L	0.120		75.5	60-140	0.198	40
Heptachlor epoxide	0.0889		0.00600	ug/L	0.120		74.1	60-140	5.13	40
Methoxychlor	0.0826		0.00600	ug/L	0.120		68.8	60-140	6.08	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.123*	*ug/L*	*0.120*		*103*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.107*	*ug/L*	*0.120*		*89.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3839 - SW-3511 (Continued)										
MRL Check (BGA3839-MRL1)					Prepared: 1/30/2023 Analyzed: 2/6/2023					
Toxaphene (Chlorinated Camphene)	<0.300	J1, U	0.300	ug/L	0.300			50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.118*	*ug/L*	*0.120*		*98.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.113*	*ug/L*	*0.120*		*93.8*	*60-140*		
MRL Check (BGA3839-MRL2)					Prepared: 1/30/2023 Analyzed: 2/6/2023					
4,4'-DDD	0.00863		0.00600	ug/L	0.0120		71.9	50-150		
4,4'-DDE	0.00848		0.00600	ug/L	0.0120		70.7	50-150		
4,4'-DDT	0.00919		0.00600	ug/L	0.0120		76.6	50-150		
Aldrin	0.00821		0.00600	ug/L	0.0120		68.4	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0112		0.00600	ug/L	0.0120		93.7	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.0102		0.00600	ug/L	0.0120		85.4	50-150		
Chlordane (tech.)	0.0412		0.00600	ug/L	0.0480		85.9	50-150		
cis-Chlordane (alpha-Chlordane)	0.0138		0.00600	ug/L	0.0120		115	50-150		
delta-BHC	<0.00600	J1, U	0.00600	ug/L	0.0120			50-150		
Dieldrin	0.00932		0.00600	ug/L	0.0120		77.6	50-150		
Endosulfan I	0.00871		0.00600	ug/L	0.0120		72.6	50-150		
Endosulfan II	0.00826		0.00600	ug/L	0.0120		68.8	50-150		
Endosulfan sulfate	0.0104		0.00600	ug/L	0.0120		87.0	50-150		
Endrin	0.00974		0.00600	ug/L	0.0120		81.2	50-150		
Endrin aldehyde	0.00952		0.00600	ug/L	0.0120		79.4	50-150		
Endrin ketone	0.0104		0.00600	ug/L	0.0120		86.5	50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0105		0.00600	ug/L	0.0120		87.2	50-150		
gamma-Chlordane	0.00840		0.00600	ug/L	0.0120		70.0	50-150		
Heptachlor	0.0103		0.00600	ug/L	0.0120		86.0	50-150		
Heptachlor epoxide	0.00875		0.00600	ug/L	0.0120		73.0	50-150		
Methoxychlor	0.00982		0.00600	ug/L	0.0120		81.8	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0993*	*ug/L*	*0.120*		*82.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.105*	*ug/L*	*0.120*		*87.5*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3839 - SW-3511 (Continued)										
Matrix Spike (BGA3839-MS1)	**Source: 23A1459-02**				Prepared: 1/30/2023 Analyzed: 2/6/2023					
4,4'-DDD	0.0701	J1	0.00600	ug/L	0.120	<0.00600	58.4	60-140		
4,4'-DDE	0.0611	J1	0.00600	ug/L	0.120	<0.00600	50.9	60-140		
4,4'-DDT	0.0348	J1	0.00600	ug/L	0.120	<0.00600	29.0	60-140		
Aldrin	0.0634	J1	0.00600	ug/L	0.120	<0.00600	52.8	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.116		0.00600	ug/L	0.120	<0.00600	96.7	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.109		0.00600	ug/L	0.120	<0.00600	90.6	60-140		
Chlordane (tech.)	0.323		0.00600	ug/L	0.480	<0.00600	67.2	60-140		
cis-Chlordane (alpha-Chlordane)	0.0743		0.00600	ug/L	0.120	<0.00600	61.9	60-140		
delta-BHC	0.111		0.00600	ug/L	0.120	<0.00600	92.4	60-140		
Dieldrin	0.0995		0.00600	ug/L	0.120	<0.00600	82.9	60-140		
Endosulfan I	0.0905		0.00600	ug/L	0.120	<0.00600	75.4	60-140		
Endosulfan II	0.102		0.00600	ug/L	0.120	<0.00600	84.7	60-140		
Endosulfan sulfate	0.108		0.00600	ug/L	0.120	<0.00600	89.6	60-140		
Endrin	0.0952		0.00600	ug/L	0.120	<0.00600	79.3	60-140		
Endrin aldehyde	0.100		0.00600	ug/L	0.120	<0.00600	83.7	60-140		
Endrin ketone	0.105		0.00600	ug/L	0.120	<0.00600	87.5	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.105		0.00600	ug/L	0.120	<0.00600	87.9	60-140		
gamma-Chlordane	0.0721		0.00600	ug/L	0.120	<0.00600	60.1	60-140		
Heptachlor	0.0787		0.00600	ug/L	0.120	<0.00600	65.5	60-140		
Heptachlor epoxide	0.0976		0.00600	ug/L	0.120	<0.00600	81.3	60-140		
Methoxychlor	0.0480	J1	0.00600	ug/L	0.120	<0.00600	40.0	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.104*	*ug/L*	*0.120*		*86.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0539*	*ug/L*	*0.120*		*44.9*	*60-140*		
Matrix Spike Dup (BGA3839-MSD1)	**Source: 23A1459-02**				Prepared: 1/30/2023 Analyzed: 2/6/2023					
4,4'-DDD	0.0588	J1	0.00600	ug/L	0.120	<0.00600	49.0	60-140	17.6	40
4,4'-DDE	0.0448	J1	0.00600	ug/L	0.120	<0.00600	37.4	60-140	30.6	40
4,4'-DDT	0.0324	J1	0.00600	ug/L	0.120	<0.00600	27.0	60-140	7.06	40
Aldrin	0.0534	J1	0.00600	ug/L	0.120	<0.00600	44.5	60-140	17.1	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.111		0.00600	ug/L	0.120	<0.00600	92.5	60-140	4.41	40
beta-BHC (beta-Hexachlorocyclohexane)	0.0972		0.00600	ug/L	0.120	<0.00600	81.0	60-140	11.2	40
Chlordane (tech.)	0.288	J1	0.00600	ug/L	0.480	<0.00600	59.9	60-140	11.5	40
cis-Chlordane (alpha-Chlordane)	0.0670	J1	0.00600	ug/L	0.120	<0.00600	55.8	60-140	10.4	40
delta-BHC	0.100		0.00600	ug/L	0.120	<0.00600	83.4	60-140	10.2	40
Dieldrin	0.0928		0.00600	ug/L	0.120	<0.00600	77.3	60-140	6.98	40
Endosulfan I	0.0843		0.00600	ug/L	0.120	<0.00600	70.3	60-140	7.08	40
Endosulfan II	0.0878		0.00600	ug/L	0.120	<0.00600	73.2	60-140	14.6	40
Endosulfan sulfate	0.0917		0.00600	ug/L	0.120	<0.00600	76.4	60-140	15.9	40
Endrin	0.0861		0.00600	ug/L	0.120	<0.00600	71.8	60-140	10.0	40
Endrin aldehyde	0.0914		0.00600	ug/L	0.120	<0.00600	76.1	60-140	9.45	40
Endrin ketone	0.0921		0.00600	ug/L	0.120	<0.00600	76.7	60-140	13.1	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3839 - SW-3511 (Continued)										
Matrix Spike Dup (BGA3839-MSD1)	**Source: 23A1459-02**				Prepared: 1/30/2023 Analyzed: 2/6/2023					
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0991		0.00600	ug/L	0.120	<0.00600	82.6	60-140	6.22	40
gamma-Chlordane	0.0633	J1	0.00600	ug/L	0.120	<0.00600	52.7	60-140	13.0	40
Heptachlor	0.0689	J1	0.00600	ug/L	0.120	<0.00600	57.4	60-140	13.2	40
Heptachlor epoxide	0.0885		0.00600	ug/L	0.120	<0.00600	73.7	60-140	9.82	40
Methoxychlor	0.0405	J1	0.00600	ug/L	0.120	<0.00600	33.8	60-140	17.0	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0959*	*ug/L*	*0.120*		*79.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0488*	*ug/L*	*0.120*		*40.7*	*60-140*		
Batch: BGB0044 - SW-3570										
Blank (BGB0044-BLK1)					Prepared: 2/1/2023 Analyzed: 2/7/2023					
4,4'-DDD	<1.00	U	1.00	ug/kg wet						
4,4'-DDE	<1.00	U	1.00	ug/kg wet						
4,4'-DDT	<1.00	U	1.00	ug/kg wet						
Aldrin	<1.00	U	1.00	ug/kg wet						
alpha-BHC (alpha-Hexachlorocyclohexane)	<1.00	U	1.00	ug/kg wet						
beta-BHC (beta-Hexachlorocyclohexane)	<1.00	U	1.00	ug/kg wet						
Chlordane (tech.)	<1.00	U	1.00	ug/kg wet						
cis-Chlordane (alpha-Chlordane)	<1.00	U	1.00	ug/kg wet						
delta-BHC	<1.00	U	1.00	ug/kg wet						
Dieldrin	<1.00	U	1.00	ug/kg wet						
Endosulfan I	<1.00	U	1.00	ug/kg wet						
Endosulfan II	<1.00	U	1.00	ug/kg wet						
Endosulfan sulfate	<1.00	U	1.00	ug/kg wet						
Endrin	<1.00	U	1.00	ug/kg wet						
Endrin aldehyde	<1.00	U	1.00	ug/kg wet						
Endrin ketone	<1.00	U	1.00	ug/kg wet						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<1.00	U	1.00	ug/kg wet						
gamma-Chlordane	<1.00	U	1.00	ug/kg wet						
Heptachlor	<1.00	U	1.00	ug/kg wet						
Heptachlor epoxide	<1.00	U	1.00	ug/kg wet						
Methoxychlor	<1.00	U	1.00	ug/kg wet						
Toxaphene (Chlorinated Camphene)	<15.0	U	15.0	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*1.61*	*ug/kg wet*	*6.00*		*26.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.30*	*ug/kg wet*	*6.00*		*105*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0044 - SW-3570 (Continued)										
TOX LCS (BGB0044-BS1)					Prepared: 2/1/2023 Analyzed: 2/7/2023					
Toxaphene (Chlorinated Camphene)	61.0		15.0	ug/kg wet	60.0		102	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.67*	*ug/kg wet*	*6.00*		*77.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.51*	*ug/kg wet*	*6.00*		*91.8*	*60-140*		
LCS (BGB0044-BS2)					Prepared: 2/1/2023 Analyzed: 2/7/2023					
4,4'-DDD	5.23		1.00	ug/kg wet	6.00		87.1	60-140		
4,4'-DDE	5.67		1.00	ug/kg wet	6.00		94.6	60-140		
4,4'-DDT	3.67		1.00	ug/kg wet	6.00		61.2	60-140		
Aldrin	5.37		1.00	ug/kg wet	6.00		89.5	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	6.24		1.00	ug/kg wet	6.00		104	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	5.42		1.00	ug/kg wet	6.00		90.3	60-140		
Chlordane (tech.)	21.1		1.00	ug/kg wet	24.0		87.8	60-140		
cis-Chlordane (alpha-Chlordane)	5.23		1.00	ug/kg wet	6.00		87.1	60-140		
delta-BHC	5.42		1.00	ug/kg wet	6.00		90.4	60-140		
Dieldrin	5.17		1.00	ug/kg wet	6.00		86.2	60-140		
Endosulfan I	5.02		1.00	ug/kg wet	6.00		83.6	60-140		
Endosulfan II	5.12		1.00	ug/kg wet	6.00		85.3	60-140		
Endosulfan sulfate	5.04		1.00	ug/kg wet	6.00		84.0	60-140		
Endrin	5.32		1.00	ug/kg wet	6.00		88.7	60-140		
Endrin aldehyde	4.35		1.00	ug/kg wet	6.00		72.6	60-140		
Endrin ketone	5.48		1.00	ug/kg wet	6.00		91.3	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	5.65		1.00	ug/kg wet	6.00		94.1	60-140		
gamma-Chlordane	5.16		1.00	ug/kg wet	6.00		86.1	60-140		
Heptachlor	5.36		1.00	ug/kg wet	6.00		89.4	60-140		
Heptachlor epoxide	5.32		1.00	ug/kg wet	6.00		88.6	60-140		
Methoxychlor	4.81		1.00	ug/kg wet	6.00		80.2	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.46*	*ug/kg wet*	*6.00*		*91.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.45*	*ug/kg wet*	*6.00*		*108*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0044 - SW-3570 (Continued)										
TOX LCSD (BGB0044-BSD1)					Prepared: 2/1/2023 Analyzed: 2/7/2023					
Toxaphene (Chlorinated Camphene)	62.7		15.0	ug/kg wet	60.0		105	60-140	2.80	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.79*	*ug/kg wet*	*6.00*		*79.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.10*	*ug/kg wet*	*6.00*		*102*	*60-140*		
LCS Dup (BGB0044-BSD2)					Prepared: 2/1/2023 Analyzed: 2/8/2023					
4,4'-DDD	5.38		1.00	ug/kg wet	6.00		89.6	60-140	2.80	40
4,4'-DDE	5.59		1.00	ug/kg wet	6.00		93.2	60-140	1.44	40
4,4'-DDT	3.61		1.00	ug/kg wet	6.00		60.1	60-140	1.89	40
Aldrin	6.13		1.00	ug/kg wet	6.00		102	60-140	13.2	40
alpha-BHC (alpha-Hexachlorocyclohexane)	6.80		1.00	ug/kg wet	6.00		113	60-140	8.59	40
beta-BHC (beta-Hexachlorocyclohexane)	6.35		1.00	ug/kg wet	6.00		106	60-140	15.8	40
Chlordane (tech.)	23.4		1.00	ug/kg wet	24.0		97.4	60-140	10.4	40
cis-Chlordane (alpha-Chlordane)	5.53		1.00	ug/kg wet	6.00		92.2	60-140	5.73	40
delta-BHC	6.70		1.00	ug/kg wet	6.00		112	60-140	21.1	40
Dieldrin	5.20		1.00	ug/kg wet	6.00		86.6	60-140	0.521	40
Endosulfan I	5.13		1.00	ug/kg wet	6.00		85.5	60-140	2.27	40
Endosulfan II	5.19		1.00	ug/kg wet	6.00		86.4	60-140	1.31	40
Endosulfan sulfate	5.13		1.00	ug/kg wet	6.00		85.6	60-140	1.89	40
Endrin	5.07		1.00	ug/kg wet	6.00		84.4	60-140	4.89	40
Endrin aldehyde	4.26		1.00	ug/kg wet	6.00		71.0	60-140	2.22	40
Endrin ketone	5.39		1.00	ug/kg wet	6.00		89.8	60-140	1.68	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	6.31		1.00	ug/kg wet	6.00		105	60-140	11.1	40
gamma-Chlordane	5.69		1.00	ug/kg wet	6.00		94.9	60-140	9.74	40
Heptachlor	6.12		1.00	ug/kg wet	6.00		102	60-140	13.2	40
Heptachlor epoxide	6.04		1.00	ug/kg wet	6.00		101	60-140	12.7	40
Methoxychlor	4.88		1.00	ug/kg wet	6.00		81.3	60-140	1.37	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.94*	*ug/kg wet*	*6.00*		*99.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.34*	*ug/kg wet*	*6.00*		*106*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0044 - SW-3570 (Continued)										
TOX MRL (BGB0044-MRL1)					Prepared: 2/1/2023 Analyzed: 2/7/2023					
Toxaphene (Chlorinated Camphene)	16.8		15.0	ug/kg wet	15.0		112	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.87*	*ug/kg wet*	*6.00*		*97.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.90*	*ug/kg wet*	*6.00*		*98.3*	*60-140*		
MRL Check (BGB0044-MRL2)					Prepared: 2/1/2023 Analyzed: 2/7/2023					
4,4'-DDD	0.375	J	1.00	ug/kg wet	0.400		93.7			
4,4'-DDE	0.366	J	1.00	ug/kg wet	0.400		91.5			
4,4'-DDT	0.291	J	1.00	ug/kg wet	0.400		72.8			
Aldrin	0.321	J	1.00	ug/kg wet	0.400		80.2			
alpha-BHC (alpha-Hexachlorocyclohexane)	0.470	J	1.00	ug/kg wet	0.400		117			
beta-BHC (beta-Hexachlorocyclohexane)	0.393	J	1.00	ug/kg wet	0.400		98.3			
Chlordane (tech.)	1.34		1.00	ug/kg wet	1.60		83.8	50-150		
cis-Chlordane (alpha-Chlordane)	0.356	J	1.00	ug/kg wet	0.400		89.1			
delta-BHC	<1.00	J1, U	1.00	ug/kg wet	0.400					
Dieldrin	0.296	J	1.00	ug/kg wet	0.400		74.0			
Endosulfan I	0.325	J	1.00	ug/kg wet	0.400		81.3			
Endosulfan II	0.339	J	1.00	ug/kg wet	0.400		84.8			
Endosulfan sulfate	0.352	J	1.00	ug/kg wet	0.400		88.0			
Endrin	0.259	J	1.00	ug/kg wet	0.400		64.6			
Endrin aldehyde	0.302	J	1.00	ug/kg wet	0.400		75.4			
Endrin ketone	0.410	J	1.00	ug/kg wet	0.400		103			
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.385	J	1.00	ug/kg wet	0.400		96.2			
gamma-Chlordane	0.337	J	1.00	ug/kg wet	0.400		84.2			
Heptachlor	0.297	J	1.00	ug/kg wet	0.400		74.2			
Heptachlor epoxide	0.351	J	1.00	ug/kg wet	0.400		87.7			
Methoxychlor	0.336	J	1.00	ug/kg wet	0.400		83.9			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.91*	*ug/kg wet*	*6.00*		*81.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.28*	*ug/kg wet*	*6.00*		*105*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0044 - SW-3570 (Continued)										
Matrix Spike (BGB0044-MS1)	**Source: 23A1459-47**			Prepared: 2/1/2023 Analyzed: 2/8/2023						
4,4'-DDD	9.43		1.45	ug/kg dry	8.69	<1.45	109	60-140		
4,4'-DDE	9.60		1.45	ug/kg dry	8.69	<1.45	110	60-140		
4,4'-DDT	5.89		1.45	ug/kg dry	8.69	<1.45	67.8	60-140		
Aldrin	8.26		1.45	ug/kg dry	8.69	<1.45	95.1	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	10.2		1.45	ug/kg dry	8.69	<1.45	117	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	9.53		1.45	ug/kg dry	8.69	<1.45	110	60-140		
Chlordane (tech.)	34.3		1.45	ug/kg dry	34.8	<1.45	98.6	60-140		
cis-Chlordane (alpha-Chlordane)	8.49		1.45	ug/kg dry	8.69	<1.45	97.7	60-140		
delta-BHC	9.44		1.45	ug/kg dry	8.69	<1.45	109	60-140		
Dieldrin	8.90		1.45	ug/kg dry	8.69	<1.45	102	60-140		
Endosulfan I	8.23		1.45	ug/kg dry	8.69	<1.45	94.7	60-140		
Endosulfan II	8.73		1.45	ug/kg dry	8.69	<1.45	100	60-140		
Endosulfan sulfate	8.68		1.45	ug/kg dry	8.69	<1.45	99.8	60-140		
Endrin	8.77		1.45	ug/kg dry	8.69	<1.45	101	60-140		
Endrin aldehyde	7.51		1.45	ug/kg dry	8.69	<1.45	86.4	60-140		
Endrin ketone	7.73		1.45	ug/kg dry	8.69	<1.45	88.9	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	9.33		1.45	ug/kg dry	8.69	<1.45	107	60-140		
gamma-Chlordane	8.25		1.45	ug/kg dry	8.69	<1.45	94.9	60-140		
Heptachlor	8.76		1.45	ug/kg dry	8.69	<1.45	101	60-140		
Heptachlor epoxide	8.76		1.45	ug/kg dry	8.69	<1.45	101	60-140		
Methoxychlor	7.29		1.45	ug/kg dry	8.69	<1.45	83.9	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*8.62*	*ug/kg dry*	*8.69*		*99.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*9.05*	*ug/kg dry*	*8.69*		*104*	*60-140*		
Matrix Spike Dup (BGB0044-MSD1)	**Source: 23A1459-47**			Prepared: 2/1/2023 Analyzed: 2/8/2023						
4,4'-DDD	7.49		1.45	ug/kg dry	8.69	<1.45	86.2	60-140	22.9	40
4,4'-DDE	8.94		1.45	ug/kg dry	8.69	<1.45	103	60-140	7.09	40
4,4'-DDT	5.43		1.45	ug/kg dry	8.69	<1.45	62.5	60-140	8.09	40
Aldrin	7.11		1.45	ug/kg dry	8.69	<1.45	81.8	60-140	15.0	40
alpha-BHC (alpha-Hexachlorocyclohexane)	8.92		1.45	ug/kg dry	8.69	<1.45	103	60-140	13.1	40
beta-BHC (beta-Hexachlorocyclohexane)	8.09		1.45	ug/kg dry	8.69	<1.45	93.1	60-140	16.3	40
Chlordane (tech.)	29.8		1.45	ug/kg dry	34.8	<1.45	85.6	60-140	14.0	40
cis-Chlordane (alpha-Chlordane)	7.39		1.45	ug/kg dry	8.69	<1.45	85.0	60-140	13.9	40
delta-BHC	8.06		1.45	ug/kg dry	8.69	<1.45	92.7	60-140	15.8	40
Dieldrin	7.30		1.45	ug/kg dry	8.69	<1.45	84.0	60-140	19.7	40
Endosulfan I	6.97		1.45	ug/kg dry	8.69	<1.45	80.2	60-140	16.5	40
Endosulfan II	6.83		1.45	ug/kg dry	8.69	<1.45	78.6	60-140	24.4	40
Endosulfan sulfate	7.06		1.45	ug/kg dry	8.69	<1.45	81.2	60-140	20.5	40
Endrin	7.78		1.45	ug/kg dry	8.69	<1.45	89.6	60-140	12.0	40
Endrin aldehyde	6.44		1.45	ug/kg dry	8.69	<1.45	74.1	60-140	15.3	40
Endrin ketone	7.36		1.45	ug/kg dry	8.69	<1.45	84.7	60-140	4.86	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0044 - SW-3570 (Continued)										
Matrix Spike Dup (BGB0044-MSD1)	**Source: 23A1459-47**				Prepared: 2/1/2023 Analyzed: 2/8/2023					
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	7.84		1.45	ug/kg dry	8.69	<1.45	90.2	60-140	17.4	40
gamma-Chlordane	7.23		1.45	ug/kg dry	8.69	<1.45	83.2	60-140	13.1	40
Heptachlor	7.45		1.45	ug/kg dry	8.69	<1.45	85.8	60-140	16.1	40
Heptachlor epoxide	7.69		1.45	ug/kg dry	8.69	<1.45	88.5	60-140	13.1	40
Methoxychlor	7.02		1.45	ug/kg dry	8.69	<1.45	80.8	60-140	3.80	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*7.28*	*ug/kg dry*	*8.69*		*83.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*9.40*	*ug/kg dry*	*8.69*		*108*	*60-140*		
Batch: BGB0277 - SW-3511										
Blank (BGB0277-BLK1)					Prepared: 2/2/2023 Analyzed: 2/11/2023					
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.147*	*ug/L*	*0.120*		*123*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.142*	*ug/L*	*0.120*		*118*	*60-140*		
LCS (BGB0277-BS1)					Prepared: 2/2/2023 Analyzed: 2/11/2023					
Aroclor-1016 (PCB-1016)	<0.120	L, U	0.120	ug/L	1.20			60-140		
Aroclor-1260 (PCB-1260)	0.852		0.120	ug/L	1.20		71.0	60-140		
PCBs, Total	1.14		0.120	ug/L	1.20		94.9	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.117*	*ug/L*	*0.120*		*97.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.118*	*ug/L*	*0.120*		*98.6*	*60-140*		
LCS Dup (BGB0277-BSD1)					Prepared: 2/2/2023 Analyzed: 2/11/2023					
Aroclor-1016 (PCB-1016)	<0.120	L, U	0.120	ug/L	1.20			60-140		40
Aroclor-1260 (PCB-1260)	0.913		0.120	ug/L	1.20		76.1	60-140	6.89	40
PCBs, Total	1.22		0.120	ug/L	1.20		102	60-140	7.18	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.131*	*ug/L*	*0.120*		*109*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.127*	*ug/L*	*0.120*		*106*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0277 - SW-3511 (Continued)										
MRL Check (BGB0277-MRL1)					Prepared: 2/2/2023 Analyzed: 2/11/2023					
Aroclor-1016 (PCB-1016)	<0.120	J1, L, U	0.120	ug/L	0.240			50-150		
Aroclor-1221 (PCB-1221)	<0.120	U	0.120	ug/L				50-150		
Aroclor-1232 (PCB-1232)	<0.120	U	0.120	ug/L				50-150		
Aroclor-1242 (PCB-1242)	<0.120	U	0.120	ug/L				50-150		
Aroclor-1248 (PCB-1248)	<0.120	U	0.120	ug/L				50-150		
Aroclor-1254 (PCB-1254)	<0.120	U	0.120	ug/L				50-150		
Aroclor-1260 (PCB-1260)	0.206		0.120	ug/L	0.240		85.8	50-150		
PCBs, Total	0.489	J1	0.120	ug/L	0.240		204	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.133*	*ug/L*	*0.120*		*111*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.128*	*ug/L*	*0.120*		*107*	*60-140*		
Matrix Spike (BGB0277-MS1)		**Source: 23A1459-49**			Prepared: 2/2/2023 Analyzed: 2/11/2023					
Aroclor-1016 (PCB-1016)	0.709	J1	0.120	ug/L	1.20	<0.120	59.1	60-140		
Aroclor-1260 (PCB-1260)	0.549	J1	0.120	ug/L	1.20	<0.120	45.8	60-140		
PCBs, Total	0.571	J1	0.120	ug/L	1.20	<0.120	47.6	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.105*	*ug/L*	*0.120*		*87.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0685*	*ug/L*	*0.120*		*57.1*	*60-140*		
Matrix Spike Dup (BGB0277-MSD1)		**Source: 23A1459-49**			Prepared: 2/2/2023 Analyzed: 2/11/2023					
Aroclor-1016 (PCB-1016)	0.805		0.120	ug/L	1.20	<0.120	67.1	60-140	12.7	40
Aroclor-1260 (PCB-1260)	0.556	J1	0.120	ug/L	1.20	<0.120	46.3	60-140	1.17	40
PCBs, Total	0.589	J1	0.120	ug/L	1.20	<0.120	49.1	60-140	3.09	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.115*	*ug/L*	*0.120*		*95.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0649*	*ug/L*	*0.120*		*54.1*	*60-140*		

Batch: BGB0477 - SW-3570

Analyte	Result	Qual	Reporting Limit	Units
Blank (BGB0477-BLK1)			Prepared: 2/3/2023 Analyzed: 2/10/2023	
4,4'-DDD	<0.999	U	0.999	ug/kg wet
4,4'-DDE	<0.999	U	0.999	ug/kg wet
4,4'-DDT	<0.999	U	0.999	ug/kg wet
Aldrin	<0.999	U	0.999	ug/kg wet
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.999	U	0.999	ug/kg wet
beta-BHC (beta-Hexachlorocyclohexane)	<0.999	U	0.999	ug/kg wet
Chlordane (tech.)	<0.999	U	0.999	ug/kg wet
cis-Chlordane (alpha-Chlordane)	<0.999	U	0.999	ug/kg wet
delta-BHC	<0.999	U	0.999	ug/kg wet
Dieldrin	<0.999	U	0.999	ug/kg wet
Endosulfan I	<0.999	U	0.999	ug/kg wet
Endosulfan II	<0.999	U	0.999	ug/kg wet
Endosulfan sulfate	<0.999	U	0.999	ug/kg wet

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0477 - SW-3570 (Continued)										
Blank (BGB0477-BLK1)					Prepared: 2/3/2023 Analyzed: 2/10/2023					
Endrin	<0.999	U	0.999	ug/kg wet						
Endrin aldehyde	<0.999	U	0.999	ug/kg wet						
Endrin ketone	<0.999	U	0.999	ug/kg wet						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.999	U	0.999	ug/kg wet						
gamma-Chlordane	<0.999	U	0.999	ug/kg wet						
Heptachlor	<0.999	U	0.999	ug/kg wet						
Heptachlor epoxide	<0.999	U	0.999	ug/kg wet						
Methoxychlor	<0.999	U	0.999	ug/kg wet						
Toxaphene (Chlorinated Camphene)	<15.0	U	15.0	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*6.52*	*ug/kg wet*	*5.99*		*109*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.50*	*ug/kg wet*	*5.99*		*108*	*60-140*		
TOX LCS (BGB0477-BS1)					Prepared: 2/3/2023 Analyzed: 2/10/2023					
Toxaphene (Chlorinated Camphene)	62.4		14.9	ug/kg wet	59.7		104	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*3.71*	*ug/kg wet*	*5.97*		*62.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.83*	*ug/kg wet*	*5.97*		*97.6*	*60-140*		
LCS (BGB0477-BS2)					Prepared: 2/3/2023 Analyzed: 2/10/2023					
4,4'-DDD	5.52		0.991	ug/kg wet	5.95		92.9	60-140		
4,4'-DDE	4.95		0.991	ug/kg wet	5.95		83.2	60-140		
4,4'-DDT	3.58		0.991	ug/kg wet	5.95		60.2	60-140		
Aldrin	5.09		0.991	ug/kg wet	5.95		85.6	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	6.52		0.991	ug/kg wet	5.95		110	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	5.63		0.991	ug/kg wet	5.95		94.7	60-140		
Chlordane (tech.)	20.9		0.991	ug/kg wet	23.8		88.1	60-140		
cis-Chlordane (alpha-Chlordane)	5.27		0.991	ug/kg wet	5.95		88.6	60-140		
delta-BHC	4.67		0.991	ug/kg wet	5.95		78.5	60-140		
Dieldrin	5.11		0.991	ug/kg wet	5.95		85.9	60-140		
Endosulfan I	4.76		0.991	ug/kg wet	5.95		80.0	60-140		
Endosulfan II	5.29		0.991	ug/kg wet	5.95		88.9	60-140		
Endosulfan sulfate	5.15		0.991	ug/kg wet	5.95		86.5	60-140		
Endrin	5.00		0.991	ug/kg wet	5.95		84.0	60-140		
Endrin aldehyde	4.61		0.991	ug/kg wet	5.95		77.5	60-140		
Endrin ketone	5.87		0.991	ug/kg wet	5.95		98.7	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	5.95		0.991	ug/kg wet	5.95		100	60-140		
gamma-Chlordane	5.49		0.991	ug/kg wet	5.95		92.3	60-140		
Heptachlor	5.24		0.991	ug/kg wet	5.95		88.1	60-140		
Heptachlor epoxide	4.95		0.991	ug/kg wet	5.95		83.2	60-140		
Methoxychlor	5.35		0.991	ug/kg wet	5.95		89.9	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0477 - SW-3570 (Continued)										
LCS (BGB0477-BS2)					Prepared: 2/3/2023 Analyzed: 2/10/2023					
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.45*	*ug/kg wet*	*5.95*		*91.7*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*6.14*	*ug/kg wet*	*5.95*		*103*	*60-140*		
TOX LCSD (BGB0477-BSD1)					Prepared: 2/3/2023 Analyzed: 2/10/2023					
Toxaphene (Chlorinated Camphene)	53.7		14.8	ug/kg wet	59.2		90.6	60-140	15.0	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.42*	*ug/kg wet*	*5.92*		*74.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.19*	*ug/kg wet*	*5.92*		*87.6*	*60-140*		
LCS Dup (BGB0477-BSD2)					Prepared: 2/3/2023 Analyzed: 2/10/2023					
4,4'-DDD	5.26		0.983	ug/kg wet	5.90		89.1	60-140	4.95	40
4,4'-DDE	5.43		0.983	ug/kg wet	5.90		92.1	60-140	9.29	40
4,4'-DDT	3.37	J1	0.983	ug/kg wet	5.90		57.1	60-140	6.19	40
Aldrin	4.94		0.983	ug/kg wet	5.90		83.8	60-140	2.97	40
alpha-BHC (alpha-Hexachlorocyclohexane)	5.86		0.983	ug/kg wet	5.90		99.3	60-140	10.7	40
beta-BHC (beta-Hexachlorocyclohexane)	5.27		0.983	ug/kg wet	5.90		89.3	60-140	6.67	40
Chlordane (tech.)	20.6		0.983	ug/kg wet	23.6		87.4	60-140	1.61	40
cis-Chlordane (alpha-Chlordane)	5.29		0.983	ug/kg wet	5.90		89.6	60-140	0.355	40
delta-BHC	4.25		0.983	ug/kg wet	5.90		72.1	60-140	9.35	40
Dieldrin	5.15		0.983	ug/kg wet	5.90		87.3	60-140	0.919	40
Endosulfan I	4.66		0.983	ug/kg wet	5.90		79.0	60-140	2.07	40
Endosulfan II	4.98		0.983	ug/kg wet	5.90		84.3	60-140	6.10	40
Endosulfan sulfate	4.93		0.983	ug/kg wet	5.90		83.5	60-140	4.40	40
Endrin	4.88		0.983	ug/kg wet	5.90		82.7	60-140	2.41	40
Endrin aldehyde	4.35		0.983	ug/kg wet	5.90		73.8	60-140	5.79	40
Endrin ketone	5.26		0.983	ug/kg wet	5.90		89.1	60-140	11.1	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	5.56		0.983	ug/kg wet	5.90		94.2	60-140	6.84	40
gamma-Chlordane	5.41		0.983	ug/kg wet	5.90		91.6	60-140	1.54	40
Heptachlor	5.10		0.983	ug/kg wet	5.90		86.4	60-140	2.74	40
Heptachlor epoxide	4.82		0.983	ug/kg wet	5.90		81.7	60-140	2.60	40
Methoxychlor	4.63		0.983	ug/kg wet	5.90		78.5	60-140	14.4	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*5.26*	*ug/kg wet*	*5.90*		*89.1*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.65*	*ug/kg wet*	*5.90*		*95.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0477 - SW-3570 (Continued)										
TOX MRL (BGB0477-MRL1)				Prepared: 2/3/2023 Analyzed: 2/10/2023						
Toxaphene (Chlorinated Camphene)	<14.3	J1, U	14.3	ug/kg wet	14.3			50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr	*S*		*3.38*	*ug/kg wet*	*5.71*		*59.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*4.97*	*ug/kg wet*	*5.71*		*87.0*	*60-140*		
MRL Check (BGB0477-MRL2)				Prepared: 2/3/2023 Analyzed: 2/10/2023						
4,4'-DDD	0.370	J	0.981	ug/kg wet	0.393		94.2			
4,4'-DDE	0.405	J	0.981	ug/kg wet	0.393		103			
4,4'-DDT	0.261	J	0.981	ug/kg wet	0.393		66.6			
Aldrin	0.337	J	0.981	ug/kg wet	0.393		86.0			
alpha-BHC (alpha-Hexachlorocyclohexane)	0.437	J	0.981	ug/kg wet	0.393		111			
beta-BHC (beta-Hexachlorocyclohexane)	0.438	J	0.981	ug/kg wet	0.393		112			
Chlordane (tech.)	1.19		0.981	ug/kg wet	1.57		75.9	50-150		
cis-Chlordane (alpha-Chlordane)	0.176	J	0.981	ug/kg wet	0.393		44.9			
delta-BHC	<0.981	J1, U	0.981	ug/kg wet	0.393					
Dieldrin	0.286	J	0.981	ug/kg wet	0.393		72.9			
Endosulfan I	0.316	J	0.981	ug/kg wet	0.393		80.6			
Endosulfan II	0.344	J	0.981	ug/kg wet	0.393		87.6			
Endosulfan sulfate	0.321	J	0.981	ug/kg wet	0.393		81.9			
Endrin	0.279	J	0.981	ug/kg wet	0.393		71.1			
Endrin aldehyde	0.246	J	0.981	ug/kg wet	0.393		62.6			
Endrin ketone	0.413	J	0.981	ug/kg wet	0.393		105			
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.402	J	0.981	ug/kg wet	0.393		103			
gamma-Chlordane	0.332	J	0.981	ug/kg wet	0.393		84.6			
Heptachlor	0.356	J	0.981	ug/kg wet	0.393		90.7			
Heptachlor epoxide	0.328	J	0.981	ug/kg wet	0.393		83.6			
Methoxychlor	0.329	J	0.981	ug/kg wet	0.393		83.9			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*4.75*	*ug/kg wet*	*5.89*		*80.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*5.61*	*ug/kg wet*	*5.89*		*95.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0477 - SW-3570 (Continued)										
Matrix Spike (BGB0477-MS1)	**Source: 23A1459-66**			Prepared: 2/3/2023 Analyzed: 2/10/2023						
4,4'-DDD	6.78		1.31	ug/kg dry	7.88	<1.31	86.1	60-140		
4,4'-DDE	6.51		1.31	ug/kg dry	7.88	<1.31	82.6	60-140		
4,4'-DDT	4.23	J1	1.31	ug/kg dry	7.88	<1.31	53.7	60-140		
Aldrin	6.21		1.31	ug/kg dry	7.88	<1.31	78.8	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	7.62		1.31	ug/kg dry	7.88	<1.31	96.7	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	6.85		1.31	ug/kg dry	7.88	<1.31	86.9	60-140		
Chlordane (tech.)	26.2		1.31	ug/kg dry	31.5	<1.31	83.0	60-140		
cis-Chlordane (alpha-Chlordane)	6.59		1.31	ug/kg dry	7.88	<1.31	83.6	60-140		
delta-BHC	5.41		1.31	ug/kg dry	7.88	<1.31	68.6	60-140		
Dieldrin	6.57		1.31	ug/kg dry	7.88	<1.31	83.4	60-140		
Endosulfan I	6.00		1.31	ug/kg dry	7.88	<1.31	76.2	60-140		
Endosulfan II	6.63		1.31	ug/kg dry	7.88	<1.31	84.1	60-140		
Endosulfan sulfate	6.36		1.31	ug/kg dry	7.88	<1.31	80.8	60-140		
Endrin	6.28		1.31	ug/kg dry	7.88	<1.31	79.8	60-140		
Endrin aldehyde	5.35		1.31	ug/kg dry	7.88	<1.31	67.9	60-140		
Endrin ketone	6.95		1.31	ug/kg dry	7.88	<1.31	88.2	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	7.27		1.31	ug/kg dry	7.88	<1.31	92.3	60-140		
gamma-Chlordane	6.92		1.31	ug/kg dry	7.88	<1.31	87.8	60-140		
Heptachlor	6.56		1.31	ug/kg dry	7.88	<1.31	83.3	60-140		
Heptachlor epoxide	6.10		1.31	ug/kg dry	7.88	<1.31	77.5	60-140		
Methoxychlor	6.00		1.31	ug/kg dry	7.88	<1.31	76.2	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*6.13*	*ug/kg dry*	*7.88*		*77.8*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*7.29*	*ug/kg dry*	*7.88*		*92.6*	*60-140*		
Matrix Spike Dup (BGB0477-MSD1)	**Source: 23A1459-66**			Prepared: 2/3/2023 Analyzed: 2/10/2023						
4,4'-DDD	6.39		1.26	ug/kg dry	7.54	<1.26	84.7	60-140	6.00	40
4,4'-DDE	6.49		1.26	ug/kg dry	7.54	<1.26	86.1	60-140	0.188	40
4,4'-DDT	4.46	J1	1.26	ug/kg dry	7.54	<1.26	59.1	60-140	5.23	40
Aldrin	5.93		1.26	ug/kg dry	7.54	<1.26	78.6	60-140	4.59	40
alpha-BHC (alpha-Hexachlorocyclohexane)	7.36		1.26	ug/kg dry	7.54	<1.26	97.6	60-140	3.43	40
beta-BHC (beta-Hexachlorocyclohexane)	6.60		1.26	ug/kg dry	7.54	<1.26	87.6	60-140	3.63	40
Chlordane (tech.)	25.3		1.26	ug/kg dry	30.2	<1.26	84.0	60-140	3.17	40
cis-Chlordane (alpha-Chlordane)	6.38		1.26	ug/kg dry	7.54	<1.26	84.6	60-140	3.23	40
delta-BHC	5.31		1.26	ug/kg dry	7.54	<1.26	70.4	60-140	1.85	40
Dieldrin	6.43		1.26	ug/kg dry	7.54	<1.26	85.2	60-140	2.23	40
Endosulfan I	5.75		1.26	ug/kg dry	7.54	<1.26	76.3	60-140	4.23	40
Endosulfan II	6.07		1.26	ug/kg dry	7.54	<1.26	80.5	60-140	8.73	40
Endosulfan sulfate	6.22		1.26	ug/kg dry	7.54	<1.26	82.4	60-140	2.35	40
Endrin	6.13		1.26	ug/kg dry	7.54	<1.26	81.2	60-140	2.53	40
Endrin aldehyde	5.51		1.26	ug/kg dry	7.54	<1.26	73.1	60-140	3.05	40
Endrin ketone	6.70		1.26	ug/kg dry	7.54	<1.26	88.9	60-140	3.56	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0477 - SW-3570 (Continued)										
Matrix Spike Dup (BGB0477-MSD1)	**Source: 23A1459-66**			Prepared: 2/3/2023 Analyzed: 2/10/2023						
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	6.97		1.26	ug/kg dry	7.54	<1.26	92.5	60-140	4.19	40
gamma-Chlordane	6.71		1.26	ug/kg dry	7.54	<1.26	89.0	60-140	2.97	40
Heptachlor	6.38		1.26	ug/kg dry	7.54	<1.26	84.7	60-140	2.74	40
Heptachlor epoxide	5.87		1.26	ug/kg dry	7.54	<1.26	77.9	60-140	3.82	40
Methoxychlor	5.94		1.26	ug/kg dry	7.54	<1.26	78.7	60-140	1.04	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*6.48*	*ug/kg dry*	*7.54*		*85.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*7.15*	*ug/kg dry*	*7.54*		*94.9*	*60-140*		
Batch: BGB1177 - SW-3570										
Blank (BGB1177-BLK1)				Prepared: 2/8/2023 Analyzed: 2/25/2023						
PCBs, Total	<1.98	U	1.98	ug/kg wet						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.493*	*ug/kg wet*	*0.593*		*83.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.609*	*ug/kg wet*	*0.593*		*103*	*60-140*		
LCS (BGB1177-BS1)				Prepared: 2/8/2023 Analyzed: 2/25/2023						
Aroclor-1016 (PCB-1016)	4.70		1.96	ug/kg wet	5.88		80.0	60-140		
Aroclor-1260 (PCB-1260)	5.37		1.96	ug/kg wet	5.88		91.4	60-140		
PCBs, Total	5.23		1.96	ug/kg wet	5.88		89.0	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.592*	*ug/kg wet*	*0.588*		*101*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.611*	*ug/kg wet*	*0.588*		*104*	*60-140*		
LCS Dup (BGB1177-BSD1)				Prepared: 2/8/2023 Analyzed: 2/25/2023						
Aroclor-1016 (PCB-1016)	3.63		1.96	ug/kg wet	5.87		62.0	60-140	25.6	40
Aroclor-1260 (PCB-1260)	5.70		1.96	ug/kg wet	5.87		97.2	60-140	5.97	40
PCBs, Total	5.27		1.96	ug/kg wet	5.87		89.8	60-140	0.661	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.440*	*ug/kg wet*	*0.587*		*75.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.664*	*ug/kg wet*	*0.587*		*113*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB1177 - SW-3570 (Continued)										
MRL Check (BGB1177-MRL1)					Prepared: 2/8/2023 Analyzed: 2/25/2023					
Aroclor-1016 (PCB-1016)	0.476	J	1.98	ug/kg wet	1.19		40.1			
Aroclor-1260 (PCB-1260)	1.56	J	1.98	ug/kg wet	1.19		132			
PCBs, Total	1.34	J	1.98	ug/kg wet	1.19		113			
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.409*	*ug/kg wet*	*0.593*		*69.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.637*	*ug/kg wet*	*0.593*		*107*	*60-140*		
Matrix Spike (BGB1177-MS1)		**Source: 23A1459-46**			Prepared: 2/8/2023 Analyzed: 2/25/2023					
Aroclor-1016 (PCB-1016)	6.45		2.79	ug/kg dry	8.37	<2.79	77.1	60-140		
Aroclor-1260 (PCB-1260)	10.3		2.79	ug/kg dry	8.37	<2.79	123	60-140		
PCBs, Total	9.45		2.79	ug/kg dry	8.37	<2.79	113	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*1.07*	*ug/kg dry*	*0.837*		*127*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*1.04*	*ug/kg dry*	*0.837*		*124*	*60-140*		
Matrix Spike Dup (BGB1177-MSD1)		**Source: 23A1459-46**			Prepared: 2/8/2023 Analyzed: 2/25/2023					
Aroclor-1016 (PCB-1016)	3.83	J1	2.79	ug/kg dry	8.37	<2.79	45.7	60-140	51.1	40
Aroclor-1260 (PCB-1260)	7.70		2.79	ug/kg dry	8.37	<2.79	92.0	60-140	28.6	40
PCBs, Total	6.89		2.79	ug/kg dry	8.37	<2.79	82.3	60-140	31.4	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.666*	*ug/kg dry*	*0.837*		*79.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.662*	*ug/kg dry*	*0.837*		*79.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3233 - EPA 200.8 Solid										
Blank (BGA3233-BLK1)				Prepared: 1/25/2023 Analyzed: 1/31/2023						
Antimony	<0.0996	U	0.0996	mg/kg wet						
Arsenic	<0.0497	U	0.0497	mg/kg wet						
Cadmium	<0.0996	U	0.0996	mg/kg wet						
Chromium	0.0174	J	0.298	mg/kg wet						
Lead	<0.0497	U	0.0497	mg/kg wet						
Nickel	<0.0996	U	0.0996	mg/kg wet						
Silver	<0.0497	U	0.0497	mg/kg wet						
Thallium	<0.0497	U	0.0497	mg/kg wet						
Blank (BGA3233-BLK2)				Prepared: 1/25/2023 Analyzed: 2/1/2023						
Beryllium	<0.0199	U	0.0199	mg/kg wet						
Selenium	<0.199	U	0.199	mg/kg wet						
Zinc	<0.199	U	0.199	mg/kg wet						
Blank (BGA3233-BLK3)				Prepared: 1/25/2023 Analyzed: 2/1/2023						
Copper	0.0575	J	0.0996	mg/kg wet						
LCS (BGA3233-BS1)				Prepared: 1/25/2023 Analyzed: 1/31/2023						
Antimony	10.5		0.0982	mg/kg wet	9.80		107	85-115		
Arsenic	5.28		0.0490	mg/kg wet	4.90		108	85-115		
Cadmium	10.4		0.0982	mg/kg wet	9.80		106	85-115		
Chromium	31.8		0.294	mg/kg wet	29.4		108	85-115		
Lead	5.44		0.0490	mg/kg wet	4.90		111	85-115		
Nickel	10.4		0.0982	mg/kg wet	9.80		107	85-115		
Silver	5.14		0.0490	mg/kg wet	4.90		105	85-115		
Thallium	5.32		0.0490	mg/kg wet	4.90		109	85-115		
LCS (BGA3233-BS2)				Prepared: 1/25/2023 Analyzed: 2/1/2023						
Beryllium	2.04		0.0196	mg/kg wet	1.96		104	85-115		
Selenium	20.4		0.196	mg/kg wet	19.6		104	85-115		
Zinc	21.2		0.196	mg/kg wet	19.6		108	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3233 - EPA 200.8 Solid (Continued)										
LCS (BGA3233-BS3)					Prepared: 1/25/2023 Analyzed: 2/1/2023					
Copper	11.3		0.0982	mg/kg wet	9.80		115	85-115		
Duplicate (BGA3233-DUP1)			**Source: 23A1459-43**		Prepared: 1/25/2023 Analyzed: 1/31/2023					
Antimony	<0.0485	U	0.0485	mg/kg dry		<0.0485				20
Arsenic	0.271		0.0242	mg/kg dry		0.295			8.54	20
Cadmium	0.00344	J	0.0485	mg/kg dry		0.00315			8.82	20
Chromium	1.84	J1	0.145	mg/kg dry		2.32			22.9	20
Lead	2.26		0.0242	mg/kg dry		2.27			0.399	20
Nickel	1.36		0.0485	mg/kg dry		1.64			19.1	20
Silver	<0.0242	U	0.0242	mg/kg dry		<0.0242				20
Thallium	0.0195	J	0.0242	mg/kg dry		0.0223			13.4	20
Duplicate (BGA3233-DUP2)			**Source: 23A1459-43**		Prepared: 1/25/2023 Analyzed: 2/1/2023					
Beryllium	0.213		0.00967	mg/kg dry		0.217			1.60	20
Selenium	0.355		0.0967	mg/kg dry		0.377			5.94	20
Zinc	2.85		0.0967	mg/kg dry		3.41			18.0	20
Duplicate (BGA3233-DUP3)			**Source: 23A1459-43**		Prepared: 1/25/2023 Analyzed: 2/1/2023					
Copper	0.852		0.0485	mg/kg dry		0.962			12.1	20
MDL Check (BGA3233-MRL1)					Prepared: 1/25/2023 Analyzed: 1/31/2023					
Antimony	0.0512	J	0.0996	mg/kg wet	0.0497		103			
Arsenic	0.00736	J	0.0497	mg/kg wet	0.00497		148			
Cadmium	0.00537	J	0.0996	mg/kg wet	0.00497		108			
Chromium	0.0364	J	0.298	mg/kg wet	0.0149		244			
Lead	0.00616	J	0.0497	mg/kg wet	0.00497		124			
Nickel	0.0145	J	0.0996	mg/kg wet	0.00497		292			
Silver	0.00298	J	0.0497	mg/kg wet	0.00249		120			
Thallium	0.00328	J	0.0497	mg/kg wet	0.00249		132			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3233 - EPA 200.8 Solid (Continued)										
MDL Check (BGA3233-MRL2)					Prepared: 1/25/2023 Analyzed: 2/1/2023					
Beryllium	0.00258	J	0.0199	mg/kg wet	0.000994		260			
Selenium	0.0960	J	0.199	mg/kg wet	0.0994		96.6			
Zinc	0.170	J	0.199	mg/kg wet	0.0994		171			
MDL Check (BGA3233-MRL3)					Prepared: 1/25/2023 Analyzed: 2/1/2023					
Copper	0.0831	J	0.0996	mg/kg wet	0.00994		836			
Matrix Spike (BGA3233-MS1)		**Source: 23A1459-43**			Prepared: 1/25/2023 Analyzed: 1/31/2023					
Antimony	1.05	J1	0.0489	mg/kg dry	4.88	<0.0489	21.5	75-125		
Arsenic	2.43		0.0244	mg/kg dry	2.44	0.295	87.5	75-125		
Cadmium	4.85		0.0489	mg/kg dry	4.88	0.00315	99.4	75-125		
Chromium	16.8		0.146	mg/kg dry	14.6	2.32	99.1	75-125		
Lead	4.85		0.0244	mg/kg dry	2.44	2.27	106	75-125		
Nickel	6.26		0.0489	mg/kg dry	4.88	1.64	94.7	75-125		
Silver	2.31		0.0244	mg/kg dry	2.44	<0.0244	94.8	75-125		
Thallium	2.38		0.0244	mg/kg dry	2.44	0.0223	96.6	75-125		
Matrix Spike (BGA3233-MS2)		**Source: 23A1459-43**			Prepared: 1/25/2023 Analyzed: 2/1/2023					
Beryllium	1.25		0.00974	mg/kg dry	0.975	0.217	106	75-125		
Selenium	9.01		0.0974	mg/kg dry	9.75	0.377	88.5	75-125		
Zinc	13.1		0.0974	mg/kg dry	9.75	3.41	99.3	75-125		
Matrix Spike (BGA3233-MS3)		**Source: 23A1459-43**			Prepared: 1/25/2023 Analyzed: 2/1/2023					
Copper	5.86		0.0489	mg/kg dry	4.88	0.962	100	75-125		
Batch: BGA3813 - EPA 245.1										
Blank (BGA3813-BLK1)					Prepared & Analyzed: 1/30/2023					
Mercury	<0.200	U	0.200	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3813 - EPA 245.1 (Continued)										
LCS (BGA3813-BS1)					Prepared & Analyzed: 1/30/2023					
Mercury	5.05		0.200	ug/L	5.00		101	85-115		
Duplicate (BGA3813-DUP1)		**Source: 23A1459-02**			Prepared & Analyzed: 1/30/2023					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
MDL Check (BGA3813-MRL1)					Prepared & Analyzed: 1/30/2023					
Mercury	<0.200	U	0.200	ug/L	0.100					
Matrix Spike (BGA3813-MS1)		**Source: 23A1459-02**			Prepared & Analyzed: 1/30/2023					
Mercury	5.19		0.200	ug/L	5.00	<0.200	104	70-130		
Batch: BGA3845 - Cr VI										
Blank (BGA3845-BLK1)					Prepared: 1/30/2023 Analyzed: 1/31/2023					
Chromium (VI)	<5.00	U	5.00	mg/kg wet						
LCS (BGA3845-BS1)					Prepared: 1/30/2023 Analyzed: 1/31/2023					
Chromium (VI)	9.40		5.00	mg/kg wet	9.88		95.1	80-120		
Duplicate (BGA3845-DUP1)		**Source: 23A1459-36**			Prepared: 1/30/2023 Analyzed: 1/31/2023					
Chromium (VI)	3.02	J1, J	5.00	mg/kg dry		1.78			51.5	20
Duplicate (BGA3845-DUP2)		**Source: 23A1459-60**			Prepared: 1/30/2023 Analyzed: 1/31/2023					
Chromium (VI)	0.238	J	5.00	mg/kg dry		0.165			36.3	20
MRL Check (BGA3845-MRL1)					Prepared: 1/30/2023 Analyzed: 1/31/2023					
Chromium (VI)	1.75	J	5.00	mg/kg wet	2.00		87.7	50-150		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3845 - Cr VI (Continued)										
SMS (BGA3845-MS1)		**Source: 23A1459-60**			Prepared: 1/30/2023 Analyzed: 1/31/2023					
Chromium (VI)	11.3		5.00	mg/kg dry	12.3	0.165	90.9	75-125		
IMS (BGA3845-MS2)		**Source: 23A1459-60**			Prepared: 1/30/2023 Analyzed: 1/31/2023					
Chromium (VI)	8.67	J1	5.00	mg/kg dry	1210	0.165	0.704	75-125		
PMS (BGA3845-PS1)		**Source: 23A1459-60**			Prepared: 1/30/2023 Analyzed: 1/31/2023					
Chromium (VI)	272			ug/L	250	3.42	107	85-115		
Batch: BGB0014 - SW-7471										
MDL Check (BGB0014-MRL1)					Prepared & Analyzed: 2/1/2023					
Mercury	<0.0190	U	0.0190	mg/kg wet						
Matrix Spike (BGB0014-MS1)		**Source: 23A1459-43**			Prepared & Analyzed: 2/1/2023					
Mercury	0.283		0.0200	mg/kg dry	0.250	0.0141	108	80-120		
Matrix Spike (BGB0014-MS2)		**Source: 23A4064-01**			Prepared & Analyzed: 2/1/2023					
Mercury	0.457		0.0295	mg/kg dry	0.369	0.158	80.9	80-120		
Matrix Spike Dup (BGB0014-MSD1)		**Source: 23A1459-43**			Prepared & Analyzed: 2/1/2023					
Mercury	0.283		0.0199	mg/kg dry	0.249	0.0141	108	80-120	0.0481	20
Matrix Spike Dup (BGB0014-MSD2)		**Source: 23A4064-01**			Prepared & Analyzed: 2/1/2023					
Mercury	0.424	J1	0.0295	mg/kg dry	0.369	0.158	72.0	80-120	7.43	20
Batch: BGB0820 - EPA 200.8 Solid										
Blank (BGB0820-BLK1)					Prepared & Analyzed: 2/7/2023					
Antimony	<0.0960	U	0.0960	mg/kg wet						
Cadmium	<0.0960	U	0.0960	mg/kg wet						
Chromium	<0.287	U	0.287	mg/kg wet						
Lead	<0.0479	U	0.0479	mg/kg wet						
Nickel	<0.0960	U	0.0960	mg/kg wet						
Silver	<0.0479	U	0.0479	mg/kg wet						
Thallium	<0.0479	U	0.0479	mg/kg wet						
Zinc	<0.191	U	0.191	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0820 - EPA 200.8 Solid (Continued)										
Blank (BGB0820-BLK3)					Prepared: 2/7/2023 Analyzed: 2/8/2023					
Copper	0.0228	J	0.0960	mg/kg wet						
Selenium	<0.191	U	0.191	mg/kg wet						
Blank (BGB0820-BLK4)					Prepared: 2/7/2023 Analyzed: 2/27/2023					
Arsenic	<0.0479	U	0.0479	mg/kg wet						
Blank (BGB0820-BLK6)					Prepared: 2/7/2023 Analyzed: 2/27/2023					
Beryllium	<0.0191	U	0.0191	mg/kg wet						
LCS (BGB0820-BS1)					Prepared & Analyzed: 2/7/2023					
Antimony	9.98		0.0944	mg/kg wet	9.42		106	85-115		
Cadmium	9.53		0.0944	mg/kg wet	9.42		101	85-115		
Chromium	29.7		0.282	mg/kg wet	28.2		105	85-115		
Lead	5.00		0.0471	mg/kg wet	4.71		106	85-115		
Nickel	9.58		0.0944	mg/kg wet	9.42		102	85-115		
Silver	4.57		0.0471	mg/kg wet	4.71		97.0	85-115		
Thallium	5.05		0.0471	mg/kg wet	4.71		107	85-115		
Zinc	19.4		0.188	mg/kg wet	18.8		103	85-115		
LCS (BGB0820-BS3)					Prepared: 2/7/2023 Analyzed: 2/8/2023					
Copper	9.61		0.0944	mg/kg wet	9.42		102	85-115		
Selenium	19.8		0.188	mg/kg wet	18.8		105	85-115		
LCS (BGB0820-BS4)					Prepared: 2/7/2023 Analyzed: 2/27/2023					
Arsenic	5.40		0.0471	mg/kg wet	4.71		115	85-115		
LCS (BGB0820-BS6)					Prepared: 2/7/2023 Analyzed: 2/27/2023					
Beryllium	1.94		0.0188	mg/kg wet	1.88		103	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0820 - EPA 200.8 Solid (Continued)										
Duplicate (BGB0820-DUP1)		**Source: 23A1459-46**			Prepared & Analyzed: 2/7/2023					
Antimony	<0.0577	U	0.0577	mg/kg dry		<0.0577				20
Cadmium	0.0340	J	0.0577	mg/kg dry		0.0336			1.08	20
Chromium	4.19		0.173	mg/kg dry		4.16			0.744	20
Lead	3.02		0.0288	mg/kg dry		2.94			2.54	20
Nickel	4.05	J1	0.0577	mg/kg dry		5.00			21.0	20
Silver	0.00834	J	0.0288	mg/kg dry		0.00800			4.25	20
Thallium	0.0406		0.0288	mg/kg dry		0.0397			2.31	20
Zinc	11.0		0.115	mg/kg dry		10.2			8.18	20
Duplicate (BGB0820-DUP2)		**Source: 23A3576-36**			Prepared & Analyzed: 2/7/2023					
Antimony	0.0349	J	0.0657	mg/kg dry		<0.0657			200	20
Cadmium	0.215	J1	0.0657	mg/kg dry		0.125			52.7	20
Lead	10.4		0.164	mg/kg dry		9.78			5.73	20
Nickel	4.49		0.0657	mg/kg dry		4.61			2.73	20
Silver	0.0466		0.0328	mg/kg dry		0.0413			12.1	20
Thallium	0.0543		0.0328	mg/kg dry		0.0506			7.13	20
Zinc	64.6	J1	0.656	mg/kg dry		49.2			27.2	20
Duplicate (BGB0820-DUP5)		**Source: 23A1459-46**			Prepared: 2/7/2023 Analyzed: 2/8/2023					
Copper	3.12	J1	0.0577	mg/kg dry		4.44			35.1	20
Selenium	0.627		0.115	mg/kg dry		0.626			0.0627	20
Duplicate (BGB0820-DUP6)		**Source: 23A3576-36**			Prepared: 2/7/2023 Analyzed: 2/8/2023					
Chromium	5.33		0.197	mg/kg dry		5.52			3.55	20
Copper	10.0		0.0657	mg/kg dry		9.88			1.24	20
Selenium	1.10		0.131	mg/kg dry		1.13			3.01	20
Duplicate (BGB0820-DUP7)		**Source: 23A1459-46**			Prepared: 2/7/2023 Analyzed: 2/27/2023					
Arsenic	1.73		0.0288	mg/kg dry		1.71			1.14	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0820 - EPA 200.8 Solid (Continued)										
Duplicate (BGB0820-DUP8)			**Source: 23A3576-36**		Prepared: 2/7/2023 Analyzed: 2/27/2023					
Arsenic	2.61		0.164	mg/kg dry		2.49			4.69	20
Duplicate (BGB0820-DUPB)			**Source: 23A1459-46**		Prepared: 2/7/2023 Analyzed: 2/27/2023					
Beryllium	0.222		0.0575	mg/kg dry		0.224			0.906	20
Duplicate (BGB0820-DUPC)			**Source: 23A3576-36**		Prepared: 2/7/2023 Analyzed: 2/27/2023					
Beryllium	0.462		0.0656	mg/kg dry		0.484			4.73	20
MDL Check (BGB0820-MRL1)					Prepared & Analyzed: 2/7/2023					
Antimony	0.0474	J	0.0947	mg/kg wet	0.0473		100			
Cadmium	0.00435	J	0.0947	mg/kg wet	0.00473		92.0			
Chromium	0.0175	J	0.284	mg/kg wet	0.0142		123			
Lead	0.00567	J	0.0472	mg/kg wet	0.00473		120			
Nickel	0.0173	J	0.0947	mg/kg wet	0.00473		366			
Silver	0.00331	J	0.0472	mg/kg wet	0.00236		140			
Thallium	0.00246	J	0.0472	mg/kg wet	0.00236		104			
Zinc	0.145	J	0.189	mg/kg wet	0.0945		153			
MDL Check (BGB0820-MRL3)					Prepared: 2/7/2023 Analyzed: 2/8/2023					
Copper	0.0368	J	0.0947	mg/kg wet	0.00945		389			
Selenium	0.0942	J	0.189	mg/kg wet	0.0945		99.7			
MDL Check (BGB0820-MRL4)					Prepared: 2/7/2023 Analyzed: 2/27/2023					
Arsenic	0.00350	J	0.0472	mg/kg wet	0.00473		74.0			
MDL Check (BGB0820-MRL6)					Prepared: 2/7/2023 Analyzed: 2/27/2023					
Beryllium	0.00104	J	0.0189	mg/kg wet	0.000945		110			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0820 - EPA 200.8 Solid (Continued)										
Matrix Spike (BGB0820-MS1)		**Source: 23A1459-46**			Prepared & Analyzed: 2/7/2023					
Antimony	2.78	J1	0.286	mg/kg dry	5.71	<0.286	48.6	75-125		
Cadmium	5.47		0.286	mg/kg dry	5.71	0.0336	95.2	75-125		
Chromium	18.7		0.171	mg/kg dry	17.1	4.16	85.0	75-125		
Lead	5.52		0.0286	mg/kg dry	2.86	2.94	90.2	75-125		
Nickel	8.75	J1	0.0572	mg/kg dry	5.71	5.00	65.6	75-125		
Silver	2.64		0.0286	mg/kg dry	2.86	0.00800	92.0	75-125		
Thallium	2.51		0.0286	mg/kg dry	2.86	0.0397	86.6	75-125		
Zinc	20.4		0.114	mg/kg dry	11.4	10.2	89.8	75-125		
Matrix Spike (BGB0820-MS2)		**Source: 23A3576-36**			Prepared & Analyzed: 2/7/2023					
Antimony	1.56	J1	0.0642	mg/kg dry	6.41	<0.0642	24.3	75-125		
Cadmium	6.90		0.0642	mg/kg dry	6.41	0.125	106	75-125		
Lead	13.0		0.160	mg/kg dry	3.20	9.78	99.6	75-125		
Nickel	10.2		0.0642	mg/kg dry	6.41	4.61	87.1	75-125		
Silver	3.41		0.0320	mg/kg dry	3.20	0.0413	105	75-125		
Thallium	2.93		0.0320	mg/kg dry	3.20	0.0506	89.8	75-125		
Zinc	64.6		0.640	mg/kg dry	12.8	49.2	121	75-125		
Matrix Spike (BGB0820-MS5)		**Source: 23A1459-46**			Prepared: 2/7/2023 Analyzed: 2/8/2023					
Copper	7.42	J1	0.0572	mg/kg dry	5.71	4.44	52.2	75-125		
Selenium	9.13	J1	0.114	mg/kg dry	11.4	0.626	74.5	75-125		
Matrix Spike (BGB0820-MS6)		**Source: 23A3576-36**			Prepared: 2/7/2023 Analyzed: 2/8/2023					
Chromium	24.8		0.961	mg/kg dry	19.2	5.52	100	75-125		
Copper	17.6		0.321	mg/kg dry	6.41	9.88	121	75-125		
Selenium	10.5	J1	0.640	mg/kg dry	12.8	1.13	72.8	75-125		
Matrix Spike (BGB0820-MS7)		**Source: 23A1459-46**			Prepared: 2/7/2023 Analyzed: 2/27/2023					
Arsenic	4.71		0.0286	mg/kg dry	2.86	1.71	105	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0820 - EPA 200.8 Solid (Continued)										
Matrix Spike (BGB0820-MS8)		**Source: 23A3576-36**			Prepared: 2/7/2023 Analyzed: 2/27/2023					
Arsenic	5.57		0.0320	mg/kg dry	3.20	2.49	96.2	75-125		
Matrix Spike (BGB0820-MSB)		**Source: 23A1459-46**			Prepared: 2/7/2023 Analyzed: 2/27/2023					
Beryllium	1.24		0.0571	mg/kg dry	1.14	0.224	89.0	75-125		
Matrix Spike (BGB0820-MSC)		**Source: 23A3576-36**			Prepared: 2/7/2023 Analyzed: 2/27/2023					
Beryllium	1.89		0.0640	mg/kg dry	1.28	0.484	110	75-125		
Batch: BGB1025 - SW-7471										
MDL Check (BGB1025-MRL1)					Prepared & Analyzed: 2/8/2023					
Mercury	<0.0191	U	0.0191	mg/kg wet	0.00955					
Matrix Spike (BGB1025-MS1)		**Source: 23A4081-01**			Prepared & Analyzed: 2/8/2023					
Mercury	0.768		0.0481	mg/kg dry	0.601	0.255	85.4	80-120		
Matrix Spike (BGB1025-MS2)		**Source: 23B0969-01**			Prepared & Analyzed: 2/8/2023					
Mercury	0.422	J1	0.0312	mg/kg dry	0.389	0.203	56.3	80-120		
Matrix Spike Dup (BGB1025-MSD1)		**Source: 23A4081-01**			Prepared & Analyzed: 2/8/2023					
Mercury	0.724	J1	0.0480	mg/kg dry	0.600	0.255	78.2	80-120	5.95	20
Matrix Spike Dup (BGB1025-MSD2)		**Source: 23B0969-01**			Prepared & Analyzed: 2/8/2023					
Mercury	0.417	J1	0.0312	mg/kg dry	0.389	0.203	55.1	80-120	1.04	20
Batch: BGB1605 - EPA 200.8										
Blank (BGB1605-BLK1)					Prepared: 2/10/2023 Analyzed: 2/22/2023					
Selenium	<2.00	U	2.00	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB1605 - EPA 200.8 (Continued)										
LCS (BGB1605-BS1)					Prepared: 2/10/2023 Analyzed: 2/22/2023					
Selenium	213		2.00	ug/L	200		107	85-115		
Duplicate (BGB1605-DUP1)		**Source: 23A1459-05**			Prepared: 2/10/2023 Analyzed: 2/22/2023					
Selenium	<10.0	U	10.0	ug/L		<10.0				20
Duplicate (BGB1605-DUP2)		**Source: 23A3576-02**			Prepared: 2/10/2023 Analyzed: 2/24/2023					
Selenium	0.737	J	2.00	ug/L		0.668			9.82	20
BGB0310-LBK1 (BGB1605-LBK1)					Prepared: 2/10/2023 Analyzed: 2/24/2023					
Selenium	<2.00	U	2.00	ug/L						
BGA3905-LBK1 (BGB1605-LBK2)					Prepared: 2/10/2023 Analyzed: 2/24/2023					
Selenium	<2.00	U	2.00	ug/L						
MDL Check (BGB1605-MRL1)					Prepared: 2/10/2023 Analyzed: 2/22/2023					
Selenium	0.286	J	2.00	ug/L						
Matrix Spike (BGB1605-MS1)		**Source: 23A1459-05**			Prepared: 2/10/2023 Analyzed: 2/22/2023					
Selenium	210		10.0	ug/L	200	<10.0	105	75-125		
Matrix Spike (BGB1605-MS2)		**Source: 23A3576-02**			Prepared: 2/10/2023 Analyzed: 2/24/2023					
Selenium	222		2.00	ug/L	200	0.668	111	75-125		
Batch: BGB1927 - SW-7471										
MDL Check (BGB1927-MRL1)					Prepared: 2/14/2023 Analyzed: 2/15/2023					
Mercury	0.0136	J	0.0183	mg/kg wet	0.00916		149			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB1927 - SW-7471 (Continued)										
Matrix Spike (BGB1927-MS1)		**Source: 23A4079-15**			Prepared: 2/14/2023 Analyzed: 2/15/2023					
Mercury	0.357		0.0199	mg/kg dry	0.249	0.0912	107	80-120		
Matrix Spike Dup (BGB1927-MSD1)		**Source: 23A4079-15**			Prepared: 2/14/2023 Analyzed: 2/15/2023					
Mercury	0.363		0.0200	mg/kg dry	0.250	0.0912	109	80-120	1.81	20
Batch: BGB3245 - Cr VI										
Blank (BGB3245-BLK1)					Prepared & Analyzed: 2/24/2023					
Chromium (VI)	0.104	J	5.00	mg/kg wet						
LCS (BGB3245-BS1)					Prepared & Analyzed: 2/24/2023					
Chromium (VI)	10.1		5.00	mg/kg wet	9.80		103	80-120		
Duplicate (BGB3245-DUP1)		**Source: 23A1459-66**			Prepared & Analyzed: 2/24/2023					
Chromium (VI)	<5.00	U	5.00	mg/kg dry		0.144			200	20
Duplicate (BGB3245-DUP2)		**Source: 23A4057-48**			Prepared & Analyzed: 2/24/2023					
Chromium (VI)	0.190	J	5.00	mg/kg dry		0.160			17.3	20
MRL Check (BGB3245-MRL1)					Prepared & Analyzed: 2/24/2023					
Chromium (VI)	2.47	J	5.00	mg/kg wet	1.99		124	50-150		
SMS (BGB3245-MS1)		**Source: 23A1459-66**			Prepared & Analyzed: 2/24/2023					
Chromium (VI)	<5.00	J1, U	5.00	mg/kg dry	13.2	0.144	NR	75-125		
IMS (BGB3245-MS2)		**Source: 23A1459-66**			Prepared & Analyzed: 2/24/2023					
Chromium (VI)	5.62	J1	5.00	mg/kg dry	1440	0.144	0.381	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB3245 - Cr VI (Continued)										
PMS (BGB3245-PS1)		**Source: 23A1459-66**			Prepared & Analyzed: 2/24/2023					
Chromium (VI)	2.30	J1		ug/L	250	2.73	NR	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Dissolved

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0721 - EPA 200.8 Dissolved										
Blank (BGB0721-BLK1)					Prepared: 2/6/2023 Analyzed: 2/8/2023					
Arsenic	<0.500	U	0.500	ug/L						
Chromium	<3.00	U	3.00	ug/L						
Copper	0.422	J	1.00	ug/L						
Lead	<0.500	U	0.500	ug/L						
Nickel	<1.00	U	1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						
Blank (BGB0721-BLK2)					Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	<1.00	U	1.00	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Zinc	<2.00	U	2.00	ug/L						
Blank (BGB0721-BLK3)					Prepared: 2/6/2023 Analyzed: 2/14/2023					
Beryllium	<0.200	U	0.200	ug/L						
LCS (BGB0721-BS1)					Prepared: 2/6/2023 Analyzed: 2/8/2023					
Arsenic	49.6		0.500	ug/L	50.0		99.2	85-115		
Chromium	295		3.00	ug/L	300		98.2	85-115		
Copper	104		1.00	ug/L	100		104	85-115		
Lead	51.0		0.500	ug/L	50.0		102	85-115		
Nickel	98.0		1.00	ug/L	100		98.0	85-115		
Silver	53.7		0.500	ug/L	50.0		107	85-115		
Thallium	48.9		0.500	ug/L	50.0		97.7	85-115		
LCS (BGB0721-BS2)					Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	93.4		1.00	ug/L	100		93.4	85-115		
Cadmium	100		1.00	ug/L	100		100	85-115		
Zinc	204		2.00	ug/L	200		102	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0721 - EPA 200.8 Dissolved (Continued)										
LCS (BGB0721-BS3)					Prepared: 2/6/2023 Analyzed: 2/14/2023					
Beryllium	19.0		0.200	ug/L	20.0		95.0	85-115		
Duplicate (BGB0721-DUP1)			**Source: 23A1459-02**		Prepared: 2/6/2023 Analyzed: 2/8/2023					
Arsenic	1.96	J	2.50	ug/L		1.89			3.43	20
Chromium	1.12	J	15.0	ug/L		0.979			13.1	20
Copper	2.28	J	5.00	ug/L		2.09			8.48	20
Lead	1.19	J	2.50	ug/L		1.16			1.79	20
Nickel	1.24	J	5.00	ug/L		1.03			18.2	20
Silver	<2.50	U	2.50	ug/L		<2.50				20
Thallium	<2.50	U	2.50	ug/L		<2.50				20
Duplicate (BGB0721-DUP2)			**Source: 23A1459-49**		Prepared: 2/6/2023 Analyzed: 2/8/2023					
Lead	<2.50	U	2.50	ug/L		0.539			200	20
Thallium	<2.50	U	2.50	ug/L		<2.50				20
Duplicate (BGB0721-DUP3)			**Source: 23A1459-02**		Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	<5.00	U	5.00	ug/L		<5.00				20
Cadmium	<5.00	U	5.00	ug/L		<5.00				20
Zinc	4.71	J	10.0	ug/L		4.16			12.4	20
Duplicate (BGB0721-DUP4)			**Source: 23A1459-49**		Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	<5.00	U	5.00	ug/L		<5.00				20
Cadmium	<5.00	U	5.00	ug/L		<5.00				20
Copper	1.09	J	5.00	ug/L		1.31			18.5	20
Silver	<2.50	U	2.50	ug/L		<2.50				20
Zinc	<10.0	U	10.0	ug/L		<10.0				20
Duplicate (BGB0721-DUP5)			**Source: 23A1459-02**		Prepared: 2/6/2023 Analyzed: 2/14/2023					
Beryllium	<1.00	U	1.00	ug/L		<1.00				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0721 - EPA 200.8 Dissolved (Continued)										
Duplicate (BGB0721-DUP6)			**Source: 23A1459-49**		Prepared: 2/6/2023 Analyzed: 2/14/2023					
Arsenic	1.47	J	2.50	ug/L		1.23			17.3	20
Chromium	<15.0	U	15.0	ug/L		<15.0				20
Nickel	0.504	J	5.00	ug/L		0.531			5.22	20
Duplicate (BGB0721-DUPA)			**Source: 23A1459-49**		Prepared: 2/6/2023 Analyzed: 2/28/2023					
Beryllium	<1.00	U	1.00	ug/L		<1.00				20
BGB0310-BLK2 (BGB0721-LBK1)					Prepared: 2/6/2023 Analyzed: 2/8/2023					
Lead	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						
BGB0310-BLK2 (BGB0721-LBK2)					Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	<1.00	U	1.00	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Copper	1.76		1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Zinc	4.82		2.00	ug/L						
BGB0310-BLK2 (BGB0721-LBK3)					Prepared: 2/6/2023 Analyzed: 2/14/2023					
Chromium	0.222	J	3.00	ug/L						
Nickel	0.781	J	1.00	ug/L						
BGB0310-BLK2 (BGB0721-LBK5)					Prepared: 2/6/2023 Analyzed: 2/22/2023					
Arsenic	<0.500	U	0.500	ug/L						
BGB0310-BLK2 (BGB0721-LBK6)					Prepared: 2/6/2023 Analyzed: 2/28/2023					
Beryllium	0.0140	J	0.200	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0721 - EPA 200.8 Dissolved (Continued)										
BGB0310-BLK2 (BGB0721-LBK7)					Prepared: 2/6/2023 Analyzed: 3/1/2023					
Silver	<0.500	U	0.500	ug/L						
MDL Check (BGB0721-MRL1)					Prepared: 2/6/2023 Analyzed: 2/8/2023					
Arsenic	0.124	J	0.500	ug/L	0.100		124			
Chromium	0.132	J	3.00	ug/L	0.0800		165			
Copper	0.624	J	1.00	ug/L	0.200		312			
Lead	0.102	J	0.500	ug/L	0.100		102			
Nickel	0.0230	J	1.00	ug/L	0.0500		46.0			
Silver	0.0360	J	0.500	ug/L	0.0300		120			
Thallium	0.0350	J	0.500	ug/L	0.0300		117			
MDL Check (BGB0721-MRL2)					Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	0.215	J	1.00	ug/L	0.200		108			
Cadmium	0.0490	J	1.00	ug/L	0.0500		98.0			
Zinc	0.196	J	2.00	ug/L	0.200		98.0			
MDL Check (BGB0721-MRL3)					Prepared: 2/6/2023 Analyzed: 2/14/2023					
Beryllium	0.0320	J	0.200	ug/L	0.0100		320			
Matrix Spike (BGB0721-MS1)		**Source: 23A1459-02**			Prepared: 2/6/2023 Analyzed: 2/8/2023					
Arsenic	44.5		2.50	ug/L	50.0	1.89	85.2	75-125		
Chromium	257		15.0	ug/L	300	0.979	85.3	75-125		
Copper	77.6		5.00	ug/L	100	2.09	75.5	75-125		
Lead	39.0		2.50	ug/L	50.0	1.16	75.8	75-125		
Nickel	73.5	J1	5.00	ug/L	100	1.03	72.4	75-125		
Silver	39.9		2.50	ug/L	50.0	<2.50	79.9	75-125		
Thallium	38.7		2.50	ug/L	50.0	<2.50	77.4	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0721 - EPA 200.8 Dissolved (Continued)										
Matrix Spike (BGB0721-MS2)		**Source: 23A1459-49**			Prepared: 2/6/2023 Analyzed: 2/8/2023					
Lead	36.0	J1	2.50	ug/L	50.0	0.539	70.9	75-125		
Thallium	38.1		2.50	ug/L	50.0	<2.50	76.3	75-125		
Matrix Spike (BGB0721-MS3)		**Source: 23A1459-02**			Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	94.6		5.00	ug/L	100	<5.00	94.6	75-125		
Cadmium	81.8		5.00	ug/L	100	<5.00	81.8	75-125		
Zinc	167		10.0	ug/L	200	4.16	81.5	75-125		
Matrix Spike (BGB0721-MS4)		**Source: 23A1459-49**			Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	94.0		5.00	ug/L	100	<5.00	94.0	75-125		
Cadmium	85.7		5.00	ug/L	100	<5.00	85.7	75-125		
Copper	85.0		5.00	ug/L	100	1.31	83.7	75-125		
Silver	40.7		2.50	ug/L	50.0	<2.50	81.5	75-125		
Zinc	164		10.0	ug/L	200	<10.0	81.9	75-125		
Matrix Spike (BGB0721-MS5)		**Source: 23A1459-02**			Prepared: 2/6/2023 Analyzed: 2/14/2023					
Beryllium	16.3		1.00	ug/L	20.0	<1.00	81.4	75-125		
Matrix Spike (BGB0721-MS6)		**Source: 23A1459-49**			Prepared: 2/6/2023 Analyzed: 2/14/2023					
Arsenic	51.7		2.50	ug/L	50.0	1.23	101	75-125		
Chromium	279		15.0	ug/L	300	<15.0	93.1	75-125		
Nickel	93.1		5.00	ug/L	100	0.531	92.5	75-125		
Matrix Spike (BGB0721-MSA)		**Source: 23A1459-49**			Prepared: 2/6/2023 Analyzed: 2/28/2023					
Beryllium	16.6		1.00	ug/L	20.0	<1.00	82.8	75-125		
Batch: BGB1125 - Cr VI										
Matrix Spike (BGB1125-MS1)		**Source: 23A1135-01**			Prepared & Analyzed: 2/8/2023					
Chromium (VI)	223		3.00	ug/L	250	6.74	86.4	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB1125 - Cr VI (Continued)										
Matrix Spike Dup (BGB1125-MSD1)		**Source: 23A1135-01**			Prepared & Analyzed: 2/8/2023					
Chromium (VI)	258		3.00	ug/L	250	6.74	100	70-130	14.5	20
Batch: BGB1154 - Cr VI										
Matrix Spike (BGB1154-MS1)		**Source: 23A1135-01RE1**			Prepared: 2/8/2023 Analyzed: 2/10/2023					
Chromium (VI)	158	J1	3.00	ug/L	250	5.29	61.2	70-130		
Matrix Spike Dup (BGB1154-MSD1)		**Source: 23A1135-01RE1**			Prepared: 2/8/2023 Analyzed: 2/10/2023					
Chromium (VI)	156	J1	3.00	ug/L	250	5.29	60.1	70-130	1.80	20
Batch: BGB2104 - Cr VI										
BGB0310-BLK1 (BGB2104-LBK1)					Prepared & Analyzed: 2/15/2023					
Chromium (VI)	32.4		3.00	ug/L						
Matrix Spike (BGB2104-MS1)		**Source: 23A1459-01**			Prepared & Analyzed: 2/15/2023					
Chromium (VI)	257		3.00	ug/L	250	11.1	98.4	70-130		
Matrix Spike Dup (BGB2104-MSD1)		**Source: 23A1459-01**			Prepared & Analyzed: 2/15/2023					
Chromium (VI)	261		3.00	ug/L	250	11.1	99.9	70-130	1.45	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

General Chemistry

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3071 - pH										
LCS (BGA3071-BS1)					Prepared & Analyzed: 1/24/2023					
pH	6.86			pH Units @ 25 °C	6.86		100	98.6-101.4		
Duplicate (BGA3071-DUP1)			**Source: 23A1459-24**		Prepared & Analyzed: 1/24/2023					
pH	8.44		0.100	pH Units @ 25 °C		8.47			0.355	200
Batch: BGA3093 - Percent Solids										
Blank (BGA3093-BLK1)					Prepared: 1/24/2023 Analyzed: 1/25/2023					
% Solids	<0.100	U	0.100	%						
Duplicate (BGA3093-DUP1)			**Source: 23A1459-25**		Prepared: 1/24/2023 Analyzed: 1/25/2023					
% Solids	74.1		0.100	%		74.2			0.0503	10
Reference (BGA3093-SRM1)					Prepared: 1/24/2023 Analyzed: 1/25/2023					
% Solids	0.372			%	0.350		106	78.9-118		
Batch: BGA3582 - CN-9014										
Blank (BGA3582-BLK1)					Prepared & Analyzed: 1/27/2023					
Total Cyanide	<0.0485	U	0.0485	mg/kg wet						
LCS (BGA3582-BS1)					Prepared & Analyzed: 1/27/2023					
Total Cyanide	0.968		0.0495	mg/kg wet	0.990		97.7	90-110		
QCS (BGA3582-BS2)					Prepared & Analyzed: 1/27/2023					
Total Cyanide	1.02		0.0500	mg/kg wet	1.00		102	90-110		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3582 - CN-9014 (Continued)										
MRL Check (BGA3582-MRL1)					Prepared & Analyzed: 1/27/2023					
Total Cyanide	0.0819		0.0500	mg/kg wet	0.100		81.9	50-150		
Matrix Spike (BGA3582-MS1)		**Source: 23A1459-36**			Prepared & Analyzed: 1/27/2023					
Total Cyanide	1.12		0.0645	mg/kg dry	1.29	<0.0645	87.2	80-120		
Matrix Spike Dup (BGA3582-MSD1)		**Source: 23A1459-36**			Prepared & Analyzed: 1/27/2023					
Total Cyanide	1.23		0.0677	mg/kg dry	1.35	<0.0677	90.6	80-120	8.67	20
Batch: BGA3833 - TSS										
Blank (BGA3833-BLK1)					Prepared: 1/30/2023 Analyzed: 1/31/2023					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
LCS (BGA3833-BS1)					Prepared: 1/30/2023 Analyzed: 1/31/2023					
Residue-nonfilterable (TSS)	98.6		1.00	mg/L	100		98.6	85-115		
Duplicate (BGA3833-DUP1)		**Source: 23A1459-05**			Prepared: 1/30/2023 Analyzed: 1/31/2023					
Residue-nonfilterable (TSS)	11.6	J1	1.00	mg/L		9.47			20.0	10
Duplicate (BGA3833-DUP2)		**Source: 23A4289-01**			Prepared: 1/30/2023 Analyzed: 1/31/2023					
Residue-nonfilterable (TSS)	2.95	J1	1.00	mg/L		2.53			15.4	10
Batch: BGA3870 - Percent Solids										
Blank (BGA3870-BLK1)					Prepared: 1/30/2023 Analyzed: 2/1/2023					
% Solids	<0.100	U	0.100	%						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3870 - Percent Solids (Continued)										
Duplicate (BGA3870-DUP1)		**Source: 23A4428-05**			Prepared: 1/30/2023 Analyzed: 2/1/2023					
% Solids	0.916		0.100	%		0.911			0.639	10
Duplicate (BGA3870-DUP2)		**Source: 23A4550-02**			Prepared: 1/30/2023 Analyzed: 2/1/2023					
% Solids	2.01		0.100	%		2.01			0.364	10
Reference (BGA3870-SRM1)					Prepared: 1/30/2023 Analyzed: 2/1/2023					
% Solids	0.373			%	0.350		107	78.9-118		
Batch: BGA3958 - pH										
LCS (BGA3958-BS1)					Prepared & Analyzed: 1/31/2023					
pH	6.86			pH Units @ 25 °C	6.86		100	98.6-101.4		
Duplicate (BGA3958-DUP1)		**Source: 23A1459-46**			Prepared & Analyzed: 1/31/2023					
pH	8.85		0.100	pH Units @ 25 °C		8.75			1.14	200
Batch: BGA3978 - Percent Solids										
Blank (BGA3978-BLK1)					Prepared: 1/31/2023 Analyzed: 2/1/2023					
% Solids	<0.100	U	0.100	%						
Duplicate (BGA3978-DUP1)		**Source: 23A0200-02**			Prepared: 1/31/2023 Analyzed: 2/1/2023					
% Solids	1.19		0.100	%		1.18			0.131	10
Duplicate (BGA3978-DUP2)		**Source: 23A4592-03**			Prepared: 1/31/2023 Analyzed: 2/1/2023					
% Solids	2.34		0.100	%		2.34			0.109	10

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGA3978 - Percent Solids (Continued)										
Reference (BGA3978-SRM1)					Prepared: 1/31/2023 Analyzed: 2/1/2023					
% Solids	0.374			%	0.350		107	78.9-118		
Batch: BGB0157 - CN-9014										
Blank (BGB0157-BLK1)					Prepared: 2/1/2023 Analyzed: 2/2/2023					
Total Cyanide	<0.0500	U	0.0500	mg/kg wet						
LCS (BGB0157-BS1)					Prepared: 2/1/2023 Analyzed: 2/2/2023					
Total Cyanide	0.990		0.0500	mg/kg wet	1.00		99.0	90-110		
QCS (BGB0157-BS2)					Prepared: 2/1/2023 Analyzed: 2/2/2023					
Total Cyanide	1.02		0.0500	mg/kg wet	1.00		102	90-110		
MRL Check (BGB0157-MRL1)					Prepared: 2/1/2023 Analyzed: 2/2/2023					
Total Cyanide	0.116		0.0500	mg/kg wet	0.100		116	50-150		
Matrix Spike (BGB0157-MS1)		**Source: 23A1459-46**			Prepared: 2/1/2023 Analyzed: 2/2/2023					
Total Cyanide	1.24		0.0697	mg/kg dry	1.39	<0.0697	88.8	80-120		
Matrix Spike Dup (BGB0157-MSD1)		**Source: 23A1459-46**			Prepared: 2/1/2023 Analyzed: 2/2/2023					
Total Cyanide	1.31		0.0697	mg/kg dry	1.39	<0.0697	93.8	80-120	5.56	20
Batch: BGB0296 - Percent Solids										
Blank (BGB0296-BLK1)					Prepared: 2/2/2023 Analyzed: 2/3/2023					
% Solids	<0.100	U	0.100	%						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0296 - Percent Solids (Continued)										
Duplicate (BGB0296-DUP1)		**Source: 23B0615-03**			Prepared: 2/2/2023 Analyzed: 2/3/2023					
% Solids	1.57		0.100	%		1.57			0.126	20
Duplicate (BGB0296-DUP2)		**Source: 23B0932-04**			Prepared: 2/2/2023 Analyzed: 2/3/2023					
% Solids	1.34		0.100	%		1.33			0.940	20
Reference (BGB0296-SRM1)					Prepared: 2/2/2023 Analyzed: 2/3/2023					
% Solids	0.379			%	0.350		108	78.9-118		
Batch: BGB0479 - NH3-N SEAL-350.1										
Matrix Spike (BGB0479-MS1)		**Source: 23B1077-01**			Prepared & Analyzed: 2/3/2023					
Ammonia as N	0.400		0.0500	mg/L	0.400	0.0214	94.8	90-110		
Matrix Spike (BGB0479-MS2)		**Source: 23B0505-02**			Prepared & Analyzed: 2/3/2023					
Ammonia as N	2.22		1.00	mg/L	0.400	1.82	99.7	90-110		
Matrix Spike Dup (BGB0479-MSD1)		**Source: 23B1077-01**			Prepared & Analyzed: 2/3/2023					
Ammonia as N	0.399		0.0500	mg/L	0.400	0.0214	94.5	90-110	0.300	20
Matrix Spike Dup (BGB0479-MSD2)		**Source: 23B0505-02**			Prepared & Analyzed: 2/3/2023					
Ammonia as N	2.23		1.00	mg/L	0.400	1.82	101	90-110	0.225	20
Batch: BGB0480 - NH3-N SEAL-350.1										
Matrix Spike (BGB0480-MS1)		**Source: 23B0810-01**			Prepared & Analyzed: 2/3/2023					
Ammonia as N	0.422		0.0500	mg/L	0.400	0.0355	96.7	90-110		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0480 - NH3-N SEAL-350.1 (Continued)										
Matrix Spike (BGB0480-MS2)		**Source: 23A1459-50**			Prepared & Analyzed: 2/3/2023					
Ammonia as N	1.83		0.100	mg/L	0.400	1.45	95.2	90-110		
Matrix Spike Dup (BGB0480-MSD1)		**Source: 23B0810-01**			Prepared & Analyzed: 2/3/2023					
Ammonia as N	0.429		0.0500	mg/L	0.400	0.0355	98.3	90-110	1.55	20
Matrix Spike Dup (BGB0480-MSD2)		**Source: 23A1459-50**			Prepared & Analyzed: 2/3/2023					
Ammonia as N	1.88		0.100	mg/L	0.400	1.45	106	90-110	2.35	20
Batch: BGB0847 - pH										
LCS (BGB0847-BS1)					Prepared & Analyzed: 2/7/2023					
pH	6.86			pH Units @ 25 °C	6.86		100	98.6-101.4		
Duplicate (BGB0847-DUP1)		**Source: 23A1459-66**			Prepared & Analyzed: 2/7/2023					
pH	8.45		0.100	pH Units @ 25 °C		8.41			0.474	200
Batch: BGB0953 - NH3-N T										
Blank (BGB0953-BLK1)					Prepared: 2/7/2023 Analyzed: 2/8/2023					
Ammonia as N	<9.99	U	9.99	mg/kg wet						
LCS (BGB0953-BS1)					Prepared: 2/7/2023 Analyzed: 2/8/2023					
Ammonia as N	97.2		10.0	mg/kg wet	100		97.2	85-115		
Duplicate (BGB0953-DUP1)		**Source: 23A1459-27**			Prepared: 2/7/2023 Analyzed: 2/8/2023					
Ammonia as N	9.00	J	15.3	mg/kg dry		9.86			9.19	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0953 - NH3-N T (Continued)										
MRL Check (BGB0953-MRL1)					Prepared: 2/7/2023 Analyzed: 2/8/2023					
Ammonia as N	8.94	J	9.98	mg/kg wet	9.98		89.6	50-150		
Matrix Spike (BGB0953-MS1)		**Source: 23A1459-27**			Prepared: 2/7/2023 Analyzed: 2/8/2023					
Ammonia as N	110	J1	15.3	mg/kg dry	153	9.86	65.2	85-115		
Batch: BGB1156 - NH3-N T										
Blank (BGB1156-BLK1)					Prepared: 2/8/2023 Analyzed: 2/9/2023					
Ammonia as N	<9.96	U	9.96	mg/kg wet						
LCS (BGB1156-BS1)					Prepared: 2/8/2023 Analyzed: 2/9/2023					
Ammonia as N	94.5		9.90	mg/kg wet	99.0		95.5	85-115		
Duplicate (BGB1156-DUP1)		**Source: 23A1459-56**			Prepared: 2/8/2023 Analyzed: 2/9/2023					
Ammonia as N	<12.3	U	12.3	mg/kg dry		<12.3				20
MRL Check (BGB1156-MRL1)					Prepared: 2/8/2023 Analyzed: 2/9/2023					
Ammonia as N	8.65	J1, J	9.97	mg/kg wet	99.7		8.68	50-150		
Matrix Spike (BGB1156-MS1)		**Source: 23A1459-56**			Prepared: 2/8/2023 Analyzed: 2/9/2023					
Ammonia as N	118	J1	12.3	mg/kg dry	12.3	<12.3	958	85-115		
Batch: BGB1516 - Alkalinity										
Blank (BGB1516-BLK1)					Prepared & Analyzed: 2/10/2023					
Salinity	<1.00	U	1.00	Salinity units						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB1516 - Alkalinity (Continued)										
LCS (BGB1516-BS1)					Prepared & Analyzed: 2/10/2023					
Salinity	<1.00	U	1.00	Salinity units				90-110		
QSC (BGB1516-BS2)					Prepared & Analyzed: 2/10/2023					
Salinity	<1.00	U	1.00	Salinity units				90-110		
LCS (BGB1516-BS3)					Prepared & Analyzed: 2/10/2023					
Salinity	35.1			Salinity units	35.0		100	90-110		
LCS (BGB1516-BS4)					Prepared & Analyzed: 2/10/2023					
Salinity	<1.00	U	1.00	Salinity units				90-110		
Duplicate (BGB1516-DUP1)		**Source: 23B2331-01**			Prepared & Analyzed: 2/10/2023					
Salinity	<1.00	U	1.00	Salinity units		<1.00				15
Duplicate (BGB1516-DUP2)		**Source: 23B2192-08**			Prepared & Analyzed: 2/10/2023					
Salinity	<1.00	U	1.00	Salinity units		<1.00				15

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511										
Blank (BGB0925-BLK1)					Prepared: 2/7/2023 Analyzed: 2/10/2023					
3,3'-Dichlorobenzidine	<0.562	U	0.562	ug/L						
Benzidine	<0.562	U	0.562	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.76*	*ug/L*	*10.0*		*97.6*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*18.1*	*ug/L*	*20.0*		*90.4*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.4*	*ug/L*	*20.0*		*107*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.2*	*ug/L*	*10.0*		*102*	*52-162*		
Surrogate: Phenol-d5-surr			*19.5*	*ug/L*	*20.0*		*97.6*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.23*	*ug/L*	*10.0*		*92.3*	*51.9-147*		
Blank (BGB0925-BLK2)					Prepared: 2/7/2023 Analyzed: 2/14/2023					
1,2,4-Trichlorobenzene	<0.562	U	0.562	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.562	U	0.562	ug/L						
1,2-Diphenylhydrazine	<0.562	U	0.562	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.562	U	0.562	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.562	U	0.562	ug/L						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<0.562	U	0.562	ug/L						
2,4-Dichlorophenol	<0.562	U	0.562	ug/L						
2,4-Dimethylphenol	<1.12	U	1.12	ug/L						
2,4-Dinitrophenol	<4.50	U	4.50	ug/L						
2,4-Dinitrotoluene (2,4-DNT)	<0.562	U	0.562	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.562	U	0.562	ug/L						
2-Chloronaphthalene	<0.562	U	0.562	ug/L						
2-Chlorophenol	<1.12	U	1.12	ug/L						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<1.12	U	1.12	ug/L						
2-Nitrophenol	<1.12	U	1.12	ug/L						
4-Bromophenyl phenyl ether (BDE-3)	<0.562	U	0.562	ug/L						
4-Chloro-3-methylphenol	<1.12	U	1.12	ug/L						
4-Chlorophenyl phenylether	<0.562	U	0.562	ug/L						
4-Nitrophenol	<4.50	U	4.50	ug/L						
Acenaphthene	<0.562	U	0.562	ug/L						
Acenaphthylene	<0.562	U	0.562	ug/L						
Anthracene	<0.562	U	0.562	ug/L						
Benzo(a)anthracene	<0.562	U	0.562	ug/L						
Benzo(a)pyrene	<0.562	U	0.562	ug/L						
benzo(b&k)fluoranthene	<1.12	U	1.12	ug/L						
Benzo(g,h,i)perylene	<0.562	U	0.562	ug/L						
bis(2-Chloroethoxy)methane	<0.562	U	0.562	ug/L						
bis(2-Chloroethyl) ether	<0.562	U	0.562	ug/L						
Bis(2-ethylhexyl)phthalate	<0.562	U	0.562	ug/L						
Butyl benzyl phthalate	<0.562	U	0.562	ug/L						
Chrysene	<0.562	U	0.562	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
Blank (BGB0925-BLK2)					Prepared: 2/7/2023 Analyzed: 2/14/2023					
Dibenzo(a,h)anthracene	<0.562	U	0.562	ug/L						
Diethyl phthalate	0.852		0.562	ug/L						
Dimethyl phthalate	1.52		0.562	ug/L						
Di-n-butyl phthalate	9.16		0.562	ug/L						
Di-n-octyl phthalate	<0.562	U	0.562	ug/L						
Fluoranthene	<0.562	U	0.562	ug/L						
Fluorene	<0.562	U	0.562	ug/L						
Hexachlorobenzene	<0.562	U	0.562	ug/L						
Hexachlorobutadiene	<0.562	U	0.562	ug/L						
Hexachlorocyclopentadiene	<0.562	U	0.562	ug/L						
Hexachloroethane	<0.562	U	0.562	ug/L						
Indeno(1,2,3-cd) pyrene	<0.562	U	0.562	ug/L						
Isophorone	<0.562	U	0.562	ug/L						
Naphthalene	<0.562	U	0.562	ug/L						
Nitrobenzene	<0.562	U	0.562	ug/L						
n-Nitrosodimethylamine	<2.25	U	2.25	ug/L						
n-Nitrosodi-n-propylamine	<0.562	U	0.562	ug/L						
n-Nitrosodiphenylamine	<0.562	U	0.562	ug/L						
Pentachlorophenol	<1.12	U	1.12	ug/L						
Phenanthrene	<0.562	U	0.562	ug/L						
Phenol, Total	0.648	J	1.12	ug/L						
Pyrene	<0.562	U	0.562	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.17*	*ug/L*	*10.0*		*91.7*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.9*	*ug/L*	*20.0*		*110*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.7*	*ug/L*	*20.0*		*93.3*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*8.20*	*ug/L*	*10.0*		*82.0*	*52-162*		
Surrogate: Phenol-d5-surr			*21.6*	*ug/L*	*20.0*		*108*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.58*	*ug/L*	*10.0*		*95.8*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
BS BENZ (BGB0925-BS1)					Prepared: 2/7/2023 Analyzed: 2/10/2023					
3,3'-Dichlorobenzidine	6.51		0.562	ug/L	10.0		65.1	22.3-156		
Benzidine	2.78		0.562	ug/L	10.0		27.8	9.32-162		
Surrogate: 2-Fluorobiphenyl-surr			*9.31*	*ug/L*	*10.0*		*93.1*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*21.8*	*ug/L*	*20.0*		*109*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.9*	*ug/L*	*20.0*		*99.7*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.5*	*ug/L*	*10.0*		*105*	*52-162*		
Surrogate: Phenol-d5-surr			*20.2*	*ug/L*	*20.0*		*101*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.57*	*ug/L*	*10.0*		*85.7*	*51.9-147*		
BS SV (BGB0925-BS2)					Prepared: 2/7/2023 Analyzed: 2/14/2023					
1,2,4-Trichlorobenzene	9.54		0.562	ug/L	10.0		95.4	60-140		
1,2-Dichlorobenzene (o-Dichlorobenzene)	9.71		0.562	ug/L	10.0		97.1	60-140		
1,2-Diphenylhydrazine	10.6		0.562	ug/L	10.0		106	60-140		
1,3-Dichlorobenzene (m-Dichlorobenzene)	8.38		0.562	ug/L	10.0		83.8	60-140		
1,4-Dichlorobenzene (p-Dichlorobenzene)	9.52		0.562	ug/L	10.0		95.2	60-140		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	10.7		0.562	ug/L	10.0		107	60-140		
2,4-Dichlorophenol	19.5		0.562	ug/L	20.0		97.6	60-140		
2,4-Dimethylphenol	22.1		1.12	ug/L	20.0		111	35.9-153		
2,4-Dinitrophenol	51.7		4.50	ug/L	50.0		103	60-140		
2,4-Dinitrotoluene (2,4-DNT)	10.0		0.562	ug/L	10.0		100	60-140		
2,6-Dinitrotoluene (2,6-DNT)	10.8		0.562	ug/L	10.0		108	60-140		
2-Chloronaphthalene	10.2		0.562	ug/L	10.0		102	60-140		
2-Chlorophenol	12.3		1.12	ug/L	20.0		61.4	60-140		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	21.8		1.12	ug/L	20.0		109	60-140		
2-Nitrophenol	20.2		1.12	ug/L	20.0		101	60-140		
4-Bromophenyl phenyl ether (BDE-3)	9.01		0.562	ug/L	10.0		90.1	60-140		
4-Chloro-3-methylphenol	20.6		1.12	ug/L	20.0		103	60-140		
4-Chlorophenyl phenylether	8.01		0.562	ug/L	10.0		80.1	60-140		
4-Nitrophenol	49.7		4.50	ug/L	50.0		99.4	60-140		
Acenaphthene	10.0		0.562	ug/L	10.0		100	60-140		
Acenaphthylene	11.8		0.562	ug/L	10.0		118	60-140		
Anthracene	10.1		0.562	ug/L	10.0		101	60-140		
Benzo(a)anthracene	10.9		0.562	ug/L	10.0		109	60-140		
Benzo(a)pyrene	10.1		0.562	ug/L	10.0		101	60-140		
benzo(b&k)fluoranthene	21.4		1.12	ug/L	20.0		107	60-140		
Benzo(g,h,i)perylene	9.08		0.562	ug/L	10.0		90.8	60-140		
bis(2-Chloroethoxy)methane	10.7		0.562	ug/L	10.0		107	60-140		
bis(2-Chloroethyl) ether	8.84		0.562	ug/L	10.0		88.4	60-140		
Bis(2-ethylhexyl)phthalate	9.47		0.562	ug/L	10.0		94.7	60-140		
Butyl benzyl phthalate	9.76		0.562	ug/L	10.0		97.6	60-140		
Chrysene	9.02		0.562	ug/L	10.0		90.2	60-140		
Dibenzo(a,h)anthracene	9.01		0.562	ug/L	10.0		90.1	60-140		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
BS SV (BGB0925-BS2)					Prepared: 2/7/2023 Analyzed: 2/14/2023					
Diethyl phthalate	10.3		0.562	ug/L	10.0		103	60-140		
Dimethyl phthalate	12.1		0.562	ug/L	10.0		121	60-140		
Di-n-butyl phthalate	<0.562	J1, L, U	0.562	ug/L	10.0			60-140		
Di-n-octyl phthalate	10.8		0.562	ug/L	10.0		108	60-140		
Fluoranthene	9.58		0.562	ug/L	10.0		95.8	60-140		
Fluorene	10.3		0.562	ug/L	10.0		103	60-140		
Hexachlorobenzene	8.15		0.562	ug/L	10.0		81.5	60-140		
Hexachlorobutadiene	5.55	J1	0.562	ug/L	10.0		55.5	60-140		
Hexachlorocyclopentadiene	7.59		0.562	ug/L	10.0		75.9	60-140		
Hexachloroethane	8.15		0.562	ug/L	10.0		81.5	60-140		
Indeno(1,2,3-cd) pyrene	9.03		0.562	ug/L	10.0		90.3	60-140		
Isophorone	9.52		0.562	ug/L	10.0		95.2	60-140		
Naphthalene	10.2		0.562	ug/L	10.0		102	60-140		
Nitrobenzene	11.4		0.562	ug/L	10.0		114	60-140		
n-Nitrosodimethylamine	4.16		2.25	ug/L	50.0		8.32	2.5-65.7		
n-Nitrosodi-n-propylamine	10.9		0.562	ug/L	10.0		109	60-140		
n-Nitrosodiphenylamine	5.61	J1	0.562	ug/L	10.0		56.1	60-140		
Pentachlorophenol	19.5		1.12	ug/L	20.0		97.6	36.8-149		
Phenanthrene	9.48		0.562	ug/L	10.0		94.8	60-140		
Phenol, Total	19.3		1.12	ug/L	20.0		96.3	60-140		
Pyrene	9.23		0.562	ug/L	10.0		92.3	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*9.68*	*ug/L*	*10.0*		*96.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.6*	*ug/L*	*20.0*		*118*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*16.3*	*ug/L*	*20.0*		*81.6*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*8.43*	*ug/L*	*10.0*		*84.3*	*52-162*		
Surrogate: Phenol-d5-surr			*25.7*	*ug/L*	*20.0*		*129*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.22*	*ug/L*	*10.0*		*82.2*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
BSD BENZ (BGB0925-BSD1)					Prepared: 2/7/2023 Analyzed: 2/10/2023					
3,3'-Dichlorobenzidine	6.90		0.562	ug/L	10.0		69.0	22.3-156	5.80	40
Benzidine	2.55		0.562	ug/L	10.0		25.5	9.32-162	8.52	40
Surrogate: 2-Fluorobiphenyl-surr			*9.80*	*ug/L*	*10.0*		*98.0*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*18.6*	*ug/L*	*20.0*		*93.1*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.9*	*ug/L*	*20.0*		*104*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.97*	*ug/L*	*10.0*		*99.7*	*52-162*		
Surrogate: Phenol-d5-surr			*18.9*	*ug/L*	*20.0*		*94.4*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.62*	*ug/L*	*10.0*		*86.2*	*51.9-147*		
BSD SV (BGB0925-BSD2)					Prepared: 2/7/2023 Analyzed: 2/14/2023					
1,2,4-Trichlorobenzene	10.7		0.562	ug/L	10.0		107	60-140	11.2	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	9.90		0.562	ug/L	10.0		99.0	60-140	1.85	40
1,2-Diphenylhydrazine	9.57		0.562	ug/L	10.0		95.7	60-140	9.91	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	8.92		0.562	ug/L	10.0		89.2	60-140	6.33	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	9.97		0.562	ug/L	10.0		99.7	60-140	4.59	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	10.0		0.562	ug/L	10.0		100	60-140	6.89	40
2,4-Dichlorophenol	21.9		0.562	ug/L	20.0		110	60-140	11.6	40
2,4-Dimethylphenol	22.3		1.12	ug/L	20.0		112	35.9-153	0.973	40
2,4-Dinitrophenol	54.2		4.50	ug/L	50.0		108	60-140	4.79	40
2,4-Dinitrotoluene (2,4-DNT)	10.3		0.562	ug/L	10.0		103	60-140	2.39	40
2,6-Dinitrotoluene (2,6-DNT)	12.5		0.562	ug/L	10.0		125	60-140	15.1	40
2-Chloronaphthalene	10.9		0.562	ug/L	10.0		109	60-140	6.92	40
2-Chlorophenol	14.4		1.12	ug/L	20.0		71.9	60-140	15.9	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	22.7		1.12	ug/L	20.0		114	60-140	4.27	40
2-Nitrophenol	17.8		1.12	ug/L	20.0		89.2	60-140	12.5	40
4-Bromophenyl phenyl ether (BDE-3)	10.9		0.562	ug/L	10.0		109	60-140	19.4	40
4-Chloro-3-methylphenol	20.9		1.12	ug/L	20.0		104	60-140	1.51	40
4-Chlorophenyl phenylether	10.3		0.562	ug/L	10.0		103	60-140	25.0	40
4-Nitrophenol	44.2		4.50	ug/L	50.0		88.3	60-140	11.7	40
Acenaphthene	10.6		0.562	ug/L	10.0		106	60-140	5.50	40
Acenaphthylene	12.0		0.562	ug/L	10.0		120	60-140	1.04	40
Anthracene	10.3		0.562	ug/L	10.0		103	60-140	1.99	40
Benzo(a)anthracene	10.8		0.562	ug/L	10.0		108	60-140	0.660	40
Benzo(a)pyrene	10.8		0.562	ug/L	10.0		108	60-140	6.06	40
benzo(b&k)fluoranthene	22.3		1.12	ug/L	20.0		112	60-140	4.51	40
Benzo(g,h,i)perylene	10.5		0.562	ug/L	10.0		105	60-140	14.2	40
bis(2-Chloroethoxy)methane	10.1		0.562	ug/L	10.0		101	60-140	5.07	40
bis(2-Chloroethyl) ether	11.6		0.562	ug/L	10.0		116	60-140	26.9	40
Bis(2-ethylhexyl)phthalate	11.2		0.562	ug/L	10.0		112	60-140	16.9	40
Butyl benzyl phthalate	10.6		0.562	ug/L	10.0		106	60-140	8.61	40
Chrysene	9.99		0.562	ug/L	10.0		99.9	60-140	10.3	40
Dibenzo(a,h)anthracene	10.7		0.562	ug/L	10.0		107	60-140	17.6	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
BSD SV (BGB0925-BSD2)					Prepared: 2/7/2023 Analyzed: 2/14/2023					
Diethyl phthalate	11.7		0.562	ug/L	10.0		117	60-140	13.3	40
Dimethyl phthalate	12.8		0.562	ug/L	10.0		128	60-140	6.07	40
Di-n-butyl phthalate	<0.562	J1, L, U	0.562	ug/L	10.0			60-140		40
Di-n-octyl phthalate	11.5		0.562	ug/L	10.0		115	60-140	5.73	40
Fluoranthene	10.1		0.562	ug/L	10.0		101	60-140	5.72	40
Fluorene	10.9		0.562	ug/L	10.0		109	60-140	5.45	40
Hexachlorobenzene	11.5		0.562	ug/L	10.0		115	60-140	33.7	40
Hexachlorobutadiene	7.03		0.562	ug/L	10.0		70.3	60-140	23.5	40
Hexachlorocyclopentadiene	7.28		0.562	ug/L	10.0		72.8	60-140	4.17	40
Hexachloroethane	7.33		0.562	ug/L	10.0		73.3	60-140	10.6	40
Indeno(1,2,3-cd) pyrene	10.5		0.562	ug/L	10.0		105	60-140	15.0	40
Isophorone	8.45		0.562	ug/L	10.0		84.5	60-140	12.0	40
Naphthalene	10.8		0.562	ug/L	10.0		108	60-140	6.43	40
Nitrobenzene	10.6		0.562	ug/L	10.0		106	60-140	6.69	40
n-Nitrosodimethylamine	4.16		2.25	ug/L	50.0		8.32	2.5-65.7	0.0391	40
n-Nitrosodi-n-propylamine	9.10		0.562	ug/L	10.0		91.0	60-140	17.8	40
n-Nitrosodiphenylamine	12.5	J1	0.562	ug/L	10.0		125	60-140	76.3	40
Pentachlorophenol	23.2		1.12	ug/L	20.0		116	36.8-149	17.2	40
Phenanthrene	10.7		0.562	ug/L	10.0		107	60-140	11.9	40
Phenol, Total	21.7		1.12	ug/L	20.0		109	60-140	12.0	40
Pyrene	9.50		0.562	ug/L	10.0		95.0	60-140	2.87	40
Surrogate: 2-Fluorobiphenyl-surr			*10.3*	*ug/L*	*10.0*		*103*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.4*	*ug/L*	*20.0*		*117*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.0*	*ug/L*	*20.0*		*100*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*8.80*	*ug/L*	*10.0*		*88.0*	*52-162*		
Surrogate: Phenol-d5-surr			*23.5*	*ug/L*	*20.0*		*118*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.29*	*ug/L*	*10.0*		*82.9*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
BGA3905-BLK1 (BGB0925-LBK1)					Prepared: 2/7/2023 Analyzed: 2/14/2023					
3,3'-Dichlorobenzidine	<0.562	U	0.562	ug/L						
Benzidine	<0.562	U	0.562	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*14.5*	*ug/L*	*10.0*		*145*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr		*S*	*31.0*	*ug/L*	*20.0*		*155*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*38.7*	*ug/L*	*20.0*		*193*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr		*S*	*18.4*	*ug/L*	*10.0*		*184*	*52-162*		
Surrogate: Phenol-d5-surr		*S*	*35.6*	*ug/L*	*20.0*		*178*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*10.3*	*ug/L*	*10.0*		*103*	*51.9-147*		
BGB0310-BLK1 (BGB0925-LBK2)					Prepared: 2/7/2023 Analyzed: 2/14/2023					
3,3'-Dichlorobenzidine	<0.561	U	0.561	ug/L						
Benzidine	<0.561	U	0.561	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*13.8*	*ug/L*	*9.98*		*138*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*24.6*	*ug/L*	*20.0*		*123*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr		*S*	*38.2*	*ug/L*	*20.0*		*192*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*15.8*	*ug/L*	*9.98*		*158*	*52-162*		
Surrogate: Phenol-d5-surr			*29.3*	*ug/L*	*20.0*		*147*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*11.5*	*ug/L*	*9.98*		*116*	*51.9-147*		
BGA3905-BLK1 (BGB0925-LBK3)					Prepared: 2/7/2023 Analyzed: 2/15/2023					
1,2,4-Trichlorobenzene	<0.562	U	0.562	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.562	U	0.562	ug/L						
1,2-Diphenylhydrazine	<0.562	U	0.562	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.562	U	0.562	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.562	U	0.562	ug/L						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<0.562	U	0.562	ug/L						
2,4-Dichlorophenol	<0.562	U	0.562	ug/L						
2,4-Dimethylphenol	<1.12	U	1.12	ug/L						
2,4-Dinitrophenol	<4.50	U	4.50	ug/L						
2,4-Dinitrotoluene (2,4-DNT)	<0.562	U	0.562	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.562	U	0.562	ug/L						
2-Chloronaphthalene	<0.562	U	0.562	ug/L						
2-Chlorophenol	<1.12	U	1.12	ug/L						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<1.12	U	1.12	ug/L						
2-Nitrophenol	<1.12	U	1.12	ug/L						
4-Bromophenyl phenyl ether (BDE-3)	<0.562	U	0.562	ug/L						
4-Chloro-3-methylphenol	<1.12	U	1.12	ug/L						
4-Chlorophenyl phenylether	<0.562	U	0.562	ug/L						
4-Nitrophenol	<4.50	U	4.50	ug/L						
Acenaphthene	<0.562	U	0.562	ug/L						
Acenaphthylene	<0.562	U	0.562	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
BGA3905-BLK1 (BGB0925-LBK3)					Prepared: 2/7/2023 Analyzed: 2/15/2023					
Anthracene	<0.562	U	0.562	ug/L						
Benzo(a)anthracene	<0.562	U	0.562	ug/L						
Benzo(a)pyrene	<0.562	U	0.562	ug/L						
benzo(b&k)fluoranthene	<1.12	U	1.12	ug/L						
Benzo(g,h,i)perylene	<0.562	U	0.562	ug/L						
bis(2-Chloroethoxy)methane	<0.562	U	0.562	ug/L						
bis(2-Chloroethyl) ether	<0.562	U	0.562	ug/L						
Bis(2-ethylhexyl)phthalate	<0.562	U	0.562	ug/L						
Butyl benzyl phthalate	<0.562	U	0.562	ug/L						
Chrysene	<0.562	U	0.562	ug/L						
Dibenzo(a,h)anthracene	<0.562	U	0.562	ug/L						
Diethyl phthalate	0.774		0.562	ug/L						
Dimethyl phthalate	5.59		0.562	ug/L						
Di-n-butyl phthalate	<0.562	L, U	0.562	ug/L						
Di-n-octyl phthalate	<0.562	U	0.562	ug/L						
Fluoranthene	<0.562	U	0.562	ug/L						
Fluorene	<0.562	U	0.562	ug/L						
Hexachlorobenzene	<0.562	U	0.562	ug/L						
Hexachlorobutadiene	<0.562	U	0.562	ug/L						
Hexachlorocyclopentadiene	<0.562	U	0.562	ug/L						
Hexachloroethane	<0.562	U	0.562	ug/L						
Indeno(1,2,3-cd) pyrene	<0.562	U	0.562	ug/L						
Isophorone	<0.562	U	0.562	ug/L						
Naphthalene	<0.562	U	0.562	ug/L						
Nitrobenzene	<0.562	U	0.562	ug/L						
n-Nitrosodimethylamine	<2.25	U	2.25	ug/L						
n-Nitrosodi-n-propylamine	<0.562	U	0.562	ug/L						
n-Nitrosodiphenylamine	<0.562	U	0.562	ug/L						
Pentachlorophenol	<1.12	U	1.12	ug/L						
Phenanthrene	<0.562	U	0.562	ug/L						
Phenol, Total	1.43		1.12	ug/L						
Pyrene	<0.562	U	0.562	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.70*	*ug/L*	*10.0*		*97.0*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.3*	*ug/L*	*20.0*		*111*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.9*	*ug/L*	*20.0*		*109*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*7.99*	*ug/L*	*10.0*		*79.9*	*52-162*		
Surrogate: Phenol-d5-surr			*25.7*	*ug/L*	*20.0*		*129*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.20*	*ug/L*	*10.0*		*82.0*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
BGB0310-BLK1 (BGB0925-LBK4)					Prepared: 2/7/2023 Analyzed: 2/15/2023					
1,2,4-Trichlorobenzene	<0.561	U	0.561	ug/L						
1,2-Dichlorobenzene (o-Dichlorobenzene)	<0.561	U	0.561	ug/L						
1,2-Diphenylhydrazine	<0.561	U	0.561	ug/L						
1,3-Dichlorobenzene (m-Dichlorobenzene)	<0.561	U	0.561	ug/L						
1,4-Dichlorobenzene (p-Dichlorobenzene)	<0.561	U	0.561	ug/L						
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	<0.561	U	0.561	ug/L						
2,4-Dichlorophenol	<0.561	U	0.561	ug/L						
2,4-Dimethylphenol	<1.12	U	1.12	ug/L						
2,4-Dinitrophenol	<4.49	U	4.49	ug/L						
2,4-Dinitrotoluene (2,4-DNT)	<0.561	U	0.561	ug/L						
2,6-Dinitrotoluene (2,6-DNT)	<0.561	U	0.561	ug/L						
2-Chloronaphthalene	<0.561	U	0.561	ug/L						
2-Chlorophenol	<1.12	U	1.12	ug/L						
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	<1.12	U	1.12	ug/L						
2-Nitrophenol	<1.12	U	1.12	ug/L						
4-Bromophenyl phenyl ether (BDE-3)	<0.561	U	0.561	ug/L						
4-Chloro-3-methylphenol	<1.12	U	1.12	ug/L						
4-Chlorophenyl phenylether	<0.561	U	0.561	ug/L						
4-Nitrophenol	<4.49	U	4.49	ug/L						
Acenaphthene	<0.561	U	0.561	ug/L						
Acenaphthylene	<0.561	U	0.561	ug/L						
Anthracene	<0.561	U	0.561	ug/L						
Benzo(a)anthracene	<0.561	U	0.561	ug/L						
Benzo(a)pyrene	<0.561	U	0.561	ug/L						
benzo(b&k)fluoranthene	<1.12	U	1.12	ug/L						
Benzo(g,h,i)perylene	<0.561	U	0.561	ug/L						
bis(2-Chloroethoxy)methane	<0.561	U	0.561	ug/L						
bis(2-Chloroethyl) ether	<0.561	U	0.561	ug/L						
Bis(2-ethylhexyl)phthalate	<0.561	U	0.561	ug/L						
Butyl benzyl phthalate	<0.561	U	0.561	ug/L						
Chrysene	<0.561	U	0.561	ug/L						
Dibenzo(a,h)anthracene	<0.561	U	0.561	ug/L						
Diethyl phthalate	0.726		0.561	ug/L						
Dimethyl phthalate	5.78		0.561	ug/L						
Di-n-butyl phthalate	<0.561	L, U	0.561	ug/L						
Di-n-octyl phthalate	<0.561	U	0.561	ug/L						
Fluoranthene	<0.561	U	0.561	ug/L						
Fluorene	<0.561	U	0.561	ug/L						
Hexachlorobenzene	<0.561	U	0.561	ug/L						
Hexachlorobutadiene	<0.561	U	0.561	ug/L						
Hexachlorocyclopentadiene	<0.561	U	0.561	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
BGB0310-BLK1 (BGB0925-LBK4)					Prepared: 2/7/2023 Analyzed: 2/15/2023					
Hexachloroethane	<0.561	U	0.561	ug/L						
Indeno(1,2,3-cd) pyrene	<0.561	U	0.561	ug/L						
Isophorone	<0.561	U	0.561	ug/L						
Naphthalene	<0.561	U	0.561	ug/L						
Nitrobenzene	<0.561	U	0.561	ug/L						
n-Nitrosodimethylamine	<2.24	U	2.24	ug/L						
n-Nitrosodi-n-propylamine	<0.561	U	0.561	ug/L						
n-Nitrosodiphenylamine	<0.561	U	0.561	ug/L						
Pentachlorophenol	<1.12	U	1.12	ug/L						
Phenanthrene	<0.561	U	0.561	ug/L						
Phenol, Total	1.12		1.12	ug/L						
Pyrene	<0.561	U	0.561	ug/L						
Surrogate: 2-Fluorobiphenyl-surr			*9.73*	*ug/L*	*9.98*		*97.5*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*22.1*	*ug/L*	*20.0*		*111*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*21.6*	*ug/L*	*20.0*		*108*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*7.96*	*ug/L*	*9.98*		*79.8*	*52-162*		
Surrogate: Phenol-d5-surr			*25.5*	*ug/L*	*20.0*		*128*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.85*	*ug/L*	*9.98*		*88.7*	*51.9-147*		
MDL BENZ (BGB0925-MRL1)					Prepared: 2/7/2023 Analyzed: 2/10/2023					
3,3'-Dichlorobenzidine	0.179	J	0.562	ug/L	0.500		35.8			
Benzidine	0.562		0.562	ug/L	0.500		112			
Surrogate: 2-Fluorobiphenyl-surr			*9.09*	*ug/L*	*10.0*		*90.9*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*19.6*	*ug/L*	*20.0*		*98.0*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*20.9*	*ug/L*	*20.0*		*105*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*10.6*	*ug/L*	*10.0*		*106*	*52-162*		
Surrogate: Phenol-d5-surr			*20.7*	*ug/L*	*20.0*		*104*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.57*	*ug/L*	*10.0*		*85.7*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
MDL SV (BGB0925-MRL2)					Prepared: 2/7/2023 Analyzed: 2/14/2023					
1,2,4-Trichlorobenzene	0.450	J	0.562	ug/L	0.500		90.0			
1,2-Dichlorobenzene (o-Dichlorobenzene)	0.668		0.562	ug/L	0.500		134			
1,2-Diphenylhydrazine	0.681		0.562	ug/L	0.500		136			
1,3-Dichlorobenzene (m-Dichlorobenzene)	0.431	J	0.562	ug/L	0.500		86.1			
1,4-Dichlorobenzene (p-Dichlorobenzene)	0.555	J	0.562	ug/L	0.500		111			
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	0.770		0.562	ug/L	0.500		154			
2,4-Dichlorophenol	1.23		0.562	ug/L	1.00		123	50-150		
2,4-Dimethylphenol	1.31		1.12	ug/L	1.00		131			
2,4-Dinitrophenol	1.79	J	4.50	ug/L	2.50		71.5			
2,4-Dinitrotoluene (2,4-DNT)	0.373	J	0.562	ug/L	0.500		74.7			
2,6-Dinitrotoluene (2,6-DNT)	1.26		0.562	ug/L	0.500		253			
2-Chloronaphthalene	0.568		0.562	ug/L	0.500		114			
2-Chlorophenol	0.665	J	1.12	ug/L	1.00		66.5			
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	0.691	J	1.12	ug/L	1.00		69.1			
2-Nitrophenol	1.40		1.12	ug/L	1.00		140			
4-Bromophenyl phenyl ether (BDE-3)	0.346	J	0.562	ug/L	0.500		69.1			
4-Chloro-3-methylphenol	1.15		1.12	ug/L	1.00		115			
4-Chlorophenyl phenylether	0.365	J	0.562	ug/L	0.500		73.0			
4-Nitrophenol	4.31	J	4.50	ug/L	2.50		173			
Acenaphthene	0.546	J	0.562	ug/L	0.500		109			
Acenaphthylene	0.762		0.562	ug/L	0.500		152			
Anthracene	0.432	J	0.562	ug/L	0.500		86.4			
Benzo(a)anthracene	0.632		0.562	ug/L	0.500		126			
Benzo(a)pyrene	0.560	J	0.562	ug/L	0.500		112			
benzo(b&k)fluoranthene	1.08	J	1.12	ug/L	1.00		108			
Benzo(g,h,i)perylene	0.438	J	0.562	ug/L	0.500		87.5			
bis(2-Chloroethoxy)methane	0.799		0.562	ug/L	0.500		160			
bis(2-Chloroethyl) ether	0.486	J	0.562	ug/L	0.500		97.2			
Bis(2-ethylhexyl)phthalate	0.668		0.562	ug/L	0.500		134			
Butyl benzyl phthalate	0.623		0.562	ug/L	0.500		125			
Chrysene	0.400	J	0.562	ug/L	0.500		80.1			
Dibenzo(a,h)anthracene	0.322	J	0.562	ug/L	0.500		64.4			
Diethyl phthalate	1.62		0.562	ug/L	0.500		324			
Dimethyl phthalate	1.94		0.562	ug/L	0.500		388			
Di-n-butyl phthalate	10.4		0.562	ug/L	0.500		NR			
Di-n-octyl phthalate	0.589		0.562	ug/L	0.500		118			
Fluoranthene	0.311	J	0.562	ug/L	0.500		62.2			
Fluorene	0.589		0.562	ug/L	0.500		118			
Hexachlorobenzene	0.316	J	0.562	ug/L	0.500		63.1			
Hexachlorobutadiene	0.263	J	0.562	ug/L	0.500		52.6			
Hexachlorocyclopentadiene	0.705		0.562	ug/L	0.500		141			
Hexachloroethane	0.412	J	0.562	ug/L	0.500		82.3			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
MDL SV (BGB0925-MRL2)					Prepared: 2/7/2023 Analyzed: 2/14/2023					
Indeno(1,2,3-cd) pyrene	0.378	J	0.562	ug/L	0.500		75.5			
Isophorone	0.450	J	0.562	ug/L	0.500		90.0			
Naphthalene	0.565		0.562	ug/L	0.500		113			
Nitrobenzene	0.630		0.562	ug/L	0.500		126			
n-Nitrosodimethylamine	0.765	J1, J	2.25	ug/L	2.50		30.6	50-150		
n-Nitrosodi-n-propylamine	0.848		0.562	ug/L	0.500		170			
n-Nitrosodiphenylamine	0.353	J	0.562	ug/L	0.500		70.6			
Pentachlorophenol	0.618	J	1.12	ug/L	1.00		61.8			
Phenanthrene	0.479	J	0.562	ug/L	0.500		95.9			
Phenol, Total	1.68		1.12	ug/L	1.00		168			
Pyrene	0.403	J	0.562	ug/L	0.500		80.7			
Surrogate: 2-Fluorobiphenyl-surr			*9.68*	*ug/L*	*10.0*		*96.8*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.3*	*ug/L*	*20.0*		*116*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*19.4*	*ug/L*	*20.0*		*97.0*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*8.46*	*ug/L*	*10.0*		*84.6*	*52-162*		
Surrogate: Phenol-d5-surr			*23.9*	*ug/L*	*20.0*		*120*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*9.56*	*ug/L*	*10.0*		*95.6*	*51.9-147*		
23A1459-09 MS (BGB0925-MS1)		**Source: 23A1459-09RE1**			Prepared: 2/7/2023 Analyzed: 2/14/2023					
1,2,4-Trichlorobenzene	10.2		0.562	ug/L	10.0	<0.562	102	35.3-142		
1,2-Dichlorobenzene (o-Dichlorobenzene)	8.87		0.562	ug/L	10.0	<0.562	88.7	31.4-142		
1,2-Diphenylhydrazine	8.61		0.562	ug/L	10.0	<0.562	86.1	48.9-156		
1,3-Dichlorobenzene (m-Dichlorobenzene)	8.06		0.562	ug/L	10.0	<0.562	80.6	30.5-135		
1,4-Dichlorobenzene (p-Dichlorobenzene)	9.35		0.562	ug/L	10.0	<0.562	93.5	37.2-133		
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	9.81		0.562	ug/L	10.0	<0.562	98.1	41.7-151		
2,4-Dichlorophenol	21.7		0.562	ug/L	20.0	<0.562	108	42.7-158		
2,4-Dimethylphenol	21.8		1.12	ug/L	20.0	<1.12	109	38.4-170		
2,4-Dinitrophenol	55.2		4.50	ug/L	50.0	<4.50	110	60-140		
2,4-Dinitrotoluene (2,4-DNT)	9.87		0.562	ug/L	10.0	<0.562	98.7	50.3-144		
2,6-Dinitrotoluene (2,6-DNT)	12.0		0.562	ug/L	10.0	<0.562	120	43.7-157		
2-Chloronaphthalene	9.60		0.562	ug/L	10.0	<0.562	96.0	27.4-158		
2-Chlorophenol	13.1		1.12	ug/L	20.0	<1.12	65.6	49.2-150		
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	24.8		1.12	ug/L	20.0	<1.12	124	41.9-153		
2-Nitrophenol	20.0		1.12	ug/L	20.0	<1.12	100	51.9-150		
4-Bromophenyl phenyl ether (BDE-3)	9.74		0.562	ug/L	10.0	<0.562	97.4	45.2-146		
4-Chloro-3-methylphenol	18.3		1.12	ug/L	20.0	<1.12	91.6	46.9-147		
4-Chlorophenyl phenylether	8.17		0.562	ug/L	10.0	<0.562	81.7	44.5-143		
4-Nitrophenol	37.5		4.50	ug/L	50.0	<4.50	75.1	2-173		
Acenaphthene	10.3		0.562	ug/L	10.0	1.29	90.5	47.3-149		
Acenaphthylene	10.5		0.562	ug/L	10.0	0.579	99.1	56.5-173		
Anthracene	10.5		0.562	ug/L	10.0	<0.562	105	49.7-160		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
23A1459-09 MS (BGB0925-MS1)			**Source: 23A1459-09RE1**		Prepared: 2/7/2023 Analyzed: 2/14/2023					
Benzo(a)anthracene	10.6		0.562	ug/L	10.0	<0.562	106	41.7-151		
Benzo(a)pyrene	10.0		0.562	ug/L	10.0	<0.562	100	45.4-133		
benzo(b&k)fluoranthene	20.8		1.12	ug/L	20.0	<1.12	104	55.3-137		
Benzo(g,h,i)perylene	10.1		0.562	ug/L	10.0	<0.562	101	37.9-152		
bis(2-Chloroethoxy)methane	10.2		0.562	ug/L	10.0	<0.562	102	40.1-151		
bis(2-Chloroethyl) ether	11.9		0.562	ug/L	10.0	<0.562	119	45.9-163		
Bis(2-ethylhexyl)phthalate	9.41		0.562	ug/L	10.0	<0.562	94.1	38.3-135		
Butyl benzyl phthalate	9.46		0.562	ug/L	10.0	<0.562	94.6	41.1-148		
Chrysene	8.86		0.562	ug/L	10.0	<0.562	88.6	51-147		
Dibenzo(a,h)anthracene	10.7		0.562	ug/L	10.0	<0.562	107	27.5-156		
Diethyl phthalate	9.09		0.562	ug/L	10.0	0.898	81.9	53.4-146		
Dimethyl phthalate	8.49		0.562	ug/L	10.0	<0.562	84.9	53-151		
Di-n-butyl phthalate	18.4		0.562	ug/L	10.0	7.87	105	25.4-168		
Di-n-octyl phthalate	9.54		0.562	ug/L	10.0	<0.562	95.4	39.2-123		
Fluoranthene	9.92		0.562	ug/L	10.0	<0.562	99.2	45.3-156		
Fluorene	12.7		0.562	ug/L	10.0	3.55	91.9	56.3-145		
Hexachlorobenzene	8.96		0.562	ug/L	10.0	<0.562	89.6	56.1-137		
Hexachlorobutadiene	8.45		0.562	ug/L	10.0	<0.562	84.5	33.1-110		
Hexachlorocyclopentadiene	11.1		0.562	ug/L	10.0	<0.562	111	2-179		
Hexachloroethane	8.48		0.562	ug/L	10.0	<0.562	84.8	36.2-106		
Indeno(1,2,3-cd) pyrene	10.2		0.562	ug/L	10.0	<0.562	102	33.4-153		
Isophorone	8.27		0.562	ug/L	10.0	<0.562	82.7	43.3-154		
Naphthalene	10.4		0.562	ug/L	10.0	<0.562	104	45.1-153		
Nitrobenzene	9.96		0.562	ug/L	10.0	<0.562	99.6	54.9-156		
n-Nitrosodimethylamine	4.94		2.25	ug/L	50.0	<2.25	9.88	2-56.4		
n-Nitrosodi-n-propylamine	8.99		0.562	ug/L	10.0	<0.562	89.9	38.3-160		
n-Nitrosodiphenylamine	17.7	J1	0.562	ug/L	10.0	<0.562	177	38.1-163		
Pentachlorophenol	20.2		1.12	ug/L	20.0	<1.12	101	42.2-151		
Phenanthrene	11.4		0.562	ug/L	10.0	1.08	103	45.3-165		
Phenol, Total	22.8		1.12	ug/L	20.0	<1.12	114	39.8-164		
Pyrene	9.73		0.562	ug/L	10.0	<0.562	97.3	46.3-149		
Surrogate: 2-Fluorobiphenyl-surr			*9.49*	*ug/L*	*10.0*		*94.9*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*23.0*	*ug/L*	*20.0*		*115*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*17.0*	*ug/L*	*20.0*		*84.9*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*8.50*	*ug/L*	*10.0*		*85.0*	*52-162*		
Surrogate: Phenol-d5-surr			*23.8*	*ug/L*	*20.0*		*119*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*7.76*	*ug/L*	*10.0*		*77.6*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
23A1459-09 MSD (BGB0925-MSD1)	**Source: 23A1459-09RE1**			Prepared: 2/7/2023 Analyzed: 2/14/2023						
1,2,4-Trichlorobenzene	10.3		0.562	ug/L	10.0	<0.562	103	35.3-142	1.59	40
1,2-Dichlorobenzene (o-Dichlorobenzene)	9.23		0.562	ug/L	10.0	<0.562	92.3	31.4-142	4.00	40
1,2-Diphenylhydrazine	9.45		0.562	ug/L	10.0	<0.562	94.5	48.9-156	9.29	40
1,3-Dichlorobenzene (m-Dichlorobenzene)	8.18		0.562	ug/L	10.0	<0.562	81.8	30.5-135	1.46	40
1,4-Dichlorobenzene (p-Dichlorobenzene)	8.96		0.562	ug/L	10.0	<0.562	89.6	37.2-133	4.17	40
2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methy	10.2		0.562	ug/L	10.0	<0.562	102	41.7-151	3.64	40
2,4-Dichlorophenol	22.0		0.562	ug/L	20.0	<0.562	110	42.7-158	1.35	40
2,4-Dimethylphenol	22.8		1.12	ug/L	20.0	<1.12	114	38.4-170	4.53	40
2,4-Dinitrophenol	65.3		4.50	ug/L	50.0	<4.50	131	60-140	16.9	40
2,4-Dinitrotoluene (2,4-DNT)	10.9		0.562	ug/L	10.0	<0.562	109	50.3-144	9.47	40
2,6-Dinitrotoluene (2,6-DNT)	11.3		0.562	ug/L	10.0	<0.562	113	43.7-157	5.92	40
2-Chloronaphthalene	10.8		0.562	ug/L	10.0	<0.562	108	27.4-158	12.1	40
2-Chlorophenol	14.3		1.12	ug/L	20.0	<1.12	71.4	49.2-150	8.36	40
2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylph	25.3		1.12	ug/L	20.0	<1.12	127	41.9-153	2.12	40
2-Nitrophenol	20.9		1.12	ug/L	20.0	<1.12	104	51.9-150	4.12	40
4-Bromophenyl phenyl ether (BDE-3)	9.95		0.562	ug/L	10.0	<0.562	99.5	45.2-146	2.07	40
4-Chloro-3-methylphenol	20.9		1.12	ug/L	20.0	<1.12	104	46.9-147	13.1	40
4-Chlorophenyl phenylether	9.11		0.562	ug/L	10.0	<0.562	91.1	44.5-143	10.9	40
4-Nitrophenol	39.1		4.50	ug/L	50.0	<4.50	78.1	2-173	3.97	40
Acenaphthene	11.1		0.562	ug/L	10.0	1.29	97.9	47.3-149	6.85	40
Acenaphthylene	12.0		0.562	ug/L	10.0	0.579	114	56.5-173	13.1	40
Anthracene	10.4		0.562	ug/L	10.0	<0.562	104	49.7-160	1.28	40
Benzo(a)anthracene	11.1		0.562	ug/L	10.0	<0.562	111	41.7-151	4.49	40
Benzo(a)pyrene	10.4		0.562	ug/L	10.0	<0.562	104	45.4-133	4.28	40
benzo(b&k)fluoranthene	21.5		1.12	ug/L	20.0	<1.12	108	55.3-137	3.42	40
Benzo(g,h,i)perylene	10.2		0.562	ug/L	10.0	<0.562	102	37.9-152	1.37	40
bis(2-Chloroethoxy)methane	10.4		0.562	ug/L	10.0	<0.562	104	40.1-151	1.83	40
bis(2-Chloroethyl) ether	12.2		0.562	ug/L	10.0	<0.562	122	45.9-163	2.79	40
Bis(2-ethylhexyl)phthalate	9.07		0.562	ug/L	10.0	<0.562	90.7	38.3-135	3.66	40
Butyl benzyl phthalate	10.0		0.562	ug/L	10.0	<0.562	100	41.1-148	6.03	40
Chrysene	9.19		0.562	ug/L	10.0	<0.562	91.9	51-147	3.68	40
Dibenzo(a,h)anthracene	10.6		0.562	ug/L	10.0	<0.562	106	27.5-156	0.459	40
Diethyl phthalate	10.6		0.562	ug/L	10.0	0.898	97.3	53.4-146	15.6	40
Dimethyl phthalate	10.7		0.562	ug/L	10.0	<0.562	107	53-151	22.6	40
Di-n-butyl phthalate	18.4		0.562	ug/L	10.0	7.87	106	25.4-168	0.246	40
Di-n-octyl phthalate	9.80		0.562	ug/L	10.0	<0.562	98.0	39.2-123	2.67	40
Fluoranthene	10.4		0.562	ug/L	10.0	<0.562	104	45.3-156	4.68	40
Fluorene	14.2		0.562	ug/L	10.0	3.55	107	56.3-145	11.0	40
Hexachlorobenzene	9.33		0.562	ug/L	10.0	<0.562	93.3	56.1-137	4.02	40
Hexachlorobutadiene	7.44		0.562	ug/L	10.0	<0.562	74.4	33.1-110	12.7	40
Hexachlorocyclopentadiene	11.0		0.562	ug/L	10.0	<0.562	110	2-179	0.764	40
Hexachloroethane	7.33		0.562	ug/L	10.0	<0.562	73.3	36.2-106	14.5	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0925 - SW-3511 (Continued)										
23A1459-09 MSD (BGB0925-MSD1)			**Source: 23A1459-09RE1**		Prepared: 2/7/2023 Analyzed: 2/14/2023					
Indeno(1,2,3-cd) pyrene	10.4		0.562	ug/L	10.0	<0.562	104	33.4-153	1.51	40
Isophorone	8.72		0.562	ug/L	10.0	<0.562	87.2	43.3-154	5.34	40
Naphthalene	10.6		0.562	ug/L	10.0	<0.562	106	45.1-153	2.45	40
Nitrobenzene	11.1		0.562	ug/L	10.0	<0.562	111	54.9-156	10.9	40
n-Nitrosodimethylamine	5.48		2.25	ug/L	50.0	<2.25	11.0	2-56.4	10.3	40
n-Nitrosodi-n-propylamine	9.28		0.562	ug/L	10.0	<0.562	92.8	38.3-160	3.25	40
n-Nitrosodiphenylamine	13.1		0.562	ug/L	10.0	<0.562	131	38.1-163	29.8	40
Pentachlorophenol	21.8		1.12	ug/L	20.0	<1.12	109	42.2-151	7.59	40
Phenanthrene	11.5		0.562	ug/L	10.0	1.08	104	45.3-165	1.49	40
Phenol, Total	23.3		1.12	ug/L	20.0	<1.12	116	39.8-164	2.29	40
Pyrene	10.0		0.562	ug/L	10.0	<0.562	100	46.3-149	3.01	40
Surrogate: 2-Fluorobiphenyl-surr			*10.2*	*ug/L*	*10.0*		*102*	*54.6-148*		
Surrogate: 2-Fluorophenol-surr			*24.1*	*ug/L*	*20.0*		*121*	*55-152*		
Surrogate: 2,4,6-Tribromophenol-surr			*18.4*	*ug/L*	*20.0*		*92.2*	*52.4-136*		
Surrogate: Nitrobenzene-d5-surr			*9.53*	*ug/L*	*10.0*		*95.3*	*52-162*		
Surrogate: Phenol-d5-surr			*26.0*	*ug/L*	*20.0*		*130*	*58.7-152*		
Surrogate: p-Terphenyl-d14-surr			*8.66*	*ug/L*	*10.0*		*86.6*	*51.9-147*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Organics by GC

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0543 - SW-3511										
Blank (BGB0543-BLK1)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
4,4'-DDD	<0.00600	U	0.00600	ug/L						
4,4'-DDE	<0.00600	U	0.00600	ug/L						
4,4'-DDT	<0.00600	U	0.00600	ug/L						
Aldrin	<0.00600	U	0.00600	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L						
Chlordane (tech.)	<0.00600	U	0.00600	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L						
delta-BHC	<0.00600	U	0.00600	ug/L						
Dieldrin	<0.00600	U	0.00600	ug/L						
Endosulfan I	<0.00600	U	0.00600	ug/L						
Endosulfan II	<0.00600	U	0.00600	ug/L						
Endosulfan sulfate	<0.00600	U	0.00600	ug/L						
Endrin	<0.00600	U	0.00600	ug/L						
Endrin aldehyde	<0.00600	U	0.00600	ug/L						
Endrin ketone	<0.00600	U	0.00600	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00600	U	0.00600	ug/L						
gamma-Chlordane	<0.00600	U	0.00600	ug/L						
Heptachlor	<0.00600	U	0.00600	ug/L						
Heptachlor epoxide	<0.00600	U	0.00600	ug/L						
Methoxychlor	<0.00600	U	0.00600	ug/L						
Toxaphene (Chlorinated Camphene)	<0.300	U	0.300	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.127*	*ug/L*	*0.120*		*106*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.123*	*ug/L*	*0.120*		*102*	*60-140*		
LCS (BGB0543-BS1)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
Toxaphene (Chlorinated Camphene)	1.33		0.300	ug/L	1.20		111	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.105*	*ug/L*	*0.120*		*87.3*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.118*	*ug/L*	*0.120*		*98.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0543 - SW-3511 (Continued)										
LCS (BGB0543-BS2)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
4,4'-DDD	0.0992		0.00600	ug/L	0.120		82.6	60-140		
4,4'-DDE	0.0973		0.00600	ug/L	0.120		81.0	60-140		
4,4'-DDT	0.102		0.00600	ug/L	0.120		85.2	60-140		
Aldrin	0.0847		0.00600	ug/L	0.120		70.6	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.108		0.00600	ug/L	0.120		89.8	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.0957		0.00600	ug/L	0.120		79.7	60-140		
Chlordane (tech.)	0.348		0.00600	ug/L	0.480		72.5	60-140		
cis-Chlordane (alpha-Chlordane)	0.0881		0.00600	ug/L	0.120		73.5	60-140		
delta-BHC	0.101		0.00600	ug/L	0.120		83.8	60-140		
Dieldrin	0.102		0.00600	ug/L	0.120		85.2	60-140		
Endosulfan I	0.0856		0.00600	ug/L	0.120		71.3	60-140		
Endosulfan II	0.0996		0.00600	ug/L	0.120		83.0	60-140		
Endosulfan sulfate	0.103		0.00600	ug/L	0.120		85.5	60-140		
Endrin	0.0992		0.00600	ug/L	0.120		82.6	60-140		
Endrin aldehyde	0.105		0.00600	ug/L	0.120		87.4	60-140		
Endrin ketone	0.110		0.00600	ug/L	0.120		92.0	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0981		0.00600	ug/L	0.120		81.8	60-140		
gamma-Chlordane	0.0846		0.00600	ug/L	0.120		70.5	60-140		
Heptachlor	0.0892		0.00600	ug/L	0.120		74.3	60-140		
Heptachlor epoxide	0.0861		0.00600	ug/L	0.120		71.8	60-140		
Methoxychlor	0.103		0.00600	ug/L	0.120		85.7	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0939*	*ug/L*	*0.120*		*78.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.117*	*ug/L*	*0.120*		*97.3*	*60-140*		
LCS Dup (BGB0543-BSD1)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
Toxaphene (Chlorinated Camphene)	1.33		0.300	ug/L	1.20		111	60-140	0.0862	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.103*	*ug/L*	*0.120*		*85.4*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.117*	*ug/L*	*0.120*		*97.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0543 - SW-3511 (Continued)										
LCS Dup (BGB0543-BSD2)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
4,4'-DDD	0.104		0.00600	ug/L	0.120		86.8	60-140	4.86	40
4,4'-DDE	0.110		0.00600	ug/L	0.120		92.1	60-140	12.7	40
4,4'-DDT	0.103		0.00600	ug/L	0.120		85.4	60-140	0.240	40
Aldrin	0.0999		0.00600	ug/L	0.120		83.3	60-140	16.5	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.123		0.00600	ug/L	0.120		102	60-140	13.1	40
beta-BHC (beta-Hexachlorocyclohexane)	0.110		0.00600	ug/L	0.120		91.6	60-140	13.9	40
Chlordane (tech.)	0.395		0.00600	ug/L	0.480		82.3	60-140	12.6	40
cis-Chlordane (alpha-Chlordane)	0.100		0.00600	ug/L	0.120		83.7	60-140	13.0	40
delta-BHC	0.113		0.00600	ug/L	0.120		94.2	60-140	11.6	40
Dieldrin	0.110		0.00600	ug/L	0.120		91.8	60-140	7.37	40
Endosulfan I	0.0948		0.00600	ug/L	0.120		79.0	60-140	10.2	40
Endosulfan II	0.101		0.00600	ug/L	0.120		84.1	60-140	1.33	40
Endosulfan sulfate	0.0997		0.00600	ug/L	0.120		83.1	60-140	2.88	40
Endrin	0.102		0.00600	ug/L	0.120		84.8	60-140	2.53	40
Endrin aldehyde	0.116		0.00600	ug/L	0.120		97.0	60-140	10.4	40
Endrin ketone	0.0966		0.00600	ug/L	0.120		80.5	60-140	13.3	40
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.116		0.00600	ug/L	0.120		96.8	60-140	16.9	40
gamma-Chlordane	0.0961		0.00600	ug/L	0.120		80.1	60-140	12.7	40
Heptachlor	0.102		0.00600	ug/L	0.120		85.4	60-140	13.8	40
Heptachlor epoxide	0.0960		0.00600	ug/L	0.120		80.0	60-140	10.8	40
Methoxychlor	0.103		0.00600	ug/L	0.120		85.8	60-140	0.163	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.119*	*ug/L*	*0.120*		*99.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.104*	*ug/L*	*0.120*		*87.1*	*60-140*		
BGA3905-BLK1 (BGB0543-LBK1)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
4,4'-DDD	<0.00600	U	0.00600	ug/L						
4,4'-DDE	<0.00600	U	0.00600	ug/L						
4,4'-DDT	<0.00600	U	0.00600	ug/L						
Aldrin	<0.00600	U	0.00600	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00600	U	0.00600	ug/L						
Chlordane (tech.)	<0.00600	U	0.00600	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00600	U	0.00600	ug/L						
delta-BHC	<0.00600	U	0.00600	ug/L						
Dieldrin	<0.00600	U	0.00600	ug/L						
Endosulfan I	<0.00600	U	0.00600	ug/L						
Endosulfan II	<0.00600	U	0.00600	ug/L						
Endosulfan sulfate	<0.00600	U	0.00600	ug/L						
Endrin	<0.00600	U	0.00600	ug/L						
Endrin aldehyde	<0.00600	U	0.00600	ug/L						
Endrin ketone	<0.00600	U	0.00600	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0543 - SW-3511 (Continued)										
BGA3905-BLK1 (BGB0543-LBK1)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00600	U	0.00600	ug/L						
gamma-Chlordane	<0.00600	U	0.00600	ug/L						
Heptachlor	<0.00600	U	0.00600	ug/L						
Heptachlor epoxide	<0.00600	U	0.00600	ug/L						
Methoxychlor	<0.00600	U	0.00600	ug/L						
Toxaphene (Chlorinated Camphene)	<0.300	U	0.300	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.108*	*ug/L*	*0.120*		*90.2*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0246*	*ug/L*	*0.120*		*20.5*	*60-140*		
BGB0310-BLK1 (BGB0543-LBK2)					Prepared: 2/3/2023 Analyzed: 2/9/2023					
4,4'-DDD	<0.00598	U	0.00598	ug/L						
4,4'-DDE	<0.00598	U	0.00598	ug/L						
4,4'-DDT	<0.00598	U	0.00598	ug/L						
Aldrin	<0.00598	U	0.00598	ug/L						
alpha-BHC (alpha-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
beta-BHC (beta-Hexachlorocyclohexane)	<0.00598	U	0.00598	ug/L						
Chlordane (tech.)	<0.00598	U	0.00598	ug/L						
cis-Chlordane (alpha-Chlordane)	<0.00598	U	0.00598	ug/L						
delta-BHC	0.00803		0.00598	ug/L						
Dieldrin	<0.00598	U	0.00598	ug/L						
Endosulfan I	<0.00598	U	0.00598	ug/L						
Endosulfan II	<0.00598	U	0.00598	ug/L						
Endosulfan sulfate	<0.00598	U	0.00598	ug/L						
Endrin	<0.00598	U	0.00598	ug/L						
Endrin aldehyde	<0.00598	U	0.00598	ug/L						
Endrin ketone	<0.00598	U	0.00598	ug/L						
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	<0.00598	U	0.00598	ug/L						
gamma-Chlordane	<0.00598	U	0.00598	ug/L						
Heptachlor	<0.00598	U	0.00598	ug/L						
Heptachlor epoxide	<0.00598	U	0.00598	ug/L						
Methoxychlor	<0.00598	U	0.00598	ug/L						
Toxaphene (Chlorinated Camphene)	<0.299	U	0.299	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.125*	*ug/L*	*0.120*		*105*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0384*	*ug/L*	*0.120*		*32.1*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0543 - SW-3511 (Continued)										
MRL Check (BGB0543-MRL1)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
Toxaphene (Chlorinated Camphene)	<0.300	J1, U	0.300	ug/L	0.300			50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0979*	*ug/L*	*0.120*		*81.6*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.113*	*ug/L*	*0.120*		*94.3*	*60-140*		
MRL Check (BGB0543-MRL2)					Prepared: 2/3/2023 Analyzed: 2/8/2023					
4,4'-DDD	0.00942		0.00600	ug/L	0.0120		78.5	50-150		
4,4'-DDE	0.0103		0.00600	ug/L	0.0120		86.1	50-150		
4,4'-DDT	0.0102		0.00600	ug/L	0.0120		85.0	50-150		
Aldrin	0.00929		0.00600	ug/L	0.0120		77.4	50-150		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0117		0.00600	ug/L	0.0120		97.2	50-150		
beta-BHC (beta-Hexachlorocyclohexane)	0.0105		0.00600	ug/L	0.0120		87.2	50-150		
Chlordane (tech.)	0.0392		0.00600	ug/L	0.0480		81.6	50-150		
cis-Chlordane (alpha-Chlordane)	0.0118		0.00600	ug/L	0.0120		98.6	50-150		
delta-BHC	<0.00600	J1, U	0.00600	ug/L	0.0120			50-150		
Dieldrin	0.00965		0.00600	ug/L	0.0120		80.4	50-150		
Endosulfan I	0.00907		0.00600	ug/L	0.0120		75.6	50-150		
Endosulfan II	0.00939		0.00600	ug/L	0.0120		78.2	50-150		
Endosulfan sulfate	0.0100		0.00600	ug/L	0.0120		83.6	50-150		
Endrin	0.00904		0.00600	ug/L	0.0120		75.4	50-150		
Endrin aldehyde	0.0105		0.00600	ug/L	0.0120		87.1	50-150		
Endrin ketone	0.0104		0.00600	ug/L	0.0120		86.8	50-150		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0101		0.00600	ug/L	0.0120		83.9	50-150		
gamma-Chlordane	0.00822		0.00600	ug/L	0.0120		68.5	50-150		
Heptachlor	0.00988		0.00600	ug/L	0.0120		82.4	50-150		
Heptachlor epoxide	0.00923		0.00600	ug/L	0.0120		77.0	50-150		
Methoxychlor	0.0124		0.00600	ug/L	0.0120		103	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.122*	*ug/L*	*0.120*		*102*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.113*	*ug/L*	*0.120*		*94.3*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0543 - SW-3511 (Continued)										
Matrix Spike (BGB0543-MS1)	**Source: 23A3576-10**				Prepared: 2/3/2023 Analyzed: 2/8/2023					
4,4'-DDD	0.0525	J1	0.00600	ug/L	0.120	<0.00600	43.8	60-140		
4,4'-DDE	0.0353	J1	0.00600	ug/L	0.120	<0.00600	29.4	60-140		
4,4'-DDT	0.0248	J1	0.00600	ug/L	0.120	<0.00600	20.7	60-140		
Aldrin	0.0441	J1	0.00600	ug/L	0.120	<0.00600	36.7	60-140		
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0953		0.00600	ug/L	0.120	<0.00600	79.5	60-140		
beta-BHC (beta-Hexachlorocyclohexane)	0.0956		0.00600	ug/L	0.120	<0.00600	79.6	60-140		
Chlordane (tech.)	0.239	J1	0.00600	ug/L	0.480	<0.00600	49.7	60-140		
cis-Chlordane (alpha-Chlordane)	0.0559	J1	0.00600	ug/L	0.120	<0.00600	46.6	60-140		
delta-BHC	0.104		0.00600	ug/L	0.120	<0.00600	86.6	60-140		
Dieldrin	0.0842		0.00600	ug/L	0.120	<0.00600	70.2	60-140		
Endosulfan I	0.0723		0.00600	ug/L	0.120	<0.00600	60.2	60-140		
Endosulfan II	0.0812		0.00600	ug/L	0.120	<0.00600	67.6	60-140		
Endosulfan sulfate	0.0907		0.00600	ug/L	0.120	<0.00600	75.6	60-140		
Endrin	0.0811		0.00600	ug/L	0.120	<0.00600	67.6	60-140		
Endrin aldehyde	0.0884		0.00600	ug/L	0.120	<0.00600	73.7	60-140		
Endrin ketone	0.0921		0.00600	ug/L	0.120	<0.00600	76.7	60-140		
gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	0.0899		0.00600	ug/L	0.120	<0.00600	74.9	60-140		
gamma-Chlordane	0.0479	J1	0.00600	ug/L	0.120	<0.00600	39.9	60-140		
Heptachlor	0.0610	J1	0.00600	ug/L	0.120	<0.00600	50.8	60-140		
Heptachlor epoxide	0.0739		0.00600	ug/L	0.120	<0.00600	61.6	60-140		
Methoxychlor	0.0260	J1	0.00600	ug/L	0.120	<0.00600	21.7	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0862*	*ug/L*	*0.120*		*71.9*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0236*	*ug/L*	*0.120*		*19.7*	*60-140*		
Matrix Spike Dup (BGB0543-MSD1)	**Source: 23A3576-10**				Prepared: 2/3/2023 Analyzed: 2/8/2023					
4,4'-DDD	0.0464	J1	0.00600	ug/L	0.120	<0.00600	38.7	60-140	12.3	40
4,4'-DDE	0.0305	J1	0.00600	ug/L	0.120	<0.00600	25.4	60-140	14.8	40
4,4'-DDT	0.0249	J1	0.00600	ug/L	0.120	<0.00600	20.7	60-140	0.193	40
Aldrin	0.0401	J1	0.00600	ug/L	0.120	<0.00600	33.4	60-140	9.39	40
alpha-BHC (alpha-Hexachlorocyclohexane)	0.0975		0.00600	ug/L	0.120	<0.00600	81.2	60-140	2.23	40
beta-BHC (beta-Hexachlorocyclohexane)	0.0959		0.00600	ug/L	0.120	<0.00600	79.9	60-140	0.382	40
Chlordane (tech.)	0.226	J1	0.00600	ug/L	0.480	<0.00600	47.2	60-140	5.26	40
cis-Chlordane (alpha-Chlordane)	0.0524	J1	0.00600	ug/L	0.120	<0.00600	43.7	60-140	6.42	40
delta-BHC	0.103		0.00600	ug/L	0.120	<0.00600	85.9	60-140	0.794	40
Dieldrin	0.0813		0.00600	ug/L	0.120	<0.00600	67.7	60-140	3.57	40
Endosulfan I	0.0735		0.00600	ug/L	0.120	<0.00600	61.3	60-140	1.75	40
Endosulfan II	0.0836		0.00600	ug/L	0.120	<0.00600	69.7	60-140	2.95	40
Endosulfan sulfate	0.0932		0.00600	ug/L	0.120	<0.00600	77.6	60-140	2.68	40
Endrin	0.0814		0.00600	ug/L	0.120	<0.00600	67.9	60-140	0.413	40
Endrin aldehyde	0.0951		0.00600	ug/L	0.120	<0.00600	79.3	60-140	7.34	40
Endrin ketone	0.0947		0.00600	ug/L	0.120	<0.00600	79.0	60-140	2.85	40

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0543 - SW-3511 (Continued)										
Matrix Spike Dup (BGB0543-MSD1)	**Source: 23A3576-10**				Prepared: 2/3/2023 Analyzed: 2/8/2023					
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	0.0937		0.00600	ug/L	0.120	<0.00600	78.0	60-140	4.11	40
gamma-Chlordane	0.0446	J1	0.00600	ug/L	0.120	<0.00600	37.1	60-140	7.17	40
Heptachlor	0.0563	J1	0.00600	ug/L	0.120	<0.00600	46.9	60-140	8.05	40
Heptachlor epoxide	0.0732		0.00600	ug/L	0.120	<0.00600	61.0	60-140	0.971	40
Methoxychlor	0.0311	J1	0.00600	ug/L	0.120	<0.00600	25.9	60-140	17.8	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.0804*	*ug/L*	*0.120*		*67.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0196*	*ug/L*	*0.120*		*16.4*	*60-140*		
Batch: BGB1127 - SW-3511										
Blank (BGB1127-BLK1)					Prepared: 2/8/2023 Analyzed: 2/17/2023					
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.161*	*ug/L*	*0.120*		*134*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.123*	*ug/L*	*0.120*		*103*	*60-140*		
LCS (BGB1127-BS1)					Prepared: 2/8/2023 Analyzed: 2/17/2023					
Aroclor-1016 (PCB-1016)	1.28		0.120	ug/L	1.20		106	60-140		
Aroclor-1260 (PCB-1260)	0.977		0.120	ug/L	1.20		81.4	60-140		
PCBs, Total	1.00		0.120	ug/L	1.20		83.5	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.152*	*ug/L*	*0.120*		*126*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.118*	*ug/L*	*0.120*		*98.7*	*60-140*		
LCS Dup (BGB1127-BSD1)					Prepared: 2/8/2023 Analyzed: 2/17/2023					
Aroclor-1016 (PCB-1016)	1.19		0.120	ug/L	1.20		99.1	60-140	7.19	40
Aroclor-1260 (PCB-1260)	0.989		0.120	ug/L	1.20		82.4	60-140	1.18	40
PCBs, Total	1.01		0.120	ug/L	1.20		83.9	60-140	0.378	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.150*	*ug/L*	*0.120*		*125*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.130*	*ug/L*	*0.120*		*108*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB1127 - SW-3511 (Continued)										
BGA3905-BLK1 (BGB1127-LBK1)					Prepared: 2/8/2023 Analyzed: 2/17/2023					
Aroclor-1016 (PCB-1016)	<0.120	U	0.120	ug/L						
Aroclor-1221 (PCB-1221)	<0.120	U	0.120	ug/L						
Aroclor-1232 (PCB-1232)	<0.120	U	0.120	ug/L						
Aroclor-1242 (PCB-1242)	<0.120	U	0.120	ug/L						
Aroclor-1248 (PCB-1248)	<0.120	U	0.120	ug/L						
Aroclor-1254 (PCB-1254)	<0.120	U	0.120	ug/L						
Aroclor-1260 (PCB-1260)	<0.120	U	0.120	ug/L						
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.166*	*ug/L*	*0.120*		*138*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0291*	*ug/L*	*0.120*		*24.2*	*60-140*		
BGB0310-BLK1 (BGB1127-LBK2)					Prepared: 2/8/2023 Analyzed: 2/17/2023					
Aroclor-1016 (PCB-1016)	<0.120	U	0.120	ug/L						
Aroclor-1221 (PCB-1221)	<0.120	U	0.120	ug/L						
Aroclor-1232 (PCB-1232)	<0.120	U	0.120	ug/L						
Aroclor-1242 (PCB-1242)	<0.120	U	0.120	ug/L						
Aroclor-1248 (PCB-1248)	<0.120	U	0.120	ug/L						
Aroclor-1254 (PCB-1254)	<0.120	U	0.120	ug/L						
Aroclor-1260 (PCB-1260)	<0.120	U	0.120	ug/L						
PCBs, Total	<0.120	U	0.120	ug/L						
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr		*S*	*0.174*	*ug/L*	*0.120*		*146*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0495*	*ug/L*	*0.120*		*41.4*	*60-140*		
MRL Check (BGB1127-MRL1)					Prepared: 2/8/2023 Analyzed: 2/17/2023					
Aroclor-1016 (PCB-1016)	0.381	J1	0.120	ug/L	0.240		159	50-150		
Aroclor-1260 (PCB-1260)	0.207		0.120	ug/L	0.240		86.4	50-150		
PCBs, Total	0.225		0.120	ug/L	0.240		93.6	50-150		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.151*	*ug/L*	*0.120*		*126*	*60-140*		
Surrogate: Decachlorobiphenyl-surr			*0.125*	*ug/L*	*0.120*		*104*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Organics by GC (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB1127 - SW-3511 (Continued)										
Matrix Spike (BGB1127-MS1)		**Source: 23A3576-11**			Prepared: 2/8/2023 Analyzed: 2/17/2023					
Aroclor-1016 (PCB-1016)	1.12		0.120	ug/L	1.20	<0.120	93.3	60-140		
Aroclor-1260 (PCB-1260)	0.340	J1	0.120	ug/L	1.20	<0.120	28.3	60-140		
PCBs, Total	0.409	J1	0.120	ug/L	1.20	<0.120	34.1	60-140		
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.115*	*ug/L*	*0.120*		*95.5*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0406*	*ug/L*	*0.120*		*33.9*	*60-140*		
Matrix Spike Dup (BGB1127-MSD1)		**Source: 23A3576-11**			Prepared: 2/8/2023 Analyzed: 2/17/2023					
Aroclor-1016 (PCB-1016)	1.01		0.120	ug/L	1.20	<0.120	84.4	60-140	10.1	40
Aroclor-1260 (PCB-1260)	0.303	J1	0.120	ug/L	1.20	<0.120	25.2	60-140	11.6	40
PCBs, Total	0.367	J1	0.120	ug/L	1.20	<0.120	30.5	60-140	10.9	40
Surrogate: 2,4,5,6 Tetrachloro-m-xylene-surr			*0.108*	*ug/L*	*0.120*		*90.0*	*60-140*		
Surrogate: Decachlorobiphenyl-surr		*S*	*0.0391*	*ug/L*	*0.120*		*32.6*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Metals, Dissolved

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0721 - EPA 200.8 Dissolved										
Blank (BGB0721-BLK1)					Prepared: 2/6/2023 Analyzed: 2/8/2023					
Arsenic	<0.500	U	0.500	ug/L						
Chromium	<3.00	U	3.00	ug/L						
Copper	0.422	J	1.00	ug/L						
Lead	<0.500	U	0.500	ug/L						
Nickel	<1.00	U	1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						
Blank (BGB0721-BLK2)					Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	<1.00	U	1.00	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Zinc	<2.00	U	2.00	ug/L						
Blank (BGB0721-BLK3)					Prepared: 2/6/2023 Analyzed: 2/14/2023					
Beryllium	<0.200	U	0.200	ug/L						
LCS (BGB0721-BS1)					Prepared: 2/6/2023 Analyzed: 2/8/2023					
Arsenic	49.6		0.500	ug/L	50.0		99.2	85-115		
Chromium	295		3.00	ug/L	300		98.2	85-115		
Copper	104		1.00	ug/L	100		104	85-115		
Lead	51.0		0.500	ug/L	50.0		102	85-115		
Nickel	98.0		1.00	ug/L	100		98.0	85-115		
Silver	53.7		0.500	ug/L	50.0		107	85-115		
Thallium	48.9		0.500	ug/L	50.0		97.7	85-115		
LCS (BGB0721-BS2)					Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	93.4		1.00	ug/L	100		93.4	85-115		
Cadmium	100		1.00	ug/L	100		100	85-115		
Zinc	204		2.00	ug/L	200		102	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0721 - EPA 200.8 Dissolved (Continued)										
LCS (BGB0721-BS3)					Prepared: 2/6/2023 Analyzed: 2/14/2023					
Beryllium	19.0		0.200	ug/L	20.0		95.0	85-115		
Duplicate (BGB0721-DUP1)			**Source: 23A1459-02**		Prepared: 2/6/2023 Analyzed: 2/8/2023					
Arsenic	1.96	J	2.50	ug/L		1.89			3.43	20
Chromium	1.12	J	15.0	ug/L		0.979			13.1	20
Copper	2.28	J	5.00	ug/L		2.09			8.48	20
Lead	1.19	J	2.50	ug/L		1.16			1.79	20
Nickel	1.24	J	5.00	ug/L		1.03			18.2	20
Silver	<2.50	U	2.50	ug/L		<2.50				20
Thallium	<2.50	U	2.50	ug/L		<2.50				20
Duplicate (BGB0721-DUP2)			**Source: 23A1459-49**		Prepared: 2/6/2023 Analyzed: 2/8/2023					
Lead	<2.50	U	2.50	ug/L		0.539			200	20
Thallium	<2.50	U	2.50	ug/L		<2.50				20
Duplicate (BGB0721-DUP3)			**Source: 23A1459-02**		Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	<5.00	U	5.00	ug/L		<5.00				20
Cadmium	<5.00	U	5.00	ug/L		<5.00				20
Zinc	4.71	J	10.0	ug/L		4.16			12.4	20
Duplicate (BGB0721-DUP4)			**Source: 23A1459-49**		Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	<5.00	U	5.00	ug/L		<5.00				20
Cadmium	<5.00	U	5.00	ug/L		<5.00				20
Copper	1.09	J	5.00	ug/L		1.31			18.5	20
Silver	<2.50	U	2.50	ug/L		<2.50				20
Zinc	<10.0	U	10.0	ug/L		<10.0				20
Duplicate (BGB0721-DUP5)			**Source: 23A1459-02**		Prepared: 2/6/2023 Analyzed: 2/14/2023					
Beryllium	<1.00	U	1.00	ug/L		<1.00				20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0721 - EPA 200.8 Dissolved (Continued)										
Duplicate (BGB0721-DUP6)			**Source: 23A1459-49**		Prepared: 2/6/2023 Analyzed: 2/14/2023					
Arsenic	1.47	J	2.50	ug/L		1.23			17.3	20
Chromium	<15.0	U	15.0	ug/L		<15.0				20
Nickel	0.504	J	5.00	ug/L		0.531			5.22	20
Duplicate (BGB0721-DUPA)			**Source: 23A1459-49**		Prepared: 2/6/2023 Analyzed: 2/28/2023					
Beryllium	<1.00	U	1.00	ug/L		<1.00				20
BGB0310-BLK2 (BGB0721-LBK1)					Prepared: 2/6/2023 Analyzed: 2/8/2023					
Lead	<0.500	U	0.500	ug/L						
Thallium	<0.500	U	0.500	ug/L						
BGB0310-BLK2 (BGB0721-LBK2)					Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	<1.00	U	1.00	ug/L						
Cadmium	<1.00	U	1.00	ug/L						
Copper	1.76		1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
Zinc	4.82		2.00	ug/L						
BGB0310-BLK2 (BGB0721-LBK3)					Prepared: 2/6/2023 Analyzed: 2/14/2023					
Chromium	0.222	J	3.00	ug/L						
Nickel	0.781	J	1.00	ug/L						
BGB0310-BLK2 (BGB0721-LBK5)					Prepared: 2/6/2023 Analyzed: 2/22/2023					
Arsenic	<0.500	U	0.500	ug/L						
BGB0310-BLK2 (BGB0721-LBK6)					Prepared: 2/6/2023 Analyzed: 2/28/2023					
Beryllium	0.0140	J	0.200	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0721 - EPA 200.8 Dissolved (Continued)										
BGB0310-BLK2 (BGB0721-LBK7)					Prepared: 2/6/2023 Analyzed: 3/1/2023					
Copper	2.02		1.00	ug/L						
Silver	<0.500	U	0.500	ug/L						
MDL Check (BGB0721-MRL1)					Prepared: 2/6/2023 Analyzed: 2/8/2023					
Arsenic	0.124	J	0.500	ug/L	0.100		124			
Chromium	0.132	J	3.00	ug/L	0.0800		165			
Copper	0.624	J	1.00	ug/L	0.200		312			
Lead	0.102	J	0.500	ug/L	0.100		102			
Nickel	0.0230	J	1.00	ug/L	0.0500		46.0			
Silver	0.0360	J	0.500	ug/L	0.0300		120			
Thallium	0.0350	J	0.500	ug/L	0.0300		117			
MDL Check (BGB0721-MRL2)					Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	0.215	J	1.00	ug/L	0.200		108			
Cadmium	0.0490	J	1.00	ug/L	0.0500		98.0			
Zinc	0.196	J	2.00	ug/L	0.200		98.0			
MDL Check (BGB0721-MRL3)					Prepared: 2/6/2023 Analyzed: 2/14/2023					
Beryllium	0.0320	J	0.200	ug/L	0.0100		320			
Matrix Spike (BGB0721-MS1)		**Source: 23A1459-02**			Prepared: 2/6/2023 Analyzed: 2/8/2023					
Arsenic	44.5		2.50	ug/L	50.0	1.89	85.2	75-125		
Chromium	257		15.0	ug/L	300	0.979	85.3	75-125		
Copper	77.6		5.00	ug/L	100	2.09	75.5	75-125		
Lead	39.0		2.50	ug/L	50.0	1.16	75.8	75-125		
Nickel	73.5	J1	5.00	ug/L	100	1.03	72.4	75-125		
Silver	39.9		2.50	ug/L	50.0	<2.50	79.9	75-125		
Thallium	38.7		2.50	ug/L	50.0	<2.50	77.4	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0721 - EPA 200.8 Dissolved (Continued)										
Matrix Spike (BGB0721-MS2)		**Source: 23A1459-49**			Prepared: 2/6/2023 Analyzed: 2/8/2023					
Lead	36.0	J1	2.50	ug/L	50.0	0.539	70.9	75-125		
Thallium	38.1		2.50	ug/L	50.0	<2.50	76.3	75-125		
Matrix Spike (BGB0721-MS3)		**Source: 23A1459-02**			Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	94.6		5.00	ug/L	100	<5.00	94.6	75-125		
Cadmium	81.8		5.00	ug/L	100	<5.00	81.8	75-125		
Zinc	167		10.0	ug/L	200	4.16	81.5	75-125		
Matrix Spike (BGB0721-MS4)		**Source: 23A1459-49**			Prepared: 2/6/2023 Analyzed: 2/9/2023					
Antimony	94.0		5.00	ug/L	100	<5.00	94.0	75-125		
Cadmium	85.7		5.00	ug/L	100	<5.00	85.7	75-125		
Copper	85.0		5.00	ug/L	100	1.31	83.7	75-125		
Silver	40.7		2.50	ug/L	50.0	<2.50	81.5	75-125		
Zinc	164		10.0	ug/L	200	<10.0	81.9	75-125		
Matrix Spike (BGB0721-MS5)		**Source: 23A1459-02**			Prepared: 2/6/2023 Analyzed: 2/14/2023					
Beryllium	16.3		1.00	ug/L	20.0	<1.00	81.4	75-125		
Matrix Spike (BGB0721-MS6)		**Source: 23A1459-49**			Prepared: 2/6/2023 Analyzed: 2/14/2023					
Arsenic	51.7		2.50	ug/L	50.0	1.23	101	75-125		
Chromium	279		15.0	ug/L	300	<15.0	93.1	75-125		
Nickel	93.1		5.00	ug/L	100	0.531	92.5	75-125		
Matrix Spike (BGB0721-MSA)		**Source: 23A1459-49**			Prepared: 2/6/2023 Analyzed: 2/28/2023					
Beryllium	16.6		1.00	ug/L	20.0	<1.00	82.8	75-125		
Batch: BGB2104 - Cr VI										
BGB0310-BLK1 (BGB2104-LBK1)					Prepared & Analyzed: 2/15/2023					
Chromium (VI)	0.0324		0.00300	mg/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Metals, Dissolved (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB2104 - Cr VI (Continued)										
Matrix Spike (BGB2104-MS1)		**Source: 23A1459-01**			Prepared & Analyzed: 2/15/2023					
Chromium (VI)	0.257		0.00300	mg/L	0.250	0.0111	98.4	70-130		
Matrix Spike Dup (BGB2104-MSD1)		**Source: 23A1459-01**			Prepared & Analyzed: 2/15/2023					
Chromium (VI)	0.261		0.00300	mg/L	0.250	0.0111	99.9	70-130	1.45	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Metals, Total

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0678 - EPA 245.1										
Blank (BGB0678-BLK1)					Prepared & Analyzed: 2/6/2023					
Mercury	<0.200	U	0.200	ug/L						
LCS (BGB0678-BS1)					Prepared & Analyzed: 2/6/2023					
Mercury	5.07		0.200	ug/L	5.00		101	85-115		
Duplicate (BGB0678-DUP1)		**Source: 22I2894-01**			Prepared & Analyzed: 2/6/2023					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
Duplicate (BGB0678-DUP2)		**Source: 23A1459-52**			Prepared & Analyzed: 2/6/2023					
Mercury	<0.200	U	0.200	ug/L		<0.200				20
BGB0310-LBK1 (BGB0678-LBK1)					Prepared & Analyzed: 2/6/2023					
Mercury	<0.200	U	0.200	ug/L						
BGA3905-LBK1 (BGB0678-LBK2)					Prepared & Analyzed: 2/6/2023					
Mercury	<0.200	U	0.200	ug/L						
MDL Check (BGB0678-MRL1)					Prepared & Analyzed: 2/6/2023					
Mercury	<0.200	U	0.200	ug/L	0.100					
Matrix Spike (BGB0678-MS1)		**Source: 22I2894-01**			Prepared & Analyzed: 2/6/2023					
Mercury	5.21		0.200	ug/L	5.00	<0.200	104	70-130		
Matrix Spike (BGB0678-MS2)		**Source: 23A1459-52**			Prepared & Analyzed: 2/6/2023					
Mercury	5.32		0.200	ug/L	5.00	<0.200	106	70-130		
Batch: BGB1605 - EPA 200.8										
Blank (BGB1605-BLK1)					Prepared: 2/10/2023 Analyzed: 2/22/2023					
Selenium	<2.00	U	2.00	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB1605 - EPA 200.8 (Continued)										
LCS (BGB1605-BS1)					Prepared: 2/10/2023 Analyzed: 2/22/2023					
Selenium	213		2.00	ug/L	200		107	85-115		
Duplicate (BGB1605-DUP1)		**Source: 23A1459-05**			Prepared: 2/10/2023 Analyzed: 2/22/2023					
Selenium	<10.0	U	10.0	ug/L		<10.0				20
Duplicate (BGB1605-DUP2)		**Source: 23A3576-02**			Prepared: 2/10/2023 Analyzed: 2/24/2023					
Selenium	0.737	J	2.00	ug/L		0.668			9.82	20
BGB0310-LBK1 (BGB1605-LBK1)					Prepared: 2/10/2023 Analyzed: 2/24/2023					
Selenium	<2.00	U	2.00	ug/L						
BGA3905-LBK1 (BGB1605-LBK2)					Prepared: 2/10/2023 Analyzed: 2/24/2023					
Selenium	<2.00	U	2.00	ug/L						
MDL Check (BGB1605-MRL1)					Prepared: 2/10/2023 Analyzed: 2/22/2023					
Selenium	0.286	J	2.00	ug/L						
Matrix Spike (BGB1605-MS1)		**Source: 23A1459-05**			Prepared: 2/10/2023 Analyzed: 2/22/2023					
Selenium	210		10.0	ug/L	200	<10.0	105	75-125		
Matrix Spike (BGB1605-MS2)		**Source: 23A3576-02**			Prepared: 2/10/2023 Analyzed: 2/24/2023					
Selenium	222		2.00	ug/L	200	0.668	111	75-125		
Batch: BGB3632 - EPA 200.8										
Blank (BGB3632-BLK1)					Prepared: 2/24/2023 Analyzed: 3/1/2023					
Selenium	<2.00	U	2.00	ug/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB3632 - EPA 200.8 (Continued)										
LCS (BGB3632-BS1)					Prepared: 2/24/2023 Analyzed: 3/1/2023					
Selenium	204		2.00	ug/L	200		102	85-115		
Duplicate (BGB3632-DUP1)		**Source: 23A1459-13**			Prepared: 2/24/2023 Analyzed: 3/1/2023					
Selenium	<10.0	U	10.0	ug/L		<10.0				20
MRL Check (BGB3632-MRL1)					Prepared: 2/24/2023 Analyzed: 3/1/2023					
Selenium	0.320	J	2.00	ug/L	0.330		97.0			
Matrix Spike (BGB3632-MS1)		**Source: 23A1459-13**			Prepared: 2/24/2023 Analyzed: 3/1/2023					
Selenium	989		10.0	ug/L	1000	<10.0	98.9	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate General Chemistry

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0150 - TSS										
Blank (BGB0150-BLK1)					Prepared: 2/1/2023 Analyzed: 2/2/2023					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
LCS (BGB0150-BS1)					Prepared: 2/1/2023 Analyzed: 2/2/2023					
Residue-nonfilterable (TSS)	98.5		1.00	mg/L	100		98.5	85-115		
Duplicate (BGB0150-DUP1)		**Source: 23A1459-09**			Prepared: 2/1/2023 Analyzed: 2/2/2023					
Residue-nonfilterable (TSS)	5.26	J1	1.00	mg/L		5.89			11.3	10
BGA3905-BLK1 (BGB0150-LBK1)					Prepared: 2/1/2023 Analyzed: 2/2/2023					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
Batch: BGB0805 - TSS										
Blank (BGB0805-BLK1)					Prepared: 2/6/2023 Analyzed: 2/7/2023					
Residue-nonfilterable (TSS)	<1.00	U	1.00	mg/L						
LCS (BGB0805-BS1)					Prepared: 2/6/2023 Analyzed: 2/7/2023					
Residue-nonfilterable (TSS)	99.0		1.00	mg/L	100		99.0	85-115		
Duplicate (BGB0805-DUP1)		**Source: 23A1459-14**			Prepared: 2/6/2023 Analyzed: 2/7/2023					
Residue-nonfilterable (TSS)	6.35		1.00	mg/L		6.59			3.64	10
BGB0310-BLK1 (BGB0805-LBK1)					Prepared: 2/6/2023 Analyzed: 2/7/2023					
Residue-nonfilterable (TSS)	6.38		1.00	mg/L						
Batch: BGB0807 - NH3-N SEAL-350.1										
BGB0310-BLK1 (BGB0807-LBK1)					Prepared & Analyzed: 2/7/2023					
Ammonia as N	<0.0500	U	0.0500	mg/L						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Quality Control
(Continued)

Elutriate General Chemistry (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGB0807 - NH3-N SEAL-350.1 (Continued)										
MRL Check (BGB0807-MRL1)					Prepared & Analyzed: 2/7/2023					
Ammonia as N	0.0469			mg/L	0.0500		93.8	50-150		
Matrix Spike (BGB0807-MS1)		**Source: 23A1459-08RE1**			Prepared & Analyzed: 2/7/2023					
Ammonia as N	0.571	J1	0.0500	mg/L	0.400	0.456	28.8	90-110		
Matrix Spike (BGB0807-MS2)		**Source: 23B1245-02RE1**			Prepared & Analyzed: 2/7/2023					
Ammonia as N	2.45		0.250	mg/L	0.400	2.06	98.7	90-110		
Matrix Spike Dup (BGB0807-MSD1)		**Source: 23A1459-08RE1**			Prepared & Analyzed: 2/7/2023					
Ammonia as N	1.05	J1	0.0500	mg/L	0.400	0.456	148	90-110	58.9	20
Matrix Spike Dup (BGB0807-MSD2)		**Source: 23B1245-02RE1**			Prepared & Analyzed: 2/7/2023					
Ammonia as N	2.45		0.250	mg/L	0.400	2.06	97.6	90-110	0.176	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Sample Condition Checklist

Work Order: 23A1459

Check Points	
Yes	Custody Seals
Yes	Containers Intact
Yes	COC/Labels Agree
Yes	Received On Ice
Yes	Appropriate Containers
Yes	Appropriate Sample Volume
Yes	Coolers Intact
Yes	Samples Accepted

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-38
TCEQ-TOX T104704202-22-17

Terracon_Houston	Project: PCCA HI & CDP Resampling 2023	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	04/03/2023 13:44

Term and Qualifier Definitions

Item	Definition
B	Analyte was found in the associated method blank.
B2	The analyte was detected in the associated leach blank.
C+	The associated calibration QC is higher than the established quality control criteria for accuracy - no hit in sample; data not affected and acceptable to report.
CQ	Internal Standard response less than 50% calibration response
H	The parameter was analyzed outside the method specified holding time.
J	Estimated value - The reported value is between the detection limit and reporting limit.
J1	Estimated value - The reported value is outside the established quality control criteria for accuracy and/or precision.
L	Off scale high - The concentration of the analyte exceeds the linear range.
P	Difference between GC column results greater than the method requirement. Higher result reported.
S	The surrogate recovery was outside the established laboratory recovery limit.
U	Non-detected compound.
V	Analyte was detected in both sample and method blank.
V2	The analyte was detected in the sample and the associated leach blank.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated
*	A = Accredited, N = Not Accredited or Accreditation not available
DF	Dilution Factor - the factor applied to the reported data due to sample preparation, dilution, or moisture content
MDL	Method Detection Limit - The minimum concentration of a substance (or analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. Based on standard deviation of replicate spiked samples take through all steps of the analytical procedure following 40 CFR Part 136 Appendix B.
SDL	Sample Detection Limit - The minimum concentration of a substance (analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. The SDL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MDL = SDL.
MRL	Method Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The MRL is at or above the lowest calibration standard.
LRL	Laboratory Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The LRL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MRL = LRL.

March 6, 2023

Ms. Monica Martin

Re: North Water District Laboratory Services, Inc. (NWDLS)
NWDLS Geosciences Lab Testing – Task Order #13
Project #23A1459

The Taylor Engineering Coastal & Marine Geosciences Laboratory is pleased to submit the following sediment data for NWDLS project #23A1459. Taylor Engineering received 33 samples for analysis in Jacksonville, Florida on February 1st, 2023. Laboratory testing for project #23A1459 included sieve and hydrometer analysis according to ASTM D-422. Attached to this letter are the individual test results for each sample.


If any additional information is needed or if you have any questions, please contact me at (904) 731-7040 or nlamb@taylorengineering.com.

Sincerely,

Natalie Lamb

Natalie Lamb, G.I.T.
Staff Geologist
Coastal & Marine Geosciences Lab Assistant Manager

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.1	0.5	79.6	19.4	0.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.9		
#20	99.6		
#40	99.4		
#50	99.1		
#70	96.8		
#100	69.8		
#140	38.0		
#200	19.8		
0.0511 mm.	5.1		
0.0365 mm.	2.0		
0.0259 mm.	1.2		
0.0134 mm.	0.4		
0.0095 mm.	0.4		
0.0067 mm.	0.5		
0.0033 mm.	0.3		
0.0014 mm.	0.1		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1872 D_{85}= 0.1759 D_{60}= 0.1360
D_{50}= 0.1225 D_{30}= 0.0932 D_{15}= 0.0673
D_{10}= 0.0597 C_u= 2.28 C_c= 1.07

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 16

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.5	0.9	81.0	17.2	0.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.5		
#20	98.9		
#40	98.6		
#50	98.2		
#70	95.6		
#100	71.9		
#140	31.3		
#200	17.6		
0.0513 mm.	4.7		
0.0366 mm.	2.0		
0.0259 mm.	1.6		
0.0134 mm.	1.2		
0.0095 mm.	0.8		
0.0067 mm.	0.5		
0.0033 mm.	0.3		
0.0014 mm.	0.1		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1856 D_{85}= 0.1725 D_{60}= 0.1360
D_{50}= 0.1258 D_{30}= 0.1043 D_{15}= 0.0692
D_{10}= 0.0606 C_u= 2.25 C_c= 1.32

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 17

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.6	3.4	67.8	27.3	0.9

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.4		
#20	97.5		
#40	96.0		
#50	95.3		
#70	93.0		
#100	73.2		
#140	45.1		
#200	28.2		
0.0499 mm.	13.1		
0.0359 mm.	8.4		
0.0256 mm.	5.5		
0.0134 mm.	2.5		
0.0095 mm.	1.3		
0.0067 mm.	1.0		
0.0033 mm.	0.8		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1941 D_{85}= 0.1768 D_{60}= 0.1283
D_{50}= 0.1135 D_{30}= 0.0783 D_{15}= 0.0535
D_{10}= 0.0420 C_u= 3.05 C_c= 1.14

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 18

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	1.2	65.3	32.2	1.3

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.5		
#40	98.8		
#50	98.5		
#70	97.7		
#100	88.0		
#140	61.3		
#200	33.5		
0.0509 mm.	10.0		
0.0363 mm.	7.1		
0.0258 mm.	5.3		
0.0134 mm.	2.4		
0.0095 mm.	1.9		
0.0067 mm.	1.3		
0.0033 mm.	1.2		
0.0014 mm.	0.1		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1561 D_{85}= 0.1428 D_{60}= 0.1043
D_{50}= 0.0925 D_{30}= 0.0717 D_{15}= 0.0572
D_{10}= 0.0509 C_u= 2.05 C_c= 0.97

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 20

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.6	1.9	67.1	29.7	0.7

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.4		
#20	98.4		
#40	97.5		
#50	96.9		
#70	94.1		
#100	76.1		
#140	53.3		
#200	30.4		
0.0475 mm.	17.8		
0.0339 mm.	15.8		
0.0240 mm.	15.2		
0.0128 mm.	8.6		
0.0093 mm.	4.2		
0.0066 mm.	0.9		
0.0033 mm.	0.6		
0.0014 mm.	0.7		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1897 D_{85}= 0.1730 D_{60}= 0.1170
D_{50}= 0.1012 D_{30}= 0.0744 D_{15}= 0.0232
D_{10}= 0.0141 C_u= 8.28 C_c= 3.35

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 21

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.8	3.0	55.7	33.4	7.1

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.2		
#20	97.5		
#40	96.2		
#50	95.7		
#70	94.5		
#100	84.1		
#140	60.6		
#200	40.5		
0.0448 mm.	28.4		
0.0321 mm.	26.2		
0.0229 mm.	24.6		
0.0119 mm.	23.3		
0.0085 mm.	20.7		
0.0064 mm.	10.0		
0.0033 mm.	3.7		
0.0013 mm.	3.8		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, few clay, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1720 D_{85}= 0.1527 D_{60}= 0.1050
D_{50}= 0.0900 D_{30}= 0.0511 D_{15}= 0.0073
D_{10}= 0.0064 C_u= 16.51 C_c= 3.91

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 22

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.2	0.6	83.7	15.0	0.5

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.8		
#20	99.5		
#40	99.2		
#50	98.9		
#70	96.8		
#100	69.1		
#140	33.5		
#200	15.5		
0.0515 mm.	3.3		
0.0366 mm.	1.8		
0.0260 mm.	1.1		
0.0134 mm.	0.7		
0.0095 mm.	0.4		
0.0067 mm.	0.5		
0.0033 mm.	0.4		
0.0014 mm.	0.1		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1869 D_{85}= 0.1758 D_{60}= 0.1381
D_{50}= 0.1260 D_{30}= 0.1011 D_{15}= 0.0741
D_{10}= 0.0651 C_u= 2.12 C_c= 1.14

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 24

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.4	0.8	80.9	17.1	0.8

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.6		
#20	99.2		
#40	98.8		
#50	98.6		
#70	96.1		
#100	73.8		
#140	31.5		
#200	17.9		
0.0515 mm.	3.3		
0.0367 mm.	1.5		
0.0260 mm.	1.0		
0.0134 mm.	1.0		
0.0095 mm.	0.8		
0.0067 mm.	0.8		
0.0033 mm.	0.7		
0.0014 mm.	0.4		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1819 D_{85}= 0.1689 D_{60}= 0.1344
D_{50}= 0.1247 D_{30}= 0.1040 D_{15}= 0.0691
D_{10}= 0.0616 C_u= 2.18 C_c= 1.31

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 25

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	1.8	61.8	34.2	2.2

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.4		
#40	98.2		
#50	97.6		
#70	96.3		
#100	80.8		
#140	55.4		
#200	36.4		
0.0486 mm.	21.3		
0.0347 mm.	18.6		
0.0247 mm.	16.7		
0.0128 mm.	14.9		
0.0091 mm.	13.2		
0.0066 mm.	3.3		
0.0033 mm.	0.9		
0.0014 mm.	0.1		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1759 D_{85}= 0.1604 D_{60}= 0.1131
D_{50}= 0.0974 D_{30}= 0.0647 D_{15}= 0.0130
D_{10}= 0.0081 C_u= 13.94 C_c= 4.57

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 27

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.6	0.9	65.2	30.3	3.0

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.4		
#20	98.9		
#40	98.5		
#50	98.3		
#70	96.7		
#100	79.7		
#140	51.0		
#200	33.3		
0.0472 mm.	19.6		
0.0336 mm.	18.0		
0.0240 mm.	16.0		
0.0125 mm.	13.3		
0.0091 mm.	8.5		
0.0066 mm.	3.9		
0.0033 mm.	2.2		
0.0013 mm.	2.4		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1762 D_{85}= 0.1618 D_{60}= 0.1188
D_{50}= 0.1045 D_{30}= 0.0689 D_{15}= 0.0167
D_{10}= 0.0099 C_u= 11.96 C_c= 4.02

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 28

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.1	0.9	82.1	16.4	0.5

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.9		
#20	99.4		
#40	99.0		
#50	98.7		
#70	96.6		
#100	75.0		
#140	34.8		
#200	16.9		
0.0508 mm.	7.1		
0.0363 mm.	3.8		
0.0259 mm.	1.3		
0.0134 mm.	0.9		
0.0094 mm.	0.9		
0.0067 mm.	0.6		
0.0033 mm.	0.4		
0.0014 mm.	0.1		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1802 D_{85}= 0.1675 D_{60}= 0.1319
D_{50}= 0.1218 D_{30}= 0.1000 D_{15}= 0.0704
D_{10}= 0.0586 C_u= 2.25 C_c= 1.29

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 30

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.1	0.9	69.3	29.1	0.6

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.9		
#20	99.5		
#40	99.0		
#50	98.8		
#70	97.5		
#100	82.4		
#140	45.5		
#200	29.7		
0.0508 mm.	8.0		
0.0364 mm.	3.3		
0.0259 mm.	1.5		
0.0134 mm.	1.0		
0.0095 mm.	0.6		
0.0067 mm.	0.6		
0.0033 mm.	0.5		
0.0014 mm.	0.1		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1666 D_{85}= 0.1547 D_{60}= 0.1223
D_{50}= 0.1115 D_{30}= 0.0755 D_{15}= 0.0583
D_{10}= 0.0532 C_u= 2.30 C_c= 0.88

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 31

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.3	74.0	24.8	0.9

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.7		
#50	99.5		
#70	98.1		
#100	82.8		
#140	49.0		
#200	25.7		
0.0513 mm.	4.0		
0.0365 mm.	2.0		
0.0259 mm.	1.6		
0.0134 mm.	1.6		
0.0094 mm.	1.3		
0.0067 mm.	0.9		
0.0033 mm.	0.8		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1669 D_{85}= 0.1544 D_{60}= 0.1188
D_{50}= 0.1072 D_{30}= 0.0805 D_{15}= 0.0638
D_{10}= 0.0587 C_u= 2.02 C_c= 0.93

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 32

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.6	65.4	32.3	1.7

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.8		
#40	99.4		
#50	99.3		
#70	98.3		
#100	87.1		
#140	57.7		
#200	34.0		
0.0504 mm.	12.3		
0.0359 mm.	9.1		
0.0255 mm.	7.0		
0.0133 mm.	4.9		
0.0094 mm.	2.8		
0.0067 mm.	1.8		
0.0033 mm.	1.6		
0.0014 mm.	0.6		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1575 D_{85}= 0.1454 D_{60}= 0.1089
D_{50}= 0.0959 D_{30}= 0.0705 D_{15}= 0.0542
D_{10}= 0.0448 C_u= 2.43 C_c= 1.02

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 34

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.6	66.5	31.5	1.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.7		
#40	99.4		
#50	99.2		
#70	98.4		
#100	86.6		
#140	60.5		
#200	32.9		
0.0502 mm.	12.7		
0.0357 mm.	10.2		
0.0253 mm.	9.3		
0.0131 mm.	8.3		
0.0093 mm.	5.5		
0.0066 mm.	2.6		
0.0033 mm.	1.0		
0.0014 mm.	0.6		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1597 D_{85}= 0.1459 D_{60}= 0.1054
D_{50}= 0.0935 D_{30}= 0.0720 D_{15}= 0.0543
D_{10}= 0.0319 C_u= 3.30 C_c= 1.54

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 35

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.4	72.2	26.4	1.0

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.8		
#40	99.6		
#50	99.5		
#70	98.8		
#100	87.2		
#140	47.0		
#200	27.4		
0.0507 mm.	5.7		
0.0361 mm.	3.3		
0.0256 mm.	2.8		
0.0132 mm.	2.3		
0.0094 mm.	1.8		
0.0066 mm.	1.2		
0.0033 mm.	0.9		
0.0014 mm.	0.6		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, trace clay, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1554 D_{85}= 0.1465 D_{60}= 0.1190
D_{50}= 0.1093 D_{30}= 0.0791 D_{15}= 0.0610
D_{10}= 0.0559 C_u= 2.13 C_c= 0.94

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 36

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.0	57.4	35.2	7.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	100.0		
#50	100.0		
#70	99.7		
#100	87.6		
#140	64.4		
#200	42.6		
0.0485 mm.	20.3		
0.0347 mm.	16.4		
0.0248 mm.	13.5		
0.0129 mm.	10.6		
0.0091 mm.	9.6		
0.0065 mm.	8.0		
0.0033 mm.	6.6		
0.0014 mm.	0.1		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, few clay, brown

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1567 D_{85}= 0.1434 D_{60}= 0.0992
D_{50}= 0.0846 D_{30}= 0.0608 D_{15}= 0.0292
D_{10}= 0.0102 C_u= 9.74 C_c= 3.66

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 38

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	4.4	40.9	51.9	2.8

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	97.7		
#40	95.6		
#50	94.7		
#70	93.8		
#100	86.1		
#140	67.4		
#200	54.7		
0.0472 mm.	31.2		
0.0337 mm.	28.1		
0.0239 mm.	26.6		
0.0125 mm.	23.1		
0.0089 mm.	20.1		
0.0065 mm.	8.8		
0.0033 mm.	0.9		
0.0014 mm.	0.1		

* (no specification provided)

Soil Description

Silt, some fine-grained sand-sized quartz, trace clay, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1670 D_{85}= 0.1463 D_{60}= 0.0865
D_{50}= 0.0682 D_{30}= 0.0451 D_{15}= 0.0077
D_{10}= 0.0067 C_u= 12.82 C_c= 3.48

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 39

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	1.1	4.4	58.1	35.2	1.2

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	98.9		
#20	96.5		
#40	94.5		
#50	93.7		
#70	91.5		
#100	76.2		
#140	54.9		
#200	36.4		
0.0490 mm.	15.3		
0.0351 mm.	11.4		
0.0249 mm.	10.5		
0.0129 mm.	8.8		
0.0092 mm.	7.0		
0.0066 mm.	1.6		
0.0033 mm.	0.8		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1995 D_{85}= 0.1763 D_{60}= 0.1154
D_{50}= 0.0970 D_{30}= 0.0670 D_{15}= 0.0484
D_{10}= 0.0207 C_u= 5.58 C_c= 1.88

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 40

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	40.3	40.1	19.5

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	99.9		
#50	99.9		
#70	99.7		
#100	95.6		
#140	78.1		
#200	59.6		
0.0464 mm.	35.6		
0.0332 mm.	31.6		
0.0236 mm.	30.0		
0.0122 mm.	28.5		
0.0087 mm.	25.4		
0.0063 mm.	22.3		
0.0032 mm.	13.1		
0.0014 mm.	1.1		

* (no specification provided)

Soil Description

Silt, some fine-grained sand-sized quartz, little clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1313 D_{85}= 0.1196 D_{60}= 0.0756
D_{50}= 0.0634 D_{30}= 0.0234 D_{15}= 0.0037
D_{10}= 0.0026 C_u= 29.17 C_c= 2.79

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 41

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.2	66.2	27.3	6.3

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.8		
#50	99.7		
#70	99.2		
#100	78.4		
#140	42.5		
#200	33.6		
0.0495 mm.	14.8		
0.0352 mm.	12.8		
0.0249 mm.	12.3		
0.0129 mm.	10.8		
0.0092 mm.	9.3		
0.0065 mm.	8.8		
0.0033 mm.	0.9		
0.0014 mm.	0.1		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, few clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1720 D_{85}= 0.1611 D_{60}= 0.1274
D_{50}= 0.1161 D_{30}= 0.0681 D_{15}= 0.0498
D_{10}= 0.0110 C_u= 11.56 C_c= 3.31

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 43

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.2	63.9	31.8	4.1

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.8		
#50	99.7		
#70	99.2		
#100	84.9		
#140	52.9		
#200	35.9		
0.0491 mm.	21.8		
0.0350 mm.	18.9		
0.0248 mm.	18.0		
0.0129 mm.	16.1		
0.0092 mm.	13.7		
0.0066 mm.	8.0		
0.0033 mm.	1.1		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1617 D_{85}= 0.1503 D_{60}= 0.1151
D_{50}= 0.1018 D_{30}= 0.0642 D_{15}= 0.0104
D_{10}= 0.0074 C_u= 15.65 C_c= 4.87

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 44

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	1.7	0.4	68.5	28.5	0.9

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	98.3		
#20	98.1		
#40	97.9		
#50	97.8		
#70	96.9		
#100	82.0		
#140	48.9		
#200	29.4		
0.0509 mm.	11.6		
0.0362 mm.	8.9		
0.0257 mm.	7.3		
0.0134 mm.	5.2		
0.0095 mm.	1.5		
0.0067 mm.	1.0		
0.0033 mm.	0.7		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1697 D_{85}= 0.1562 D_{60}= 0.1194
D_{50}= 0.1074 D_{30}= 0.0760 D_{15}= 0.0562
D_{10}= 0.0469 C_u= 2.55 C_c= 1.03

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 45

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	2.3	6.6	34.4	47.3	9.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	97.7		
#20	94.1		
#40	91.1		
#50	89.7		
#70	88.1		
#100	80.6		
#140	68.0		
#200	56.7		
0.0473 mm.	37.1		
0.0339 mm.	32.8		
0.0241 mm.	30.1		
0.0127 mm.	23.6		
0.0090 mm.	22.0		
0.0065 mm.	15.6		
0.0033 mm.	1.8		
0.0014 mm.	0.6		

* (no specification provided)

Soil Description

Silt, some fine to coarse-grained sand-sized quartz, few clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.3307 D_{85}= 0.1758 D_{60}= 0.0822
D_{50}= 0.0645 D_{30}= 0.0238 D_{15}= 0.0063
D_{10}= 0.0051 C_u= 16.01 C_c= 1.35

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 46

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	59.7	39.1	1.1

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	99.9		
#50	99.9		
#70	99.8		
#100	98.9		
#140	89.9		
#200	40.2		
0.0496 mm.	15.4		
0.0355 mm.	11.8		
0.0254 mm.	9.1		
0.0132 mm.	6.7		
0.0094 mm.	3.9		
0.0067 mm.	2.0		
0.0033 mm.	0.5		
0.0014 mm.	0.4		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1063 D_{85}= 0.1014 D_{60}= 0.0857
D_{50}= 0.0804 D_{30}= 0.0683 D_{15}= 0.0484
D_{10}= 0.0288 C_u= 2.98 C_c= 1.89

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 47

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.1	0.8	83.1	15.6	0.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.9		
#20	99.4		
#40	99.1		
#50	98.8		
#70	96.5		
#100	71.8		
#140	32.8		
#200	16.0		
0.0521 mm.	1.3		
0.0369 mm.	1.0		
0.0261 mm.	0.6		
0.0135 mm.	0.3		
0.0095 mm.	0.3		
0.0067 mm.	0.4		
0.0033 mm.	0.5		
0.0014 mm.	0.4		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, gray

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1843 D_{85}= 0.1722 D_{60}= 0.1356
D_{50}= 0.1249 D_{30}= 0.1022 D_{15}= 0.0731
D_{10}= 0.0655 C_u= 2.07 C_c= 1.18

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 48

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	6.2	43.5	50.2

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.9		
#50	99.9		
#70	99.8		
#100	99.2		
#140	97.2		
#200	93.7		
0.0409 mm.	74.3		
0.0293 mm.	71.2		
0.0209 mm.	69.7		
0.0111 mm.	63.0		
0.0079 mm.	61.0		
0.0056 mm.	59.0		
0.0033 mm.	2.7		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Clay, lean, some silt, few fine-grained sand-sized quartz, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.0656 D_{85}= 0.0570 D_{60}= 0.0067
D_{50}= 0.0050 D_{30}= 0.0042 D_{15}= 0.0037
D_{10}= 0.0036 C_u= 1.88 C_c= 0.74

Classification

USCS= CL AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 54

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.1	26.7	48.7	24.5

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	99.9		
#50	99.9		
#70	99.6		
#100	95.1		
#140	83.9		
#200	73.2		
0.0447 mm.	51.2		
0.0321 mm.	46.6		
0.0230 mm.	43.0		
0.0121 mm.	38.4		
0.0086 mm.	34.8		
0.0061 mm.	33.3		
0.0033 mm.	0.7		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Silt, little fine-grained sand-sized quartz, little clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1270 D_{85}= 0.1096 D_{60}= 0.0561
D_{50}= 0.0425 D_{30}= 0.0056 D_{15}= 0.0043
D_{10}= 0.0040 C_u= 14.18 C_c= 0.14

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 55

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.5	41.2	56.2	2.1

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.5		
#50	99.3		
#70	97.9		
#100	85.2		
#140	68.5		
#200	58.3		
0.0472 mm.	35.9		
0.0340 mm.	30.1		
0.0243 mm.	26.5		
0.0127 mm.	21.8		
0.0091 mm.	19.7		
0.0067 mm.	3.6		
0.0033 mm.	0.7		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Silt, some fine-grained sand-sized quartz, trace clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1658 D_{85}= 0.1493 D_{60}= 0.0787
D_{50}= 0.0631 D_{30}= 0.0335 D_{15}= 0.0082
D_{10}= 0.0075 C_u= 10.46 C_c= 1.90

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 56

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.4	50.8	33.6	15.2

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.8		
#40	99.6		
#50	99.5		
#70	99.2		
#100	91.2		
#140	63.8		
#200	48.8		
0.0479 mm.	31.4		
0.0343 mm.	27.2		
0.0245 mm.	24.6		
0.0127 mm.	23.1		
0.0090 mm.	21.1		
0.0064 mm.	19.1		
0.0033 mm.	6.9		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, little clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1472 D_{85}= 0.1373 D_{60}= 0.0995
D_{50}= 0.0776 D_{30}= 0.0451 D_{15}= 0.0050
D_{10}= 0.0039 C_u= 25.66 C_c= 5.26

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 58

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.2	18.4	72.0	9.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	99.9		
#40	99.8		
#50	99.7		
#70	99.4		
#100	97.0		
#140	89.8		
#200	81.4		
0.0450 mm.	52.5		
0.0326 mm.	44.9		
0.0234 mm.	40.0		
0.0124 mm.	30.8		
0.0088 mm.	28.7		
0.0064 mm.	17.9		
0.0033 mm.	0.7		
0.0014 mm.	0.6		

* (no specification provided)

Soil Description

Silt, little fine-grained sand-sized quartz, few clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1071 D_{85}= 0.0834 D_{60}= 0.0519
D_{50}= 0.0420 D_{30}= 0.0097 D_{15}= 0.0059
D_{10}= 0.0051 C_u= 10.18 C_c= 0.36

Classification

USCS= ML AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 59

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	0.0	56.3	42.2	1.5

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	100.0		
#20	100.0		
#40	100.0		
#50	100.0		
#70	99.8		
#100	98.2		
#140	83.9		
#200	43.7		
0.0499 mm.	18.1		
0.0357 mm.	13.3		
0.0254 mm.	11.2		
0.0133 mm.	5.8		
0.0095 mm.	2.1		
0.0067 mm.	1.6		
0.0033 mm.	1.3		
0.0014 mm.	0.5		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.1151 D_{85}= 0.1073 D_{60}= 0.0860
D_{50}= 0.0793 D_{30}= 0.0642 D_{15}= 0.0428
D_{10}= 0.0212 C_u= 4.05 C_c= 2.26

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 60

Date: 3/6/2023


Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	1.0	2.3	73.0	23.3	0.4

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
#4	100.0		
#10	99.0		
#20	97.6		
#40	96.7		
#50	96.0		
#70	90.9		
#100	68.7		
#140	42.9		
#200	23.7		
0.0510 mm.	6.6		
0.0367 mm.	2.4		
0.0261 mm.	0.3		
0.0135 mm.	0.3		
0.0095 mm.	0.3		
0.0067 mm.	0.4		
0.0033 mm.	0.5		
0.0014 mm.	0.4		

* (no specification provided)

Soil Description

Sand, silty, mostly fine-grained sand-sized quartz, little silt, tan

Atterberg Limits

PL= LL= PI=

Coefficients

D_{90}= 0.2058 D_{85}= 0.1875 D_{60}= 0.1342
D_{50}= 0.1175 D_{30}= 0.0847 D_{15}= 0.0632
D_{10}= 0.0564 C_u= 2.38 C_c= 0.95

Classification

USCS= SM AASHTO=

Remarks

Source of Sample: 23A1459
Sample Number: 66

Date: 3/6/2023

Taylor Engineering, Inc.

Client: North Water District Laboratory Services
Project: 23A1459

Project No: C2022-020 **Figure**

Tested By: NEL

Laboratory Analysis Report

Total Number of Pages: 23

Job ID : 23020290

10100 East Freeway, Suite 100, Houston, TX 77029 tel: 713-453-6060, fax: 713-453-6091, http://www.ablabs.com

Client Project Name :
23A1459

Report To :

Client Name: NWDLS
Attn: Monica O. Martin
Client Address: 130 S Trade Center Pkwy
City, State, Zip: Conroe, Texas, 77385

P.O.#.: 23A1459
Sample Collected By:
Date Collected: 01/25/23 - 02/01/23

A&B Labs has analyzed the following samples...

Client Sample ID	Matrix	A&B Sample ID
23A1459-02	Water	23020290.01
23A1459-03	Water	23020290.02
23A1459-04	Water	23020290.03
23A1459-05	Water	23020290.04
23A1459-07	Water	23020290.05
23A1459-08	Water	23020290.06
23A1459-09	Water	23020290.07
23A1459-10	Water	23020290.08
23A1459-11	Water	23020290.09
23A1459-12	Water	23020290.10
23A1459-13	Water	23020290.11
23A1459-49	Water	23020290.12
23A1459-50	Water	23020290.13
23A1459-51	Water	23020290.14
23A1459-52	Water	23020290.15
23A1459-62	Water	23020290.16

Released By: Senthilkumar Sevukan
Title: Vice President Operations
Date: 2/9/2023

This Laboratory is NELAP (T104704213) accredited. Effective: 04/01/2022; Expires: 3/31/2023
Scope: Non-Potable Water, Drinking Water, Air, Solid, Biological Tissue, Hazardous Waste

I am the laboratory manager, or his/her designee, and I am responsible for the release of this data package. This laboratory data package has been reviewed and is complete and technically compliant with the requirements of the methods used, except where noted in the attached exception reports. I affirm, to the best of my knowledge that all problems/anomalies observed by this laboratory (and if applicable, any and all laboratories subcontracted through this laboratory) that might affect the quality of the data, have been identified in the Laboratory Review Checklist, and that no information or data have been knowingly withheld that would affect the quality of the data.

This report cannot be reproduced, except in full, without prior written permission of A&B Labs. Results shown relate only to the items tested. Results apply to the sample as received. Samples are assumed to be in acceptable condition unless otherwise noted. Blank correction is not made unless otherwise noted. Air concentrations reported are based on field sampling information provided by client. Soil samples are reported on a wet weight basis unless otherwise noted. Uncertainty estimates are available on request.

ab-q210-0321

Date Received : 02/03/2023 07:20

LABORATORY TERM AND QUALIFIER DEFINITION REPORT

Job ID : 23020290

Date: 2/9/2023

General Term Definition

Back-Wt	Back Weight	Post-Wt	Post Weight
BRL	Below Reporting Limit	ppm	parts per million
cfu	colony-forming units	Pre-Wt	Previous Weight
Conc.	Concentration	Q	Qualifier
D.F.	Dilution Factor	RegLimit	Regulatory Limit
Front-Wt	Front Weight	RPD	Relative Percent Difference
LCS	Laboratory Check Standard	RptLimit	Reporting Limit
LCSD	Laboratory Check Standard Duplicate	SDL	Sample Detection Limit
MS	Matrix Spike	surr	Surrogate
MSD	Matrix Spike Duplicate	T	Time
MW	Molecular Weight	TNTC	Too numerous to count
J	Estimation. Below calibration range but above MDL	MQL	Minimum Quantitation Limit

Qualifier Definition

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-02
Date Collected: 01/25/23
Time Collected: 11:20
Other Information:

Job Sample ID: 23020290.01
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	3.1	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-03
Date Collected: 01/25/23
Time Collected: 14:17
Other Information:

Job Sample ID: 23020290.02
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	3.1	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-04
Date Collected: 01/25/23
Time Collected: 15:45
Other Information:

Job Sample ID: 23020290.03
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	3	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-05
Date Collected: 01/27/23
Time Collected: 12:00
Other Information:

Job Sample ID: 23020290.04
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	2.3	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-07
Date Collected: 02/01/23
Time Collected: 10:00
Other Information:

Job Sample ID: 23020290.05
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	9.9	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-08
Date Collected: 02/01/23
Time Collected: 10:00
Other Information:

Job Sample ID: 23020290.06
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	5.2	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-09
Date Collected: 02/01/23
Time Collected: 10:00
Other Information:

Job Sample ID: 23020290.07
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	4.9	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-10
Date Collected: 02/01/23
Time Collected: 10:00
Other Information:

Job Sample ID: 23020290.08
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	4.6	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-11
Date Collected: 02/01/23
Time Collected: 10:00
Other Information:

Job Sample ID: 23020290.09
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	4.6	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-12
Date Collected: 02/01/23
Time Collected: 10:00
Other Information:

Job Sample ID: 23020290.10
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	4.1	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-13
Date Collected: 02/01/23
Time Collected: 10:00
Other Information:

Job Sample ID: 23020290.11
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	3.9	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-49
Date Collected: 01/27/23
Time Collected: 16:07
Other Information:

Job Sample ID: 23020290.12
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	2.2	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-50
Date Collected: 01/27/23
Time Collected: 15:20
Other Information:

Job Sample ID: 23020290.13
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	2.5	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-51
Date Collected: 02/01/23
Time Collected: 10:00
Other Information:

Job Sample ID: 23020290.14
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	2.5	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-52
Date Collected: 02/01/23
Time Collected: 10:00
Other Information:

Job Sample ID: 23020290.15
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	2.6	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020290

Date 2/9/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-62
Date Collected: 01/27/23
Time Collected: 13:26
Other Information:

Job Sample ID: 23020290.16
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	2	mg/L	1	0.35	1			02/03/23 14:00	AJ

ab-q212-0321

QUALITY CONTROL CERTIFICATE

Job ID : 23020290 **Date :** 2/9/2023

Analysis : Total Organic Carbon **Method : EPA 415.1** **Reporting Units : mg/L**

QC Batch ID : Qb23020626 **Created Date :** 02/06/23 **Created By :** Ajohn

Samples in This QC Batch : 23020290.01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
TOC	TOC	< MDL	mg/L	1	1	0.35		

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
TOC	10	9.5	95						90-110	

QC Type: MS and MSD
QC Sample ID: 23020290.16

Parameter	Sample Result	MS Spk Added	MS Result	MS % Rec	MSD Spk Added	MSD Result	MSD % Rec	RPD	RPD CtrlLimit	%Rec CtrlLimit	Qual
TOC	2.0	5	6.7	94	5	6.7	94	0	10	80-120	

NWDLS
North Water District Laboratory Services, Inc.

Job ID:23020290
02/03/2023 NWDLS AMS

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

A & B Labs
10100 East Freeway, Suite 100
Houston, TX 77029
Phone: (713) 453-6060
Fax: (713) 453-6091

Work Order: 23A1459

Analysis	Due	Expires	Comments
Sample ID: 23A1459-02 ***Marine Water Sampled: 01/25/2023 11:20***			
TOC-415.1 *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:* 01A	03/06/2023	02/22/2023 11:20	
Sample ID: 23A1459-03 ***Marine Water Sampled: 01/25/2023 14:17***			
TOC-415.1 *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:* 02A	03/06/2023	02/22/2023 14:17	
Sample ID: 23A1459-04 ***Marine Water Sampled: 01/25/2023 15:45***			
TOC-415.1 *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:* 03A	03/06/2023	02/22/2023 15:45	
Sample ID: 23A1459-05 ***Marine Water Sampled: 01/27/2023 12:00***			
TOC-415.1 *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:* 04A	03/06/2023	02/24/2023 12:00	
Sample ID: 23A1459-07 ***Elutriate Sampled: 01/16/2023 14:20***			
TOC-415.1-ELUT *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:* 05A	03/06/2023	02/13/2023 14:20	Leached: 02/01/2023 10:00

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-08 ***Elutriate*** ***Sampled: 01/16/2023 17:20***			
TOC-415.1-ELUT 06A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/13/2023 17:20	Leached: 02/01/2023 10:00
Sample ID: 23A1459-09 ***Elutriate*** ***Sampled: 01/19/2023 15:20***			
TOC-415.1-ELUT 07A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/16/2023 15:20	Leached: 02/01/2023 10:00
Sample ID: 23A1459-10 ***Elutriate*** ***Sampled: 01/19/2023 17:00***			
TOC-415.1-ELUT 08A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/16/2023 17:00	Leached: 02/01/2023 10:00
Sample ID: 23A1459-11 ***Elutriate*** ***Sampled: 01/18/2023 09:40***			
TOC-415.1-ELUT 09A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/15/2023 09:40	Leached: 02/01/2023 10:00
Sample ID: 23A1459-12 ***Elutriate*** ***Sampled: 01/18/2023 11:15***			
TOC-415.1-ELUT 10A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/15/2023 11:15	Leached: 02/01/2023 10:00
Sample ID: 23A1459-13 ***Elutriate*** ***Sampled: 01/16/2023 16:37***			
TOC-415.1-ELUT 11A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/13/2023 16:37	Leached: 02/01/2023 10:00

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-49 ***Marine Water Sampled: 01/27/2023 16:07***			
TOC-415.1 12A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/24/2023 16:07	
Sample ID: 23A1459-50 ***Marine Water Sampled: 01/27/2023 15:20***			
TOC-415.1 13A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/24/2023 15:20	
Sample ID: 23A1459-51 ***Elutriate Sampled: 01/23/2023 13:05***			
TOC-415.1-ELUT 14A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/20/2023 13:05	Leached: 02/01/2023 10:00
Sample ID: 23A1459-52 ***Elutriate Sampled: 01/21/2023 10:00***			
TOC-415.1-ELUT 15A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/18/2023 10:00	Leached: 02/01/2023 10:00
Sample ID: 23A1459-62 ***Marine Water Sampled: 01/27/2023 13:26***			
TOC-415.1 16A *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/24/2023 13:26	

Released By — 2-3-23 7:20 Date — Received By — 7:20 2-3-23 Date

3.9°C
JSM
MM

Sample Condition Checklist

A&B JobID : **23020290**	Date Received : **02/03/2023**	Time Received : **7:20AM**
Client Name : **NWDLS**		
Temperature : **3.9°C**	Sample pH : **<2 TOC**	
Thermometer ID : **IR4**	pH Paper ID : **104485**	
Perservative :		

	Check Points	Yes	No	N/A
1.	**Cooler Seal present and signed.**		X	
2.	**Sample(s) in a cooler.**	X		
3.	**If yes, ice in cooler.**	X		
4.	**Sample(s) received with chain-of-custody.**	X		
5.	**C-O-C signed and dated.**	X		
6.	**Sample(s) received with signed sample custody seal.**		X	
7.	**Sample containers arrived intact. (If No comment)**	X		
8.	**Matrix:** Water ☑ Soil ☐ Liquid ☐ Sludge ☐ Solid ☐ Cassette ☐ Tube ☐ Bulk ☐ Badge ☐ Food ☐ Other ☐			
9.	**Samples were received in appropriate container(s)**	X		
10.	**Sample(s) were received with Proper preservative**	X		
11.	**All samples were tagged or labeled.**	X		
12.	**Sample ID labels match C-O-C ID's.**	X		
13.	**Bottle count on C-O-C matches bottles found.**	X		
14.	**Sample volume is sufficient for analyses requested.**	X		
15.	**Samples were received with in the hold time.**	X		
16.	**VOA vials completely filled.**			X
17.	**Sample accepted.**	X		
18.	**Has client been contacted about sub-out**			X

Comments : Include actions taken to resolve discrepancies/problem:

Received by : Amber

Check in by/date : Amber / 02/03/2023

ab-s005-0321

Laboratory Analysis Report

Total Number of Pages: 10

Job ID : 23020761

10100 East Freeway, Suite 100, Houston, TX 77029 tel: 713-453-6060, fax: 713-453-6091, http://www.ablabs.com

Client Project Name :
23A1459

Report To :	Client Name:	NWDLS	P.O.#.: 23A1459
	Attn:	Monica O. Martin	Sample Collected By:
	Client Address:	130 S Trade Center Pkwy	Date Collected: 02/03/23
	City, State, Zip:	Conroe, Texas, 77385	

A&B Labs has analyzed the following samples...

Client Sample ID	Matrix	A&B Sample ID
23A1459-14	Water	23020761.01
23A1459-64	Water	23020761.02
23A1459-65	Water	23020761.03

Released By: Senthilkumar Sevukan
Title: Vice President Operations
Date: 2/15/2023

This Laboratory is NELAP (T104704213) accredited. Effective: 04/01/2022; Expires: 3/31/2023
Scope: Non-Potable Water, Drinking Water, Air, Solid, Biological Tissue, Hazardous Waste

I am the laboratory manager, or his/her designee, and I am responsible for the release of this data package. This laboratory data package has been reviewed and is complete and technically compliant with the requirements of the methods used, except where noted in the attached exception reports. I affirm, to the best of my knowledge that all problems/anomalies observed by this laboratory (and if applicable, any and all laboratories subcontracted through this laboratory) that might affect the quality of the data, have been identified in the Laboratory Review Checklist, and that no information or data have been knowingly withheld that would affect the quality of the data.

This report cannot be reproduced, except in full, without prior written permission of A&B Labs. Results shown relate only to the items tested. Results apply to the sample as received. Samples are assumed to be in acceptable condition unless otherwise noted. Blank correction is not made unless otherwise noted. Air concentrations reported are based on field sampling information provided by client. Soil samples are reported on a wet weight basis unless otherwise noted. Uncertainty estimates are available on request.

ab-q210-0321

Date Received : 02/08/2023 08:12

LABORATORY TERM AND QUALIFIER DEFINITION REPORT

Job ID : 23020761

Date: 2/15/2023

General Term Definition

Back-Wt	Back Weight	Post-Wt	Post Weight
BRL	Below Reporting Limit	ppm	parts per million
cfu	colony-forming units	Pre-Wt	Previous Weight
Conc.	Concentration	Q	Qualifier
D.F.	Dilution Factor	RegLimit	Regulatory Limit
Front-Wt	Front Weight	RPD	Relative Percent Difference
LCS	Laboratory Check Standard	RptLimit	Reporting Limit
LCSD	Laboratory Check Standard Duplicate	SDL	Sample Detection Limit
MS	Matrix Spike	surr	Surrogate
MSD	Matrix Spike Duplicate	T	Time
MW	Molecular Weight	TNTC	Too numerous to count
J	Estimation. Below calibration range but above MDL	MQL	Minimum Quantitation Limit

Qualifier Definition

LABORATORY TEST RESULTS

Job ID : 23020761

Date 2/15/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-14
Date Collected: 02/03/23
Time Collected: 09:05
Other Information:

Job Sample ID: 23020761.01
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	2.5	mg/L	1	0.35	1			02/13/23 09:30	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020761

Date 2/15/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-64
Date Collected: 02/03/23
Time Collected: 09:05
Other Information:

Job Sample ID: 23020761.02
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	4	mg/L	1	0.35	1			02/13/23 09:30	AJ

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23020761

Date 2/15/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-65
Date Collected: 02/03/23
Time Collected: 09:05
Other Information:

Job Sample ID: 23020761.03
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
EPA 415.1	Total Organic Carbon									
	TOC	2.2	mg/L	1	0.35	1			02/13/23 09:30	AJ

ab-q212-0321

QUALITY CONTROL CERTIFICATE

Job ID : 23020761 **Date :** 2/15/2023

Analysis : Total Organic Carbon **Method : EPA 415.1** **Reporting Units : mg/L**

QC Batch ID : Qb23021419 **Created Date :** 02/14/23 **Created By :** Ajohn

Samples in This QC Batch : 23020761.01,02,03

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
TOC	TOC	< MDL	mg/L	1	1	0.35		

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
TOC	10	10.6	106						90-110	

QC Type: MS and MSD
QC Sample ID: 23021085.01

Parameter	Sample Result	MS Spk Added	MS Result	MS % Rec	MSD Spk Added	MSD Result	MSD % Rec	RPD	RPD CtrlLimit	%Rec CtrlLimit	Qual
TOC	40.0	5	44.4	88	5	44.9	98	1.1	10	80-120	

NWDLS

Job ID:23020761

02/08/2023 NWDLS AMS

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

A & B Labs
10100 East Freeway, Suite 100
Houston, TX 77029
Phone: (713) 453-6060
Fax: (713) 453-6091

Work Order: 23A1459

Analysis	Due	Expires	Comments
Sample ID: 23A1459-02	***Marine Water***	***Sampled: 01/25/2023 11:20***	
TOC-415.1	03/06/2023	02/22/2023 11:20	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-03	***Marine Water***	***Sampled: 01/25/2023 14:17***	
TOC-415.1	03/06/2023	02/22/2023 14:17	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-04	***Marine Water***	***Sampled: 01/25/2023 15:45***	
TOC-415.1	03/06/2023	02/22/2023 15:45	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-05	***Marine Water***	***Sampled: 01/27/2023 12:00***	
TOC-415.1	03/06/2023	02/24/2023 12:00	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-07	***Elutriate***	***Sampled: 01/16/2023 14:20***	
TOC-415.1-ELUT	03/06/2023	02/13/2023 14:20	Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-14 *Elutriate* ***Sampled: 01/23/2023 00:00***			
TOC-415.1-ELUT *Analyte(s):* Total Organic Carbon (TOC) *Containers Supplied:*	03/06/2023	02/20/2023 00:00	Leached: 02/03/2023 09:05
[redacted]			
[redacted]	03/06/2023	02/24/2023 16:07	
Analyte(s): Total Organic Carbon (TOC) *Containers Supplied:*			
[redacted]			
[redacted]	03/06/2023	02/24/2023 15:20	
Analyte(s): Total Organic Carbon (TOC) *Containers Supplied:*			
[redacted]			
[redacted]	03/06/2023	02/20/2023 13:05	Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC) *Containers Supplied:*			
[redacted]			
[redacted]	03/06/2023	02/18/2023 10:00	Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC) *Containers Supplied:*			
[redacted]			
[redacted]	03/06/2023	02/24/2023 13:26	
Analyte(s): Total Organic Carbon (TOC) *Containers Supplied:*			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-64 ***Elutriate*** ***Sampled: 01/20/2023 09:30***			
TOC-415.1-ELUT	03/06/2023	02/17/2023 09:30	Leached: 02/03/2023 09:05
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-65 ***Elutriate*** ***Sampled: 01/21/2023 16:45***			
TOC-415.1-ELUT	03/06/2023	02/18/2023 16:45	Leached: 02/03/2023 09:05
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Jason Kenley 0812 — Released By
2.8.23 — Date
Received By
02/08/23 0812 ~~0819~~ — Date
2.3°C
IR4

Sample Condition Checklist

A&B JobID : **23020761**	Date Received : **02/08/2023**	Time Received : **8:12AM**
Client Name : **NWDLS**		
Temperature : **2.3°C**	Sample pH : **<2 TOC**	
Thermometer ID : **IR4**	pH Paper ID : **104485**	
Perservative :		

	Check Points	Yes	No	N/A
1.	**Cooler Seal present and signed.**		X	
2.	**Sample(s) in a cooler.**	X		
3.	**If yes, ice in cooler.**	X		
4.	**Sample(s) received with chain-of-custody.**	X		
5.	**C-O-C signed and dated.**	X		
6.	**Sample(s) received with signed sample custody seal.**		X	
7.	**Sample containers arrived intact. (If No comment)**	X		
8.	**Matrix:** Water ☑ Soil ☐ Liquid ☐ Sludge ☐ Solid ☐ Cassette ☐ Tube ☐ Bulk ☐ Badge ☐ Food ☐ Other ☐			
9.	**Samples were received in appropriate container(s)**	X		
10.	**Sample(s) were received with Proper preservative**	X		
11.	**All samples were tagged or labeled.**	X		
12.	**Sample ID labels match C-O-C ID's.**	X		
13.	**Bottle count on C-O-C matches bottles found.**	X		
14.	**Sample volume is sufficient for analyses requested.**	X		
15.	**Samples were received with in the hold time.**	X		
16.	**VOA vials completely filled.**			X
17.	**Sample accepted.**	X		
18.	**Has client been contacted about sub-out**			X

Comments : Include actions taken to resolve discrepancies/problem:

Received by : EValdez

Check in by/date : EValdez / 02/08/2023

ab-s005-0321

Laboratory Analysis Report

Total Number of Pages: 61

Job ID : 23021134

10100 East Freeway, Suite 100, Houston, TX 77029 tel: 713-453-6060, fax: 713-453-6091, http://www.ablabs.com

Client Project Name :
23A1459

Report To :

Client Name: NWDLS
Attn: Monica O. Martin
Client Address: 130 S Trade Center Pkwy
City, State, Zip: Conroe, Texas, 77385

P.O.#.: 23A1459
Sample Collected By:
Date Collected: 01/16/23 - 01/27/23

A&B Labs has analyzed the following samples...

Client Sample ID	Matrix	A&B Sample ID
23A1459-16	Solid	23021134.01
23A1459-17	Solid	23021134.02
23A1459-18	Solid	23021134.03
23A1459-20	Solid	23021134.04
23A1459-21	Solid	23021134.05
23A1459-22	Solid	23021134.06
23A1459-38	Solid	23021134.07
23A1459-40	Solid	23021134.08
23A1459-41	Solid	23021134.09
23A1459-24	Solid	23021134.10
23A1459-25	Solid	23021134.11
23A1459-27	Solid	23021134.12
23A1459-28	Solid	23021134.13
23A1459-30	Solid	23021134.14
23A1459-31	Solid	23021134.15
23A1459-32	Solid	23021134.16
23A1459-34	Solid	23021134.17
23A1459-35	Solid	23021134.18

Released By: Amanda Shute
Title: Project Manager
Date: 2/17/2023

This Laboratory is NELAP (T104704213) accredited. Effective: 04/01/2022; Expires: 3/31/2023
Scope: Non-Potable Water, Drinking Water, Air, Solid, Biological Tissue, Hazardous Waste

I am the laboratory manager, or his/her designee, and I am responsible for the release of this data package. This laboratory data package has been reviewed and is complete and technically compliant with the requirements of the methods used, except where noted in the attached exception reports. I affirm, to the best of my knowledge that all problems/anomalies observed by this laboratory (and if applicable, any and all laboratories subcontracted through this laboratory) that might affect the quality of the data, have been identified in the Laboratory Review Checklist, and that no information or data have been knowingly withheld that would affect the quality of the data.

This report cannot be reproduced, except in full, without prior written permission of A&B Labs. Results shown relate only to the items tested. Results apply to the sample as received. Samples are assumed to be in acceptable condition unless otherwise noted. Blank correction is not made unless otherwise noted. Air concentrations reported are based on field sampling information provided by client. Soil samples are reported on a wet weight basis unless otherwise noted. Uncertainty estimates are available on request.

ab-q210-0321

Date Received : 02/10/2023 10:00

Laboratory Analysis Report

Total Number of Pages: 61

Job ID : 23021134

10100 East Freeway, Suite 100, Houston, TX 77029 tel: 713-453-6060, fax: 713-453-6091, http://www.ablabs.com

A&B Labs has analyzed the following samples...

Client Sample ID	Matrix	A&B Sample ID
23A1459-36	Solid	23021134.19
23A1459-39	Solid	23021134.20
23A1459-43	Solid	23021134.21
23A1459-44	Solid	23021134.22
23A1459-45	Solid	23021134.23
23A1459-46	Solid	23021134.24
23A1459-47	Solid	23021134.25
23A1459-48	Solid	23021134.26
23A1459-58	Solid	23021134.27
23A1459-59	Solid	23021134.28
23A1459-60	Solid	23021134.29
BGA3903-MB	Solid	23021134.30
BGA3903-MDL	Solid	23021134.31
BGA3903-LCS	Solid	23021134.32
BGA3903-LCSD	Solid	23021134.33
BGB-0167-MB	Solid	23021134.34
BGB-0167-MDL	Solid	23021134.35
BGB-0167-BS	Solid	23021134.36
BGB-0167-BSD	Solid	23021134.37
BGA3903-MS	Solid	23021134.38
BGA3903-MSD	Solid	23021134.39
BGB-0167-MS	Solid	23021134.40
BGB-0167-MSD	Solid	23021134.41

Released By: Amanda Shute

Title: Project Manager

Date: 2/17/2023

This Laboratory is NELAP (T104704213) accredited. Effective: 04/01/2022; Expires: 3/31/2023

Scope: Non-Potable Water, Drinking Water, Air, Solid, Biological Tissue, Hazardous Waste

I am the laboratory manager, or his/her designee, and I am responsible for the release of this data package. This laboratory data package has been reviewed and is complete and technically compliant with the requirements of the methods used, except where noted in the attached exception reports. I affirm, to the best of my knowledge that all problems/anomalies observed by this laboratory (and if applicable, any and all laboratories subcontracted through this laboratory) that might affect the quality of the data, have been identified in the Laboratory Review Checklist, and that no information or data have been knowingly withheld that would affect the quality of the data.

This report cannot be reproduced, except in full, without prior written permission of A&B Labs. Results shown relate only to the items tested. Results apply to the sample as received. Samples are assumed to be in acceptable condition unless otherwise noted. Blank correction is not made unless otherwise noted. Air concentrations reported are based on field sampling information provided by client. Soil samples are reported on a wet weight basis unless otherwise noted. Uncertainty estimates are available on request.

Laboratory Report: Case Narrative

A&B Job ID: 23021134

Date: 02/17/23

Client Name:	NWDLS	Attn: Monica O. Martin
Project Name:	23A1459	
Date Received:	02/10/23	
Collected By:		

Released By:

Title:

LABORATORY TERM AND QUALIFIER DEFINITION REPORT

Job ID : 23021134

Date: 2/17/2023

General Term Definition

Back-Wt	Back Weight	Post-Wt	Post Weight
BRL	Below Reporting Limit	ppm	parts per million
cfu	colony-forming units	Pre-Wt	Previous Weight
Conc.	Concentration	Q	Qualifier
D.F.	Dilution Factor	RegLimit	Regulatory Limit
Front-Wt	Front Weight	RPD	Relative Percent Difference
LCS	Laboratory Check Standard	RptLimit	Reporting Limit
LCSD	Laboratory Check Standard Duplicate	SDL	Sample Detection Limit
MS	Matrix Spike	surr	Surrogate
MSD	Matrix Spike Duplicate	T	Time
MW	Molecular Weight	TNTC	Too numerous to count
J	Estimation. Below calibration range but above MDL	MQL	Minimum Quantitation Limit

Qualifier Definition

J	Estimation. Below calibration range but above MDL.
S2	Surrogate recovery is below control limit. Results may be biased low.
S8	Target compounds caused elevation of baseline. Surrogate may be biased high.

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-16
Date Collected: 01/16/23
Time Collected: 14:20
Other Information:

Job Sample ID: 23021134.01
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	63.51	mg/Kg	1.00	8.94	25			02/10/23 23:39	VMN
	>C12-C28	7.95	mg/Kg	1.00	7.35	25		J	02/10/23 23:39	VMN
	>C28-C35	6.91	mg/Kg	1.00	6.20	25		J	02/10/23 23:39	VMN
	Total C6-C35	78.37	mg/Kg	1.00	6.20				02/10/23 23:39	VMN
	1-Chlorooctane(surr)	87.3	%	1.00		60-143			02/10/23 23:39	VMN
	Chlorooctadecane(surr)	72.6	%	1.00		60-150			02/10/23 23:39	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-17
Date Collected: 01/17/23
Time Collected: 09:40
Other Information:

Job Sample ID: 23021134.02
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	57.48	mg/Kg	1.00	8.94	25			02/11/23 00:10	VMN
	>C12-C28	7.92	mg/Kg	1.00	7.35	25		J	02/11/23 00:10	VMN
	>C28-C35	6.39	mg/Kg	1.00	6.20	25		J	02/11/23 00:10	VMN
	Total C6-C35	71.79	mg/Kg	1.00	6.20				02/11/23 00:10	VMN
	1-Chlorooctane(surr)	78.9	%	1.00		60-143			02/11/23 00:10	VMN
	Chlorooctadecane(surr)	80.9	%	1.00		60-150			02/11/23 00:10	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-18
Date Collected: 01/17/23
Time Collected: 14:40
Other Information:

Job Sample ID: 23021134.03
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	59.59	mg/Kg	1.00	8.94	25			02/11/23 00:43	VMN
	>C12-C28	9.04	mg/Kg	1.00	7.35	25		J	02/11/23 00:43	VMN
	>C28-C35	6.82	mg/Kg	1.00	6.20	25		J	02/11/23 00:43	VMN
	Total C6-C35	75.45	mg/Kg	1.00	6.20				02/11/23 00:43	VMN
	1-Chlorooctane(surr)	78.2	%	1.00		60-143			02/11/23 00:43	VMN
	Chlorooctadecane(surr)	70.7	%	1.00		60-150			02/11/23 00:43	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-20
Date Collected: 01/16/23
Time Collected: 17:20
Other Information:

Job Sample ID: 23021134.04
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	58.67	mg/Kg	1.00	8.94	25			02/11/23 01:15	VMN
	>C12-C28	8.60	mg/Kg	1.00	7.35	25		J	02/11/23 01:15	VMN
	>C28-C35	7.22	mg/Kg	1.00	6.20	25		J	02/11/23 01:15	VMN
	Total C6-C35	74.49	mg/Kg	1.00	6.20				02/11/23 01:15	VMN
	1-Chlorooctane(surr)	79	%	1.00		60-143			02/11/23 01:15	VMN
	Chlorooctadecane(surr)	81.3	%	1.00		60-150			02/11/23 01:15	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-21
Date Collected: 01/17/23
Time Collected: 11:30
Other Information:

Job Sample ID: 23021134.05
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	61.54	mg/Kg	1.00	8.94	25			02/11/23 01:48	VMN
	>C12-C28	8.24	mg/Kg	1.00	7.35	25		J	02/11/23 01:48	VMN
	>C28-C35	6.80	mg/Kg	1.00	6.20	25		J	02/11/23 01:48	VMN
	Total C6-C35	76.59	mg/Kg	1.00	6.20				02/11/23 01:48	VMN
	1-Chlorooctane(surr)	84.4	%	1.00		60-143			02/11/23 01:48	VMN
	Chlorooctadecane(surr)	84.4	%	1.00		60-150			02/11/23 01:48	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-22
Date Collected: 01/17/23
Time Collected: 16:30
Other Information:

Job Sample ID: 23021134.06
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	62.70	mg/Kg	1.00	8.94	25			02/11/23 02:20	VMN
	>C12-C28	8.28	mg/Kg	1.00	7.35	25		J	02/11/23 02:20	VMN
	>C28-C35	7.44	mg/Kg	1.00	6.20	25		J	02/11/23 02:20	VMN
	Total C6-C35	78.42	mg/Kg	1.00	6.20				02/11/23 02:20	VMN
	1-Chlorooctane(surr)	79.6	%	1.00		60-143			02/11/23 02:20	VMN
	Chlorooctadecane(surr)	81	%	1.00		60-150			02/11/23 02:20	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-38
Date Collected: 01/17/23
Time Collected: 14:12
Other Information:

Job Sample ID: 23021134.07
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	63.91	mg/Kg	1.00	8.94	25			02/11/23 02:52	VMN
	>C12-C28	8.40	mg/Kg	1.00	7.35	25		J	02/11/23 02:52	VMN
	>C28-C35	8.1	mg/Kg	1.00	6.20	25		J	02/11/23 02:52	VMN
	Total C6-C35	80.41	mg/Kg	1.00	6.20				02/11/23 02:52	VMN
	1-Chlorooctane(surr)	77.2	%	1.00		60-143			02/11/23 02:52	VMN
	Chlorooctadecane(surr)	70	%	1.00		60-150			02/11/23 02:52	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-40
Date Collected: 01/16/23
Time Collected: 16:37
Other Information:

Job Sample ID: 23021134.08
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	63.27	mg/Kg	1.00	8.94	25			02/11/23 03:25	VMN
	>C12-C28	8.02	mg/Kg	1.00	7.35	25		J	02/11/23 03:25	VMN
	>C28-C35	7.56	mg/Kg	1.00	6.20	25		J	02/11/23 03:25	VMN
	Total C6-C35	78.85	mg/Kg	1.00	6.20				02/11/23 03:25	VMN
	1-Chlorooctane(surr)	86.8	%	1.00		60-143			02/11/23 03:25	VMN
	Chlorooctadecane(surr)	84	%	1.00		60-150			02/11/23 03:25	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-41
Date Collected: 01/17/23
Time Collected: 09:20
Other Information:

Job Sample ID: 23021134.09
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	65.61	mg/Kg	1.00	8.94	25			02/11/23 05:01	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 05:01	VMN
	>C28-C35	9.43	mg/Kg	1.00	6.20	25		J	02/11/23 05:01	VMN
	Total C6-C35	75.04	mg/Kg	1.00	6.20				02/11/23 05:01	VMN
	1-Chlorooctane(surr)	84	%	1.00		60-143			02/11/23 05:01	VMN
	Chlorooctadecane(surr)	70	%	1.00		60-150			02/11/23 05:01	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-24
Date Collected: 01/19/23
Time Collected: 15:20
Other Information:

Job Sample ID: 23021134.10
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	292.59	mg/Kg	1.00	8.94	25			02/11/23 05:33	VMN
	>C12-C28	1327.36	mg/Kg	10.00	73.5	250			02/13/23 22:37	VMN
	>C28-C35	447.97	mg/Kg	1.00	6.20	25			02/11/23 05:33	VMN
	Total C6-C35	2067.91	mg/Kg	10.00	62.0				02/13/23 22:37	VMN
	1-Chlorooctane(surr)	92.7	%	1.00		60-143			02/13/23 22:37	VMN
	1-Chlorooctane(surr)	82.9	%	10.00		60-143			02/13/23 22:37	MV
	Chlorooctadecane(surr)	73.5	%	1.00		60-150			02/13/23 22:37	VMN
	Chlorooctadecane(surr)	83.8	%	10.00		60-150			02/13/23 22:37	MV

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-25
Date Collected: 01/20/23
Time Collected: 11:00
Other Information:

Job Sample ID: 23021134.11
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	77.86	mg/Kg	1.00	8.94	25			02/11/23 06:05	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 06:05	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 06:05	VMN
	Total C6-C35	77.86	mg/Kg	1.00	6.20				02/11/23 06:05	VMN
	1-Chlorooctane(surr)	110	%	1.00		60-143			02/11/23 06:05	VMN
	Chlorooctadecane(surr)	79.2	%	1.00		60-150			02/11/23 06:05	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-27
Date Collected: 01/19/23
Time Collected: 17:00
Other Information:

Job Sample ID: 23021134.12
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	75.32	mg/Kg	1.00	8.94	25			02/11/23 06:37	VMN
	>C12-C28	7.77	mg/Kg	1.00	7.35	25		J	02/11/23 06:37	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 06:37	VMN
	Total C6-C35	83.09	mg/Kg	1.00	6.20				02/11/23 06:37	VMN
	1-Chlorooctane(surr)	103	%	1.00		60-143			02/11/23 06:37	VMN
	Chlorooctadecane(surr)	71.4	%	1.00		60-150			02/11/23 06:37	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-28
Date Collected: 01/20/23
Time Collected: 12:50
Other Information:

Job Sample ID: 23021134.13
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	74.62	mg/Kg	1.00	8.94	25			02/11/23 07:09	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 07:09	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 07:09	VMN
	Total C6-C35	74.62	mg/Kg	1.00	6.20				02/11/23 07:09	VMN
	1-Chlorooctane(surr)	103	%	1.00		60-143			02/11/23 07:09	VMN
	Chlorooctadecane(surr)	80.2	%	1.00		60-150			02/11/23 07:09	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-30
Date Collected: 01/18/23
Time Collected: 09:40
Other Information:

Job Sample ID: 23021134.14
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	71.38	mg/Kg	1.00	8.94	25			02/11/23 07:41	VMN
	>C12-C28	8.15	mg/Kg	1.00	7.35	25		J	02/11/23 07:41	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 07:41	VMN
	Total C6-C35	79.54	mg/Kg	1.00	6.20				02/11/23 07:41	VMN
	1-Chlorooctane(surr)	99.9	%	1.00		60-143			02/11/23 07:41	VMN
	Chlorooctadecane(surr)	82.5	%	1.00		60-150			02/11/23 07:41	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-31
Date Collected: 01/18/23
Time Collected: 14:00
Other Information:

Job Sample ID: 23021134.15
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	74.25	mg/Kg	1.00	8.94	25			02/11/23 08:13	VMN
	>C12-C28	110.84	mg/Kg	1.00	7.35	25			02/11/23 08:13	VMN
	>C28-C35	107.35	mg/Kg	1.00	6.20	25			02/11/23 08:13	VMN
	Total C6-C35	292.44	mg/Kg	1.00	6.20				02/11/23 08:13	VMN
	1-Chlorooctane(surr)	107	%	1.00		60-143			02/11/23 08:13	VMN
	Chlorooctadecane(surr)	78.8	%	1.00		60-150			02/11/23 08:13	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-32
Date Collected: 01/19/23
Time Collected: 09:20
Other Information:

Job Sample ID: 23021134.16
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	71.45	mg/Kg	1.00	8.94	25			02/11/23 08:45	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 08:45	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 08:45	VMN
	Total C6-C35	71.45	mg/Kg	1.00	6.20				02/11/23 08:45	VMN
	1-Chlorooctane(surr)	93.8	%	1.00		60-143			02/11/23 08:45	VMN
	Chlorooctadecane(surr)	74.6	%	1.00		60-150			02/11/23 08:45	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-34
Date Collected: 01/18/23
Time Collected: 11:15
Other Information:

Job Sample ID: 23021134.17
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	73.11	mg/Kg	1.00	8.94	25			02/11/23 09:17	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 09:17	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 09:17	VMN
	Total C6-C35	73.11	mg/Kg	1.00	6.20				02/11/23 09:17	VMN
	1-Chlorooctane(surr)	102	%	1.00		60-143			02/11/23 09:17	VMN
	Chlorooctadecane(surr)	77.1	%	1.00		60-150			02/11/23 09:17	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-35
Date Collected: 01/18/23
Time Collected: 15:45
Other Information:

Job Sample ID: 23021134.18
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	71.54	mg/Kg	1.00	8.94	25			02/11/23 09:50	VMN
	>C12-C28	7.76	mg/Kg	1.00	7.35	25		J	02/11/23 09:50	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 09:50	VMN
	Total C6-C35	79.30	mg/Kg	1.00	6.20				02/11/23 09:50	VMN
	1-Chlorooctane(surr)	99.2	%	1.00		60-143			02/11/23 09:50	VMN
	Chlorooctadecane(surr)	77	%	1.00		60-150			02/11/23 09:50	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-36
Date Collected: 01/19/23
Time Collected: 11:10
Other Information:

Job Sample ID: 23021134.19
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	71.76	mg/Kg	1.00	8.94	25			02/11/23 10:22	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 10:22	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 10:22	VMN
	Total C6-C35	71.76	mg/Kg	1.00	6.20				02/11/23 10:22	VMN
	1-Chlorooctane(surr)	98.6	%	1.00		60-143			02/11/23 10:22	VMN
	Chlorooctadecane(surr)	79.1	%	1.00		60-150			02/11/23 10:22	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-39
Date Collected: 01/18/23
Time Collected: 09:25
Other Information:

Job Sample ID: 23021134.20
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	69.18	mg/Kg	1.00	8.94	25			02/11/23 10:55	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 10:55	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 10:55	VMN
	Total C6-C35	69.18	mg/Kg	1.00	6.20				02/11/23 10:55	VMN
	1-Chlorooctane(surr)	83.1	%	1.00		60-143			02/11/23 10:55	VMN
	Chlorooctadecane(surr)	63.9	%	1.00		60-150			02/11/23 10:55	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-43
Date Collected: 01/18/23
Time Collected: 14:10
Other Information:

Job Sample ID: 23021134.21
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	76.33	mg/Kg	1.00	8.94	25			02/11/23 11:28	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 11:28	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 11:28	VMN
	Total C6-C35	76.33	mg/Kg	1.00	6.20				02/11/23 11:28	VMN
	1-Chlorooctane(surr)	102	%	1.00		60-143			02/11/23 11:28	VMN
	Chlorooctadecane(surr)	80.4	%	1.00		60-150			02/11/23 11:28	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-44
Date Collected: 01/19/23
Time Collected: 08:15
Other Information:

Job Sample ID: 23021134.22
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	75.24	mg/Kg	1.00	8.94	25			02/11/23 12:02	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 12:02	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 12:02	VMN
	Total C6-C35	75.24	mg/Kg	1.00	6.20				02/11/23 12:02	VMN
	1-Chlorooctane(surr)	102	%	1.00		60-143			02/11/23 12:02	VMN
	Chlorooctadecane(surr)	79.2	%	1.00		60-150			02/11/23 12:02	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-45
Date Collected: 01/20/23
Time Collected: 09:15
Other Information:

Job Sample ID: 23021134.23
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	73.18	mg/Kg	1.00	8.94	25			02/11/23 12:36	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 12:36	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 12:36	VMN
	Total C6-C35	73.18	mg/Kg	1.00	6.20				02/11/23 12:36	VMN
	1-Chlorooctane(surr)	98.4	%	1.00		60-143			02/11/23 12:36	VMN
	Chlorooctadecane(surr)	77.4	%	1.00		60-150			02/11/23 12:36	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-46
Date Collected: 01/27/23
Time Collected: 14:05
Other Information:

Job Sample ID: 23021134.24
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	71.74	mg/Kg	1.00	8.94	25			02/11/23 13:11	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 13:11	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 13:11	VMN
	Total C6-C35	71.74	mg/Kg	1.00	6.20				02/11/23 13:11	VMN
	1-Chlorooctane(surr)	85.7	%	1.00		60-143			02/11/23 13:11	VMN
	Chlorooctadecane(surr)	61.8	%	1.00		60-150			02/11/23 13:11	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-47
Date Collected: 01/27/23
Time Collected: 09:20
Other Information:

Job Sample ID: 23021134.25
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	74.21	mg/Kg	1.00	8.94	25			02/11/23 13:44	VMN
	>C12-C28	7.45	mg/Kg	1.00	7.35	25		J	02/11/23 13:44	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 13:44	VMN
	Total C6-C35	81.66	mg/Kg	1.00	6.20				02/11/23 13:44	VMN
	1-Chlorooctane(surr)	101	%	1.00		60-143			02/11/23 13:44	VMN
	Chlorooctadecane(surr)	74.7	%	1.00		60-150			02/11/23 13:44	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-48
Date Collected: 01/19/23
Time Collected: 14:00
Other Information:

Job Sample ID: 23021134.26
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	77.43	mg/Kg	1.00	8.94	25			02/11/23 14:15	VMN
	>C12-C28	50.33	mg/Kg	1.00	7.35	25			02/11/23 14:15	VMN
	>C28-C35	16.31	mg/Kg	1.00	6.20	25		J	02/11/23 14:15	VMN
	Total C6-C35	144.06	mg/Kg	1.00	6.20				02/11/23 14:15	VMN
	1-Chlorooctane(surr)	104	%	1.00		60-143			02/11/23 14:15	VMN
	Chlorooctadecane(surr)	81.9	%	1.00		60-150			02/11/23 14:15	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-58
Date Collected: 01/21/23
Time Collected: 10:00
Other Information:

Job Sample ID: 23021134.27
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	67.36	mg/Kg	1.00	8.94	25			02/11/23 14:47	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 14:47	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 14:47	VMN
	Total C6-C35	67.36	mg/Kg	1.00	6.20				02/11/23 14:47	VMN
	1-Chlorooctane(surr)	93.2	%	1.00		60-143			02/11/23 14:47	VMN
	Chlorooctadecane(surr)	73.7	%	1.00		60-150			02/11/23 14:47	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-59
Date Collected: 01/21/23
Time Collected: 15:10
Other Information:

Job Sample ID: 23021134.28
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	71.77	mg/Kg	1.00	8.94	25			02/11/23 15:19	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 15:19	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 15:19	VMN
	Total C6-C35	71.77	mg/Kg	1.00	6.20				02/11/23 15:19	VMN
	1-Chlorooctane(surr)	98.5	%	1.00		60-143			02/11/23 15:19	VMN
	Chlorooctadecane(surr)	76.7	%	1.00		60-150			02/11/23 15:19	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: 23A1459-60
Date Collected: 01/21/23
Time Collected: 11:45
Other Information:

Job Sample ID: 23021134.29
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	66.20	mg/Kg	1.00	8.94	25			02/11/23 16:54	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/11/23 16:54	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 16:54	VMN
	Total C6-C35	66.20	mg/Kg	1.00	6.20				02/11/23 16:54	VMN
	1-Chlorooctane(surr)	77.9	%	1.00		60-143			02/11/23 16:54	VMN
	Chlorooctadecane(surr)	75.7	%	1.00		60-150			02/11/23 16:54	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGA3903-MB

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.30

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	63.06	mg/Kg	1.00	8.94	25			02/10/23 19:23	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/10/23 19:23	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/10/23 19:23	VMN
	Total C6-C35	63.06	mg/Kg	1.00	6.20				02/10/23 19:23	VMN
	1-Chlorooctane(surr)	89.9	%	1.00		60-143			02/10/23 19:23	VMN
	Chlorooctadecane(surr)	79.9	%	1.00		60-150			02/10/23 19:23	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGA3903-MDL

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.31

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	64.95	mg/Kg	1.00	8.94	25			02/10/23 19:59	VMN
	>C12-C28	8.02	mg/Kg	1.00	7.35	25		J	02/10/23 19:59	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/10/23 19:59	VMN
	Total C6-C35	72.97	mg/Kg	1.00	6.20				02/10/23 19:59	VMN
	1-Chlorooctane(surr)	90.9	%	1.00		60-143			02/10/23 19:59	VMN
	Chlorooctadecane(surr)	79.5	%	1.00		60-150			02/10/23 19:59	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGA3903-LCS

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.32

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	260.72	mg/Kg	1.00	8.94	25			02/10/23 20:31	VMN
	>C12-C28	178.80	mg/Kg	1.00	7.35	25			02/10/23 20:31	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/10/23 20:31	VMN
	Total C6-C35	439.52	mg/Kg	1.00	6.20				02/10/23 20:31	VMN
	1-Chlorooctane(surr)	88.4	%	1.00		60-143			02/10/23 20:31	VMN
	Chlorooctadecane(surr)	77.3	%	1.00		60-150			02/10/23 20:31	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGA3903-LCSD

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.33

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	268.13	mg/Kg	1.00	8.94	25			02/10/23 21:03	VMN
	>C12-C28	185.53	mg/Kg	1.00	7.35	25			02/10/23 21:03	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/10/23 21:03	VMN
	Total C6-C35	453.65	mg/Kg	1.00	6.20				02/10/23 21:03	VMN
	1-Chlorooctane(surr)	89.5	%	1.00		60-143			02/10/23 21:03	VMN
	Chlorooctadecane(surr)	77.9	%	1.00		60-150			02/10/23 21:03	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGB-0167-MB

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.34

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	63.86	mg/Kg	1.00	8.94	25			02/10/23 21:36	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/10/23 21:36	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/10/23 21:36	VMN
	Total C6-C35	63.86	mg/Kg	1.00	6.20				02/10/23 21:36	VMN
	1-Chlorooctane(surr)	89.8	%	1.00		60-143			02/10/23 21:36	VMN
	Chlorooctadecane(surr)	76	%	1.00		60-150			02/10/23 21:36	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGB-0167-MDL

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.35

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	69.31	mg/Kg	1.00	8.94	25			02/10/23 22:07	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/10/23 22:07	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/10/23 22:07	VMN
	Total C6-C35	69.31	mg/Kg	1.00	6.20				02/10/23 22:07	VMN
	1-Chlorooctane(surr)	95.9	%	1.00		60-143			02/10/23 22:07	VMN
	Chlorooctadecane(surr)	75.5	%	1.00		60-150			02/10/23 22:07	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGB-0167-BS

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.36

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	269.68	mg/Kg	1.00	8.94	25			02/10/23 22:38	VMN
	>C12-C28	181.82	mg/Kg	1.00	7.35	25			02/10/23 22:38	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/10/23 22:38	VMN
	Total C6-C35	451.50	mg/Kg	1.00	6.20				02/10/23 22:38	VMN
	1-Chlorooctane(surr)	91.1	%	1.00		60-143			02/10/23 22:38	VMN
	Chlorooctadecane(surr)	73.7	%	1.00		60-150			02/10/23 22:38	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGB-0167-BSD

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.37

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	261.97	mg/Kg	1.00	8.94	25			02/10/23 23:09	VMN
	>C12-C28	190.41	mg/Kg	1.00	7.35	25			02/10/23 23:09	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/10/23 23:09	VMN
	Total C6-C35	452.38	mg/Kg	1.00	6.20				02/10/23 23:09	VMN
	1-Chlorooctane(surr)	91.4	%	1.00		60-143			02/10/23 23:09	VMN
	Chlorooctadecane(surr)	77.4	%	1.00		60-150			02/10/23 23:09	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGA3903-MS

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.38

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	280.70	mg/Kg	1.00	8.94	25			02/11/23 17:25	VMN
	>C12-C28	177.55	mg/Kg	1.00	7.35	25			02/11/23 17:25	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/11/23 17:25	VMN
	Total C6-C35	458.25	mg/Kg	1.00	6.20				02/11/23 17:25	VMN
	1-Chlorooctane(surr)	95.8	%	1.00		60-143			02/11/23 17:25	VMN
	Chlorooctadecane(surr)	79.1	%	1.00		60-150			02/11/23 17:25	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGA3903-MSD

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.39

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	287.22	mg/Kg	1.00	8.94	25			02/11/23 17:57	VMN
	>C12-C28	199.53	mg/Kg	1.00	7.35	25			02/11/23 17:57	VMN
	>C28-C35	8.95	mg/Kg	1.00	6.20	25		J	02/11/23 17:57	VMN
	Total C6-C35	495.70	mg/Kg	1.00	6.20				02/11/23 17:57	VMN
	1-Chlorooctane(surr)	97.4	%	1.00		60-143			02/11/23 17:57	VMN
	Chlorooctadecane(surr)	81.8	%	1.00		60-150			02/11/23 17:57	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGB-0167-MS

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.40

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	535.18	mg/Kg	1.00	8.94	25			02/11/23 18:28	VMN
	>C12-C28	1706.31	mg/Kg	10.00	73.5	250			02/13/23 23:04	VMN
	>C28-C35	495.39	mg/Kg	1.00	6.20	25			02/11/23 18:28	VMN
	Total C6-C35	2736.88	mg/Kg	10.00	62.0				02/13/23 23:04	VMN
	1-Chlorooctane(surr)	65.3	%	1.00		60-143			02/13/23 23:04	VMN
	1-Chlorooctane(surr)	58.9	%	10.00		60-143		S2	02/13/23 23:04	MV
	Chlorooctadecane(surr)	44.3	%	1.00		60-150		S2	02/13/23 23:04	VMN
	Chlorooctadecane(surr)	52.3	%	10.00		60-150		S2	02/13/23 23:04	MV

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021134

Date 2/17/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name: 23A1459

Client Sample ID: BGB-0167-MSD

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021134.41

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	431.50	mg/Kg	1.00	8.94	25			02/11/23 18:59	VMN
	>C12-C28	1939.56	mg/Kg	10.00	73.5	250			02/13/23 23:30	VMN
	>C28-C35	525.78	mg/Kg	1.00	6.20	25			02/11/23 18:59	VMN
	Total C6-C35	2896.83	mg/Kg	10.00	62.0				02/13/23 23:30	VMN
	1-Chlorooctane(surr)	64.2	%	1.00		60-143			02/13/23 23:30	VMN
	1-Chlorooctane(surr)	76.2	%	10.00		60-143			02/13/23 23:30	MV
	Chlorooctadecane(surr)	62.4	%	1.00		60-150			02/13/23 23:30	VMN
	Chlorooctadecane(surr)	76.1	%	10.00		60-150			02/13/23 23:30	MV

ab-q212-0321

QUALITY CONTROL CERTIFICATE

Job ID : 23021134 **Date :** 2/17/2023

Analysis : Total Petroleum Hydrocarbons **Method :** TX 1005 **Reporting Units :** mg/Kg

QC Batch ID : Qb230210161 **Created Date :** 02/10/23 **Created By :** VNair

Samples in This QC Batch : 23021134.01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17

Sample Preparation : PB23021061 **Prep Method :** TX 1005 **Prep Date :** 02/10/23 16:20 **Prep By :** VRodriguez

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
C6-C12	TPH-1005-1	< MDL	mg/Kg	1.00	25	8.94		
>C12-C28	TPH-1005-2	< MDL	mg/Kg	1.00	25	7.35		
>C28-C35	TPH-1005-4	< MDL	mg/Kg	1.00	25	6.20		
Total C6-C35		< MDL	mg/Kg	1.00	----	6.20		
Chlorooctadecane(surr)	3386-33-2	117	%	1.00				
1-Chlorooctane(surr)	111-85-3	111	%	1.00				

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
C6-C12	500	510	102	500	521	104	2.1	20	75-125	
>C12-C28	500	549	110	500	560	112	2.1	20	75-125	
>C28-C35	500	561	112	500	577	115	2.8	20	75-125	

QC Type: MS and MSD
QC Sample ID: 23021106.01

Parameter	Sample Result	MS Spk Added	MS Result	MS % Rec	MSD Spk Added	MSD Result	MSD % Rec	RPD	RPD CtrlLimit	%Rec CtrlLimit	Qual
C6-C12	BRL	500	478	95.7	500	459	91.7	4.2	20	75-125	
>C12-C28	BRL	500	481	96.3	500	492	98.4	2.2	20	75-125	
>C28-C35	BRL	500	475	94.9	500	514	103	8	20	75-125	

QUALITY CONTROL CERTIFICATE

Job ID : 23021134 **Date :** 2/17/2023

Analysis : Total Petroleum Hydrocarbons **Method :** TX 1005 **Reporting Units :** mg/Kg

QC Batch ID : Qb230210162 **Created Date :** 02/10/23 **Created By :** VNair

Samples in This QC Batch : 23021134.18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35

Sample Preparation : PB23021063 **Prep Method :** TX 1005 **Prep Date :** 02/10/23 17:02 **Prep By :** VRodriguez

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
C6-C12	TPH-1005-1	< MDL	mg/Kg	1.00	25	8.94		
>C12-C28	TPH-1005-2	< MDL	mg/Kg	1.00	25	7.35		
>C28-C35	TPH-1005-4	< MDL	mg/Kg	1.00	25	6.20		
Total C6-C35		< MDL	mg/Kg	1.00	----	6.20		
Chlorooctadecane(surr)	3386-33-2	109	%	1.00				
1-Chlorooctane(surr)	111-85-3	104	%	1.00				

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
C6-C12	500	561	112	500	463	92.5	19.1	20	75-125	
>C12-C28	500	535	107	500	502	100	6.4	20	75-125	
>C28-C35	500	508	102	500	518	104	1.9	20	75-125	

QC Type: MS and MSD
QC Sample ID: 23021106.03

Parameter	Sample Result	MS Spk Added	MS Result	MS % Rec	MSD Spk Added	MSD Result	MSD % Rec	RPD	RPD CtrlLimit	%Rec CtrlLimit	Qual
C6-C12	BRL	500	492	98.4	500	503	101	2.2	20	75-125	
>C12-C28	BRL	500	536	107	500	547	109	2	20	75-125	
>C28-C35	BRL	500	547	109	500	560	112	2.4	20	75-125	

QUALITY CONTROL CERTIFICATE

Job ID : 23021134 **Date :** 2/17/2023

Analysis : Total Petroleum Hydrocarbons **Method :** TX 1005 **Reporting Units :** mg/Kg

QC Batch ID : qb230210165 **Created Date :** 02/10/23 **Created By :** VNair

Samples in This QC Batch : 23021134.36,37,38,39,40,41

Sample Preparation : PB23021064 **Prep Method :** TX 1005 **Prep Date :** 02/10/23 16:54 **Prep By :** VRodriguez

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
C6-C12	TPH-1005-1	< MDL	mg/Kg	1.00	25	8.94		
>C12-C28	TPH-1005-2	< MDL	mg/Kg	1.00	25	7.35		
>C28-C35	TPH-1005-4	< MDL	mg/Kg	1.00	25	6.20		
Total C6-C35		< MDL	mg/Kg	1.00	----	6.20		
Chlorooctadecane(surr)	3386-33-2	118	%	1.00				
1-Chlorooctane(surr)	111-85-3	115	%	1.00				

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
C6-C12	500	514	103	500	523	105	1.7	20	75-125	
>C12-C28	500	437	87.4	500	444	88.8	1.5	20	75-125	
>C28-C35	500	460	91.9	500	474	94.8	3.1	20	75-125	

QC Type: MS and MSD
QC Sample ID: 23021094.01

Parameter	Sample Result	MS Spk Added	MS Result	MS % Rec	MSD Spk Added	MSD Result	MSD % Rec	RPD	RPD CtrlLimit	%Rec CtrlLimit	Qual
C6-C12	BRL	500	541	108	500	544	109	0.5	20	75-125	
>C12-C28	BRL	500	460	92	500	459	91.9	0.1	20	75-125	
>C28-C35	BRL	500	448	89.6	500	480	96.1	6.9	20	75-125	

NWDLS
North Water District Laboratory Services, Inc.

Job ID:23021134
02/10/2023 NWDLS AMS

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

A & B Labs
10100 East Freeway, Suite 100
Houston, TX 77029
Phone: (713) 453-6060
Fax: (713) 453-6091

Work Order: 23A1459

Analysis	Due	Expires	Comments
Sample ID: 23A1459-02 ***Marine Water Sampled: 01/25/2023 09:30***			
TOC-415.1	03/06/2023	02/22/2023 09:30	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-03 ***Marine Water Sampled: 01/25/2023 12:50***			
TOC-415.1	03/06/2023	02/22/2023 12:50	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-04 ***Marine Water Sampled: 01/25/2023 14:50***			
TOC-415.1	03/06/2023	02/22/2023 14:50	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-05 ***Marine Water Sampled: 01/27/2023 11:25***			
TOC-415.1	03/06/2023	02/24/2023 11:25	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-07 ***Elutriate Sampled: 01/16/2023 14:20***			
TOC-415.1-ELUT	03/06/2023	02/13/2023 14:20	Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
[redacted]			
[redacted]	03/06/2023	02/15/2023 14:10	Leached: 02/03/2023 09:05
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-16 ***Sediment*** ***Sampled: 01/16/2023 14:20***			
TPH-1005	03/06/2023	01/30/2023 14:20	01AC
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-17 ***Sediment*** ***Sampled: 01/17/2023 09:40***			02A
TPH-1005	03/06/2023	01/31/2023 09:40	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-18 ***Sediment*** ***Sampled: 01/17/2023 14:40***			03A
TPH-1005	03/06/2023	01/31/2023 14:40	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-20 ***Sediment*** ***Sampled: 01/16/2023 17:20***			04A
TPH-1005	03/06/2023	01/30/2023 17:20	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-21 ***Sediment*** ***Sampled: 01/17/2023 11:30***			05A
TPH-1005	03/06/2023	01/31/2023 11:30	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-22 ***Sediment*** ***Sampled: 01/17/2023 16:30***			06A
TPH-1005	03/06/2023	01/31/2023 16:30	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-24 ***Sediment*** ***Sampled: 01/19/2023 15:20***			10A MS/MSD
TPH-1005	03/06/2023	02/02/2023 15:20	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-25 ***Sediment*** ***Sampled: 01/20/2023 11:00***			11A
TPH-1005	03/06/2023	02/03/2023 11:00	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-27 ***Sediment*** ***Sampled: 01/19/2023 17:00***			12A
TPH-1005	03/06/2023	02/02/2023 17:00	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-28 ***Sediment*** ***Sampled: 01/20/2023 12:50***			13A
TPH-1005	03/06/2023	02/03/2023 12:50	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-30 ***Sediment*** ***Sampled: 01/18/2023 09:40***			14A
TPH-1005	03/06/2023	02/01/2023 09:40	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-31 ***Sediment*** ***Sampled: 01/18/2023 14:00*** 15A			
TPH-1005	03/06/2023	02/01/2023 14:00	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-32 ***Sediment*** ***Sampled: 01/19/2023 09:20*** 16A			
TPH-1005	03/06/2023	02/02/2023 09:20	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-34 ***Sediment*** ***Sampled: 01/18/2023 11:15*** 17A			
TPH-1005	03/06/2023	02/01/2023 11:15	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-35 ***Sediment*** ***Sampled: 01/18/2023 15:45*** 18A			
TPH-1005	03/06/2023	02/01/2023 15:45	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-36 ***Sediment*** ***Sampled: 01/19/2023 11:10*** 19A			
TPH-1005	03/06/2023	02/02/2023 11:10	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-38 ***Sediment*** ***Sampled: 01/17/2023 14:12*** ~~20A~~ 07A			
TPH-1005	03/06/2023	01/31/2023 14:12	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-39 ***Sediment*** ***Sampled: 01/18/2023 09:25***			Kw 20A
TPH-1005	03/06/2023	02/01/2023 09:25	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-40 ***Sediment*** ***Sampled: 01/16/2023 16:37***			08A
TPH-1005	03/06/2023	01/30/2023 16:37	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-41 ***Sediment*** ***Sampled: 01/17/2023 09:20***			09A
TPH-1005	03/06/2023	01/31/2023 09:20	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-43 ***Sediment*** ***Sampled: 01/18/2023 14:10***			21A
TPH-1005	03/06/2023	02/01/2023 14:10	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-44 ***Sediment*** ***Sampled: 01/19/2023 08:15***			22A
TPH-1005	03/06/2023	02/02/2023 08:15	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-45 ***Sediment*** ***Sampled: 01/20/2023 09:15***			23A
TPH-1005	03/06/2023	02/03/2023 09:15	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-46 ***Sediment*** ***Sampled: 01/27/2023 14:05*** 24A			
TPH-1005	03/06/2023	02/10/2023 14:05	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-47 ***Sediment*** ***Sampled: 01/27/2023 09:20*** 25A			
TPH-1005	03/06/2023	02/10/2023 09:20	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-48 ***Sediment*** ***Sampled: 01/19/2023 14:00*** 26A			
TPH-1005	03/06/2023	02/02/2023 14:00	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
[redacted]			
[redacted]	03/06/2023	02/24/2023 15:32	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
[redacted]			
[redacted]	03/06/2023	02/24/2023 14:40	
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			
[redacted]			
[redacted]	03/06/2023	02/20/2023 13:05	Leached: 02/01/2023 10:00
Analyte(s):			
Total Organic Carbon (TOC)			
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-52 *Elutriate* *Sampled: 01/21/2023 10:00*			
TOC-415.1-ELUT	03/06/2023	02/18/2023 10:00	Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-58 *Sediment* *Sampled: 01/21/2023 10:00* 27A			
TPH-1005	03/06/2023	02/04/2023 10:00	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-59 *Sediment* *Sampled: 01/21/2023 15:10* 28A			
TPH-1005	03/06/2023	02/04/2023 15:10	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-60 *Sediment* *Sampled: 01/21/2023 11:45* 29A			
TPH-1005	03/06/2023	02/04/2023 11:45	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-62 *Marine Water* *Sampled: 01/27/2023 13:10*			
TOC-415.1	03/06/2023	02/24/2023 13:10	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23A1459-64 *Elutriate* *Sampled: 01/19/2023 14:00*			
TOC-415.1-ELUT	03/06/2023	02/16/2023 14:00	Leached: 02/03/2023 09:05
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
[redacted]			
[redacted]	03/06/2023	02/18/2023 11:45	Leached: 02/03/2023 09:05

Analyte(s):
Total Organic Carbon (TOC)

Containers Supplied:

Heath Reinke	1000Am 2-10-23		10:00 2/3/23
Released By	Date	Received By	Date

2.3°C
IPU

	Vial ID	Sample ID	Re-extraction	Amt. Extracted (g / mL)	Spk #	Initial pH	Final Vol. (mL) P1	TX1006	Fraction #1 initial vol.(mL)	Fraction #1 final vol.(mL) P1	Fraction #2 initial vol.(mL)	Fraction #2 final vol.(mL) P2	Comments/Dilutions/ Reagent Change/Other Clnups, etc.	Spike Verification Witness Analyst/Date
29A	N/A	BGA3903-MB[1]	–	10.23	S1	N/A	10		N/A	N/A	N/A	N/A		QC
31A		-MD[2]	–	10.06	S2								10µL MDL Spk	QC
32A		-LCS[3]	–	16.46	S3									QC
33A		-LCSD[4]	–	10.18	S3									
38A		-MS[5]	–	10.09	S3								23A1459-16MS	DLB Pm 2/14/23
39A		-MSD[6]	–	10.16	S3								23A1459-16MSD	DLC Pm 2/14/23
01A		23A1459-16[7]	–	10.09										
02A		-17[8]	–	10.42										
03A		-18[9]	–	10.18										
04A		-20[10]	–	10.58										
05A		-21[11]	–	10.14										
06A		-22[12]	–	10.14										
07A		-38[13]	–	10.58										
08A		-40[14]	–	10.43										
09A	↓	↓ -41[15]	–	10.22	↓	↓	↓		↓	↓	↓	↓		
		16												
		17												
		18												
		19												
		20												
		21												
		22												
		23												
		24												
		25												

Batch ID: *TPH-* 013023-01 **Analyte Group (circle):** TX1005 TPH / TX1006 TPH / Screen Only / Other:_____

Prep Doc:	OP117	Batch ID:	TPH- 020123-01	Centrifuge:	428-28453	2nd Review:		Organic Extractions
Extraction Analyst/Date:	RLK 02-01-23	Extraction Start Time:	9:35	Hand Shaken or Ext-Shaker		Scale ID:	8339165245	Comments:
Matrix: Aq / (Solid) / BT / Saline / CW / Non-Aq / DW		Analyte Group: (TX1005 TPH) / TX1006 TPH / Screen Only / Other:		Extraction Technique: MLLE / (MLSE) Other:				BGB0167

Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)	Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)
S1 Surr 2201668	.250	10,000	S3 SPK 2205647	.250	20,000
S2 MDL 2301827	.010	1000	S4 40 —	—	

(RLK 2-1-23 IEC 2205642)

Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID
R1 n-Pentane	1902994	R3 Acetone	2210277	R5 pH paper	—	R7 —	—	R9 —	—
R2 Sand	2108703	R4 MeOH	2202540	R6 DI-Water	DI-Water-01	R8 —	—	R10 —	—

Post Extraction Concentration[P1]			
Analyst/Date:		or (N/A)	
NEVAP Temp:	°C	Temp. ID	
N_2 Blowdown			
Final Solvent: n-Pentane / Other:			

Note: Continued on next page.

	Vial ID	Sample ID	Re-extraction	Amt. Extracted (g / mL)	Spk #	Initial pH	Final Vol. (mL)[P1]	TX1006	Fraction #1 initial vol.(mL)	Fraction #1 final vol.(mL)[P1]	Fraction #2 initial vol.(mL)	Fraction #2 final vol.(mL) P2	Comments/Dilutions/ Reagent Change/Other Clnups, etc.	Spike Verification Witness Analyst/Date
34A		23B-0161-MB	-	10.00	S1	N/A	10		N/A	N/A	N/A	N/A		
35A		-MB2	-	10.03	S2									
36A		-BS3	-	10.04	S3									
37A		-BSD4	-	10.20	S3									
40A		-MS5	-	10.01	S3								23A1459-24MS	~~106~~ BM 2/14/23
41A	↓	-MSD6	-	10.00	S3								↓ 24MSD	~~108~~ 2/14/23
10A		23A1459-24 MB7	-	10.11										
11A		-25 8	-	10.12										
12A		-27 9	-	10.23										
13A		-28 10	-	10.51										
14A		-30 11	-	10.30										
15A		-31 12	-	10.02										
16A		-32 13	-	10.13										
17A		-34 14	-	10.75										
18A		-35 15	-	10.51										
19A		-36 16	-	10.37										
20A		-39 17	-	10.31										
21A		-43 18	-	10.32										
22A		-44 19	-	10.30										
23A		-45 20	-	10.55										
24A		-46 21	-	10.11										
25A		-47 22	-	10.06										
26A		-48 23	-	10.23										
27A		-58 24	-	10.36										
28A	↓	-59 25	-	10.09										
29A		-60 26	-	10.19										

Batch ID: TPH- 020123-01 **Analyte Group (circle):** TX1005 TPH / TX1006 TPH / Screen Only / Other:_____

1000Am

X Heath Renke 2.10.23 2/10/23 10:00

2.3°C IR#2

Prep Doc:	OP117	Batch ID:	TPH-013023-01	Centrifuge:	428-28453	Review:	
Extraction Analyst/Date:	RLK 1-30-23	Extraction Start Time:	11:30	Hand Shaken or Ext-Shaker		Scale ID:	B729965660

Organic Extractions

Comments:

BGA3903.

2109646

(2) RLK 1-30-23 IG [~~2109643~~]

(1) RLK 1-30-23 IE [.010]

Matrix: Aq / (Solid) / BT / Saline / CW / Non-Aq / DW

Analyte Group: (TX1005 TPH) / TX1006 TPH / Screen Only / Other:

Extraction Technique: MLLE / (MLSE) / Other:

Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)	Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)
S1 Surr 2201668	.250	10,000	S3 SpK 2109672	.250	20,000
S2 MDL 230182M	.010 (1) ~~.050~~	2000	S4 —	—	—

Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID
R1 n-Pentane	1902994	R3 Acetone	2210277	R5 pH paper	—	R7	—	R9	—
R2 Sand	2108703	R4 MeOH	2202540	R6 DI-Water	DI-Water-01	R8	—	R10	—

Post Extraction Concentration[P1]

Analyst/Date:		or (N/A)	
NEVAP Temp:	°C	Temp. ID	
N_2 Blowdown			
Final Solvent: n-Pentane / Other:			

Note: Continued on next page.

Sample Condition Checklist

A&B JobID : **23021134**	Date Received : **02/10/2023**	Time Received : **10:00AM**
Client Name : **NWDLS**		
Temperature : **2.3°C**	Sample pH : **NA**	
Thermometer ID : **IR4**	pH Paper ID : **NA**	
Perservative :		

	Check Points	Yes	No	N/A
1.	**Cooler Seal present and signed.**		X	
2.	**Sample(s) in a cooler.**	X		
3.	**If yes, ice in cooler.**	X		
4.	**Sample(s) received with chain-of-custody.**	X		
5.	**C-O-C signed and dated.**	X		
6.	**Sample(s) received with signed sample custody seal.**		X	
7.	**Sample containers arrived intact. (If No comment)**	X		
8.	**Matrix:** Water ☑ Soil ☐ Liquid ☐ Sludge ☐ Solid ☐ Cassette ☐ Tube ☐ Bulk ☐ Badge ☐ Food ☐ Other ☐			
9.	**Samples were received in appropriate container(s)**	X		
10.	**Sample(s) were received with Proper preservative**			X
11.	**All samples were tagged or labeled.**	X		
12.	**Sample ID labels match C-O-C ID's.**	X		
13.	**Bottle count on C-O-C matches bottles found.**	X		
14.	**Sample volume is sufficient for analyses requested.**	X		
15.	**Samples were received with in the hold time.**	X		
16.	**VOA vials completely filled.**			X
17.	**Sample accepted.**	X		
18.	**Has client been contacted about sub-out**			X

Comments : Include actions taken to resolve discrepancies/problem:

Received by : EValdez

Check in by/date : Jedralin / 02/10/2023

ab-s005-0321

Laboratory Analysis Report

Total Number of Pages: 65

Job ID : 23021792

10100 East Freeway, Suite 100, Houston, TX 77029 tel: 713-453-6060, fax: 713-453-6091, http://www.ablabs.com

Client Project Name :

Report To :	Client Name:	NWDLS	P.O.#.:
	Attn:	Deena Higginbotham	Sample Collected By:
	Client Address:	130 S Trade Center Pkwy	Date Collected:
	City, State, Zip:	Conroe, Texas, 77385	

A&B Labs has analyzed the following samples...

Client Sample ID	Matrix	A&B Sample ID
BGB0765-MB	Solid	23021792.01
BGB0765-MDL	Solid	23021792.02
BGB0765-BS1	Solid	23021792.03
BGB0765-BSD1	Solid	23021792.04
BGB0765-MS	Solid	23021792.05
BGB0765-MSD	Solid	23021792.06
23A1459-46	Solid	23021792.07
23A1459-47	Solid	23021792.08
23A1459-55	Solid	23021792.09
BGB0983-BLK1	Solid	23021792.10
BGB0983-MRL1	Solid	23021792.11
BGB0983-BS1	Solid	23021792.12
BGB0983-BSD1	Solid	23021792.13
BGB0983-MS1	Solid	23021792.14
BGB0983-MSD1	Solid	23021792.15
23A3576-16	Solid	23021792.16
23A3576-23	Solid	23021792.17
23A3576-28	Solid	23021792.18

Released By: Amanda Shute

Title: Project Manager

Date: 2/28/2023

This Laboratory is NELAP (T104704213) accredited. Effective: 04/01/2022; Expires: 3/31/2023

Scope: Non-Potable Water, Drinking Water, Air, Solid, Biological Tissue, Hazardous Waste

I am the laboratory manager, or his/her designee, and I am responsible for the release of this data package. This laboratory data package has been reviewed and is complete and technically compliant with the requirements of the methods used, except where noted in the attached exception reports. I affirm, to the best of my knowledge that all problems/anomalies observed by this laboratory (and if applicable, any and all laboratories subcontracted through this laboratory) that might affect the quality of the data, have been identified in the Laboratory Review Checklist, and that no information or data have been knowingly withheld that would affect the quality of the data.

This report cannot be reproduced, except in full, without prior written permission of A&B Labs. Results shown relate only to the items tested. Results apply to the sample as received. Samples are assumed to be in acceptable condition unless otherwise noted. Blank correction is not made unless otherwise noted. Air concentrations reported are based on field sampling information provided by client. Soil samples are reported on a wet weight basis unless otherwise noted. Uncertainty estimates are available on request.

ab-q210-0321

Date Received : 02/17/2023 09:30

Laboratory Analysis Report

Total Number of Pages: 65

Job ID : 23021792

10100 East Freeway, Suite 100, Houston, TX 77029 tel: 713-453-6060, fax: 713-453-6091, http://www.ablabs.com

A&B Labs has analyzed the following samples...

Client Sample ID	Matrix	A&B Sample ID
23A3576-35	Solid	23021792.19
23A3576-36	Solid	23021792.20
23A1459-54	Solid	23021792.21
23A1459-56	Solid	23021792.22
23A4543-01	Solid	23021792.23
23A4543-02	Solid	23021792.24
23A4543-03	Solid	23021792.25
BGB1373-BLK1	Water	23021792.26
BGB1373-MRL1	Water	23021792.27
BGB1373-BS1	Water	23021792.28
BGB1373-BSD1	Water	23021792.29
BGB1373-MS1	Water	23021792.30
BGB1373-MSD	Water	23021792.31
23A1459-02	Water	23021792.32
23A1459-03	Water	23021792.33
23A1459-04	Water	23021792.34
23A1459-05	Water	23021792.35
23A1459-49	Water	23021792.36
23A1459-50	Water	23021792.37
23A1459-62	Water	23021792.38
23A3576-02	Water	23021792.39
23A3576-04	Water	23021792.40
23A3576-06	Water	23021792.41
BGB1402-BLK	Solid	23021792.42
BGB1402-MRL1	Solid	23021792.43
BGB1402-BS1	Solid	23021792.44

Released By: Amanda Shute

Title: Project Manager

Date: 2/28/2023

This Laboratory is NELAP (T104704213) accredited. Effective: 04/01/2022; Expires: 3/31/2023

Scope: Non-Potable Water, Drinking Water, Air, Solid, Biological Tissue, Hazardous Waste

I am the laboratory manager, or his/her designee, and I am responsible for the release of this data package. This laboratory data package has been reviewed and is complete and technically compliant with the requirements of the methods used, except where noted in the attached exception reports. I affirm, to the best of my knowledge that all problems/anomalies observed by this laboratory (and if applicable, any and all laboratories subcontracted through this laboratory) that might affect the quality of the data, have been identified in the Laboratory Review Checklist, and that no information or data have been knowingly withheld that would affect the quality of the data.

This report cannot be reproduced, except in full, without prior written permission of A&B Labs. Results shown relate only to the items tested. Results apply to the sample as received. Samples are assumed to be in acceptable condition unless otherwise noted. Blank correction is not made unless otherwise noted. Air concentrations reported are based on field sampling information provided by client. Soil samples are reported on a wet weight basis unless otherwise noted. Uncertainty estimates are available on request.

Laboratory Analysis Report

Total Number of Pages: 65

Job ID : 23021792

10100 East Freeway, Suite 100, Houston, TX 77029 tel: 713-453-6060, fax: 713-453-6091, http://www.ablabs.com

A&B Labs has analyzed the following samples...

Client Sample ID	Matrix	A&B Sample ID
BGB1402-BSD1	Solid	23021792.45
BGB1402-MS1	Solid	23021792.46
BGB1402-MSD1	Solid	23021792.47
23A1459-66	Solid	23021792.48

Released By: Amanda Shute
Title: Project Manager
Date: 2/28/2023

This Laboratory is NELAP (T104704213) accredited. Effective: 04/01/2022; Expires: 3/31/2023
Scope: Non-Potable Water, Drinking Water, Air, Solid, Biological Tissue, Hazardous Waste

I am the laboratory manager, or his/her designee, and I am responsible for the release of this data package. This laboratory data package has been reviewed and is complete and technically compliant with the requirements of the methods used, except where noted in the attached exception reports. I affirm, to the best of my knowledge that all problems/anomalies observed by this laboratory (and if applicable, any and all laboratories subcontracted through this laboratory) that might affect the quality of the data, have been identified in the Laboratory Review Checklist, and that no information or data have been knowingly withheld that would affect the quality of the data.

This report cannot be reproduced, except in full, without prior written permission of A&B Labs. Results shown relate only to the items tested. Results apply to the sample as received. Samples are assumed to be in acceptable condition unless otherwise noted. Blank correction is not made unless otherwise noted. Air concentrations reported are based on field sampling information provided by client. Soil samples are reported on a wet weight basis unless otherwise noted. Uncertainty estimates are available on request.

Laboratory Report: Case Narrative

A&B Job ID: 23021792

Date: 02/28/23

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Date Received: 02/17/23

Collected By:

Extracts were provided and analyzed based on the attached bench sheets.

Batch ID: TPH-020923-01: The bench sheet is unclear. The original COC indicates that these samples are solids, but the bench sheet indicates 3mL final volume. We calculated using 10g:3mL based on the bench sheet.
Batch ID: TPH-020823-03: The final volumes listed were used to calculate.
Batch IDs: TPH-020723-03 and 020623-03: We calculated using 10g:10mL

Please feel free to reach out to me if you have any questions regarding this report.

Released By: Amanda Shute

Title: Project Manager

LABORATORY TERM AND QUALIFIER DEFINITION REPORT

Job ID : 23021792

Date: 2/28/2023

General Term Definition

Back-Wt	Back Weight	Post-Wt	Post Weight
BRL	Below Reporting Limit	ppm	parts per million
cfu	colony-forming units	Pre-Wt	Previous Weight
Conc.	Concentration	Q	Qualifier
D.F.	Dilution Factor	RegLimit	Regulatory Limit
Front-Wt	Front Weight	RPD	Relative Percent Difference
LCS	Laboratory Check Standard	RptLimit	Reporting Limit
LCSD	Laboratory Check Standard Duplicate	SDL	Sample Detection Limit
MS	Matrix Spike	surr	Surrogate
MSD	Matrix Spike Duplicate	T	Time
MW	Molecular Weight	TNTC	Too numerous to count
J	Estimation. Below calibration range but above MDL	MQL	Minimum Quantitation Limit

Qualifier Definition

J	Estimation. Below calibration range but above MDL.
S1	Surrogate recovery is above control limit. Results may be biased high.
S2	Surrogate recovery is below control limit. Results may be biased low.
S6	Surrogate recovery is outside control limits due to matrix effects.
S8	Target compounds caused elevation of baseline. Surrogate may be biased high.

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0765-MB

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.01

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/17/23 19:06	VMN
	>C12-C28	18.74	mg/Kg	1.00	7.35	25		J	02/17/23 19:06	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/17/23 19:06	VMN
	Total C6-C35	18.74	mg/Kg	1.00	6.20				02/17/23 19:06	VMN
	1-Chlorooctane(surr)	94.1	%	1.00		60-143			02/17/23 19:06	VMN
	Chlorooctadecane(surr)	83.4	%	1.00		60-150			02/17/23 19:06	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0765-MDL

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.02

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/17/23 19:37	VMN
	>C12-C28	8.43	mg/Kg	1.00	7.35	25		J	02/17/23 19:37	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/17/23 19:37	VMN
	Total C6-C35	8.43	mg/Kg	1.00	6.20				02/17/23 19:37	VMN
	1-Chlorooctane(surr)	96.4	%	1.00		60-143			02/17/23 19:37	VMN
	Chlorooctadecane(surr)	83	%	1.00		60-150			02/17/23 19:37	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0765-BS1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.03

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	222.09	mg/Kg	1.00	8.94	25			02/17/23 20:10	VMN
	>C12-C28	187.61	mg/Kg	1.00	7.35	25			02/17/23 20:10	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/17/23 20:10	VMN
	Total C6-C35	409.70	mg/Kg	1.00	6.20				02/17/23 20:10	VMN
	1-Chlorooctane(surr)	94.2	%	1.00		60-143			02/17/23 20:10	VMN
	Chlorooctadecane(surr)	84.1	%	1.00		60-150			02/17/23 20:10	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0765-BSD1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.04

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	213.90	mg/Kg	1.00	8.94	25			02/17/23 20:43	VMN
	>C12-C28	182.16	mg/Kg	1.00	7.35	25			02/17/23 20:43	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/17/23 20:43	VMN
	Total C6-C35	396.06	mg/Kg	1.00	6.20				02/17/23 20:43	VMN
	1-Chlorooctane(surr)	89.5	%	1.00		60-143			02/17/23 20:43	VMN
	Chlorooctadecane(surr)	85	%	1.00		60-150			02/17/23 20:43	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0765-MS

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.05

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	197.42	mg/Kg	1.00	8.94	25			02/17/23 21:17	VMN
	>C12-C28	150.35	mg/Kg	1.00	7.35	25			02/17/23 21:17	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/17/23 21:17	VMN
	Total C6-C35	347.76	mg/Kg	1.00	6.20				02/17/23 21:17	VMN
	1-Chlorooctane(surr)	80.3	%	1.00		60-143			02/17/23 21:17	VMN
	Chlorooctadecane(surr)	71.6	%	1.00		60-150			02/17/23 21:17	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0765-MSD

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.06

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	236.55	mg/Kg	1.00	8.94	25			02/17/23 21:48	VMN
	>C12-C28	182.18	mg/Kg	1.00	7.35	25			02/17/23 21:48	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/17/23 21:48	VMN
	Total C6-C35	418.74	mg/Kg	1.00	6.20				02/17/23 21:48	VMN
	1-Chlorooctane(surr)	95.2	%	1.00		60-143			02/17/23 21:48	VMN
	Chlorooctadecane(surr)	74.2	%	1.00		60-150			02/17/23 21:48	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-46

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.07

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/17/23 22:20	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/17/23 22:20	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/17/23 22:20	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/17/23 22:20	VMN
	1-Chlorooctane(surr)	75.5	%	1.00		60-143			02/17/23 22:20	VMN
	Chlorooctadecane(surr)	66.7	%	1.00		60-150			02/17/23 22:20	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-47
Date Collected:
Time Collected:
Other Information:

Job Sample ID: 23021792.08
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/17/23 22:51	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/17/23 22:51	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/17/23 22:51	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/17/23 22:51	VMN
	1-Chlorooctane(surr)	88.3	%	1.00		60-143			02/17/23 22:51	VMN
	Chlorooctadecane(surr)	79.2	%	1.00		60-150			02/17/23 22:51	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-55

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.09

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/18/23 00:23	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/18/23 00:23	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 00:23	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/18/23 00:23	VMN
	1-Chlorooctane(surr)	96.3	%	1.00		60-143			02/18/23 00:23	VMN
	Chlorooctadecane(surr)	78.5	%	1.00		60-150			02/18/23 00:23	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0983-BLK1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.10

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/18/23 00:56	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/18/23 00:56	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 00:56	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/18/23 00:56	VMN
	1-Chlorooctane(surr)	93.6	%	1.00		60-143			02/18/23 00:56	VMN
	Chlorooctadecane(surr)	79.7	%	1.00		60-150			02/18/23 00:56	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0983-MRL1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.11

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/18/23 01:29	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/18/23 01:29	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 01:29	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/18/23 01:29	VMN
	1-Chlorooctane(surr)	89.6	%	1.00		60-143			02/18/23 01:29	VMN
	Chlorooctadecane(surr)	79.1	%	1.00		60-150			02/18/23 01:29	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0983-BS1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.12

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	220.46	mg/Kg	1.00	8.94	25			02/18/23 02:01	VMN
	>C12-C28	184.73	mg/Kg	1.00	7.35	25			02/18/23 02:01	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 02:01	VMN
	Total C6-C35	405.19	mg/Kg	1.00	6.20				02/18/23 02:01	VMN
	1-Chlorooctane(surr)	92.2	%	1.00		60-143			02/18/23 02:01	VMN
	Chlorooctadecane(surr)	82	%	1.00		60-150			02/18/23 02:01	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0983-BSD1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.13

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	216.69	mg/Kg	1.00	8.94	25			02/18/23 02:34	VMN
	>C12-C28	173.07	mg/Kg	1.00	7.35	25			02/18/23 02:34	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 02:34	VMN
	Total C6-C35	389.76	mg/Kg	1.00	6.20				02/18/23 02:34	VMN
	1-Chlorooctane(surr)	91.1	%	1.00		60-143			02/18/23 02:34	VMN
	Chlorooctadecane(surr)	79.4	%	1.00		60-150			02/18/23 02:34	VMN

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0983-MS1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.14

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	199.08	mg/Kg	1.00	8.94	25			02/18/23 03:06	VMN
	>C12-C28	120.85	mg/Kg	1.00	7.35	25			02/18/23 03:06	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 03:06	VMN
	Total C6-C35	319.93	mg/Kg	1.00	6.20				02/18/23 03:06	VMN
	1-Chlorooctane(surr)	70	%	1.00		60-143			02/18/23 03:06	VMN
	Chlorooctadecane(surr)	51	%	1.00		60-150		S6	02/18/23 03:06	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB0983-MSD1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.15

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	224.64	mg/Kg	1.00	8.94	25			02/18/23 03:38	VMN
	>C12-C28	160.50	mg/Kg	1.00	7.35	25			02/18/23 03:38	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 03:38	VMN
	Total C6-C35	385.15	mg/Kg	1.00	6.20				02/18/23 03:38	VMN
	1-Chlorooctane(surr)	76.5	%	1.00		60-143			02/18/23 03:38	VMN
	Chlorooctadecane(surr)	54.5	%	1.00		60-150		S6	02/18/23 03:38	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A3576-16
Date Collected:
Time Collected:
Other Information:

Job Sample ID: 23021792.16
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/18/23 04:10	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/18/23 04:10	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 04:10	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/18/23 04:10	VMN
	1-Chlorooctane(surr)	59.7	%	1.00		60-143		S6	02/18/23 04:10	VMN
	Chlorooctadecane(surr)	48.3	%	1.00		60-150		S6	02/18/23 04:10	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A3576-23

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.17

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/18/23 04:42	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/18/23 04:42	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 04:42	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/18/23 04:42	VMN
	1-Chlorooctane(surr)	53.6	%	1.00		60-143		S6	02/18/23 04:42	VMN
	Chlorooctadecane(surr)	56.2	%	1.00		60-150		S6	02/18/23 04:42	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A3576-28

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.18

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/18/23 05:14	VMN
	>C12-C28	10.25	mg/Kg	1.00	7.35	25		J	02/18/23 05:14	VMN
	>C28-C35	10.58	mg/Kg	1.00	6.20	25		J	02/18/23 05:14	VMN
	Total C6-C35	20.83	mg/Kg	1.00	6.20				02/18/23 05:14	VMN
	1-Chlorooctane(surr)	55.8	%	1.00		60-143		S6	02/18/23 05:14	VMN
	Chlorooctadecane(surr)	46.1	%	1.00		60-150		S6	02/18/23 05:14	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A3576-35
Date Collected:
Time Collected:
Other Information:

Job Sample ID: 23021792.19
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/18/23 05:46	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/18/23 05:46	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 05:46	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/18/23 05:46	VMN
	1-Chlorooctane(surr)	81.7	%	1.00		60-143			02/18/23 05:46	VMN
	Chlorooctadecane(surr)	74.9	%	1.00		60-150			02/18/23 05:46	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A3576-36

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.20

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/18/23 06:17	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/18/23 06:17	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 06:17	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/18/23 06:17	VMN
	1-Chlorooctane(surr)	57.1	%	1.00		60-143		S6	02/18/23 06:17	VMN
	Chlorooctadecane(surr)	42.3	%	1.00		60-150		S6	02/18/23 06:17	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-54

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.21

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/18/23 06:49	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/18/23 06:49	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 06:49	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/18/23 06:49	VMN
	1-Chlorooctane(surr)	87.8	%	1.00		60-143			02/18/23 06:49	VMN
	Chlorooctadecane(surr)	76.2	%	1.00		60-150			02/18/23 06:49	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-56

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.22

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 8.94	mg/Kg	1.00	8.94	25			02/18/23 07:21	VMN
	>C12-C28	< 7.35	mg/Kg	1.00	7.35	25			02/18/23 07:21	VMN
	>C28-C35	< 6.2	mg/Kg	1.00	6.20	25			02/18/23 07:21	VMN
	Total C6-C35	<6.2	mg/Kg	1.00	6.20				02/18/23 07:21	VMN
	1-Chlorooctane(surr)	82.9	%	1.00		60-143			02/18/23 07:21	VMN
	Chlorooctadecane(surr)	76.7	%	1.00		60-150			02/18/23 07:21	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A4543-01

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.23

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	223.62	mg/Kg	1.00	8.94	25			02/18/23 07:52	VMN
	>C12-C28	3591.96	mg/Kg	20.00	147	25			02/20/23 14:11	VMN
	>C28-C35	7937.44	mg/Kg	20.00	124	25			02/20/23 14:11	VMN
	Total C6-C35	11753.02	mg/Kg	20.00	124				02/20/23 14:11	VMN
	1-Chlorooctane(surr)	119	%	1.00		60-143			02/18/23 07:52	VMN
	1-Chlorooctane(surr)	1115	%	20.00		60-143		S8	02/20/23 14:11	VMN
	Chlorooctadecane(surr)	41.7	%	1.00		60-150		S2	02/18/23 07:52	VMN
	Chlorooctadecane(surr)	439	%	20.00		60-150		S8	02/20/23 14:11	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A4543-02
Date Collected:
Time Collected:
Other Information:

Job Sample ID: 23021792.24
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	251.89	mg/Kg	1.00	8.94	25			02/18/23 08:23	VMN
	>C12-C28	4203.56	mg/Kg	20.00	147	25			02/20/23 14:44	VMN
	>C28-C35	10445.04	mg/Kg	20.00	124	25			02/20/23 14:44	VMN
	Total C6-C35	14900.49	mg/Kg	20.00	124				02/20/23 14:44	VMN
	1-Chlorooctane(surr)	128	%	1.00		60-143			02/18/23 08:23	VMN
	1-Chlorooctane(surr)	1230	%	20.00		60-143		S8	02/20/23 14:44	VMN
	Chlorooctadecane(surr)	52	%	1.00		60-150		S2	02/18/23 08:23	VMN
	Chlorooctadecane(surr)	594	%	20.00		60-150		S8	02/20/23 14:44	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A4543-03

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.25

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	250.41	mg/Kg	1.00	8.94	25			02/18/23 08:55	VMN
	>C12-C28	3957.72	mg/Kg	20.00	147	25			02/20/23 15:18	VMN
	>C28-C35	10074.42	mg/Kg	20.00	124	25			02/20/23 15:18	VMN
	Total C6-C35	14282.54	mg/Kg	20.00	124				02/20/23 15:18	VMN
	1-Chlorooctane(surr)	126	%	1.00		60-143			02/18/23 08:55	VMN
	1-Chlorooctane(surr)	1139	%	20.00		60-143		S8	02/20/23 15:18	VMN
	Chlorooctadecane(surr)	44.7	%	1.00		60-150		S2	02/18/23 08:55	VMN
	Chlorooctadecane(surr)	510	%	20.00		60-150		S8	02/20/23 15:18	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1373-BLK1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.26

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.659	mg/L	1.08	0.659	2.15			02/18/23 09:27	VMN
	>C12-C28	< 0.691	mg/L	1.08	0.691	2.15			02/18/23 09:27	VMN
	>C28-C35	0.813	mg/L	1.08	0.508	2.15		J	02/18/23 09:27	VMN
	Total C6-C35	0.813	mg/L	1.08	0.508				02/18/23 09:27	VMN
	1-Chlorooctane(surr)	120	%	1.08		70-125			02/18/23 09:27	VMN
	Chlorooctadecane(surr)	93.8	%	1.08		70-125			02/18/23 09:27	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1373-MRL1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.27

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.677	mg/L	1.11	0.677	2.15			02/18/23 09:59	VMN
	>C12-C28	< 0.71	mg/L	1.11	0.710	2.15			02/18/23 09:59	VMN
	>C28-C35	< 0.522	mg/L	1.11	0.522	2.15			02/18/23 09:59	VMN
	Total C6-C35	<0.522	mg/L	1.11	0.522				02/18/23 09:59	VMN
	1-Chlorooctane(surr)	122	%	1.11		70-125			02/18/23 09:59	VMN
	Chlorooctadecane(surr)	101	%	1.11		70-125			02/18/23 09:59	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1373-BS1
Date Collected:
Time Collected:
Other Information:

Job Sample ID: 23021792.28
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	31.62	mg/L	1.11	0.677	2.15			02/18/23 10:31	VMN
	>C12-C28	29.47	mg/L	1.11	0.710	2.15			02/18/23 10:31	VMN
	>C28-C35	< 0.522	mg/L	1.11	0.522	2.15			02/18/23 10:31	VMN
	Total C6-C35	61.08	mg/L	1.11	0.522				02/18/23 10:31	VMN
	1-Chlorooctane(surr)	125	%	1.11		70-125			02/18/23 10:31	VMN
	Chlorooctadecane(surr)	105	%	1.11		70-125			02/18/23 10:31	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1373-BSD1
Date Collected:
Time Collected:
Other Information:

Job Sample ID: 23021792.29
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	28.15	mg/L	1.08	0.659	2.15			02/18/23 12:09	VMN
	>C12-C28	26.88	mg/L	1.08	0.691	2.15			02/18/23 12:09	VMN
	>C28-C35	< 0.508	mg/L	1.08	0.508	2.15			02/18/23 12:09	VMN
	Total C6-C35	55.04	mg/L	1.08	0.508				02/18/23 12:09	VMN
	1-Chlorooctane(surr)	109	%	1.08		70-125			02/18/23 12:09	VMN
	Chlorooctadecane(surr)	93.3	%	1.08		70-125			02/18/23 12:09	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1373-MS1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.30

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	25.83	mg/L	1.04	0.634	2.15			02/18/23 12:40	VMN
	>C12-C28	22.15	mg/L	1.04	0.666	2.15			02/18/23 12:40	VMN
	>C28-C35	< 0.489	mg/L	1.04	0.489	2.15			02/18/23 12:40	VMN
	Total C6-C35	47.98	mg/L	1.04	0.489				02/18/23 12:40	VMN
	1-Chlorooctane(surr)	97	%	1.04		70-125			02/18/23 12:40	VMN
	Chlorooctadecane(surr)	87.4	%	1.04		70-125			02/18/23 12:40	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1373-MSD

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.31

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	29.06	mg/L	1.04	0.634	2.15			02/18/23 13:12	VMN
	>C12-C28	25.28	mg/L	1.04	0.666	2.15			02/18/23 13:12	VMN
	>C28-C35	< 0.489	mg/L	1.04	0.489	2.15			02/18/23 13:12	VMN
	Total C6-C35	54.34	mg/L	1.04	0.489				02/18/23 13:12	VMN
	1-Chlorooctane(surr)	104	%	1.04		70-125			02/18/23 13:12	VMN
	Chlorooctadecane(surr)	90.9	%	1.04		70-125			02/18/23 13:12	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-02

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.32

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.622	mg/L	1.02	0.622	2.15			02/18/23 13:43	VMN
	>C12-C28	0.66	mg/L	1.02	0.653	2.15		J	02/18/23 13:43	VMN
	>C28-C35	< 0.479	mg/L	1.02	0.479	2.15			02/18/23 13:43	VMN
	Total C6-C35	0.66	mg/L	1.02	0.479				02/18/23 13:43	VMN
	1-Chlorooctane(surr)	93.2	%	1.02		70-125			02/18/23 13:43	VMN
	Chlorooctadecane(surr)	81.9	%	1.02		70-125			02/18/23 13:43	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-03

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.33

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.634	mg/L	1.04	0.634	2.15			02/18/23 14:15	VMN
	>C12-C28	0.976	mg/L	1.04	0.666	2.15		J	02/18/23 14:15	VMN
	>C28-C35	< 0.489	mg/L	1.04	0.489	2.15			02/18/23 14:15	VMN
	Total C6-C35	0.976	mg/L	1.04	0.489				02/18/23 14:15	VMN
	1-Chlorooctane(surr)	165	%	1.04		70-125		S1	02/18/23 14:15	VMN
	Chlorooctadecane(surr)	173	%	1.04		70-125		S1	02/18/23 14:15	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-04

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.34

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.628	mg/L	1.03	0.628	2.15			02/18/23 14:47	VMN
	>C12-C28	< 0.659	mg/L	1.03	0.659	2.15			02/18/23 14:47	VMN
	>C28-C35	< 0.484	mg/L	1.03	0.484	2.15			02/18/23 14:47	VMN
	Total C6-C35	<0.484	mg/L	1.03	0.484				02/18/23 14:47	VMN
	1-Chlorooctane(surr)	72.8	%	1.03		70-125			02/18/23 14:47	VMN
	Chlorooctadecane(surr)	87.9	%	1.03		70-125			02/18/23 14:47	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-05

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.35

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.634	mg/L	1.04	0.634	2.15			02/18/23 15:19	VMN
	>C12-C28	< 0.666	mg/L	1.04	0.666	2.15			02/18/23 15:19	VMN
	>C28-C35	< 0.489	mg/L	1.04	0.489	2.15			02/18/23 15:19	VMN
	Total C6-C35	<0.489	mg/L	1.04	0.489				02/18/23 15:19	VMN
	1-Chlorooctane(surr)	85.4	%	1.04		70-125			02/18/23 15:19	VMN
	Chlorooctadecane(surr)	89.8	%	1.04		70-125			02/18/23 15:19	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-49

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.36

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.628	mg/L	1.03	0.628	2.15			02/18/23 15:51	VMN
	>C12-C28	< 0.659	mg/L	1.03	0.659	2.15			02/18/23 15:51	VMN
	>C28-C35	< 0.484	mg/L	1.03	0.484	2.15			02/18/23 15:51	VMN
	Total C6-C35	<0.484	mg/L	1.03	0.484				02/18/23 15:51	VMN
	1-Chlorooctane(surr)	95	%	1.03		70-125			02/18/23 15:51	VMN
	Chlorooctadecane(surr)	83.9	%	1.03		70-125			02/18/23 15:51	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-50

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.37

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.622	mg/L	1.02	0.622	2.15			02/18/23 16:23	VMN
	>C12-C28	< 0.653	mg/L	1.02	0.653	2.15			02/18/23 16:23	VMN
	>C28-C35	1.96	mg/L	1.02	0.479	2.15		J	02/18/23 16:23	VMN
	Total C6-C35	1.96	mg/L	1.02	0.479				02/18/23 16:23	VMN
	1-Chlorooctane(surr)	82.7	%	1.02		70-125			02/18/23 16:23	VMN
	Chlorooctadecane(surr)	88.6	%	1.02		70-125			02/18/23 16:23	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-62

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.38

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.634	mg/L	1.04	0.634	2.15			02/18/23 16:55	VMN
	>C12-C28	< 0.666	mg/L	1.04	0.666	2.15			02/18/23 16:55	VMN
	>C28-C35	1.78	mg/L	1.04	0.489	2.15		J	02/18/23 16:55	VMN
	Total C6-C35	1.78	mg/L	1.04	0.489				02/18/23 16:55	VMN
	1-Chlorooctane(surr)	84.5	%	1.04		70-125			02/18/23 16:55	VMN
	Chlorooctadecane(surr)	87.9	%	1.04		70-125			02/18/23 16:55	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A3576-02

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.39

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.647	mg/L	1.06	0.647	2.15			02/18/23 17:27	VMN
	>C12-C28	< 0.678	mg/L	1.06	0.678	2.15			02/18/23 17:27	VMN
	>C28-C35	0.844	mg/L	1.06	0.498	2.15		J	02/18/23 17:27	VMN
	Total C6-C35	0.844	mg/L	1.06	0.498				02/18/23 17:27	VMN
	1-Chlorooctane(surr)	76	%	1.06		70-125			02/18/23 17:27	VMN
	Chlorooctadecane(surr)	89.8	%	1.06		70-125			02/18/23 17:27	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A3576-04
Date Collected:
Time Collected:
Other Information:

Job Sample ID: 23021792.40
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.653	mg/L	1.07	0.653	2.15			02/18/23 17:59	VMN
	>C12-C28	< 0.685	mg/L	1.07	0.685	2.15			02/18/23 17:59	VMN
	>C28-C35	0.653	mg/L	1.07	0.503	2.15		J	02/18/23 17:59	VMN
	Total C6-C35	0.653	mg/L	1.07	0.503				02/18/23 17:59	VMN
	1-Chlorooctane(surr)	91.5	%	1.07		70-125			02/18/23 17:59	VMN
	Chlorooctadecane(surr)	85.9	%	1.07		70-125			02/18/23 17:59	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A3576-06

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.41

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.653	mg/L	1.07	0.653	2.15			02/18/23 18:30	VMN
	>C12-C28	< 0.685	mg/L	1.07	0.685	2.15			02/18/23 18:30	VMN
	>C28-C35	0.548	mg/L	1.07	0.503	2.15		J	02/18/23 18:30	VMN
	Total C6-C35	0.548	mg/L	1.07	0.503				02/18/23 18:30	VMN
	1-Chlorooctane(surr)	92.1	%	1.07		70-125			02/18/23 18:30	VMN
	Chlorooctadecane(surr)	88.1	%	1.07		70-125			02/18/23 18:30	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1402-BLK

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.42

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 2.68	mg/Kg	0.30	2.68	25			02/18/23 19:02	VMN
	>C12-C28	< 2.21	mg/Kg	0.30	2.21	25			02/18/23 19:02	VMN
	>C28-C35	< 1.86	mg/Kg	0.30	1.86	25			02/18/23 19:02	VMN
	Total C6-C35	<1.86	mg/Kg	0.30	1.86				02/18/23 19:02	VMN
	1-Chlorooctane(surr)	21.8	%	0.30		60-143		S2	02/18/23 19:02	VMN
	Chlorooctadecane(surr)	23.4	%	0.30		60-150		S2	02/18/23 19:02	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1402-MRL1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.43

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 2.68	mg/Kg	0.30	2.68	25			02/18/23 19:34	VMN
	>C12-C28	< 2.21	mg/Kg	0.30	2.21	25			02/18/23 19:34	VMN
	>C28-C35	< 1.86	mg/Kg	0.30	1.86	25			02/18/23 19:34	VMN
	Total C6-C35	<1.86	mg/Kg	0.30	1.86				02/18/23 19:34	VMN
	1-Chlorooctane(surr)	18.8	%	0.30		60-143		S2	02/18/23 19:34	VMN
	Chlorooctadecane(surr)	23.3	%	0.30		60-150		S2	02/18/23 19:34	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1402-BS1
Date Collected:
Time Collected:
Other Information:

Job Sample ID: 23021792.44
Sample Matrix Solid
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	69.16	mg/Kg	0.30	2.68	25			02/18/23 20:06	VMN
	>C12-C28	54.73	mg/Kg	0.30	2.21	25			02/18/23 20:06	VMN
	>C28-C35	< 1.86	mg/Kg	0.30	1.86	25			02/18/23 20:06	VMN
	Total C6-C35	123.89	mg/Kg	0.30	1.86				02/18/23 20:06	VMN
	1-Chlorooctane(surr)	30.3	%	0.30		60-143		S2	02/18/23 20:06	VMN
	Chlorooctadecane(surr)	27.5	%	0.30		60-150		S2	02/18/23 20:06	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1402-BSD1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.45

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	48.40	mg/Kg	0.30	2.68	25			02/18/23 20:37	VMN
	>C12-C28	47.47	mg/Kg	0.30	2.21	25			02/18/23 20:37	VMN
	>C28-C35	< 1.86	mg/Kg	0.30	1.86	25			02/18/23 20:37	VMN
	Total C6-C35	95.87	mg/Kg	0.30	1.86				02/18/23 20:37	VMN
	1-Chlorooctane(surr)	22.4	%	0.30		60-143		S2	02/18/23 20:37	VMN
	Chlorooctadecane(surr)	30.4	%	0.30		60-150		S2	02/18/23 20:37	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1402-MS1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.46

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	63.19	mg/Kg	0.30	2.68	25			02/18/23 21:09	VMN
	>C12-C28	54.75	mg/Kg	0.30	2.21	25			02/18/23 21:09	VMN
	>C28-C35	< 1.86	mg/Kg	0.30	1.86	25			02/18/23 21:09	VMN
	Total C6-C35	117.95	mg/Kg	0.30	1.86				02/18/23 21:09	VMN
	1-Chlorooctane(surr)	29.1	%	0.30		60-143		S2	02/18/23 21:09	VMN
	Chlorooctadecane(surr)	30.4	%	0.30		60-150		S2	02/18/23 21:09	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: BGB1402-MSD1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.47

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	51.95	mg/Kg	0.30	2.68	25			02/18/23 21:41	VMN
	>C12-C28	52.42	mg/Kg	0.30	2.21	25			02/18/23 21:41	VMN
	>C28-C35	< 1.86	mg/Kg	0.30	1.86	25			02/18/23 21:41	VMN
	Total C6-C35	104.37	mg/Kg	0.30	1.86				02/18/23 21:41	VMN
	1-Chlorooctane(surr)	23.5	%	0.30		60-143		S2	02/18/23 21:41	VMN
	Chlorooctadecane(surr)	33	%	0.30		60-150		S2	02/18/23 21:41	VMN

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23021792

Date 2/28/2023

Client Name: NWDLS

Attn: Deena Higginbotham

Project Name:

Client Sample ID: 23A1459-66

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23021792.48

Sample Matrix Solid

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 2.68	mg/Kg	0.30	2.68	25			02/18/23 22:13	VMN
	>C12-C28	< 2.21	mg/Kg	0.30	2.21	25			02/18/23 22:13	VMN
	>C28-C35	< 1.86	mg/Kg	0.30	1.86	25			02/18/23 22:13	VMN
	Total C6-C35	<1.86	mg/Kg	0.30	1.86				02/18/23 22:13	VMN
	1-Chlorooctane(surr)	35.1	%	0.30		60-143		S2	02/18/23 22:13	VMN
	Chlorooctadecane(surr)	29.3	%	0.30		60-150		S2	02/18/23 22:13	VMN

ab-q212-0321

QUALITY CONTROL CERTIFICATE

Job ID : 23021792 **Date :** 2/28/2023

Analysis : Total Petroleum Hydrocarbons **Method :** TX 1005 **Reporting Units :** mg/Kg

QC Batch ID : Qb230217150 **Created Date :** 02/17/23 **Created By :** VNair

Samples in This QC Batch : 23021792.01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,18,19,20

Sample Preparation : PB23021753 **Prep Method :** TX 1005 **Prep Date :** 02/17/23 13:01 **Prep By :** VRodriguez

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
C6-C12	TPH-1005-1	< MDL	mg/Kg	1.00	25	8.94		
>C12-C28	TPH-1005-2	< MDL	mg/Kg	1.00	25	7.35		
>C28-C35	TPH-1005-4	< MDL	mg/Kg	1.00	25	6.20		
Total C6-C35		< MDL	mg/Kg	1.00	----	6.20		
Chlorooctadecane(surr)	3386-33-2	103	%	1.00				
1-Chlorooctane(surr)	111-85-3	128	%	1.00				

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
C6-C12	500	554	111	500	532	106	4.1	20	75-125	
>C12-C28	500	521	104	500	518	104	0.5	20	75-125	
>C28-C35	500	530	106	500	537	107	1.3	20	75-125	

QUALITY CONTROL CERTIFICATE

Job ID : 23021792 **Date :** 2/28/2023

Analysis : Total Petroleum Hydrocarbons **Method :** TX 1005 **Reporting Units :** mg/Kg

QC Batch ID : Qb230217151 **Created Date :** 02/17/23 **Created By :** VNair

Samples in This QC Batch : 23021792.21,22,23,24,25,42,43,44,45,46,47,48

Sample Preparation : PB23021754 **Prep Method :** TX 1005 **Prep Date :** 02/17/23 13:45 **Prep By :** VRodriguez

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
C6-C12	TPH-1005-1	< MDL	mg/Kg	1.00	25	8.94		
>C12-C28	TPH-1005-2	< MDL	mg/Kg	1.00	25	7.35		
>C28-C35	TPH-1005-4	< MDL	mg/Kg	1.00	25	6.20		
Total C6-C35		< MDL	mg/Kg	1.00	----	6.20		
Chlorooctadecane(surr)	3386-33-2	113	%	1.00				
1-Chlorooctane(surr)	111-85-3	141	%	1.00				

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
C6-C12	500	431	86.2	500	484	96.8	11.5	20	75-125	
>C12-C28	500	446	89.2	500	471	94.3	5.5	20	75-125	
>C28-C35	500	511	102	500	508	102	0.6	20	75-125	

QUALITY CONTROL CERTIFICATE

Job ID : 23021792 **Date :** 2/28/2023

Analysis : Total Petroleum Hydrocarbons **Method : TX 1005** **Reporting Units : mg/L**

QC Batch ID : Qb230217152 **Created Date :** 02/17/23 **Created By :** VNair

Samples in This QC Batch : 23021792.26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41

Sample Preparation : PB23021749 **Prep Method :** TX 1005 **Prep Date :** 02/17/23 14:00 **Prep By :** VRodriguez

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
C6-C12	TPH-1005-1	< MDL	mg/L	1.00	2.15	0.61		
>C12-C28	TPH-1005-2	< MDL	mg/L	1.00	2.15	0.64		
>C28-C35	TPH-1005-4	< MDL	mg/L	1.00	2.15	0.47		
Total C6-C35		< MDL	mg/L	1.00	----	0.47		
Chlorooctadecane(surr)	3386-33-2	92.7	%	1.00				
1-Chlorooctane(surr)	111-85-3	114	%	1.00				

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
C6-C12	43	44.4	103	43	42.8	99.5	3.6	20	75-125	
>C12-C28	43	43.4	101	43	40.6	94.5	6.7	20	75-125	
>C28-C35	43	47.5	110	43	44.7	104	6.1	20	75-125	

Prep Doc:	OP117	Batch ID:	TPH-020623-03	Centrifuge:	44323P-7	2nd Review:	OT 02.16.23	Organic Extractions
Extraction Analyst/Date:	RLK 0206-23	Extraction Start Time:	15:05	Hand Shaken or 071401		Scale ID:	833776S245	Comments: BGB07165

Matrix: Aq / Solid / BT / Saline / CW / Non-Aq / DW

Analyte Group: TX1005 TPH / TX1006 TPH / Screen Only / Other:

Extraction Technique: MLLE / MLSE / Other:

Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)	Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)
S1 2201668	.250	10,000	S3 TPH SPK 2205642	.250	20,000
S2 MDL 2301827	.015	2000	S4 –	–	–

Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID
R1 n-Pentane	2302226	R3 Acetone	2210277	R5 pH paper	—	R7 —	—	R9 —	—
R2 Sand	2108703	R4 MeOH	2210712	R6 DI-Water	DI-Water-01	R8 —	—	R10 —	—

Post Extraction Concentration[P1]			
Analyst/Date:		or N/A	
NEVAP Temp:	°C	Temp. ID	
N_2 Blowdown			
Final Solvent: n-Pentane / Other:			

Note: Continued on next page.

Job ID:23021792

02/17/2023 NWDLS AMS

	Vial ID	Sample ID	Re-extraction	Amt. Extracted (g / mL)	Spk #	Initial pH	Final Vol. (mL)[P1]	TX1006	Fraction #1 initial vol.(mL)	Fraction #1 final vol.(mL)[P1]	Fraction #2 initial vol.(mL)	Fraction #2 final vol.(mL) P2	Comments/Dilutions/ Reagent Change/Other Clnups, etc.
01A	N/A	BGB0765-MB		10.08	S1	N/A	10		N/A	N/A	N/A	N/A	
02A		MDL		10.10	S2								
03A		BS		10.06	S3								
04A		BSD		10.06	S3								
05A		MS		10.24	S3								23A1459-46MS
06A		MSD		10.06	S3								23A1459-46MSD
07A		23A1459-46	✓	10.28									P" 23A1459-46
08A		-47	✓	10.17									
09A		-55		10.28									
	10												
	11												
	12												
	13												
	14												
	15												
	16												
	17												
	18												
	19												
	20												
	21												
	22												
	23												
	24												
	25												CST 02.16.23

Batch ID: TPH-020623-03 **Analyte Group (circle):** (TX1005 TPH) / TX1006 TPH / Screen Only / Other:_____

Prep Doc:	OP117	Batch ID:	TPH-020723-03	Centrifuge:	443Z8P7	2nd Review:	CST 02.16.23	**Organic Extractions**
Extraction Analyst/Date:	CST 02/07/23	Extraction Start Time:	1100	Hand Shaken or 071401		Scale ID:	B929652d00	Comments: BGB0983

Matrix: Aq / ~~Solid~~ / BT / Saline / CW / Non-Aq / DW

Analyte Group: (TX1005 TPH) / TX1006 TPH / Screen Only / Other:

Extraction Technique: MLLE / (MLSE) Other:

Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)	Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)
S1 2212742	.250	10,000	S3 2205642	.250	20000
S2 2301827	.015	2,000	S4		

Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID
R1 n-Pentane	2302226	R3 Acetone	2210277	R5 pH paper	—	R7		R9	
R2 Sand	2108703	R4 MeOH	2202540	R6 DI-Water	DI-Water-01	R8		R10	

Post Extraction Concentration[P1]			
Analyst/Date:		or (N/A)	
NEVAP Temp:	°C	Temp. ID	
N_2 Blowdown			
Final Solvent: n-Pentane / Other:			

Note: Continued on next page.

Vial ID	Sample ID	Re-extraction	Amt. Extracted (g / mL)	Spk #	Initial pH	Final Vol. (mL)P1	TX1006	Fraction #1 initial vol.(mL)	Fraction #1 final vol.(mL)P1	Fraction #2 initial vol.(mL)	Fraction #2 final vol.(mL) P2	Comments/Dilutions/ Reagent Change/Other Clnups, etc.
10A	BGB0983-BLK1		10.13	S1	n/a	10.0						
11A	-MR2		10.30	S2								
12A	-BS1 3		10.08	S3								
13A	-BSD1 4		10.13									
14A	-MS1 5		10.00									
15A	-MSD1 6		↓	↓								
16A	23A3576-16 7		10.12									
17A	-23 8		10.45									
18A	-28 9		10.43									
19A	-35 10		10.07									
20A	-36 11		10.45									
21A	23A1459-54 12		10.65									
22A	-56 13		10.23									
23A	23A4543-01 14		10.15									
24A	-02 15		10.40									
25A	-03 16		10.39	↓	↓	↓						
	17											
	18											
	19											
	20											
	21											
	22											
	23											
	24											
	25											CST 02.16.23

Batch ID: *TPH-* 020723-03 **Analyte Group (circle):** (TX1005 TPH) / TX1006 TPH / Screen Only / Other:_____

Prep Doc:	OP117	Batch ID:	TPH-020823-03	Centrifuge:	44323P-7	2nd Review:	CJT 02-16-23	**Organic Extractions**
Extraction Analyst/Date:	CJT 02/08/23	Extraction Start Time:	1252	Hand Shaken or (Vortexed)	07/1401	Scale ID:	B929965d60	Comments: BGB1373

Matrix: (Aq) / Solid / BT / Saline / CW / Non-Aq / DW

Analyte Group: (TX1005 TPH) / TX1006 TPH / Screen Only / Other:

Extraction Technique: (MLLE) / MLSE / Other:

Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)	Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)
S1 2212742	.100	10,000	S3 2301827	.003	2,000
S2 2205642	.100	20,000	S4		

Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID
R1 n-Pentane	2302226	R3 Acetone	2210277	R5 pH paper	2209804	R7		R9	
R2 Sand	—	R4 MeOH	2202540	R6 DI-Water	DI-Water-01	R8		R10	

Post Extraction Concentration[P1]			
Analyst/Date:		or (N/A)	
NEVAP Temp:	°C	Temp. ID	
N_2 Blowdown			
Final Solvent: n-Pentane / Other:			

Note: Continued on next page.

Vial ID	Sample ID	Re-extraction	Amt. Extracted (g / mL)	Spk #	Initial pH	Final Vol. (mL)P1	TX1006	Fraction #1 initial vol.(mL)	Fraction #1 final vol.(mL)P1	Fraction #2 initial vol.(mL)	Fraction #2 final vol.(mL) P2	Comments/Dilutions/ Reagent Change/Other Clnups, etc.
26A	BGB1573-BLK1		32.31	S1	~6	3.0						
27A	-MRL2		31.56	S3								
28A	-BS1 3		31.63	S2								
29A	-BSD1 4		32.42									
30A	-MS1 5		33.80		~1							
31A	-MSD 6		33.53									
32A	23A1459-02 7		34.40									
33A	-03 8		33.63									
34A	-04 9		34.00									
35A	-05 10		33.68									
36A	-49 11		34.11									
37A	-50 12		34.21									
38A	-62 13		33.52									
39A	23A3576-02 14		32.99									
40A	-04 15		32.73									
41A	-06 16		32.69									
	17											
	18											
	19											
	20											
	21											
	22											
	23											
	24											
	25											CST 02.16.23

Batch ID: *TPH-* 020823-03 **Analyte Group (circle):** TX1005 TPH / TX1006 TPH / Screen Only / Other:_____

Prep Doc:	OP117	Batch ID:	TPH- 020923-01	Centrifuge:	443238-7	2nd Review:	CST 02/16/23	**Organic Extractions**
Extraction Analyst/Date:	CST 02/09/23	Extraction Start Time:	1405	Hand Shaken or (071401)		Scale ID:	8929656600	Comments: BGB1402
Matrix: Aq / (Solid) / BT / Saline / CW / Non-Aq / DW		**Analyte Group:** (TX1005 TPH) / TX1006 TPH / Screen Only / Other:		**Extraction Technique**: MLLE / (MLSE) Other:				

Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)	Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)
S1 2212742	.250	10,000	S3 2205642	.250	20,000
S2 2301827	.015	2,000	S4		

Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID
R1 n-Pentane	2302226	R3 Acetone	2210277	R5 pH paper	—	R7		R9	
R2 Sand	2108703	R4 MeOH	2202540	R6 DI-Water	DI-Water-01	R8		R10	

Post Extraction Concentration[P1]			
Analyst/Date:		or (N/A)	
NEVAP Temp:	°C	Temp. ID	
N_2 Blowdown			
Final Solvent: n-Pentane / Other:			

Note: Continued on next page.

Vial ID	Sample ID	Re-extraction	Amt. Extracted (g / mL)	Spk #	Initial pH	Final Vol. (mL)[P1]	TX1006	Fraction #1 initial vol.(mL)	Fraction #1 final vol.(mL)[P1]	Fraction #2 initial vol.(mL)	Fraction #2 final vol.(mL) P2	Comments/Dilutions/ Reagent Change/Other Clnups, etc.
42A	BGB1402-BLK		10.12	S_1	n/a	3.0						
43A	-MRL[2]		10.01	S_2								
44A	-BS1[3]		10.09	S_3								
45A	-BSD1[4]		10.04									
46A	-MS1[5]		10.39									
47A	-MSD1[6]		10.02									
48A	2391459-666[7]		10.63	↓	↓	↓						
	8											
	9											
	10											
	11											
	12											
	13											
	14											
	15											
	16											
	17											
	18											
	19											
	20											
	21											
	22											
	23											
	24											
	25											CJS 02.16.23

Batch ID: *TPH-* 020923-01 **Analyte Group (circle):** (TX1005 TPH) / TX1006 TPH / Screen Only / Other:_____

Sample Condition Checklist

A&B JobID : **23021792**	Date Received : **02/17/2023**	Time Received : **9:30AM**
Client Name : **NWDLS**		
Temperature : **1.0°C**	Sample pH : **NA**	
Thermometer ID : **IR4**	pH Paper ID : **NA**	
Perservative :		

	Check Points	Yes	No	N/A
1.	**Cooler Seal present and signed.**		X	
2.	**Sample(s) in a cooler.**	X		
3.	**If yes, ice in cooler.**	X		
4.	**Sample(s) received with chain-of-custody.**	X		
5.	**C-O-C signed and dated.**	X		
6.	**Sample(s) received with signed sample custody seal.**		X	
7.	**Sample containers arrived intact. (If No comment)**	X		
8.	**Matrix:** Water ☐ Soil ☐ Liquid ☐ Sludge ☐ Solid ☐ Cassette ☐ Tube ☐ Bulk ☐ Badge ☐ Food ☐ Other ☑			
9.	**Samples were received in appropriate container(s)**	X		
10.	**Sample(s) were received with Proper preservative**			X
11.	**All samples were tagged or labeled.**	X		
12.	**Sample ID labels match C-O-C ID's.**	X		
13.	**Bottle count on C-O-C matches bottles found.**	X		
14.	**Sample volume is sufficient for analyses requested.**	X		
15.	**Samples were received with in the hold time.**	X		
16.	**VOA vials completely filled.**			X
17.	**Sample accepted.**	X		
18.	**Has client been contacted about sub-out**			X

Comments : Include actions taken to resolve discrepancies/problem:

Samples came in already extracted. ~JE 02/17/23

Received by : Jedralin

Check in by/date : Jedralin / 02/17/2023

ab-s005-0321

Laboratory Analysis Report

Total Number of Pages: 80

Job ID : 23022553

10100 East Freeway, Suite 100, Houston, TX 77029 tel: 713-453-6060, fax: 713-453-6091, http://www.ablabs.com

Client Project Name :

Report To :

Client Name: NWDLS
Attn: Monica O. Martin
Client Address: 130 S Trade Center Pkwy
City, State, Zip: Conroe, Texas, 77385

P.O.#.:
Sample Collected By:
Date Collected: 02/01/23 - 02/10/23

A&B Labs has analyzed the following samples...

Client Sample ID	Matrix	A&B Sample ID
BGB2106-BLK1	Water	23022553.01
BGB2106-MRL1	Water	23022553.02
BGB2106-BS1	Water	23022553.03
BGB2106-BSD1	Water	23022553.04
BGB2106-MS1	Water	23022553.05
BGB2106-MSD1	Water	23022553.06
23A3576-07	Water	23022553.07
23A3576-08	Water	23022553.08
23A3576-09	Water	23022553.09
23A3576-10	Water	23022553.10
23A3576-11	Water	23022553.11
23A1459-07	Water	23022553.12
23A1459-08	Water	23022553.13
23A1459-09	Water	23022553.14
23A1459-10	Water	23022553.15
23A1459-11	Water	23022553.16
23A1459-12	Water	23022553.17
23A1459-13	Water	23022553.18

Released By: Amanda Shute
Title: Project Manager
Date: 3/3/2023

This Laboratory is NELAP (T104704213) accredited. Effective: 04/01/2022; Expires: 3/31/2023
Scope: Non-Potable Water, Drinking Water, Air, Solid, Biological Tissue, Hazardous Waste

I am the laboratory manager, or his/her designee, and I am responsible for the release of this data package. This laboratory data package has been reviewed and is complete and technically compliant with the requirements of the methods used, except where noted in the attached exception reports. I affirm, to the best of my knowledge that all problems/anomalies observed by this laboratory (and if applicable, any and all laboratories subcontracted through this laboratory) that might affect the quality of the data, have been identified in the Laboratory Review Checklist, and that no information or data have been knowingly withheld that would affect the quality of the data.

This report cannot be reproduced, except in full, without prior written permission of A&B Labs. Results shown relate only to the items tested. Results apply to the sample as received. Samples are assumed to be in acceptable condition unless otherwise noted. Blank correction is not made unless otherwise noted. Air concentrations reported are based on field sampling information provided by client. Soil samples are reported on a wet weight basis unless otherwise noted. Uncertainty estimates are available on request.

ab-q210-0321

Date Received : 02/24/2023 11:35

Laboratory Analysis Report

Total Number of Pages: 80

Job ID : 23022553

10100 East Freeway, Suite 100, Houston, TX 77029 tel: 713-453-6060, fax: 713-453-6091, http://www.ablabs.com

A&B Labs has analyzed the following samples...

Client Sample ID	Matrix	A&B Sample ID
23A1459-14	Water	23022553.19
23A1459-51	Water	23022553.20
23A1459-52	Water	23022553.21
23A1459-64	Water	23022553.22
23A1459-65	Water	23022553.23
BGA3905-BLK1	Water	23022553.24
BGB0310-BLK1	Water	23022553.25
BGB2204-BLK	Water	23022553.26
BGB2204-MRL1	Water	23022553.27
BGB2204-BS1	Water	23022553.28
BGB2204-BSD1	Water	23022553.29
BGB2204-MS1	Water	23022553.30
BGB2204-MSD1	Water	23022553.31
23B1097-01	Water	23022553.32
23B1047-02	Water	23022553.33
23B1047-05	Water	23022553.34
23B1047-06	Water	23022553.35
23B1331-02	Water	23022553.36
23B1331-04	Water	23022553.37
23A4079-02	Water	23022553.38
23A4079-03	Water	23022553.39
23A4079-04	Water	23022553.40
23A4079-05	Water	23022553.41
23A4079-06	Water	23022553.42
23A4079-07	Water	23022553.43
23A4079-08	Water	23022553.44

Released By: Amanda Shute

Title: Project Manager

Date: 3/3/2023

This Laboratory is NELAP (T104704213) accredited. Effective: 04/01/2022; Expires: 3/31/2023

Scope: Non-Potable Water, Drinking Water, Air, Solid, Biological Tissue, Hazardous Waste

I am the laboratory manager, or his/her designee, and I am responsible for the release of this data package. This laboratory data package has been reviewed and is complete and technically compliant with the requirements of the methods used, except where noted in the attached exception reports. I affirm, to the best of my knowledge that all problems/anomalies observed by this laboratory (and if applicable, any and all laboratories subcontracted through this laboratory) that might affect the quality of the data, have been identified in the Laboratory Review Checklist, and that no information or data have been knowingly withheld that would affect the quality of the data.

This report cannot be reproduced, except in full, without prior written permission of A&B Labs. Results shown relate only to the items tested. Results apply to the sample as received. Samples are assumed to be in acceptable condition unless otherwise noted. Blank correction is not made unless otherwise noted. Air concentrations reported are based on field sampling information provided by client. Soil samples are reported on a wet weight basis unless otherwise noted. Uncertainty estimates are available on request.

Laboratory Analysis Report

Total Number of Pages: 80

Job ID : 23022553

10100 East Freeway, Suite 100, Houston, TX 77029 tel: 713-453-6060, fax: 713-453-6091, http://www.ablabs.com

A&B Labs has analyzed the following samples...

Client Sample ID	Matrix	A&B Sample ID
23A4079-09	Water	23022553.45
BGB1372-BLK	Water	23022553.46
	Water	23022553.47

Released By: Amanda Shute

Title: Project Manager

Date: 3/3/2023

This Laboratory is NELAP (T104704213) accredited. Effective: 04/01/2022; Expires: 3/31/2023

Scope: Non-Potable Water, Drinking Water, Air, Solid, Biological Tissue, Hazardous Waste

I am the laboratory manager, or his/her designee, and I am responsible for the release of this data package. This laboratory data package has been reviewed and is complete and technically compliant with the requirements of the methods used, except where noted in the attached exception reports. I affirm, to the best of my knowledge that all problems/anomalies observed by this laboratory (and if applicable, any and all laboratories subcontracted through this laboratory) that might affect the quality of the data, have been identified in the Laboratory Review Checklist, and that no information or data have been knowingly withheld that would affect the quality of the data.

This report cannot be reproduced, except in full, without prior written permission of A&B Labs. Results shown relate only to the items tested. Results apply to the sample as received. Samples are assumed to be in acceptable condition unless otherwise noted. Blank correction is not made unless otherwise noted. Air concentrations reported are based on field sampling information provided by client. Soil samples are reported on a wet weight basis unless otherwise noted. Uncertainty estimates are available on request.

Laboratory Report: Case Narrative

A&B Job ID: 23022553

Date: 03/03/23

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Date Received: 02/24/23

Collected By:

Extracts were provided and analyzed based on the attached bench sheets.

All samples were calculated using default 35mL:3mL

Please feel free to reach out to me if you have any questions regarding this report.

Released By: Amanda Shute

Title: Project Manager

LABORATORY TERM AND QUALIFIER DEFINITION REPORT

Job ID : 23022553

Date: 3/3/2023

General Term Definition

Back-Wt	Back Weight	Post-Wt	Post Weight
BRL	Below Reporting Limit	ppm	parts per million
cfu	colony-forming units	Pre-Wt	Previous Weight
Conc.	Concentration	Q	Qualifier
D.F.	Dilution Factor	RegLimit	Regulatory Limit
Front-Wt	Front Weight	RPD	Relative Percent Difference
LCS	Laboratory Check Standard	RptLimit	Reporting Limit
LCSD	Laboratory Check Standard Duplicate	SDL	Sample Detection Limit
MS	Matrix Spike	surr	Surrogate
MSD	Matrix Spike Duplicate	T	Time
MW	Molecular Weight	TNTC	Too numerous to count
J	Estimation. Below calibration range but above MDL	MQL	Minimum Quantitation Limit

Qualifier Definition

J	Estimation. Below calibration range but above MDL.
S1	Surrogate recovery is above control limit. Results may be biased high.
S8	Target compounds caused elevation of baseline. Surrogate may be biased high.

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2106-BLK1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.01

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/24/23 21:20	SKM
	>C12-C28	0.679	mg/L	1.00	0.640	2.15		J	02/24/23 21:20	SKM
	>C28-C35	1.06	mg/L	1.00	0.470	2.15		J	02/24/23 21:20	SKM
	Total C6-C35	1.74	mg/L	1.00	0.470				02/24/23 21:20	SKM
	1-Chlorooctane(surr)	115	%	1.00		70-125			02/24/23 21:20	SKM
	Chlorooctadecane(surr)	106	%	1.00		70-125			02/24/23 21:20	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2106-MRL1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.02

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/24/23 21:52	SKM
	>C12-C28	0.749	mg/L	1.00	0.640	2.15		J	02/24/23 21:52	SKM
	>C28-C35	0.727	mg/L	1.00	0.470	2.15		J	02/24/23 21:52	SKM
	Total C6-C35	1.48	mg/L	1.00	0.470				02/24/23 21:52	SKM
	1-Chlorooctane(surr)	124	%	1.00		70-125			02/24/23 21:52	SKM
	Chlorooctadecane(surr)	108	%	1.00		70-125			02/24/23 21:52	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2106-BS1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.03

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	29.25	mg/L	1.00	0.610	2.15			02/24/23 22:23	SKM
	>C12-C28	20.48	mg/L	1.00	0.640	2.15			02/24/23 22:23	SKM
	>C28-C35	0.496	mg/L	1.00	0.470	2.15		J	02/24/23 22:23	SKM
	Total C6-C35	50.22	mg/L	1.00	0.470				02/24/23 22:23	SKM
	1-Chlorooctane(surr)	111	%	1.00		70-125			02/24/23 22:23	SKM
	Chlorooctadecane(surr)	104	%	1.00		70-125			02/24/23 22:23	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2106-BSD1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.04

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	29.65	mg/L	1.00	0.610	2.15			02/24/23 22:55	SKM
	>C12-C28	19.97	mg/L	1.00	0.640	2.15			02/24/23 22:55	SKM
	>C28-C35	0.531	mg/L	1.00	0.470	2.15		J	02/24/23 22:55	SKM
	Total C6-C35	50.15	mg/L	1.00	0.470				02/24/23 22:55	SKM
	1-Chlorooctane(surr)	116	%	1.00		70-125			02/24/23 22:55	SKM
	Chlorooctadecane(surr)	97.5	%	1.00		70-125			02/24/23 22:55	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2106-MS1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.05

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	29.52	mg/L	1.00	0.610	2.15			02/24/23 23:27	SKM
	>C12-C28	21.01	mg/L	1.00	0.640	2.15			02/24/23 23:27	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/24/23 23:27	SKM
	Total C6-C35	50.53	mg/L	1.00	0.470				02/24/23 23:27	SKM
	1-Chlorooctane(surr)	117	%	1.00		70-125			02/24/23 23:27	SKM
	Chlorooctadecane(surr)	103	%	1.00		70-125			02/24/23 23:27	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2106-MSD1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.06

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	28.78	mg/L	1.00	0.610	2.15			02/24/23 23:59	SKM
	>C12-C28	21.35	mg/L	1.00	0.640	2.15			02/24/23 23:59	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/24/23 23:59	SKM
	Total C6-C35	50.12	mg/L	1.00	0.470				02/24/23 23:59	SKM
	1-Chlorooctane(surr)	118	%	1.00		70-125			02/24/23 23:59	SKM
	Chlorooctadecane(surr)	106	%	1.00		70-125			02/24/23 23:59	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A3576-07
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.07
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 00:31	SKM
	>C12-C28	0.666	mg/L	1.00	0.640	2.15		J	02/25/23 00:31	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/25/23 00:31	SKM
	Total C6-C35	0.666	mg/L	1.00	0.470				02/25/23 00:31	SKM
	1-Chlorooctane(surr)	105	%	1.00		70-125			02/25/23 00:31	SKM
	Chlorooctadecane(surr)	95.3	%	1.00		70-125			02/25/23 00:31	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A3576-08
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.08
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 01:02	SKM
	>C12-C28	0.743	mg/L	1.00	0.640	2.15		J	02/25/23 01:02	SKM
	>C28-C35	0.814	mg/L	1.00	0.470	2.15		J	02/25/23 01:02	SKM
	Total C6-C35	1.56	mg/L	1.00	0.470				02/25/23 01:02	SKM
	1-Chlorooctane(surr)	108	%	1.00		70-125			02/25/23 01:02	SKM
	Chlorooctadecane(surr)	84.5	%	1.00		70-125			02/25/23 01:02	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID:	23A3576-09	Job Sample ID:	23022553.09
Date Collected:	02/01/23	Sample Matrix	Water
Time Collected:	13:49	% Moisture	
Other Information:			

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 01:34	SKM
	>C12-C28	1.37	mg/L	1.00	0.640	2.15		J	02/25/23 01:34	SKM
	>C28-C35	1.39	mg/L	1.00	0.470	2.15		J	02/25/23 01:34	SKM
	Total C6-C35	2.76	mg/L	1.00	0.470				02/25/23 01:34	SKM
	1-Chlorooctane(surr)	116	%	1.00		70-125			02/25/23 01:34	SKM
	Chlorooctadecane(surr)	85.4	%	1.00		70-125			02/25/23 01:34	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A3576-10
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.10
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 02:06	SKM
	>C12-C28	0.742	mg/L	1.00	0.640	2.15		J	02/25/23 02:06	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/25/23 02:06	SKM
	Total C6-C35	0.742	mg/L	1.00	0.470				02/25/23 02:06	SKM
	1-Chlorooctane(surr)	101	%	1.00		70-125			02/25/23 02:06	SKM
	Chlorooctadecane(surr)	77	%	1.00		70-125			02/25/23 02:06	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A3576-11
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.11
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 03:41	SKM
	>C12-C28	< 0.64	mg/L	1.00	0.640	2.15			02/25/23 03:41	SKM
	>C28-C35	0.604	mg/L	1.00	0.470	2.15		J	02/25/23 03:41	SKM
	Total C6-C35	0.604	mg/L	1.00	0.470				02/25/23 03:41	SKM
	1-Chlorooctane(surr)	103	%	1.00		70-125			02/25/23 03:41	SKM
	Chlorooctadecane(surr)	80.3	%	1.00		70-125			02/25/23 03:41	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-07
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.12
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 04:13	SKM
	>C12-C28	0.867	mg/L	1.00	0.640	2.15		J	02/25/23 04:13	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/25/23 04:13	SKM
	Total C6-C35	0.867	mg/L	1.00	0.470				02/25/23 04:13	SKM
	1-Chlorooctane(surr)	106	%	1.00		70-125			02/25/23 04:13	SKM
	Chlorooctadecane(surr)	79.9	%	1.00		70-125			02/25/23 04:13	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-08
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.13
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 04:45	SKM
	>C12-C28	0.713	mg/L	1.00	0.640	2.15		J	02/25/23 04:45	SKM
	>C28-C35	0.538	mg/L	1.00	0.470	2.15		J	02/25/23 04:45	SKM
	Total C6-C35	1.25	mg/L	1.00	0.470				02/25/23 04:45	SKM
	1-Chlorooctane(surr)	95.1	%	1.00		70-125			02/25/23 04:45	SKM
	Chlorooctadecane(surr)	78.5	%	1.00		70-125			02/25/23 04:45	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-09
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.14
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	0.672	mg/L	1.00	0.610	2.15		J	02/25/23 05:16	SKM
	>C12-C28	5.81	mg/L	1.00	0.640	2.15			02/25/23 05:16	SKM
	>C28-C35	2.46	mg/L	1.00	0.470	2.15			02/25/23 05:16	SKM
	Total C6-C35	8.94	mg/L	1.00	0.470				02/25/23 05:16	SKM
	1-Chlorooctane(surr)	101	%	1.00		70-125			02/25/23 05:16	SKM
	Chlorooctadecane(surr)	84.3	%	1.00		70-125			02/25/23 05:16	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-10
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.15
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 05:48	SKM
	>C12-C28	0.903	mg/L	1.00	0.640	2.15		J	02/25/23 05:48	SKM
	>C28-C35	0.83	mg/L	1.00	0.470	2.15		J	02/25/23 05:48	SKM
	Total C6-C35	1.73	mg/L	1.00	0.470				02/25/23 05:48	SKM
	1-Chlorooctane(surr)	102	%	1.00		70-125			02/25/23 05:48	SKM
	Chlorooctadecane(surr)	83.3	%	1.00		70-125			02/25/23 05:48	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-11
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.16
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 06:20	SKM
	>C12-C28	0.654	mg/L	1.00	0.640	2.15		J	02/25/23 06:20	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/25/23 06:20	SKM
	Total C6-C35	0.654	mg/L	1.00	0.470				02/25/23 06:20	SKM
	1-Chlorooctane(surr)	98.5	%	1.00		70-125			02/25/23 06:20	SKM
	Chlorooctadecane(surr)	81	%	1.00		70-125			02/25/23 06:20	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-12
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.17
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 06:51	SKM
	>C12-C28	0.649	mg/L	1.00	0.640	2.15		J	02/25/23 06:51	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/25/23 06:51	SKM
	Total C6-C35	0.649	mg/L	1.00	0.470				02/25/23 06:51	SKM
	1-Chlorooctane(surr)	93.8	%	1.00		70-125			02/25/23 06:51	SKM
	Chlorooctadecane(surr)	74.1	%	1.00		70-125			02/25/23 06:51	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-13
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.18
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 07:21	SKM
	>C12-C28	0.825	mg/L	1.00	0.640	2.15		J	02/25/23 07:21	SKM
	>C28-C35	0.757	mg/L	1.00	0.470	2.15		J	02/25/23 07:21	SKM
	Total C6-C35	1.58	mg/L	1.00	0.470				02/25/23 07:21	SKM
	1-Chlorooctane(surr)	97.3	%	1.00		70-125			02/25/23 07:21	SKM
	Chlorooctadecane(surr)	79.4	%	1.00		70-125			02/25/23 07:21	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-14
Date Collected: 02/03/23
Time Collected: 09:05
Other Information:

Job Sample ID: 23022553.19
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 07:53	SKM
	>C12-C28	0.676	mg/L	1.00	0.640	2.15		J	02/25/23 07:53	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/25/23 07:53	SKM
	Total C6-C35	0.676	mg/L	1.00	0.470				02/25/23 07:53	SKM
	1-Chlorooctane(surr)	103	%	1.00		70-125			02/25/23 07:53	SKM
	Chlorooctadecane(surr)	79.1	%	1.00		70-125			02/25/23 07:53	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-51
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.20
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 08:23	SKM
	>C12-C28	0.721	mg/L	1.00	0.640	2.15		J	02/25/23 08:23	SKM
	>C28-C35	0.684	mg/L	1.00	0.470	2.15		J	02/25/23 08:23	SKM
	Total C6-C35	1.41	mg/L	1.00	0.470				02/25/23 08:23	SKM
	1-Chlorooctane(surr)	95.1	%	1.00		70-125			02/25/23 08:23	SKM
	Chlorooctadecane(surr)	78.4	%	1.00		70-125			02/25/23 08:23	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-52
Date Collected: 02/01/23
Time Collected: 13:49
Other Information:

Job Sample ID: 23022553.21
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 08:54	SKM
	>C12-C28	< 0.64	mg/L	1.00	0.640	2.15			02/25/23 08:54	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/25/23 08:54	SKM
	Total C6-C35	<0.47	mg/L	1.00	0.470				02/25/23 08:54	SKM
	1-Chlorooctane(surr)	136	%	1.00		70-125		S8	02/25/23 08:54	SKM
	Chlorooctadecane(surr)	73.1	%	1.00		70-125			02/25/23 08:54	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-64
Date Collected: 02/03/23
Time Collected: 09:05
Other Information:

Job Sample ID: 23022553.22
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 09:25	SKM
	>C12-C28	1.23	mg/L	1.00	0.640	2.15		J	02/25/23 09:25	SKM
	>C28-C35	0.662	mg/L	1.00	0.470	2.15		J	02/25/23 09:25	SKM
	Total C6-C35	1.90	mg/L	1.00	0.470				02/25/23 09:25	SKM
	1-Chlorooctane(surr)	159	%	1.00		70-125		S8	02/25/23 09:25	SKM
	Chlorooctadecane(surr)	127	%	1.00		70-125		S8	02/25/23 09:25	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A1459-65
Date Collected: 02/03/23
Time Collected: 09:05
Other Information:

Job Sample ID: 23022553.23
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 09:56	SKM
	>C12-C28	0.778	mg/L	1.00	0.640	2.15		J	02/25/23 09:56	SKM
	>C28-C35	0.519	mg/L	1.00	0.470	2.15		J	02/25/23 09:56	SKM
	Total C6-C35	1.30	mg/L	1.00	0.470				02/25/23 09:56	SKM
	1-Chlorooctane(surr)	155	%	1.00		70-125		S8	02/25/23 09:56	SKM
	Chlorooctadecane(surr)	121	%	1.00		70-125			02/25/23 09:56	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGA3905-BLK1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.24

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 10:27	SKM
	>C12-C28	0.749	mg/L	1.00	0.640	2.15		J	02/25/23 10:27	SKM
	>C28-C35	0.6	mg/L	1.00	0.470	2.15		J	02/25/23 10:27	SKM
	Total C6-C35	1.35	mg/L	1.00	0.470				02/25/23 10:27	SKM
	1-Chlorooctane(surr)	161	%	1.00		70-125		S8	02/25/23 10:27	SKM
	Chlorooctadecane(surr)	128	%	1.00		70-125		S8	02/25/23 10:27	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB0310-BLK1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.25

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 10:59	SKM
	>C12-C28	0.782	mg/L	1.00	0.640	2.15		J	02/25/23 10:59	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/25/23 10:59	SKM
	Total C6-C35	0.782	mg/L	1.00	0.470				02/25/23 10:59	SKM
	1-Chlorooctane(surr)	154	%	1.00		70-125		S8	02/25/23 10:59	SKM
	Chlorooctadecane(surr)	121	%	1.00		70-125			02/25/23 10:59	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2204-BLK

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.26

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 11:30	SKM
	>C12-C28	0.93	mg/L	1.00	0.640	2.15		J	02/25/23 11:30	SKM
	>C28-C35	0.86	mg/L	1.00	0.470	2.15		J	02/25/23 11:30	SKM
	Total C6-C35	1.79	mg/L	1.00	0.470				02/25/23 11:30	SKM
	1-Chlorooctane(surr)	160	%	1.00		70-125		S8	02/25/23 11:30	SKM
	Chlorooctadecane(surr)	122	%	1.00		70-125			02/25/23 11:30	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2204-MRL1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.27

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 12:02	SKM
	>C12-C28	0.923	mg/L	1.00	0.640	2.15		J	02/25/23 12:02	SKM
	>C28-C35	0.934	mg/L	1.00	0.470	2.15		J	02/25/23 12:02	SKM
	Total C6-C35	1.86	mg/L	1.00	0.470				02/25/23 12:02	SKM
	1-Chlorooctane(surr)	157	%	1.00		70-125		S8	02/25/23 12:02	SKM
	Chlorooctadecane(surr)	130	%	1.00		70-125		S8	02/25/23 12:02	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2204-BS1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.28

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	27.24	mg/L	1.00	0.610	2.15			02/25/23 12:34	SKM
	>C12-C28	20.46	mg/L	1.00	0.640	2.15			02/25/23 12:34	SKM
	>C28-C35	0.769	mg/L	1.00	0.470	2.15		J	02/25/23 12:34	SKM
	Total C6-C35	48.47	mg/L	1.00	0.470				02/25/23 12:34	SKM
	1-Chlorooctane(surr)	158	%	1.00		70-125		S8	02/25/23 12:34	SKM
	Chlorooctadecane(surr)	124	%	1.00		70-125			02/25/23 12:34	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2204-BSD1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.29

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	27.07	mg/L	1.00	0.610	2.15			02/25/23 13:06	SKM
	>C12-C28	21.99	mg/L	1.00	0.640	2.15			02/25/23 13:06	SKM
	>C28-C35	0.568	mg/L	1.00	0.470	2.15		J	02/25/23 13:06	SKM
	Total C6-C35	49.62	mg/L	1.00	0.470				02/25/23 13:06	SKM
	1-Chlorooctane(surr)	148	%	1.00		70-125		S8	02/25/23 13:06	SKM
	Chlorooctadecane(surr)	120	%	1.00		70-125			02/25/23 13:06	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2204-MS1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.30

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	28.73	mg/L	1.00	0.610	2.15			02/25/23 13:37	SKM
	>C12-C28	23.64	mg/L	1.00	0.640	2.15			02/25/23 13:37	SKM
	>C28-C35	0.591	mg/L	1.00	0.470	2.15		J	02/25/23 13:37	SKM
	Total C6-C35	52.96	mg/L	1.00	0.470				02/25/23 13:37	SKM
	1-Chlorooctane(surr)	156	%	1.00		70-125		S8	02/25/23 13:37	SKM
	Chlorooctadecane(surr)	123	%	1.00		70-125			02/25/23 13:37	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB2204-MSD1

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.31

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	31.27	mg/L	1.00	0.610	2.15			02/25/23 15:13	SKM
	>C12-C28	24.89	mg/L	1.00	0.640	2.15			02/25/23 15:13	SKM
	>C28-C35	0.8	mg/L	1.00	0.470	2.15		J	02/25/23 15:13	SKM
	Total C6-C35	56.96	mg/L	1.00	0.470				02/25/23 15:13	SKM
	1-Chlorooctane(surr)	167	%	1.00		70-125		S8	02/25/23 15:13	SKM
	Chlorooctadecane(surr)	128	%	1.00		70-125		S8	02/25/23 15:13	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23B1097-01
Date Collected: 02/02/23
Time Collected: 11:00
Other Information:

Job Sample ID: 23022553.32
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 15:45	SKM
	>C12-C28	0.824	mg/L	1.00	0.640	2.15		J	02/25/23 15:45	SKM
	>C28-C35	0.568	mg/L	1.00	0.470	2.15		J	02/25/23 15:45	SKM
	Total C6-C35	1.39	mg/L	1.00	0.470				02/25/23 15:45	SKM
	1-Chlorooctane(surr)	146	%	1.00		70-125		S8	02/25/23 15:45	SKM
	Chlorooctadecane(surr)	106	%	1.00		70-125			02/25/23 15:45	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23B1047-02
Date Collected: 02/09/23
Time Collected: 11:40
Other Information:

Job Sample ID: 23022553.33
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 16:17	SKM
	>C12-C28	0.722	mg/L	1.00	0.640	2.15		J	02/25/23 16:17	SKM
	>C28-C35	0.488	mg/L	1.00	0.470	2.15		J	02/25/23 16:17	SKM
	Total C6-C35	1.21	mg/L	1.00	0.470				02/25/23 16:17	SKM
	1-Chlorooctane(surr)	141	%	1.00		70-125		S8	02/25/23 16:17	SKM
	Chlorooctadecane(surr)	105	%	1.00		70-125			02/25/23 16:17	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23B1047-05
Date Collected: 02/09/23
Time Collected: 11:00
Other Information:

Job Sample ID: 23022553.34
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 16:52	SKM
	>C12-C28	0.729	mg/L	1.00	0.640	2.15		J	02/25/23 16:52	SKM
	>C28-C35	0.625	mg/L	1.00	0.470	2.15		J	02/25/23 16:52	SKM
	Total C6-C35	1.35	mg/L	1.00	0.470				02/25/23 16:52	SKM
	1-Chlorooctane(surr)	160	%	1.00		70-125		S8	02/25/23 16:52	SKM
	Chlorooctadecane(surr)	118	%	1.00		70-125			02/25/23 16:52	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23B1047-06
Date Collected: 02/09/23
Time Collected: 11:25
Other Information:

Job Sample ID: 23022553.35
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 17:25	SKM
	>C12-C28	0.919	mg/L	1.00	0.640	2.15		J	02/25/23 17:25	SKM
	>C28-C35	0.79	mg/L	1.00	0.470	2.15		J	02/25/23 17:25	SKM
	Total C6-C35	1.71	mg/L	1.00	0.470				02/25/23 17:25	SKM
	1-Chlorooctane(surr)	164	%	1.00		70-125		S8	02/25/23 17:25	SKM
	Chlorooctadecane(surr)	125	%	1.00		70-125		S8	02/25/23 17:25	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23B1331-02
Date Collected: 02/09/23
Time Collected: 12:10
Other Information:

Job Sample ID: 23022553.36
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 17:58	SKM
	>C12-C28	1.01	mg/L	1.00	0.640	2.15		J	02/25/23 17:58	SKM
	>C28-C35	0.948	mg/L	1.00	0.470	2.15		J	02/25/23 17:58	SKM
	Total C6-C35	1.96	mg/L	1.00	0.470				02/25/23 17:58	SKM
	1-Chlorooctane(surr)	160	%	1.00		70-125		S8	02/25/23 17:58	SKM
	Chlorooctadecane(surr)	132	%	1.00		70-125		S8	02/25/23 17:58	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23B1331-04
Date Collected: 02/09/23
Time Collected: 12:25
Other Information:

Job Sample ID: 23022553.37
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 18:31	SKM
	>C12-C28	1.02	mg/L	1.00	0.640	2.15		J	02/25/23 18:31	SKM
	>C28-C35	0.868	mg/L	1.00	0.470	2.15		J	02/25/23 18:31	SKM
	Total C6-C35	1.89	mg/L	1.00	0.470				02/25/23 18:31	SKM
	1-Chlorooctane(surr)	164	%	1.00		70-125		S8	02/25/23 18:31	SKM
	Chlorooctadecane(surr)	124	%	1.00		70-125			02/25/23 18:31	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A4079-02
Date Collected: 02/07/23
Time Collected: 13:02
Other Information:

Job Sample ID: 23022553.38
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 19:05	SKM
	>C12-C28	1.10	mg/L	1.00	0.640	2.15		J	02/25/23 19:05	SKM
	>C28-C35	1.21	mg/L	1.00	0.470	2.15		J	02/25/23 19:05	SKM
	Total C6-C35	2.31	mg/L	1.00	0.470				02/25/23 19:05	SKM
	1-Chlorooctane(surr)	158	%	1.00		70-125		S8	02/25/23 19:05	SKM
	Chlorooctadecane(surr)	123	%	1.00		70-125			02/25/23 19:05	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A4079-03
Date Collected: 02/07/23
Time Collected: 12:47
Other Information:

Job Sample ID: 23022553.39
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 19:37	SKM
	>C12-C28	0.998	mg/L	1.00	0.640	2.15		J	02/25/23 19:37	SKM
	>C28-C35	1.08	mg/L	1.00	0.470	2.15		J	02/25/23 19:37	SKM
	Total C6-C35	2.07	mg/L	1.00	0.470				02/25/23 19:37	SKM
	1-Chlorooctane(surr)	158	%	1.00		70-125		S8	02/25/23 19:37	SKM
	Chlorooctadecane(surr)	113	%	1.00		70-125			02/25/23 19:37	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A4079-04
Date Collected: 02/07/23
Time Collected: 12:57
Other Information:

Job Sample ID: 23022553.40
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 21:26	SKM
	>C12-C28	1.28	mg/L	1.00	0.640	2.15		J	02/25/23 21:26	SKM
	>C28-C35	1.26	mg/L	1.00	0.470	2.15		J	02/25/23 21:26	SKM
	Total C6-C35	2.55	mg/L	1.00	0.470				02/25/23 21:26	SKM
	1-Chlorooctane(surr)	166	%	1.00		70-125		S8	02/25/23 21:26	SKM
	Chlorooctadecane(surr)	135	%	1.00		70-125		S8	02/25/23 21:26	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A4079-05
Date Collected: 02/07/23
Time Collected: 13:15
Other Information:

Job Sample ID: 23022553.41
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 21:59	SKM
	>C12-C28	1.02	mg/L	1.00	0.640	2.15		J	02/25/23 21:59	SKM
	>C28-C35	1.10	mg/L	1.00	0.470	2.15		J	02/25/23 21:59	SKM
	Total C6-C35	2.11	mg/L	1.00	0.470				02/25/23 21:59	SKM
	1-Chlorooctane(surr)	158	%	1.00		70-125		S8	02/25/23 21:59	SKM
	Chlorooctadecane(surr)	81.1	%	1.00		70-125			02/25/23 21:59	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A4079-06
Date Collected: 02/10/23
Time Collected: 12:24
Other Information:

Job Sample ID: 23022553.42
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 22:31	SKM
	>C12-C28	1.02	mg/L	1.00	0.640	2.15		J	02/25/23 22:31	SKM
	>C28-C35	1.10	mg/L	1.00	0.470	2.15		J	02/25/23 22:31	SKM
	Total C6-C35	2.12	mg/L	1.00	0.470				02/25/23 22:31	SKM
	1-Chlorooctane(surr)	158	%	1.00		70-125		S8	02/25/23 22:31	SKM
	Chlorooctadecane(surr)	115	%	1.00		70-125			02/25/23 22:31	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A4079-07
Date Collected: 02/10/23
Time Collected: 12:24
Other Information:

Job Sample ID: 23022553.43
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 23:03	SKM
	>C12-C28	1.06	mg/L	1.00	0.640	2.15		J	02/25/23 23:03	SKM
	>C28-C35	1.01	mg/L	1.00	0.470	2.15		J	02/25/23 23:03	SKM
	Total C6-C35	2.07	mg/L	1.00	0.470				02/25/23 23:03	SKM
	1-Chlorooctane(surr)	156	%	1.00		70-125		S8	02/25/23 23:03	SKM
	Chlorooctadecane(surr)	117	%	1.00		70-125			02/25/23 23:03	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A4079-08
Date Collected: 02/10/23
Time Collected: 12:24
Other Information:

Job Sample ID: 23022553.44
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/25/23 23:35	SKM
	>C12-C28	0.664	mg/L	1.00	0.640	2.15		J	02/25/23 23:35	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/25/23 23:35	SKM
	Total C6-C35	0.664	mg/L	1.00	0.470				02/25/23 23:35	SKM
	1-Chlorooctane(surr)	156	%	1.00		70-125		S8	02/25/23 23:35	SKM
	Chlorooctadecane(surr)	116	%	1.00		70-125			02/25/23 23:35	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: 23A4079-09
Date Collected: 02/10/23
Time Collected: 12:24
Other Information:

Job Sample ID: 23022553.45
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/26/23 00:07	SKM
	>C12-C28	1.22	mg/L	1.00	0.640	2.15		J	02/26/23 00:07	SKM
	>C28-C35	1.13	mg/L	1.00	0.470	2.15		J	02/26/23 00:07	SKM
	Total C6-C35	2.36	mg/L	1.00	0.470				02/26/23 00:07	SKM
	1-Chlorooctane(surr)	168	%	1.00		70-125		S8	02/26/23 00:07	SKM
	Chlorooctadecane(surr)	129	%	1.00		70-125		S8	02/26/23 00:07	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID: BGB1372-BLK

Date Collected:

Time Collected:

Other Information:

Job Sample ID: 23022553.46

Sample Matrix Water

% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/26/23 00:39	SKM
	>C12-C28	0.896	mg/L	1.00	0.640	2.15		J	02/26/23 00:39	SKM
	>C28-C35	< 0.47	mg/L	1.00	0.470	2.15			02/26/23 00:39	SKM
	Total C6-C35	0.896	mg/L	1.00	0.470				02/26/23 00:39	SKM
	1-Chlorooctane(surr)	157	%	1.00		70-125		S8	02/26/23 00:39	SKM
	Chlorooctadecane(surr)	121	%	1.00		70-125			02/26/23 00:39	SKM

ab-q212-0321

LABORATORY TEST RESULTS

Job ID : 23022553

Date 3/3/2023

Client Name: NWDLS

Attn: Monica O. Martin

Project Name:

Client Sample ID:
Date Collected:
Time Collected:
Other Information:

Job Sample ID: 23022553.47
Sample Matrix Water
% Moisture

Test Method	Parameter/Test Description	Result	Units	DF	SDL	MQL	Reg Limit	Q	Date Time	Analyst
TX 1005	Total Petroleum Hydrocarbons									
	C6-C12	< 0.61	mg/L	1.00	0.610	2.15			02/26/23 01:10	SKM
	>C12-C28	1.11	mg/L	1.00	0.640	2.15		J	02/26/23 01:10	SKM
	>C28-C35	0.911	mg/L	1.00	0.470	2.15		J	02/26/23 01:10	SKM
	Total C6-C35	2.02	mg/L	1.00	0.470				02/26/23 01:10	SKM
	1-Chlorooctane(surr)	155	%	1.00		70-125		S8	02/26/23 01:10	SKM
	Chlorooctadecane(surr)	118	%	1.00		70-125			02/26/23 01:10	SKM

ab-q212-0321

QUALITY CONTROL CERTIFICATE

Job ID : 23022553 **Date :** 3/3/2023

Analysis : Total Petroleum Hydrocarbons **Method :** TX 1005 **Reporting Units :** mg/L

QC Batch ID : Qb23022506 **Created Date :** 02/24/23 **Created By :** Skannan

Samples in This QC Batch : 23022553.01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,18,19,20

Sample Preparation : PB23022457 **Prep Method :** TX 1005 **Prep Date :** 02/24/23 12:00 **Prep By :** Skannan

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
C6-C12	TPH-1005-1	< MDL	mg/L	1.00	2.15	0.61		
>C12-C28	TPH-1005-2	< MDL	mg/L	1.00	2.15	0.64		
>C28-C35	TPH-1005-4	< MDL	mg/L	1.00	2.15	0.47		
Total C6-C35		< MDL	mg/L	1.00	----	0.47		
Chlorooctadecane(surr)	3386-33-2	108	%	1.00				
1-Chlorooctane(surr)	111-85-3	144	%	1.00				S1

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
C6-C12	43	46.4	108	43	48.0	112	3.4	20	75-125	
>C12-C28	43	45.6	106	43	46.1	107	1.1	20	75-125	
>C28-C35	43	37.1	86.4	43	37.4	86.9	0.7	20	75-125	

QUALITY CONTROL CERTIFICATE

Job ID : 23022553 **Date :** 3/3/2023

Analysis : Total Petroleum Hydrocarbons **Method :** TX 1005 **Reporting Units :** mg/L

QC Batch ID : Qb23022507 **Created Date :** 02/24/23 **Created By :** Skannan

Samples in This QC Batch : 23022553.21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40

Sample Preparation : PB23022458 **Prep Method :** TX 1005 **Prep Date :** 02/24/23 12:00 **Prep By :** Skannan

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
C6-C12	TPH-1005-1	< MDL	mg/L	1.00	2.15	0.61		
>C12-C28	TPH-1005-2	< MDL	mg/L	1.00	2.15	0.64		
>C28-C35	TPH-1005-4	< MDL	mg/L	1.00	2.15	0.47		
Total C6-C35		< MDL	mg/L	1.00	----	0.47		
Chlorooctadecane(surr)	3386-33-2	110	%	1.00				
1-Chlorooctane(surr)	111-85-3	127	%	1.00				S1

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
C6-C12	43	47.7	111	43	45.5	106	4.6	20	75-125	
>C12-C28	43	46.4	108	43	44.9	104	3.3	20	75-125	
>C28-C35	43	38.3	89.1	43	37.8	87.9	1.3	20	75-125	

QUALITY CONTROL CERTIFICATE

Job ID : 23022553 **Date :** 3/3/2023

Analysis : Total Petroleum Hydrocarbons **Method :** TX 1005 **Reporting Units :** mg/L

QC Batch ID : Qb23022508 **Created Date :** 02/24/23 **Created By :** Skannan

Samples in This QC Batch : 23022553.41,42,43,44,45,46,47

Sample Preparation : PB23022459 **Prep Method :** TX 1005 **Prep Date :** 02/24/23 12:00 **Prep By :** Skannan

QC Type: Method Blank

Parameter	CAS #	Result	Units	D.F.	MQL	MDL		Qual
C6-C12	TPH-1005-1	< MDL	mg/L	1.00	2.15	0.61		
>C12-C28	TPH-1005-2	< MDL	mg/L	1.00	2.15	0.64		
>C28-C35	TPH-1005-4	< MDL	mg/L	1.00	2.15	0.47		
Total C6-C35		< MDL	mg/L	1.00	----	0.47		
Chlorooctadecane(surr)	3386-33-2	108	%	1.00				
1-Chlorooctane(surr)	111-85-3	128	%	1.00				S1

QC Type: LCS and LCSD

Parameter	LCS Spk Added	LCS Result	LCS % Rec	LCSD Spk Added	LCSD Result	LCSD % Rec	RPD	RPD CtrlLimit	%Recovery CtrlLimit	Qual
C6-C12	43	44.6	104	43	44.4	103	0.4	20	75-125	
>C12-C28	43	47.1	110	43	45.6	106	3.2	20	75-125	
>C28-C35	43	37.5	87.2	43	37.6	87.3	0.3	20	75-125	

	Vial ID	Sample ID	Re-extraction	Amt. Extracted (g / mL)	Spk #	Initial pH	Final Vol. (mL)[P1]	TX1006	Fraction #1 initial vol.(mL)	Fraction #1 final vol.(mL)[P1]	Fraction #2 initial vol.(mL)	Fraction #2 final vol.(mL) P2	Comments/Dilutions/ Reagent Change/Other Clnups, etc.
01A		BGB2106-BLK1		32.23	S1	6	3.0						
02A		-MRL1 2		31.63	S2								
03A		-BS1 3		32.86	S3								
04A		-BSD1 4		30.80									
05A		-MS1 5		32.29									
06A		-MSD1 6		32.53									
07A		23A3576-07 7		32.28									
08A		-08 8		32.60									
09A		-09 9		32.58									
10A		-10 10		32.20									
11A		-11 11		32.30									
12A		23A1459-07 12		33.61									
13A		-08 13		34.51									
14A		-09 14		33.59									
15A		-10 15		33.16									
16A		-11 16		33.20									
17A		-12 17		33.40									
18A		-13 18		34.40									
19A		-14 19		33.08									
20A		-51 20		33.26									
21A		-52 21		34.21									
22A		-64 22		33.41									
23A		-65 23		34.20									
24A		BGA3905-BLK1 24		33.19									BGB2106-LBK1
25A		BGB0310-BLK1 25		31.83									-LBK2

Batch ID: TPH-021423-01 **Analyte Group (circle):** (TX1005 TPH) / TX1006 TPH / Screen Only / Other:_____

QT 02.23.23

Job ID:23022553

02/24/2023 NWDLS AMS

Prep Doc:	OP117	Batch ID:	TPH- 021423-01	Centrifuge:	44323P-7	2nd Review:	CJT 02.23.23
Extraction Analyst/Date: ①	CJT 02.14.23	Extraction Start Time:	1037	Hand Shaken or 071401		Scale ID:	833717165245

Matrix: (Aq) / Solid / BT / Saline / CW / Non-Aq / DW

Analyte Group: (TX1005 TPH) / TX1006 TPH / Screen Only / Other:

Extraction Technique: (MLLE) / MLSE / Other:

Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)	Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)
S1 2212742	.100	10,000	S3 2205642	.100	20,000
S2 2301827	.003	2,000	S4		

Organic Extractions

Comments: BGB2106

①IE CJT 02.14.23→(Aq.)

Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID
R1 n-Pentane	2302226	R3 Acetone	2213777	R5 pH paper	2103151	R7		R9	
R2 Sand	—	R4 MeOH	2215144	R6 DI-Water	DI-Water-01	R8		R10	

Post Extraction Concentration[P1]			
Analyst/Date:		or (N/A)	
NEVAP Temp:	°C	Temp. ID	
N_2 Blowdown			
Final Solvent: n-Pentane / Other:			

Note: Continued on next page.

	Vial ID	Sample ID	Re-extraction	Amt. Extracted (g / mL)	Spk #	Initial pH	Final Vol. (mL)[P1]	TX1006	Fraction #1 initial vol.(mL)	Fraction #1 final vol.(mL)[P1]	Fraction #2 initial vol.(mL)	Fraction #2 final vol.(mL) P2	Comments/Dilutions/ Reagent Change/Other Clnups, etc.
26A		BGB2204-BLK		32.32	S1	6	3.0						
27A		-MRL[2]		32.42	S2								
28A		-BSI[3]		31.89	S3								
29A		-BSDI[4]		32.47		↓							
30A		-MSI[5]		32.84		1							
31A		-MSDI[6]		32.81	↓								
32A		23B1097-01 [7]		33.01									
33A		23B1047-02 [8]		32.62									
34A		-05 [9]		33.66									
35A		-06 [10]		33.18									
36A		23B1331-02 [11]		33.36									
37A		-04 [12]		33.22									
38A		23A4079-02 [13]		33.12									
39A		-03 [14]		33.04									
40A		-04 [15]		33.00									
41A		-05 [16]		32.80									
42A		-06 [17]		33.46									
43A		-07 [18]		33.03									
44A		-08 [19]		32.98									
45A		-09 [20]		33.27									
46A		BGB1372-BLK [21]		32.92	↓	↓	↓						BGB2204-LBK1
47A		[22]											
		[23]											
		[24]											
		[25]											CJT 02.23.23

Batch ID: *TPH-* 021523-01 **Analyte Group (circle):** (TX1005 TPH) / TX1006 TPH / Screen Only / Other:_____

Prep Doc:	OP117	Batch ID:	*TPH-* 021523-01	Centrifuge:	44323P-7	2nd Review:	CJT 02.23.23	**Organic Extractions**
Extraction Analyst/Date:	CJT 02/15/23	Extraction Start Time:	1147	Hand Shaken or 071401		Scale ID:	833776245	Comments: BGB2204

Matrix: (Aq) / Solid / BT / Saline / CW / Non-Aq / DW **Analyte Group:** (TX1005 TPH) / TX1006 TPH / Screen Only / Other: **Extraction Technique:** (MLLE) / MLSE / Other:

Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)	Spike ID	Spike Amt.(mL)	Spike Conc. (mcg/mL)
S1 2212742	.100	10,000	S3 2205642	.100	20,000
S2 2301827	.003	2,000	S4		

Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID	Reagents	ID
R1 n-Pentane	23022Z6	R3 Acetone	2213777	R5 pH paper	2103151	R7		R9	
R2 Sand	—	R4 MeOH	2215144	R6 DI-Water	DI-Water-01	R8		R10	

Post Extraction Concentration[P1]			
Analyst/Date:		or (N/A)	
NEVAP Temp:	°C	Temp. ID	
N_2 Blowdown			
Final Solvent: n-Pentane / Other:			

Note: Continued on next page.

NWDLS
North Water District Laboratory Services Inc

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

A & B Labs
10100 East Freeway, Suite 100
Houston, TX 77029
Phone: (713) 453-6060
Fax: (713) 453-6091

Work Order: 23A3576

Analysis	Due	Expires	Comments
Sample ID: 23A3576-02 ***Marine Water Sampled: 01/26/2023 08:30***			
TOC-415.1	02/23/2023	02/23/2023 08:30	
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005	02/23/2023	02/09/2023 08:30	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A3576-04 ***Marine Water Sampled: 01/26/2023 09:00***			
TOC-415.1	02/23/2023	02/23/2023 09:00	
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005	02/23/2023	02/09/2023 09:00	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A3576-06 ***Marine Water Sampled: 01/26/2023 08:45***			
TOC-415.1	02/23/2023	02/23/2023 08:45	
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005	02/23/2023	02/09/2023 08:45	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 23A3576 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A3576-07 ***Elutriate*** ***Sampled: 01/25/2023 10:15***			
[redacted]	[redacted]		Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC) TPH-1005-ELUT	02/23/2023	02/08/2023 10:15	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr 07A	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A3576-08 ***Elutriate*** ***Sampled: 01/26/2023 10:35***			
[redacted]	[redacted]		Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC) TPH-1005-ELUT	02/23/2023	02/09/2023 10:35	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr 08A	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A3576-09 ***Elutriate*** ***Sampled: 01/25/2023 10:30***			
[redacted]	[redacted]		Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC) TPH-1005-ELUT	02/23/2023	02/08/2023 10:30	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr 09A	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A3576-10 ***Elutriate*** ***Sampled: 01/26/2023 10:15***			
[redacted]	[redacted]		Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC) TPH-1005-ELUT	02/23/2023	02/09/2023 10:15	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr 10A	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 23A3576 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A3576-11 ***Elutriate*** ***Sampled: 01/25/2023 13:45***			
[redacted]	[redacted]	[redacted]	Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT	02/23/2023	02/08/2023 13:45	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A3576-16 ***Sediment*** ***Sampled: 01/25/2023 10:15***			
TPH-1005	02/23/2023	02/08/2023 10:15	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A3576-23 ***Sediment*** ***Sampled: 01/26/2023 10:35***			
TPH-1005	02/23/2023	02/09/2023 10:35	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A3576-28 ***Sediment*** ***Sampled: 01/25/2023 10:30***			
TPH-1005	02/23/2023	02/08/2023 10:30	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A3576-35 ***Sediment*** ***Sampled: 01/26/2023 10:15***			
TPH-1005	02/23/2023	02/09/2023 10:15	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A3576-36 ***Sediment*** ***Sampled: 01/25/2023 13:45***			
TPH-1005	02/23/2023	02/08/2023 13:45	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

NWDLS
North Water District
Laboratory Services, Inc.

SUBCONTRACT ORDER
(Continued)

Andrew Rodriguez — Released By
2-24-23 — Date
Received By
02/24/23 1435 — Date
3.6°C IRN

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

A & B Labs
10100 East Freeway, Suite 100
Houston, TX 77029
Phone: (713) 453-6060
Fax: (713) 453-6091

Work Order: 23A1459

Analysis	Due	Expires	Comments
Sample ID: 23A1459-02	***Marine Water***	***Sampled: 01/25/2023 09:30***	
TOC-415.1	03/06/2023	02/22/2023 09:30	
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005	03/06/2023	02/08/2023 09:30	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-03	***Marine Water***	***Sampled: 01/25/2023 12:50***	
TOC-415.1	03/06/2023	02/22/2023 12:50	
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005	03/06/2023	02/08/2023 12:50	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-04	***Marine Water***	***Sampled: 01/25/2023 14:50***	
TOC-415.1	03/06/2023	02/22/2023 14:50	
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005	03/06/2023	02/08/2023 14:50	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
[redacted]			
[redacted]	03/06/2023	02/24/2023 11:25	
Analyte(s): Total Organic Carbon (TOC)			
[redacted]	03/06/2023	02/10/2023 11:25	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-07 ***Elutriate*** ***Sampled: 01/16/2023 14:20***			
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT 12A	03/06/2023	01/30/2023 14:20	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-08 ***Elutriate*** ***Sampled: 01/16/2023 17:20***			
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT 13A	03/06/2023	01/30/2023 17:20	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-09 ***Elutriate*** ***Sampled: 01/19/2023 15:20***			
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT 14A	03/06/2023	02/02/2023 15:20	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-10	***Elutriate***	***Sampled: 01/19/2023 17:00***	
[redacted]	[redacted]		Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT 15A	03/06/2023	02/02/2023 17:00	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-11	***Elutriate***	***Sampled: 01/18/2023 09:40***	
[redacted]	[redacted]		Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT 16A	03/06/2023	02/01/2023 09:40	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-12	***Elutriate***	***Sampled: 01/18/2023 11:15***	
[redacted]	[redacted]		Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT 17A	03/06/2023	02/01/2023 11:15	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-13	***Elutriate***	***Sampled: 01/16/2023 16:37***	
[redacted]	[redacted]		Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT 18A	03/06/2023	01/30/2023 16:37	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-14 *Elutriate* *Sampled: 01/18/2023 14:10*			
[redacted]	[redacted]	[redacted]	[redacted]
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT	03/06/2023	02/01/2023 14:10	Leached: 02/03/2023 09:05
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-16 *Sediment* *Sampled: 01/16/2023 14:20*			
TPH-1005	03/06/2023	01/30/2023 14:20	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-17 *Sediment* *Sampled: 01/17/2023 09:40*			
TPH-1005	03/06/2023	01/31/2023 09:40	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-18 *Sediment* *Sampled: 01/17/2023 14:40*			
TPH-1005	03/06/2023	01/31/2023 14:40	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-20 *Sediment* *Sampled: 01/16/2023 17:20*			
TPH-1005	03/06/2023	01/30/2023 17:20	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-21 *Sediment* *Sampled: 01/17/2023 11:30*			
TPH-1005	03/06/2023	01/31/2023 11:30	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

19A

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-51 ***Elutriate*** ***Sampled: 01/23/2023 13:05***			
[redacted]	[redacted]		Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT	03/06/2023	02/06/2023 13:05	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr 20A	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-52 ***Elutriate*** ***Sampled: 01/21/2023 10:00***			
[redacted]	[redacted]		Leached: 02/01/2023 10:00
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT	03/06/2023	02/04/2023 10:00	Leached: 02/01/2023 13:49
Analyte(s): 1-Chlorooctadecane-surr 21A	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-54 ***Sediment*** ***Sampled: 01/25/2023 08:00***			
TPH-1005	03/06/2023	02/08/2023 08:00	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-55 ***Sediment*** ***Sampled: 01/23/2023 16:00***			
TPH-1005	03/06/2023	02/06/2023 16:00	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-56 ***Sediment*** ***Sampled: 01/23/2023 13:05***			
TPH-1005	03/06/2023	02/06/2023 13:05	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-58	***Sediment***	***Sampled: 01/21/2023 10:00***	
TPH-1005	03/06/2023	02/04/2023 10:00	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-59	***Sediment***	***Sampled: 01/21/2023 15:10***	
TPH-1005	03/06/2023	02/04/2023 15:10	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-60	***Sediment***	***Sampled: 01/21/2023 11:45***	
TPH-1005	03/06/2023	02/04/2023 11:45	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-62	***Marine Water***	***Sampled: 01/27/2023 13:10***	
TOC-415.1	03/06/2023	02/24/2023 13:10	
Analyte(s):			
Total Organic Carbon (TOC)			
TPH-1005	03/06/2023	02/10/2023 13:10	
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A1459-64	***Elutriate***	***Sampled: 01/19/2023 14:00***	
[redacted]	[redacted]	[redacted]	[redacted]
Analyte(s):			
Total Organic Carbon (TOC)			
TPH-1005-ELUT	03/06/2023	02/02/2023 14:00	Leached: 02/03/2023 09:05
Analyte(s):			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

22A

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 23A1459-65 ***Elutriate Sampled: 01/21/2023 11:45***

[redacted]

Analyte(s):
Total Organic Carbon (TOC)
TPH-1005-ELUT 23A 03/06/2023 02/04/2023 11:45 Leached: 02/03/2023 09:05
Analyte(s):
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:

[redacted]

Analyte(s):
1-Chlorooctadecane-surr 1-Chlorooctane-surr Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:

Andrew Rodriguez — Released By
2-24-23 — Date
[signature] — Received By
02/24/23 1135 — Date
3.6°C
IRM

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Deena Higginbotham

Subcontracted Laboratory:

A & B Labs
10100 East Freeway, Suite 100
Houston, TX 77029
Phone: (713) 453-6060
Fax: (713) 453-6091

Work Order: 23B1097

Analysis	Due	Expires	Comments
Sample ID: 23B1097-01 *Waste Water* *Sampled: 02/02/2023 11:00*			
[redacted]	[redacted]		
Analyte(s): Total Phenolics			
TPH-1005 32A	02/16/2023	02/16/2023 11:00	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Andrew Rodriguez — Released By — 2-24-23 — Date

Received By — 02/24/23 1135 — Date

3.6°C IR4

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

A & B Labs
10100 East Freeway, Suite 100
Houston, TX 77029
Phone: (713) 453-6060
Fax: (713) 453-6091

Work Order: 23B1047

Analysis	Due	Expires	Comments
Sample ID: 23B1047-02 *Marine Water* *Sampled: 02/09/2023 11:40*			
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005 33A	02/23/2023	02/23/2023 11:40	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23B1047-05 *Marine Water* *Sampled: 02/09/2023 11:00*			
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005 34A	02/23/2023	02/23/2023 11:00	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23B1047-06 *Marine Water* *Sampled: 02/09/2023 11:25*			
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005 35A	02/23/2023	02/23/2023 11:25	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

NWDLS
North Water District Laboratory Services Inc.

SUBCONTRACT ORDER
(Continued)

Work Order: 23B1047 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23B1047-08 ***Elutriate*** ***Sampled: 02/09/2023 09:37***			
TOC-5310 C-ELUT	02/23/2023	03/09/2023 09:37	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23B1047-09 ***Elutriate*** ***Sampled: 02/09/2023 10:06***			
TOC-5310 C-ELUT	02/23/2023	03/09/2023 10:06	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23B1047-10 ***Elutriate*** ***Sampled: 02/09/2023 10:36***			
TOC-5310 C-ELUT	02/23/2023	03/09/2023 10:36	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
Sample ID: 23B1047-11 ***Elutriate*** ***Sampled: 02/09/2023 10:45***			
TOC-5310 C-ELUT	02/23/2023	03/09/2023 10:45	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

Andrew Rodriguez — Released By
2-24-23 — Date
Received By
02/24/23 1135 — Date
3.6°C
IR

NWDLS
North Water District Laboratory Services, Inc

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

A & B Labs
10100 East Freeway, Suite 100
Houston, TX 77029
Phone: (713) 453-6060
Fax: (713) 453-6091

Work Order: 23B1331

Analysis	Due	Expires	Comments
Sample ID: 23B1331-02 *Marine Water* *Sampled: 02/09/2023 12:10*			
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005 36A	02/23/2023	02/23/2023 12:10	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23B1331-04 *Marine Water* *Sampled: 02/09/2023 12:25*			
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005 37A	02/23/2023	02/23/2023 12:25	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
[redacted]			
TOC-5310 C-ELUT	02/23/2023	03/09/2023 12:48	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			
[redacted]			
TOC-5310 C-ELUT	02/23/2023	03/09/2023 13:17	
Analyte(s): Total Organic Carbon (TOC)			
Containers Supplied:			

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER
(Continued)

Andrew Rodriguez — Released By
2-24-23 — Date
[signature] — Received By
02/24/23 1135 — Date
36°C
IR4

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

A & B Labs
10100 East Freeway, Suite 100
Houston, TX 77029
Phone: (713) 453-6060
Fax: (713) 453-6091

Work Order: 23A4079

Analysis	Due	Expires	Comments
Sample ID: 23A4079-02	***Marine Water***	***Sampled: 02/07/2023 13:02***	
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005 38A	03/10/2023	02/21/2023 13:02	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A4079-03	***Marine Water***	***Sampled: 02/07/2023 12:47***	
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005 39A	03/10/2023	02/21/2023 12:47	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A4079-04	***Marine Water***	***Sampled: 02/07/2023 12:57***	
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005 40A	03/10/2023	02/21/2023 12:57	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

Work Order: 23A4079 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A4079-05	***Marine Water***	***Sampled: 02/07/2023 13:15***	
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005	03/10/2023	02/21/2023 13:15	
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A4079-06	***Elutriate***	***Sampled: 02/07/2023 10:07***	
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT	03/10/2023	02/21/2023 10:07	Leached: 02/10/2023 12:24
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A4079-07	***Elutriate***	***Sampled: 02/07/2023 10:07***	
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT	03/10/2023	02/21/2023 10:07	Leached: 02/10/2023 12:24
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A4079-08	***Elutriate***	***Sampled: 02/07/2023 10:57***	
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT	03/10/2023	02/21/2023 10:57	Leached: 02/10/2023 12:24
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER
(Continued)

Work Order: 23A4079 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A4079-09 ***Elutriate*** ***Sampled: 02/07/2023 10:37***			
[redacted]	[redacted]		
Analyte(s): Total Organic Carbon (TOC)			
TPH-1005-ELUT 45A	03/10/2023	02/21/2023 10:37	Leached: 02/10/2023 12:24
Analyte(s): 1-Chlorooctadecane-surr	1-Chlorooctane-surr		Total Petroleum Hydrocarbons (TPH), C6-C35
Containers Supplied:			
Sample ID: 23A4079-10 ***Sediment*** ***Sampled: 02/07/2023 11:57***			
VOA-8260-MedS	03/10/2023	02/21/2023 11:57	
Analyte(s): 1,2-Dichloroethane-d4-surr Ethylbenzene Tetrachloroethylene (Perchloroethylene) Xylene (total)	4-Bromofluorobenzene-surr m+p-xylene Toluene-d8-surr		Dibromofluoromethane-surr o-Xylene Trichloroethene (Trichloroethylene)
Containers Supplied:			
Sample ID: 23A4079-11 ***Sediment*** ***Sampled: 02/07/2023 11:29***			
VOA-8260-MedS	03/10/2023	02/21/2023 11:29	
Analyte(s): 1,2-Dichloroethane-d4-surr Ethylbenzene Tetrachloroethylene (Perchloroethylene) Xylene (total)	4-Bromofluorobenzene-surr m+p-xylene Toluene-d8-surr		Dibromofluoromethane-surr o-Xylene Trichloroethene (Trichloroethylene)
Containers Supplied:			
Sample ID: 23A4079-12 ***Sediment*** ***Sampled: 02/07/2023 09:23***			
VOA-8260-MedS	03/10/2023	02/21/2023 09:23	
Analyte(s): 1,2-Dichloroethane-d4-surr Ethylbenzene Tetrachloroethylene (Perchloroethylene) Xylene (total)	4-Bromofluorobenzene-surr m+p-xylene Toluene-d8-surr		Dibromofluoromethane-surr o-Xylene Trichloroethene (Trichloroethylene)
Containers Supplied:			

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER
(Continued)

Work Order: 23A4079 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 23A4079-13 *Sediment* *Sampled: 02/07/2023 10:57*

VOA-8260-MedS 03/10/2023 02/21/2023 10:57

Analyte(s):

1,2-Dichloroethane-d4-surr	4-Bromofluorobenzene-surr	Dibromofluoromethane-surr
Ethylbenzene	m+p-xylene	o-Xylene
Tetrachloroethylene (Perchloroethylene)	Toluene-d8-surr	Trichloroethene (Trichloroethylene)
Xylene (total)		

Containers Supplied:

Sample ID: 23A4079-14 *Sediment* *Sampled: 02/07/2023 10:07*

VOA-8260-MedS 03/10/2023 02/21/2023 10:07

Analyte(s):

1,2-Dichloroethane-d4-surr	4-Bromofluorobenzene-surr	Dibromofluoromethane-surr
Ethylbenzene	m+p-xylene	o-Xylene
Tetrachloroethylene (Perchloroethylene)	Toluene-d8-surr	Trichloroethene (Trichloroethylene)
Xylene (total)		

Containers Supplied:

Sample ID: 23A4079-15 *Sediment* *Sampled: 02/07/2023 10:37*

VOA-8260-MedS 03/10/2023 02/21/2023 10:37

Analyte(s):

1,2-Dichloroethane-d4-surr	4-Bromofluorobenzene-surr	Dibromofluoromethane-surr
Ethylbenzene	m+p-xylene	o-Xylene
Tetrachloroethylene (Perchloroethylene)	Toluene-d8-surr	Trichloroethene (Trichloroethylene)
Xylene (total)		

Containers Supplied:

Andrew Rodriguez — Released By
2-24-23 — Date
Received By
02/24/23 1155 — Date
3.6°C IR4

Sample Condition Checklist

A&B JobID : **23022553**	Date Received : **02/24/2023**	Time Received : **11:35AM**
Client Name : **NWDLS**		
Temperature : **3.6°C**	Sample pH : **NA**	
Thermometer ID : **IR4**	pH Paper ID : **NA**	
Perservative :		

	Check Points	Yes	No	N/A
1.	**Cooler Seal present and signed.**		X	
2.	**Sample(s) in a cooler.**	X		
3.	**If yes, ice in cooler.**	X		
4.	**Sample(s) received with chain-of-custody.**	X		
5.	**C-O-C signed and dated.**	X		
6.	**Sample(s) received with signed sample custody seal.**		X	
7.	**Sample containers arrived intact. (If No comment)**	X		
8.	**Matrix:** Water ☑ Soil ☐ Liquid ☐ Sludge ☐ Solid ☐ Cassette ☐ Tube ☐ Bulk ☐ Badge ☐ Food ☐ Other ☐			
9.	**Samples were received in appropriate container(s)**	X		
10.	**Sample(s) were received with Proper preservative**			X
11.	**All samples were tagged or labeled.**	X		
12.	**Sample ID labels match C-O-C ID's.**	X		
13.	**Bottle count on C-O-C matches bottles found.**		X	
14.	**Sample volume is sufficient for analyses requested.**	X		
15.	**Samples were received with in the hold time.**	X		
16.	**VOA vials completely filled.**			X
17.	**Sample accepted.**	X		
18.	**Has client been contacted about sub-out**			X

Comments : Include actions taken to resolve discrepancies/problem:

Received an extra vial. AM 02/24/23

Received by : Jedralin

Check in by/date : EValdez / 02/24/2023

ab-s005-0321

February 16, 2023 Service Request No:K2301449

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 23A1459

Dear Monica,

Enclosed are the results of the sample(s) submitted to our laboratory February 03, 2023
For your reference, these analyses have been assigned our service request number **K2301449.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Sample Matrix: Elutriate, Liquid

Service Request: K2301449
Date Received: 02/03/2023

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Nine elutriate, liquid samples were received for analysis at ALS Environmental on 02/03/2023. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by _____ Date 02/16/2023

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2301449
Project: 23A1459

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2301449-001	23A1459-07	2/1/2023	1000
K2301449-002	23A1459-08	2/1/2023	1000
K2301449-003	23A1459-09	2/1/2023	1000
K2301449-004	23A1459-10	2/1/2023	1000
K2301449-005	23A1459-11	2/1/2023	1000
K2301449-006	23A1459-12	2/1/2023	1000
K2301449-007	23A1459-13	2/1/2023	1000
K2301449-008	23A1459-51	2/1/2023	1000
K2301449-009	23A1459-52	2/1/2023	1000

NWDLS
North Water District Laboratory Services, Inc.

K2301449

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 23A1459

Analysis	Due	Expires	Comments
[redacted]	***Marine Water Sampled: 01/25/2023 11:20***		
[redacted]	03/06/2023	02/08/2023 11:20	
Containers Supplied:			
[redacted]	***Marine Water Sampled: 01/25/2023 14:17***		
[redacted]	03/06/2023	02/08/2023 14:17	
Containers Supplied:			
[redacted]	***Marine Water Sampled: 01/25/2023 15:45***		
[redacted]	03/06/2023	02/08/2023 15:45	
[redacted]	03/06/2023	02/01/2023 15:45	
	Monobutyltin		Tributyltin
	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]	***Marine Water Sampled: 01/27/2023 12:00***		
[redacted]	03/06/2023	02/10/2023 12:00	
[redacted]	03/06/2023	02/03/2023 12:00	
	Monobutyltin		Tributyltin
	Monobutyltin		Tributyltin
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-07 ***Elutriate*** ***Sampled: 01/16/2023 14:20***			
Sub_CN T-ELUT	03/06/2023	01/30/2023 14:20	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-08 ***Elutriate*** ***Sampled: 01/16/2023 17:20***			
Sub_CN T-ELUT	03/06/2023	01/30/2023 17:20	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-09 ***Elutriate*** ***Sampled: 01/19/2023 15:20***			
Sub_CN T-ELUT	03/06/2023	02/02/2023 15:20	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-10 ***Elutriate*** ***Sampled: 01/19/2023 17:00***			
Sub_CN T-ELUT	03/06/2023	02/02/2023 17:00	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-11 ***Elutriate*** ***Sampled: 01/18/2023 09:40***			
Sub_CN T-ELUT	03/06/2023	02/01/2023 09:40	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-12 ***Elutriate*** ***Sampled: 01/18/2023 11:15***			
Sub_CN T-ELUT	03/06/2023	02/01/2023 11:15	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-13 ***Elutriate*** ***Sampled: 01/16/2023 16:37***			
Sub_CN T-ELUT	03/06/2023	01/30/2023 16:37	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Containers Supplied:			
[redacted] ***Sediment*** ***Sampled: 01/16/2023 14:20***			
[redacted]	03/06/2023	01/30/2023 14:20	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted] ***Sediment*** ***Sampled: 01/17/2023 09:40***			
[redacted]	03/06/2023	01/31/2023 09:40	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted] ***Sediment*** ***Sampled: 01/17/2023 14:40***			
[redacted]	03/06/2023	01/31/2023 14:40	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted] ***Sediment*** ***Sampled: 01/16/2023 17:20***			
[redacted]	03/06/2023	01/30/2023 17:20	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted] ***Sediment*** ***Sampled: 01/17/2023 11:30***			
[redacted]	03/06/2023	01/31/2023 11:30	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
[redacted]	***Sediment Sampled: 01/20/2023 09:30***		
[redacted]	03/06/2023	02/03/2023 09:30	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]	***Marine Water Sampled: 01/27/2023 16:07***		
[redacted]	03/06/2023	02/10/2023 16:07	
[redacted]	03/06/2023	02/03/2023 16:07	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]	***Marine Water Sampled: 01/27/2023 15:20***		
[redacted]	03/06/2023	02/10/2023 15:20	
[redacted]	03/06/2023	02/03/2023 15:20	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-51	***Elutriate Sampled: 01/23/2023 13:05***		
Sub_CN T-ELUT	03/06/2023	02/06/2023 13:05	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-52	***Elutriate Sampled: 01/21/2023 10:00***		
Sub_CN T-ELUT	03/06/2023	02/04/2023 10:00	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Containers Supplied:			

NWDLS
North Water District Laboratory Services, Inc.

K2301449

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
[redacted] *Sediment* ***Sampled: 01/21/2023 16:45***			
[redacted]	03/06/2023	02/04/2023 16:45	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted] ***Marine Water Sampled: 01/27/2023 13:26***			
[redacted]	03/06/2023	02/10/2023 13:26	
[redacted]	03/06/2023	02/03/2023 13:26	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			

SM — Released By — 02/02/23 — Date — UPS — Received By — 02/02/23 — Date

ALS 2/3/23 1010

PM LR

Cooler Receipt and Preservation Form

lient NWDLS Service Request K23 01449

eceived: 2/3/23 Opened: 2/3/23 By: VM Unloaded: 2/3/23 By: VM

Samples were received via? (USPS) Fed Ex UPS DHL PDX Courier Hand Delivered

Samples were received in: (circle) (Cooler) Box Envelope Other _____ NA

Were custody seals on coolers? NA Y (N) If yes, how many and where? _____

If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
	0.9	IR01				1Z12W40V0194058120	

. Was a Temperature Blank present in cooler? NA Y (N) If yes, notate the temperature in the appropriate column above:

If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":

. Were samples received within the method specified temperature ranges? NA (Y) N

If no, were they received on ice and same day as collected? If not, notate the cooler # above and notify the PM. (NA) Y N

f applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____

. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N

. Were samples received in good condition (unbroken) NA (Y) N

. Were all sample labels complete (ie, analysis, preservation, etc.)? NA (Y) N

0. Did all sample labels and tags agree with custody papers? NA (Y) N

1. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N

2. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* (NA) Y N

3. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N

4. Was C12/Res negative? (NA) Y N

5. Were samples received within the method specified time limit? If not, notate the error below and notify the PM (NA) Y N

6. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? (NA) Y N Underfilled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: DIC not Pb due to limited volume

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301449
Project: 23A1459/

Sample Name: 23A1459-07 **Date Collected:** 02/1/23
Lab Code: K2301449-001 **Date Received:** 02/3/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-08 **Date Collected:** 02/1/23
Lab Code: K2301449-002 **Date Received:** 02/3/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-09 **Date Collected:** 02/1/23
Lab Code: K2301449-003 **Date Received:** 02/3/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-10 **Date Collected:** 02/1/23
Lab Code: K2301449-004 **Date Received:** 02/3/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-11 **Date Collected:** 02/1/23
Lab Code: K2301449-005 **Date Received:** 02/3/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Analyst Summary report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301449
Project: 23A1459/

Sample Name: 23A1459-12 **Date Collected:** 02/1/23
Lab Code: K2301449-006 **Date Received:** 02/3/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-13 **Date Collected:** 02/1/23
Lab Code: K2301449-007 **Date Received:** 02/3/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-51 **Date Collected:** 02/1/23
Lab Code: K2301449-008 **Date Received:** 02/3/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-52 **Date Collected:** 02/1/23
Lab Code: K2301449-009 **Date Received:** 02/3/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	02/01/23 10:00
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/03/23 10:10
Sample Name:	23A1459-07	**Basis:**	NA
Lab Code:	K2301449-001		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/09/23 16:15	02/09/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	02/01/23 10:00
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/03/23 10:10
Sample Name:	23A1459-08	**Basis:**	NA
Lab Code:	K2301449-002		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/09/23 16:15	02/09/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	02/01/23 10:00
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/03/23 10:10
Sample Name:	23A1459-09	**Basis:**	NA
Lab Code:	K2301449-003		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/09/23 16:15	02/09/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	02/01/23 10:00
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/03/23 10:10
Sample Name:	23A1459-10	**Basis:**	NA
Lab Code:	K2301449-004		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/14/23 16:53	02/14/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	02/01/23 10:00
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/03/23 10:10
Sample Name:	23A1459-11	**Basis:**	NA
Lab Code:	K2301449-005		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/14/23 16:53	02/14/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	02/01/23 10:00
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/03/23 10:10
Sample Name:	23A1459-12	**Basis:**	NA
Lab Code:	K2301449-006		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/14/23 16:53	02/14/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	02/01/23 10:00
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/03/23 10:10
Sample Name:	23A1459-13	**Basis:**	NA
Lab Code:	K2301449-007		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/14/23 16:53	02/14/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	02/01/23 10:00
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/03/23 10:10
Sample Name:	23A1459-51	**Basis:**	NA
Lab Code:	K2301449-008		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/04/23 15:04	02/04/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	02/01/23 10:00
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/03/23 10:10
Sample Name:	23A1459-52	**Basis:**	NA
Lab Code:	K2301449-009		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/04/23 15:04	02/04/23	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2301449-MB1		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/04/23 15:04	02/04/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2301449-MB2		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/09/23 16:15	02/09/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2301449-MB3		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/14/23 16:53	02/14/23	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Analyzed:**	02/09/23
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	02/09/23

Lab Control Sample Summary
Cyanide, Total

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	794191

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2301449-LCS3	0.073	0.075	98	84-115

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Analyzed:**	02/04/23
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	02/04/23

Duplicate Lab Control Sample Summary
General Chemistry Parameters

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	793766

	Lab Control Sample K2301449-LCS1			Duplicate Lab Control Sample K2301449-DLCS1					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Cyanide, Total	0.076	0.075	101	0.079	0.075	106	84-115	4	20

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301449
Project:	23A1459	**Date Analyzed:**	02/14/23
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	02/14/23

Duplicate Lab Control Sample Summary
General Chemistry Parameters

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	794621

	Lab Control Sample K2301449-LCS2			Duplicate Lab Control Sample K2301449-DLCS2					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Cyanide, Total	0.0758	0.075	101	0.0727	0.075	97	84-115	4	20

March 10, 2023 Service Request No:K2301665

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 23A1459

Dear Monica,

Enclosed are the results of the sample(s) submitted to our laboratory February 08, 2023
For your reference, these analyses have been assigned our service request number **K2301665.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental



Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Sample Matrix: Sediment, Elutriate, Liquid

Service Request: K2301665
Date Received: 02/08/2023

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Four sediment, elutriate, liquid samples were received for analysis at ALS Environmental on 02/08/2023. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivoa GC:

Method ALS SOP, 02/25/2023: Sample K2301665-004 was received past holding time. The analysis was performed as soon as possible after receipt by the laboratory. The data was flagged to indicate the holding time violation.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by _____ Date 03/10/2023

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 23A1459-66			Lab ID: K2301665-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	77.3				Percent	160.3 Modified

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2301665
Project: 23A1459

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2301665-001	23A1459-14	2/3/2023	0905
K2301665-002	23A1459-64	2/3/2023	0905
K2301665-003	23A1459-65	2/3/2023	0905
K2301665-004	23A1459-66	1/21/2023	0000

K2301665

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 23A1459

Analysis	Due	Expires	Comments
Sample ID: 23A1459-02 ***Marine Water Sampled: 01/25/2023 11:20***			
Sub_CN T-4500	03/06/2023	02/08/2023 11:20	
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-03 ***Marine Water Sampled: 01/25/2023 14:17***			
Sub_CN T-4500	03/06/2023	02/08/2023 14:17	
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-04 ***Marine Water Sampled: 01/25/2023 15:45***			
Sub_CN T-4500	03/06/2023	02/08/2023 15:45	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	03/06/2023	02/01/2023 15:45	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-05 ***Marine Water Sampled: 01/27/2023 12:00***			
Sub_CN T-4500	03/06/2023	02/10/2023 12:00	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	03/06/2023	02/03/2023 12:00	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
[redacted]			
[redacted]	03/06/2023	01/30/2023 16:37	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-14 ***Elutriate Sampled: 01/23/2023 00:00***			
Sub_CN T-ELUT	03/06/2023	02/06/2023 00:00	Leached: 02/03/2023 09:05
Analyte(s): Total Cyanide			
Containers Supplied:			
[redacted]			
[redacted]	03/06/2023	01/30/2023 14:20	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]			
[redacted]	03/06/2023	01/31/2023 09:40	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]			
[redacted]	03/06/2023	01/31/2023 14:40	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]			
[redacted]	03/06/2023	01/30/2023 17:20	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
[redacted]			
[redacted]	03/06/2023	02/04/2023 16:45	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]			
[redacted]	03/06/2023	02/10/2023 13:26	
Analyte(s):			
Total Cyanide			
[redacted]	03/06/2023	02/03/2023 13:26	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-64 ***Elutriate Sampled: 01/20/2023 09:30***			
Sub_CN T-ELUT	03/06/2023	02/03/2023 09:30	Leached: 02/03/2023 09:05
Analyte(s):			
Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-65 ***Elutriate Sampled: 01/21/2023 16:45***			
Sub_CN T-ELUT	03/06/2023	02/04/2023 16:45	Leached: 02/03/2023 09:05
Analyte(s):			
Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-66 ***Sediment Sampled: 01/21/2023 00:00***			
Sub_Organotins-TX1001	03/06/2023	02/04/2023 00:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Released By — 2/7/23 Date — UPS Received By — 2/7/23 Date

Rec by NReeder 2/8/23 1050

PM [illegible]

Cooler Receipt and Preservation Form

ient NWDLS Service Request K23 [illegible]

eceived: 2/8/23 Opened: 2/8/23 By: NP Unloaded: 2/8/23 By: NP

Samples were received via? *USPS* *Fed Ex* (*UPS*) *DHL* *PDX* *Courier* *Hand Delivered*

Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other* _____ *NA*

Were custody seals on coolers? NA Y (N) If yes, how many and where? _____

If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified if out of temp	Tracking Number NA	Filed
	1.2	IR07				1Z 12W 40V 01 9893 4314	

Was a Temperature Blank present in cooler? NA Y (N) If yes, notate the temperature in the appropriate column above:

If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":

Were samples received within the method specified temperature ranges? NA (Y) N

If no, were they received on ice and same day as collected? If not, notate the cooler # above and notify the PM. (NA) Y N

applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

Packing material: *Inserts* (*Baggies*) (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____

Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N

Were samples received in good condition (unbroken) NA (Y) N

Were all sample labels complete (ie, analysis, preservation, etc.)? NA (Y) N

0. Did all sample labels and tags agree with custody papers? NA (Y) N

1. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N

2. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N

3. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N

4. Was C12/Res negative? (NA) Y N

5. Were samples received within the method specified time limit? If not, notate the error below and notify the PM (NA) Y N

6. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? (NA) Y N Underfilled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: _____

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Analyst Summary report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301665
Project: 23A1459/

Sample Name: 23A1459-14 **Date Collected:** 02/3/23
Lab Code: K2301665-001 **Date Received:** 02/8/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-64 **Date Collected:** 02/3/23
Lab Code: K2301665-002 **Date Received:** 02/8/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-65 **Date Collected:** 02/3/23
Lab Code: K2301665-003 **Date Received:** 02/8/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-66 **Date Collected:** 01/21/23
Lab Code: K2301665-004 **Date Received:** 02/8/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Collected:**	01/21/23 00:00
Sample Matrix:	Sediment	**Date Received:**	02/08/23 10:50
Sample Name:	23A1459-66	**Units:**	ug/Kg
Lab Code:	K2301665-004	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.3	0.34	1	02/25/23 15:08	2/9/23	*
Di-n-butyltin Cation	ND U	1.3	0.25	1	02/25/23 15:08	2/9/23	*
Tri-n-butyltin Cation	ND U	1.3	0.56	1	02/25/23 15:08	2/9/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	60	10 - 152	02/25/23 15:08	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Collected:**	01/21/23 00:00
Sample Matrix:	Sediment	**Date Received:**	02/08/23 10:50
Sample Name:	23A1459-66	**Units:**	ug/Kg
Lab Code:	K2301665-004	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.99	0.26	1	02/25/23 15:08	2/9/23	*
Di-n-butyltin Cation	ND U	0.99	0.19	1	02/25/23 15:08	2/9/23	*
Tri-n-butyltin Cation	ND U	0.99	0.43	1	02/25/23 15:08	2/9/23	*

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Collected:**	02/03/23 09:05
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/08/23 10:50
Sample Name:	23A1459-14	**Basis:**	NA
Lab Code:	K2301665-001		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/14/23 16:53	02/14/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Collected:**	02/03/23 09:05
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/08/23 10:50
Sample Name:	23A1459-64	**Basis:**	NA
Lab Code:	K2301665-002		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/14/23 16:53	02/14/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Collected:**	02/03/23 09:05
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/08/23 10:50
Sample Name:	23A1459-65	**Basis:**	NA
Lab Code:	K2301665-003		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/14/23 16:53	02/14/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Collected:**	01/21/23 00:00
Sample Matrix:	Sediment	**Date Received:**	02/08/23 10:50
Sample Name:	23A1459-66	**Basis:**	As Received
Lab Code:	K2301665-004		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**77.3**	Percent	-	-	1	02/02/23 16:57	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301665
Project: 23A1459
Sample Matrix: Sediment

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: Method

Sample Name	Lab Code	Tri-n-propyltin 10-152
23A1459-66	K2301665-004	60
Method Blank	KQ2302128-04	78
Lab Control Sample	KQ2302128-05	62

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2302128-04	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.97	0.26	1	02/25/23 11:34	2/9/23	
Di-n-butyltin Cation	ND U	0.97	0.19	1	02/25/23 11:34	2/9/23	
Tri-n-butyltin Cation	ND U	0.97	0.43	1	02/25/23 11:34	2/9/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	78	10 - 152	02/25/23 11:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2302128-04	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.97	0.26	1	02/25/23 11:34	2/9/23	
Di-n-butyltin Cation	ND U	0.97	0.19	1	02/25/23 11:34	2/9/23	
Tri-n-butyltin Cation	ND U	0.97	0.43	1	02/25/23 11:34	2/9/23	

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Analyzed:**	02/25/23
Sample Matrix:	Sediment	**Date Extracted:**	02/09/23

Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Dry
		Analysis Lot:	795850

Lab Control Sample
KQ2302128-05

Analyte Name	Result	Spike Amount	% Rec	% Rec Limits
Di-n-butyltin Cation	16.3	19.2	85	10-190
n-Butyltin Cation	14.7	15.6	94	10-200
Tri-n-butyltin Cation	15.5	22.3	70	10-186

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301665
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2302128-05

Units: ug/Kg
Basis: Dry

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	16.3	17.7	8		1	02/25/23 11:51
Tri-n-butyltin Cation	0.43	15.5	17.3	11		1	02/25/23 11:51
n-Butyltin Cation	0.26	14.7	15.2	3		1	02/25/23 11:51

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Elutriate, Liquid	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2301665-MB		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/14/23 16:53	02/14/23	

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project	23A1459	**Date Collected:**	01/21/23
Sample Matrix:	Sediment	**Date Received:**	02/08/23
		Date Analyzed:	02/02/23

Replicate Sample Summary
Inorganic Parameters

Sample Name:	23A1459-66	**Units:**	Percent
Lab Code:	K2301665-004	**Basis:**	As Received

Analyte Name	Analysis Method	MRL	MDL	Sample Result	Duplicate Sample K2301665-004DUP Result	Average	RPD	RPD Limit
Solids, Total	160.3 Modified	-	-	77.3	75.5	76.4	2	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301665
Project:	23A1459	**Date Analyzed:**	02/14/23
Sample Matrix:	Elutriate, Liquid	**Date Extracted:**	02/14/23

Duplicate Lab Control Sample Summary
General Chemistry Parameters

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	794621

	Lab Control Sample K2301665-LCS			Duplicate Lab Control Sample K2301665-DLCS					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Cyanide, Total	0.0758	0.075	101	0.0727	0.075	97	84-115	4	20

March 14, 2023 Service Request No:K2301370

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 23A1459

Dear Monica,

Enclosed are the results of the sample(s) submitted to our laboratory February 02, 2023
For your reference, these analyses have been assigned our service request number **K2301370.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Sample Matrix: Sediment

Service Request: K2301370
Date Received: 02/02/2023

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Two sediment samples were received for analysis at ALS Environmental on 02/02/2023. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivoa GC:

No significant anomalies were noted with this analysis.

Approved by _____ Date 03/14/2023

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 23A1459-46			Lab ID: K2301370-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	67.2				Percent	160.3 Modified

CLIENT ID: 23A1459-47			Lab ID: K2301370-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	64.7				Percent	160.3 Modified

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2301370
Project: 23A1459

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2301370-001	23A1459-46	1/23/2023	
K2301370-002	23A1459-47	1/23/2023	

Work Order: 23A1459 (Continued)

1623013?0

Analysis	Due	Expires	Comments
[redacted] ***Sediment Sampled: 01/18/2023 14:10***			
[redacted]	03/06/2023	02/01/2023 14:10	
Analyte(s):			
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted] ***Sediment Sampled: 01/19/2023 08:15***			
[redacted]	03/06/2023	02/02/2023 08:15	
Analyte(s):			
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted] ***Sediment Sampled: 01/20/2023 09:15***			
[redacted]	03/06/2023	02/03/2023 09:15	
Analyte(s):			
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-46 ***Sediment Sampled: 01/23/2023 00:00***			
Sub_Organotins-TX1001	03/06/2023	02/06/2023 00:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-47 ***Sediment Sampled: 01/23/2023 00:00***			
Sub_Organotins-TX1001	03/06/2023	02/06/2023 00:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

PM Luke

Cooler Receipt and Preservation Form

lient NWDLS Service Request K23 01320

eceived: 2/2/23 Opened: 2/2/23 By: VM Unloaded: 2/2/23 By: VM

Samples were received via? *USPS* *Fed Ex* *UPS* *DHL* *PDX* *Courier* *Hand Delivered*

Samples were received in: (circle) *Cooler* *Box* *Envelope* *Other* _____ *NA*

Were custody seals on coolers? NA Y N If yes, how many and where? _____

If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
	0.5	IR01				1Z12W40V0199584487	

. Was a Temperature Blank present in cooler? NA Y N If yes, notate the temperature in the appropriate column above:

If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":

. Were samples received within the method specified temperature ranges? NA Y N

If no, were they received on ice and same day as collected? If not, notate the cooler # above and notify the PM. NA Y N

f applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* *Wet Ice* *Dry Ice* *Sleeves* _____

. Were custody papers properly filled out (ink, signed, etc.)? NA Y N

. Were samples received in good condition (unbroken) NA Y N

. Were all sample labels complete (ie, analysis, preservation, etc.)? NA Y N

0. Did all sample labels and tags agree with custody papers? NA Y N

1. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y N

2. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA Y N

3. Were VOA vials received without headspace? *Indicate in the table below.* NA Y N

4. Was C12/Res negative? NA Y N

5. Were samples received within the method specified time limit? If not, notate the error below and notify the PM NA Y N

6. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? NA Y N Underfilled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: _____

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Analyst Summary report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459/		

Sample Name:	23A1459-46	**Date Collected:**	01/23/23
Lab Code:	K2301370-001	**Date Received:**	02/2/23
Sample Matrix:	Sediment		

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	JMOORE	BBRIGHT

Sample Name:	23A1459-47	**Date Collected:**	01/23/23
Lab Code:	K2301370-002	**Date Received:**	02/2/23
Sample Matrix:	Sediment		

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	JMOORE	BBRIGHT

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Collected:**	01/23/23
Sample Matrix:	Sediment	**Date Received:**	02/02/23 10:10
Sample Name:	23A1459-46	**Units:**	ug/Kg
Lab Code:	K2301370-001	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.5	0.39	1	02/26/23 23:49	2/6/23	
Di-n-butyltin Cation	ND U	1.5	0.28	1	02/26/23 23:49	2/6/23	
Tri-n-butyltin Cation	ND U	1.5	0.63	1	02/26/23 23:49	2/6/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	98	10 - 152	02/26/23 23:49	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Collected:**	01/23/23
Sample Matrix:	Sediment	**Date Received:**	02/02/23 10:10
Sample Name:	23A1459-46	**Units:**	ug/Kg
Lab Code:	K2301370-001	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.26	1	02/26/23 23:49	2/6/23	
Di-n-butyltin Cation	ND U	0.98	0.19	1	02/26/23 23:49	2/6/23	
Tri-n-butyltin Cation	ND U	0.98	0.43	1	02/26/23 23:49	2/6/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Collected:**	01/23/23
Sample Matrix:	Sediment	**Date Received:**	02/02/23 10:10
Sample Name:	23A1459-47	**Units:**	ug/Kg
Lab Code:	K2301370-002	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.5	0.40	1	02/27/23 00:38	2/6/23	
Di-n-butyltin Cation	ND U	1.5	0.29	1	02/27/23 00:38	2/6/23	
Tri-n-butyltin Cation	ND U	1.5	0.66	1	02/27/23 00:38	2/6/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	42	10 - 152	02/27/23 00:38	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Collected:**	01/23/23
Sample Matrix:	Sediment	**Date Received:**	02/02/23 10:10
Sample Name:	23A1459-47	**Units:**	ug/Kg
Lab Code:	K2301370-002	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.26	1	02/27/23 00:38	2/6/23	
Di-n-butyltin Cation	ND U	0.98	0.19	1	02/27/23 00:38	2/6/23	
Tri-n-butyltin Cation	ND U	0.98	0.43	1	02/27/23 00:38	2/6/23	

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Collected:**	01/23/23
Sample Matrix:	Sediment	**Date Received:**	02/02/23 10:10
Sample Name:	23A1459-46	**Basis:**	As Received
Lab Code:	K2301370-001		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**67.2**	Percent	-	-	1	02/22/23 09:47	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Collected:**	01/23/23
Sample Matrix:	Sediment	**Date Received:**	02/02/23 10:10
Sample Name:	23A1459-47	**Basis:**	As Received
Lab Code:	K2301370-002		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**64.7**	Percent	-	-	1	02/22/23 09:47	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301370
Project: 23A1459
Sample Matrix: Sediment

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: Method

Sample Name	Lab Code	Tri-n-propyltin 10-152
23A1459-46	K2301370-001	98
23A1459-47	K2301370-002	42
Method Blank	KQ2302045-03	91
Lab Control Sample	KQ2302045-04	124
23A1459-46	KQ2302045-01	84
23A1459-46	KQ2302045-02	53

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Collected:**	01/23/23
Sample Matrix:	Sediment	**Date Received:**	02/02/23
		Date Analyzed:	02/27/23
		Date Extracted:	02/6/23

Duplicate Matrix Spike Summary
Butyltins

Sample Name:	23A1459-46	**Units:**	ug/Kg
Lab Code:	K2301370-001	**Basis:**	Dry
Analysis Method:	ALS SOP		
Prep Method:	Method		

		Matrix Spike KQ2302045-01			Duplicate Matrix Spike KQ2302045-02					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
n-Butyltin Cation	ND U	15.0	22.4	67	13.5	22.6	60	10-200	10	40
Di-n-butyltin Cation	ND U	21.3 P	27.5	77	17.2	27.9	62	10-190	21	40
Tri-n-butyltin Cation	ND U	14.5 P	32.0	45	19.4	32.4	60	10-186	29	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2302045-03	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.97	0.26	1	02/26/23 23:16	2/6/23	
Di-n-butyltin Cation	ND U	0.97	0.19	1	02/26/23 23:16	2/6/23	
Tri-n-butyltin Cation	ND U	0.97	0.43	1	02/26/23 23:16	2/6/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	91	10 - 152	02/26/23 23:16	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2302045-03	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.97	0.26	1	02/26/23 23:16	2/6/23	
Di-n-butyltin Cation	ND U	0.97	0.19	1	02/26/23 23:16	2/6/23	
Tri-n-butyltin Cation	ND U	0.97	0.43	1	02/26/23 23:16	2/6/23	

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Analyzed:**	02/26/23
Sample Matrix:	Sediment	**Date Extracted:**	02/06/23

Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Dry
		Analysis Lot:	796038

Lab Control Sample
KQ2302045-04

Analyte Name	Result	Spike Amount	% Rec	% Rec Limits
Di-n-butyltin Cation	28.5 P	19.2	149	10-190
n-Butyltin Cation	20.0 P	15.6	128	10-200
Tri-n-butyltin Cation	30.7	22.3	138	10-186

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301370
Date Collected: 01/23/23
Date Received: 2/2/23

Sample Name: 23A1459-46
Lab Code: KQ2302045-01

Units: ug/Kg
Basis: Dry
Percent Solids: 67.2

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.28	21.3	32.7	42	P	1	02/27/23 00:05
Tri-n-butyltin Cation	0.62	14.5	27.4	62	P	1	02/27/23 00:05
n-Butyltin Cation	0.38	15.0	20.6	31		1	02/27/23 00:05

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project:	23A1459	**Date Collected:**	01/23/23
Matrix:	Sediment	**Date Received:**	2/2/23
Sample Name:	23A1459-46		
Lab Code:	KQ2302045-02	**Units:**	ug/Kg
		Basis:	Dry
		Percent Solids:	67.2

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.28	17.2	17.9	4		1	02/27/23 00:22
Tri-n-butyltin Cation	0.63	19.4	19.5	<1		1	02/27/23 00:22
n-Butyltin Cation	0.38	13.5	14.5	7		1	02/27/23 00:22

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301370
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2302045-04

Units: ug/Kg
Basis: Dry

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	28.5	42.8	40	P	1	02/26/23 23:33
Tri-n-butyltin Cation	0.43	30.7	39.6	25		1	02/26/23 23:33
n-Butyltin Cation	0.26	20.0	48.6	83	P	1	02/26/23 23:33

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301370
Project	23A1459	**Date Collected:**	01/23/23
Sample Matrix:	Sediment	**Date Received:**	02/02/23
		Date Analyzed:	02/22/23

Replicate Sample Summary
Inorganic Parameters

Sample Name:	23A1459-46	**Units:**	Percent
Lab Code:	K2301370-001	**Basis:**	As Received

Analyte Name	Analysis Method	MRL	Sample Result	Duplicate Sample K2301370-001DUP Result	Average	RPD	RPD Limit
Solids, Total	160.3 Modified	-	67.2	72.3	69.8	7	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

March 16, 2023 Service Request No:K2301786

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 23A1459

Dear Monica,

Enclosed are the results of the sample(s) submitted to our laboratory February 10, 2023
For your reference, these analyses have been assigned our service request number **K2301786.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental



Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Sample Matrix: Elutriate, Liquid, Ocean Water

Service Request: K2301786
Date Received: 02/10/2023

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Fourteen elutriate, liquid, ocean water samples were received for analysis at ALS Environmental on 02/10/2023. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivoa GC:

Method ALS SOP, 02/26/2023:Samples were received past or with insufficient holding time remaining. The analysis was performed as soon as possible after receipt by the laboratory. The data was flagged to indicate the holding time violation.
Method ALS SOP, 02/26/2023:The analysis of Butyltins by ALS SOP requires the use of dual column confirmation. When the Continuing Calibration Verification (CCV) criterion is met for both columns, the lower of the two sample results is generally reported. The primary evaluation criteria were not met on the confirmation column for Di-n-butyltin Cation, Tri-n-butyltin Cation, and Tri-n-propyltin. The results were reported from the column with an acceptable CCV. The data quality was not affected. No further corrective action was necessary.
Method ALS SOP, 02/26/2023:The upper control criterion was exceeded for Di-n-butyltin Cation in Duplicate Laboratory Control Sample (LCS) KQ2302966-03. The analyte in question was not detected in the associated field samples. The error associated with elevated recovery indicated a high bias. The sample data was not significantly affected. The recovery for this analyte and the LCS/DLCS RPD were acceptable. No further corrective action was appropriate.

Method ALS SOP, 02/26/2023:The upper control criterion was exceeded for Tri-n-propyltin in samples 23A1459-07 and 23A1459-51 . No target analytes were detected in the samples. The error associated with an elevated recovery equated to a high bias. The quality of the sample data was not significantly affected. No further corrective action was appropriate.

Approved by _____ Date 03/16/2023

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 23A1459-03			Lab ID: K2301786-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.13		0.029	0.050	ug/L	ALS SOP

CLIENT ID: 23A1459-08			Lab ID: K2301786-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.13		0.029	0.050	ug/L	ALS SOP

CLIENT ID: 23A1459-10			Lab ID: K2301786-006			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.064		0.029	0.050	ug/L	ALS SOP

CLIENT ID: 23A1459-11			Lab ID: K2301786-007			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.031	J	0.029	0.050	ug/L	ALS SOP

CLIENT ID: 23A1459-52			Lab ID: K2301786-012			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.065		0.033	0.056	ug/L	ALS SOP

CLIENT ID: 23A1459-64			Lab ID: K2301786-013			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.044	J	0.029	0.050	ug/L	ALS SOP

CLIENT ID: 23A1459-65			Lab ID: K2301786-014			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.17		0.029	0.050	ug/L	ALS SOP

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2301786
Project: 23A1459

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2301786-001	23A1459-02	1/25/2023	0930
K2301786-002	23A1459-03	1/25/2023	1250
K2301786-003	23A1459-07	2/1/2023	1349
K2301786-004	23A1459-08	2/1/2023	1349
K2301786-005	23A1459-09	2/1/2023	1349
K2301786-006	23A1459-10	2/1/2023	1349
K2301786-007	23A1459-11	2/1/2023	1349
K2301786-008	23A1459-12	2/1/2023	1349
K2301786-009	23A1459-13	2/1/2023	1349
K2301786-010	23A1459-14	2/3/2023	0905
K2301786-011	23A1459-51	2/1/2023	1349
K2301786-012	23A1459-52	2/1/2023	1349
K2301786-013	23A1459-64	2/3/2023	0905
K2301786-014	23A1459-65	2/3/2023	0905

K23017 86

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 23A1459

Analysis	Due	Expires	Comments
Sample ID: 23A1459-02 ***Marine Water Sampled: 01/25/2023 09:30***			
[redacted]	03/06/2023	02/08/2023 09:30	
Analyte(s):			
[redacted]de			
Sub_Organotins-TX1001	03/06/2023	02/01/2023 09:30	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-03 ***Marine Water Sampled: 01/25/2023 12:50***			
Sub_CN T-4500	03/06/2023	02/08/2023 12:50	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	03/06/2023	02/01/2023 12:50	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]			
[redacted]	03/06/2023	02/08/2023 14:50	
Analyte(s):			
Total Cyanide			
[redacted]	03/06/2023	02/01/2023 14:50	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

KZ3017860

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
[redacted]			
[redacted]	03/06/2023	02/10/2023 12:30	

Analyte(s):

Dibutyltin	Monobutyltin	Tributyltin
Dibutyltin	Monobutyltin	Tributyltin

Containers Supplied:

Released By	2/9/23 Date	UPS Received By	2/9/23 Date

Rev by MRodella 2/10/23 1020

K230178-86

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 23A1459

Analysis	Due	Expires	Comments
Sample ID: [redacted]	***Marine Water***	***Sampled: 01/25/2023 09:30***	
[redacted]	03/06/2023	02/08/2023 09:30	
Containers Supplied:			
[redacted]	***Marine Water***	***Sampled: 01/25/2023 12:50***	
[redacted]	03/06/2023	02/08/2023 12:50	
Containers Supplied:			
[redacted]	***Marine Water***	***Sampled: 01/25/2023 14:50***	
[redacted]	03/06/2023	02/08/2023 14:50	
[redacted]	03/06/2023	02/01/2023 14:50	
[redacted]	Monobutyltin		Tributyltin
[redacted]	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]	***Marine Water***	***Sampled: 01/27/2023 11:25***	
[redacted]	03/06/2023	02/10/2023 11:25	
Analyte(s):			
Total Cyanide			
[redacted]	03/06/2023	02/03/2023 11:25	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

K2301786

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-07 ***Elutriate*** ***Sampled: 01/16/2023 14:20***			
Sub_CN T-ELUT	03/06/2023	01/30/2023 14:20	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/23/2023 14:20	Leached: 02/01/2023 13:49
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-08 ***Elutriate*** ***Sampled: 01/16/2023 17:20***			
Sub_CN T-ELUT	03/06/2023	01/30/2023 17:20	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/23/2023 17:20	Leached: 02/01/2023 13:49
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-09 ***Elutriate*** ***Sampled: 01/19/2023 15:20***			
Sub_CN T-ELUT	03/06/2023	02/02/2023 15:20	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/26/2023 15:20	Leached: 02/01/2023 13:49
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-10 ***Elutriate*** ***Sampled: 01/19/2023 17:00***			
Sub_CN T-ELUT	03/06/2023	02/02/2023 17:00	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/26/2023 17:00	Leached: 02/01/2023 13:49
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-11 ***Elutriate Sampled: 01/18/2023 09:40***			
Sub_CN T-ELUT	03/06/2023	02/01/2023 09:40	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/25/2023 09:40	Leached: 02/01/2023 13:49
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-12 ***Elutriate Sampled: 01/18/2023 11:15***			
Sub_CN T-ELUT	03/06/2023	02/01/2023 11:15	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/25/2023 11:15	Leached: 02/01/2023 13:49
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-13 ***Elutriate Sampled: 01/16/2023 16:37***			
Sub_CN T-ELUT	03/06/2023	01/30/2023 16:37	Leached: 02/01/2023 10:00
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/23/2023 16:37	Leached: 02/01/2023 13:49
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-14 ***Elutriate Sampled: 01/18/2023 14:10***			
Sub_CN T-ELUT	03/06/2023	02/01/2023 14:10	Leached: 02/03/2023 09:05
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/25/2023 14:10	Leached: 02/03/2023 09:05
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted] ***Sediment Sampled: 01/16/2023 14:20***			
[redacted]	03/06/2023	01/30/2023 14:20	
Analyte(s): Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

K2301786

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
[redacted]	***Marine Water Sampled: 01/27/2023 15:32***		
[redacted]	03/06/2023	02/10/2023 15:32	
Analyte(s):			
Total Cyanide			
[redacted]	03/06/2023	02/03/2023 15:32	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]	***Marine Water Sampled: 01/27/2023 14:40***		
[redacted]	03/06/2023	02/10/2023 14:40	
Analyte(s):			
Total Cyanide			
[redacted]	03/06/2023	02/03/2023 14:40	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted]D: 23A1459-51	***Elutriate Sampled: 01/23/2023 13:05***		
Sub_CN T-ELUT	03/06/2023	02/06/2023 13:05	Leached: 02/01/2023 10:00
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/30/2023 13:05	Leached: 02/01/2023 13:49
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-52	***Elutriate Sampled: 01/21/2023 10:00***		
Sub_CN T-ELUT	03/06/2023	02/04/2023 10:00	Leached: 02/01/2023 10:00
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/28/2023 10:00	Leached: 02/01/2023 13:49
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

K7301786

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
[redacted] ***Sediment Sampled: 01/21/2023 11:45***			
[redacted]	03/06/2023	02/04/2023 11:45	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted] ***Marine Water Sampled: 01/27/2023 13:10***			
[redacted]	03/06/2023	02/10/2023 13:10	
Analyte(s):			
Total Cyanide			
[redacted]	03/06/2023	02/03/2023 13:10	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-64 ***Elutriate Sampled: 01/19/2023 14:00***			
Sub_CN T-ELUT	03/06/2023	02/02/2023 14:00	Leached: 02/03/2023 09:05
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/26/2023 14:00	Leached: 02/03/2023 09:05
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-65 ***Elutriate Sampled: 01/21/2023 11:45***			
Sub_CN T-ELUT	03/06/2023	02/04/2023 11:45	Leached: 02/03/2023 09:05
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001-ELUT	03/06/2023	01/28/2023 11:45	Leached: 02/03/2023 09:05
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
[redacted] ***Sediment Sampled: 01/27/2023 12:30***			
[redacted]	03/06/2023	02/10/2023 12:30	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

KZ3017786

SUBCONTRACT ORDER
(Continued)

Released By	Date	Received By	Date
SRL	02/09/23	UPS	02/09/23

Ruby Mkeller 2/10/23 1020

PM KF

Cooler Receipt and Preservation Form

Client NWDLS Service Request K23 01786

Received: 2/10/23 Opened: 2/10/23 By: AP Unloaded: 2/10/23 By: AP

1. Samples were received via? *USPS* *Fed Ex* (*UPS*) *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other*_____ *NA*
3. Were custody seals on coolers? NA Y (N) If yes, how many and where? _____
   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified if out of temp	Tracking Number NA	Filed
	2.8	1801				1Z 12W40V0 1977 12789	
	3.2	↓				" " 1985 7 8361	

4. Was a Temperature Blank present in cooler? NA Y (N) If yes, notate the temperature in the appropriate column above:
   If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
5. Were samples received within the method specified temperature ranges? NA (Y) N
   If no, were they received on ice and same day as collected? If not, notate the cooler # above and notify the PM. (NA) Y N

If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

6. Packing material: *Inserts* *Baggies* (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
8. Were samples received in good condition (unbroken) NA (Y) N
9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA (Y) N
10. Did all sample labels and tags agree with custody papers? NA (Y) N
11. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y (N)
12. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* (NA) Y N
13. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
14. Was C12/Res negative? (NA) Y N
15. Were samples received within the method specified time limit? If not, notate the error below and notify the PM (NA) Y N
16. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? (NA) Y N Underfilled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: Did not receive CN bottles

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301786
Project: 23A1459/

Sample Name: 23A1459-02 **Date Collected:** 01/25/23
Lab Code: K2301786-001 **Date Received:** 02/10/23
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-03 **Date Collected:** 01/25/23
Lab Code: K2301786-002 **Date Received:** 02/10/23
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-07 **Date Collected:** 02/1/23
Lab Code: K2301786-003 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-08 **Date Collected:** 02/1/23
Lab Code: K2301786-004 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-09 **Date Collected:** 02/1/23
Lab Code: K2301786-005 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301786
Project: 23A1459/

Sample Name: 23A1459-10 **Date Collected:** 02/1/23
Lab Code: K2301786-006 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-11 **Date Collected:** 02/1/23
Lab Code: K2301786-007 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-12 **Date Collected:** 02/1/23
Lab Code: K2301786-008 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-13 **Date Collected:** 02/1/23
Lab Code: K2301786-009 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-14 **Date Collected:** 02/3/23
Lab Code: K2301786-010 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Analyst Summary report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301786
Project: 23A1459/

Sample Name: 23A1459-51 **Date Collected:** 02/1/23
Lab Code: K2301786-011 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-52 **Date Collected:** 02/1/23
Lab Code: K2301786-012 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-64 **Date Collected:** 02/3/23
Lab Code: K2301786-013 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-65 **Date Collected:** 02/3/23
Lab Code: K2301786-014 **Date Received:** 02/10/23
Sample Matrix: Elutriate, Liquid

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	01/25/23 09:30
Sample Matrix:	Ocean Water	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-02	**Units:**	ug/L
Lab Code:	K2301786-001	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	02/26/23 18:06	2/16/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	02/26/23 18:06	2/16/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	02/26/23 18:06	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	136	10 - 195	02/26/23 18:06	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	01/25/23 12:50
Sample Matrix:	Ocean Water	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-03	**Units:**	ug/L
Lab Code:	K2301786-002	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.13**	0.050	0.029	1	02/26/23 18:22	2/16/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	02/26/23 18:22	2/16/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	02/26/23 18:22	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	78	10 - 195	02/26/23 18:22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/01/23 13:49
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-07	**Units:**	ug/L
Lab Code:	K2301786-003	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	02/26/23 18:38	2/16/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	02/26/23 18:38	2/16/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	02/26/23 18:38	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	215	10 - 195	02/26/23 18:38	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/01/23 13:49
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-08	**Units:**	ug/L
Lab Code:	K2301786-004	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.13**	0.050	0.029	1	02/26/23 18:55	2/16/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	02/26/23 18:55	2/16/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	02/26/23 18:55	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	115	10 - 195	02/26/23 18:55	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/01/23 13:49
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-09	**Units:**	ug/L
Lab Code:	K2301786-005	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	02/26/23 19:11	2/16/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	02/26/23 19:11	2/16/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	02/26/23 19:11	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	168	10 - 195	02/26/23 19:11	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/01/23 13:49
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-10	**Units:**	ug/L
Lab Code:	K2301786-006	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.064**	0.050	0.029	1	02/26/23 19:27	2/16/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	02/26/23 19:27	2/16/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	02/26/23 19:27	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	157	10 - 195	02/26/23 19:27	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/01/23 13:49
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-11	**Units:**	ug/L
Lab Code:	K2301786-007	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.031**	**J**	0.050	0.029	1	02/26/23 19:44	2/16/23	*
Di-n-butyltin Cation	ND	U	0.050	0.0073	1	02/26/23 19:44	2/16/23	*
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	02/26/23 19:44	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	180	10 - 195	02/26/23 19:44	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/01/23 13:49
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-12	**Units:**	ug/L
Lab Code:	K2301786-008	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	02/26/23 20:00	2/16/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	02/26/23 20:00	2/16/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	02/26/23 20:00	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	169	10 - 195	02/26/23 20:00	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/01/23 13:49
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-13	**Units:**	ug/L
Lab Code:	K2301786-009	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	02/26/23 20:16	2/16/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	02/26/23 20:16	2/16/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	02/26/23 20:16	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	121	10 - 195	02/26/23 20:16	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/03/23 09:05
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-14	**Units:**	ug/L
Lab Code:	K2301786-010	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	02/26/23 20:33	2/16/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	02/26/23 20:33	2/16/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	02/26/23 20:33	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	135	10 - 195	02/26/23 20:33	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/01/23 13:49
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-51	**Units:**	ug/L
Lab Code:	K2301786-011	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.10	0.058	1	02/26/23 21:22	2/16/23	*
Di-n-butyltin Cation	ND U	0.10	0.015	1	02/26/23 21:22	2/16/23	*
Tri-n-butyltin Cation	ND U	0.10	0.024	1	02/26/23 21:22	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	339	10 - 195	02/26/23 21:22	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/01/23 13:49
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-52	**Units:**	ug/L
Lab Code:	K2301786-012	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.065**	0.056	0.033	1	02/26/23 21:38	2/16/23	*
Di-n-butyltin Cation	ND U	0.056	0.0083	1	02/26/23 21:38	2/16/23	*
Tri-n-butyltin Cation	ND U	0.056	0.014	1	02/26/23 21:38	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	74	10 - 195	02/26/23 21:38	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/03/23 09:05
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-64	**Units:**	ug/L
Lab Code:	K2301786-013	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.044**	**J**	0.050	0.029	1	02/26/23 21:54	2/16/23	*
Di-n-butyltin Cation	ND	U	0.050	0.0073	1	02/26/23 21:54	2/16/23	*
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	02/26/23 21:54	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	147	10 - 195	02/26/23 21:54	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/03/23 09:05
Sample Matrix:	Elutriate, Liquid	**Date Received:**	02/10/23 10:20
Sample Name:	23A1459-65	**Units:**	ug/L
Lab Code:	K2301786-014	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.17**	0.050	0.029	1	02/26/23 22:11	2/16/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	02/26/23 22:11	2/16/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	02/26/23 22:11	2/16/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	128	10 - 195	02/26/23 22:11	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301786
Project: 23A1459
Sample Matrix: Ocean Water

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: EPA 3520C

Sample Name	Lab Code	Tri-n-propyltin 10-195
23A1459-02	K2301786-001	136
23A1459-03	K2301786-002	78
Method Blank	KQ2302966-01	148
Lab Control Sample	KQ2302966-02	149
Duplicate Lab Control Sample	KQ2302966-03	187

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301786
Project: 23A1459
Sample Matrix: Elutriate, Liquid

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: EPA 3520C

Sample Name	Lab Code	Tri-n-propyltin 10-195
23A1459-07	K2301786-003	215*
23A1459-08	K2301786-004	115
23A1459-09	K2301786-005	168
23A1459-10	K2301786-006	157
23A1459-11	K2301786-007	180
23A1459-12	K2301786-008	169
23A1459-13	K2301786-009	121
23A1459-14	K2301786-010	135
23A1459-51	K2301786-011	339*
23A1459-52	K2301786-012	74
23A1459-64	K2301786-013	147
23A1459-65	K2301786-014	128

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	KQ2302966-01	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND	U	0.050	0.029	1	02/26/23 17:16	2/16/23	
Di-n-butyltin Cation	**0.014**	**J**	0.050	0.0073	1	02/26/23 17:16	2/16/23	
Tri-n-butyltin Cation	ND	U	0.050	0.012	1	02/26/23 17:16	2/16/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	148	10 - 195	02/26/23 17:16	

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Analyzed:**	02/26/23
Sample Matrix:	Ocean Water	**Date Extracted:**	02/16/23

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/L
Prep Method:	EPA 3520C	**Basis:**	NA
		Analysis Lot:	795862

	Lab Control Sample KQ2302966-02			Duplicate Lab Control Sample KQ2302966-03					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	0.711	0.383	186	0.847	0.383	221 *	10-200	17	30
n-Butyltin Cation	0.435 P	0.312	140	0.455	0.312	146	10-200	5	30
Tri-n-butyltin Cation	0.553	0.446	124	0.677	0.446	152	10-200	20	30

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Ocean Water

Service Request: K2301786
Date Collected: 01/25/23 12:50
Date Received: 2/10/23

Sample Name: 23A1459-03
Lab Code: K2301786-002

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.13	0.14	7		1	02/26/23 18:22

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	02/01/23 13:49
Matrix:	Elutriate, Liquid	**Date Received:**	2/10/23
Sample Name:	23A1459-08		
Lab Code:	K2301786-004	**Units:**	ug/L
		Basis:	NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.13	0.15	14		1	02/26/23 18:55

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Elutriate, Liquid

Service Request: K2301786
Date Collected: 02/01/23 13:49
Date Received: 2/10/23

Sample Name: 23A1459-10
Lab Code: K2301786-006

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.064	0.080	22		1	02/26/23 19:27

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Elutriate, Liquid

Service Request: K2301786
Date Collected: 02/01/23 13:49
Date Received: 2/10/23

Sample Name: 23A1459-11
Lab Code: K2301786-007

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.031	0.031	<1	J	1	02/26/23 19:44

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Elutriate, Liquid

Service Request: K2301786
Date Collected: 02/01/23 13:49
Date Received: 2/10/23

Sample Name: 23A1459-52
Lab Code: K2301786-012

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.033	0.065	0.087	29		1	02/26/23 21:38

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Elutriate, Liquid

Service Request: K2301786
Date Collected: 02/03/23 09:05
Date Received: 2/10/23

Sample Name: 23A1459-64
Lab Code: K2301786-013

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.044	0.059	29	J	1	02/26/23 21:54

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Elutriate, Liquid

Service Request: K2301786
Date Collected: 02/03/23 09:05
Date Received: 2/10/23

Sample Name: 23A1459-65
Lab Code: K2301786-014

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.17	0.24	34		1	02/26/23 22:11

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Ocean Water

Service Request: K2301786
Date Collected: NA
Date Received:

Sample Name: Method Blank
Lab Code: KQ2302966-01

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.014	0.019	30	J	1	02/26/23 17:16

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301786
Project:	23A1459	**Date Collected:**	NA
Matrix:	Ocean Water	**Date Received:**	
Sample Name:	Lab Control Sample		
Lab Code:	KQ2302966-02	**Units:**	ug/L
		Basis:	NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.711	0.672	6		1	02/26/23 17:33
Tri-n-butyltin Cation	0.012	0.553	0.691	22		1	02/26/23 17:33
n-Butyltin Cation	0.029	0.435	0.673	43	P	1	02/26/23 17:33

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Ocean Water

Service Request: K2301786
Date Collected: NA
Date Received:

Sample Name: Duplicate Lab Control Sample
Lab Code: KQ2302966-03

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.847	0.912	7		1	02/26/23 17:49
Tri-n-butyltin Cation	0.012	0.677	0.853	23		1	02/26/23 17:49
n-Butyltin Cation	0.029	0.455	0.485	6		1	02/26/23 17:49

March 29, 2023 Service Request No:K2301289

Monica Martin
North Water District Lab Services (NWDLS)
130 South Trade Center Parkway
Conroe, TX 77385

Laboratory Results for: 23A1459

Dear Monica,

Enclosed are the results of the sample(s) submitted to our laboratory February 01, 2023
For your reference, these analyses have been assigned our service request number **K2301289.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at Luke.Rahn@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental



Luke Rahn
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626
PHONE +1 360 577 7222 | FAX +1 360 636 1068
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Sample Matrix: Sediment, Ocean Water

Service Request: K2301289
Date Received: 02/01/2023

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Thirty seven sediment, ocean water samples were received for analysis at ALS Environmental on 02/01/2023. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Semivoa GC:

Method ALS SOP, 03/28/2023:The analysis of sample K2301289-031 was initially performed within the recommended holding time. Reanalysis was required due to Continuing Calibration Verification (CCV) failure. The reanalysis was performed past the recommended holding time. The results from the second analysis were reported.
Method ALS SOP, 03/09/2023: Many samples received past the recommended holding time. The analysis was performed as soon as possible after receipt by the laboratory. The data was flagged to indicate the holding time violation.
Method ALS SOP, 03/09/2023:The upper control criterion was exceeded for Tri-n-propyltin in sample 23A1459-28. No target analytes were detected in the sample at concentrations above the MRL. The error associated with an elevated recovery equated to a high bias. The quality of the sample data was not significantly affected. No further corrective action was appropriate.

Method ALS SOP, 03/28/2023:The analysis of K2301289 samples was initially performed within the recommended holding time. Rederivitization and reanalysis were required. The reanalysis was performed past the recommended holding time. The results from the second analysis were reported.
Method ALS SOP, 03/28/2023:The Relative Percent Difference (RPD) for n-Butyltin Cation in the replicate Laboratory Control Sample (LCS) analyses (KQ2301926-02 and KQ2301926-03) was outside control criteria. All recoveries for target analytes were acceptable.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by _____ Date 03/29/2023

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 23A1459-18			Lab ID: K2301289-007			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Di-n-butyltin Cation	1.4	JP	0.27	1.4	ug/Kg	ALS SOP
Di-n-butyltin Cation	0.95	JP	0.19	1.0	ug/Kg	ALS SOP
n-Butyltin Cation	1.6		0.37	1.4	ug/Kg	ALS SOP
n-Butyltin Cation	1.1		0.26	1.0	ug/Kg	ALS SOP
Solids, Total	70.3				Percent	160.3 Modified

CLIENT ID: 23A1459-58			Lab ID: K2301289-034			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Di-n-butyltin Cation	0.75	J	0.22	1.2	ug/Kg	ALS SOP
Di-n-butyltin Cation	0.63	J	0.19	0.98	ug/Kg	ALS SOP
n-Butyltin Cation	1.5		0.31	1.2	ug/Kg	ALS SOP
n-Butyltin Cation	1.3		0.26	0.98	ug/Kg	ALS SOP
Solids, Total	84.9				Percent	160.3 Modified

CLIENT ID: 23A1459-04			Lab ID: K2301289-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.072		0.029	0.050	ug/L	ALS SOP

CLIENT ID: 23A1459-05			Lab ID: K2301289-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.049	JP	0.029	0.050	ug/L	ALS SOP

CLIENT ID: 23A1459-16			Lab ID: K2301289-005			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.39	J	0.35	1.3	ug/Kg	ALS SOP
n-Butyltin Cation	0.29	J	0.26	0.99	ug/Kg	ALS SOP
Solids, Total	74.0				Percent	160.3 Modified

CLIENT ID: 23A1459-17			Lab ID: K2301289-006			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.63	J	0.35	1.3	ug/Kg	ALS SOP
n-Butyltin Cation	0.46	J	0.26	0.96	ug/Kg	ALS SOP
Solids, Total	72.4				Percent	160.3 Modified

CLIENT ID: 23A1459-21			Lab ID: K2301289-009			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.39	J	0.38	1.4	ug/Kg	ALS SOP
n-Butyltin Cation	0.26	U	0.26	0.95	ug/Kg	ALS SOP
Solids, Total	66.1				Percent	160.3 Modified

CLIENT ID: 23A1459-22			Lab ID: K2301289-010			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	1.1	J	0.44	1.7	ug/Kg	ALS SOP
n-Butyltin Cation	0.62	J	0.26	0.99	ug/Kg	ALS SOP

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 23A1459-22			Lab ID: K2301289-010			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	59.0				Percent	160.3 Modified

CLIENT ID: 23A1459-24			Lab ID: K2301289-011			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.70	J	0.35	1.3	ug/Kg	ALS SOP
n-Butyltin Cation	0.52	J	0.26	0.98	ug/Kg	ALS SOP
Solids, Total	74.0				Percent	160.3 Modified

CLIENT ID: 23A1459-25			Lab ID: K2301289-012			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.67	J	0.36	1.4	ug/Kg	ALS SOP
n-Butyltin Cation	0.48	J	0.26	0.98	ug/Kg	ALS SOP
Solids, Total	71.7				Percent	160.3 Modified

CLIENT ID: 23A1459-27			Lab ID: K2301289-013			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.41	J	0.41	1.6	ug/Kg	ALS SOP
n-Butyltin Cation	0.26	J	0.26	0.99	ug/Kg	ALS SOP
Solids, Total	63.5				Percent	160.3 Modified

CLIENT ID: 23A1459-28			Lab ID: K2301289-014			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.40	JP	0.37	1.4	ug/Kg	ALS SOP
n-Butyltin Cation	0.27	JP	0.26	0.97	ug/Kg	ALS SOP
Solids, Total	68.7				Percent	160.3 Modified

CLIENT ID: 23A1459-30			Lab ID: K2301289-015			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.63	J	0.35	1.3	ug/Kg	ALS SOP
n-Butyltin Cation	0.46	J	0.26	0.98	ug/Kg	ALS SOP
Solids, Total	72.9				Percent	160.3 Modified

CLIENT ID: 23A1459-31			Lab ID: K2301289-016			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.51	J	0.38	1.4	ug/Kg	ALS SOP
n-Butyltin Cation	0.35	J	0.26	0.99	ug/Kg	ALS SOP
Solids, Total	68.2				Percent	160.3 Modified

CLIENT ID: 23A1459-32			Lab ID: K2301289-017			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.53	J	0.32	1.2	ug/Kg	ALS SOP
n-Butyltin Cation	0.41	J	0.26	0.95	ug/Kg	ALS SOP
Solids, Total	78.0				Percent	160.3 Modified

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 23A1459-39			Lab ID: K2301289-022			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	1.4	J	0.41	1.5	ug/Kg	ALS SOP
n-Butyltin Cation	0.90	J	0.26	0.99	ug/Kg	ALS SOP
Solids, Total	64.2				Percent	160.3 Modified
Tri-n-butyltin Cation	1.3	J	0.67	1.5	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.82	J	0.43	0.99	ug/Kg	ALS SOP

CLIENT ID: 23A1459-40			Lab ID: K2301289-023			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.63	JP	0.32	1.2	ug/Kg	ALS SOP
n-Butyltin Cation	0.50	JP	0.26	0.96	ug/Kg	ALS SOP
Solids, Total	79.3				Percent	160.3 Modified

CLIENT ID: 23A1459-43			Lab ID: K2301289-025			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.59	J	0.31	1.2	ug/Kg	ALS SOP
n-Butyltin Cation	0.50	J	0.26	0.99	ug/Kg	ALS SOP
Solids, Total	85.6				Percent	160.3 Modified

CLIENT ID: 23A1459-50			Lab ID: K2301289-030			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.083		0.029	0.050	ug/L	ALS SOP

CLIENT ID: 23A1459-54			Lab ID: K2301289-031			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.37	JP	0.32	1.2	ug/Kg	ALS SOP
n-Butyltin Cation	0.30	J	0.26	0.97	ug/Kg	ALS SOP
Solids, Total	79.4				Percent	160.3 Modified
Tri-n-butyltin Cation	0.78	JP	0.53	1.2	ug/Kg	ALS SOP
Tri-n-butyltin Cation	0.62	JP	0.43	0.97	ug/Kg	ALS SOP

CLIENT ID: 23A1459-60			Lab ID: K2301289-036			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.47	J	0.32	1.2	ug/Kg	ALS SOP
n-Butyltin Cation	0.37	J	0.26	0.96	ug/Kg	ALS SOP
Solids, Total	78.0				Percent	160.3 Modified

CLIENT ID: 23A1459-62			Lab ID: K2301289-037			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
n-Butyltin Cation	0.067		0.029	0.050	ug/L	ALS SOP

CLIENT ID: 23A1459-20			Lab ID: K2301289-008			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	66.0				Percent	160.3 Modified

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 23A1459-34			Lab ID: K2301289-018			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	73.6				Percent	160.3 Modified

CLIENT ID: 23A1459-35			Lab ID: K2301289-019			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	71.8				Percent	160.3 Modified

CLIENT ID: 23A1459-36			Lab ID: K2301289-020			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	68.5				Percent	160.3 Modified

CLIENT ID: 23A1459-38			Lab ID: K2301289-021			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	65.6				Percent	160.3 Modified

CLIENT ID: 23A1459-41			Lab ID: K2301289-024			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	78.8				Percent	160.3 Modified

CLIENT ID: 23A1459-44			Lab ID: K2301289-026			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	84.5				Percent	160.3 Modified

CLIENT ID: 23A1459-45			Lab ID: K2301289-027			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	70.0				Percent	160.3 Modified

CLIENT ID: 23A1459-48			Lab ID: K2301289-028			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	70.2				Percent	160.3 Modified

CLIENT ID: 23A1459-55			Lab ID: K2301289-032			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	83.6				Percent	160.3 Modified

CLIENT ID: 23A1459-56			Lab ID: K2301289-033			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	81.9				Percent	160.3 Modified

CLIENT ID: 23A1459-59			Lab ID: K2301289-035			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Solids, Total	77.8				Percent	160.3 Modified

Sample Receipt Information

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:**K2301289
Project: 23A1459

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
K2301289-001	23A1459-02	1/25/2023	1120
K2301289-002	23A1459-03	1/25/2023	1417
K2301289-003	23A1459-04	1/25/2023	1545
K2301289-004	23A1459-05	1/27/2023	1200
K2301289-005	23A1459-16	1/16/2023	1420
K2301289-006	23A1459-17	1/17/2023	0940
K2301289-007	23A1459-18	1/17/2023	1440
K2301289-008	23A1459-20	1/16/2023	1720
K2301289-009	23A1459-21	1/17/2023	1130
K2301289-010	23A1459-22	1/17/2023	1630
K2301289-011	23A1459-24	1/19/2023	1520
K2301289-012	23A1459-25	1/20/2023	1100
K2301289-013	23A1459-27	1/19/2023	1700
K2301289-014	23A1459-28	1/20/2023	1250
K2301289-015	23A1459-30	1/18/2023	0940
K2301289-016	23A1459-31	1/18/2023	1400
K2301289-017	23A1459-32	1/19/2023	0920
K2301289-018	23A1459-34	1/18/2023	1115
K2301289-019	23A1459-35	1/18/2023	1545
K2301289-020	23A1459-36	1/19/2023	1110
K2301289-021	23A1459-38	1/17/2023	1412
K2301289-022	23A1459-39	1/18/2023	0925
K2301289-023	23A1459-40	1/16/2023	1637
K2301289-024	23A1459-41	1/17/2023	0920
K2301289-025	23A1459-43	1/18/2023	1410
K2301289-026	23A1459-44	1/19/2023	0815
K2301289-027	23A1459-45	1/20/2023	0915
K2301289-028	23A1459-48	1/20/2023	0930
K2301289-029	23A1459-49	1/27/2023	1607
K2301289-030	23A1459-50	1/27/2023	1520
K2301289-031	23A1459-54	1/25/2023	0800
K2301289-032	23A1459-55	1/23/2023	1600
K2301289-033	23A1459-56	1/26/2023	1305
K2301289-034	23A1459-58	1/21/2023	1000
K2301289-035	23A1459-59	1/21/2023	1645
K2301289-036	23A1459-60	1/21/2023	1645
K2301289-037	23A1459-62	1/27/2023	1326

NWDLS
North Water District Laboratory Services, Inc.

K2301289

SUBCONTRACT ORDER

Sending Laboratory:

North Water District Laboratory Services, Inc.
130 South Trade Center Parkway
Conroe, TX 77385
Phone: 936-321-6060
Fax: 936-321-6061

Project Manager: Monica O. Martin

Subcontracted Laboratory:

ALS Kelso
1317 South 13th Avenue
Kelso, WA 98626
Phone: (360) 577-7222
Fax:

Work Order: 23A1459

Analysis	Due	Expires	Comments
Sample ID: 23A1459-02 ***Marine Water Sampled: 01/25/2023 11:20***			
Sub_CN T-4500	02/02/2023	02/08/2023 11:20	
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-03 ***Marine Water Sampled: 01/25/2023 14:17***			
Sub_CN T-4500	02/02/2023	02/08/2023 14:17	
Analyte(s): Total Cyanide			
Containers Supplied:			
Sample ID: 23A1459-04 ***Marine Water Sampled: 01/25/2023 15:45***			
Sub_CN T-4500	02/02/2023	02/08/2023 15:45	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	02/02/2023	02/01/2023 15:45	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-05 ***Marine Water Sampled: 01/27/2023 12:00***			
Sub_CN T-4500	02/02/2023	02/10/2023 12:00	
Analyte(s): Total Cyanide			
Sub_Organotins-TX1001	02/02/2023	02/03/2023 12:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-16 ***Sediment Sampled: 01/16/2023 14:20***			
Sub_Organotins-TX1001	02/02/2023	01/30/2023 14:20	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-17 ***Sediment Sampled: 01/17/2023 09:40***			
Sub_Organotins-TX1001	02/02/2023	01/31/2023 09:40	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-18 ***Sediment Sampled: 01/17/2023 14:40***			
Sub_Organotins-TX1001	02/02/2023	01/31/2023 14:40	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-20 ***Sediment Sampled: 01/16/2023 17:20***			
Sub_Organotins-TX1001	02/02/2023	01/30/2023 17:20	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-21 ***Sediment Sampled: 01/17/2023 11:30***			
Sub_Organotins-TX1001	02/02/2023	01/31/2023 11:30	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-22	***Sediment Sampled: 01/17/2023 16:30***		
Sub_Organotins-TX1001	02/02/2023	01/31/2023 16:30	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-24	***Sediment Sampled: 01/19/2023 15:20***		
Sub_Organotins-TX1001	02/02/2023	02/02/2023 15:20	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-25	***Sediment Sampled: 01/20/2023 11:00***		
Sub_Organotins-TX1001	02/02/2023	02/03/2023 11:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-27	***Sediment Sampled: 01/19/2023 17:00***		
Sub_Organotins-TX1001	02/02/2023	02/02/2023 17:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-28	***Sediment Sampled: 01/20/2023 12:50***		
Sub_Organotins-TX1001	02/02/2023	02/03/2023 12:50	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-30 ***Sediment*** ***Sampled: 01/18/2023 09:40***			
Sub_Organotins-TX1001	02/02/2023	02/01/2023 09:40	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-31 ***Sediment*** ***Sampled: 01/18/2023 14:00***			
Sub_Organotins-TX1001	02/02/2023	02/01/2023 14:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-32 ***Sediment*** ***Sampled: 01/19/2023 09:20***			
Sub_Organotins-TX1001	02/02/2023	02/02/2023 09:20	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-34 ***Sediment*** ***Sampled: 01/18/2023 11:15***			
Sub_Organotins-TX1001	02/02/2023	02/01/2023 11:15	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-35 ***Sediment*** ***Sampled: 01/18/2023 15:45***			
Sub_Organotins-TX1001	02/02/2023	02/01/2023 15:45	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-36 ***Sediment Sampled: 01/19/2023 11:10***			
Sub_Organotins-TX1001	02/02/2023	02/02/2023 11:10	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-38 ***Sediment Sampled: 01/17/2023 14:12***			
Sub_Organotins-TX1001	02/02/2023	01/31/2023 14:12	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-39 ***Sediment Sampled: 01/18/2023 09:25***			
Sub_Organotins-TX1001	02/02/2023	02/01/2023 09:25	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-40 ***Sediment Sampled: 01/16/2023 16:37***			
Sub_Organotins-TX1001	02/02/2023	01/30/2023 16:37	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-41 ***Sediment Sampled: 01/17/2023 09:20***			
Sub_Organotins-TX1001	02/02/2023	01/31/2023 09:20	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

h2301289

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments

Sample ID: 23A1459-43 ***Sediment Sampled: 01/18/2023 14:10***

Sub_Organotins-TX1001	02/02/2023	02/01/2023 14:10	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Sample ID: 23A1459-44 ***Sediment Sampled: 01/19/2023 08:15***

Sub_Organotins-TX1001	02/02/2023	02/02/2023 08:15	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Sample ID: 23A1459-45 ***Sediment Sampled: 01/20/2023 09:15***

Sub_Organotins-TX1001	02/02/2023	02/03/2023 09:15	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Sample ID: 23A1459-48 ***Sediment Sampled: 01/20/2023 09:30***

Sub_Organotins-TX1001	02/02/2023	02/03/2023 09:30	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Sample ID: 23A1459-49 ***Marine Water Sampled: 01/27/2023 16:07***

Sub_CN T-4500	02/02/2023	02/10/2023 16:07	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	02/02/2023	02/03/2023 16:07	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

NWDLS
North Water District Laboratory Services, Inc.

SUBCONTRACT ORDER
(Continued)

h23012S9

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-50	***Marine Water Sampled: 01/27/2023 15:20***		
Sub_CN T-4500	02/02/2023	02/10/2023 15:20	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	02/02/2023	02/03/2023 15:20	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-54	***Sediment Sampled: 01/25/2023 08:00***		
Sub_Organotins-TX1001	02/02/2023	02/08/2023 08:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-55	***Sediment Sampled: 01/23/2023 16:00***		
Sub_Organotins-TX1001	02/02/2023	02/06/2023 16:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-56	***Sediment Sampled: 01/26/2023 13:05***		
Sub_Organotins-TX1001	02/02/2023	02/09/2023 13:05	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-58	***Sediment Sampled: 01/21/2023 10:00***		
Sub_Organotins-TX1001	02/02/2023	02/04/2023 10:00	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

NWDLS
North Water District Laboratory Services, Inc.

K2301289

SUBCONTRACT ORDER
(Continued)

Work Order: 23A1459 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23A1459-59 ***Sediment Sampled: 01/21/2023 16:45***			
Sub_Organotins-TX1001	02/02/2023	02/04/2023 16:45	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-60 ***Sediment Sampled: 01/21/2023 16:45***			
Sub_Organotins-TX1001	02/02/2023	02/04/2023 16:45	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			
Sample ID: 23A1459-62 ***Marine Water Sampled: 01/27/2023 13:26***			
Sub_CN T-4500	02/02/2023	02/10/2023 13:26	
Analyte(s):			
Total Cyanide			
Sub_Organotins-TX1001	02/02/2023	02/03/2023 13:26	
Analyte(s):			
Dibutyltin	Monobutyltin		Tributyltin
Dibutyltin	Monobutyltin		Tributyltin
Containers Supplied:			

Released By — 1/30/23 Date

UPS Received By — 1/30/23 Date

ALS 2/1/23 1030

PM UR

Cooler Receipt and Preservation Form

Client NWDLS Service Request K23 01289

Received: 2/1/23 Opened: 2/1/23 By: VM Unloaded: 2/1/23 By: VM

1. Samples were received via? *USPS* *Fed Ex* *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) *Cooler* *Box* *Envelope* *Other* _____ *NA*
3. Were custody seals on coolers? NA Y N If yes, how many and where? _____

   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp Indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
	3.4	IR01	Cooler 1			1Z12W40V0198230011	
	0.5	IR01	Cooler 2			1Z12W40V0199466024	

4. Was a Temperature Blank present in cooler? NA Y N If yes, notate the temperature in the appropriate column above:

   If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
5. Were samples received within the method specified temperature ranges? NA Y N

   If no, were they received on ice and same day as collected? If not, notate the cooler # above and notify the PM. NA Y N

If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*

6. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* *Wet Ice* *Dry Ice* *Sleeves* _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA Y N
8. Were samples received in good condition (unbroken) NA Y N
9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA Y N
10. Did all sample labels and tags agree with custody papers? NA Y N
11. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y N
12. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA Y N
13. Were VOA vials received without headspace? *Indicate in the table below.* NA Y N
14. Was C12/Res negative? NA Y N
15. Were samples received within the method specified time limit? If not, notate the error below and notify the PM NA Y N
16. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark? NA Y N Underfilled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:
		SHORT HOLD TIME

Sample ID	Bottle Count Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: _____

Miscellaneous Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459/

Sample Name: 23A1459-02 **Date Collected:** 01/25/23
Lab Code: K2301289-001 **Date Received:** 02/1/23
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-03 **Date Collected:** 01/25/23
Lab Code: K2301289-002 **Date Received:** 02/1/23
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-04 **Date Collected:** 01/25/23
Lab Code: K2301289-003 **Date Received:** 02/1/23
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-05 **Date Collected:** 01/27/23
Lab Code: K2301289-004 **Date Received:** 02/1/23
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT
SM 4500-CN- E	MRICH	MRICH

Analyst Summary report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459/

Sample Name: 23A1459-16 **Date Collected:** 01/16/23
Lab Code: K2301289-005 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-17 **Date Collected:** 01/17/23
Lab Code: K2301289-006 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-18 **Date Collected:** 01/17/23
Lab Code: K2301289-007 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-20 **Date Collected:** 01/16/23
Lab Code: K2301289-008 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459/

Sample Name: 23A1459-21 **Date Collected:** 01/17/23
Lab Code: K2301289-009 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-22 **Date Collected:** 01/17/23
Lab Code: K2301289-010 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-24 **Date Collected:** 01/19/23
Lab Code: K2301289-011 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-25 **Date Collected:** 01/20/23
Lab Code: K2301289-012 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Analyst Summary report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459/

Sample Name: 23A1459-27 **Date Collected:** 01/19/23
Lab Code: K2301289-013 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-28 **Date Collected:** 01/20/23
Lab Code: K2301289-014 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-30 **Date Collected:** 01/18/23
Lab Code: K2301289-015 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-31 **Date Collected:** 01/18/23
Lab Code: K2301289-016 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Analyst Summary report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459/

Sample Name: 23A1459-32 **Date Collected:** 01/19/23
Lab Code: K2301289-017 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-34 **Date Collected:** 01/18/23
Lab Code: K2301289-018 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-35 **Date Collected:** 01/18/23
Lab Code: K2301289-019 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-36 **Date Collected:** 01/19/23
Lab Code: K2301289-020 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459/

Sample Name: 23A1459-38 **Date Collected:** 01/17/23
Lab Code: K2301289-021 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-39 **Date Collected:** 01/18/23
Lab Code: K2301289-022 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-40 **Date Collected:** 01/16/23
Lab Code: K2301289-023 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-41 **Date Collected:** 01/17/23
Lab Code: K2301289-024 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Analyst Summary report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459/

Sample Name: 23A1459-43 **Date Collected:** 01/18/23
Lab Code: K2301289-025 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-44 **Date Collected:** 01/19/23
Lab Code: K2301289-026 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-45 **Date Collected:** 01/20/23
Lab Code: K2301289-027 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-48 **Date Collected:** 01/20/23
Lab Code: K2301289-028 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459/

Sample Name: 23A1459-49 **Date Collected:** 01/27/23
Lab Code: K2301289-029 **Date Received:** 02/1/23
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-50 **Date Collected:** 01/27/23
Lab Code: K2301289-030 **Date Received:** 02/1/23
Sample Matrix: Ocean Water

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT
SM 4500-CN- E	MRICH	MRICH

Sample Name: 23A1459-54 **Date Collected:** 01/25/23
Lab Code: K2301289-031 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	JMOORE	BBRIGHT

Sample Name: 23A1459-55 **Date Collected:** 01/23/23
Lab Code: K2301289-032 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459/

Sample Name: 23A1459-56 **Date Collected:** 01/26/23
Lab Code: K2301289-033 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-58 **Date Collected:** 01/21/23
Lab Code: K2301289-034 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-59 **Date Collected:** 01/21/23
Lab Code: K2301289-035 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Sample Name: 23A1459-60 **Date Collected:** 01/21/23
Lab Code: K2301289-036 **Date Received:** 02/1/23
Sample Matrix: Sediment

Analysis Method	Extracted/Digested By	Analyzed By
160.3 Modified		ZBIBI
ALS SOP	ZPRIM	BBRIGHT

Analyst Summary report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459/		

Sample Name:	23A1459-62	**Date Collected:**	01/27/23
Lab Code:	K2301289-037	**Date Received:**	02/1/23
Sample Matrix:	Ocean Water		

Analysis Method	Extracted/Digested By	Analyzed By
ALS SOP	ZPRIM	BBRIGHT
SM 4500-CN- E	MRICH	MRICH

Sample Results

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/25/23 15:45
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-04	**Units:**	ug/L
Lab Code:	K2301289-003	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.072**	0.050	0.029	1	03/28/23 16:55	2/2/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/28/23 16:55	2/2/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/28/23 16:55	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	106	10 - 195	03/28/23 16:55	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/27/23 12:00
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-05	**Units:**	ug/L
Lab Code:	K2301289-004	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.049 JP**	0.050	0.029	1	03/28/23 17:11	2/2/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/28/23 17:11	2/2/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/28/23 17:11	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	97	10 - 195	03/28/23 17:11	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/16/23 14:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-16	**Units:**	ug/Kg
Lab Code:	K2301289-005	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.39**	**J**	1.3	0.35	1	03/09/23 14:25	2/2/23	*
Di-n-butyltin Cation	ND	U	1.3	0.26	1	03/09/23 14:25	2/2/23	*
Tri-n-butyltin Cation	ND	U	1.3	0.58	1	03/09/23 14:25	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	102	10 - 152	03/09/23 14:25	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/16/23 14:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-16	**Units:**	ug/Kg
Lab Code:	K2301289-005	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.29**	**J**	0.99	0.26	1	03/09/23 14:25	2/2/23	*
Di-n-butyltin Cation	ND	U	0.99	0.19	1	03/09/23 14:25	2/2/23	*
Tri-n-butyltin Cation	ND	U	0.99	0.43	1	03/09/23 14:25	2/2/23	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 09:40
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-17	**Units:**	ug/Kg
Lab Code:	K2301289-006	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.63**	**J**	1.3	0.35	1	03/09/23 15:51	2/2/23	*
Di-n-butyltin Cation	ND	U	1.3	0.26	1	03/09/23 15:51	2/2/23	*
Tri-n-butyltin Cation	ND	U	1.3	0.58	1	03/09/23 15:51	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	106	10 - 152	03/09/23 15:51	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 09:40
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-17	**Units:**	ug/Kg
Lab Code:	K2301289-006	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.46**	**J**	0.96	0.26	1	03/09/23 15:51	2/2/23	*
Di-n-butyltin Cation	ND	U	0.96	0.19	1	03/09/23 15:51	2/2/23	*
Tri-n-butyltin Cation	ND	U	0.96	0.43	1	03/09/23 15:51	2/2/23	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 14:40
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-18	**Units:**	ug/Kg
Lab Code:	K2301289-007	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**1.6**	1.4	0.37	1	03/09/23 16:09	2/2/23	*
Di-n-butyltin Cation	**1.4 JP**	1.4	0.27	1	03/09/23 16:09	2/2/23	*
Tri-n-butyltin Cation	ND U	1.4	0.62	1	03/09/23 16:09	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	125	10 - 152	03/09/23 16:09	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 14:40
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-18	**Units:**	ug/Kg
Lab Code:	K2301289-007	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**1.1**	1.0	0.26	1	03/09/23 16:09	2/2/23	*
Di-n-butyltin Cation	**0.95 JP**	1.0	0.19	1	03/09/23 16:09	2/2/23	*
Tri-n-butyltin Cation	ND U	1.0	0.43	1	03/09/23 16:09	2/2/23	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/16/23 17:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-20	**Units:**	ug/Kg
Lab Code:	K2301289-008	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND Ui	1.5	0.52	1	03/09/23 16:26	2/2/23	*
Di-n-butyltin Cation	ND U	1.5	0.29	1	03/09/23 16:26	2/2/23	*
Tri-n-butyltin Cation	ND U	1.5	0.65	1	03/09/23 16:26	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	106	10 - 152	03/09/23 16:26	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/16/23 17:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-20	**Units:**	ug/Kg
Lab Code:	K2301289-008	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND Ui	0.99	0.35	1	03/09/23 16:26	2/2/23	*
Di-n-butyltin Cation	ND U	0.99	0.19	1	03/09/23 16:26	2/2/23	*
Tri-n-butyltin Cation	ND U	0.99	0.43	1	03/09/23 16:26	2/2/23	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 11:30
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-21	**Units:**	ug/Kg
Lab Code:	K2301289-009	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.39**	**J**	1.4	0.38	1	03/09/23 16:43	2/2/23	*
Di-n-butyltin Cation	ND	U	1.4	0.28	1	03/09/23 16:43	2/2/23	*
Tri-n-butyltin Cation	ND	U	1.4	0.63	1	03/09/23 16:43	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	55	10 - 152	03/09/23 16:43	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 11:30
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-21	**Units:**	ug/Kg
Lab Code:	K2301289-009	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.95	0.26	1	03/09/23 16:43	2/2/23	*
Di-n-butyltin Cation	ND U	0.95	0.19	1	03/09/23 16:43	2/2/23	*
Tri-n-butyltin Cation	ND U	0.95	0.43	1	03/09/23 16:43	2/2/23	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 16:30
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-22	**Units:**	ug/Kg
Lab Code:	K2301289-010	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**1.1**	**J**	1.7	0.44	1	03/09/23 17:00	2/2/23	*
Di-n-butyltin Cation	ND	U	1.7	0.32	1	03/09/23 17:00	2/2/23	*
Tri-n-butyltin Cation	ND	U	1.7	0.72	1	03/09/23 17:00	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	100	10 - 152	03/09/23 17:00	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 16:30
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-22	**Units:**	ug/Kg
Lab Code:	K2301289-010	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.62**	**J**	0.99	0.26	1	03/09/23 17:00	2/2/23	*
Di-n-butyltin Cation	ND	U	0.99	0.19	1	03/09/23 17:00	2/2/23	*
Tri-n-butyltin Cation	ND	U	0.99	0.43	1	03/09/23 17:00	2/2/23	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 15:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-24	**Units:**	ug/Kg
Lab Code:	K2301289-011	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.70**	**J**	1.3	0.35	1	03/09/23 17:17	2/2/23	
Di-n-butyltin Cation	ND	U	1.3	0.26	1	03/09/23 17:17	2/2/23	
Tri-n-butyltin Cation	ND	U	1.3	0.57	1	03/09/23 17:17	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	125	10 - 152	03/09/23 17:17	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 15:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-24	**Units:**	ug/Kg
Lab Code:	K2301289-011	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.52**	**J**	0.98	0.26	1	03/09/23 17:17	2/2/23	
Di-n-butyltin Cation	ND	U	0.98	0.19	1	03/09/23 17:17	2/2/23	
Tri-n-butyltin Cation	ND	U	0.98	0.43	1	03/09/23 17:17	2/2/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 11:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-25	**Units:**	ug/Kg
Lab Code:	K2301289-012	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.67**	**J**	1.4	0.36	1	03/09/23 17:35	2/2/23	
Di-n-butyltin Cation	ND	U	1.4	0.26	1	03/09/23 17:35	2/2/23	
Tri-n-butyltin Cation	ND	U	1.4	0.59	1	03/09/23 17:35	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	83	10 - 152	03/09/23 17:35	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 11:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-25	**Units:**	ug/Kg
Lab Code:	K2301289-012	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.48**	**J**	0.98	0.26	1	03/09/23 17:35	2/2/23	
Di-n-butyltin Cation	ND	U	0.98	0.19	1	03/09/23 17:35	2/2/23	
Tri-n-butyltin Cation	ND	U	0.98	0.43	1	03/09/23 17:35	2/2/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 17:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-27	**Units:**	ug/Kg
Lab Code:	K2301289-013	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.41**	**J**	1.6	0.41	1	03/09/23 17:52	2/2/23	
Di-n-butyltin Cation	ND	U	1.6	0.30	1	03/09/23 17:52	2/2/23	
Tri-n-butyltin Cation	ND	U	1.6	0.68	1	03/09/23 17:52	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	64	10 - 152	03/09/23 17:52	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 17:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-27	**Units:**	ug/Kg
Lab Code:	K2301289-013	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.26**	**J**	0.99	0.26	1	03/09/23 17:52	2/2/23	
Di-n-butyltin Cation	ND	U	0.99	0.19	1	03/09/23 17:52	2/2/23	
Tri-n-butyltin Cation	ND	U	0.99	0.43	1	03/09/23 17:52	2/2/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 12:50
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-28	**Units:**	ug/Kg
Lab Code:	K2301289-014	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.40**	**JP**	1.4	0.37	1	03/09/23 18:09	2/2/23	
Di-n-butyltin Cation	ND	U	1.4	0.27	1	03/09/23 18:09	2/2/23	
Tri-n-butyltin Cation	ND	U	1.4	0.61	1	03/09/23 18:09	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	156	10 - 152	03/09/23 18:09	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 12:50
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-28	**Units:**	ug/Kg
Lab Code:	K2301289-014	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.27**	**JP**	0.97	0.26	1	03/09/23 18:09	2/2/23	
Di-n-butyltin Cation	ND	U	0.97	0.19	1	03/09/23 18:09	2/2/23	
Tri-n-butyltin Cation	ND	U	0.97	0.43	1	03/09/23 18:09	2/2/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 09:40
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-30	**Units:**	ug/Kg
Lab Code:	K2301289-015	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.63 J**	1.3	0.35	1	03/09/23 18:26	2/2/23	*
Di-n-butyltin Cation	ND U	1.3	0.26	1	03/09/23 18:26	2/2/23	*
Tri-n-butyltin Cation	ND U	1.3	0.58	1	03/09/23 18:26	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	98	10 - 152	03/09/23 18:26	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 09:40
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-30	**Units:**	ug/Kg
Lab Code:	K2301289-015	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.46**	**J**	0.98	0.26	1	03/09/23 18:26	2/2/23	*
Di-n-butyltin Cation	ND	U	0.98	0.19	1	03/09/23 18:26	2/2/23	*
Tri-n-butyltin Cation	ND	U	0.98	0.43	1	03/09/23 18:26	2/2/23	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 14:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-31	**Units:**	ug/Kg
Lab Code:	K2301289-016	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.51**	**J**	1.4	0.38	1	03/09/23 18:43	2/2/23	*
Di-n-butyltin Cation	ND	U	1.4	0.28	1	03/09/23 18:43	2/2/23	*
Tri-n-butyltin Cation	ND	U	1.4	0.63	1	03/09/23 18:43	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	107	10 - 152	03/09/23 18:43	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 14:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-31	**Units:**	ug/Kg
Lab Code:	K2301289-016	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.35**	**J**	0.99	0.26	1	03/09/23 18:43	2/2/23	*
Di-n-butyltin Cation	ND	U	0.99	0.19	1	03/09/23 18:43	2/2/23	*
Tri-n-butyltin Cation	ND	U	0.99	0.43	1	03/09/23 18:43	2/2/23	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 09:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-32	**Units:**	ug/Kg
Lab Code:	K2301289-017	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.53**	**J**	1.2	0.32	1	03/09/23 19:34	2/2/23	
Di-n-butyltin Cation	ND	U	1.2	0.24	1	03/09/23 19:34	2/2/23	
Tri-n-butyltin Cation	ND	U	1.2	0.53	1	03/09/23 19:34	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	73	10 - 152	03/09/23 19:34	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 09:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-32	**Units:**	ug/Kg
Lab Code:	K2301289-017	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.41**	**J**	0.95	0.26	1	03/09/23 19:34	2/2/23	
Di-n-butyltin Cation	ND	U	0.95	0.19	1	03/09/23 19:34	2/2/23	
Tri-n-butyltin Cation	ND	U	0.95	0.43	1	03/09/23 19:34	2/2/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 11:15
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-34	**Units:**	ug/Kg
Lab Code:	K2301289-018	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.3	0.36	1	03/09/23 19:51	2/2/23	*
Di-n-butyltin Cation	ND U	1.3	0.26	1	03/09/23 19:51	2/2/23	*
Tri-n-butyltin Cation	ND U	1.3	0.59	1	03/09/23 19:51	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	96	10 - 152	03/09/23 19:51	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 11:15
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-34	**Units:**	ug/Kg
Lab Code:	K2301289-018	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.99	0.26	1	03/09/23 19:51	2/2/23	*
Di-n-butyltin Cation	ND U	0.99	0.19	1	03/09/23 19:51	2/2/23	*
Tri-n-butyltin Cation	ND U	0.99	0.43	1	03/09/23 19:51	2/2/23	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 15:45
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-35	**Units:**	ug/Kg
Lab Code:	K2301289-019	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.4	0.36	1	03/09/23 20:09	2/2/23	*
Di-n-butyltin Cation	ND U	1.4	0.26	1	03/09/23 20:09	2/2/23	*
Tri-n-butyltin Cation	ND U	1.4	0.59	1	03/09/23 20:09	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	86	10 - 152	03/09/23 20:09	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 15:45
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-35	**Units:**	ug/Kg
Lab Code:	K2301289-019	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.97	0.26	1	03/09/23 20:09	2/2/23	*
Di-n-butyltin Cation	ND U	0.97	0.19	1	03/09/23 20:09	2/2/23	*
Tri-n-butyltin Cation	ND U	0.97	0.43	1	03/09/23 20:09	2/2/23	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 11:10
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-36	**Units:**	ug/Kg
Lab Code:	K2301289-020	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.4	0.38	1	03/09/23 20:26	2/2/23	
Di-n-butyltin Cation	ND U	1.4	0.28	1	03/09/23 20:26	2/2/23	
Tri-n-butyltin Cation	ND U	1.4	0.63	1	03/09/23 20:26	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	72	10 - 152	03/09/23 20:26	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 11:10
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-36	**Units:**	ug/Kg
Lab Code:	K2301289-020	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.99	0.26	1	03/09/23 20:26	2/2/23	
Di-n-butyltin Cation	ND U	0.99	0.19	1	03/09/23 20:26	2/2/23	
Tri-n-butyltin Cation	ND U	0.99	0.43	1	03/09/23 20:26	2/2/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 14:12
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-38	**Units:**	ug/Kg
Lab Code:	K2301289-021	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.5	0.39	1	03/09/23 09:17	2/2/23	*
Di-n-butyltin Cation	ND U	1.5	0.28	1	03/09/23 09:17	2/2/23	*
Tri-n-butyltin Cation	ND U	1.5	0.64	1	03/09/23 09:17	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	86	10 - 152	03/09/23 09:17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 14:12
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-38	**Units:**	ug/Kg
Lab Code:	K2301289-021	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.96	0.26	1	03/09/23 09:17	2/2/23	*
Di-n-butyltin Cation	ND U	0.96	0.19	1	03/09/23 09:17	2/2/23	*
Tri-n-butyltin Cation	ND U	0.96	0.43	1	03/09/23 09:17	2/2/23	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 09:25
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-39	**Units:**	ug/Kg
Lab Code:	K2301289-022	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**1.4 J**	1.5	0.41	1	03/09/23 09:34	2/2/23	*
Di-n-butyltin Cation	ND U	1.5	0.30	1	03/09/23 09:34	2/2/23	*
Tri-n-butyltin Cation	**1.3 J**	1.5	0.67	1	03/09/23 09:34	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	89	10 - 152	03/09/23 09:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 09:25
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-39	**Units:**	ug/Kg
Lab Code:	K2301289-022	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.90**	**J**	0.99	0.26	1	03/09/23 09:34	2/2/23	*
Di-n-butyltin Cation	ND	U	0.99	0.19	1	03/09/23 09:34	2/2/23	*
Tri-n-butyltin Cation	**0.82**	**J**	0.99	0.43	1	03/09/23 09:34	2/2/23	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/16/23 16:37
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-40	**Units:**	ug/Kg
Lab Code:	K2301289-023	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.63 JP**	1.2	0.32	1	03/09/23 10:09	2/2/23	*
Di-n-butyltin Cation	ND U	1.2	0.24	1	03/09/23 10:09	2/2/23	*
Tri-n-butyltin Cation	ND U	1.2	0.53	1	03/09/23 10:09	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	89	10 - 152	03/09/23 10:09	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/16/23 16:37
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-40	**Units:**	ug/Kg
Lab Code:	K2301289-023	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.50 JP**	0.96	0.26	1	03/09/23 10:09	2/2/23	*
Di-n-butyltin Cation	ND U	0.96	0.19	1	03/09/23 10:09	2/2/23	*
Tri-n-butyltin Cation	ND U	0.96	0.43	1	03/09/23 10:09	2/2/23	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 09:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-41	**Units:**	ug/Kg
Lab Code:	K2301289-024	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.33	1	03/09/23 10:26	2/2/23	*
Di-n-butyltin Cation	ND U	1.2	0.24	1	03/09/23 10:26	2/2/23	*
Tri-n-butyltin Cation	ND U	1.2	0.54	1	03/09/23 10:26	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	82	10 - 152	03/09/23 10:26	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 09:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-41	**Units:**	ug/Kg
Lab Code:	K2301289-024	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.26	1	03/09/23 10:26	2/2/23	*
Di-n-butyltin Cation	ND U	0.98	0.19	1	03/09/23 10:26	2/2/23	*
Tri-n-butyltin Cation	ND U	0.98	0.43	1	03/09/23 10:26	2/2/23	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 14:10
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-43	**Units:**	ug/Kg
Lab Code:	K2301289-025	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.59**	**J**	1.2	0.31	1	03/09/23 11:17	2/2/23	*
Di-n-butyltin Cation	ND	U	1.2	0.23	1	03/09/23 11:17	2/2/23	*
Tri-n-butyltin Cation	ND	U	1.2	0.50	1	03/09/23 11:17	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	109	10 - 152	03/09/23 11:17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 14:10
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-43	**Units:**	ug/Kg
Lab Code:	K2301289-025	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.50**	**J**	0.99	0.26	1	03/09/23 11:17	2/2/23	*
Di-n-butyltin Cation	ND	U	0.99	0.19	1	03/09/23 11:17	2/2/23	*
Tri-n-butyltin Cation	ND	U	0.99	0.43	1	03/09/23 11:17	2/2/23	*

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 08:15
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-44	**Units:**	ug/Kg
Lab Code:	K2301289-026	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.30	1	03/09/23 11:34	2/2/23	
Di-n-butyltin Cation	ND U	1.2	0.22	1	03/09/23 11:34	2/2/23	
Tri-n-butyltin Cation	ND U	1.2	0.50	1	03/09/23 11:34	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	64	10 - 152	03/09/23 11:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 08:15
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-44	**Units:**	ug/Kg
Lab Code:	K2301289-026	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.97	0.26	1	03/09/23 11:34	2/2/23	
Di-n-butyltin Cation	ND U	0.97	0.19	1	03/09/23 11:34	2/2/23	
Tri-n-butyltin Cation	ND U	0.97	0.43	1	03/09/23 11:34	2/2/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 09:15
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-45	**Units:**	ug/Kg
Lab Code:	K2301289-027	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.4	0.37	1	03/09/23 11:51	2/2/23	
Di-n-butyltin Cation	ND U	1.4	0.27	1	03/09/23 11:51	2/2/23	
Tri-n-butyltin Cation	ND U	1.4	0.61	1	03/09/23 11:51	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	90	10 - 152	03/09/23 11:51	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 09:15
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-45	**Units:**	ug/Kg
Lab Code:	K2301289-027	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.99	0.26	1	03/09/23 11:51	2/2/23	
Di-n-butyltin Cation	ND U	0.99	0.19	1	03/09/23 11:51	2/2/23	
Tri-n-butyltin Cation	ND U	0.99	0.43	1	03/09/23 11:51	2/2/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 09:30
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-48	**Units:**	ug/Kg
Lab Code:	K2301289-028	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.4	0.37	1	03/09/23 12:09	2/2/23	
Di-n-butyltin Cation	ND U	1.4	0.27	1	03/09/23 12:09	2/2/23	
Tri-n-butyltin Cation	ND U	1.4	0.61	1	03/09/23 12:09	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	136	10 - 152	03/09/23 12:09	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 09:30
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-48	**Units:**	ug/Kg
Lab Code:	K2301289-028	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.99	0.26	1	03/09/23 12:09	2/2/23	
Di-n-butyltin Cation	ND U	0.99	0.19	1	03/09/23 12:09	2/2/23	
Tri-n-butyltin Cation	ND U	0.99	0.43	1	03/09/23 12:09	2/2/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/27/23 16:07
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-49	**Units:**	ug/L
Lab Code:	K2301289-029	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	03/28/23 17:28	2/2/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/28/23 17:28	2/2/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/28/23 17:28	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	94	10 - 195	03/28/23 17:28	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/27/23 15:20
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-50	**Units:**	ug/L
Lab Code:	K2301289-030	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.083**	0.050	0.029	1	03/28/23 17:44	2/2/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/28/23 17:44	2/2/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/28/23 17:44	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	83	10 - 195	03/28/23 17:44	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/25/23 08:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-54	**Units:**	ug/Kg
Lab Code:	K2301289-031	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.37 JP**	1.2	0.32	1	03/28/23 18:17	2/6/23	*
Di-n-butyltin Cation	ND U	1.2	0.24	1	03/28/23 18:17	2/6/23	*
Tri-n-butyltin Cation	**0.78 JP**	1.2	0.53	1	03/28/23 18:17	2/6/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	84	10 - 152	03/28/23 18:17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/25/23 08:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-54	**Units:**	ug/Kg
Lab Code:	K2301289-031	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.30**	**J**	0.97	0.26	1	03/28/23 18:17	2/6/23	*
Di-n-butyltin Cation	ND	U	0.97	0.19	1	03/28/23 18:17	2/6/23	*
Tri-n-butyltin Cation	**0.62**	**JP**	0.97	0.43	1	03/28/23 18:17	2/6/23	*

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/23/23 16:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-55	**Units:**	ug/Kg
Lab Code:	K2301289-032	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.30	1	03/09/23 12:26	2/2/23	
Di-n-butyltin Cation	ND U	1.2	0.22	1	03/09/23 12:26	2/2/23	
Tri-n-butyltin Cation	ND U	1.2	0.50	1	03/09/23 12:26	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	65	10 - 152	03/09/23 12:26	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/23/23 16:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-55	**Units:**	ug/Kg
Lab Code:	K2301289-032	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.96	0.26	1	03/09/23 12:26	2/2/23	
Di-n-butyltin Cation	ND U	0.96	0.19	1	03/09/23 12:26	2/2/23	
Tri-n-butyltin Cation	ND U	0.96	0.43	1	03/09/23 12:26	2/2/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/26/23 13:05
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-56	**Units:**	ug/Kg
Lab Code:	K2301289-033	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.2	0.32	1	03/09/23 12:43	2/2/23	
Di-n-butyltin Cation	ND U	1.2	0.23	1	03/09/23 12:43	2/2/23	
Tri-n-butyltin Cation	ND U	1.2	0.52	1	03/09/23 12:43	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	72	10 - 152	03/09/23 12:43	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/26/23 13:05
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-56	**Units:**	ug/Kg
Lab Code:	K2301289-033	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.98	0.26	1	03/09/23 12:43	2/2/23	
Di-n-butyltin Cation	ND U	0.98	0.19	1	03/09/23 12:43	2/2/23	
Tri-n-butyltin Cation	ND U	0.98	0.43	1	03/09/23 12:43	2/2/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/21/23 10:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-58	**Units:**	ug/Kg
Lab Code:	K2301289-034	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**1.5**		1.2	0.31	1	03/09/23 13:00	2/2/23	
Di-n-butyltin Cation	**0.75**	**J**	1.2	0.22	1	03/09/23 13:00	2/2/23	
Tri-n-butyltin Cation	ND	U	1.2	0.50	1	03/09/23 13:00	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	84	10 - 152	03/09/23 13:00	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/21/23 10:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-58	**Units:**	ug/Kg
Lab Code:	K2301289-034	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**1.3**		0.98	0.26	1	03/09/23 13:00	2/2/23	
Di-n-butyltin Cation	**0.63**	**J**	0.98	0.19	1	03/09/23 13:00	2/2/23	
Tri-n-butyltin Cation	ND	U	0.98	0.43	1	03/09/23 13:00	2/2/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/21/23 16:45
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-59	**Units:**	ug/Kg
Lab Code:	K2301289-035	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	1.3	0.33	1	03/09/23 13:17	2/2/23	
Di-n-butyltin Cation	ND U	1.3	0.24	1	03/09/23 13:17	2/2/23	
Tri-n-butyltin Cation	ND U	1.3	0.54	1	03/09/23 13:17	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	57	10 - 152	03/09/23 13:17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/21/23 16:45
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-59	**Units:**	ug/Kg
Lab Code:	K2301289-035	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.97	0.26	1	03/09/23 13:17	2/2/23	
Di-n-butyltin Cation	ND U	0.97	0.19	1	03/09/23 13:17	2/2/23	
Tri-n-butyltin Cation	ND U	0.97	0.43	1	03/09/23 13:17	2/2/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/21/23 16:45
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-60	**Units:**	ug/Kg
Lab Code:	K2301289-036	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.47**	**J**	1.2	0.32	1	03/09/23 13:35	2/2/23	
Di-n-butyltin Cation	ND	U	1.2	0.24	1	03/09/23 13:35	2/2/23	
Tri-n-butyltin Cation	ND	U	1.2	0.53	1	03/09/23 13:35	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	65	10 - 152	03/09/23 13:35	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/21/23 16:45
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-60	**Units:**	ug/Kg
Lab Code:	K2301289-036	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result		MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.37**	**J**	0.96	0.26	1	03/09/23 13:35	2/2/23	
Di-n-butyltin Cation	ND	U	0.96	0.19	1	03/09/23 13:35	2/2/23	
Tri-n-butyltin Cation	ND	U	0.96	0.43	1	03/09/23 13:35	2/2/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/27/23 13:26
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-62	**Units:**	ug/L
Lab Code:	K2301289-037	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	**0.067**	0.050	0.029	1	03/28/23 18:01	2/2/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/28/23 18:01	2/2/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/28/23 18:01	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	66	10 - 195	03/28/23 18:01	

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/25/23 11:20
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-02	**Basis:**	NA
Lab Code:	K2301289-001		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/04/23 15:04	02/04/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/25/23 14:17
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-03	**Basis:**	NA
Lab Code:	K2301289-002		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/04/23 15:04	02/04/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/25/23 15:45
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-04	**Basis:**	NA
Lab Code:	K2301289-003		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/04/23 15:04	02/04/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/27/23 12:00
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-05	**Basis:**	NA
Lab Code:	K2301289-004		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/04/23 15:04	02/04/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/16/23 14:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-16	**Basis:**	As Received
Lab Code:	K2301289-005		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**74.0**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 09:40
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-17	**Basis:**	As Received
Lab Code:	K2301289-006		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**72.4**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 14:40
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-18	**Basis:**	As Received
Lab Code:	K2301289-007		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**70.3**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/16/23 17:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-20	**Basis:**	As Received
Lab Code:	K2301289-008		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**66.0**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 11:30
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-21	**Basis:**	As Received
Lab Code:	K2301289-009		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**66.1**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 16:30
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-22	**Basis:**	As Received
Lab Code:	K2301289-010		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**59.0**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 15:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-24	**Basis:**	As Received
Lab Code:	K2301289-011		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**74.0**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 11:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-25	**Basis:**	As Received
Lab Code:	K2301289-012		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**71.7**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 17:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-27	**Basis:**	As Received
Lab Code:	K2301289-013		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**63.5**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 12:50
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-28	**Basis:**	As Received
Lab Code:	K2301289-014		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**68.7**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 09:40
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-30	**Basis:**	As Received
Lab Code:	K2301289-015		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**72.9**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 14:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-31	**Basis:**	As Received
Lab Code:	K2301289-016		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**68.2**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 09:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-32	**Basis:**	As Received
Lab Code:	K2301289-017		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**78.0**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 11:15
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-34	**Basis:**	As Received
Lab Code:	K2301289-018		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**73.6**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 15:45
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-35	**Basis:**	As Received
Lab Code:	K2301289-019		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**71.8**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 11:10
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-36	**Basis:**	As Received
Lab Code:	K2301289-020		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**68.5**	Percent	-	-	1	02/02/23 11:07	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 14:12
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-38	**Basis:**	As Received
Lab Code:	K2301289-021		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**65.6**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 09:25
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-39	**Basis:**	As Received
Lab Code:	K2301289-022		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**64.2**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/16/23 16:37
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-40	**Basis:**	As Received
Lab Code:	K2301289-023		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**79.3**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/17/23 09:20
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-41	**Basis:**	As Received
Lab Code:	K2301289-024		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**78.8**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23 14:10
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-43	**Basis:**	As Received
Lab Code:	K2301289-025		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**85.6**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/19/23 08:15
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-44	**Basis:**	As Received
Lab Code:	K2301289-026		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**84.5**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 09:15
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-45	**Basis:**	As Received
Lab Code:	K2301289-027		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**70.0**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/20/23 09:30
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-48	**Basis:**	As Received
Lab Code:	K2301289-028		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**70.2**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/27/23 16:07
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-49	**Basis:**	NA
Lab Code:	K2301289-029		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/04/23 15:04	02/04/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/27/23 15:20
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-50	**Basis:**	NA
Lab Code:	K2301289-030		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/09/23 16:15	02/09/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/25/23 08:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-54	**Basis:**	As Received
Lab Code:	K2301289-031		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**79.4**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/23/23 16:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-55	**Basis:**	As Received
Lab Code:	K2301289-032		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**83.6**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/26/23 13:05
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-56	**Basis:**	As Received
Lab Code:	K2301289-033		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**81.9**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/21/23 10:00
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-58	**Basis:**	As Received
Lab Code:	K2301289-034		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**84.9**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/21/23 16:45
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-59	**Basis:**	As Received
Lab Code:	K2301289-035		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**77.8**	Percent	-	-	1	02/02/23 13:52	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/21/23 16:45
Sample Matrix:	Sediment	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-60	**Basis:**	As Received
Lab Code:	K2301289-036		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Q
Solids, Total	160.3 Modified	**78.0**	Percent	-	-	1	02/02/23 13:52	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/27/23 13:26
Sample Matrix:	Ocean Water	**Date Received:**	02/01/23 10:30
Sample Name:	23A1459-62	**Basis:**	NA
Lab Code:	K2301289-037		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/09/23 16:15	02/09/23	

QC Summary Forms

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Semivolatile Organic Compounds by GC

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459
Sample Matrix: Ocean Water

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: EPA 3520C

Sample Name	Lab Code	Tri-n-propyltin 10-195
23A1459-04	K2301289-003	106
23A1459-05	K2301289-004	97
23A1459-49	K2301289-029	94
23A1459-50	K2301289-030	83
23A1459-62	K2301289-037	66
Method Blank	KQ2301926-01	72
Lab Control Sample	KQ2301926-02	90
Duplicate Lab Control Sample	KQ2301926-03	70

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459
Sample Matrix: Sediment

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: Method

Sample Name	Lab Code	Tri-n-propyltin 10-152
23A1459-16	K2301289-005	102
23A1459-17	K2301289-006	106
23A1459-18	K2301289-007	125
23A1459-20	K2301289-008	106
23A1459-21	K2301289-009	55
23A1459-22	K2301289-010	100
23A1459-24	K2301289-011	125
23A1459-25	K2301289-012	83
23A1459-27	K2301289-013	64
23A1459-28	K2301289-014	156*
23A1459-30	K2301289-015	98
23A1459-31	K2301289-016	107
23A1459-32	K2301289-017	73
23A1459-34	K2301289-018	96
23A1459-35	K2301289-019	86
23A1459-36	K2301289-020	72
23A1459-38	K2301289-021	86
23A1459-39	K2301289-022	89
23A1459-40	K2301289-023	89
23A1459-41	K2301289-024	82
23A1459-43	K2301289-025	109
23A1459-44	K2301289-026	64
23A1459-45	K2301289-027	90
23A1459-48	K2301289-028	136
23A1459-54	K2301289-031	84
23A1459-55	K2301289-032	65
23A1459-56	K2301289-033	72
23A1459-58	K2301289-034	84
23A1459-59	K2301289-035	57
23A1459-60	K2301289-036	65
Method Blank	KQ2301898-04	54
Method Blank	KQ2302045-03	91
Method Blank	KQ2304287-02	88
Lab Control Sample	KQ2301898-03	69
Lab Control Sample	KQ2302045-04	124
Lab Control Sample	KQ2304287-03	37
23A1459-16	KQ2301898-01	56

QA/QC Report

Client: North Water District Lab Services (NWDLS) **Service Request:** K2301289
Project: 23A1459
Sample Matrix: Sediment

SURROGATE RECOVERY SUMMARY
Butyltins

Analysis Method: ALS SOP
Extraction Method: Method

Sample Name	Lab Code	Tri-n-propyltin 10-152
23A1459-16	KQ2301898-02	91
23A1459-39	KQ2304287-01	76

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/18/23
Sample Matrix:	Sediment	**Date Received:**	02/01/23
		Date Analyzed:	03/9/23
		Date Extracted:	02/2/23

Matrix Spike Summary
Butyltins

Sample Name:	23A1459-39	**Units:**	ug/Kg
Lab Code:	K2301289-022	**Basis:**	Dry
Analysis Method:	ALS SOP		
Prep Method:	Method		

Matrix Spike
KQ2304287-01

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
n-Butyltin Cation	1.4 J	26.2	24.1	103	10-200
Di-n-butyltin Cation	ND U	17.4	29.7	59	10-190
Tri-n-butyltin Cation	1.3 J	29.2	34.5	81	10-186

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	01/16/23
Sample Matrix:	Sediment	**Date Received:**	02/01/23
		Date Analyzed:	03/9/23
		Date Extracted:	02/2/23

Duplicate Matrix Spike Summary
Butyltins

Sample Name:	23A1459-16	**Units:**	ug/Kg
Lab Code:	K2301289-005	**Basis:**	Dry
Analysis Method:	ALS SOP		
Prep Method:	Method		

		Matrix Spike KQ2301898-01			Duplicate Matrix Spike KQ2301898-02					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
n-Butyltin Cation	0.39 J	21.8	20.8	103	20.3	20.2	99	10-200	7	40
Di-n-butyltin Cation	ND U	24.4	25.5	95	21.0	24.8	85	10-190	15	40
Tri-n-butyltin Cation	ND U	25.5	29.7	86	24.3	28.8	84	10-186	5	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2301898-04	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.95	0.26	1	03/09/23 13:52	2/2/23	
Di-n-butyltin Cation	ND U	0.95	0.19	1	03/09/23 13:52	2/2/23	
Tri-n-butyltin Cation	ND U	0.95	0.43	1	03/09/23 13:52	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	54	10 - 152	03/09/23 13:52	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2301898-04	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.95	0.26	1	03/09/23 13:52	2/2/23	
Di-n-butyltin Cation	ND U	0.95	0.19	1	03/09/23 13:52	2/2/23	
Tri-n-butyltin Cation	ND U	0.95	0.43	1	03/09/23 13:52	2/2/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	KQ2301926-01	**Basis:**	NA

Butyltins

Analysis Method: ALS SOP
Prep Method: EPA 3520C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.050	0.029	1	03/28/23 16:04	2/2/23	*
Di-n-butyltin Cation	ND U	0.050	0.0073	1	03/28/23 16:04	2/2/23	*
Tri-n-butyltin Cation	ND U	0.050	0.012	1	03/28/23 16:04	2/2/23	*

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	72	10 - 195	03/28/23 16:04	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2302045-03	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.97	0.26	1	02/26/23 23:16	2/6/23	
Di-n-butyltin Cation	ND U	0.97	0.19	1	02/26/23 23:16	2/6/23	
Tri-n-butyltin Cation	ND U	0.97	0.43	1	02/26/23 23:16	2/6/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	91	10 - 152	02/26/23 23:16	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2302045-03	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.97	0.26	1	02/26/23 23:16	2/6/23	
Di-n-butyltin Cation	ND U	0.97	0.19	1	02/26/23 23:16	2/6/23	
Tri-n-butyltin Cation	ND U	0.97	0.43	1	02/26/23 23:16	2/6/23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2304287-02	**Basis:**	Dry

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.96	0.26	1	03/09/23 08:43	2/2/23	
Di-n-butyltin Cation	ND U	0.96	0.19	1	03/09/23 08:43	2/2/23	
Tri-n-butyltin Cation	ND U	0.96	0.43	1	03/09/23 08:43	2/2/23	

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
Tri-n-propyltin	88	10 - 152	03/09/23 08:43	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Sediment	**Date Received:**	NA
Sample Name:	Method Blank	**Units:**	ug/Kg
Lab Code:	KQ2304287-02	**Basis:**	As Received

Butyltins

Analysis Method: ALS SOP
Prep Method: Method

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
n-Butyltin Cation	ND U	0.96	0.26	1	03/09/23 08:43	2/2/23	
Di-n-butyltin Cation	ND U	0.96	0.19	1	03/09/23 08:43	2/2/23	
Tri-n-butyltin Cation	ND U	0.96	0.43	1	03/09/23 08:43	2/2/23	

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Analyzed:**	03/09/23
Sample Matrix:	Sediment	**Date Extracted:**	02/02/23

Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Dry
		Analysis Lot:	797467

Lab Control Sample
KQ2301898-03

Analyte Name	Result	Spike Amount	% Rec	% Rec Limits
Di-n-butyltin Cation	26.3	19.2	137	10-190
n-Butyltin Cation	27.1	15.6	174	10-200
Tri-n-butyltin Cation	25.9	22.3	116	10-186

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Analyzed:**	02/26/23
Sample Matrix:	Sediment	**Date Extracted:**	02/06/23

Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Dry
		Analysis Lot:	796038

Lab Control Sample
KQ2302045-04

Analyte Name	Result	Spike Amount	% Rec	% Rec Limits
Di-n-butyltin Cation	28.5 P	19.2	149	10-190
n-Butyltin Cation	20.0 P	15.6	128	10-200
Tri-n-butyltin Cation	30.7	22.3	138	10-186

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Analyzed:**	03/09/23
Sample Matrix:	Sediment	**Date Extracted:**	02/02/23

Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/Kg
Prep Method:	Method	**Basis:**	Dry
		Analysis Lot:	797477

Lab Control Sample
KQ2304287-03

Analyte Name	Result	Spike Amount	% Rec	% Rec Limits
Di-n-butyltin Cation	15.4	19.2	81	10-190
n-Butyltin Cation	30.2	15.6	194	10-200
Tri-n-butyltin Cation	11.8	22.3	53	10-186

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Analyzed:**	03/28/23
Sample Matrix:	Ocean Water	**Date Extracted:**	02/02/23

Duplicate Lab Control Sample Summary
Butyltins

Analysis Method:	ALS SOP	**Units:**	ug/L
Prep Method:	EPA 3520C	**Basis:**	NA
		Analysis Lot:	799194

	Lab Control Sample KQ2301926-02			Duplicate Lab Control Sample KQ2301926-03					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Di-n-butyltin Cation	0.317	0.383	83	0.292	0.383	76	10-200	8	30
n-Butyltin Cation	0.451	0.312	145	0.270	0.312	87	10-200	50 *	30
Tri-n-butyltin Cation	0.346	0.446	78	0.298	0.446	67	10-200	15	30

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Ocean Water

Service Request: K2301289
Date Collected: 01/25/23 15:45
Date Received: 2/1/23

Sample Name: 23A1459-04
Lab Code: K2301289-003

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.072	0.098	31		1	03/28/23 16:55

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Ocean Water

Service Request: K2301289
Date Collected: 01/27/23 12:00
Date Received: 2/1/23

Sample Name: 23A1459-05
Lab Code: K2301289-004

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.049	0.074	41	JP	1	03/28/23 17:11

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/16/23 14:20
Date Received: 2/1/23

Sample Name: 23A1459-16
Lab Code: K2301289-005

Units: ug/Kg
Basis: As Received
Percent Solids: 74.0

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.26	0.29	0.30	3	J	1	03/09/23 14:25
n-Butyltin Cation	0.35	0.39	0.40	3	J	1	03/09/23 14:25

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/17/23 09:40
Date Received: 2/1/23

Sample Name: 23A1459-17
Lab Code: K2301289-006

Units: ug/Kg
Basis: Dry
Percent Solids: 72.4

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.35	0.63	0.63	<1	J	1	03/09/23 15:51
n-Butyltin Cation	0.26	0.46	0.46	<1	J	1	03/09/23 15:51

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/17/23 14:40
Date Received: 2/1/23

Sample Name: 23A1459-18
Lab Code: K2301289-007

Units: ug/Kg
Basis: Dry
Percent Solids: 70.3

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.27	1.4	2.8	67	JP	1	03/09/23 16:09
Di-n-butyltin Cation	0.19	0.95	1.9	67	JP	1	03/09/23 16:09
n-Butyltin Cation	0.26	1.1	1.4	24		1	03/09/23 16:09
n-Butyltin Cation	0.37	1.6	2.0	22		1	03/09/23 16:09

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/17/23 11:30
Date Received: 2/1/23

Sample Name: 23A1459-21
Lab Code: K2301289-009

Units: ug/Kg
Basis: Dry
Percent Solids: 66.1

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.38	0.39	0.48	21	J	1	03/09/23 16:43

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/17/23 16:30
Date Received: 2/1/23

Sample Name: 23A1459-22
Lab Code: K2301289-010

Units: ug/Kg
Basis: Dry
Percent Solids: 59.0

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.44	1.1	1.2	9	J	1	03/09/23 17:00
n-Butyltin Cation	0.26	0.62	0.71	14	J	1	03/09/23 17:00

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/19/23 15:20
Date Received: 2/1/23

Sample Name: 23A1459-24
Lab Code: K2301289-011

Units: ug/Kg
Basis: Dry
Percent Solids: 74.0

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.35	0.70	0.88	23	J	1	03/09/23 17:17
n-Butyltin Cation	0.26	0.52	0.65	22	J	1	03/09/23 17:17

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/20/23 11:00
Date Received: 2/1/23

Sample Name: 23A1459-25
Lab Code: K2301289-012

Units: ug/Kg
Basis: Dry
Percent Solids: 71.7

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.36	0.67	0.74	10	J	1	03/09/23 17:35
n-Butyltin Cation	0.26	0.48	0.53	10	J	1	03/09/23 17:35

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/19/23 17:00
Date Received: 2/1/23

Sample Name: 23A1459-27
Lab Code: K2301289-013

Units: ug/Kg
Basis: Dry
Percent Solids: 63.5

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.41	0.41	0.47	14	J	1	03/09/23 17:52
n-Butyltin Cation	0.26	0.26	0.30	14	J	1	03/09/23 17:52

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/20/23 12:50
Date Received: 2/1/23

Sample Name: 23A1459-28
Lab Code: K2301289-014

Units: ug/Kg
Basis: Dry
Percent Solids: 68.7

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.37	0.40	0.98	84	JP	1	03/09/23 18:09
n-Butyltin Cation	0.26	0.27	0.68	86	JP	1	03/09/23 18:09

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/18/23 09:40
Date Received: 2/1/23

Sample Name: 23A1459-30
Lab Code: K2301289-015

Units: ug/Kg
Basis: Dry
Percent Solids: 72.9

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.35	0.63	0.77	20	J	1	03/09/23 18:26
n-Butyltin Cation	0.26	0.46	0.56	20	J	1	03/09/23 18:26

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/18/23 14:00
Date Received: 2/1/23

Sample Name: 23A1459-31
Lab Code: K2301289-016

Units: ug/Kg
Basis: Dry
Percent Solids: 68.2

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.38	0.51	0.55	8	J	1	03/09/23 18:43
n-Butyltin Cation	0.26	0.35	0.38	8	J	1	03/09/23 18:43

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/19/23 09:20
Date Received: 2/1/23

Sample Name: 23A1459-32
Lab Code: K2301289-017

Units: ug/Kg
Basis: Dry
Percent Solids: 78.0

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.32	0.53	0.59	11	J	1	03/09/23 19:34
n-Butyltin Cation	0.26	0.41	0.46	11	J	1	03/09/23 19:34

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/18/23 09:25
Date Received: 2/1/23

Sample Name: 23A1459-39
Lab Code: K2301289-022

Units: ug/Kg
Basis: Dry
Percent Solids: 64.2

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Tri-n-butyltin Cation	0.67	1.3	1.5	14	J	1	03/09/23 09:34
Tri-n-butyltin Cation	0.43	0.82	0.96	16	J	1	03/09/23 09:34
n-Butyltin Cation	0.26	0.90	1.1	20	J	1	03/09/23 09:34
n-Butyltin Cation	0.41	1.4	1.7	19	J	1	03/09/23 09:34

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/16/23 16:37
Date Received: 2/1/23

Sample Name: 23A1459-40
Lab Code: K2301289-023

Units: ug/Kg
Basis: As Received
Percent Solids: 79.3

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.26	0.50	0.95	62	JP	1	03/09/23 10:09
n-Butyltin Cation	0.32	0.63	1.2	62	JP	1	03/09/23 10:09

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/18/23 14:10
Date Received: 2/1/23

Sample Name: 23A1459-43
Lab Code: K2301289-025

Units: ug/Kg
Basis: As Received
Percent Solids: 85.6

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.26	0.50	0.54	8	J	1	03/09/23 11:17
n-Butyltin Cation	0.31	0.59	0.63	7	J	1	03/09/23 11:17

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Ocean Water

Service Request: K2301289
Date Collected: 01/27/23 15:20
Date Received: 2/1/23

Sample Name: 23A1459-50
Lab Code: K2301289-030

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.083	0.092	10		1	03/28/23 17:44

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/25/23 08:00
Date Received: 2/1/23

Sample Name: 23A1459-54
Lab Code: K2301289-031

Units: ug/Kg
Basis: As Received
Percent Solids: 79.4

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Tri-n-butyltin Cation	0.43	0.62	0.94	41	JP	1	03/28/23 18:17
Tri-n-butyltin Cation	0.53	0.78	1.2	42	JP	1	03/28/23 18:17
n-Butyltin Cation	0.32	0.37	0.56	41	JP	1	03/28/23 18:17
n-Butyltin Cation	0.26	0.30	0.45	40	J	1	03/28/23 18:17

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/21/23 10:00
Date Received: 2/1/23

Sample Name: 23A1459-58
Lab Code: K2301289-034

Units: ug/Kg
Basis: As Received
Percent Solids: 84.9

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	0.63	0.72	13	J	1	03/09/23 13:00
Di-n-butyltin Cation	0.22	0.75	0.85	12	J	1	03/09/23 13:00
n-Butyltin Cation	0.31	1.5	1.5	<1		1	03/09/23 13:00
n-Butyltin Cation	0.26	1.3	1.3	<1		1	03/09/23 13:00

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/21/23 16:45
Date Received: 2/1/23

Sample Name: 23A1459-60
Lab Code: K2301289-036

Units: ug/Kg
Basis: Dry
Percent Solids: 78.0

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.32	0.47	0.50	6	J	1	03/09/23 13:35
n-Butyltin Cation	0.26	0.37	0.39	5	J	1	03/09/23 13:35

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Ocean Water

Service Request: K2301289
Date Collected: 01/27/23 13:26
Date Received: 2/1/23

Sample Name: 23A1459-62
Lab Code: K2301289-037

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
n-Butyltin Cation	0.029	0.067	0.076	13		1	03/28/23 18:01

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/16/23 14:20
Date Received: 2/1/23

Sample Name: 23A1459-16
Lab Code: KQ2301898-01

Units: ug/Kg
Basis: Dry
Percent Solids: 74.0

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.26	24.4	25.1	3		1	03/09/23 14:42
Tri-n-butyltin Cation	0.58	25.5	26.0	2		1	03/09/23 14:42
n-Butyltin Cation	0.35	21.8	25.0	14		1	03/09/23 14:42

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/16/23 14:20
Date Received: 2/1/23

Sample Name: 23A1459-16
Lab Code: KQ2301898-02

Units: ug/Kg
Basis: Dry
Percent Solids: 74.0

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.25	21.0	21.6	3		1	03/09/23 15:00
Tri-n-butyltin Cation	0.56	24.3	24.4	<1		1	03/09/23 15:00
n-Butyltin Cation	0.34	20.3	23.7	15		1	03/09/23 15:00

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2301898-03

Units: ug/Kg
Basis: Dry

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	26.3	27.0	3		1	03/09/23 14:09
Tri-n-butyltin Cation	0.43	25.9	26.1	<1		1	03/09/23 14:09
n-Butyltin Cation	0.26	27.1	30.4	11		1	03/09/23 14:09

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Ocean Water

Service Request: K2301289
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2301926-02

Units: ug/L
Basis: NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.317	0.325	2		1	03/28/23 16:22
Tri-n-butyltin Cation	0.012	0.346	0.375	8		1	03/28/23 16:22
n-Butyltin Cation	0.029	0.451	0.453	<1		1	03/28/23 16:22

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Matrix:	Ocean Water	**Date Received:**	
Sample Name:	Duplicate Lab Control Sample		
Lab Code:	KQ2301926-03	**Units:**	ug/L
		Basis:	NA

Butyltins

Analytical Method: ALS SOP
Prep Method: EPA 3520C

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.0073	0.292	0.316	8		1	03/28/23 16:39
Tri-n-butyltin Cation	0.012	0.298	0.345	15		1	03/28/23 16:39
n-Butyltin Cation	0.029	0.270	0.308	13		1	03/28/23 16:39

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: NA
Date Received:

Sample Name: Lab Control Sample
Lab Code: KQ2302045-04

Units: ug/Kg
Basis: Dry

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	28.5	42.8	40	P	1	02/26/23 23:33
Tri-n-butyltin Cation	0.43	30.7	39.6	25		1	02/26/23 23:33
n-Butyltin Cation	0.26	20.0	48.6	83	P	1	02/26/23 23:33

Confirmation Results

Client: North Water District Lab Services (NWDLS)
Project: 23A1459
Matrix: Sediment

Service Request: K2301289
Date Collected: 01/18/23 09:25
Date Received: 2/1/23

Sample Name: 23A1459-39
Lab Code: KQ2304287-01

Units: ug/Kg
Basis: Dry
Percent Solids: 64.2

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.30	17.4	20.1	14		1	03/09/23 09:51
Tri-n-butyltin Cation	0.67	29.2	29.6	1		1	03/09/23 09:51
n-Butyltin Cation	0.41	26.2	31.0	17		1	03/09/23 09:51

ALS Group USA, Corp.
dba ALS Environmental

Confirmation Results

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Matrix:	Sediment	**Date Received:**	
Sample Name:	Lab Control Sample		
Lab Code:	KQ2304287-03		

Units: ug/Kg
Basis: Dry

Butyltins

Analytical Method: ALS SOP
Prep Method: Method

	MDL	Primary Result	Confirmation Result	RPD	Q	Dilution Factor	Date Analyzed
Di-n-butyltin Cation	0.19	15.4	16.2	5		1	03/09/23 09:00
Tri-n-butyltin Cation	0.43	11.8	11.9	<1		1	03/09/23 09:00
n-Butyltin Cation	0.26	30.2	34.7	14		1	03/09/23 09:00

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360) 577-7222 Fax (360) 425-9096
www.alsglobal.com

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2301289-MB1		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/04/23 15:04	02/04/23	

Analytical Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Collected:**	NA
Sample Matrix:	Ocean Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	K2301289-MB2		

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Cyanide, Total	SM 4500-CN- E	ND U	mg/L	0.020	0.0005	1	02/09/23 16:15	02/09/23	

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project	23A1459	**Date Collected:**	01/16/23
Sample Matrix:	Sediment	**Date Received:**	02/01/23
		Date Analyzed:	02/02/23

Replicate Sample Summary
Inorganic Parameters

Sample Name:	23A1459-16	**Units:**	Percent
Lab Code:	K2301289-005	**Basis:**	As Received

Analyte Name	Analysis Method	MRL	MDL	Sample Result	Duplicate Sample K2301289-005DUP Result	Average	RPD	RPD Limit
Solids, Total	160.3 Modified	-	-	74.0	74.5	74.3	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project	23A1459	**Date Collected:**	01/19/23
Sample Matrix:	Sediment	**Date Received:**	02/01/23
		Date Analyzed:	02/02/23

Replicate Sample Summary
Inorganic Parameters

Sample Name:	23A1459-36	**Units:**	Percent
Lab Code:	K2301289-020	**Basis:**	As Received

Analyte Name	Analysis Method	MRL	MDL	Sample Result	Duplicate Sample K2301289-020DUP Result	Average	RPD	RPD Limit
Solids, Total	160.3 Modified	-	-	68.5	72.5	70.5	6	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project	23A1459	**Date Collected:**	01/17/23
Sample Matrix:	Sediment	**Date Received:**	02/01/23
		Date Analyzed:	02/02/23

Replicate Sample Summary
Inorganic Parameters

Sample Name:	23A1459-38	**Units:**	Percent
Lab Code:	K2301289-021	**Basis:**	As Received

Analyte Name	Analysis Method	MRL	MDL	Sample Result	Duplicate Sample K2301289-021DUP Result	Average	RPD	RPD Limit
Solids, Total	160.3 Modified	-	-	65.6	66.8	66.2	2	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project	23A1459	**Date Collected:**	01/21/23
Sample Matrix:	Sediment	**Date Received:**	02/01/23
		Date Analyzed:	02/02/23

Replicate Sample Summary
Inorganic Parameters

Sample Name:	23A1459-60	**Units:**	Percent
Lab Code:	K2301289-036	**Basis:**	As Received

Analyte Name	Analysis Method	MRL	MDL	Sample Result	Duplicate Sample K2301289-036DUP Result	Average	RPD	RPD Limit
Solids, Total	160.3 Modified	-	-	78.0	78.1	78.1	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Analyzed:**	02/09/23
Sample Matrix:	Ocean Water	**Date Extracted:**	02/09/23

Lab Control Sample Summary
Cyanide, Total

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	794191

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2301289-LCS2	0.0734	0.075	98	84-115

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	North Water District Lab Services (NWDLS)	**Service Request:**	K2301289
Project:	23A1459	**Date Analyzed:**	02/04/23
Sample Matrix:	Ocean Water	**Date Extracted:**	02/04/23

Duplicate Lab Control Sample Summary
General Chemistry Parameters

Analysis Method:	SM 4500-CN- E	**Units:**	mg/L
Prep Method:	SM 4500-CN-C	**Basis:**	NA
		Analysis Lot:	793766

	Lab Control Sample K2301289-LCS1			Duplicate Lab Control Sample K2301289-DLCS1					
Analyte Name	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Cyanide, Total	0.076	0.075	101	0.079	0.075	106	84-115	4	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

June 16, 2023

LAB REPORT

Gregg Pawlak
Terracon_Houston
11555 Clay Road
Houston, TX 77043


Report ID: 20230616110422MM

RE: PCCA CDP TISSUE CHEM

The following test results meet all NELAP requirements for analytes for which certification is available. Any deviations from our quality system will be noted in the case narrative. All analyses performed by North Water District Laboratory Services, Inc. unless noted.

For questions regarding this report, contact Monica Martin at 936-321-6060.

Sincerely,



Monica O. Martin
Chief Administrative Officer

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Work Order Case Narrative

A total of 36 samples were collected on:

Laboratory ID	Sample Name	Sample Date
23E2848-01	MM-CDP-06-1	04/01/2023 11:00
23E2848-02	MM-CDP-06-2	04/01/2023 11:00
23E2848-03	MM-CDP-06-3	04/01/2023 11:00
23E2848-04	MM-CDP-06-4	04/01/2023 11:00
23E2848-05	MM-CDP-06-5	04/01/2023 11:00
23E2848-06	MM-CDP-07-1	04/01/2023 11:00
23E2848-07	MM-CDP-07-2	04/01/2023 11:00
23E2848-08	MM-CDP-07-3	04/01/2023 11:00
23E2848-09	MM-CDP-07-4	04/01/2023 11:00
23E2848-10	MM-CDP-07-5	04/01/2023 11:00
23E2848-11	MM-REF-1	04/01/2023 11:00
23E2848-12	MM-REF-2	04/01/2023 11:00
23E2848-13	MM-REF-3	04/01/2023 11:00
23E2848-14	MM-REF-4	04/01/2023 11:00
23E2848-15	MM-REF-5	04/01/2023 11:00
23E2848-16	MM-CDP-PRETEST-1	04/01/2023 11:00
23E2848-17	MM-CDP-PRETEST-2	04/01/2023 11:00
23E2848-18	MM-CDP-PRETEST-3	04/01/2023 11:00
23E2848-19	NV-CDP-06-1	04/01/2023 13:00
23E2848-20	NV-CDP-06-2	04/01/2023 13:00
23E2848-21	NV-CDP-06-3	04/01/2023 13:00
23E2848-22	NV-CDP-06-4	04/01/2023 13:00
23E2848-23	NV-CDP-06-5	04/01/2023 13:00
23E2848-24	NV-CDP-07-1	04/01/2023 13:00
23E2848-25	NV-CDP-07-2	04/01/2023 13:00
23E2848-26	NV-CDP-07-3	04/01/2023 13:00
23E2848-27	NV-CDP-07-4	04/01/2023 13:00
23E2848-28	NV-CDP-07-5	04/01/2023 13:00
23E2848-29	NV-REF-1	04/01/2023 13:00
23E2848-30	NV-REF-2	04/01/2023 13:00
23E2848-31	NV-REF-3	04/01/2023 13:00
23E2848-32	NV-REF-4	04/01/2023 13:00
23E2848-33	NV-REF-5	04/01/2023 13:00
23E2848-34	NV-CDP-PRETEST-1	04/01/2023 13:00
23E2848-35	NV-CDP-PRETEST-2	04/01/2023 13:00
23E2848-36	NV-CDP-PRETEST-3	04/01/2023 13:00

Samples were received and accepted at NWDLS on 05/10/2023 15:00. Samples were held in freezer storage until digestion and/or extraction began for all tests, including subcontracted tests. Any receiving discrepancies are recorded and stored in NWDLS' database. The samples received a Work Order of 23E2848. The lab sample IDs, client sample IDs, and dates of collection can be found at the top of each result page.

NWDLS provided their lowest detection limit for all requested analyses. Note that detection and reporting limits are adjusted to account for sample specific parameters.

Any QC that did not meet the laboratory specified control limits was flagged and reported with qualifiers. For additional

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

information, please refer to the included quality control data pages.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

Client Sample ID: MM-CDP-06-1
Lab Sample ID: 23E2848-01
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	43.8	V	ug/kg	1	4.71	4.71	BGE4170	06/05/2023 02:34	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*14.7%*	*S*	*60-140*					*06/05/2023 02:34*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*57.1%*	*S*	*60-140*					*06/05/2023 02:34*	
SW-8270	*Surrogate: Phenol-d5-surr*		*64.6%*		*60-140*					*06/05/2023 02:34*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00161	U	mg/kg	1	0.00161	0.0200	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Arsenic	N	1.09		mg/kg	1	0.00246	0.0100	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Beryllium	N	0.00122	J	mg/kg	1	0.000200	0.00400	BGE2506	06/08/2023 15:40	TBB
EPA 200.8	Cadmium	N	0.0406		mg/kg	1	0.000632	0.0200	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Chromium	N	0.0481	V, J	mg/kg	1	0.00147	0.0600	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Copper	N	1.15	V	mg/kg	1	0.00174	0.0200	BGE2506	06/02/2023 09:58	TBB
SW-7471B	Mercury	A	<0.00492	U	mg/kg	1	0.00492	0.00984	BGE3654	06/07/2023 13:28	AKR
EPA 200.8	Lead	N	0.0265	V	mg/kg	1	0.00151	0.0100	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Nickel	N	0.343	V	mg/kg	1	0.000354	0.0200	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Selenium	N	0.151		mg/kg	1	0.0220	0.0400	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Thallium	N	0.000360	J	mg/kg	1	0.000138	0.0100	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Zinc	N	11.2	V	mg/kg	5	0.0376	0.200	BGE2506	06/08/2023 15:50	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.6	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID: MM-CDP-06-1
Lab Sample ID: 23E2848-01RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0167		mg/kg	1	0.000141	0.00992	BGF0506	06/09/2023 13:24	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-2
Lab Sample ID: 23E2848-02
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	49.7	V	ug/kg	1	4.91	4.91	BGE4170	06/05/2023 02:00	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*39.0%*	*S*	*60-140*					*06/05/2023 02:00*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*75.0%*		*60-140*					*06/05/2023 02:00*	
SW-8270	*Surrogate: Phenol-d5-surr*		*69.8%*		*60-140*					*06/05/2023 02:00*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00160	U	mg/kg	1	0.00160	0.0198	BGE2506	06/02/2023 10:13	TBB
EPA 200.8	Arsenic	N	1.01	A	mg/kg	5	0.0122	0.0496	BGE2506	06/02/2023 10:23	TBB
EPA 200.8	Beryllium	N	0.00153	J	mg/kg	1	0.000198	0.00397	BGE2506	06/08/2023 15:52	TBB
EPA 200.8	Cadmium	N	0.0427		mg/kg	1	0.000627	0.0198	BGE2506	06/02/2023 10:13	TBB
EPA 200.8	Chromium	N	0.0329	A, V, J	mg/kg	5	0.00729	0.298	BGE2506	06/02/2023 10:23	TBB
EPA 200.8	Copper	N	1.16	A, V	mg/kg	5	0.00863	0.0992	BGE2506	06/02/2023 10:23	TBB
SW-7471B	Mercury	A	<0.00496	U	mg/kg	1	0.00496	0.00992	BGE3654	06/07/2023 13:32	AKR
EPA 200.8	Lead	N	0.0295	V	mg/kg	1	0.00150	0.00992	BGE2506	06/02/2023 10:13	TBB
EPA 200.8	Nickel	N	0.365	A, V	mg/kg	5	0.00176	0.0992	BGE2506	06/02/2023 10:23	TBB
EPA 200.8	Selenium	N	0.160	A	mg/kg	1	0.0218	0.0397	BGE2506	06/02/2023 10:13	TBB
EPA 200.8	Thallium	N	0.000397	J	mg/kg	1	0.000137	0.00992	BGE2506	06/02/2023 10:13	TBB
EPA 200.8	Zinc	N	11.8	V	mg/kg	10	0.0745	0.397	BGE2506	06/08/2023 12:40	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.4	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-2	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-02RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0148		mg/kg	1	0.000139	0.00980	BGF0506	06/09/2023 13:31	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-3
Lab Sample ID: 23E2848-03
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	3.46	V	ug/kg	1	2.34	2.34	BGE4170	06/05/2023 03:09	KRB
SW-8270	Phenol, Total	A	49.4	V	ug/kg	1	4.68	4.68	BGE4170	06/05/2023 03:09	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*16.3%*	*S*	*60-140*					*06/05/2023 03:09*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*60.2%*		*60-140*					*06/05/2023 03:09*	
SW-8270	*Surrogate: Phenol-d5-surr*		*66.8%*		*60-140*					*06/05/2023 03:09*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00160	U	mg/kg	1	0.00160	0.0199	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Arsenic	N	1.00		mg/kg	1	0.00245	0.00996	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Beryllium	N	0.00165	J	mg/kg	1	0.000199	0.00398	BGE2506	06/08/2023 15:57	TBB
EPA 200.8	Cadmium	N	0.0405		mg/kg	1	0.000629	0.0199	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Chromium	N	0.0341	V, J	mg/kg	1	0.00146	0.0598	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Copper	N	1.01	V	mg/kg	1	0.00173	0.0199	BGE2506	06/02/2023 10:25	TBB
SW-7471B	Mercury	A	<0.00465	U	mg/kg	1	0.00465	0.00930	BGE3654	06/07/2023 13:35	AKR
EPA 200.8	Lead	N	0.0299	V	mg/kg	1	0.00150	0.00996	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Nickel	N	0.359	V	mg/kg	1	0.000353	0.0199	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Selenium	N	0.143		mg/kg	1	0.0219	0.0398	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Thallium	N	0.000558	J	mg/kg	1	0.000137	0.00996	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Zinc	N	12.2	V	mg/kg	10	0.0748	0.398	BGE2506	06/08/2023 12:43	TBB
General Chemistry											
SM 2540 G	% Solids	A	9.19	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-3	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-03RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0119		mg/kg	1	0.000139	0.00977	BGF0506	06/09/2023 13:34	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-4
Lab Sample ID: 23E2848-04
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	48.3	V	ug/kg	1	4.50	4.50	BGE4170	06/05/2023 03:44	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*20.5%*	*S*	*60-140*					*06/05/2023 03:44*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*59.3%*	*S*	*60-140*					*06/05/2023 03:44*	
SW-8270	*Surrogate: Phenol-d5-surr*		*62.9%*		*60-140*					*06/05/2023 03:44*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00161	U	mg/kg	1	0.00161	0.0200	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Arsenic	N	1.11		mg/kg	1	0.00246	0.0100	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Beryllium	N	0.00120	J	mg/kg	5	0.00100	0.0200	BGE2506	06/08/2023 12:53	TBB
EPA 200.8	Cadmium	N	0.0353		mg/kg	1	0.000632	0.0200	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Chromium	N	0.0375	V, J	mg/kg	1	0.00147	0.0600	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Copper	N	0.955	V	mg/kg	1	0.00174	0.0200	BGE2506	06/02/2023 10:30	TBB
SW-7471B	Mercury	A	<0.00465	U	mg/kg	1	0.00465	0.00930	BGE3654	06/07/2023 13:38	AKR
EPA 200.8	Lead	N	0.0334	V	mg/kg	1	0.00151	0.0100	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Nickel	N	0.252	V	mg/kg	1	0.000354	0.0200	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Selenium	N	0.143		mg/kg	1	0.0220	0.0400	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Thallium	N	0.000340	J	mg/kg	1	0.000138	0.0100	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Zinc	N	9.96	V	mg/kg	5	0.0376	0.200	BGE2506	06/08/2023 12:53	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.5	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-4	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-04RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0106		mg/kg	1	0.000139	0.00977	BGF0506	06/09/2023 13:36	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-5
Lab Sample ID: 23E2848-05
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	68.5	V	ug/kg	1	4.73	4.73	BGE4170	06/05/2023 04:18	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*7.95%*	*S*	*60-140*					*06/05/2023 04:18*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*69.5%*		*60-140*					*06/05/2023 04:18*	
SW-8270	*Surrogate: Phenol-d5-surr*		*74.5%*		*60-140*					*06/05/2023 04:18*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00160	U	mg/kg	1	0.00160	0.0199	BGE2506	06/02/2023 10:35	TBB
EPA 200.8	Arsenic	N	0.996	A	mg/kg	5	0.0123	0.0498	BGE2506	06/02/2023 10:38	TBB
EPA 200.8	Beryllium	N	0.00143	J	mg/kg	1	0.000199	0.00398	BGE2506	06/08/2023 12:55	TBB
EPA 200.8	Cadmium	N	0.0454		mg/kg	1	0.000629	0.0199	BGE2506	06/02/2023 10:35	TBB
EPA 200.8	Chromium	N	0.0311	A, V, J	mg/kg	5	0.00732	0.299	BGE2506	06/02/2023 10:38	TBB
EPA 200.8	Copper	N	1.17	A, V	mg/kg	5	0.00867	0.0996	BGE2506	06/02/2023 10:38	TBB
SW-7471B	Mercury	A	<0.00484	U	mg/kg	1	0.00484	0.00968	BGE3654	06/07/2023 13:41	AKR
EPA 200.8	Lead	N	0.0327	V	mg/kg	1	0.00150	0.00996	BGE2506	06/02/2023 10:35	TBB
EPA 200.8	Nickel	N	0.333	A, V	mg/kg	5	0.00176	0.0996	BGE2506	06/02/2023 10:38	TBB
EPA 200.8	Selenium	N	0.155	A	mg/kg	1	0.0219	0.0398	BGE2506	06/02/2023 10:35	TBB
EPA 200.8	Thallium	N	0.000359	J	mg/kg	1	0.000137	0.00996	BGE2506	06/02/2023 10:35	TBB
EPA 200.8	Zinc	N	11.7	V	mg/kg	5	0.0374	0.199	BGE2506	06/08/2023 12:58	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.9	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID:	MM-CDP-06-5	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-05RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0171		mg/kg	1	0.000140	0.00988	BGF0506	06/09/2023 13:39	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-1
Lab Sample ID: 23E2848-06
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	5.96	V	ug/kg	1	2.41	2.41	BGE4170	06/05/2023 04:53	KRB
SW-8270	Di-n-butyl phthalate	A	6.11	V	ug/kg	1	2.41	2.41	BGE4170	06/05/2023 04:53	KRB
SW-8270	Di-n-octyl phthalate	A	<2.41	U	ug/kg	1	2.41	2.41	BGE4170	06/05/2023 04:53	KRB
SW-8270	Phenol, Total	A	74.2	V	ug/kg	1	4.83	4.83	BGE4170	06/05/2023 04:53	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*16.3%*	*S*	*60-140*					*06/05/2023 04:53*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*42.5%*	*S*	*60-140*					*06/05/2023 04:53*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*72.1%*		*60-140*					*06/05/2023 04:53*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*84.3%*		*60-140*					*06/05/2023 04:53*	
SW-8270	*Surrogate: Phenol-d5-surr*		*78.2%*		*60-140*					*06/05/2023 04:53*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*43.0%*	*S*	*60-140*					*06/05/2023 04:53*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00162	U	mg/kg	1	0.00162	0.0201	BGE2506	06/02/2023 10:40	TBB
EPA 200.8	Arsenic	N	1.24	A	mg/kg	5	0.0123	0.0502	BGE2506	06/02/2023 10:42	TBB
EPA 200.8	Beryllium	N	0.00157	J	mg/kg	1	0.000201	0.00402	BGE2506	06/08/2023 13:10	TBB
EPA 200.8	Cadmium	N	0.0526		mg/kg	1	0.000635	0.0201	BGE2506	06/02/2023 10:40	TBB
EPA 200.8	Chromium	N	0.0292	A, V, J	mg/kg	5	0.00738	0.301	BGE2506	06/02/2023 10:42	TBB
EPA 200.8	Copper	N	1.35	A, V	mg/kg	5	0.00873	0.100	BGE2506	06/02/2023 10:42	TBB
SW-7471B	Mercury	A	<0.00484	U	mg/kg	1	0.00484	0.00968	BGE3654	06/07/2023 13:45	AKR
EPA 200.8	Lead	N	0.0492	V	mg/kg	1	0.00152	0.0100	BGE2506	06/02/2023 10:40	TBB
EPA 200.8	Nickel	N	0.334	A, V	mg/kg	5	0.00178	0.100	BGE2506	06/02/2023 10:42	TBB
EPA 200.8	Selenium	N	0.187	A	mg/kg	1	0.0221	0.0402	BGE2506	06/02/2023 10:40	TBB
EPA 200.8	Thallium	N	0.000622	J	mg/kg	1	0.000139	0.0100	BGE2506	06/02/2023 10:40	TBB
EPA 200.8	Zinc	N	12.4	V	mg/kg	5	0.0377	0.201	BGE2506	06/08/2023 13:12	TBB
General Chemistry											
SM 2540 G	% Solids	A	11.9	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID:	MM-CDP-07-1	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-06RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0148		mg/kg	1	0.000140	0.00988	BGF0506	06/09/2023 15:19	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-2
Lab Sample ID: 23E2848-07
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	10.0	V	ug/kg	1	2.44	2.44	BGE4170	06/05/2023 05:28	KRB
SW-8270	Di-n-butyl phthalate	A	6.18	V	ug/kg	1	2.44	2.44	BGE4170	06/05/2023 05:28	KRB
SW-8270	Di-n-octyl phthalate	A	<2.44	U	ug/kg	1	2.44	2.44	BGE4170	06/05/2023 05:28	KRB
SW-8270	Phenol, Total	A	77.8	V	ug/kg	1	4.88	4.88	BGE4170	06/05/2023 05:28	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*23.2%*	*S*	*60-140*					*06/05/2023 05:28*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*47.5%*	*S*	*60-140*					*06/05/2023 05:28*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*76.1%*		*60-140*					*06/05/2023 05:28*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*94.0%*		*60-140*					*06/05/2023 05:28*	
SW-8270	*Surrogate: Phenol-d5-surr*		*93.4%*		*60-140*					*06/05/2023 05:28*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*50.4%*	*S*	*60-140*					*06/05/2023 05:28*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00161	U	mg/kg	1	0.00161	0.0200	BGE2506	06/02/2023 10:45	TBB
EPA 200.8	Arsenic	N	1.20	A	mg/kg	5	0.0123	0.0500	BGE2506	06/02/2023 10:55	TBB
EPA 200.8	Beryllium	N	0.00166	J	mg/kg	1	0.000200	0.00400	BGE2506	06/08/2023 13:15	TBB
EPA 200.8	Cadmium	N	0.0712		mg/kg	1	0.000632	0.0200	BGE2506	06/02/2023 10:45	TBB
EPA 200.8	Chromium	N	0.0428	A, V, J	mg/kg	5	0.00735	0.300	BGE2506	06/02/2023 10:55	TBB
EPA 200.8	Copper	N	1.41	A, V	mg/kg	5	0.00870	0.100	BGE2506	06/02/2023 10:55	TBB
SW-7471B	Mercury	A	<0.00500	U	mg/kg	1	0.00500	0.0100	BGE3654	06/07/2023 13:55	AKR
EPA 200.8	Lead	N	0.0488	V	mg/kg	1	0.00151	0.0100	BGE2506	06/02/2023 10:45	TBB
EPA 200.8	Nickel	N	0.393	A, V	mg/kg	5	0.00177	0.100	BGE2506	06/02/2023 10:55	TBB
EPA 200.8	Selenium	N	0.197	A	mg/kg	1	0.0220	0.0400	BGE2506	06/02/2023 10:45	TBB
EPA 200.8	Thallium	N	0.000500	J	mg/kg	1	0.000138	0.0100	BGE2506	06/02/2023 10:45	TBB
EPA 200.8	Zinc	N	13.9	V	mg/kg	5	0.0376	0.200	BGE2506	06/08/2023 13:17	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.3	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID:	MM-CDP-07-2	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-07RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0184		mg/kg	1	0.000138	0.00969	BGF0506	06/09/2023 15:21	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-3
Lab Sample ID: 23E2848-08
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	8.80	V	ug/kg	1	2.18	2.18	BGE4170	06/05/2023 06:02	KRB
SW-8270	Di-n-butyl phthalate	A	6.23	V	ug/kg	1	2.18	2.18	BGE4170	06/05/2023 06:02	KRB
SW-8270	Di-n-octyl phthalate	A	<2.18	U	ug/kg	1	2.18	2.18	BGE4170	06/05/2023 06:02	KRB
SW-8270	Phenol, Total	A	67.9	V	ug/kg	1	4.36	4.36	BGE4170	06/05/2023 06:02	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*20.0%*	*S*	*60-140*					*06/05/2023 06:02*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*43.3%*	*S*	*60-140*					*06/05/2023 06:02*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*75.7%*		*60-140*					*06/05/2023 06:02*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*76.9%*		*60-140*					*06/05/2023 06:02*	
SW-8270	*Surrogate: Phenol-d5-surr*		*84.9%*		*60-140*					*06/05/2023 06:02*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*49.4%*	*S*	*60-140*					*06/05/2023 06:02*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00161	U	mg/kg	1	0.00161	0.0200	BGE2506	06/02/2023 15:42	TBB
EPA 200.8	Arsenic	N	1.23		mg/kg	1	0.00246	0.0100	BGE2506	06/02/2023 10:57	TBB
EPA 200.8	Beryllium	N	0.00154	J	mg/kg	1	0.000200	0.00400	BGE2506	06/08/2023 13:22	TBB
EPA 200.8	Cadmium	N	0.0573		mg/kg	1	0.000632	0.0200	BGE2506	06/02/2023 10:57	TBB
EPA 200.8	Chromium	N	0.0239	V, J	mg/kg	1	0.00147	0.0600	BGE2506	06/02/2023 10:57	TBB
EPA 200.8	Copper	N	1.18	V	mg/kg	1	0.00174	0.0200	BGE2506	06/02/2023 10:57	TBB
SW-7471B	Mercury	A	<0.00469	U	mg/kg	1	0.00469	0.00937	BGE3654	06/07/2023 13:58	AKR
EPA 200.8	Lead	N	0.0409	V	mg/kg	1	0.00151	0.0100	BGE2506	06/02/2023 15:42	TBB
EPA 200.8	Nickel	N	0.359	V	mg/kg	1	0.000354	0.0200	BGE2506	06/02/2023 10:57	TBB
EPA 200.8	Selenium	N	0.190		mg/kg	1	0.0220	0.0400	BGE2506	06/08/2023 13:22	TBB
EPA 200.8	Thallium	N	0.000440	J	mg/kg	1	0.000138	0.0100	BGE2506	06/02/2023 10:57	TBB
EPA 200.8	Zinc	N	12.2	V	mg/kg	5	0.0376	0.200	BGE2506	06/08/2023 13:25	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.9	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID:	MM-CDP-07-3	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-08RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0144		mg/kg	1	0.000141	0.00992	BGF0506	06/09/2023 15:24	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-4
Lab Sample ID: 23E2848-09
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	8.66	V	ug/kg	1	2.30	2.30	BGE4170	06/05/2023 06:37	KRB
SW-8270	Di-n-butyl phthalate	A	5.56	V	ug/kg	1	2.30	2.30	BGE4170	06/05/2023 06:37	KRB
SW-8270	Di-n-octyl phthalate	A	<2.30	U	ug/kg	1	2.30	2.30	BGE4170	06/05/2023 06:37	KRB
SW-8270	Phenol, Total	A	88.8	V	ug/kg	1	4.60	4.60	BGE4170	06/05/2023 06:37	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*12.1%*	*S*	*60-140*					*06/05/2023 06:37*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*46.1%*	*S*	*60-140*					*06/05/2023 06:37*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*70.3%*		*60-140*					*06/05/2023 06:37*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*76.8%*		*60-140*					*06/05/2023 06:37*	
SW-8270	*Surrogate: Phenol-d5-surr*		*76.3%*		*60-140*					*06/05/2023 06:37*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*45.2%*	*S*	*60-140*					*06/05/2023 06:37*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00160	U	mg/kg	1	0.00160	0.0199	BGE2506	06/02/2023 15:47	TBB
EPA 200.8	Arsenic	N	0.971	A	mg/kg	5	0.0123	0.0498	BGE2506	06/02/2023 11:05	TBB
EPA 200.8	Beryllium	N	0.00137	J	mg/kg	1	0.000199	0.00398	BGE2506	06/08/2023 13:27	TBB
EPA 200.8	Cadmium	N	0.0563		mg/kg	1	0.000629	0.0199	BGE2506	06/02/2023 11:02	TBB
EPA 200.8	Chromium	N	0.0258	A, V, J	mg/kg	5	0.00732	0.299	BGE2506	06/02/2023 11:05	TBB
EPA 200.8	Copper	N	1.26	A, V	mg/kg	5	0.00867	0.0996	BGE2506	06/02/2023 11:05	TBB
SW-7471B	Mercury	A	<0.00484	U	mg/kg	1	0.00484	0.00968	BGE3654	06/07/2023 14:01	AKR
EPA 200.8	Lead	N	0.0475	V	mg/kg	1	0.00150	0.00996	BGE2506	06/02/2023 15:47	TBB
EPA 200.8	Nickel	N	0.336	A, V	mg/kg	5	0.00176	0.0996	BGE2506	06/02/2023 11:05	TBB
EPA 200.8	Selenium	N	0.176		mg/kg	1	0.0219	0.0398	BGE2506	06/08/2023 13:27	TBB
EPA 200.8	Thallium	N	0.000438	J	mg/kg	1	0.000137	0.00996	BGE2506	06/02/2023 11:02	TBB
EPA 200.8	Zinc	N	12.8	V	mg/kg	5	0.0374	0.199	BGE2506	06/08/2023 13:30	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.7	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID:	MM-CDP-07-4	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-09RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0151		mg/kg	1	0.000140	0.00984	BGF0506	06/09/2023 15:26	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-5
Lab Sample ID: 23E2848-10
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	8.33	V	ug/kg	1	2.39	2.39	BGE4170	06/05/2023 07:11	KRB
SW-8270	Di-n-butyl phthalate	A	5.42	V	ug/kg	1	2.39	2.39	BGE4170	06/05/2023 07:11	KRB
SW-8270	Di-n-octyl phthalate	A	<2.39	U	ug/kg	1	2.39	2.39	BGE4170	06/05/2023 07:11	KRB
SW-8270	Phenol, Total	A	80.9	V	ug/kg	1	4.78	4.78	BGE4170	06/05/2023 07:11	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*12.0%*	*S*	*60-140*					*06/05/2023 07:11*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*40.5%*	*S*	*60-140*					*06/05/2023 07:11*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.8%*		*60-140*					*06/05/2023 07:11*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*82.1%*		*60-140*					*06/05/2023 07:11*	
SW-8270	*Surrogate: Phenol-d5-surr*		*73.5%*		*60-140*					*06/05/2023 07:11*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*31.3%*	*S*	*60-140*					*06/05/2023 07:11*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00160	U	mg/kg	1	0.00160	0.0198	BGE2506	06/02/2023 15:52	TBB
EPA 200.8	Arsenic	N	1.18		mg/kg	1	0.00244	0.00992	BGE2506	06/15/2023 12:33	TBB
EPA 200.8	Beryllium	N	0.00113	J	mg/kg	1	0.000198	0.00397	BGE2506	06/08/2023 13:42	TBB
EPA 200.8	Cadmium	N	0.0550		mg/kg	1	0.000627	0.0198	BGE2506	06/02/2023 11:07	TBB
EPA 200.8	Chromium	N	0.0362	V, J	mg/kg	1	0.00146	0.0595	BGE2506	06/02/2023 15:52	TBB
EPA 200.8	Copper	N	1.31	V	mg/kg	1	0.00173	0.0198	BGE2506	06/02/2023 15:52	TBB
SW-7471B	Mercury	A	<0.00500	U	mg/kg	1	0.00500	0.0100	BGE3654	06/07/2023 14:05	AKR
EPA 200.8	Lead	N	0.0433	V	mg/kg	1	0.00150	0.00992	BGE2506	06/02/2023 15:52	TBB
EPA 200.8	Nickel	N	0.337	V	mg/kg	1	0.000351	0.0198	BGE2506	06/02/2023 15:52	TBB
EPA 200.8	Selenium	N	0.168		mg/kg	1	0.0218	0.0397	BGE2506	06/08/2023 13:42	TBB
EPA 200.8	Thallium	N	0.000357	J	mg/kg	1	0.000137	0.00992	BGE2506	06/02/2023 11:07	TBB
EPA 200.8	Zinc	N	11.3	V	mg/kg	5	0.0373	0.198	BGE2506	06/08/2023 13:44	TBB
General Chemistry											
SM 2540 G	% Solids	A	9.80	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID:	MM-CDP-07-5	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-10RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0133		mg/kg	1	0.000140	0.00984	BGF0506	06/09/2023 15:29	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-REF-1
Lab Sample ID: 23E2848-11
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	6.50	V	ug/kg	1	2.31	2.31	BGE4145	06/01/2023 07:56	KRB
SW-8270	Phenol, Total	A	59.7	V	ug/kg	1	4.63	4.63	BGE4145	06/01/2023 07:56	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*25.7%*	*S*	*60-140*					*06/01/2023 07:56*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*63.8%*		*60-140*					*06/01/2023 07:56*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*74.8%*		*60-140*					*06/01/2023 07:56*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*87.0%*		*60-140*					*06/01/2023 07:56*	
SW-8270	*Surrogate: Phenol-d5-surr*		*53.7%*	*S*	*60-140*					*06/01/2023 07:56*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*47.6%*	*S*	*60-140*					*06/01/2023 07:56*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00161	U	mg/kg	1	0.00161	0.0200	BGE2506	06/02/2023 15:57	TBB
EPA 200.8	Arsenic	N	1.24		mg/kg	1	0.00246	0.0100	BGE2506	06/15/2023 12:38	TBB
EPA 200.8	Beryllium	N	0.00120	J	mg/kg	1	0.000200	0.00400	BGE2506	06/08/2023 13:49	TBB
EPA 200.8	Cadmium	N	0.0450		mg/kg	1	0.000632	0.0200	BGE2506	06/02/2023 11:12	TBB
EPA 200.8	Chromium	N	0.0415	V, J	mg/kg	1	0.00147	0.0600	BGE2506	06/02/2023 15:57	TBB
EPA 200.8	Copper	N	1.42	V	mg/kg	1	0.00174	0.0200	BGE2506	06/02/2023 15:57	TBB
SW-7471B	Mercury	A	<0.00469	U	mg/kg	1	0.00469	0.00937	BGE3654	06/07/2023 14:08	AKR
EPA 200.8	Lead	N	0.0463	V	mg/kg	1	0.00151	0.0100	BGE2506	06/02/2023 15:57	TBB
EPA 200.8	Nickel	N	0.341	V	mg/kg	1	0.000354	0.0200	BGE2506	06/02/2023 15:57	TBB
EPA 200.8	Selenium	N	0.181		mg/kg	1	0.0220	0.0400	BGE2506	06/08/2023 13:49	TBB
EPA 200.8	Thallium	N	0.000340	J	mg/kg	1	0.000138	0.0100	BGE2506	06/02/2023 11:12	TBB
EPA 200.8	Zinc	N	11.5	V	mg/kg	5	0.0376	0.200	BGE2506	06/08/2023 13:52	TBB
General Chemistry											
SM 2540 G	% Solids	A	11.2	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-REF-1
Lab Sample ID: 23E2848-11RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	6.14	V	ug/kg	1	2.31	2.31	BGE4145	06/05/2023 18:43	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.31	U	ug/kg	1	2.31	2.31	BGE4145	06/05/2023 18:43	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*29.8%*	*S*	*60-140*					*06/05/2023 18:43*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.9%*		*60-140*					*06/05/2023 18:43*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*85.3%*		*60-140*					*06/05/2023 18:43*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*100%*		*60-140*					*06/05/2023 18:43*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*90.0%*		*60-140*					*06/05/2023 18:43*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*77.7%*		*60-140*					*06/05/2023 18:43*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0155		mg/kg	1	0.000138	0.00973	BGF0506	06/09/2023 15:31	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-REF-2
Lab Sample ID: 23E2848-12
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	6.47	V	ug/kg	1	2.30	2.30	BGE4145	06/01/2023 08:30	KRB
SW-8270	Phenol, Total	A	57.3	V	ug/kg	1	4.60	4.60	BGE4145	06/01/2023 08:30	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*22.2%*	*S*	*60-140*					*06/01/2023 08:30*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*56.3%*	*S*	*60-140*					*06/01/2023 08:30*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*74.0%*		*60-140*					*06/01/2023 08:30*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*83.0%*		*60-140*					*06/01/2023 08:30*	
SW-8270	*Surrogate: Phenol-d5-surr*		*53.9%*	*S*	*60-140*					*06/01/2023 08:30*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*43.1%*	*S*	*60-140*					*06/01/2023 08:30*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00162	U	mg/kg	1	0.00162	0.0201	BGE2506	06/02/2023 16:19	TBB
EPA 200.8	Arsenic	N	1.22		mg/kg	1	0.00247	0.0100	BGE2506	06/02/2023 11:34	TBB
EPA 200.8	Beryllium	N	0.00147	J	mg/kg	1	0.000201	0.00402	BGE2506	06/08/2023 14:19	TBB
EPA 200.8	Cadmium	N	0.0508		mg/kg	1	0.000635	0.0201	BGE2506	06/02/2023 11:34	TBB
EPA 200.8	Chromium	N	0.0310	V, J	mg/kg	1	0.00148	0.0602	BGE2506	06/02/2023 11:34	TBB
EPA 200.8	Copper	N	1.25	V	mg/kg	1	0.00175	0.0201	BGE2506	06/02/2023 11:34	TBB
SW-7471B	Mercury	A	<0.00469	U	mg/kg	1	0.00469	0.00937	BGE3654	06/07/2023 13:18	AKR
EPA 200.8	Lead	N	0.0389	V	mg/kg	1	0.00152	0.0100	BGE2506	06/02/2023 16:19	TBB
EPA 200.8	Nickel	N	0.385	V	mg/kg	1	0.000355	0.0201	BGE2506	06/02/2023 11:34	TBB
EPA 200.8	Selenium	N	0.197		mg/kg	1	0.0221	0.0402	BGE2506	06/08/2023 14:19	TBB
EPA 200.8	Thallium	N	0.000341	J	mg/kg	1	0.000139	0.0100	BGE2506	06/02/2023 11:34	TBB
EPA 200.8	Zinc	N	12.5	V	mg/kg	5	0.0377	0.201	BGE2506	06/08/2023 14:21	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.8	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-REF-2
Lab Sample ID: 23E2848-12RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	7.84	V	ug/kg	1	2.30	2.30	BGE4145	06/05/2023 19:17	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.30	U	ug/kg	1	2.30	2.30	BGE4145	06/05/2023 19:17	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*27.3%*	*S*	*60-140*					*06/05/2023 19:17*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*62.2%*		*60-140*					*06/05/2023 19:17*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*82.8%*		*60-140*					*06/05/2023 19:17*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*102%*		*60-140*					*06/05/2023 19:17*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*91.5%*		*60-140*					*06/05/2023 19:17*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*69.5%*		*60-140*					*06/05/2023 19:17*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0149		mg/kg	1	0.000139	0.00980	BGF0506	06/09/2023 15:38	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-REF-3
Lab Sample ID: 23E2848-13
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	4.62	V	ug/kg	1	2.37	2.37	BGE4145	06/01/2023 09:05	KRB
SW-8270	Phenol, Total	A	70.2	V	ug/kg	1	4.73	4.73	BGE4145	06/01/2023 09:05	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*13.2%*	*S*	*60-140*					*06/01/2023 09:05*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*52.8%*	*S*	*60-140*					*06/01/2023 09:05*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*70.2%*		*60-140*					*06/01/2023 09:05*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*84.9%*		*60-140*					*06/01/2023 09:05*	
SW-8270	*Surrogate: Phenol-d5-surr*		*57.9%*	*S*	*60-140*					*06/01/2023 09:05*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*37.9%*	*S*	*60-140*					*06/01/2023 09:05*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00159	U	mg/kg	1	0.00159	0.0198	BGE2506	06/02/2023 16:24	TBB
EPA 200.8	Arsenic	N	1.29		mg/kg	1	0.00243	0.00988	BGE2506	06/02/2023 11:39	TBB
EPA 200.8	Beryllium	N	0.00144	J	mg/kg	1	0.000198	0.00395	BGE2506	06/08/2023 14:26	TBB
EPA 200.8	Cadmium	N	0.0455		mg/kg	1	0.000625	0.0198	BGE2506	06/02/2023 11:39	TBB
EPA 200.8	Chromium	N	0.0248	V, J	mg/kg	1	0.00145	0.0593	BGE2506	06/02/2023 11:39	TBB
EPA 200.8	Copper	N	0.984	V	mg/kg	1	0.00172	0.0198	BGE2506	06/02/2023 11:39	TBB
SW-7471B	Mercury	A	<0.00476	U	mg/kg	1	0.00476	0.00952	BGE3654	06/07/2023 14:11	AKR
EPA 200.8	Lead	N	0.0317	V	mg/kg	1	0.00149	0.00988	BGE2506	06/02/2023 16:24	TBB
EPA 200.8	Nickel	N	0.342	V	mg/kg	1	0.000350	0.0198	BGE2506	06/02/2023 11:39	TBB
EPA 200.8	Selenium	N	0.168		mg/kg	1	0.0217	0.0395	BGE2506	06/08/2023 14:26	TBB
EPA 200.8	Thallium	N	0.000237	J	mg/kg	1	0.000136	0.00988	BGE2506	06/02/2023 11:39	TBB
EPA 200.8	Zinc	N	11.3	V	mg/kg	5	0.0371	0.198	BGE2506	06/08/2023 14:29	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.5	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-REF-3
Lab Sample ID: 23E2848-13RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	5.97	V	ug/kg	1	2.37	2.37	BGE4145	06/05/2023 19:52	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.37	U	ug/kg	1	2.37	2.37	BGE4145	06/05/2023 19:52	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*14.4%*	*S*	*60-140*					*06/05/2023 19:52*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*53.6%*	*S*	*60-140*					*06/05/2023 19:52*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*77.9%*		*60-140*					*06/05/2023 19:52*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*105%*		*60-140*					*06/05/2023 19:52*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*92.0%*		*60-140*					*06/05/2023 19:52*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*59.9%*	*S*	*60-140*					*06/05/2023 19:52*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0185		mg/kg	1	0.000139	0.00977	BGF0506	06/09/2023 15:41	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-REF-4
Lab Sample ID: 23E2848-14
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	5.23	V	ug/kg	1	2.39	2.39	BGE4145	06/01/2023 09:39	KRB
SW-8270	Phenol, Total	A	61.0	V	ug/kg	1	4.77	4.77	BGE4145	06/01/2023 09:39	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*15.5%*	*S*	*60-140*					*06/01/2023 09:39*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*57.1%*	*S*	*60-140*					*06/01/2023 09:39*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*69.4%*		*60-140*					*06/01/2023 09:39*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*91.4%*		*60-140*					*06/01/2023 09:39*	
SW-8270	*Surrogate: Phenol-d5-surr*		*52.3%*	*S*	*60-140*					*06/01/2023 09:39*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*47.9%*	*S*	*60-140*					*06/01/2023 09:39*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00161	U	mg/kg	1	0.00161	0.0200	BGE2506	06/02/2023 16:29	TBB
EPA 200.8	Arsenic	N	1.07	A	mg/kg	5	0.0123	0.0500	BGE2506	06/02/2023 11:46	TBB
EPA 200.8	Beryllium	N	0.00148	J	mg/kg	1	0.000200	0.00400	BGE2506	06/08/2023 14:31	TBB
EPA 200.8	Cadmium	N	0.0452		mg/kg	1	0.000632	0.0200	BGE2506	06/02/2023 11:44	TBB
EPA 200.8	Chromium	N	0.0352	A, V, J	mg/kg	5	0.00735	0.300	BGE2506	06/02/2023 11:46	TBB
EPA 200.8	Copper	N	1.13	A, V	mg/kg	5	0.00870	0.100	BGE2506	06/02/2023 11:46	TBB
SW-7471B	Mercury	A	<0.00465	U	mg/kg	1	0.00465	0.00930	BGE3654	06/07/2023 14:21	AKR
EPA 200.8	Lead	N	0.0360	V	mg/kg	1	0.00151	0.0100	BGE2506	06/02/2023 16:29	TBB
EPA 200.8	Nickel	N	0.387	A, V	mg/kg	5	0.00177	0.100	BGE2506	06/02/2023 11:46	TBB
EPA 200.8	Selenium	N	0.176		mg/kg	1	0.0220	0.0400	BGE2506	06/08/2023 14:31	TBB
EPA 200.8	Thallium	N	0.000300	J	mg/kg	1	0.000138	0.0100	BGE2506	06/02/2023 11:44	TBB
EPA 200.8	Zinc	N	11.7	V	mg/kg	5	0.0376	0.200	BGE2506	06/08/2023 14:34	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.4	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-REF-4
Lab Sample ID: 23E2848-14RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	8.47	V	ug/kg	1	2.39	2.39	BGE4145	06/05/2023 20:26	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.39	U	ug/kg	1	2.39	2.39	BGE4145	06/05/2023 20:26	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*16.4%*	*S*	*60-140*					*06/05/2023 20:26*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*61.4%*		*60-140*					*06/05/2023 20:26*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*87.3%*		*60-140*					*06/05/2023 20:26*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*106%*		*60-140*					*06/05/2023 20:26*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*92.9%*		*60-140*					*06/05/2023 20:26*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*70.2%*		*60-140*					*06/05/2023 20:26*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0133		mg/kg	1	0.000142	0.0100	BGF0506	06/09/2023 15:51	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-REF-5
Lab Sample ID: 23E2848-15
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	5.01	V	ug/kg	1	2.38	2.38	BGE4145	06/01/2023 10:14	KRB
SW-8270	Phenol, Total	A	70.4	V	ug/kg	1	4.75	4.75	BGE4145	06/01/2023 10:14	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*17.4%*	*S*	*60-140*					*06/01/2023 10:14*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*50.2%*	*S*	*60-140*					*06/01/2023 10:14*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*66.8%*		*60-140*					*06/01/2023 10:14*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*88.1%*		*60-140*					*06/01/2023 10:14*	
SW-8270	*Surrogate: Phenol-d5-surr*		*57.0%*	*S*	*60-140*					*06/01/2023 10:14*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*40.2%*	*S*	*60-140*					*06/01/2023 10:14*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00161	U	mg/kg	1	0.00161	0.0200	BGE2506	06/02/2023 16:34	TBB
EPA 200.8	Arsenic	N	1.21		mg/kg	1	0.00246	0.0100	BGE2506	06/02/2023 11:49	TBB
EPA 200.8	Beryllium	N	0.00116	J	mg/kg	1	0.000200	0.00400	BGE2506	06/08/2023 14:36	TBB
EPA 200.8	Cadmium	N	0.0455		mg/kg	1	0.000632	0.0200	BGE2506	06/02/2023 11:49	TBB
EPA 200.8	Chromium	N	0.0266	V, J	mg/kg	1	0.00147	0.0600	BGE2506	06/02/2023 11:49	TBB
EPA 200.8	Copper	N	1.19	V	mg/kg	1	0.00174	0.0200	BGE2506	06/02/2023 11:49	TBB
SW-7471B	Mercury	A	<0.00488	U	mg/kg	1	0.00488	0.00976	BGE3654	06/07/2023 14:25	AKR
EPA 200.8	Lead	N	0.0389	V	mg/kg	1	0.00151	0.0100	BGE2506	06/02/2023 16:34	TBB
EPA 200.8	Nickel	N	0.335	V	mg/kg	1	0.000354	0.0200	BGE2506	06/02/2023 11:49	TBB
EPA 200.8	Selenium	N	0.162		mg/kg	1	0.0220	0.0400	BGE2506	06/08/2023 14:36	TBB
EPA 200.8	Thallium	N	0.000300	J	mg/kg	1	0.000138	0.0100	BGE2506	06/02/2023 11:49	TBB
EPA 200.8	Zinc	N	11.6	V	mg/kg	5	0.0376	0.200	BGE2506	06/08/2023 14:46	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.7	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-REF-5
Lab Sample ID: 23E2848-15RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	10.0	V	ug/kg	1	2.38	2.38	BGE4145	06/05/2023 21:01	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.38	U	ug/kg	1	2.38	2.38	BGE4145	06/05/2023 21:01	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*18.3%*	*S*	*60-140*					*06/05/2023 21:01*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*50.8%*	*S*	*60-140*					*06/05/2023 21:01*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*79.8%*		*60-140*					*06/05/2023 21:01*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*98.5%*		*60-140*					*06/05/2023 21:01*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*94.4%*		*60-140*					*06/05/2023 21:01*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*65.0%*		*60-140*					*06/05/2023 21:01*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0175		mg/kg	1	0.000139	0.00980	BGF0506	06/09/2023 15:53	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-1
Lab Sample ID: 23E2848-16
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	4.79	V	ug/kg	1	2.43	2.43	BGE4145	06/01/2023 10:48	KRB
SW-8270	Phenol, Total	A	69.5	V	ug/kg	1	4.85	4.85	BGE4145	06/01/2023 10:48	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*12.4%*	*S*	*60-140*					*06/01/2023 10:48*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*55.4%*	*S*	*60-140*					*06/01/2023 10:48*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*64.7%*		*60-140*					*06/01/2023 10:48*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*84.0%*		*60-140*					*06/01/2023 10:48*	
SW-8270	*Surrogate: Phenol-d5-surr*		*50.5%*	*S*	*60-140*					*06/01/2023 10:48*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*49.1%*	*S*	*60-140*					*06/01/2023 10:48*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00162	U	mg/kg	1	0.00162	0.0201	BGE2506	06/02/2023 16:46	TBB
EPA 200.8	Arsenic	N	1.04		mg/kg	1	0.00247	0.0100	BGE2506	06/02/2023 12:01	TBB
EPA 200.8	Beryllium	N	0.00124	J	mg/kg	1	0.000201	0.00402	BGE2506	06/08/2023 14:48	TBB
EPA 200.8	Cadmium	N	0.0419		mg/kg	1	0.000635	0.0201	BGE2506	06/02/2023 12:01	TBB
EPA 200.8	Chromium	N	0.0424	V, J	mg/kg	1	0.00148	0.0602	BGE2506	06/02/2023 12:01	TBB
EPA 200.8	Copper	N	1.03	V	mg/kg	1	0.00175	0.0201	BGE2506	06/02/2023 12:01	TBB
SW-7471B	Mercury	A	<0.00476	U	mg/kg	1	0.00476	0.00952	BGE3654	06/07/2023 14:35	AKR
EPA 200.8	Lead	N	0.0322	V	mg/kg	1	0.00152	0.0100	BGE2506	06/02/2023 16:46	TBB
EPA 200.8	Nickel	N	0.384	V	mg/kg	1	0.000355	0.0201	BGE2506	06/02/2023 12:01	TBB
EPA 200.8	Selenium	N	0.184		mg/kg	1	0.0221	0.0402	BGE2506	06/08/2023 14:48	TBB
EPA 200.8	Thallium	N	0.000221	J	mg/kg	1	0.000139	0.0100	BGE2506	06/02/2023 12:01	TBB
EPA 200.8	Zinc	N	13.1	V	mg/kg	5	0.0377	0.201	BGE2506	06/08/2023 14:51	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.8	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-1
Lab Sample ID: 23E2848-16RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	7.15	V	ug/kg	1	2.43	2.43	BGE4145	06/05/2023 21:36	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.43	U	ug/kg	1	2.43	2.43	BGE4145	06/05/2023 21:36	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*13.2%*	*S*	*60-140*					*06/05/2023 21:36*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*59.6%*	*S*	*60-140*					*06/05/2023 21:36*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*75.3%*		*60-140*					*06/05/2023 21:36*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.9%*		*60-140*					*06/05/2023 21:36*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*87.3%*		*60-140*					*06/05/2023 21:36*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*73.7%*		*60-140*					*06/05/2023 21:36*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0158		mg/kg	1	0.000142	0.0100	BGF0506	06/09/2023 15:55	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-2
Lab Sample ID: 23E2848-17
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	4.66	V	ug/kg	1	2.49	2.49	BGE4145	06/01/2023 11:23	KRB
SW-8270	Phenol, Total	A	77.1	V	ug/kg	1	4.98	4.98	BGE4145	06/01/2023 11:23	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*14.2%*	*S*	*60-140*					*06/01/2023 11:23*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*54.8%*	*S*	*60-140*					*06/01/2023 11:23*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*61.1%*		*60-140*					*06/01/2023 11:23*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*85.5%*		*60-140*					*06/01/2023 11:23*	
SW-8270	*Surrogate: Phenol-d5-surr*		*50.4%*	*S*	*60-140*					*06/01/2023 11:23*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*43.6%*	*S*	*60-140*					*06/01/2023 11:23*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00160	U	mg/kg	1	0.00160	0.0198	BGE2506	06/02/2023 16:51	TBB
EPA 200.8	Arsenic	N	1.22		mg/kg	1	0.00244	0.00992	BGE2506	06/02/2023 12:06	TBB
EPA 200.8	Beryllium	N	0.00181	J	mg/kg	1	0.000198	0.00397	BGE2506	06/08/2023 14:53	TBB
EPA 200.8	Cadmium	N	0.0429		mg/kg	1	0.000627	0.0198	BGE2506	06/02/2023 12:06	TBB
EPA 200.8	Chromium	N	0.0682	V	mg/kg	1	0.00146	0.0595	BGE2506	06/02/2023 12:06	TBB
EPA 200.8	Copper	N	1.40	V	mg/kg	1	0.00173	0.0198	BGE2506	06/02/2023 12:06	TBB
SW-7471B	Mercury	A	<0.00469	U	mg/kg	1	0.00469	0.00937	BGE3654	06/07/2023 14:38	AKR
EPA 200.8	Lead	N	0.0486	V	mg/kg	1	0.00150	0.00992	BGE2506	06/02/2023 16:51	TBB
EPA 200.8	Nickel	N	0.387	V	mg/kg	1	0.000351	0.0198	BGE2506	06/02/2023 12:06	TBB
EPA 200.8	Selenium	N	0.202		mg/kg	1	0.0218	0.0397	BGE2506	06/08/2023 14:53	TBB
EPA 200.8	Thallium	N	0.000337	J	mg/kg	1	0.000137	0.00992	BGE2506	06/02/2023 12:06	TBB
EPA 200.8	Zinc	N	13.2	V	mg/kg	5	0.0373	0.198	BGE2506	06/08/2023 14:56	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.4	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-2
Lab Sample ID: 23E2848-17RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	12.0	V	ug/kg	1	2.49	2.49	BGE4145	06/05/2023 22:45	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.49	U	ug/kg	1	2.49	2.49	BGE4145	06/05/2023 22:45	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*15.7%*	*S*	*60-140*					*06/05/2023 22:45*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*62.6%*		*60-140*					*06/05/2023 22:45*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*68.5%*		*60-140*					*06/05/2023 22:45*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.5%*		*60-140*					*06/05/2023 22:45*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*78.0%*		*60-140*					*06/05/2023 22:45*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*80.1%*		*60-140*					*06/05/2023 22:45*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0174		mg/kg	1	0.000141	0.00992	BGF0506	06/09/2023 15:58	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-3
Lab Sample ID: 23E2848-18
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	3.82	V	ug/kg	1	2.31	2.31	BGE4145	06/01/2023 11:57	KRB
SW-8270	Phenol, Total	A	63.7	V	ug/kg	1	4.61	4.61	BGE4145	06/01/2023 11:57	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*27.0%*	*S*	*60-140*					*06/01/2023 11:57*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*68.1%*		*60-140*					*06/01/2023 11:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.9%*		*60-140*					*06/01/2023 11:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*87.8%*		*60-140*					*06/01/2023 11:57*	
SW-8270	*Surrogate: Phenol-d5-surr*		*57.9%*	*S*	*60-140*					*06/01/2023 11:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*42.6%*	*S*	*60-140*					*06/01/2023 11:57*	
Metals, Total											
EPA 200.8	Antimony	N	<0.00161	U	mg/kg	1	0.00161	0.0200	BGE2506	06/02/2023 16:56	TBB
EPA 200.8	Arsenic	N	1.28		mg/kg	1	0.00246	0.0100	BGE2506	06/02/2023 12:11	TBB
EPA 200.8	Beryllium	N	0.00134	J	mg/kg	1	0.000200	0.00400	BGE2506	06/08/2023 14:58	TBB
EPA 200.8	Cadmium	N	0.0475		mg/kg	1	0.000632	0.0200	BGE2506	06/02/2023 12:11	TBB
EPA 200.8	Chromium	N	0.0321	V, J	mg/kg	1	0.00147	0.0600	BGE2506	06/02/2023 12:11	TBB
EPA 200.8	Copper	N	1.43	V	mg/kg	1	0.00174	0.0200	BGE2506	06/02/2023 12:11	TBB
SW-7471B	Mercury	A	<0.00496	U	mg/kg	1	0.00496	0.00992	BGE3654	06/07/2023 14:41	AKR
EPA 200.8	Lead	N	0.0535	V	mg/kg	1	0.00151	0.0100	BGE2506	06/02/2023 16:56	TBB
EPA 200.8	Nickel	N	0.359	V	mg/kg	1	0.000354	0.0200	BGE2506	06/02/2023 12:11	TBB
EPA 200.8	Selenium	N	0.224		mg/kg	1	0.0220	0.0400	BGE2506	06/08/2023 14:58	TBB
EPA 200.8	Thallium	N	0.000400	J	mg/kg	1	0.000138	0.0100	BGE2506	06/02/2023 12:11	TBB
EPA 200.8	Zinc	N	14.1	V	mg/kg	5	0.0376	0.200	BGE2506	06/08/2023 15:01	TBB
General Chemistry											
SM 2540 G	% Solids	A	11.4	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-3
Lab Sample ID: 23E2848-18RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	7.45	V	ug/kg	1	2.31	2.31	BGE4145	06/05/2023 23:19	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.31	U	ug/kg	1	2.31	2.31	BGE4145	06/05/2023 23:19	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*27.7%*	*S*	*60-140*					*06/05/2023 23:19*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*76.6%*		*60-140*					*06/05/2023 23:19*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*88.1%*		*60-140*					*06/05/2023 23:19*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*109%*		*60-140*					*06/05/2023 23:19*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*93.3%*		*60-140*					*06/05/2023 23:19*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*82.2%*		*60-140*					*06/05/2023 23:19*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0198		mg/kg	1	0.000139	0.00980	BGF0506	06/09/2023 16:00	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-1
Lab Sample ID: 23E2848-19
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	66.4	V	ug/kg	1	4.77	4.77	BGE4170	06/05/2023 07:46	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*3.06%*	*S*	*60-140*					*06/05/2023 07:46*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*48.4%*	*S*	*60-140*					*06/05/2023 07:46*	
SW-8270	*Surrogate: Phenol-d5-surr*		*60.2%*		*60-140*					*06/05/2023 07:46*	
Metals, Total											
EPA 200.8	Antimony	N	0.00199	J	mg/kg	1	0.00162	0.0201	BGE2506	06/02/2023 17:01	TBB
EPA 200.8	Arsenic	N	2.00		mg/kg	5	0.0123	0.0502	BGE2506	06/02/2023 12:18	TBB
EPA 200.8	Beryllium	N	0.000341	J	mg/kg	1	0.000201	0.00402	BGE2506	06/08/2023 15:03	TBB
EPA 200.8	Cadmium	N	0.0287		mg/kg	1	0.000635	0.0201	BGE2506	06/02/2023 12:16	TBB
EPA 200.8	Chromium	N	0.0704	V	mg/kg	1	0.00148	0.0602	BGE2506	06/02/2023 12:16	TBB
EPA 200.8	Copper	N	1.04	V	mg/kg	1	0.00175	0.0201	BGE2506	06/02/2023 12:16	TBB
SW-7471B	Mercury	A	0.00540	J	mg/kg	1	0.00476	0.00952	BGE3654	06/07/2023 14:45	AKR
EPA 200.8	Lead	N	0.0717	V	mg/kg	1	0.00152	0.0100	BGE2506	06/02/2023 17:01	TBB
EPA 200.8	Nickel	N	0.150	V	mg/kg	1	0.000355	0.0201	BGE2506	06/02/2023 12:16	TBB
EPA 200.8	Selenium	N	0.305		mg/kg	1	0.0221	0.0402	BGE2506	06/08/2023 15:03	TBB
EPA 200.8	Thallium	N	0.000221	J	mg/kg	1	0.000139	0.0100	BGE2506	06/02/2023 12:16	TBB
EPA 200.8	Zinc	N	8.46	V	mg/kg	5	0.0377	0.201	BGE2506	06/08/2023 15:06	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.6	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-1
Lab Sample ID: 23E2848-19RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0145		mg/kg	1	0.000138	0.00969	BGF0506	06/09/2023 16:03	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-2
Lab Sample ID: 23E2848-20
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	53.0	V	ug/kg	1	4.94	4.94	BGE4170	06/05/2023 08:21	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*4.28%*	*S*	*60-140*					*06/05/2023 08:21*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*58.4%*	*S*	*60-140*					*06/05/2023 08:21*	
SW-8270	*Surrogate: Phenol-d5-surr*		*64.0%*		*60-140*					*06/05/2023 08:21*	
Metals, Total											
EPA 200.8	Antimony	N	0.00238	J	mg/kg	1	0.00161	0.0200	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Arsenic	N	2.06		mg/kg	5	0.0123	0.0500	BGE2507	06/06/2023 15:41	TBB
EPA 200.8	Beryllium	N	0.000920	J	mg/kg	1	0.000200	0.00400	BGE2507	06/07/2023 12:11	TBB
EPA 200.8	Cadmium	N	0.0301		mg/kg	1	0.000632	0.0200	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Chromium	N	0.116	V	mg/kg	1	0.00147	0.0600	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Copper	N	1.20	V	mg/kg	1	0.00174	0.0200	BGE2507	06/06/2023 15:39	TBB
SW-7471B	Mercury	A	<0.00492	U	mg/kg	1	0.00492	0.00984	BGE3654	06/07/2023 14:48	AKR
EPA 200.8	Lead	N	0.0943		mg/kg	1	0.00151	0.0100	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Nickel	N	0.172	V	mg/kg	1	0.000354	0.0200	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Selenium	N	0.300		mg/kg	1	0.0220	0.0400	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Thallium	N	0.000340	J	mg/kg	1	0.000138	0.0100	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Zinc	N	50.4		mg/kg	20	0.150	0.800	BGE2507	06/08/2023 15:08	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.0	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID:	NV-CDP-06-2	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-20RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0211		mg/kg	1	0.000139	0.00977	BGF0507	06/09/2023 16:27	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-3
Lab Sample ID: 23E2848-21
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	63.3	V	ug/kg	1	4.70	4.70	BGE4170	06/05/2023 08:55	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*35.0%*	*S*	*60-140*					*06/05/2023 08:55*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.4%*		*60-140*					*06/05/2023 08:55*	
SW-8270	*Surrogate: Phenol-d5-surr*		*79.3%*		*60-140*					*06/05/2023 08:55*	
Metals, Total											
EPA 200.8	Antimony	N	0.00201	J	mg/kg	1	0.00162	0.0201	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Arsenic	N	1.76		mg/kg	1	0.00247	0.0100	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Beryllium	N	0.000984	J	mg/kg	1	0.000201	0.00402	BGE2507	06/07/2023 12:26	TBB
EPA 200.8	Cadmium	N	0.0226		mg/kg	1	0.000635	0.0201	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Chromium	N	0.116	V	mg/kg	1	0.00148	0.0602	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Copper	N	1.17	V	mg/kg	1	0.00175	0.0201	BGE2507	06/06/2023 15:53	TBB
SW-7471B	Mercury	A	<0.00476	U	mg/kg	1	0.00476	0.00952	BGE3655	06/08/2023 15:28	AKR
EPA 200.8	Lead	N	0.0798		mg/kg	1	0.00152	0.0100	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Nickel	N	0.159	V	mg/kg	1	0.000355	0.0201	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Selenium	N	0.237		mg/kg	1	0.0221	0.0402	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Thallium	N	0.000341	J	mg/kg	1	0.000139	0.0100	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Zinc	N	7.00		mg/kg	1	0.00754	0.0402	BGE2507	06/06/2023 15:53	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.2	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-3
Lab Sample ID: 23E2848-21RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0133		mg/kg	1	0.000140	0.00984	BGF0507	06/09/2023 16:12	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-4
Lab Sample ID: 23E2848-22
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	67.1	V	ug/kg	1	4.69	4.69	BGE4170	06/05/2023 09:30	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*4.37%*	*S*	*60-140*					*06/05/2023 09:30*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*51.2%*	*S*	*60-140*					*06/05/2023 09:30*	
SW-8270	*Surrogate: Phenol-d5-surr*		*59.2%*	*S*	*60-140*					*06/05/2023 09:30*	
Metals, Total											
EPA 200.8	Antimony	N	0.00218	J	mg/kg	1	0.00161	0.0200	BGE2507	06/07/2023 12:39	TBB
EPA 200.8	Arsenic	N	1.87		mg/kg	5	0.0123	0.0500	BGE2507	06/07/2023 12:41	TBB
EPA 200.8	Beryllium	N	0.000980	J	mg/kg	1	0.000200	0.00400	BGE2507	06/07/2023 12:39	TBB
EPA 200.8	Cadmium	N	0.0284		mg/kg	1	0.000632	0.0200	BGE2507	06/07/2023 12:39	TBB
EPA 200.8	Chromium	N	0.105	A, V, J	mg/kg	5	0.00735	0.300	BGE2507	06/07/2023 12:41	TBB
EPA 200.8	Copper	N	1.09	V	mg/kg	5	0.00870	0.100	BGE2507	06/07/2023 12:41	TBB
SW-7471B	Mercury	A	<0.00492	U	mg/kg	1	0.00492	0.00984	BGE3655	06/08/2023 15:18	AKR
EPA 200.8	Lead	N	0.0804		mg/kg	1	0.00151	0.0100	BGE2507	06/07/2023 12:39	TBB
EPA 200.8	Nickel	N	0.152	V	mg/kg	5	0.00177	0.100	BGE2507	06/07/2023 12:41	TBB
EPA 200.8	Selenium	N	0.227		mg/kg	5	0.110	0.200	BGE2507	06/07/2023 12:41	TBB
EPA 200.8	Thallium	N	0.000360	J	mg/kg	1	0.000138	0.0100	BGE2507	06/07/2023 12:39	TBB
EPA 200.8	Zinc	N	7.82		mg/kg	5	0.0376	0.200	BGE2507	06/07/2023 12:41	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.1	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-4
Lab Sample ID: 23E2848-22RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0144		mg/kg	1	0.000141	0.00996	BGF0507	06/09/2023 16:29	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-5
Lab Sample ID: 23E2848-23
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	53.0	V	ug/kg	1	4.94	4.94	BGE4170	06/05/2023 10:39	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*8.98%*	*S*	*60-140*					*06/05/2023 10:39*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*74.3%*		*60-140*					*06/05/2023 10:39*	
SW-8270	*Surrogate: Phenol-d5-surr*		*84.6%*		*60-140*					*06/05/2023 10:39*	
Metals, Total											
EPA 200.8	Antimony	N	0.00240	J	mg/kg	1	0.00160	0.0198	BGE2507	06/07/2023 12:44	TBB
EPA 200.8	Arsenic	N	1.93		mg/kg	10	0.0244	0.0992	BGE2507	06/07/2023 12:46	TBB
EPA 200.8	Beryllium	N	0.00157	J	mg/kg	1	0.000198	0.00397	BGE2507	06/07/2023 12:44	TBB
EPA 200.8	Cadmium	N	0.0234		mg/kg	1	0.000627	0.0198	BGE2507	06/07/2023 12:44	TBB
EPA 200.8	Chromium	N	0.107	A, V, J	mg/kg	10	0.0146	0.595	BGE2507	06/07/2023 12:46	TBB
EPA 200.8	Copper	N	1.03	V	mg/kg	10	0.0173	0.198	BGE2507	06/07/2023 12:46	TBB
SW-7471B	Mercury	A	<0.00476	U	mg/kg	1	0.00476	0.00952	BGE3655	06/08/2023 15:55	AKR
EPA 200.8	Lead	N	0.0862		mg/kg	1	0.00150	0.00992	BGE2507	06/07/2023 12:44	TBB
EPA 200.8	Nickel	N	0.189	A, V, J	mg/kg	10	0.00351	0.198	BGE2507	06/07/2023 12:46	TBB
EPA 200.8	Selenium	N	0.230	A, J	mg/kg	10	0.218	0.397	BGE2507	06/07/2023 12:46	TBB
EPA 200.8	Thallium	N	0.000317	J	mg/kg	1	0.000137	0.00992	BGE2507	06/07/2023 12:44	TBB
EPA 200.8	Zinc	N	33.0		mg/kg	10	0.0745	0.397	BGE2507	06/07/2023 12:46	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.8	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID:	NV-CDP-06-5	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-23RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0129		mg/kg	1	0.000142	0.0100	BGF0507	06/09/2023 16:31	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-1
Lab Sample ID: 23E2848-24
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	3.90	V	ug/kg	1	2.33	2.33	BGE4170	06/05/2023 11:13	KRB
SW-8270	Di-n-butyl phthalate	A	4.14	V	ug/kg	1	2.33	2.33	BGE4170	06/05/2023 11:13	KRB
SW-8270	Di-n-octyl phthalate	A	<2.33	U	ug/kg	1	2.33	2.33	BGE4170	06/05/2023 11:13	KRB
SW-8270	Phenol, Total	A	86.3	V	ug/kg	1	4.66	4.66	BGE4170	06/05/2023 11:13	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*2.01%*	*S*	*60-140*					*06/05/2023 11:13*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*31.6%*	*S*	*60-140*					*06/05/2023 11:13*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*51.4%*	*S*	*60-140*					*06/05/2023 11:13*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*66.1%*		*60-140*					*06/05/2023 11:13*	
SW-8270	*Surrogate: Phenol-d5-surr*		*67.4%*		*60-140*					*06/05/2023 11:13*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*25.5%*	*S*	*60-140*					*06/05/2023 11:13*	
Metals, Total											
EPA 200.8	Antimony	N	0.00309	J	mg/kg	1	0.00160	0.0199	BGE2507	06/07/2023 12:49	TBB
EPA 200.8	Arsenic	N	2.25		mg/kg	5	0.0123	0.0498	BGE2507	06/08/2023 15:20	TBB
EPA 200.8	Beryllium	N	0.000857	J	mg/kg	1	0.000199	0.00398	BGE2507	06/07/2023 12:49	TBB
EPA 200.8	Cadmium	N	0.0302		mg/kg	1	0.000629	0.0199	BGE2507	06/07/2023 12:49	TBB
EPA 200.8	Chromium	N	0.191	V	mg/kg	1	0.00146	0.0598	BGE2507	06/08/2023 15:18	TBB
EPA 200.8	Copper	N	2.77	V	mg/kg	1	0.00173	0.0199	BGE2507	06/08/2023 15:18	TBB
SW-7471B	Mercury	A	<0.00488	U	mg/kg	1	0.00488	0.00976	BGE3655	06/08/2023 15:31	AKR
EPA 200.8	Lead	N	0.139		mg/kg	1	0.00150	0.00996	BGE2507	06/07/2023 12:49	TBB
EPA 200.8	Nickel	N	0.179	V	mg/kg	1	0.000353	0.0199	BGE2507	06/08/2023 15:18	TBB
EPA 200.8	Selenium	N	0.320		mg/kg	1	0.0219	0.0398	BGE2507	06/08/2023 15:18	TBB
EPA 200.8	Thallium	N	0.000359	J	mg/kg	1	0.000137	0.00996	BGE2507	06/07/2023 12:49	TBB
EPA 200.8	Zinc	N	9.56		mg/kg	5	0.0374	0.199	BGE2507	06/08/2023 15:20	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.0	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-1
Lab Sample ID: 23E2848-24RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0117		mg/kg	1	0.000141	0.00992	BGF0507	06/09/2023 16:34	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID: NV-CDP-07-2
Lab Sample ID: 23E2848-25
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	6.55	V	ug/kg	1	2.36	2.36	BGE4170	06/05/2023 11:48	KRB
SW-8270	Di-n-butyl phthalate	A	7.05	V	ug/kg	1	2.36	2.36	BGE4170	06/05/2023 11:48	KRB
SW-8270	Di-n-octyl phthalate	A	<2.36	U	ug/kg	1	2.36	2.36	BGE4170	06/05/2023 11:48	KRB
SW-8270	Phenol, Total	A	83.9	V	ug/kg	1	4.72	4.72	BGE4170	06/05/2023 11:48	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*2.05%*	*S*	*60-140*					*06/05/2023 11:48*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*26.4%*	*S*	*60-140*					*06/05/2023 11:48*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*53.7%*	*S*	*60-140*					*06/05/2023 11:48*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*61.1%*		*60-140*					*06/05/2023 11:48*	
SW-8270	*Surrogate: Phenol-d5-surr*		*67.3%*		*60-140*					*06/05/2023 11:48*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*21.7%*	*S*	*60-140*					*06/05/2023 11:48*	
Metals, Total											
EPA 200.8	Antimony	N	0.00320	J	mg/kg	1	0.00161	0.0200	BGE2507	06/07/2023 12:54	TBB
EPA 200.8	Arsenic	N	2.12		mg/kg	10	0.0246	0.100	BGE2507	06/07/2023 12:59	TBB
EPA 200.8	Beryllium	N	0.000520	J	mg/kg	1	0.000200	0.00400	BGE2507	06/07/2023 12:54	TBB
EPA 200.8	Cadmium	N	0.0292		mg/kg	1	0.000632	0.0200	BGE2507	06/07/2023 12:54	TBB
EPA 200.8	Chromium	N	0.168	A, V, J	mg/kg	10	0.0147	0.600	BGE2507	06/07/2023 12:59	TBB
EPA 200.8	Copper	N	3.16	V	mg/kg	10	0.0174	0.200	BGE2507	06/07/2023 12:59	TBB
SW-7471B	Mercury	A	<0.00496	U	mg/kg	1	0.00496	0.00992	BGE3655	06/08/2023 15:35	AKR
EPA 200.8	Lead	N	0.141		mg/kg	1	0.00151	0.0100	BGE2507	06/07/2023 12:54	TBB
EPA 200.8	Nickel	N	0.181	A, V, J	mg/kg	10	0.00354	0.200	BGE2507	06/07/2023 12:59	TBB
EPA 200.8	Selenium	N	0.268	A, J	mg/kg	10	0.220	0.400	BGE2507	06/07/2023 12:59	TBB
EPA 200.8	Thallium	N	0.000280	J	mg/kg	1	0.000138	0.0100	BGE2507	06/07/2023 12:54	TBB
EPA 200.8	Zinc	N	18.8		mg/kg	10	0.0751	0.400	BGE2507	06/07/2023 12:59	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.8	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID:	NV-CDP-07-2	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-25RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0152		mg/kg	1	0.000141	0.00996	BGF0507	06/09/2023 16:36	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID: NV-CDP-07-3
Lab Sample ID: 23E2848-26
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	4.43	V	ug/kg	1	2.45	2.45	BGE4170	06/05/2023 12:23	KRB
SW-8270	Di-n-butyl phthalate	A	3.58	V	ug/kg	1	2.45	2.45	BGE4170	06/05/2023 12:23	KRB
SW-8270	Di-n-octyl phthalate	A	<2.45	U	ug/kg	1	2.45	2.45	BGE4170	06/05/2023 12:23	KRB
SW-8270	Phenol, Total	A	52.9	V	ug/kg	1	4.89	4.89	BGE4170	06/05/2023 12:23	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*6.27%*	*S*	*60-140*					*06/05/2023 12:23*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*28.5%*	*S*	*60-140*					*06/05/2023 12:23*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*62.2%*		*60-140*					*06/05/2023 12:23*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*73.3%*		*60-140*					*06/05/2023 12:23*	
SW-8270	*Surrogate: Phenol-d5-surr*		*65.3%*		*60-140*					*06/05/2023 12:23*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*22.8%*	*S*	*60-140*					*06/05/2023 12:23*	
Metals, Total											
EPA 200.8	Antimony	N	0.00378	J	mg/kg	1	0.00161	0.0200	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Arsenic	N	2.22		mg/kg	10	0.0246	0.100	BGE2507	06/07/2023 13:14	TBB
EPA 200.8	Beryllium	N	0.000980	J	mg/kg	1	0.000200	0.00400	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Cadmium	N	0.0297		mg/kg	1	0.000632	0.0200	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Chromium	N	0.317	V	mg/kg	1	0.00147	0.0600	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Copper	N	3.44	V	mg/kg	1	0.00174	0.0200	BGE2507	06/07/2023 13:09	TBB
SW-7471B	Mercury	A	<0.00496	U	mg/kg	1	0.00496	0.00992	BGE3655	06/08/2023 15:38	AKR
EPA 200.8	Lead	N	0.154		mg/kg	1	0.00151	0.0100	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Nickel	N	0.190	V	mg/kg	1	0.000354	0.0200	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Selenium	N	0.316		mg/kg	1	0.0220	0.0400	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Thallium	N	0.000360	J	mg/kg	1	0.000138	0.0100	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Zinc	N	10.0		mg/kg	10	0.0751	0.400	BGE2507	06/07/2023 13:14	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.0	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID:	NV-CDP-07-3	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-26RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0157		mg/kg	1	0.000140	0.00984	BGF0507	06/09/2023 16:39	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-4
Lab Sample ID: 23E2848-27
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	<2.47	U, B	ug/kg	1	2.47	2.47	BGE4170	06/05/2023 12:57	KRB
SW-8270	Di-n-butyl phthalate	A	9.02	V	ug/kg	1	2.47	2.47	BGE4170	06/05/2023 12:57	KRB
SW-8270	Di-n-octyl phthalate	A	<2.47	U	ug/kg	1	2.47	2.47	BGE4170	06/05/2023 12:57	KRB
SW-8270	Phenol, Total	A	71.1	V	ug/kg	1	4.93	4.93	BGE4170	06/05/2023 12:57	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*37.1%*	*S*	*60-140*					*06/05/2023 12:57*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*42.5%*	*S*	*60-140*					*06/05/2023 12:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*81.8%*		*60-140*					*06/05/2023 12:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*86.8%*		*60-140*					*06/05/2023 12:57*	
SW-8270	*Surrogate: Phenol-d5-surr*		*77.4%*		*60-140*					*06/05/2023 12:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*23.4%*	*S*	*60-140*					*06/05/2023 12:57*	
Metals, Total											
EPA 200.8	Antimony	N	0.00306	J	mg/kg	1	0.00161	0.0200	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Arsenic	N	2.11		mg/kg	10	0.0246	0.100	BGE2507	06/07/2023 13:21	TBB
EPA 200.8	Beryllium	N	0.000620	J	mg/kg	1	0.000200	0.00400	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Cadmium	N	0.0283		mg/kg	1	0.000632	0.0200	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Chromium	N	0.222	V	mg/kg	1	0.00147	0.0600	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Copper	N	2.89	V	mg/kg	1	0.00174	0.0200	BGE2507	06/07/2023 13:16	TBB
SW-7471B	Mercury	A	<0.00480	U	mg/kg	1	0.00480	0.00960	BGE3655	06/08/2023 15:41	AKR
EPA 200.8	Lead	N	0.135		mg/kg	1	0.00151	0.0100	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Nickel	N	0.169	V	mg/kg	1	0.000354	0.0200	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Selenium	N	0.315		mg/kg	1	0.0220	0.0400	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Thallium	N	0.000280	J	mg/kg	1	0.000138	0.0100	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Zinc	N	9.31		mg/kg	10	0.0751	0.400	BGE2507	06/07/2023 13:21	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.6	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID:	NV-CDP-07-4	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-27RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0143		mg/kg	1	0.000140	0.00988	BGF0507	06/09/2023 16:41	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-5
Lab Sample ID: 23E2848-28
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	4.54	V	ug/kg	1	2.35	2.35	BGE4170	06/05/2023 13:32	KRB
SW-8270	Di-n-butyl phthalate	A	4.07	V	ug/kg	1	2.35	2.35	BGE4170	06/05/2023 13:32	KRB
SW-8270	Di-n-octyl phthalate	A	<2.35	U	ug/kg	1	2.35	2.35	BGE4170	06/05/2023 13:32	KRB
SW-8270	Phenol, Total	A	74.2	V	ug/kg	1	4.71	4.71	BGE4170	06/05/2023 13:32	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*1.60%*	*S*	*60-140*					*06/05/2023 13:32*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*13.6%*	*S*	*60-140*					*06/05/2023 13:32*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*43.3%*	*S*	*60-140*					*06/05/2023 13:32*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*51.2%*	*S*	*60-140*					*06/05/2023 13:32*	
SW-8270	*Surrogate: Phenol-d5-surr*		*54.5%*	*S*	*60-140*					*06/05/2023 13:32*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*13.2%*	*S*	*60-140*					*06/05/2023 13:32*	
Metals, Total											
EPA 200.8	Antimony	N	0.00227	J	mg/kg	1	0.00162	0.0201	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Arsenic	N	2.09		mg/kg	10	0.0247	0.100	BGE2507	06/07/2023 13:29	TBB
EPA 200.8	Beryllium	N	0.000442	J	mg/kg	1	0.000201	0.00402	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Cadmium	N	0.0250		mg/kg	1	0.000635	0.0201	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Chromium	N	0.0967	V	mg/kg	1	0.00148	0.0602	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Copper	N	1.87	V	mg/kg	1	0.00175	0.0201	BGE2507	06/07/2023 13:24	TBB
SW-7471B	Mercury	A	<0.00500	U	mg/kg	1	0.00500	0.0100	BGE3655	06/08/2023 15:45	AKR
EPA 200.8	Lead	N	0.0921		mg/kg	1	0.00152	0.0100	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Nickel	N	0.138	V	mg/kg	1	0.000355	0.0201	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Selenium	N	0.328		mg/kg	1	0.0221	0.0402	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Thallium	N	0.000261	J	mg/kg	1	0.000139	0.0100	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Zinc	N	34.0		mg/kg	10	0.0754	0.402	BGE2507	06/07/2023 13:29	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.2	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results

(Continued)

Client Sample ID:	NV-CDP-07-5	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-28RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0126		mg/kg	1	0.000143	0.0100	BGF0507	06/09/2023 16:44	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-REF-1
Lab Sample ID: 23E2848-29
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	5.56	V	ug/kg	1	2.35	2.35	BGE4145	06/01/2023 12:32	KRB
SW-8270	Phenol, Total	A	50.7	V	ug/kg	1	4.70	4.70	BGE4145	06/01/2023 12:32	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*5.72%*	*S*	*60-140*					*06/01/2023 12:32*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*26.8%*	*S*	*60-140*					*06/01/2023 12:32*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*51.7%*	*S*	*60-140*					*06/01/2023 12:32*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*58.0%*	*S*	*60-140*					*06/01/2023 12:32*	
SW-8270	*Surrogate: Phenol-d5-surr*		*38.6%*	*S*	*60-140*					*06/01/2023 12:32*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*26.9%*	*S*	*60-140*					*06/01/2023 12:32*	
Metals, Total											
EPA 200.8	Antimony	N	0.00264	J	mg/kg	1	0.00161	0.0200	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Arsenic	N	2.08		mg/kg	5	0.0123	0.0500	BGE2507	06/07/2023 13:41	TBB
EPA 200.8	Beryllium	N	0.000680	J	mg/kg	1	0.000200	0.00400	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Cadmium	N	0.0264		mg/kg	1	0.000632	0.0200	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Chromium	N	0.126	V	mg/kg	1	0.00147	0.0600	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Copper	N	1.83	V	mg/kg	1	0.00174	0.0200	BGE2507	06/07/2023 13:31	TBB
SW-7471B	Mercury	A	<0.00465	U	mg/kg	1	0.00465	0.00930	BGE3655	06/08/2023 16:05	AKR
EPA 200.8	Lead	N	0.106		mg/kg	1	0.00151	0.0100	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Nickel	N	0.159	V	mg/kg	1	0.000354	0.0200	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Selenium	N	0.300		mg/kg	1	0.0220	0.0400	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Thallium	N	0.000300	J	mg/kg	1	0.000138	0.0100	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Zinc	N	8.23		mg/kg	5	0.0376	0.200	BGE2507	06/07/2023 13:41	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.5	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-REF-1
Lab Sample ID: 23E2848-29RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	3.69	V	ug/kg	1	2.35	2.35	BGE4145	06/05/2023 23:54	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.35	U	ug/kg	1	2.35	2.35	BGE4145	06/05/2023 23:54	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*5.10%*	*S*	*60-140*					*06/05/2023 23:54*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*30.6%*	*S*	*60-140*					*06/05/2023 23:54*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*64.8%*		*60-140*					*06/05/2023 23:54*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*79.7%*		*60-140*					*06/05/2023 23:54*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*68.1%*		*60-140*					*06/05/2023 23:54*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*29.9%*	*S*	*60-140*					*06/05/2023 23:54*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0221		mg/kg	1	0.000138	0.00969	BGF0507	06/09/2023 16:53	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-REF-2
Lab Sample ID: 23E2848-30
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	3.25	V	ug/kg	1	2.38	2.38	BGE4145	06/01/2023 13:06	KRB
SW-8270	Phenol, Total	A	52.8	V	ug/kg	1	4.75	4.75	BGE4145	06/01/2023 13:06	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*20.9%*	*S*	*60-140*					*06/01/2023 13:06*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*57.0%*	*S*	*60-140*					*06/01/2023 13:06*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*71.8%*		*60-140*					*06/01/2023 13:06*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*90.4%*		*60-140*					*06/01/2023 13:06*	
SW-8270	*Surrogate: Phenol-d5-surr*		*49.0%*	*S*	*60-140*					*06/01/2023 13:06*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*24.9%*	*S*	*60-140*					*06/01/2023 13:06*	
Metals, Total											
EPA 200.8	Antimony	N	0.00319	J	mg/kg	1	0.00160	0.0198	BGE2507	06/07/2023 13:46	TBB
EPA 200.8	Arsenic	N	1.95		mg/kg	5	0.0122	0.0496	BGE2507	06/07/2023 13:48	TBB
EPA 200.8	Beryllium	N	0.000615	J	mg/kg	1	0.000198	0.00397	BGE2507	06/07/2023 13:46	TBB
EPA 200.8	Cadmium	N	0.0250		mg/kg	1	0.000627	0.0198	BGE2507	06/07/2023 13:46	TBB
EPA 200.8	Chromium	N	0.151	A, V, J	mg/kg	5	0.00729	0.298	BGE2507	06/07/2023 13:48	TBB
EPA 200.8	Copper	N	2.73	V	mg/kg	5	0.00863	0.0992	BGE2507	06/07/2023 13:48	TBB
SW-7471B	Mercury	A	<0.00496	U	mg/kg	1	0.00496	0.00992	BGE3655	06/08/2023 16:08	AKR
EPA 200.8	Lead	N	0.123		mg/kg	1	0.00150	0.00992	BGE2507	06/07/2023 13:46	TBB
EPA 200.8	Nickel	N	0.181	V	mg/kg	5	0.00176	0.0992	BGE2507	06/07/2023 13:48	TBB
EPA 200.8	Selenium	N	0.232		mg/kg	5	0.109	0.198	BGE2507	06/07/2023 13:48	TBB
EPA 200.8	Thallium	N	0.000278	J	mg/kg	1	0.000137	0.00992	BGE2507	06/07/2023 13:46	TBB
EPA 200.8	Zinc	N	24.7		mg/kg	5	0.0373	0.198	BGE2507	06/07/2023 13:48	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.0	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-REF-2
Lab Sample ID: 23E2848-30RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	5.39	V	ug/kg	1	2.38	2.38	BGE4145	06/06/2023 00:28	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.38	U	ug/kg	1	2.38	2.38	BGE4145	06/06/2023 00:28	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*29.1%*	*S*	*60-140*					*06/06/2023 00:28*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*60.0%*		*60-140*					*06/06/2023 00:28*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*84.7%*		*60-140*					*06/06/2023 00:28*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.8%*		*60-140*					*06/06/2023 00:28*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*80.7%*		*60-140*					*06/06/2023 00:28*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*54.6%*	*S*	*60-140*					*06/06/2023 00:28*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0213		mg/kg	1	0.000141	0.00996	BGF0507	06/09/2023 17:03	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-REF-3
Lab Sample ID: 23E2848-31
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	4.41	V	ug/kg	1	2.47	2.47	BGE4145	06/01/2023 13:41	KRB
SW-8270	Phenol, Total	A	58.3	V	ug/kg	1	4.94	4.94	BGE4145	06/01/2023 13:41	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*18.3%*	*S*	*60-140*					*06/01/2023 13:41*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*47.8%*	*S*	*60-140*					*06/01/2023 13:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*69.4%*		*60-140*					*06/01/2023 13:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*93.4%*		*60-140*					*06/01/2023 13:41*	
SW-8270	*Surrogate: Phenol-d5-surr*		*48.2%*	*S*	*60-140*					*06/01/2023 13:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*36.0%*	*S*	*60-140*					*06/01/2023 13:41*	
Metals, Total											
EPA 200.8	Antimony	N	0.00424	J	mg/kg	1	0.00161	0.0200	BGE2507	06/07/2023 14:15	TBB
EPA 200.8	Arsenic	N	2.16		mg/kg	10	0.0246	0.100	BGE2507	06/07/2023 14:20	TBB
EPA 200.8	Beryllium	N	0.000720	J	mg/kg	1	0.000200	0.00400	BGE2507	06/07/2023 14:15	TBB
EPA 200.8	Cadmium	N	0.0272		mg/kg	1	0.000632	0.0200	BGE2507	06/07/2023 14:15	TBB
EPA 200.8	Chromium	N	0.285	A, V, J	mg/kg	10	0.0147	0.600	BGE2507	06/07/2023 14:20	TBB
EPA 200.8	Copper	N	3.51	V	mg/kg	10	0.0174	0.200	BGE2507	06/07/2023 14:20	TBB
SW-7471B	Mercury	A	<0.00480	U	mg/kg	1	0.00480	0.00960	BGE3655	06/08/2023 16:11	AKR
EPA 200.8	Lead	N	0.151		mg/kg	1	0.00151	0.0100	BGE2507	06/07/2023 14:15	TBB
EPA 200.8	Nickel	N	0.242	V	mg/kg	10	0.00354	0.200	BGE2507	06/07/2023 14:20	TBB
EPA 200.8	Selenium	N	0.244	A, J	mg/kg	10	0.220	0.400	BGE2507	06/07/2023 14:20	TBB
EPA 200.8	Thallium	N	0.000440	J	mg/kg	1	0.000138	0.0100	BGE2507	06/07/2023 14:15	TBB
EPA 200.8	Zinc	N	18.8		mg/kg	10	0.0751	0.400	BGE2507	06/07/2023 14:20	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.8	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-REF-3
Lab Sample ID: 23E2848-31RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	22.2	V	ug/kg	1	2.47	2.47	BGE4145	06/06/2023 01:03	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.47	U	ug/kg	1	2.47	2.47	BGE4145	06/06/2023 01:03	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*31.5%*	*S*	*60-140*					*06/06/2023 01:03*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*59.1%*	*S*	*60-140*					*06/06/2023 01:03*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*81.3%*		*60-140*					*06/06/2023 01:03*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*92.7%*		*60-140*					*06/06/2023 01:03*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*92.0%*		*60-140*					*06/06/2023 01:03*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*86.2%*		*60-140*					*06/06/2023 01:03*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0238		mg/kg	1	0.000140	0.00988	BGF0507	06/09/2023 17:05	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-REF-4
Lab Sample ID: 23E2848-32
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	5.34	V	ug/kg	1	2.33	2.33	BGE4145	06/01/2023 14:15	KRB
SW-8270	Phenol, Total	A	97.3	V	ug/kg	1	4.66	4.66	BGE4145	06/01/2023 14:15	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*15.7%*	*S*	*60-140*					*06/01/2023 14:15*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*57.1%*	*S*	*60-140*					*06/01/2023 14:15*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*67.0%*		*60-140*					*06/01/2023 14:15*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*102%*		*60-140*					*06/01/2023 14:15*	
SW-8270	*Surrogate: Phenol-d5-surr*		*64.0%*		*60-140*					*06/01/2023 14:15*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*23.0%*	*S*	*60-140*					*06/01/2023 14:15*	
Metals, Total											
EPA 200.8	Antimony	N	0.00270	J	mg/kg	1	0.00161	0.0200	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Arsenic	N	1.86		mg/kg	1	0.00246	0.0100	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Beryllium	N	0.000740	J	mg/kg	1	0.000200	0.00400	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Cadmium	N	0.0217		mg/kg	1	0.000632	0.0200	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Chromium	N	0.168	V	mg/kg	1	0.00147	0.0600	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Copper	N	2.39	V	mg/kg	1	0.00174	0.0200	BGE2507	06/07/2023 14:23	TBB
SW-7471B	Mercury	A	<0.00480	U	mg/kg	1	0.00480	0.00960	BGE3655	06/08/2023 16:15	AKR
EPA 200.8	Lead	N	0.110		mg/kg	1	0.00151	0.0100	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Nickel	N	0.172	V	mg/kg	1	0.000354	0.0200	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Selenium	N	0.241		mg/kg	1	0.0220	0.0400	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Thallium	N	0.000240	J	mg/kg	1	0.000138	0.0100	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Zinc	N	6.83		mg/kg	1	0.00751	0.0400	BGE2507	06/07/2023 14:23	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.7	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-REF-4
Lab Sample ID: 23E2848-32RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	7.96	V	ug/kg	1	2.33	2.33	BGE4145	06/06/2023 01:38	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.33	U	ug/kg	1	2.33	2.33	BGE4145	06/06/2023 01:38	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*22.6%*	*S*	*60-140*					*06/06/2023 01:38*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.2%*		*60-140*					*06/06/2023 01:38*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*73.6%*		*60-140*					*06/06/2023 01:38*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*132%*		*60-140*					*06/06/2023 01:38*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*85.9%*		*60-140*					*06/06/2023 01:38*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*52.6%*	*S*	*60-140*					*06/06/2023 01:38*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0141		mg/kg	1	0.000138	0.00969	BGF0507	06/09/2023 16:56	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-REF-5
Lab Sample ID: 23E2848-33
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	4.60	V	ug/kg	1	2.36	2.36	BGE4145	06/01/2023 15:24	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*9.87%*	*S*	*60-140*					*06/01/2023 15:24*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*54.6%*	*S*	*60-140*					*06/01/2023 15:24*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*74.8%*		*60-140*					*06/01/2023 15:24*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*129%*		*60-140*					*06/01/2023 15:24*	
SW-8270	*Surrogate: Phenol-d5-surr*		*113%*		*60-140*					*06/01/2023 15:24*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*27.3%*	*S*	*60-140*					*06/01/2023 15:24*	
Metals, Total											
EPA 200.8	Antimony	N	0.00372	J	mg/kg	1	0.00280	0.0347	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Arsenic	N	2.10		mg/kg	1	0.00427	0.0174	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Beryllium	N	0.00257	J	mg/kg	1	0.000347	0.00694	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Cadmium	N	0.0248	J	mg/kg	1	0.00110	0.0347	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Chromium	N	0.308	V	mg/kg	1	0.00255	0.104	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Copper	N	3.26	V	mg/kg	1	0.00302	0.0347	BGE2507	06/07/2023 14:30	TBB
SW-7471B	Mercury	A	<0.00500	U	mg/kg	1	0.00500	0.0100	BGE3655	06/08/2023 16:18	AKR
EPA 200.8	Lead	N	0.189		mg/kg	1	0.00262	0.0174	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Nickel	N	0.243	V	mg/kg	1	0.000615	0.0347	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Selenium	N	0.268		mg/kg	1	0.0382	0.0694	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Thallium	N	0.000556	J	mg/kg	1	0.000240	0.0174	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Zinc	N	8.90		mg/kg	1	0.0130	0.0694	BGE2507	06/07/2023 14:30	TBB
General Chemistry											
SM 2540 G	% Solids	A	15.0	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-REF-5
Lab Sample ID: 23E2848-33RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<2.36	U, B	ug/kg	1	2.36	2.36	BGE4145	06/10/2023 04:07	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<2.36	U	ug/kg	1	2.36	2.36	BGE4145	06/10/2023 04:07	KRB
SW-8270	Phenol, Total (Rerun)	A	92.7	V	ug/kg	1	4.73	4.73	BGE4145	06/10/2023 04:07	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*15.1%*	*S*	*60-140*					*06/10/2023 04:07*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*59.2%*	*S*	*60-140*					*06/10/2023 04:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*65.9%*		*60-140*					*06/10/2023 04:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*110%*		*60-140*					*06/10/2023 04:07*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*91.9%*		*60-140*					*06/10/2023 04:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*36.2%*	*S*	*60-140*					*06/10/2023 04:07*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.00707	J	mg/kg	1	0.000386	0.0272	BGF0507	06/09/2023 17:08	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-1
Lab Sample ID: 23E2848-34
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	21.6	V	ug/kg	1	2.44	2.44	BGE4145	06/01/2023 15:59	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*23.8%*	*S*	*60-140*					*06/01/2023 15:59*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*65.0%*		*60-140*					*06/01/2023 15:59*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*90.5%*		*60-140*					*06/01/2023 15:59*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*96.6%*		*60-140*					*06/01/2023 15:59*	
SW-8270	*Surrogate: Phenol-d5-surr*		*132%*		*60-140*					*06/01/2023 15:59*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*10.5%*	*S*	*60-140*					*06/01/2023 15:59*	
Metals, Total											
EPA 200.8	Antimony	N	0.00247	J	mg/kg	1	0.00162	0.0201	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Arsenic	N	2.13		mg/kg	10	0.0247	0.100	BGE2507	06/07/2023 14:50	TBB
EPA 200.8	Beryllium	N	0.000602	J	mg/kg	1	0.000201	0.00402	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Cadmium	N	0.0247		mg/kg	1	0.000635	0.0201	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Chromium	N	0.0885	V	mg/kg	1	0.00148	0.0602	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Copper	N	1.90	V	mg/kg	1	0.00175	0.0201	BGE2507	06/07/2023 14:45	TBB
SW-7471B	Mercury	A	<0.00465	U	mg/kg	1	0.00465	0.00930	BGE3655	06/08/2023 16:21	AKR
EPA 200.8	Lead	N	0.0677		mg/kg	1	0.00152	0.0100	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Nickel	N	0.181	V	mg/kg	1	0.000355	0.0201	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Selenium	N	0.371		mg/kg	1	0.0221	0.0402	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Thallium	N	0.000301	J	mg/kg	1	0.000139	0.0100	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Zinc	N	45.5		mg/kg	10	0.0754	0.402	BGE2507	06/07/2023 14:50	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.7	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-1
Lab Sample ID: 23E2848-34RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<4.87	U, B	ug/kg	2	4.87	4.87	BGE4145	06/10/2023 04:42	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<4.87	U	ug/kg	2	4.87	4.87	BGE4145	06/10/2023 04:42	KRB
SW-8270	Phenol, Total (Rerun)	A	78.1	V	ug/kg	2	9.75	9.75	BGE4145	06/10/2023 04:42	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*28.9%*	*S*	*60-140*					*06/10/2023 04:42*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.5%*		*60-140*					*06/10/2023 04:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*79.6%*		*60-140*					*06/10/2023 04:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*111%*		*60-140*					*06/10/2023 04:42*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*94.8%*		*60-140*					*06/10/2023 04:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*11.9%*	*S*	*60-140*					*06/10/2023 04:42*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0235		mg/kg	1	0.000141	0.00996	BGF0507	06/09/2023 17:10	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-2
Lab Sample ID: 23E2848-35
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	13.6	V	ug/kg	1	2.49	2.49	BGE4145	06/01/2023 16:33	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*16.1%*	*S*	*60-140*					*06/01/2023 16:33*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*58.8%*	*S*	*60-140*					*06/01/2023 16:33*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*70.2%*		*60-140*					*06/01/2023 16:33*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*90.1%*		*60-140*					*06/01/2023 16:33*	
SW-8270	*Surrogate: Phenol-d5-surr*		*112%*		*60-140*					*06/01/2023 16:33*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*8.78%*	*S*	*60-140*					*06/01/2023 16:33*	
Metals, Total											
EPA 200.8	Antimony	N	0.00272	J	mg/kg	1	0.00161	0.0200	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Arsenic	N	1.86		mg/kg	5	0.0123	0.0500	BGE2507	06/07/2023 14:55	TBB
EPA 200.8	Beryllium	N	0.00176	J	mg/kg	1	0.000200	0.00400	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Cadmium	N	0.0211		mg/kg	1	0.000632	0.0200	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Chromium	N	0.158	V	mg/kg	1	0.00147	0.0600	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Copper	N	1.48	V	mg/kg	1	0.00174	0.0200	BGE2507	06/07/2023 14:53	TBB
SW-7471B	Mercury	A	<0.00476	U	mg/kg	1	0.00476	0.00952	BGE3655	06/08/2023 16:25	AKR
EPA 200.8	Lead	N	0.0970		mg/kg	1	0.00151	0.0100	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Nickel	N	0.201	V	mg/kg	1	0.000354	0.0200	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Selenium	N	0.295		mg/kg	1	0.0220	0.0400	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Thallium	N	0.000540	J	mg/kg	1	0.000138	0.0100	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Zinc	N	19.7		mg/kg	5	0.0376	0.200	BGE2507	06/07/2023 14:55	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.2	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID:	NV-CDP-PRETEST-2	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-35RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<4.98	U, B	ug/kg	2	4.98	4.98	BGE4145	06/10/2023 05:17	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<4.98	U	ug/kg	2	4.98	4.98	BGE4145	06/10/2023 05:17	KRB
SW-8270	Phenol, Total (Rerun)	A	109	V	ug/kg	2	9.96	9.96	BGE4145	06/10/2023 05:17	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*20.0%*	*S*	*60-140*					*06/10/2023 05:17*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*74.5%*		*60-140*					*06/10/2023 05:17*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*52.5%*	*S*	*60-140*					*06/10/2023 05:17*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*106%*		*60-140*					*06/10/2023 05:17*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*91.1%*		*60-140*					*06/10/2023 05:17*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*11.7%*	*S*	*60-140*					*06/10/2023 05:17*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0252		mg/kg	1	0.000140	0.00984	BGF0507	06/09/2023 17:13	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-3
Lab Sample ID: 23E2848-36
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	3.46	V	ug/kg	1	2.41	2.41	BGE4145	06/01/2023 17:08	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*7.23%*	*S*	*60-140*					*06/01/2023 17:08*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*50.6%*	*S*	*60-140*					*06/01/2023 17:08*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*83.7%*		*60-140*					*06/01/2023 17:08*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*102%*		*60-140*					*06/01/2023 17:08*	
SW-8270	*Surrogate: Phenol-d5-surr*		*125%*		*60-140*					*06/01/2023 17:08*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*26.0%*	*S*	*60-140*					*06/01/2023 17:08*	
Metals, Total											
EPA 200.8	Antimony	N	0.00276	J	mg/kg	1	0.00160	0.0198	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Arsenic	N	2.25		mg/kg	5	0.0122	0.0496	BGE2507	06/07/2023 15:03	TBB
EPA 200.8	Beryllium	N	0.00161	J	mg/kg	1	0.000198	0.00397	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Cadmium	N	0.0264		mg/kg	1	0.000627	0.0198	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Chromium	N	0.139	V	mg/kg	1	0.00146	0.0595	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Copper	N	1.57	V	mg/kg	1	0.00173	0.0198	BGE2507	06/07/2023 15:00	TBB
SW-7471B	Mercury	A	<0.00480	U	mg/kg	1	0.00480	0.00960	BGE3655	06/08/2023 16:35	AKR
EPA 200.8	Lead	N	0.113		mg/kg	1	0.00150	0.00992	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Nickel	N	0.184	V	mg/kg	1	0.000351	0.0198	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Selenium	N	0.355		mg/kg	1	0.0218	0.0397	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Thallium	N	0.000556	J	mg/kg	1	0.000137	0.00992	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Zinc	N	16.5		mg/kg	5	0.0373	0.198	BGE2507	06/07/2023 15:03	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.9	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Results
(Continued)

Client Sample ID:	NV-CDP-PRETEST-3	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-36RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	45.6	V	ug/kg	2	4.83	4.83	BGE4145	06/10/2023 05:52	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<4.83	U	ug/kg	2	4.83	4.83	BGE4145	06/10/2023 05:52	KRB
SW-8270	Phenol, Total (Rerun)	A	89.6	V	ug/kg	2	9.65	9.65	BGE4145	06/10/2023 05:52	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*11.0%*	*S*	*60-140*					*06/10/2023 05:52*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*60.6%*		*60-140*					*06/10/2023 05:52*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*57.7%*	*S*	*60-140*					*06/10/2023 05:52*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*94.2%*		*60-140*					*06/10/2023 05:52*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*71.1%*		*60-140*					*06/10/2023 05:52*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*37.9%*	*S*	*60-140*					*06/10/2023 05:52*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0200		mg/kg	1	0.000140	0.00988	BGF0507	06/09/2023 17:15	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control

Semivolatile Organic Compounds by GCMS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE4145 - SW-3570										
MB SV BT (BGE4145-BLK1)					Prepared: 5/25/2023 Analyzed: 6/1/2023					
Di-n-butyl phthalate	3.59		2.36	ug/kg						
Surrogate: 2-Fluorobiphenyl-surr			*55.7*	*ug/kg*	*75.6*		*73.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*62.4*	*ug/kg*	*75.6*		*82.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*49.2*	*ug/kg*	*75.6*		*65.1*	*60-140*		
Blank (BGE4145-BLK2)					Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	8.93		2.36	ug/kg						
Surrogate: 2-Fluorobiphenyl-surr			*59.4*	*ug/kg*	*75.6*		*78.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*78.2*	*ug/kg*	*75.6*		*103*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*53.3*	*ug/kg*	*75.6*		*70.5*	*60-140*		
BS SV BT/IDOC1 (BGE4145-BS1)					Prepared: 5/25/2023 Analyzed: 6/1/2023					
Di-n-butyl phthalate	51.4		2.48	ug/kg	79.2		64.9	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*52.0*	*ug/kg*	*79.2*		*65.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*54.9*	*ug/kg*	*79.2*		*69.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*31.2*	*ug/kg*	*79.2*		*39.4*	*60-140*		
BS SV BT/IDOC1 (BGE4145-BS2)					Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	84.0		2.48	ug/kg	79.2		106	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*46.3*	*ug/kg*	*79.2*		*58.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*68.3*	*ug/kg*	*79.2*		*86.2*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*49.1*	*ug/kg*	*79.2*		*62.0*	*60-140*		
BSD SV BT/IDOC2 (BGE4145-BSD1)					Prepared: 5/25/2023 Analyzed: 6/1/2023					
Di-n-butyl phthalate	51.0		2.43	ug/kg	77.8		65.6	60-140	0.651	40
Surrogate: 2-Fluorobiphenyl-surr			*47.7*	*ug/kg*	*77.8*		*61.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*48.6*	*ug/kg*	*77.8*		*62.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*32.9*	*ug/kg*	*77.8*		*42.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE4145 - SW-3570 (Continued)										
BSD SV BT/IDOC2 (BGE4145-BSD2)					Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	89.4		2.43	ug/kg	77.8		115	60-140	6.16	40
Surrogate: 2-Fluorobiphenyl-surr		*S*	*43.7*	*ug/kg*	*77.8*		*56.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*67.7*	*ug/kg*	*77.8*		*87.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*51.6*	*ug/kg*	*77.8*		*66.3*	*60-140*		
MDL SV BT (BGE4145-MRL1)					Prepared: 5/25/2023 Analyzed: 6/1/2023					
Di-n-butyl phthalate	4.81		2.42	ug/kg	7.74		62.2	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*48.4*	*ug/kg*	*77.4*		*62.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*60.8*	*ug/kg*	*77.4*		*78.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*34.9*	*ug/kg*	*77.4*		*45.0*	*60-140*		
MRL Check (BGE4145-MRL2)					Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	13.8	J1	2.42	ug/kg	7.74		178	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*50.3*	*ug/kg*	*77.4*		*65.0*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*68.3*	*ug/kg*	*77.4*		*88.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*43.7*	*ug/kg*	*77.4*		*56.5*	*60-140*		
23E2848-11 MS (BGE4145-MS1)		**Source: 23E2848-11**			Prepared: 5/25/2023 Analyzed: 6/1/2023					
Di-n-butyl phthalate	41.7	J1	2.24	ug/kg	71.8	6.50	49.0	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*34.4*	*ug/kg*	*71.8*		*47.9*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*55.7*	*ug/kg*	*71.8*		*77.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*23.0*	*ug/kg*	*71.8*		*32.0*	*60-140*		
Matrix Spike (BGE4145-MS2)		**Source: 23E2848-11RE1**			Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	58.8		2.24	ug/kg	71.8	6.14	73.3	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*35.6*	*ug/kg*	*71.8*		*49.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*73.3*	*ug/kg*	*71.8*		*102*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*47.7*	*ug/kg*	*71.8*		*66.4*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE4145 - SW-3570 (Continued)										
23E2848-11 MSD (BGE4145-MSD1)		**Source: 23E2848-11**			Prepared: 5/25/2023 Analyzed: 6/1/2023					
Di-n-butyl phthalate	45.7	J1	2.36	ug/kg	75.6	6.50	51.8	60-140	9.14	40
Surrogate: 2-Fluorobiphenyl-surr		*S*	*32.9*	*ug/kg*	*75.6*		*43.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*59.0*	*ug/kg*	*75.6*		*78.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*23.4*	*ug/kg*	*75.6*		*30.9*	*60-140*		
Matrix Spike Dup (BGE4145-MSD2)		**Source: 23E2848-11RE1**			Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	67.1		2.36	ug/kg	75.6	6.14	80.6	60-140	13.2	40
Surrogate: 2-Fluorobiphenyl-surr		*S*	*34.5*	*ug/kg*	*75.6*		*45.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*70.6*	*ug/kg*	*75.6*		*93.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*52.5*	*ug/kg*	*75.6*		*69.4*	*60-140*		
Batch: BGE4170 - SW-3570										
MB SV BT (BGE4170-BLK1)					Prepared: 5/25/2023 Analyzed: 6/4/2023					
Bis(2-ethylhexyl)phthalate	5.46		2.45	ug/kg						
Di-n-butyl phthalate	6.13		2.45	ug/kg						
Surrogate: 2-Fluorobiphenyl-surr			*54.3*	*ug/kg*	*78.4*		*69.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*50.8*	*ug/kg*	*78.4*		*64.7*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*62.8*	*ug/kg*	*78.4*		*80.1*	*60-140*		
BS SV BT (BGE4170-BS1)					Prepared: 5/25/2023 Analyzed: 6/4/2023					
Bis(2-ethylhexyl)phthalate	39.1	J1	2.38	ug/kg	76.0		51.4	60-140		
Di-n-butyl phthalate	41.7	J1	2.38	ug/kg	76.0		54.9	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*35.6*	*ug/kg*	*76.0*		*46.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*42.2*	*ug/kg*	*76.0*		*55.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*30.6*	*ug/kg*	*76.0*		*40.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE4170 - SW-3570 (Continued)										
BSD SV BT (BGE4170-BSD1)					Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	40.9	J1	2.47	ug/kg	79.1		51.7	60-140	4.43	40
Di-n-butyl phthalate	40.6	J1	2.47	ug/kg	79.1		51.3	60-140	2.79	40
Surrogate: 2-Fluorobiphenyl-surr		*S*	*43.7*	*ug/kg*	*79.1*		*55.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*46.1*	*ug/kg*	*79.1*		*58.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*36.7*	*ug/kg*	*79.1*		*46.5*	*60-140*		
MDL SV BT (BGE4170-MRL1)					Prepared: 5/25/2023 Analyzed: 6/4/2023					
Bis(2-ethylhexyl)phthalate	13.1	J1	2.35	ug/kg	7.50		174	50-150		
Di-n-butyl phthalate	7.76		2.35	ug/kg	7.50		103	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*45.8*	*ug/kg*	*75.0*		*61.0*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*51.0*	*ug/kg*	*75.0*		*67.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*43.9*	*ug/kg*	*75.0*		*58.5*	*60-140*		
23E284802 MS (BGE4170-MS1)		**Source: 23E2848-02**			Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	28.6	J1	2.45	ug/kg	78.4	<2.45	36.4	60-140		
Di-n-butyl phthalate	54.6	J1	2.45	ug/kg	78.4	8.70	58.5	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*40.2*	*ug/kg*	*78.4*		*51.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*48.3*	*ug/kg*	*78.4*		*61.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*33.0*	*ug/kg*	*78.4*		*42.1*	*60-140*		
23E284802 MSD (BGE4170-MSD1)		**Source: 23E2848-02**			Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	36.9	J1	2.44	ug/kg	78.0	<2.44	47.3	60-140	25.4	40
Di-n-butyl phthalate	68.9		2.44	ug/kg	78.0	8.70	77.2	60-140	23.2	40
Surrogate: 2-Fluorobiphenyl-surr		*S*	*43.9*	*ug/kg*	*78.0*		*56.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*49.5*	*ug/kg*	*78.0*		*63.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*37.2*	*ug/kg*	*78.0*		*47.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2506 - EPA 200.3										
Blank (BGE2506-BLK1)					Prepared: 5/16/2023 Analyzed: 6/2/2023					
Antimony	<0.0996	U	0.0996	mg/kg						
Arsenic	<0.0498	U	0.0498	mg/kg						
Cadmium	<0.0996	U	0.0996	mg/kg						
Chromium	0.0342	J	0.299	mg/kg						
Copper	0.0292	J	0.0996	mg/kg						
Lead	0.0103	J	0.0498	mg/kg						
Nickel	0.0150	J	0.0996	mg/kg						
Selenium	<0.199	U	0.199	mg/kg						
Thallium	<0.0498	U	0.0498	mg/kg						
Blank (BGE2506-BLK3)					Prepared: 5/16/2023 Analyzed: 6/8/2023					
Zinc	1.34		0.199	mg/kg						
Blank (BGE2506-BLK4)					Prepared: 5/16/2023 Analyzed: 6/8/2023					
Beryllium	<0.0199	U	0.0199	mg/kg						
LCS (BGE2506-BS1)					Prepared: 5/16/2023 Analyzed: 6/2/2023					
Antimony	9.72		0.0956	mg/kg	9.56		102	85-115		
Arsenic	4.85		0.0478	mg/kg	4.78		102	85-115		
Cadmium	9.43		0.0956	mg/kg	9.56		98.6	85-115		
Chromium	28.1		0.287	mg/kg	28.7		97.9	85-115		
Copper	9.45		0.0956	mg/kg	9.56		98.9	85-115		
Lead	4.94		0.0478	mg/kg	4.78		103	85-115		
Nickel	9.31		0.0956	mg/kg	9.56		97.4	85-115		
Thallium	4.83		0.0478	mg/kg	4.78		101	85-115		
LCS (BGE2506-BS3)					Prepared: 5/16/2023 Analyzed: 6/8/2023					
Zinc	20.5		0.191	mg/kg	19.1		107	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2506 - EPA 200.3 (Continued)										
LCS (BGE2506-BS4)					Prepared: 5/16/2023 Analyzed: 6/8/2023					
Beryllium	2.10		0.0191	mg/kg	1.91		110	85-115		
Selenium	20.7		0.191	mg/kg	19.1		108	85-115		
Duplicate (BGE2506-DUP1)		**Source: 23E2848-01**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Antimony	<0.0199	U	0.0199	mg/kg		<0.0199				20
Arsenic	1.04		0.00996	mg/kg		1.09			5.51	20
Cadmium	0.0397		0.0199	mg/kg		0.0406			2.24	20
Chromium	0.0534	J	0.0598	mg/kg		0.0481			10.5	20
Copper	1.16		0.0199	mg/kg		1.15			0.865	20
Lead	0.0255		0.00996	mg/kg		0.0265			4.16	20
Nickel	0.342		0.0199	mg/kg		0.343			0.201	20
Selenium	0.148		0.0398	mg/kg		0.151			2.17	20
Thallium	0.000398	J	0.00996	mg/kg		0.000360			10.1	20
Duplicate (BGE2506-DUP2)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Cadmium	0.0432		0.0200	mg/kg		0.0450			4.13	20
Thallium	0.000320	J	0.0100	mg/kg		0.000340			6.06	20
Duplicate (BGE2506-DUP4)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Antimony	<0.0200	U	0.0200	mg/kg		<0.0200				20
Arsenic	1.18		0.0100	mg/kg		1.24			5.39	20
Chromium	0.0367	J	0.0600	mg/kg		0.0415			12.4	20
Copper	1.32		0.0200	mg/kg		1.42			7.35	20
Lead	0.0415		0.0100	mg/kg		0.0463			10.9	20
Nickel	0.316		0.0200	mg/kg		0.341			7.69	20
Duplicate (BGE2506-DUP5)		**Source: 23E2848-01**			Prepared: 5/16/2023 Analyzed: 6/8/2023					
Zinc	12.2		0.398	mg/kg		11.2			7.98	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2506 - EPA 200.3 (Continued)										
Duplicate (BGE2506-DUP6)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/8/2023					
Beryllium	0.00126	J	0.00400	mg/kg		0.00120			4.88	20
Selenium	0.169		0.0400	mg/kg		0.181			6.94	20
Duplicate (BGE2506-DUP7)		**Source: 23E2848-01**			Prepared: 5/16/2023 Analyzed: 6/8/2023					
Beryllium	0.00147	J	0.00398	mg/kg		0.00122			18.9	20
Zinc	11.4		0.199	mg/kg		11.2			1.82	20
MDL Check (BGE2506-MRL1)					Prepared: 5/16/2023 Analyzed: 6/2/2023					
Antimony	0.0506	J	0.102	mg/kg	0.0509		99.4			
Arsenic	0.00163	J	0.0509	mg/kg	0.00509		32.0			
Cadmium	0.00570	J	0.102	mg/kg	0.00509		112			
Chromium	0.0303	J	0.305	mg/kg	0.0153		199			
Copper	0.0360	J	0.102	mg/kg	0.0102		354			
Lead	0.00611	J	0.0509	mg/kg	0.00509		120			
Nickel	0.0162	J	0.102	mg/kg	0.00509		318			
Selenium	0.116	J	0.204	mg/kg	0.102		114			
Thallium	0.00295	J	0.0509	mg/kg	0.00255		116			
MDL Check (BGE2506-MRL3)					Prepared: 5/16/2023 Analyzed: 6/8/2023					
Zinc	0.184	J	0.204	mg/kg	0.102		180			
MDL Check (BGE2506-MRL4)					Prepared: 5/16/2023 Analyzed: 6/8/2023					
Beryllium	0.00132	J	0.0204	mg/kg	0.00102		130			
Matrix Spike (BGE2506-MS1)		**Source: 23E2848-01**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Antimony	1.93		0.0200	mg/kg	2.00	<0.0200	96.6	75-125		
Arsenic	1.94		0.0500	mg/kg	1.00	1.09	84.6	75-125		
Cadmium	1.97		0.0200	mg/kg	2.00	0.0406	96.2	75-125		
Chromium	5.93		0.0600	mg/kg	6.00	0.0481	98.0	75-125		
Copper	2.98		0.0200	mg/kg	2.00	1.15	91.6	75-125		
Lead	1.01		0.0100	mg/kg	1.00	0.0265	98.8	75-125		
Nickel	2.23		0.0200	mg/kg	2.00	0.343	94.4	75-125		
Thallium	0.932		0.0100	mg/kg	1.00	0.000360	93.2	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2506 - EPA 200.3 (Continued)										
Matrix Spike (BGE2506-MS2)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Cadmium	1.87		0.0201	mg/kg	2.01	0.0450	91.1	75-125		
Thallium	0.866		0.0100	mg/kg	1.00	0.000340	86.2	75-125		
Matrix Spike (BGE2506-MS4)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Antimony	1.91		0.0201	mg/kg	2.01	<0.0201	95.3	75-125		
Arsenic	1.93	J1	0.0502	mg/kg	1.00	1.24	68.3	75-125		
Chromium	5.71		0.0602	mg/kg	6.02	0.0415	94.0	75-125		
Copper	3.06		0.0201	mg/kg	2.01	1.42	81.6	75-125		
Lead	0.947		0.0100	mg/kg	1.00	0.0463	89.7	75-125		
Nickel	2.14		0.0201	mg/kg	2.01	0.341	89.3	75-125		
Matrix Spike (BGE2506-MS5)		**Source: 23E2848-01**			Prepared: 5/16/2023 Analyzed: 6/8/2023					
Beryllium	0.431		0.00400	mg/kg	0.400	0.00122	107	75-125		
Selenium	5.38	J1	0.0400	mg/kg	4.00	0.151	131	75-125		
Zinc	16.6	J1	0.200	mg/kg	4.00	11.2	133	75-125		
Matrix Spike (BGE2506-MS6)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/8/2023					
Beryllium	0.406		0.00402	mg/kg	0.402	0.00120	101	75-125		
Selenium	5.39	J1	0.0402	mg/kg	4.02	0.181	130	75-125		
Zinc	15.2		0.201	mg/kg	4.02	11.5	92.2	75-125		
Batch: BGE2507 - EPA 200.3										
Blank (BGE2507-BLK1)					Prepared: 5/16/2023 Analyzed: 6/6/2023					
Antimony	<0.101	U	0.101	mg/kg						
Arsenic	<0.0503	U	0.0503	mg/kg						
Cadmium	<0.101	U	0.101	mg/kg						
Chromium	0.0140	J	0.302	mg/kg						
Copper	0.0256	J	0.101	mg/kg						
Lead	<0.0503	U	0.0503	mg/kg						
Nickel	0.00573	J	0.101	mg/kg						
Selenium	<0.201	U	0.201	mg/kg						
Thallium	<0.0503	U	0.0503	mg/kg						
Zinc	<0.201	U	0.201	mg/kg						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2507 - EPA 200.3 (Continued)										
Blank (BGE2507-BLK2)					Prepared: 5/16/2023 Analyzed: 6/7/2023					
Beryllium	<0.0201	U	0.0201	mg/kg						
LCS (BGE2507-BS1)					Prepared: 5/16/2023 Analyzed: 6/6/2023					
Antimony	10.2		0.0952	mg/kg	9.52		107	85-115		
Arsenic	4.87		0.0476	mg/kg	4.76		102	85-115		
Cadmium	9.47		0.0952	mg/kg	9.52		99.4	85-115		
Chromium	28.1		0.286	mg/kg	28.6		98.4	85-115		
Copper	10.1		0.0952	mg/kg	9.52		106	85-115		
Lead	4.77		0.0476	mg/kg	4.76		100	85-115		
Nickel	9.33		0.0952	mg/kg	9.52		97.9	85-115		
Selenium	19.7		0.190	mg/kg	19.0		103	85-115		
Thallium	4.80		0.0476	mg/kg	4.76		101	85-115		
Zinc	19.6		0.190	mg/kg	19.0		103	85-115		
LCS (BGE2507-BS2)					Prepared: 5/16/2023 Analyzed: 6/7/2023					
Beryllium	2.19		0.0190	mg/kg	1.90		115	85-115		
Duplicate (BGE2507-DUP1)		**Source: 23E2848-20**			Prepared: 5/16/2023 Analyzed: 6/6/2023					
Antimony	0.00235	J	0.0201	mg/kg		0.00238			1.29	20
Arsenic	2.04		0.0502	mg/kg		2.06			1.19	20
Cadmium	0.0291		0.0201	mg/kg		0.0301			3.66	20
Chromium	0.131		0.0602	mg/kg		0.116			11.8	20
Copper	1.12		0.0201	mg/kg		1.20			6.73	20
Lead	0.0898		0.0100	mg/kg		0.0943			4.82	20
Nickel	0.173		0.0201	mg/kg		0.172			0.447	20
Selenium	0.300		0.0402	mg/kg		0.300			0.227	20
Thallium	0.000361	J	0.0100	mg/kg		0.000340			6.11	20
Zinc	24.0	J1	0.201	mg/kg		50.4			70.9	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2507 - EPA 200.3 (Continued)										
Duplicate (BGE2507-DUP2)		**Source: 23E2848-30**			Prepared: 5/16/2023 Analyzed: 6/7/2023					
Antimony	0.00344	J	0.0200	mg/kg		0.00319			7.40	20
Arsenic	1.85		0.100	mg/kg		1.95			5.46	20
Beryllium	0.000580	J	0.00400	mg/kg		0.000615			5.87	20
Cadmium	0.0246		0.0200	mg/kg		0.0250			1.85	20
Chromium	0.151		0.0600	mg/kg		0.151			0.0322	20
Copper	2.56		0.0200	mg/kg		2.73			6.09	20
Lead	0.113		0.0100	mg/kg		0.123			9.11	20
Nickel	0.169		0.0200	mg/kg		0.181			7.12	20
Selenium	0.287	J1	0.0400	mg/kg		0.232			21.3	20
Thallium	0.000280	J	0.0100	mg/kg		0.000278			0.797	20
Zinc	8.12	J1	0.400	mg/kg		24.7			101	20
Duplicate (BGE2507-DUP3)		**Source: 23E2848-20**			Prepared: 5/16/2023 Analyzed: 6/7/2023					
Beryllium	0.000964	J	0.00402	mg/kg		0.000920			4.66	20
MDL Check (BGE2507-MRL1)					Prepared: 5/16/2023 Analyzed: 6/6/2023					
Antimony	0.0571	J	0.0990	mg/kg	0.0495		115			
Arsenic	<0.0495	U	0.0495	mg/kg	0.00495					
Cadmium	0.00634	J	0.0990	mg/kg	0.00495		128			
Chromium	0.0550	J	0.297	mg/kg	0.0149		370			
Copper	0.0366	J	0.0990	mg/kg	0.00990		370			
Lead	0.00762	J	0.0495	mg/kg	0.00495		154			
Nickel	0.0146	J	0.0990	mg/kg	0.00495		294			
Selenium	0.102	J	0.198	mg/kg	0.0990		103			
Thallium	0.00485	J	0.0495	mg/kg	0.00248		196			
Zinc	0.128	J	0.198	mg/kg	0.0990		129			
MDL Check (BGE2507-MRL2)					Prepared: 5/16/2023 Analyzed: 6/7/2023					
Beryllium	0.00158	J	0.0198	mg/kg	0.000990		160			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2507 - EPA 200.3 (Continued)										
Matrix Spike (BGE2507-MS1)		**Source: 23E2848-20**			Prepared: 5/16/2023 Analyzed: 6/6/2023					
Antimony	2.15		0.0200	mg/kg	2.00	0.00238	107	75-125		
Arsenic	3.11		0.0500	mg/kg	1.00	2.06	104	75-125		
Cadmium	2.06		0.0200	mg/kg	2.00	0.0301	101	75-125		
Chromium	6.15		0.0600	mg/kg	6.00	0.116	101	75-125		
Copper	3.00		0.0200	mg/kg	2.00	1.20	89.9	75-125		
Lead	1.05		0.0100	mg/kg	1.00	0.0943	95.5	75-125		
Nickel	2.09		0.0200	mg/kg	2.00	0.172	96.0	75-125		
Selenium	5.46	J1	0.0400	mg/kg	4.00	0.300	129	75-125		
Thallium	0.968		0.0100	mg/kg	1.00	0.000340	96.7	75-125		
Zinc	12.6	J1	0.200	mg/kg	4.00	50.4	NR	75-125		
Matrix Spike (BGE2507-MS2)		**Source: 23E2848-30**			Prepared: 5/16/2023 Analyzed: 6/7/2023					
Antimony	2.11		0.0199	mg/kg	1.99	0.00319	106	75-125		
Arsenic	2.89		0.0498	mg/kg	0.996	1.95	94.5	75-125		
Beryllium	0.464		0.00398	mg/kg	0.398	0.000615	116	75-125		
Cadmium	2.14		0.0199	mg/kg	1.99	0.0250	106	75-125		
Chromium	6.75		0.0598	mg/kg	5.98	0.151	110	75-125		
Copper	4.88		0.0996	mg/kg	1.99	2.73	108	75-125		
Lead	1.13		0.00996	mg/kg	0.996	0.123	101	75-125		
Nickel	2.25		0.0199	mg/kg	1.99	0.181	104	75-125		
Selenium	5.70	J1	0.0398	mg/kg	3.98	0.232	137	75-125		
Thallium	0.996		0.00996	mg/kg	0.996	0.000278	100	75-125		
Zinc	27.5	J1	0.199	mg/kg	3.98	24.7	70.5	75-125		
Matrix Spike (BGE2507-MS3)		**Source: 23E2848-20**			Prepared: 5/16/2023 Analyzed: 6/7/2023					
Beryllium	0.463		0.00400	mg/kg	0.400	0.000920	116	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE3654 - SW-7471										
MDL Check (BGE3654-MRL1)					Prepared & Analyzed: 6/7/2023					
Mercury	0.0107	J	0.0196	mg/kg	0.00979		109			
Matrix Spike (BGE3654-MS1)		**Source: 23E2848-12**			Prepared & Analyzed: 6/7/2023					
Mercury	0.123		0.00992	mg/kg	0.124	<0.00992	99.1	80-120		
Matrix Spike (BGE3654-MS2)		**Source: 23E2848-13**			Prepared & Analyzed: 6/7/2023					
Mercury	0.119		0.00952	mg/kg	0.119	<0.00952	99.8	80-120		
Matrix Spike Dup (BGE3654-MSD1)		**Source: 23E2848-12**			Prepared & Analyzed: 6/7/2023					
Mercury	0.117		0.00945	mg/kg	0.118	<0.00945	99.0	80-120	4.96	20
Matrix Spike Dup (BGE3654-MSD2)		**Source: 23E2848-13**			Prepared & Analyzed: 6/7/2023					
Mercury	0.121		0.00976	mg/kg	0.122	<0.00976	99.6	80-120	2.21	20
Batch: BGE3655 - SW-7471										
MDL Check (BGE3655-MRL1)					Prepared & Analyzed: 6/8/2023					
Mercury	0.00988	J	0.0200	mg/kg	0.00998		99.0			
Matrix Spike (BGE3655-MS1)		**Source: 23E2848-22**			Prepared & Analyzed: 6/8/2023					
Mercury	0.121		0.00960	mg/kg	0.120	<0.00960	100	80-120		
Matrix Spike (BGE3655-MS2)		**Source: 23E2848-23**			Prepared & Analyzed: 6/8/2023					
Mercury	0.114		0.00930	mg/kg	0.116	<0.00930	97.8	80-120		
Matrix Spike Dup (BGE3655-MSD1)		**Source: 23E2848-22**			Prepared & Analyzed: 6/8/2023					
Mercury	0.126		0.00976	mg/kg	0.122	<0.00976	103	80-120	4.54	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE3655 - SW-7471 (Continued)										
Matrix Spike Dup (BGE3655-MSD2)		**Source: 23E2848-23**			Prepared & Analyzed: 6/8/2023					
Mercury	0.124		0.0100	mg/kg	0.125	<0.0100	99.2	80-120	8.69	20
Batch: BGF0506 - EPA 200.3										
Blank (BGF0506-BLK1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	<0.0505	U	0.0505	mg/kg						
LCS (BGF0506-BS1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	1.79	J1	0.0467	mg/kg	4.67		38.4	85-115		
Duplicate (BGF0506-DUP1)		**Source: 23E2848-01RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.0162		0.0100	mg/kg		0.0167			2.92	20
Duplicate (BGF0506-DUP2)		**Source: 23E2848-11RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.0151		0.00996	mg/kg		0.0155			2.91	20
MDL Check (BGF0506-MRL1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.00216	J	0.0490	mg/kg	0.00245		88.0			
Matrix Spike (BGF0506-MS1)		**Source: 23E2848-01RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.554	J1	0.00996	mg/kg	0.996	0.0167	53.9	75-125		
Matrix Spike (BGF0506-MS2)		**Source: 23E2848-11RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.379	J1	0.00977	mg/kg	0.977	0.0155	37.2	75-125		
Batch: BGF0507 - EPA 200.3										
Blank (BGF0507-BLK1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	<0.0500	U	0.0500	mg/kg						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGF0507 - EPA 200.3 (Continued)										
LCS (BGF0507-BS1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	2.22	J1	0.0505	mg/kg	5.05		43.9	85-115		
Duplicate (BGF0507-DUP1)		**Source: 23E2848-21RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.0152		0.00962	mg/kg		0.0133			13.4	20
Duplicate (BGF0507-DUP2)		**Source: 23E2848-32RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.0147		0.00996	mg/kg		0.0141			3.84	20
MDL Check (BGF0507-MRL1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.00263	J	0.0505	mg/kg	0.00253		104			
Matrix Spike (BGF0507-MS1)		**Source: 23E2848-21RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.816		0.0100	mg/kg	1.00	0.0133	80.3	75-125		
Matrix Spike (BGF0507-MS2)		**Source: 23E2848-32RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.563	J1	0.00992	mg/kg	0.992	0.0141	55.3	75-125		
Batch: SGF0026 - BGE2506										
Interference Check A (SGF0026-IFA1)					Prepared & Analyzed: 6/2/2023					
Antimony	0.149			ug/L				70-130		
Arsenic	0.126			ug/L				70-130		
Cadmium	0.384			ug/L				70-130		
Chromium	3.42			ug/L				70-130		
Copper	0.164			ug/L				70-130		
Lead	0.0720			ug/L				70-130		
Nickel	0.595			ug/L				70-130		
Selenium	0.195			ug/L				70-130		
Thallium	0.00800			ug/L				70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SGF0026 - BGE2506 (Continued)										
Interference Check B (SGF0026-IFB1)					Prepared & Analyzed: 6/2/2023					
Antimony	96.9			ug/L	100		96.9	70-130		
Arsenic	49.6			ug/L	50.0		99.2	70-130		
Cadmium	94.8			ug/L	100		94.8	70-130		
Chromium	287			ug/L	300		95.8	70-130		
Copper	89.9			ug/L	100		89.9	70-130		
Lead	45.5			ug/L	50.0		91.0	70-130		
Nickel	89.7			ug/L	100		89.7	70-130		
Selenium	198			ug/L	200		99.1	70-130		
Thallium	46.5			ug/L	50.0		93.0	70-130		
Batch: SGF0034 - BGE2506										
Interference Check A (SGF0034-IFA1)					Prepared & Analyzed: 6/2/2023					
Antimony	0.139			ug/L				70-130		
Arsenic	0.106			ug/L				70-130		
Chromium	3.26			ug/L				70-130		
Copper	0.117			ug/L				70-130		
Lead	0.0640			ug/L				70-130		
Nickel	0.574			ug/L				70-130		
Interference Check B (SGF0034-IFB1)					Prepared & Analyzed: 6/2/2023					
Antimony	94.4			ug/L	100		94.4	70-130		
Arsenic	49.5			ug/L	50.0		99.0	70-130		
Chromium	287			ug/L	300		95.6	70-130		
Copper	86.8			ug/L	100		86.8	70-130		
Lead	46.6			ug/L	50.0		93.1	70-130		
Nickel	88.0			ug/L	100		88.0	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SGF0074 - BGE2507										
Interference Check A (SGF0074-IFA1)					Prepared & Analyzed: 6/6/2023					
Antimony	0.215			ug/L				70-130		
Arsenic	0.125			ug/L				70-130		
Cadmium	0.410			ug/L				70-130		
Chromium	3.67			ug/L				70-130		
Copper	0.296			ug/L				70-130		
Lead	0.0900			ug/L				70-130		
Nickel	0.644			ug/L				70-130		
Selenium	0.186			ug/L				70-130		
Thallium	0.0320			ug/L				70-130		
Zinc	0.144			ug/L				70-130		
Interference Check B (SGF0074-IFB1)					Prepared & Analyzed: 6/6/2023					
Antimony	104			ug/L	100		104	70-130		
Arsenic	52.0			ug/L	50.0		104	70-130		
Cadmium	99.9			ug/L	100		99.9	70-130		
Chromium	295			ug/L	300		98.3	70-130		
Copper	98.9			ug/L	100		98.9	70-130		
Lead	45.0			ug/L	50.0		89.9	70-130		
Nickel	92.5			ug/L	100		92.5	70-130		
Selenium	213			ug/L	200		106	70-130		
Thallium	48.2			ug/L	50.0		96.4	70-130		
Zinc	192			ug/L	200		96.2	70-130		
Batch: SGF0091 - BGE2507										
Interference Check A (SGF0091-IFA1)					Prepared & Analyzed: 6/7/2023					
Antimony	0.159			ug/L				70-130		
Arsenic	0.103			ug/L				70-130		
Beryllium	0.00200			ug/L				70-130		
Cadmium	0.367			ug/L				70-130		
Chromium	3.29			ug/L				70-130		
Copper	0.144			ug/L				70-130		
Lead	0.0700			ug/L				70-130		
Nickel	0.582			ug/L				70-130		
Selenium	0.249			ug/L				70-130		
Thallium	0.0160			ug/L				70-130		
Zinc	1.26			ug/L				70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SGF0091 - BGE2507 (Continued)										
Interference Check B (SGF0091-IFB1)					Prepared & Analyzed: 6/7/2023					
Antimony	103			ug/L	100		103	70-130		
Arsenic	52.0			ug/L	50.0		104	70-130		
Beryllium	18.5			ug/L	20.0		92.6	70-130		
Cadmium	98.9			ug/L	100		98.9	70-130		
Chromium	295			ug/L	300		98.4	70-130		
Copper	96.1			ug/L	100		96.1	70-130		
Lead	46.1			ug/L	50.0		92.2	70-130		
Nickel	93.3			ug/L	100		93.3	70-130		
Selenium	213			ug/L	200		107	70-130		
Thallium	46.8			ug/L	50.0		93.5	70-130		
Zinc	193			ug/L	200		96.3	70-130		
Batch: SGF0122 - BGE2506										
Interference Check A (SGF0122-IFA1)					Prepared & Analyzed: 6/8/2023					
Arsenic	0.0990			ug/L				70-130		
Beryllium	0.00800			ug/L				70-130		
Chromium	3.28			ug/L				70-130		
Copper	0.338			ug/L				70-130		
Nickel	0.573			ug/L				70-130		
Selenium	0.185			ug/L				70-130		
Zinc	0.665			ug/L				70-130		
Interference Check B (SGF0122-IFB1)					Prepared & Analyzed: 6/8/2023					
Arsenic	51.2			ug/L	50.0		102	70-130		
Beryllium	18.1			ug/L	20.0		90.6	70-130		
Chromium	286			ug/L	300		95.3	70-130		
Copper	92.8			ug/L	100		92.8	70-130		
Nickel	90.9			ug/L	100		90.9	70-130		
Selenium	208			ug/L	200		104	70-130		
Zinc	189			ug/L	200		94.7	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SGF0142 - BGF0506										
Interference Check A (SGF0142-IFA1)					Prepared & Analyzed: 6/9/2023					
Silver	0.00700			ug/L				70-130		
Interference Check B (SGF0142-IFB1)					Prepared & Analyzed: 6/9/2023					
Silver	45.6			ug/L	50.0		91.3	70-130		
Batch: SGF0149 - BGF0506										
Interference Check A (SGF0149-IFA1)					Prepared & Analyzed: 6/9/2023					
Silver	0.00800			ug/L				70-130		
Interference Check B (SGF0149-IFB1)					Prepared & Analyzed: 6/9/2023					
Silver	46.5			ug/L	50.0		93.0	70-130		
Batch: SGF0246 - BGE2506										
Interference Check A (SGF0246-IFA1)					Prepared & Analyzed: 6/15/2023					
Arsenic	0.0830			ug/L				70-130		
Interference Check B (SGF0246-IFB1)					Prepared & Analyzed: 6/15/2023					
Arsenic	52.1			ug/L	50.0		104	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Quality Control
(Continued)

General Chemistry

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2233 - Percent Solids										
Blank (BGE2233-BLK1)					Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	<0.100	U	0.100	%						
Duplicate (BGE2233-DUP1)		**Source: 23E2848-01**			Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	10.4		0.100	%		10.6			1.47	10
Duplicate (BGE2233-DUP2)		**Source: 23E2848-36**			Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	14.0		0.100	%		13.9			0.908	10
Reference (BGE2233-SRM1)					Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	0.369		0.100	%	0.350		105	78.9-118		
Batch: BGE2234 - Percent Solids										
Blank (BGE2234-BLK1)					Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	<0.100	U	0.100	%						
Duplicate (BGE2234-DUP1)		**Source: 23E2848-03**			Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	9.17		0.100	%		9.19			0.209	10
Duplicate (BGE2234-DUP2)		**Source: 23E2848-10**			Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	9.70		0.100	%		9.80			1.07	10
Reference (BGE2234-SRM1)					Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	0.377		0.100	%	0.350		108	78.9-118		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Sample Condition Checklist

Work Order: 23E2848

Check Points	
No	Custody Seals
Yes	Containers Intact
Yes	COC/Labels Agree
Yes	Received On Ice
Yes	Appropriate Containers
Yes	Appropriate Sample Volume
No	Coolers Intact
Yes	Samples Accepted

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:04

Term and Qualifier Definitions

Item	Definition
A	Detection limit elevated due to abundance of non-target analyte.
B	Analyte was found in the associated method blank.
J	Estimated value - The reported value is between the detection limit and reporting limit.
J1	Estimated value - The reported value is outside the established quality control criteria for accuracy and/or precision.
S	The surrogate recovery was outside the established laboratory recovery limit.
U	Non-detected compound.
V	Analyte was detected in both sample and method blank.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated
*	A = Accredited, N = Not Accredited or Accreditation not available
DF	Dilution Factor - the factor applied to the reported data due to sample preparation, dilution, or moisture content
MDL	Method Detection Limit - The minimum concentration of a substance (or analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. Based on standard deviation of replicate spiked samples take through all steps of the analytical procedure following 40 CFR Part 136 Appendix B.
SDL	Sample Detection Limit - The minimum concentration of a substance (analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. The SDL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MDL = SDL.
MRL	Method Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The MRL is at or above the lowest calibration standard.
LRL	Laboratory Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The LRL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MRL = LRL.

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**	**Schedule Comments:**

Sample ID	Collection Point	Date/Time Begin	Date/Time Sampled	Sample Type	Container	Analysis/Preservation	Field Results
23E2848-01	MM-CDP-06-1		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-02	MM-CDP-06-2		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:** **Schedule Comments:**

23E2848-03	MM-CDP-06-3		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20(<-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-04	MM-CDP-06-4		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20(<-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**	**Schedule Comments:**

23E2848-05	MM-CDP-06-5		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.: <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-06	MM-CDP-07-1		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.: <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX1001 4°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**						**Schedule Comments:**
23E2848-07	MM-CDP-07-2		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS 2 <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.8 <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 200 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-08	MM-CDP-07-3		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS 2 <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.8 <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 200 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-09	MM-CDP-07-4		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-10	MM-CDP-07-5		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-11	MM-REF-1		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-12	MM-REF-2		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-13	MM-REF-3		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 4°C TS-2540 G <-20°C	
23E2848-14	MM-REF-4		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 4°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-15	MM-REF-5		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-16	MM-CDP-PRETEST-1		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-17	MM-CDP-PRETEST-2		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-18	MM-CDP-PRETEST-3		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-19	NV-CDP-06-1		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20(<-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-20	NV-CDP-06-2		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20(<-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-21	NV-CDP-06-3		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-22	NV-CDP-06-4		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-23	NV-CDP-06-5		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-24	NV-CDP-07-1		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-25	NV-CDP-07-2		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-26	NV-CDP-07-3		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-27	NV-CDP-07-4		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.: <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-28	NV-CDP-07-5		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.: <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**	**Schedule Comments:**

23E2848-29	NV-REF-1		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX1001 4°C TS-2540 G <-20°C	
23E2848-30	NV-REF-2		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX1001 4°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name**: PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-31	NV-REF-3		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-32	NV-REF-4		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-33	NV-REF-5		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-34	NV-CDP-PRETEST-1		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**	**Schedule Comments:**

23E2848-35	NV-CDP-PRETEST-2		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-36	NV-CDP-PRETEST-3		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**	**Schedule Comments:**

Field Remarks:		**Preservation: (Circle and Write ID)** H2SO4 HNO3 NaOH Other:		
Sampler (Signature)	Relinquished By: (Signature)	Date/Time 5/10/23 15:00	Received By: (Signature)	Date/Time
Print Name: Thermo Gray	Relinquished By: (Signature)	Date/Time	Received By: (Signature)	Date/Time
Affiliation: TDX Lab	Relinquished To Lab By: (Signature)	Date/Time	Received for Laboratory By: (Signature)	Date/Time 5/10/23 16:00

Custody Seal : Yes / No | COC Labels Agree: Yes / No | Appropriate Volume: Yes / No | Received on Ice: Yes / No | Temperature: °C

Container Intact : Yes / No | Appropriate Containers: Yes / No | Coolers Intact: Yes / No | Samples Accepted: Yes / No | Thermometer ID:

Anamar

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

June 16, 2023

LAB REPORT

Gregg Pawlak
Terracon_Houston
11555 Clay Road
Houston, TX 77043


Report ID: 20230616110719MM

RE: PCCA CDP TISSUE CHEM

The following test results meet all NELAP requirements for analytes for which certification is available. Any deviations from our quality system will be noted in the case narrative. All analyses performed by North Water District Laboratory Services, Inc. unless noted.

For questions regarding this report, contact Monica Martin at 936-321-6060.

Sincerely,



Monica O. Martin
Chief Administrative Officer

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Work Order Case Narrative

A total of 36 samples were collected on:

Laboratory ID	Sample Name	Sample Date
23E2848-01	MM-CDP-06-1	04/01/2023 11:00
23E2848-02	MM-CDP-06-2	04/01/2023 11:00
23E2848-03	MM-CDP-06-3	04/01/2023 11:00
23E2848-04	MM-CDP-06-4	04/01/2023 11:00
23E2848-05	MM-CDP-06-5	04/01/2023 11:00
23E2848-06	MM-CDP-07-1	04/01/2023 11:00
23E2848-07	MM-CDP-07-2	04/01/2023 11:00
23E2848-08	MM-CDP-07-3	04/01/2023 11:00
23E2848-09	MM-CDP-07-4	04/01/2023 11:00
23E2848-10	MM-CDP-07-5	04/01/2023 11:00
23E2848-11	MM-REF-1	04/01/2023 11:00
23E2848-12	MM-REF-2	04/01/2023 11:00
23E2848-13	MM-REF-3	04/01/2023 11:00
23E2848-14	MM-REF-4	04/01/2023 11:00
23E2848-15	MM-REF-5	04/01/2023 11:00
23E2848-16	MM-CDP-PRETEST-1	04/01/2023 11:00
23E2848-17	MM-CDP-PRETEST-2	04/01/2023 11:00
23E2848-18	MM-CDP-PRETEST-3	04/01/2023 11:00
23E2848-19	NV-CDP-06-1	04/01/2023 13:00
23E2848-20	NV-CDP-06-2	04/01/2023 13:00
23E2848-21	NV-CDP-06-3	04/01/2023 13:00
23E2848-22	NV-CDP-06-4	04/01/2023 13:00
23E2848-23	NV-CDP-06-5	04/01/2023 13:00
23E2848-24	NV-CDP-07-1	04/01/2023 13:00
23E2848-25	NV-CDP-07-2	04/01/2023 13:00
23E2848-26	NV-CDP-07-3	04/01/2023 13:00
23E2848-27	NV-CDP-07-4	04/01/2023 13:00
23E2848-28	NV-CDP-07-5	04/01/2023 13:00
23E2848-29	NV-REF-1	04/01/2023 13:00
23E2848-30	NV-REF-2	04/01/2023 13:00
23E2848-31	NV-REF-3	04/01/2023 13:00
23E2848-32	NV-REF-4	04/01/2023 13:00
23E2848-33	NV-REF-5	04/01/2023 13:00
23E2848-34	NV-CDP-PRETEST-1	04/01/2023 13:00
23E2848-35	NV-CDP-PRETEST-2	04/01/2023 13:00
23E2848-36	NV-CDP-PRETEST-3	04/01/2023 13:00

Samples were received and accepted at NWDLS on 05/10/2023 15:00. Samples were held in freezer storage until digestion and/or extraction began for all tests, including subcontracted tests. Any receiving discrepancies are recorded and stored in NWDLS' database. The samples received a Work Order of 23E2848. The lab sample IDs, client sample IDs, and dates of collection can be found at the top of each result page.

NWDLS provided their lowest detection limit for all requested analyses. Note that detection and reporting limits are adjusted to account for sample specific parameters.

Any QC that did not meet the laboratory specified control limits was flagged and reported with qualifiers. For additional

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

information, please refer to the included quality control data pages.

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results

Client Sample ID: MM-CDP-06-1
Lab Sample ID: 23E2848-01
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	415	V	ug/kg dry	1	44.6	44.6	BGE4170	06/05/2023 02:34	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*14.7%*	*S*	*60-140*					*06/05/2023 02:34*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*57.1%*	*S*	*60-140*					*06/05/2023 02:34*	
SW-8270	*Surrogate: Phenol-d5-surr*		*64.6%*		*60-140*					*06/05/2023 02:34*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0152	U	mg/kg dry	1	0.0152	0.189	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Arsenic	N	10.4		mg/kg dry	1	0.0233	0.0947	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Beryllium	N	0.0116	J	mg/kg dry	1	0.00189	0.0379	BGE2506	06/08/2023 15:40	TBB
EPA 200.8	Cadmium	N	0.385		mg/kg dry	1	0.00598	0.189	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Chromium	N	0.455	V, J	mg/kg dry	1	0.0139	0.568	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Copper	N	10.9	V	mg/kg dry	1	0.0165	0.189	BGE2506	06/02/2023 09:58	TBB
SW-7471B	Mercury	A	<0.0466	U	mg/kg dry	1	0.0466	0.0931	BGE3654	06/07/2023 13:28	AKR
EPA 200.8	Lead	N	0.251	V	mg/kg dry	1	0.0143	0.0947	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Nickel	N	3.25	V	mg/kg dry	1	0.00335	0.189	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Selenium	N	1.43		mg/kg dry	1	0.208	0.379	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Thallium	N	0.00341	J	mg/kg dry	1	0.00131	0.0947	BGE2506	06/02/2023 09:58	TBB
EPA 200.8	Zinc	N	106	V	mg/kg dry	5	0.356	1.89	BGE2506	06/08/2023 15:50	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.6	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-1
Lab Sample ID: 23E2848-01RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.158		mg/kg dry	1	0.00133	0.0939	BGF0506	06/09/2023 13:24	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-2
Lab Sample ID: 23E2848-02
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	480	V	ug/kg dry	1	47.4	47.4	BGE4170	06/05/2023 02:00	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*39.0%*	*S*	*60-140*					*06/05/2023 02:00*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*75.0%*		*60-140*					*06/05/2023 02:00*	
SW-8270	*Surrogate: Phenol-d5-surr*		*69.8%*		*60-140*					*06/05/2023 02:00*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0154	U	mg/kg dry	1	0.0154	0.192	BGE2506	06/02/2023 10:13	TBB
EPA 200.8	Arsenic	N	9.79	A	mg/kg dry	5	0.118	0.479	BGE2506	06/02/2023 10:23	TBB
EPA 200.8	Beryllium	N	0.0148	J	mg/kg dry	1	0.00192	0.0383	BGE2506	06/08/2023 15:52	TBB
EPA 200.8	Cadmium	N	0.413		mg/kg dry	1	0.00605	0.192	BGE2506	06/02/2023 10:13	TBB
EPA 200.8	Chromium	N	0.317	A, V, J	mg/kg dry	5	0.0704	2.87	BGE2506	06/02/2023 10:23	TBB
EPA 200.8	Copper	N	11.2	A, V	mg/kg dry	5	0.0833	0.958	BGE2506	06/02/2023 10:23	TBB
SW-7471B	Mercury	A	<0.0479	U	mg/kg dry	1	0.0479	0.0958	BGE3654	06/07/2023 13:32	AKR
EPA 200.8	Lead	N	0.285	V	mg/kg dry	1	0.0145	0.0958	BGE2506	06/02/2023 10:13	TBB
EPA 200.8	Nickel	N	3.52	A, V	mg/kg dry	5	0.0170	0.958	BGE2506	06/02/2023 10:23	TBB
EPA 200.8	Selenium	N	1.54	A	mg/kg dry	1	0.211	0.383	BGE2506	06/02/2023 10:13	TBB
EPA 200.8	Thallium	N	0.00383	J	mg/kg dry	1	0.00132	0.0958	BGE2506	06/02/2023 10:13	TBB
EPA 200.8	Zinc	N	114	V	mg/kg dry	10	0.719	3.83	BGE2506	06/08/2023 12:40	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.4	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-2	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-02RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.143		mg/kg dry	1	0.00134	0.0947	BGF0506	06/09/2023 13:31	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-3
Lab Sample ID: 23E2848-03
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	37.7	V	ug/kg dry	1	25.5	25.5	BGE4170	06/05/2023 03:09	KRB
SW-8270	Phenol, Total	A	537	V	ug/kg dry	1	51.0	51.0	BGE4170	06/05/2023 03:09	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*16.3%*	*S*	*60-140*					*06/05/2023 03:09*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*60.2%*		*60-140*					*06/05/2023 03:09*	
SW-8270	*Surrogate: Phenol-d5-surr*		*66.8%*		*60-140*					*06/05/2023 03:09*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0175	U	mg/kg dry	1	0.0175	0.217	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Arsenic	N	10.9		mg/kg dry	1	0.0267	0.108	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Beryllium	N	0.0180	J	mg/kg dry	1	0.00217	0.0434	BGE2506	06/08/2023 15:57	TBB
EPA 200.8	Cadmium	N	0.441		mg/kg dry	1	0.00685	0.217	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Chromium	N	0.372	V, J	mg/kg dry	1	0.0159	0.651	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Copper	N	11.0	V	mg/kg dry	1	0.0189	0.217	BGE2506	06/02/2023 10:25	TBB
SW-7471B	Mercury	A	<0.0506	U	mg/kg dry	1	0.0506	0.101	BGE3654	06/07/2023 13:35	AKR
EPA 200.8	Lead	N	0.326	V	mg/kg dry	1	0.0164	0.108	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Nickel	N	3.91	V	mg/kg dry	1	0.00384	0.217	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Selenium	N	1.55		mg/kg dry	1	0.239	0.434	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Thallium	N	0.00607	J	mg/kg dry	1	0.00150	0.108	BGE2506	06/02/2023 10:25	TBB
EPA 200.8	Zinc	N	133	V	mg/kg dry	10	0.814	4.34	BGE2506	06/08/2023 12:43	TBB
General Chemistry											
SM 2540 G	% Solids	A	9.19	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-3	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-03RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.129		mg/kg dry	1	0.00151	0.106	BGF0506	06/09/2023 13:34	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-4
Lab Sample ID: 23E2848-04
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	460	V	ug/kg dry	1	42.8	42.8	BGE4170	06/05/2023 03:44	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*20.5%*	*S*	*60-140*					*06/05/2023 03:44*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*59.3%*	*S*	*60-140*					*06/05/2023 03:44*	
SW-8270	*Surrogate: Phenol-d5-surr*		*62.9%*		*60-140*					*06/05/2023 03:44*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0153	U	mg/kg dry	1	0.0153	0.191	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Arsenic	N	10.6		mg/kg dry	1	0.0234	0.0953	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Beryllium	N	0.0114	J	mg/kg dry	5	0.00953	0.191	BGE2506	06/08/2023 12:53	TBB
EPA 200.8	Cadmium	N	0.337		mg/kg dry	1	0.00602	0.191	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Chromium	N	0.358	V, J	mg/kg dry	1	0.0140	0.572	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Copper	N	9.10	V	mg/kg dry	1	0.0166	0.191	BGE2506	06/02/2023 10:30	TBB
SW-7471B	Mercury	A	<0.0443	U	mg/kg dry	1	0.0443	0.0886	BGE3654	06/07/2023 13:38	AKR
EPA 200.8	Lead	N	0.318	V	mg/kg dry	1	0.0144	0.0953	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Nickel	N	2.40	V	mg/kg dry	1	0.00337	0.191	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Selenium	N	1.36		mg/kg dry	1	0.210	0.381	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Thallium	N	0.00324	J	mg/kg dry	1	0.00131	0.0953	BGE2506	06/02/2023 10:30	TBB
EPA 200.8	Zinc	N	94.9	V	mg/kg dry	5	0.358	1.91	BGE2506	06/08/2023 12:53	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.5	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-4	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-04RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.101		mg/kg dry	1	0.00132	0.0930	BGF0506	06/09/2023 13:36	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-06-5
Lab Sample ID: 23E2848-05
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	628	V	ug/kg dry	1	43.4	43.4	BGE4170	06/05/2023 04:18	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*7.95%*	*S*	*60-140*					*06/05/2023 04:18*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*69.5%*		*60-140*					*06/05/2023 04:18*	
SW-8270	*Surrogate: Phenol-d5-surr*		*74.5%*		*60-140*					*06/05/2023 04:18*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0147	U	mg/kg dry	1	0.0147	0.183	BGE2506	06/02/2023 10:35	TBB
EPA 200.8	Arsenic	N	9.14	A	mg/kg dry	5	0.112	0.457	BGE2506	06/02/2023 10:38	TBB
EPA 200.8	Beryllium	N	0.0132	J	mg/kg dry	1	0.00183	0.0365	BGE2506	06/08/2023 12:55	TBB
EPA 200.8	Cadmium	N	0.416		mg/kg dry	1	0.00577	0.183	BGE2506	06/02/2023 10:35	TBB
EPA 200.8	Chromium	N	0.285	A, V, J	mg/kg dry	5	0.0671	2.74	BGE2506	06/02/2023 10:38	TBB
EPA 200.8	Copper	N	10.7	A, V	mg/kg dry	5	0.0795	0.913	BGE2506	06/02/2023 10:38	TBB
SW-7471B	Mercury	A	<0.0444	U	mg/kg dry	1	0.0444	0.0887	BGE3654	06/07/2023 13:41	AKR
EPA 200.8	Lead	N	0.300	V	mg/kg dry	1	0.0138	0.0913	BGE2506	06/02/2023 10:35	TBB
EPA 200.8	Nickel	N	3.05	A, V	mg/kg dry	5	0.0162	0.913	BGE2506	06/02/2023 10:38	TBB
EPA 200.8	Selenium	N	1.42	A	mg/kg dry	1	0.201	0.365	BGE2506	06/02/2023 10:35	TBB
EPA 200.8	Thallium	N	0.00329	J	mg/kg dry	1	0.00126	0.0913	BGE2506	06/02/2023 10:35	TBB
EPA 200.8	Zinc	N	107	V	mg/kg dry	5	0.343	1.83	BGE2506	06/08/2023 12:58	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.9	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	MM-CDP-06-5	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-05RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.157		mg/kg dry	1	0.00129	0.0906	BGF0506	06/09/2023 13:39	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-1
Lab Sample ID: 23E2848-06
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	50.2	V	ug/kg dry	1	20.3	20.3	BGE4170	06/05/2023 04:53	KRB
SW-8270	Di-n-butyl phthalate	A	51.5	V	ug/kg dry	1	20.3	20.3	BGE4170	06/05/2023 04:53	KRB
SW-8270	Di-n-octyl phthalate	A	<20.3	U	ug/kg dry	1	20.3	20.3	BGE4170	06/05/2023 04:53	KRB
SW-8270	Phenol, Total	A	626	V	ug/kg dry	1	40.7	40.7	BGE4170	06/05/2023 04:53	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*16.3%*	*S*	*60-140*					*06/05/2023 04:53*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*42.5%*	*S*	*60-140*					*06/05/2023 04:53*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*72.1%*		*60-140*					*06/05/2023 04:53*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*84.3%*		*60-140*					*06/05/2023 04:53*	
SW-8270	*Surrogate: Phenol-d5-surr*		*78.2%*		*60-140*					*06/05/2023 04:53*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*43.0%*	*S*	*60-140*					*06/05/2023 04:53*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0136	U	mg/kg dry	1	0.0136	0.169	BGE2506	06/02/2023 10:40	TBB
EPA 200.8	Arsenic	N	10.5	A	mg/kg dry	5	0.104	0.423	BGE2506	06/02/2023 10:42	TBB
EPA 200.8	Beryllium	N	0.0132	J	mg/kg dry	1	0.00169	0.0338	BGE2506	06/08/2023 13:10	TBB
EPA 200.8	Cadmium	N	0.443		mg/kg dry	1	0.00535	0.169	BGE2506	06/02/2023 10:40	TBB
EPA 200.8	Chromium	N	0.246	A, V, J	mg/kg dry	5	0.0622	2.54	BGE2506	06/02/2023 10:42	TBB
EPA 200.8	Copper	N	11.3	A, V	mg/kg dry	5	0.0736	0.846	BGE2506	06/02/2023 10:42	TBB
SW-7471B	Mercury	A	<0.0408	U	mg/kg dry	1	0.0408	0.0816	BGE3654	06/07/2023 13:45	AKR
EPA 200.8	Lead	N	0.415	V	mg/kg dry	1	0.0128	0.0846	BGE2506	06/02/2023 10:40	TBB
EPA 200.8	Nickel	N	2.81	A, V	mg/kg dry	5	0.0150	0.846	BGE2506	06/02/2023 10:42	TBB
EPA 200.8	Selenium	N	1.58	A	mg/kg dry	1	0.186	0.338	BGE2506	06/02/2023 10:40	TBB
EPA 200.8	Thallium	N	0.00525	J	mg/kg dry	1	0.00117	0.0846	BGE2506	06/02/2023 10:40	TBB
EPA 200.8	Zinc	N	105	V	mg/kg dry	5	0.318	1.69	BGE2506	06/08/2023 13:12	TBB
General Chemistry											
SM 2540 G	% Solids	A	11.9	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-1
Lab Sample ID: 23E2848-06RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.125		mg/kg dry	1	0.00118	0.0833	BGF0506	06/09/2023 15:19	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-2
Lab Sample ID: 23E2848-07
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	96.9	V	ug/kg dry	1	23.6	23.6	BGE4170	06/05/2023 05:28	KRB
SW-8270	Di-n-butyl phthalate	A	59.8	V	ug/kg dry	1	23.6	23.6	BGE4170	06/05/2023 05:28	KRB
SW-8270	Di-n-octyl phthalate	A	<23.6	U	ug/kg dry	1	23.6	23.6	BGE4170	06/05/2023 05:28	KRB
SW-8270	Phenol, Total	A	752	V	ug/kg dry	1	47.2	47.2	BGE4170	06/05/2023 05:28	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*23.2%*	*S*	*60-140*					*06/05/2023 05:28*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*47.5%*	*S*	*60-140*					*06/05/2023 05:28*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*76.1%*		*60-140*					*06/05/2023 05:28*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*94.0%*		*60-140*					*06/05/2023 05:28*	
SW-8270	*Surrogate: Phenol-d5-surr*		*93.4%*		*60-140*					*06/05/2023 05:28*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*50.4%*	*S*	*60-140*					*06/05/2023 05:28*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0156	U	mg/kg dry	1	0.0156	0.193	BGE2506	06/02/2023 10:45	TBB
EPA 200.8	Arsenic	N	11.6	A	mg/kg dry	5	0.119	0.484	BGE2506	06/02/2023 10:55	TBB
EPA 200.8	Beryllium	N	0.0161	J	mg/kg dry	1	0.00193	0.0387	BGE2506	06/08/2023 13:15	TBB
EPA 200.8	Cadmium	N	0.688		mg/kg dry	1	0.00611	0.193	BGE2506	06/02/2023 10:45	TBB
EPA 200.8	Chromium	N	0.414	A, V, J	mg/kg dry	5	0.0711	2.90	BGE2506	06/02/2023 10:55	TBB
EPA 200.8	Copper	N	13.6	A, V	mg/kg dry	5	0.0842	0.967	BGE2506	06/02/2023 10:55	TBB
SW-7471B	Mercury	A	<0.0484	U	mg/kg dry	1	0.0484	0.0967	BGE3654	06/07/2023 13:55	AKR
EPA 200.8	Lead	N	0.472	V	mg/kg dry	1	0.0146	0.0967	BGE2506	06/02/2023 10:45	TBB
EPA 200.8	Nickel	N	3.80	A, V	mg/kg dry	5	0.0171	0.967	BGE2506	06/02/2023 10:55	TBB
EPA 200.8	Selenium	N	1.90	A	mg/kg dry	1	0.213	0.387	BGE2506	06/02/2023 10:45	TBB
EPA 200.8	Thallium	N	0.00484	J	mg/kg dry	1	0.00133	0.0967	BGE2506	06/02/2023 10:45	TBB
EPA 200.8	Zinc	N	134	V	mg/kg dry	5	0.363	1.93	BGE2506	06/08/2023 13:17	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.3	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results

(Continued)

Client Sample ID:	MM-CDP-07-2	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-07RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.178		mg/kg dry	1	0.00133	0.0937	BGF0506	06/09/2023 15:21	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-3
Lab Sample ID: 23E2848-08
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	80.5	V	ug/kg dry	1	20.0	20.0	BGE4170	06/05/2023 06:02	KRB
SW-8270	Di-n-butyl phthalate	A	57.0	V	ug/kg dry	1	20.0	20.0	BGE4170	06/05/2023 06:02	KRB
SW-8270	Di-n-octyl phthalate	A	<20.0	U	ug/kg dry	1	20.0	20.0	BGE4170	06/05/2023 06:02	KRB
SW-8270	Phenol, Total	A	621	V	ug/kg dry	1	39.9	39.9	BGE4170	06/05/2023 06:02	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*20.0% S*		*60-140*					*06/05/2023 06:02*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*43.3% S*		*60-140*					*06/05/2023 06:02*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*75.7%*		*60-140*					*06/05/2023 06:02*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*76.9%*		*60-140*					*06/05/2023 06:02*	
SW-8270	*Surrogate: Phenol-d5-surr*		*84.9%*		*60-140*					*06/05/2023 06:02*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*49.4% S*		*60-140*					*06/05/2023 06:02*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0147	U	mg/kg dry	1	0.0147	0.183	BGE2506	06/02/2023 15:42	TBB
EPA 200.8	Arsenic	N	11.3		mg/kg dry	1	0.0225	0.0915	BGE2506	06/02/2023 10:57	TBB
EPA 200.8	Beryllium	N	0.0141	J	mg/kg dry	1	0.00183	0.0366	BGE2506	06/08/2023 13:22	TBB
EPA 200.8	Cadmium	N	0.524		mg/kg dry	1	0.00578	0.183	BGE2506	06/02/2023 10:57	TBB
EPA 200.8	Chromium	N	0.218	V, J	mg/kg dry	1	0.0134	0.549	BGE2506	06/02/2023 10:57	TBB
EPA 200.8	Copper	N	10.8	V	mg/kg dry	1	0.0159	0.183	BGE2506	06/02/2023 10:57	TBB
SW-7471B	Mercury	A	<0.0429	U	mg/kg dry	1	0.0429	0.0858	BGE3654	06/07/2023 13:58	AKR
EPA 200.8	Lead	N	0.374	V	mg/kg dry	1	0.0138	0.0915	BGE2506	06/02/2023 15:42	TBB
EPA 200.8	Nickel	N	3.29	V	mg/kg dry	1	0.00324	0.183	BGE2506	06/02/2023 10:57	TBB
EPA 200.8	Selenium	N	1.74		mg/kg dry	1	0.201	0.366	BGE2506	06/08/2023 13:22	TBB
EPA 200.8	Thallium	N	0.00403	J	mg/kg dry	1	0.00126	0.0915	BGE2506	06/02/2023 10:57	TBB
EPA 200.8	Zinc	N	112	V	mg/kg dry	5	0.344	1.83	BGE2506	06/08/2023 13:25	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.9	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results

(Continued)

Client Sample ID:	MM-CDP-07-3	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-08RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.132		mg/kg dry	1	0.00129	0.0908	BGF0506	06/09/2023 15:24	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-4
Lab Sample ID: 23E2848-09
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	80.8	V	ug/kg dry	1	21.5	21.5	BGE4170	06/05/2023 06:37	KRB
SW-8270	Di-n-butyl phthalate	A	51.9	V	ug/kg dry	1	21.5	21.5	BGE4170	06/05/2023 06:37	KRB
SW-8270	Di-n-octyl phthalate	A	<21.5	U	ug/kg dry	1	21.5	21.5	BGE4170	06/05/2023 06:37	KRB
SW-8270	Phenol, Total	A	829	V	ug/kg dry	1	42.9	42.9	BGE4170	06/05/2023 06:37	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*12.1%*	*S*	*60-140*					*06/05/2023 06:37*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*46.1%*	*S*	*60-140*					*06/05/2023 06:37*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*70.3%*		*60-140*					*06/05/2023 06:37*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*76.8%*		*60-140*					*06/05/2023 06:37*	
SW-8270	*Surrogate: Phenol-d5-surr*		*76.3%*		*60-140*					*06/05/2023 06:37*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*45.2%*	*S*	*60-140*					*06/05/2023 06:37*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0150	U	mg/kg dry	1	0.0150	0.186	BGE2506	06/02/2023 15:47	TBB
EPA 200.8	Arsenic	N	9.07	A	mg/kg dry	5	0.114	0.465	BGE2506	06/02/2023 11:05	TBB
EPA 200.8	Beryllium	N	0.0128	J	mg/kg dry	1	0.00186	0.0372	BGE2506	06/08/2023 13:27	TBB
EPA 200.8	Cadmium	N	0.526		mg/kg dry	1	0.00588	0.186	BGE2506	06/02/2023 11:02	TBB
EPA 200.8	Chromium	N	0.241	A, V, J	mg/kg dry	5	0.0683	2.79	BGE2506	06/02/2023 11:05	TBB
EPA 200.8	Copper	N	11.7	A, V	mg/kg dry	5	0.0809	0.930	BGE2506	06/02/2023 11:05	TBB
SW-7471B	Mercury	A	<0.0452	U	mg/kg dry	1	0.0452	0.0903	BGE3654	06/07/2023 14:01	AKR
EPA 200.8	Lead	N	0.444	V	mg/kg dry	1	0.0140	0.0930	BGE2506	06/02/2023 15:47	TBB
EPA 200.8	Nickel	N	3.14	A, V	mg/kg dry	5	0.0165	0.930	BGE2506	06/02/2023 11:05	TBB
EPA 200.8	Selenium	N	1.64		mg/kg dry	1	0.205	0.372	BGE2506	06/08/2023 13:27	TBB
EPA 200.8	Thallium	N	0.00409	J	mg/kg dry	1	0.00128	0.0930	BGE2506	06/02/2023 11:02	TBB
EPA 200.8	Zinc	N	119	V	mg/kg dry	5	0.349	1.86	BGE2506	06/08/2023 13:30	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.7	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	MM-CDP-07-4	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-09RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.141		mg/kg dry	1	0.00130	0.0919	BGF0506	06/09/2023 15:26	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-07-5
Lab Sample ID: 23E2848-10
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	85.0	V	ug/kg dry	1	24.4	24.4	BGE4170	06/05/2023 07:11	KRB
SW-8270	Di-n-butyl phthalate	A	55.3	V	ug/kg dry	1	24.4	24.4	BGE4170	06/05/2023 07:11	KRB
SW-8270	Di-n-octyl phthalate	A	<24.4	U	ug/kg dry	1	24.4	24.4	BGE4170	06/05/2023 07:11	KRB
SW-8270	Phenol, Total	A	825	V	ug/kg dry	1	48.8	48.8	BGE4170	06/05/2023 07:11	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*12.0%*	*S*	*60-140*					*06/05/2023 07:11*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*40.5%*	*S*	*60-140*					*06/05/2023 07:11*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.8%*		*60-140*					*06/05/2023 07:11*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*82.1%*		*60-140*					*06/05/2023 07:11*	
SW-8270	*Surrogate: Phenol-d5-surr*		*73.5%*		*60-140*					*06/05/2023 07:11*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*31.3%*	*S*	*60-140*					*06/05/2023 07:11*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0163	U	mg/kg dry	1	0.0163	0.202	BGE2506	06/02/2023 15:52	TBB
EPA 200.8	Arsenic	N	12.1		mg/kg dry	1	0.0249	0.101	BGE2506	06/15/2023 12:33	TBB
EPA 200.8	Beryllium	N	0.0115	J	mg/kg dry	1	0.00202	0.0405	BGE2506	06/08/2023 13:42	TBB
EPA 200.8	Cadmium	N	0.561		mg/kg dry	1	0.00640	0.202	BGE2506	06/02/2023 11:07	TBB
EPA 200.8	Chromium	N	0.369	V, J	mg/kg dry	1	0.0149	0.607	BGE2506	06/02/2023 15:52	TBB
EPA 200.8	Copper	N	13.4	V	mg/kg dry	1	0.0176	0.202	BGE2506	06/02/2023 15:52	TBB
SW-7471B	Mercury	A	<0.0510	U	mg/kg dry	1	0.0510	0.102	BGE3654	06/07/2023 14:05	AKR
EPA 200.8	Lead	N	0.441	V	mg/kg dry	1	0.0153	0.101	BGE2506	06/02/2023 15:52	TBB
EPA 200.8	Nickel	N	3.43	V	mg/kg dry	1	0.00358	0.202	BGE2506	06/02/2023 15:52	TBB
EPA 200.8	Selenium	N	1.71		mg/kg dry	1	0.223	0.405	BGE2506	06/08/2023 13:42	TBB
EPA 200.8	Thallium	N	0.00364	J	mg/kg dry	1	0.00140	0.101	BGE2506	06/02/2023 11:07	TBB
EPA 200.8	Zinc	N	116	V	mg/kg dry	5	0.380	2.02	BGE2506	06/08/2023 13:44	TBB
General Chemistry											
SM 2540 G	% Solids	A	9.80	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	MM-CDP-07-5	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-10RE1	Date Collected:	04/01/2023 11:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.136		mg/kg dry	1	0.00143	0.100	BGF0506	06/09/2023 15:29	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-REF-1
Lab Sample ID: 23E2848-11
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	58.1	V	ug/kg dry	1	20.7	20.7	BGE4145	06/01/2023 07:56	KRB
SW-8270	Phenol, Total	A	533	V	ug/kg dry	1	41.3	41.3	BGE4145	06/01/2023 07:56	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*25.7%*	*S*	*60-140*					*06/01/2023 07:56*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*63.8%*		*60-140*					*06/01/2023 07:56*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*74.8%*		*60-140*					*06/01/2023 07:56*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*87.0%*		*60-140*					*06/01/2023 07:56*	
SW-8270	*Surrogate: Phenol-d5-surr*		*53.7%*	*S*	*60-140*					*06/01/2023 07:56*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*47.6%*	*S*	*60-140*					*06/01/2023 07:56*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0144	U	mg/kg dry	1	0.0144	0.179	BGE2506	06/02/2023 15:57	TBB
EPA 200.8	Arsenic	N	11.1		mg/kg dry	1	0.0220	0.0893	BGE2506	06/15/2023 12:38	TBB
EPA 200.8	Beryllium	N	0.0107	J	mg/kg dry	1	0.00179	0.0357	BGE2506	06/08/2023 13:49	TBB
EPA 200.8	Cadmium	N	0.402		mg/kg dry	1	0.00564	0.179	BGE2506	06/02/2023 11:12	TBB
EPA 200.8	Chromium	N	0.371	V, J	mg/kg dry	1	0.0131	0.536	BGE2506	06/02/2023 15:57	TBB
EPA 200.8	Copper	N	12.7	V	mg/kg dry	1	0.0155	0.179	BGE2506	06/02/2023 15:57	TBB
SW-7471B	Mercury	A	<0.0419	U	mg/kg dry	1	0.0419	0.0837	BGE3654	06/07/2023 14:08	AKR
EPA 200.8	Lead	N	0.414	V	mg/kg dry	1	0.0135	0.0893	BGE2506	06/02/2023 15:57	TBB
EPA 200.8	Nickel	N	3.05	V	mg/kg dry	1	0.00316	0.179	BGE2506	06/02/2023 15:57	TBB
EPA 200.8	Selenium	N	1.62		mg/kg dry	1	0.196	0.357	BGE2506	06/08/2023 13:49	TBB
EPA 200.8	Thallium	N	0.00304	J	mg/kg dry	1	0.00123	0.0893	BGE2506	06/02/2023 11:12	TBB
EPA 200.8	Zinc	N	103	V	mg/kg dry	5	0.335	1.79	BGE2506	06/08/2023 13:52	TBB
General Chemistry											
SM 2540 G	% Solids	A	11.2	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-REF-1
Lab Sample ID: 23E2848-11RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	54.8	V	ug/kg dry	1	20.7	20.7	BGE4145	06/05/2023 18:43	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<20.7	U	ug/kg dry	1	20.7	20.7	BGE4145	06/05/2023 18:43	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*29.8%*	*S*	*60-140*					*06/05/2023 18:43*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.9%*		*60-140*					*06/05/2023 18:43*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*85.3%*		*60-140*					*06/05/2023 18:43*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*100%*		*60-140*					*06/05/2023 18:43*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*90.0%*		*60-140*					*06/05/2023 18:43*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*77.7%*		*60-140*					*06/05/2023 18:43*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.139		mg/kg dry	1	0.00123	0.0869	BGF0506	06/09/2023 15:31	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-REF-2
Lab Sample ID: 23E2848-12
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	60.2	V	ug/kg dry	1	21.4	21.4	BGE4145	06/01/2023 08:30	KRB
SW-8270	Phenol, Total	A	533	V	ug/kg dry	1	42.7	42.7	BGE4145	06/01/2023 08:30	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*22.2%*	*S*	*60-140*					*06/01/2023 08:30*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*56.3%*	*S*	*60-140*					*06/01/2023 08:30*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*74.0%*		*60-140*					*06/01/2023 08:30*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*83.0%*		*60-140*					*06/01/2023 08:30*	
SW-8270	*Surrogate: Phenol-d5-surr*		*53.9%*	*S*	*60-140*					*06/01/2023 08:30*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*43.1%*	*S*	*60-140*					*06/01/2023 08:30*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0150	U	mg/kg dry	1	0.0150	0.187	BGE2506	06/02/2023 16:19	TBB
EPA 200.8	Arsenic	N	11.3		mg/kg dry	1	0.0230	0.0933	BGE2506	06/02/2023 11:34	TBB
EPA 200.8	Beryllium	N	0.0136	J	mg/kg dry	1	0.00187	0.0373	BGE2506	06/08/2023 14:19	TBB
EPA 200.8	Cadmium	N	0.473		mg/kg dry	1	0.00590	0.187	BGE2506	06/02/2023 11:34	TBB
EPA 200.8	Chromium	N	0.288	V, J	mg/kg dry	1	0.0137	0.560	BGE2506	06/02/2023 11:34	TBB
EPA 200.8	Copper	N	11.6	V	mg/kg dry	1	0.0162	0.187	BGE2506	06/02/2023 11:34	TBB
SW-7471B	Mercury	A	<0.0436	U	mg/kg dry	1	0.0436	0.0872	BGE3654	06/07/2023 13:18	AKR
EPA 200.8	Lead	N	0.361	V	mg/kg dry	1	0.0141	0.0933	BGE2506	06/02/2023 16:19	TBB
EPA 200.8	Nickel	N	3.58	V	mg/kg dry	1	0.00330	0.187	BGE2506	06/02/2023 11:34	TBB
EPA 200.8	Selenium	N	1.83		mg/kg dry	1	0.205	0.373	BGE2506	06/08/2023 14:19	TBB
EPA 200.8	Thallium	N	0.00317	J	mg/kg dry	1	0.00129	0.0933	BGE2506	06/02/2023 11:34	TBB
EPA 200.8	Zinc	N	116	V	mg/kg dry	5	0.351	1.87	BGE2506	06/08/2023 14:21	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.8	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-REF-2
Lab Sample ID: 23E2848-12RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	72.9	V	ug/kg dry	1	21.4	21.4	BGE4145	06/05/2023 19:17	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<21.4	U	ug/kg dry	1	21.4	21.4	BGE4145	06/05/2023 19:17	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*27.3%*	*S*	*60-140*					*06/05/2023 19:17*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*62.2%*		*60-140*					*06/05/2023 19:17*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*82.8%*		*60-140*					*06/05/2023 19:17*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*102%*		*60-140*					*06/05/2023 19:17*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*91.5%*		*60-140*					*06/05/2023 19:17*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*69.5%*		*60-140*					*06/05/2023 19:17*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.139		mg/kg dry	1	0.00129	0.0911	BGF0506	06/09/2023 15:38	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-REF-3
Lab Sample ID: 23E2848-13
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	43.8	V	ug/kg dry	1	22.5	22.5	BGE4145	06/01/2023 09:05	KRB
SW-8270	Phenol, Total	A	666	V	ug/kg dry	1	44.9	44.9	BGE4145	06/01/2023 09:05	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*13.2%*	*S*	*60-140*					*06/01/2023 09:05*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*52.8%*	*S*	*60-140*					*06/01/2023 09:05*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*70.2%*		*60-140*					*06/01/2023 09:05*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*84.9%*		*60-140*					*06/01/2023 09:05*	
SW-8270	*Surrogate: Phenol-d5-surr*		*57.9%*	*S*	*60-140*					*06/01/2023 09:05*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*37.9%*	*S*	*60-140*					*06/01/2023 09:05*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0151	U	mg/kg dry	1	0.0151	0.188	BGE2506	06/02/2023 16:24	TBB
EPA 200.8	Arsenic	N	12.2		mg/kg dry	1	0.0231	0.0938	BGE2506	06/02/2023 11:39	TBB
EPA 200.8	Beryllium	N	0.0137	J	mg/kg dry	1	0.00188	0.0375	BGE2506	06/08/2023 14:26	TBB
EPA 200.8	Cadmium	N	0.432		mg/kg dry	1	0.00593	0.188	BGE2506	06/02/2023 11:39	TBB
EPA 200.8	Chromium	N	0.235	V, J	mg/kg dry	1	0.0138	0.563	BGE2506	06/02/2023 11:39	TBB
EPA 200.8	Copper	N	9.34	V	mg/kg dry	1	0.0163	0.188	BGE2506	06/02/2023 11:39	TBB
SW-7471B	Mercury	A	<0.0452	U	mg/kg dry	1	0.0452	0.0904	BGE3654	06/07/2023 14:11	AKR
EPA 200.8	Lead	N	0.301	V	mg/kg dry	1	0.0142	0.0938	BGE2506	06/02/2023 16:24	TBB
EPA 200.8	Nickel	N	3.25	V	mg/kg dry	1	0.00332	0.188	BGE2506	06/02/2023 11:39	TBB
EPA 200.8	Selenium	N	1.59		mg/kg dry	1	0.206	0.375	BGE2506	06/08/2023 14:26	TBB
EPA 200.8	Thallium	N	0.00225	J	mg/kg dry	1	0.00129	0.0938	BGE2506	06/02/2023 11:39	TBB
EPA 200.8	Zinc	N	107	V	mg/kg dry	5	0.352	1.88	BGE2506	06/08/2023 14:29	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.5	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-REF-3
Lab Sample ID: 23E2848-13RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	56.7	V	ug/kg dry	1	22.5	22.5	BGE4145	06/05/2023 19:52	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<22.5	U	ug/kg dry	1	22.5	22.5	BGE4145	06/05/2023 19:52	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*14.4%*	*S*	*60-140*					*06/05/2023 19:52*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*53.6%*	*S*	*60-140*					*06/05/2023 19:52*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*77.9%*		*60-140*					*06/05/2023 19:52*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*105%*		*60-140*					*06/05/2023 19:52*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*92.0%*		*60-140*					*06/05/2023 19:52*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*59.9%*	*S*	*60-140*					*06/05/2023 19:52*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.175		mg/kg dry	1	0.00132	0.0927	BGF0506	06/09/2023 15:41	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-REF-4
Lab Sample ID: 23E2848-14
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	50.3	V	ug/kg dry	1	22.9	22.9	BGE4145	06/01/2023 09:39	KRB
SW-8270	Phenol, Total	A	587	V	ug/kg dry	1	45.9	45.9	BGE4145	06/01/2023 09:39	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*15.5%*	*S*	*60-140*					*06/01/2023 09:39*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*57.1%*	*S*	*60-140*					*06/01/2023 09:39*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*69.4%*		*60-140*					*06/01/2023 09:39*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*91.4%*		*60-140*					*06/01/2023 09:39*	
SW-8270	*Surrogate: Phenol-d5-surr*		*52.3%*	*S*	*60-140*					*06/01/2023 09:39*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*47.9%*	*S*	*60-140*					*06/01/2023 09:39*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0155	U	mg/kg dry	1	0.0155	0.192	BGE2506	06/02/2023 16:29	TBB
EPA 200.8	Arsenic	N	10.3	A	mg/kg dry	5	0.118	0.481	BGE2506	06/02/2023 11:46	TBB
EPA 200.8	Beryllium	N	0.0142	J	mg/kg dry	1	0.00192	0.0385	BGE2506	06/08/2023 14:31	TBB
EPA 200.8	Cadmium	N	0.435		mg/kg dry	1	0.00608	0.192	BGE2506	06/02/2023 11:44	TBB
EPA 200.8	Chromium	N	0.339	A, V, J	mg/kg dry	5	0.0707	2.89	BGE2506	06/02/2023 11:46	TBB
EPA 200.8	Copper	N	10.9	A, V	mg/kg dry	5	0.0837	0.962	BGE2506	06/02/2023 11:46	TBB
SW-7471B	Mercury	A	<0.0447	U	mg/kg dry	1	0.0447	0.0895	BGE3654	06/07/2023 14:21	AKR
EPA 200.8	Lead	N	0.346	V	mg/kg dry	1	0.0145	0.0962	BGE2506	06/02/2023 16:29	TBB
EPA 200.8	Nickel	N	3.72	A, V	mg/kg dry	5	0.0170	0.962	BGE2506	06/02/2023 11:46	TBB
EPA 200.8	Selenium	N	1.69		mg/kg dry	1	0.212	0.385	BGE2506	06/08/2023 14:31	TBB
EPA 200.8	Thallium	N	0.00289	J	mg/kg dry	1	0.00133	0.0962	BGE2506	06/02/2023 11:44	TBB
EPA 200.8	Zinc	N	113	V	mg/kg dry	5	0.361	1.92	BGE2506	06/08/2023 14:34	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.4	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-REF-4
Lab Sample ID: 23E2848-14RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	81.5	V	ug/kg dry	1	22.9	22.9	BGE4145	06/05/2023 20:26	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<22.9	U	ug/kg dry	1	22.9	22.9	BGE4145	06/05/2023 20:26	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*16.4%*	*S*	*60-140*					*06/05/2023 20:26*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*61.4%*		*60-140*					*06/05/2023 20:26*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*87.3%*		*60-140*					*06/05/2023 20:26*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*106%*		*60-140*					*06/05/2023 20:26*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*92.9%*		*60-140*					*06/05/2023 20:26*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*70.2%*		*60-140*					*06/05/2023 20:26*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.128		mg/kg dry	1	0.00137	0.0962	BGF0506	06/09/2023 15:51	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-REF-5
Lab Sample ID: 23E2848-15
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	47.0	V	ug/kg dry	1	22.3	22.3	BGE4145	06/01/2023 10:14	KRB
SW-8270	Phenol, Total	A	660	V	ug/kg dry	1	44.6	44.6	BGE4145	06/01/2023 10:14	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*17.4%*	*S*	*60-140*					*06/01/2023 10:14*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*50.2%*	*S*	*60-140*					*06/01/2023 10:14*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*66.8%*		*60-140*					*06/01/2023 10:14*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*88.1%*		*60-140*					*06/01/2023 10:14*	
SW-8270	*Surrogate: Phenol-d5-surr*		*57.0%*	*S*	*60-140*					*06/01/2023 10:14*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*40.2%*	*S*	*60-140*					*06/01/2023 10:14*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0151	U	mg/kg dry	1	0.0151	0.188	BGE2506	06/02/2023 16:34	TBB
EPA 200.8	Arsenic	N	11.3		mg/kg dry	1	0.0231	0.0938	BGE2506	06/02/2023 11:49	TBB
EPA 200.8	Beryllium	N	0.0109	J	mg/kg dry	1	0.00188	0.0375	BGE2506	06/08/2023 14:36	TBB
EPA 200.8	Cadmium	N	0.427		mg/kg dry	1	0.00593	0.188	BGE2506	06/02/2023 11:49	TBB
EPA 200.8	Chromium	N	0.250	V, J	mg/kg dry	1	0.0138	0.563	BGE2506	06/02/2023 11:49	TBB
EPA 200.8	Copper	N	11.1	V	mg/kg dry	1	0.0163	0.188	BGE2506	06/02/2023 11:49	TBB
SW-7471B	Mercury	A	<0.0458	U	mg/kg dry	1	0.0458	0.0915	BGE3654	06/07/2023 14:25	AKR
EPA 200.8	Lead	N	0.365	V	mg/kg dry	1	0.0142	0.0938	BGE2506	06/02/2023 16:34	TBB
EPA 200.8	Nickel	N	3.14	V	mg/kg dry	1	0.00332	0.188	BGE2506	06/02/2023 11:49	TBB
EPA 200.8	Selenium	N	1.52		mg/kg dry	1	0.206	0.375	BGE2506	06/08/2023 14:36	TBB
EPA 200.8	Thallium	N	0.00281	J	mg/kg dry	1	0.00129	0.0938	BGE2506	06/02/2023 11:49	TBB
EPA 200.8	Zinc	N	109	V	mg/kg dry	5	0.352	1.88	BGE2506	06/08/2023 14:46	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.7	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-REF-5
Lab Sample ID: 23E2848-15RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	94.1	V	ug/kg dry	1	22.3	22.3	BGE4145	06/05/2023 21:01	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<22.3	U	ug/kg dry	1	22.3	22.3	BGE4145	06/05/2023 21:01	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*18.3%*	*S*	*60-140*					*06/05/2023 21:01*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*50.8%*	*S*	*60-140*					*06/05/2023 21:01*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*79.8%*		*60-140*					*06/05/2023 21:01*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*98.5%*		*60-140*					*06/05/2023 21:01*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*94.4%*		*60-140*					*06/05/2023 21:01*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*65.0%*		*60-140*					*06/05/2023 21:01*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.164		mg/kg dry	1	0.00131	0.0920	BGF0506	06/09/2023 15:53	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-1
Lab Sample ID: 23E2848-16
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	44.5	V	ug/kg dry	1	22.5	22.5	BGE4145	06/01/2023 10:48	KRB
SW-8270	Phenol, Total	A	646	V	ug/kg dry	1	45.1	45.1	BGE4145	06/01/2023 10:48	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*12.4%*	*S*	*60-140*					*06/01/2023 10:48*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*55.4%*	*S*	*60-140*					*06/01/2023 10:48*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*64.7%*		*60-140*					*06/01/2023 10:48*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*84.0%*		*60-140*					*06/01/2023 10:48*	
SW-8270	*Surrogate: Phenol-d5-surr*		*50.5%*	*S*	*60-140*					*06/01/2023 10:48*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*49.1%*	*S*	*60-140*					*06/01/2023 10:48*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0150	U	mg/kg dry	1	0.0150	0.186	BGE2506	06/02/2023 16:46	TBB
EPA 200.8	Arsenic	N	9.67		mg/kg dry	1	0.0229	0.0932	BGE2506	06/02/2023 12:01	TBB
EPA 200.8	Beryllium	N	0.0116	J	mg/kg dry	1	0.00186	0.0373	BGE2506	06/08/2023 14:48	TBB
EPA 200.8	Cadmium	N	0.390		mg/kg dry	1	0.00589	0.186	BGE2506	06/02/2023 12:01	TBB
EPA 200.8	Chromium	N	0.394	V, J	mg/kg dry	1	0.0137	0.559	BGE2506	06/02/2023 12:01	TBB
EPA 200.8	Copper	N	9.57	V	mg/kg dry	1	0.0162	0.186	BGE2506	06/02/2023 12:01	TBB
SW-7471B	Mercury	A	<0.0442	U	mg/kg dry	1	0.0442	0.0884	BGE3654	06/07/2023 14:35	AKR
EPA 200.8	Lead	N	0.299	V	mg/kg dry	1	0.0141	0.0932	BGE2506	06/02/2023 16:46	TBB
EPA 200.8	Nickel	N	3.57	V	mg/kg dry	1	0.00330	0.186	BGE2506	06/02/2023 12:01	TBB
EPA 200.8	Selenium	N	1.71		mg/kg dry	1	0.205	0.373	BGE2506	06/08/2023 14:48	TBB
EPA 200.8	Thallium	N	0.00205	J	mg/kg dry	1	0.00129	0.0932	BGE2506	06/02/2023 12:01	TBB
EPA 200.8	Zinc	N	122	V	mg/kg dry	5	0.350	1.86	BGE2506	06/08/2023 14:51	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.8	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-1
Lab Sample ID: 23E2848-16RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	66.4	V	ug/kg dry	1	22.5	22.5	BGE4145	06/05/2023 21:36	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<22.5	U	ug/kg dry	1	22.5	22.5	BGE4145	06/05/2023 21:36	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*13.2%*	*S*	*60-140*					*06/05/2023 21:36*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*59.6%*	*S*	*60-140*					*06/05/2023 21:36*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*75.3%*		*60-140*					*06/05/2023 21:36*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.9%*		*60-140*					*06/05/2023 21:36*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*87.3%*		*60-140*					*06/05/2023 21:36*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*73.7%*		*60-140*					*06/05/2023 21:36*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.147		mg/kg dry	1	0.00132	0.0929	BGF0506	06/09/2023 15:55	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-2
Lab Sample ID: 23E2848-17
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	37.5	V	ug/kg dry	1	20.0	20.0	BGE4145	06/01/2023 11:23	KRB
SW-8270	Phenol, Total	A	620	V	ug/kg dry	1	40.0	40.0	BGE4145	06/01/2023 11:23	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*14.2%*	*S*	*60-140*					*06/01/2023 11:23*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*54.8%*	*S*	*60-140*					*06/01/2023 11:23*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*61.1%*		*60-140*					*06/01/2023 11:23*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*85.5%*		*60-140*					*06/01/2023 11:23*	
SW-8270	*Surrogate: Phenol-d5-surr*		*50.4%*	*S*	*60-140*					*06/01/2023 11:23*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*43.6%*	*S*	*60-140*					*06/01/2023 11:23*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0128	U	mg/kg dry	1	0.0128	0.160	BGE2506	06/02/2023 16:51	TBB
EPA 200.8	Arsenic	N	9.77		mg/kg dry	1	0.0196	0.0798	BGE2506	06/02/2023 12:06	TBB
EPA 200.8	Beryllium	N	0.0145	J	mg/kg dry	1	0.00160	0.0319	BGE2506	06/08/2023 14:53	TBB
EPA 200.8	Cadmium	N	0.345		mg/kg dry	1	0.00504	0.160	BGE2506	06/02/2023 12:06	TBB
EPA 200.8	Chromium	N	0.549	V	mg/kg dry	1	0.0117	0.479	BGE2506	06/02/2023 12:06	TBB
EPA 200.8	Copper	N	11.3	V	mg/kg dry	1	0.0139	0.160	BGE2506	06/02/2023 12:06	TBB
SW-7471B	Mercury	A	<0.0377	U	mg/kg dry	1	0.0377	0.0754	BGE3654	06/07/2023 14:38	AKR
EPA 200.8	Lead	N	0.391	V	mg/kg dry	1	0.0120	0.0798	BGE2506	06/02/2023 16:51	TBB
EPA 200.8	Nickel	N	3.11	V	mg/kg dry	1	0.00282	0.160	BGE2506	06/02/2023 12:06	TBB
EPA 200.8	Selenium	N	1.62		mg/kg dry	1	0.176	0.319	BGE2506	06/08/2023 14:53	TBB
EPA 200.8	Thallium	N	0.00271	J	mg/kg dry	1	0.00110	0.0798	BGE2506	06/02/2023 12:06	TBB
EPA 200.8	Zinc	N	106	V	mg/kg dry	5	0.300	1.60	BGE2506	06/08/2023 14:56	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.4	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-2
Lab Sample ID: 23E2848-17RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	96.6	V	ug/kg dry	1	20.0	20.0	BGE4145	06/05/2023 22:45	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<20.0	U	ug/kg dry	1	20.0	20.0	BGE4145	06/05/2023 22:45	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*15.7%*	*S*	*60-140*					*06/05/2023 22:45*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*62.6%*		*60-140*					*06/05/2023 22:45*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*68.5%*		*60-140*					*06/05/2023 22:45*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.5%*		*60-140*					*06/05/2023 22:45*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*78.0%*		*60-140*					*06/05/2023 22:45*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*80.1%*		*60-140*					*06/05/2023 22:45*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.140		mg/kg dry	1	0.00113	0.0798	BGF0506	06/09/2023 15:58	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-3
Lab Sample ID: 23E2848-18
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	33.5	V	ug/kg dry	1	20.3	20.3	BGE4145	06/01/2023 11:57	KRB
SW-8270	Phenol, Total	A	559	V	ug/kg dry	1	40.5	40.5	BGE4145	06/01/2023 11:57	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*27.0%*	*S*	*60-140*					*06/01/2023 11:57*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*68.1%*		*60-140*					*06/01/2023 11:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.9%*		*60-140*					*06/01/2023 11:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*87.8%*		*60-140*					*06/01/2023 11:57*	
SW-8270	*Surrogate: Phenol-d5-surr*		*57.9%*	*S*	*60-140*					*06/01/2023 11:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*42.6%*	*S*	*60-140*					*06/01/2023 11:57*	
Metals, Total											
EPA 200.8	Antimony	N	<0.0141	U	mg/kg dry	1	0.0141	0.176	BGE2506	06/02/2023 16:56	TBB
EPA 200.8	Arsenic	N	11.3		mg/kg dry	1	0.0216	0.0878	BGE2506	06/02/2023 12:11	TBB
EPA 200.8	Beryllium	N	0.0118	J	mg/kg dry	1	0.00176	0.0351	BGE2506	06/08/2023 14:58	TBB
EPA 200.8	Cadmium	N	0.417		mg/kg dry	1	0.00555	0.176	BGE2506	06/02/2023 12:11	TBB
EPA 200.8	Chromium	N	0.282	V, J	mg/kg dry	1	0.0129	0.527	BGE2506	06/02/2023 12:11	TBB
EPA 200.8	Copper	N	12.6	V	mg/kg dry	1	0.0153	0.176	BGE2506	06/02/2023 12:11	TBB
SW-7471B	Mercury	A	<0.0435	U	mg/kg dry	1	0.0435	0.0871	BGE3654	06/07/2023 14:41	AKR
EPA 200.8	Lead	N	0.469	V	mg/kg dry	1	0.0133	0.0878	BGE2506	06/02/2023 16:56	TBB
EPA 200.8	Nickel	N	3.15	V	mg/kg dry	1	0.00311	0.176	BGE2506	06/02/2023 12:11	TBB
EPA 200.8	Selenium	N	1.97		mg/kg dry	1	0.193	0.351	BGE2506	06/08/2023 14:58	TBB
EPA 200.8	Thallium	N	0.00351	J	mg/kg dry	1	0.00121	0.0878	BGE2506	06/02/2023 12:11	TBB
EPA 200.8	Zinc	N	124	V	mg/kg dry	5	0.330	1.76	BGE2506	06/08/2023 15:01	TBB
General Chemistry											
SM 2540 G	% Solids	A	11.4	V	%	1	0.100	0.100	BGE2234	05/15/2023 11:06	JRU

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: MM-CDP-PRETEST-3
Lab Sample ID: 23E2848-18RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 11:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	65.4	V	ug/kg dry	1	20.3	20.3	BGE4145	06/05/2023 23:19	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<20.3	U	ug/kg dry	1	20.3	20.3	BGE4145	06/05/2023 23:19	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*27.7%*	*S*	*60-140*					*06/05/2023 23:19*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*76.6%*		*60-140*					*06/05/2023 23:19*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*88.1%*		*60-140*					*06/05/2023 23:19*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*109%*		*60-140*					*06/05/2023 23:19*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*93.3%*		*60-140*					*06/05/2023 23:19*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*82.2%*		*60-140*					*06/05/2023 23:19*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.174		mg/kg dry	1	0.00122	0.0861	BGF0506	06/09/2023 16:00	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-1
Lab Sample ID: 23E2848-19
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	487	V	ug/kg dry	1	35.0	35.0	BGE4170	06/05/2023 07:46	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*3.06%*	*S*	*60-140*					*06/05/2023 07:46*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*48.4%*	*S*	*60-140*					*06/05/2023 07:46*	
SW-8270	*Surrogate: Phenol-d5-surr*		*60.2%*		*60-140*					*06/05/2023 07:46*	
Metals, Total											
EPA 200.8	Antimony	N	0.0146	J	mg/kg dry	1	0.0119	0.147	BGE2506	06/02/2023 17:01	TBB
EPA 200.8	Arsenic	N	14.7		mg/kg dry	5	0.0906	0.368	BGE2506	06/02/2023 12:18	TBB
EPA 200.8	Beryllium	N	0.00250	J	mg/kg dry	1	0.00147	0.0295	BGE2506	06/08/2023 15:03	TBB
EPA 200.8	Cadmium	N	0.210		mg/kg dry	1	0.00465	0.147	BGE2506	06/02/2023 12:16	TBB
EPA 200.8	Chromium	N	0.517	V	mg/kg dry	1	0.0108	0.442	BGE2506	06/02/2023 12:16	TBB
EPA 200.8	Copper	N	7.64	V	mg/kg dry	1	0.0128	0.147	BGE2506	06/02/2023 12:16	TBB
SW-7471B	Mercury	A	0.0396	J	mg/kg dry	1	0.0349	0.0699	BGE3654	06/07/2023 14:45	AKR
EPA 200.8	Lead	N	0.526	V	mg/kg dry	1	0.0111	0.0736	BGE2506	06/02/2023 17:01	TBB
EPA 200.8	Nickel	N	1.10	V	mg/kg dry	1	0.00261	0.147	BGE2506	06/02/2023 12:16	TBB
EPA 200.8	Selenium	N	2.24		mg/kg dry	1	0.162	0.295	BGE2506	06/08/2023 15:03	TBB
EPA 200.8	Thallium	N	0.00162	J	mg/kg dry	1	0.00102	0.0736	BGE2506	06/02/2023 12:16	TBB
EPA 200.8	Zinc	N	62.1	V	mg/kg dry	5	0.277	1.47	BGE2506	06/08/2023 15:06	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.6	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-1
Lab Sample ID: 23E2848-19RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.106		mg/kg dry	1	0.00101	0.0711	BGF0506	06/09/2023 16:03	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-2
Lab Sample ID: 23E2848-20
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	379	V	ug/kg dry	1	35.3	35.3	BGE4170	06/05/2023 08:21	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*4.28%*	*S*	*60-140*					*06/05/2023 08:21*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*58.4%*	*S*	*60-140*					*06/05/2023 08:21*	
SW-8270	*Surrogate: Phenol-d5-surr*		*64.0%*		*60-140*					*06/05/2023 08:21*	
Metals, Total											
EPA 200.8	Antimony	N	0.0170	J	mg/kg dry	1	0.0115	0.143	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Arsenic	N	14.8		mg/kg dry	5	0.0880	0.358	BGE2507	06/06/2023 15:41	TBB
EPA 200.8	Beryllium	N	0.00658	J	mg/kg dry	1	0.00143	0.0286	BGE2507	06/07/2023 12:11	TBB
EPA 200.8	Cadmium	N	0.216		mg/kg dry	1	0.00452	0.143	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Chromium	N	0.830	V	mg/kg dry	1	0.0105	0.429	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Copper	N	8.59	V	mg/kg dry	1	0.0124	0.143	BGE2507	06/06/2023 15:39	TBB
SW-7471B	Mercury	A	<0.0352	U	mg/kg dry	1	0.0352	0.0703	BGE3654	06/07/2023 14:48	AKR
EPA 200.8	Lead	N	0.674		mg/kg dry	1	0.0108	0.0715	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Nickel	N	1.23	V	mg/kg dry	1	0.00253	0.143	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Selenium	N	2.15		mg/kg dry	1	0.157	0.286	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Thallium	N	0.00243	J	mg/kg dry	1	0.000987	0.0715	BGE2507	06/06/2023 15:39	TBB
EPA 200.8	Zinc	N	360		mg/kg dry	20	1.07	5.72	BGE2507	06/08/2023 15:08	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.0	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	NV-CDP-06-2	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-20RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.151		mg/kg dry	1	0.000992	0.0698	BGF0507	06/09/2023 16:27	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-3
Lab Sample ID: 23E2848-21
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	519	V	ug/kg dry	1	38.5	38.5	BGE4170	06/05/2023 08:55	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*35.0%*	*S*	*60-140*					*06/05/2023 08:55*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*73.4%*		*60-140*					*06/05/2023 08:55*	
SW-8270	*Surrogate: Phenol-d5-surr*		*79.3%*		*60-140*					*06/05/2023 08:55*	
Metals, Total											
EPA 200.8	Antimony	N	0.0165	J	mg/kg dry	1	0.0133	0.165	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Arsenic	N	14.4		mg/kg dry	1	0.0203	0.0824	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Beryllium	N	0.00807	J	mg/kg dry	1	0.00165	0.0329	BGE2507	06/07/2023 12:26	TBB
EPA 200.8	Cadmium	N	0.185		mg/kg dry	1	0.00520	0.165	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Chromium	N	0.950	V	mg/kg dry	1	0.0121	0.494	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Copper	N	9.62	V	mg/kg dry	1	0.0143	0.165	BGE2507	06/06/2023 15:53	TBB
SW-7471B	Mercury	A	<0.0391	U	mg/kg dry	1	0.0391	0.0781	BGE3655	06/08/2023 15:28	AKR
EPA 200.8	Lead	N	0.655		mg/kg dry	1	0.0124	0.0824	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Nickel	N	1.31	V	mg/kg dry	1	0.00292	0.165	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Selenium	N	1.94		mg/kg dry	1	0.181	0.329	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Thallium	N	0.00280	J	mg/kg dry	1	0.00114	0.0824	BGE2507	06/06/2023 15:53	TBB
EPA 200.8	Zinc	N	57.4		mg/kg dry	1	0.0618	0.329	BGE2507	06/06/2023 15:53	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.2	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-3
Lab Sample ID: 23E2848-21RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.109		mg/kg dry	1	0.00115	0.0807	BGF0507	06/09/2023 16:12	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-4
Lab Sample ID: 23E2848-22
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	514	V	ug/kg dry	1	35.9	35.9	BGE4170	06/05/2023 09:30	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*4.37%*	*S*	*60-140*					*06/05/2023 09:30*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*51.2%*	*S*	*60-140*					*06/05/2023 09:30*	
SW-8270	*Surrogate: Phenol-d5-surr*		*59.2%*	*S*	*60-140*					*06/05/2023 09:30*	
Metals, Total											
EPA 200.8	Antimony	N	0.0167	J	mg/kg dry	1	0.0123	0.153	BGE2507	06/07/2023 12:39	TBB
EPA 200.8	Arsenic	N	14.4		mg/kg dry	5	0.0942	0.383	BGE2507	06/07/2023 12:41	TBB
EPA 200.8	Beryllium	N	0.00751	J	mg/kg dry	1	0.00153	0.0306	BGE2507	06/07/2023 12:39	TBB
EPA 200.8	Cadmium	N	0.218		mg/kg dry	1	0.00484	0.153	BGE2507	06/07/2023 12:39	TBB
EPA 200.8	Chromium	N	0.802	A, V, J	mg/kg dry	5	0.0563	2.30	BGE2507	06/07/2023 12:41	TBB
EPA 200.8	Copper	N	8.35	V	mg/kg dry	5	0.0667	0.766	BGE2507	06/07/2023 12:41	TBB
SW-7471B	Mercury	A	<0.0377	U	mg/kg dry	1	0.0377	0.0754	BGE3655	06/08/2023 15:18	AKR
EPA 200.8	Lead	N	0.616		mg/kg dry	1	0.0116	0.0766	BGE2507	06/07/2023 12:39	TBB
EPA 200.8	Nickel	N	1.16	V	mg/kg dry	5	0.0136	0.766	BGE2507	06/07/2023 12:41	TBB
EPA 200.8	Selenium	N	1.74		mg/kg dry	5	0.843	1.53	BGE2507	06/07/2023 12:41	TBB
EPA 200.8	Thallium	N	0.00276	J	mg/kg dry	1	0.00106	0.0766	BGE2507	06/07/2023 12:39	TBB
EPA 200.8	Zinc	N	59.9		mg/kg dry	5	0.288	1.53	BGE2507	06/07/2023 12:41	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.1	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-4
Lab Sample ID: 23E2848-22RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.110		mg/kg dry	1	0.00108	0.0763	BGF0507	06/09/2023 16:29	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-5
Lab Sample ID: 23E2848-23
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Phenol, Total	A	384	V	ug/kg dry	1	35.8	35.8	BGE4170	06/05/2023 10:39	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*8.98%*	*S*	*60-140*					*06/05/2023 10:39*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*74.3%*		*60-140*					*06/05/2023 10:39*	
SW-8270	*Surrogate: Phenol-d5-surr*		*84.6%*		*60-140*					*06/05/2023 10:39*	
Metals, Total											
EPA 200.8	Antimony	N	0.0174	J	mg/kg dry	1	0.0116	0.144	BGE2507	06/07/2023 12:44	TBB
EPA 200.8	Arsenic	N	14.0		mg/kg dry	10	0.177	0.719	BGE2507	06/07/2023 12:46	TBB
EPA 200.8	Beryllium	N	0.0114	J	mg/kg dry	1	0.00144	0.0288	BGE2507	06/07/2023 12:44	TBB
EPA 200.8	Cadmium	N	0.169		mg/kg dry	1	0.00454	0.144	BGE2507	06/07/2023 12:44	TBB
EPA 200.8	Chromium	N	0.773	A, V, J	mg/kg dry	10	0.106	4.31	BGE2507	06/07/2023 12:46	TBB
EPA 200.8	Copper	N	7.43	V	mg/kg dry	10	0.125	1.44	BGE2507	06/07/2023 12:46	TBB
SW-7471B	Mercury	A	<0.0345	U	mg/kg dry	1	0.0345	0.0690	BGE3655	06/08/2023 15:55	AKR
EPA 200.8	Lead	N	0.625		mg/kg dry	1	0.0109	0.0719	BGE2507	06/07/2023 12:44	TBB
EPA 200.8	Nickel	N	1.37	A, V, J	mg/kg dry	10	0.0254	1.44	BGE2507	06/07/2023 12:46	TBB
EPA 200.8	Selenium	N	1.66	A, J	mg/kg dry	10	1.58	2.88	BGE2507	06/07/2023 12:46	TBB
EPA 200.8	Thallium	N	0.00230	J	mg/kg dry	1	0.000992	0.0719	BGE2507	06/07/2023 12:44	TBB
EPA 200.8	Zinc	N	239		mg/kg dry	10	0.540	2.88	BGE2507	06/07/2023 12:46	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.8	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-06-5
Lab Sample ID: 23E2848-23RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0936		mg/kg dry	1	0.00103	0.0725	BGF0507	06/09/2023 16:31	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-1
Lab Sample ID: 23E2848-24
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	27.8	V	ug/kg dry	1	16.6	16.6	BGE4170	06/05/2023 11:13	KRB
SW-8270	Di-n-butyl phthalate	A	29.4	V	ug/kg dry	1	16.6	16.6	BGE4170	06/05/2023 11:13	KRB
SW-8270	Di-n-octyl phthalate	A	<16.6	U	ug/kg dry	1	16.6	16.6	BGE4170	06/05/2023 11:13	KRB
SW-8270	Phenol, Total	A	614	V	ug/kg dry	1	33.2	33.2	BGE4170	06/05/2023 11:13	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*2.01%*	*S*	*60-140*					*06/05/2023 11:13*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*31.6%*	*S*	*60-140*					*06/05/2023 11:13*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*51.4%*	*S*	*60-140*					*06/05/2023 11:13*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*66.1%*		*60-140*					*06/05/2023 11:13*	
SW-8270	*Surrogate: Phenol-d5-surr*		*67.4%*		*60-140*					*06/05/2023 11:13*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*25.5%*	*S*	*60-140*					*06/05/2023 11:13*	
Metals, Total											
EPA 200.8	Antimony	N	0.0220	J	mg/kg dry	1	0.0114	0.142	BGE2507	06/07/2023 12:49	TBB
EPA 200.8	Arsenic	N	16.0		mg/kg dry	5	0.0872	0.355	BGE2507	06/08/2023 15:20	TBB
EPA 200.8	Beryllium	N	0.00610	J	mg/kg dry	1	0.00142	0.0284	BGE2507	06/07/2023 12:49	TBB
EPA 200.8	Cadmium	N	0.215		mg/kg dry	1	0.00448	0.142	BGE2507	06/07/2023 12:49	TBB
EPA 200.8	Chromium	N	1.36	V	mg/kg dry	1	0.0104	0.426	BGE2507	06/08/2023 15:18	TBB
EPA 200.8	Copper	N	19.8	V	mg/kg dry	1	0.0123	0.142	BGE2507	06/08/2023 15:18	TBB
SW-7471B	Mercury	A	<0.0347	U	mg/kg dry	1	0.0347	0.0695	BGE3655	06/08/2023 15:31	AKR
EPA 200.8	Lead	N	0.990		mg/kg dry	1	0.0107	0.0709	BGE2507	06/07/2023 12:49	TBB
EPA 200.8	Nickel	N	1.28	V	mg/kg dry	1	0.00251	0.142	BGE2507	06/08/2023 15:18	TBB
EPA 200.8	Selenium	N	2.28		mg/kg dry	1	0.156	0.284	BGE2507	06/08/2023 15:18	TBB
EPA 200.8	Thallium	N	0.00255	J	mg/kg dry	1	0.000979	0.0709	BGE2507	06/07/2023 12:49	TBB
EPA 200.8	Zinc	N	68.1		mg/kg dry	5	0.266	1.42	BGE2507	06/08/2023 15:20	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.0	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-1
Lab Sample ID: 23E2848-24RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0832		mg/kg dry	1	0.00100	0.0706	BGF0507	06/09/2023 16:34	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-2
Lab Sample ID: 23E2848-25
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	47.6	V	ug/kg dry	1	17.1	17.1	BGE4170	06/05/2023 11:48	KRB
SW-8270	Di-n-butyl phthalate	A	51.2	V	ug/kg dry	1	17.1	17.1	BGE4170	06/05/2023 11:48	KRB
SW-8270	Di-n-octyl phthalate	A	<17.1	U	ug/kg dry	1	17.1	17.1	BGE4170	06/05/2023 11:48	KRB
SW-8270	Phenol, Total	A	610	V	ug/kg dry	1	34.3	34.3	BGE4170	06/05/2023 11:48	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*2.05%*	*S*	*60-140*					*06/05/2023 11:48*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*26.4%*	*S*	*60-140*					*06/05/2023 11:48*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*53.7%*	*S*	*60-140*					*06/05/2023 11:48*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*61.1%*		*60-140*					*06/05/2023 11:48*	
SW-8270	*Surrogate: Phenol-d5-surr*		*67.3%*		*60-140*					*06/05/2023 11:48*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*21.7%*	*S*	*60-140*					*06/05/2023 11:48*	
Metals, Total											
EPA 200.8	Antimony	N	0.0233	J	mg/kg dry	1	0.0117	0.145	BGE2507	06/07/2023 12:54	TBB
EPA 200.8	Arsenic	N	15.4		mg/kg dry	10	0.179	0.727	BGE2507	06/07/2023 12:59	TBB
EPA 200.8	Beryllium	N	0.00378	J	mg/kg dry	1	0.00145	0.0291	BGE2507	06/07/2023 12:54	TBB
EPA 200.8	Cadmium	N	0.212		mg/kg dry	1	0.00459	0.145	BGE2507	06/07/2023 12:54	TBB
EPA 200.8	Chromium	N	1.22	A, V, J	mg/kg dry	10	0.107	4.36	BGE2507	06/07/2023 12:59	TBB
EPA 200.8	Copper	N	22.9	V	mg/kg dry	10	0.126	1.45	BGE2507	06/07/2023 12:59	TBB
SW-7471B	Mercury	A	<0.0360	U	mg/kg dry	1	0.0360	0.0721	BGE3655	06/08/2023 15:35	AKR
EPA 200.8	Lead	N	1.03		mg/kg dry	1	0.0110	0.0727	BGE2507	06/07/2023 12:54	TBB
EPA 200.8	Nickel	N	1.31	A, V, J	mg/kg dry	10	0.0257	1.45	BGE2507	06/07/2023 12:59	TBB
EPA 200.8	Selenium	N	1.95	A, J	mg/kg dry	10	1.60	2.91	BGE2507	06/07/2023 12:59	TBB
EPA 200.8	Thallium	N	0.00204	J	mg/kg dry	1	0.00100	0.0727	BGE2507	06/07/2023 12:54	TBB
EPA 200.8	Zinc	N	137		mg/kg dry	10	0.546	2.91	BGE2507	06/07/2023 12:59	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.8	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	NV-CDP-07-2	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-25RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.111		mg/kg dry	1	0.00103	0.0724	BGF0507	06/09/2023 16:36	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-3
Lab Sample ID: 23E2848-26
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	31.6	V	ug/kg dry	1	17.4	17.4	BGE4170	06/05/2023 12:23	KRB
SW-8270	Di-n-butyl phthalate	A	25.5	V	ug/kg dry	1	17.4	17.4	BGE4170	06/05/2023 12:23	KRB
SW-8270	Di-n-octyl phthalate	A	<17.4	U	ug/kg dry	1	17.4	17.4	BGE4170	06/05/2023 12:23	KRB
SW-8270	Phenol, Total	A	377	V	ug/kg dry	1	34.9	34.9	BGE4170	06/05/2023 12:23	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*6.27%*	*S*	*60-140*					*06/05/2023 12:23*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*28.5%*	*S*	*60-140*					*06/05/2023 12:23*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*62.2%*		*60-140*					*06/05/2023 12:23*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*73.3%*		*60-140*					*06/05/2023 12:23*	
SW-8270	*Surrogate: Phenol-d5-surr*		*65.3%*		*60-140*					*06/05/2023 12:23*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*22.8%*	*S*	*60-140*					*06/05/2023 12:23*	
Metals, Total											
EPA 200.8	Antimony	N	0.0269	J	mg/kg dry	1	0.0115	0.143	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Arsenic	N	15.9		mg/kg dry	10	0.175	0.713	BGE2507	06/07/2023 13:14	TBB
EPA 200.8	Beryllium	N	0.00699	J	mg/kg dry	1	0.00143	0.0285	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Cadmium	N	0.212		mg/kg dry	1	0.00450	0.143	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Chromium	N	2.26	V	mg/kg dry	1	0.0105	0.428	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Copper	N	24.5	V	mg/kg dry	1	0.0124	0.143	BGE2507	06/07/2023 13:09	TBB
SW-7471B	Mercury	A	<0.0353	U	mg/kg dry	1	0.0353	0.0707	BGE3655	06/08/2023 15:38	AKR
EPA 200.8	Lead	N	1.09		mg/kg dry	1	0.0108	0.0713	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Nickel	N	1.36	V	mg/kg dry	1	0.00252	0.143	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Selenium	N	2.25		mg/kg dry	1	0.157	0.285	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Thallium	N	0.00257	J	mg/kg dry	1	0.000984	0.0713	BGE2507	06/07/2023 13:09	TBB
EPA 200.8	Zinc	N	71.5		mg/kg dry	10	0.535	2.85	BGE2507	06/07/2023 13:14	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.0	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-3
Lab Sample ID: 23E2848-26RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.112		mg/kg dry	1	0.000996	0.0702	BGF0507	06/09/2023 16:39	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-4
Lab Sample ID: 23E2848-27
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	<16.9	U, B	ug/kg dry	1	16.9	16.9	BGE4170	06/05/2023 12:57	KRB
SW-8270	Di-n-butyl phthalate	A	61.7	V	ug/kg dry	1	16.9	16.9	BGE4170	06/05/2023 12:57	KRB
SW-8270	Di-n-octyl phthalate	A	<16.9	U	ug/kg dry	1	16.9	16.9	BGE4170	06/05/2023 12:57	KRB
SW-8270	Phenol, Total	A	487	V	ug/kg dry	1	33.7	33.7	BGE4170	06/05/2023 12:57	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*37.1%*	*S*	*60-140*					*06/05/2023 12:57*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*42.5%*	*S*	*60-140*					*06/05/2023 12:57*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*81.8%*		*60-140*					*06/05/2023 12:57*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*86.8%*		*60-140*					*06/05/2023 12:57*	
SW-8270	*Surrogate: Phenol-d5-surr*		*77.4%*		*60-140*					*06/05/2023 12:57*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*23.4%*	*S*	*60-140*					*06/05/2023 12:57*	
Metals, Total											
EPA 200.8	Antimony	N	0.0209	J	mg/kg dry	1	0.0110	0.137	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Arsenic	N	14.4		mg/kg dry	10	0.168	0.684	BGE2507	06/07/2023 13:21	TBB
EPA 200.8	Beryllium	N	0.00424	J	mg/kg dry	1	0.00137	0.0274	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Cadmium	N	0.194		mg/kg dry	1	0.00432	0.137	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Chromium	N	1.52	V	mg/kg dry	1	0.0101	0.411	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Copper	N	19.8	V	mg/kg dry	1	0.0119	0.137	BGE2507	06/07/2023 13:16	TBB
SW-7471B	Mercury	A	<0.0328	U	mg/kg dry	1	0.0328	0.0657	BGE3655	06/08/2023 15:41	AKR
EPA 200.8	Lead	N	0.924		mg/kg dry	1	0.0103	0.0684	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Nickel	N	1.15	V	mg/kg dry	1	0.00242	0.137	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Selenium	N	2.16		mg/kg dry	1	0.151	0.274	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Thallium	N	0.00192	J	mg/kg dry	1	0.000944	0.0684	BGE2507	06/07/2023 13:16	TBB
EPA 200.8	Zinc	N	63.7		mg/kg dry	10	0.514	2.74	BGE2507	06/07/2023 13:21	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.6	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	NV-CDP-07-4	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-27RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0976		mg/kg dry	1	0.000960	0.0676	BGF0507	06/09/2023 16:41	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-5
Lab Sample ID: 23E2848-28
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate	A	32.1	V	ug/kg dry	1	16.6	16.6	BGE4170	06/05/2023 13:32	KRB
SW-8270	Di-n-butyl phthalate	A	28.7	V	ug/kg dry	1	16.6	16.6	BGE4170	06/05/2023 13:32	KRB
SW-8270	Di-n-octyl phthalate	A	<16.6	U	ug/kg dry	1	16.6	16.6	BGE4170	06/05/2023 13:32	KRB
SW-8270	Phenol, Total	A	524	V	ug/kg dry	1	33.3	33.3	BGE4170	06/05/2023 13:32	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*1.60%*	*S*	*60-140*					*06/05/2023 13:32*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*13.6%*	*S*	*60-140*					*06/05/2023 13:32*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*43.3%*	*S*	*60-140*					*06/05/2023 13:32*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*51.2%*	*S*	*60-140*					*06/05/2023 13:32*	
SW-8270	*Surrogate: Phenol-d5-surr*		*54.5%*	*S*	*60-140*					*06/05/2023 13:32*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*13.2%*	*S*	*60-140*					*06/05/2023 13:32*	
Metals, Total											
EPA 200.8	Antimony	N	0.0160	J	mg/kg dry	1	0.0114	0.142	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Arsenic	N	14.8		mg/kg dry	10	0.174	0.709	BGE2507	06/07/2023 13:29	TBB
EPA 200.8	Beryllium	N	0.00312	J	mg/kg dry	1	0.00142	0.0284	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Cadmium	N	0.177		mg/kg dry	1	0.00448	0.142	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Chromium	N	0.683	V	mg/kg dry	1	0.0104	0.426	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Copper	N	13.2	V	mg/kg dry	1	0.0123	0.142	BGE2507	06/07/2023 13:24	TBB
SW-7471B	Mercury	A	<0.0353	U	mg/kg dry	1	0.0353	0.0706	BGE3655	06/08/2023 15:45	AKR
EPA 200.8	Lead	N	0.651		mg/kg dry	1	0.0107	0.0709	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Nickel	N	0.973	V	mg/kg dry	1	0.00251	0.142	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Selenium	N	2.32		mg/kg dry	1	0.156	0.284	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Thallium	N	0.00184	J	mg/kg dry	1	0.000979	0.0709	BGE2507	06/07/2023 13:24	TBB
EPA 200.8	Zinc	N	240		mg/kg dry	10	0.533	2.84	BGE2507	06/07/2023 13:29	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.2	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-07-5
Lab Sample ID: 23E2848-28RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0888		mg/kg dry	1	0.00101	0.0709	BGF0507	06/09/2023 16:44	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-REF-1
Lab Sample ID: 23E2848-29
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	38.4	V	ug/kg dry	1	16.2	16.2	BGE4145	06/01/2023 12:32	KRB
SW-8270	Phenol, Total	A	350	V	ug/kg dry	1	32.5	32.5	BGE4145	06/01/2023 12:32	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*5.72%*	*S*	*60-140*					*06/01/2023 12:32*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*26.8%*	*S*	*60-140*					*06/01/2023 12:32*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*51.7%*	*S*	*60-140*					*06/01/2023 12:32*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*58.0%*	*S*	*60-140*					*06/01/2023 12:32*	
SW-8270	*Surrogate: Phenol-d5-surr*		*38.6%*	*S*	*60-140*					*06/01/2023 12:32*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*26.9%*	*S*	*60-140*					*06/01/2023 12:32*	
Metals, Total											
EPA 200.8	Antimony	N	0.0183	J	mg/kg dry	1	0.0111	0.138	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Arsenic	N	14.3		mg/kg dry	5	0.0850	0.346	BGE2507	06/07/2023 13:41	TBB
EPA 200.8	Beryllium	N	0.00470	J	mg/kg dry	1	0.00138	0.0277	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Cadmium	N	0.182		mg/kg dry	1	0.00437	0.138	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Chromium	N	0.868	V	mg/kg dry	1	0.0102	0.415	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Copper	N	12.7	V	mg/kg dry	1	0.0120	0.138	BGE2507	06/07/2023 13:31	TBB
SW-7471B	Mercury	A	<0.0322	U	mg/kg dry	1	0.0322	0.0643	BGE3655	06/08/2023 16:05	AKR
EPA 200.8	Lead	N	0.732		mg/kg dry	1	0.0104	0.0691	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Nickel	N	1.10	V	mg/kg dry	1	0.00245	0.138	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Selenium	N	2.08		mg/kg dry	1	0.152	0.277	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Thallium	N	0.00207	J	mg/kg dry	1	0.000954	0.0691	BGE2507	06/07/2023 13:31	TBB
EPA 200.8	Zinc	N	56.9		mg/kg dry	5	0.260	1.38	BGE2507	06/07/2023 13:41	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.5	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-REF-1
Lab Sample ID: 23E2848-29RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	25.5	V	ug/kg dry	1	16.2	16.2	BGE4145	06/05/2023 23:54	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<16.2	U	ug/kg dry	1	16.2	16.2	BGE4145	06/05/2023 23:54	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*5.10%*	*S*	*60-140*					*06/05/2023 23:54*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*30.6%*	*S*	*60-140*					*06/05/2023 23:54*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*64.8%*		*60-140*					*06/05/2023 23:54*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*79.7%*		*60-140*					*06/05/2023 23:54*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*68.1%*		*60-140*					*06/05/2023 23:54*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*29.9%*	*S*	*60-140*					*06/05/2023 23:54*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.153		mg/kg dry	1	0.000951	0.0670	BGF0507	06/09/2023 16:53	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-REF-2
Lab Sample ID: 23E2848-30
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	23.2	V	ug/kg dry	1	17.0	17.0	BGE4145	06/01/2023 13:06	KRB
SW-8270	Phenol, Total	A	377	V	ug/kg dry	1	34.0	34.0	BGE4145	06/01/2023 13:06	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*20.9%*	*S*	*60-140*					*06/01/2023 13:06*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*57.0%*	*S*	*60-140*					*06/01/2023 13:06*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*71.8%*		*60-140*					*06/01/2023 13:06*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*90.4%*		*60-140*					*06/01/2023 13:06*	
SW-8270	*Surrogate: Phenol-d5-surr*		*49.0%*	*S*	*60-140*					*06/01/2023 13:06*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*24.9%*	*S*	*60-140*					*06/01/2023 13:06*	
Metals, Total											
EPA 200.8	Antimony	N	0.0228	J	mg/kg dry	1	0.0114	0.142	BGE2507	06/07/2023 13:46	TBB
EPA 200.8	Arsenic	N	14.0		mg/kg dry	5	0.0872	0.355	BGE2507	06/07/2023 13:48	TBB
EPA 200.8	Beryllium	N	0.00440	J	mg/kg dry	1	0.00142	0.0284	BGE2507	06/07/2023 13:46	TBB
EPA 200.8	Cadmium	N	0.179		mg/kg dry	1	0.00448	0.142	BGE2507	06/07/2023 13:46	TBB
EPA 200.8	Chromium	N	1.08	A, V, J	mg/kg dry	5	0.0521	2.13	BGE2507	06/07/2023 13:48	TBB
EPA 200.8	Copper	N	19.5	V	mg/kg dry	5	0.0617	0.709	BGE2507	06/07/2023 13:48	TBB
SW-7471B	Mercury	A	<0.0354	U	mg/kg dry	1	0.0354	0.0709	BGE3655	06/08/2023 16:08	AKR
EPA 200.8	Lead	N	0.882		mg/kg dry	1	0.0107	0.0709	BGE2507	06/07/2023 13:46	TBB
EPA 200.8	Nickel	N	1.29	V	mg/kg dry	5	0.0126	0.709	BGE2507	06/07/2023 13:48	TBB
EPA 200.8	Selenium	N	1.66		mg/kg dry	5	0.780	1.42	BGE2507	06/07/2023 13:48	TBB
EPA 200.8	Thallium	N	0.00199	J	mg/kg dry	1	0.000979	0.0709	BGE2507	06/07/2023 13:46	TBB
EPA 200.8	Zinc	N	177		mg/kg dry	5	0.266	1.42	BGE2507	06/07/2023 13:48	TBB
General Chemistry											
SM 2540 G	% Solids	A	14.0	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-REF-2
Lab Sample ID: 23E2848-30RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	38.5	V	ug/kg dry	1	17.0	17.0	BGE4145	06/06/2023 00:28	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<17.0	U	ug/kg dry	1	17.0	17.0	BGE4145	06/06/2023 00:28	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*29.1%*	*S*	*60-140*					*06/06/2023 00:28*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*60.0%*		*60-140*					*06/06/2023 00:28*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*84.7%*		*60-140*					*06/06/2023 00:28*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*99.8%*		*60-140*					*06/06/2023 00:28*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*80.7%*		*60-140*					*06/06/2023 00:28*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*54.6%*	*S*	*60-140*					*06/06/2023 00:28*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.152		mg/kg dry	1	0.00101	0.0712	BGF0507	06/09/2023 17:03	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-REF-3
Lab Sample ID: 23E2848-31
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	34.3	V	ug/kg dry	1	19.2	19.2	BGE4145	06/01/2023 13:41	KRB
SW-8270	Phenol, Total	A	454	V	ug/kg dry	1	38.5	38.5	BGE4145	06/01/2023 13:41	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*18.3%*	*S*	*60-140*					*06/01/2023 13:41*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*47.8%*	*S*	*60-140*					*06/01/2023 13:41*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*69.4%*		*60-140*					*06/01/2023 13:41*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*93.4%*		*60-140*					*06/01/2023 13:41*	
SW-8270	*Surrogate: Phenol-d5-surr*		*48.2%*	*S*	*60-140*					*06/01/2023 13:41*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*36.0%*	*S*	*60-140*					*06/01/2023 13:41*	
Metals, Total											
EPA 200.8	Antimony	N	0.0330	J	mg/kg dry	1	0.0125	0.156	BGE2507	06/07/2023 14:15	TBB
EPA 200.8	Arsenic	N	16.8		mg/kg dry	10	0.191	0.778	BGE2507	06/07/2023 14:20	TBB
EPA 200.8	Beryllium	N	0.00560	J	mg/kg dry	1	0.00156	0.0311	BGE2507	06/07/2023 14:15	TBB
EPA 200.8	Cadmium	N	0.212		mg/kg dry	1	0.00492	0.156	BGE2507	06/07/2023 14:15	TBB
EPA 200.8	Chromium	N	2.22	A, V, J	mg/kg dry	10	0.114	4.67	BGE2507	06/07/2023 14:20	TBB
EPA 200.8	Copper	N	27.3	V	mg/kg dry	10	0.135	1.56	BGE2507	06/07/2023 14:20	TBB
SW-7471B	Mercury	A	<0.0374	U	mg/kg dry	1	0.0374	0.0747	BGE3655	06/08/2023 16:11	AKR
EPA 200.8	Lead	N	1.18		mg/kg dry	1	0.0118	0.0778	BGE2507	06/07/2023 14:15	TBB
EPA 200.8	Nickel	N	1.89	V	mg/kg dry	10	0.0276	1.56	BGE2507	06/07/2023 14:20	TBB
EPA 200.8	Selenium	N	1.90	A, J	mg/kg dry	10	1.71	3.11	BGE2507	06/07/2023 14:20	TBB
EPA 200.8	Thallium	N	0.00342	J	mg/kg dry	1	0.00107	0.0778	BGE2507	06/07/2023 14:15	TBB
EPA 200.8	Zinc	N	146		mg/kg dry	10	0.584	3.11	BGE2507	06/07/2023 14:20	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.8	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-REF-3
Lab Sample ID: 23E2848-31RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	173	V	ug/kg dry	1	19.2	19.2	BGE4145	06/06/2023 01:03	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<19.2	U	ug/kg dry	1	19.2	19.2	BGE4145	06/06/2023 01:03	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*31.5%*	*S*	*60-140*					*06/06/2023 01:03*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*59.1%*	*S*	*60-140*					*06/06/2023 01:03*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*81.3%*		*60-140*					*06/06/2023 01:03*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*92.7%*		*60-140*					*06/06/2023 01:03*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*92.0%*		*60-140*					*06/06/2023 01:03*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*86.2%*		*60-140*					*06/06/2023 01:03*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.185		mg/kg dry	1	0.00109	0.0769	BGF0507	06/09/2023 17:05	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-REF-4
Lab Sample ID: 23E2848-32
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	50.1	V	ug/kg dry	1	21.9	21.9	BGE4145	06/01/2023 14:15	KRB
SW-8270	Phenol, Total	A	912	V	ug/kg dry	1	43.7	43.7	BGE4145	06/01/2023 14:15	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*15.7%*	*S*	*60-140*					*06/01/2023 14:15*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*57.1%*	*S*	*60-140*					*06/01/2023 14:15*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*67.0%*		*60-140*					*06/01/2023 14:15*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*102%*		*60-140*					*06/01/2023 14:15*	
SW-8270	*Surrogate: Phenol-d5-surr*		*64.0%*		*60-140*					*06/01/2023 14:15*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*23.0%*	*S*	*60-140*					*06/01/2023 14:15*	
Metals, Total											
EPA 200.8	Antimony	N	0.0253	J	mg/kg dry	1	0.0151	0.188	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Arsenic	N	17.4		mg/kg dry	1	0.0231	0.0938	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Beryllium	N	0.00694	J	mg/kg dry	1	0.00188	0.0375	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Cadmium	N	0.203		mg/kg dry	1	0.00593	0.188	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Chromium	N	1.58	V	mg/kg dry	1	0.0138	0.563	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Copper	N	22.4	V	mg/kg dry	1	0.0163	0.188	BGE2507	06/07/2023 14:23	TBB
SW-7471B	Mercury	A	<0.0450	U	mg/kg dry	1	0.0450	0.0900	BGE3655	06/08/2023 16:15	AKR
EPA 200.8	Lead	N	1.03		mg/kg dry	1	0.0142	0.0938	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Nickel	N	1.61	V	mg/kg dry	1	0.00332	0.188	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Selenium	N	2.26		mg/kg dry	1	0.206	0.375	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Thallium	N	0.00225	J	mg/kg dry	1	0.00129	0.0938	BGE2507	06/07/2023 14:23	TBB
EPA 200.8	Zinc	N	64.1		mg/kg dry	1	0.0704	0.375	BGE2507	06/07/2023 14:23	TBB
General Chemistry											
SM 2540 G	% Solids	A	10.7	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	NV-REF-4	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-32RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	74.7	V	ug/kg dry	1	21.9	21.9	BGE4145	06/06/2023 01:38	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<21.9	U	ug/kg dry	1	21.9	21.9	BGE4145	06/06/2023 01:38	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*22.6%*	*S*	*60-140*					*06/06/2023 01:38*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.2%*		*60-140*					*06/06/2023 01:38*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*73.6%*		*60-140*					*06/06/2023 01:38*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*132%*		*60-140*					*06/06/2023 01:38*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*85.9%*		*60-140*					*06/06/2023 01:38*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*52.6%*	*S*	*60-140*					*06/06/2023 01:38*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.132		mg/kg dry	1	0.00129	0.0909	BGF0507	06/09/2023 16:56	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-REF-5
Lab Sample ID: 23E2848-33
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	30.7	V	ug/kg dry	1	15.7	15.7	BGE4145	06/01/2023 15:24	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*9.87%*	*S*	*60-140*					*06/01/2023 15:24*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*54.6%*	*S*	*60-140*					*06/01/2023 15:24*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*74.8%*		*60-140*					*06/01/2023 15:24*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*129%*		*60-140*					*06/01/2023 15:24*	
SW-8270	*Surrogate: Phenol-d5-surr*		*113%*		*60-140*					*06/01/2023 15:24*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*27.3%*	*S*	*60-140*					*06/01/2023 15:24*	
Metals, Total											
EPA 200.8	Antimony	N	0.0248	J	mg/kg dry	1	0.0186	0.231	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Arsenic	N	14.0		mg/kg dry	1	0.0285	0.116	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Beryllium	N	0.0171	J	mg/kg dry	1	0.00231	0.0463	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Cadmium	N	0.165	J	mg/kg dry	1	0.00731	0.231	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Chromium	N	2.05	V	mg/kg dry	1	0.0170	0.694	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Copper	N	21.7	V	mg/kg dry	1	0.0201	0.231	BGE2507	06/07/2023 14:30	TBB
SW-7471B	Mercury	A	<0.0333	U	mg/kg dry	1	0.0333	0.0666	BGE3655	06/08/2023 16:18	AKR
EPA 200.8	Lead	N	1.26		mg/kg dry	1	0.0175	0.116	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Nickel	N	1.62	V	mg/kg dry	1	0.00410	0.231	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Selenium	N	1.79		mg/kg dry	1	0.255	0.463	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Thallium	N	0.00370	J	mg/kg dry	1	0.00160	0.116	BGE2507	06/07/2023 14:30	TBB
EPA 200.8	Zinc	N	59.3		mg/kg dry	1	0.0869	0.463	BGE2507	06/07/2023 14:30	TBB
General Chemistry											
SM 2540 G	% Solids	A	15.0	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	NV-REF-5	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-33RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<15.7	U, B	ug/kg dry	1	15.7	15.7	BGE4145	06/10/2023 04:07	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<15.7	U	ug/kg dry	1	15.7	15.7	BGE4145	06/10/2023 04:07	KRB
SW-8270	Phenol, Total (Rerun)	A	618	V	ug/kg dry	1	31.5	31.5	BGE4145	06/10/2023 04:07	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*15.1%*	*S*	*60-140*					*06/10/2023 04:07*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*59.2%*	*S*	*60-140*					*06/10/2023 04:07*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*65.9%*		*60-140*					*06/10/2023 04:07*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*110%*		*60-140*					*06/10/2023 04:07*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*91.9%*		*60-140*					*06/10/2023 04:07*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*36.2%*	*S*	*60-140*					*06/10/2023 04:07*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.0471	J	mg/kg dry	1	0.00257	0.181	BGF0507	06/09/2023 17:08	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-1
Lab Sample ID: 23E2848-34
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	170	V	ug/kg dry	1	19.2	19.2	BGE4145	06/01/2023 15:59	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*23.8%*	*S*	*60-140*					*06/01/2023 15:59*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*65.0%*		*60-140*					*06/01/2023 15:59*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*90.5%*		*60-140*					*06/01/2023 15:59*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*96.6%*		*60-140*					*06/01/2023 15:59*	
SW-8270	*Surrogate: Phenol-d5-surr*		*132%*		*60-140*					*06/01/2023 15:59*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*10.5%*	*S*	*60-140*					*06/01/2023 15:59*	
Metals, Total											
EPA 200.8	Antimony	N	0.0195	J	mg/kg dry	1	0.0127	0.158	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Arsenic	N	16.8		mg/kg dry	10	0.195	0.792	BGE2507	06/07/2023 14:50	TBB
EPA 200.8	Beryllium	N	0.00475	J	mg/kg dry	1	0.00158	0.0317	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Cadmium	N	0.195		mg/kg dry	1	0.00500	0.158	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Chromium	N	0.698	V	mg/kg dry	1	0.0116	0.475	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Copper	N	15.0	V	mg/kg dry	1	0.0138	0.158	BGE2507	06/07/2023 14:45	TBB
SW-7471B	Mercury	A	<0.0367	U	mg/kg dry	1	0.0367	0.0734	BGE3655	06/08/2023 16:21	AKR
EPA 200.8	Lead	N	0.533		mg/kg dry	1	0.0120	0.0792	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Nickel	N	1.43	V	mg/kg dry	1	0.00280	0.158	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Selenium	N	2.93		mg/kg dry	1	0.174	0.317	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Thallium	N	0.00238	J	mg/kg dry	1	0.00109	0.0792	BGE2507	06/07/2023 14:45	TBB
EPA 200.8	Zinc	N	359		mg/kg dry	10	0.595	3.17	BGE2507	06/07/2023 14:50	TBB
General Chemistry											
SM 2540 G	% Solids	A	12.7	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID:	NV-CDP-PRETEST-1	Sample Matrix:	Tissue
Lab Sample ID:	23E2848-34RE1	Date Collected:	04/01/2023 13:00
Sample Alias:		Collected by:	Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<38.4	U, B	ug/kg dry	2	38.4	38.4	BGE4145	06/10/2023 04:42	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<38.4	U	ug/kg dry	2	38.4	38.4	BGE4145	06/10/2023 04:42	KRB
SW-8270	Phenol, Total (Rerun)	A	616	V	ug/kg dry	2	76.9	76.9	BGE4145	06/10/2023 04:42	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*28.9%*	*S*	*60-140*					*06/10/2023 04:42*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*68.5%*		*60-140*					*06/10/2023 04:42*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*79.6%*		*60-140*					*06/10/2023 04:42*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*111%*		*60-140*					*06/10/2023 04:42*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*94.8%*		*60-140*					*06/10/2023 04:42*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*11.9%*	*S*	*60-140*					*06/10/2023 04:42*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.185		mg/kg dry	1	0.00112	0.0785	BGF0507	06/09/2023 17:10	TBB

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-2
Lab Sample ID: 23E2848-35
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	103	V	ug/kg dry	1	18.8	18.8	BGE4145	06/01/2023 16:33	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*16.1%*	*S*	*60-140*					*06/01/2023 16:33*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*58.8%*	*S*	*60-140*					*06/01/2023 16:33*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*70.2%*		*60-140*					*06/01/2023 16:33*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*90.1%*		*60-140*					*06/01/2023 16:33*	
SW-8270	*Surrogate: Phenol-d5-surr*		*112%*		*60-140*					*06/01/2023 16:33*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*8.78%*	*S*	*60-140*					*06/01/2023 16:33*	
Metals, Total											
EPA 200.8	Antimony	N	0.0206	J	mg/kg dry	1	0.0122	0.151	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Arsenic	N	14.1		mg/kg dry	5	0.0931	0.378	BGE2507	06/07/2023 14:55	TBB
EPA 200.8	Beryllium	N	0.0133	J	mg/kg dry	1	0.00151	0.0303	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Cadmium	N	0.159		mg/kg dry	1	0.00478	0.151	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Chromium	N	1.19	V	mg/kg dry	1	0.0111	0.454	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Copper	N	11.2	V	mg/kg dry	1	0.0132	0.151	BGE2507	06/07/2023 14:53	TBB
SW-7471B	Mercury	A	<0.0360	U	mg/kg dry	1	0.0360	0.0721	BGE3655	06/08/2023 16:25	AKR
EPA 200.8	Lead	N	0.734		mg/kg dry	1	0.0114	0.0757	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Nickel	N	1.52	V	mg/kg dry	1	0.00268	0.151	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Selenium	N	2.23		mg/kg dry	1	0.166	0.303	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Thallium	N	0.00409	J	mg/kg dry	1	0.00104	0.0757	BGE2507	06/07/2023 14:53	TBB
EPA 200.8	Zinc	N	149		mg/kg dry	5	0.284	1.51	BGE2507	06/07/2023 14:55	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.2	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-2
Lab Sample ID: 23E2848-35RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	<37.7	U, B	ug/kg dry	2	37.7	37.7	BGE4145	06/10/2023 05:17	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<37.7	U	ug/kg dry	2	37.7	37.7	BGE4145	06/10/2023 05:17	KRB
SW-8270	Phenol, Total (Rerun)	A	822	V	ug/kg dry	2	75.4	75.4	BGE4145	06/10/2023 05:17	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*20.0%*	*S*	*60-140*					*06/10/2023 05:17*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*74.5%*		*60-140*					*06/10/2023 05:17*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*52.5%*	*S*	*60-140*					*06/10/2023 05:17*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*106%*		*60-140*					*06/10/2023 05:17*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*91.1%*		*60-140*					*06/10/2023 05:17*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*11.7%*	*S*	*60-140*					*06/10/2023 05:17*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.191		mg/kg dry	1	0.00106	0.0745	BGF0507	06/09/2023 17:13	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-3
Lab Sample ID: 23E2848-36
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Di-n-butyl phthalate	A	24.9	V	ug/kg dry	1	17.4	17.4	BGE4145	06/01/2023 17:08	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr*		*7.23%*	*S*	*60-140*					*06/01/2023 17:08*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr*		*50.6%*	*S*	*60-140*					*06/01/2023 17:08*	
SW-8270	*Surrogate: 2-Fluorophenol-surr*		*83.7%*		*60-140*					*06/01/2023 17:08*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr*		*102%*		*60-140*					*06/01/2023 17:08*	
SW-8270	*Surrogate: Phenol-d5-surr*		*125%*		*60-140*					*06/01/2023 17:08*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr*		*26.0%*	*S*	*60-140*					*06/01/2023 17:08*	
Metals, Total											
EPA 200.8	Antimony	N	0.0199	J	mg/kg dry	1	0.0115	0.143	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Arsenic	N	16.2		mg/kg dry	5	0.0881	0.358	BGE2507	06/07/2023 15:03	TBB
EPA 200.8	Beryllium	N	0.0116	J	mg/kg dry	1	0.00143	0.0286	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Cadmium	N	0.190		mg/kg dry	1	0.00453	0.143	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Chromium	N	1.00	V	mg/kg dry	1	0.0105	0.430	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Copper	N	11.3	V	mg/kg dry	1	0.0125	0.143	BGE2507	06/07/2023 15:00	TBB
SW-7471B	Mercury	A	<0.0346	U	mg/kg dry	1	0.0346	0.0693	BGE3655	06/08/2023 16:35	AKR
EPA 200.8	Lead	N	0.817		mg/kg dry	1	0.0108	0.0716	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Nickel	N	1.33	V	mg/kg dry	1	0.00253	0.143	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Selenium	N	2.56		mg/kg dry	1	0.158	0.286	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Thallium	N	0.00401	J	mg/kg dry	1	0.000988	0.0716	BGE2507	06/07/2023 15:00	TBB
EPA 200.8	Zinc	N	119		mg/kg dry	5	0.269	1.43	BGE2507	06/07/2023 15:03	TBB
General Chemistry											
SM 2540 G	% Solids	A	13.9	V	%	1	0.100	0.100	BGE2233	05/15/2023 10:45	BP

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Results
(Continued)

Client Sample ID: NV-CDP-PRETEST-3
Lab Sample ID: 23E2848-36RE1
Sample Alias:

Sample Matrix: Tissue
Date Collected: 04/01/2023 13:00
Collected by: Theran Gay

Method	Analyte	*	Result	Q	Units	DF	SDL	LRL	Batch	Analyzed	Analyst
Semivolatile Organic Compounds by GCMS											
SW-8270	Bis(2-ethylhexyl)phthalate (Rerun)	A	329	V	ug/kg dry	2	34.8	34.8	BGE4145	06/10/2023 05:52	KRB
SW-8270	Di-n-octyl phthalate (Rerun)	A	<34.8	U	ug/kg dry	2	34.8	34.8	BGE4145	06/10/2023 05:52	KRB
SW-8270	Phenol, Total (Rerun)	A	647	V	ug/kg dry	2	69.7	69.7	BGE4145	06/10/2023 05:52	KRB
SW-8270	*Surrogate: 2,4,6-Tribromophenol-surr (Rerur*		*11.0%*	*S*	*60-140*					*06/10/2023 05:52*	
SW-8270	*Surrogate: 2-Fluorobiphenyl-surr (Rerun)*		*60.6%*		*60-140*					*06/10/2023 05:52*	
SW-8270	*Surrogate: 2-Fluorophenol-surr (Rerun)*		*57.7%*	*S*	*60-140*					*06/10/2023 05:52*	
SW-8270	*Surrogate: Nitrobenzene-d5-surr (Rerun)*		*94.2%*		*60-140*					*06/10/2023 05:52*	
SW-8270	*Surrogate: Phenol-d5-surr (Rerun)*		*71.1%*		*60-140*					*06/10/2023 05:52*	
SW-8270	*Surrogate: p-Terphenyl-d14-surr (Rerun)*		*37.9%*	*S*	*60-140*					*06/10/2023 05:52*	
Metals, Total											
EPA 200.8	Silver (Rerun)	N	0.145		mg/kg dry	1	0.00101	0.0713	BGF0507	06/09/2023 17:15	TBB

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control

Semivolatile Organic Compounds by GCMS

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE4145 - SW-3570										
MB SV BT (BGE4145-BLK1)				Prepared: 5/25/2023 Analyzed: 6/1/2023						
Di-n-butyl phthalate	3.59		2.36	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*55.7*	*ug/kg wet*	*75.6*		*73.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*62.4*	*ug/kg wet*	*75.6*		*82.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*49.2*	*ug/kg wet*	*75.6*		*65.1*	*60-140*		
Blank (BGE4145-BLK2)				Prepared: 5/25/2023 Analyzed: 6/5/2023						
Bis(2-ethylhexyl)phthalate	8.93		2.36	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*59.4*	*ug/kg wet*	*75.6*		*78.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*78.2*	*ug/kg wet*	*75.6*		*103*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*53.3*	*ug/kg wet*	*75.6*		*70.5*	*60-140*		
BS SV BT/IDOC1 (BGE4145-BS1)				Prepared: 5/25/2023 Analyzed: 6/1/2023						
Di-n-butyl phthalate	51.4		2.48	ug/kg wet	79.2		64.9	60-140		
Surrogate: 2-Fluorobiphenyl-surr			*52.0*	*ug/kg wet*	*79.2*		*65.7*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*54.9*	*ug/kg wet*	*79.2*		*69.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*31.2*	*ug/kg wet*	*79.2*		*39.4*	*60-140*		
BS SV BT/IDOC1 (BGE4145-BS2)				Prepared: 5/25/2023 Analyzed: 6/5/2023						
Bis(2-ethylhexyl)phthalate	84.0		2.48	ug/kg wet	79.2		106	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*46.3*	*ug/kg wet*	*79.2*		*58.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*68.3*	*ug/kg wet*	*79.2*		*86.2*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*49.1*	*ug/kg wet*	*79.2*		*62.0*	*60-140*		
BSD SV BT/IDOC2 (BGE4145-BSD1)				Prepared: 5/25/2023 Analyzed: 6/1/2023						
Di-n-butyl phthalate	51.0		2.43	ug/kg wet	77.8		65.6	60-140	0.651	40
Surrogate: 2-Fluorobiphenyl-surr			*47.7*	*ug/kg wet*	*77.8*		*61.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*48.6*	*ug/kg wet*	*77.8*		*62.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*32.9*	*ug/kg wet*	*77.8*		*42.2*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE4145 - SW-3570 (Continued)										
BSD SV BT/IDOC2 (BGE4145-BSD2)					Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	89.4		2.43	ug/kg wet	77.8		115	60-140	6.16	40
Surrogate: 2-Fluorobiphenyl-surr		*S*	*43.7*	*ug/kg wet*	*77.8*		*56.2*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*67.7*	*ug/kg wet*	*77.8*		*87.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*51.6*	*ug/kg wet*	*77.8*		*66.3*	*60-140*		
MDL SV BT (BGE4145-MRL1)					Prepared: 5/25/2023 Analyzed: 6/1/2023					
Di-n-butyl phthalate	4.81		2.42	ug/kg wet	7.74		62.2	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*48.4*	*ug/kg wet*	*77.4*		*62.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*60.8*	*ug/kg wet*	*77.4*		*78.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*34.9*	*ug/kg wet*	*77.4*		*45.0*	*60-140*		
MRL Check (BGE4145-MRL2)					Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	13.8	J1	2.42	ug/kg wet	7.74		178	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*50.3*	*ug/kg wet*	*77.4*		*65.0*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*68.3*	*ug/kg wet*	*77.4*		*88.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*43.7*	*ug/kg wet*	*77.4*		*56.5*	*60-140*		
23E2848-11 MS (BGE4145-MS1)		**Source: 23E2848-11**			Prepared: 5/25/2023 Analyzed: 6/1/2023					
Di-n-butyl phthalate	372	J1	20.0	ug/kg dry	641	58.1	49.0	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*307*	*ug/kg dry*	*641*		*47.9*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*497*	*ug/kg dry*	*641*		*77.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*205*	*ug/kg dry*	*641*		*32.0*	*60-140*		
Matrix Spike (BGE4145-MS2)		**Source: 23E2848-11RE1**			Prepared: 5/25/2023 Analyzed: 6/5/2023					
Bis(2-ethylhexyl)phthalate	525		20.0	ug/kg dry	641	54.8	73.3	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*318*	*ug/kg dry*	*641*		*49.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*655*	*ug/kg dry*	*641*		*102*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*426*	*ug/kg dry*	*641*		*66.4*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE4145 - SW-3570 (Continued)										
23E2848-11 MSD (BGE4145-MSD1)	**Source: 23E2848-11**			Prepared: 5/25/2023 Analyzed: 6/1/2023						
Di-n-butyl phthalate	408	J1	21.1	ug/kg dry	675	58.1	51.8	60-140	9.14	40
Surrogate: 2-Fluorobiphenyl-surr	*S*		*294*	*ug/kg dry*	*675*		*43.5*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*527*	*ug/kg dry*	*675*		*78.0*	*60-140*		
Surrogate: p-Terphenyl-d14-surr	*S*		*209*	*ug/kg dry*	*675*		*30.9*	*60-140*		
Matrix Spike Dup (BGE4145-MSD2)	**Source: 23E2848-11RE1**			Prepared: 5/25/2023 Analyzed: 6/5/2023						
Bis(2-ethylhexyl)phthalate	599		21.1	ug/kg dry	675	54.8	80.6	60-140	13.2	40
Surrogate: 2-Fluorobiphenyl-surr	*S*		*308*	*ug/kg dry*	*675*		*45.6*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*630*	*ug/kg dry*	*675*		*93.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*469*	*ug/kg dry*	*675*		*69.4*	*60-140*		
Batch: BGE4170 - SW-3570										
MB SV BT (BGE4170-BLK1)				Prepared: 5/25/2023 Analyzed: 6/4/2023						
Bis(2-ethylhexyl)phthalate	5.46		2.45	ug/kg wet						
Di-n-butyl phthalate	6.13		2.45	ug/kg wet						
Surrogate: 2-Fluorobiphenyl-surr			*54.3*	*ug/kg wet*	*78.4*		*69.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*50.8*	*ug/kg wet*	*78.4*		*64.7*	*60-140*		
Surrogate: p-Terphenyl-d14-surr			*62.8*	*ug/kg wet*	*78.4*		*80.1*	*60-140*		
BS SV BT (BGE4170-BS1)				Prepared: 5/25/2023 Analyzed: 6/4/2023						
Bis(2-ethylhexyl)phthalate	39.1	J1	2.38	ug/kg wet	76.0		51.4	60-140		
Di-n-butyl phthalate	41.7	J1	2.38	ug/kg wet	76.0		54.9	60-140		
Surrogate: 2-Fluorobiphenyl-surr	*S*		*35.6*	*ug/kg wet*	*76.0*		*46.8*	*60-140*		
Surrogate: Nitrobenzene-d5-surr	*S*		*42.2*	*ug/kg wet*	*76.0*		*55.5*	*60-140*		
Surrogate: p-Terphenyl-d14-surr	*S*		*30.6*	*ug/kg wet*	*76.0*		*40.2*	*60-140*		

NWDLS
North Water District Laboratory Services, Inc.

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Semivolatile Organic Compounds by GCMS (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE4170 - SW-3570 (Continued)										
BSD SV BT (BGE4170-BSD1)				Prepared: 5/25/2023 Analyzed: 6/5/2023						
Bis(2-ethylhexyl)phthalate	40.9	J1	2.47	ug/kg wet	79.1		51.7	60-140	4.43	40
Di-n-butyl phthalate	40.6	J1	2.47	ug/kg wet	79.1		51.3	60-140	2.79	40
Surrogate: 2-Fluorobiphenyl-surr		*S*	*43.7*	*ug/kg wet*	*79.1*		*55.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr		*S*	*46.1*	*ug/kg wet*	*79.1*		*58.3*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*36.7*	*ug/kg wet*	*79.1*		*46.5*	*60-140*		
MDL SV BT (BGE4170-MRL1)				Prepared: 5/25/2023 Analyzed: 6/4/2023						
Bis(2-ethylhexyl)phthalate	13.1	J1	2.35	ug/kg wet	7.50		174	50-150		
Di-n-butyl phthalate	7.76		2.35	ug/kg wet	7.50		103	50-150		
Surrogate: 2-Fluorobiphenyl-surr			*45.8*	*ug/kg wet*	*75.0*		*61.0*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*51.0*	*ug/kg wet*	*75.0*		*67.9*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*43.9*	*ug/kg wet*	*75.0*		*58.5*	*60-140*		
23E284802 MS (BGE4170-MS1)		**Source: 23E2848-02**		Prepared: 5/25/2023 Analyzed: 6/5/2023						
Bis(2-ethylhexyl)phthalate	276	J1	23.7	ug/kg dry	757	<23.7	36.4	60-140		
Di-n-butyl phthalate	527	J1	23.7	ug/kg dry	757	84.0	58.5	60-140		
Surrogate: 2-Fluorobiphenyl-surr		*S*	*388*	*ug/kg dry*	*757*		*51.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*467*	*ug/kg dry*	*757*		*61.6*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*319*	*ug/kg dry*	*757*		*42.1*	*60-140*		
23E284802 MSD (BGE4170-MSD1)		**Source: 23E2848-02**		Prepared: 5/25/2023 Analyzed: 6/5/2023						
Bis(2-ethylhexyl)phthalate	356	J1	23.5	ug/kg dry	753	<23.5	47.3	60-140	25.4	40
Di-n-butyl phthalate	665		23.5	ug/kg dry	753	84.0	77.2	60-140	23.2	40
Surrogate: 2-Fluorobiphenyl-surr		*S*	*424*	*ug/kg dry*	*753*		*56.3*	*60-140*		
Surrogate: Nitrobenzene-d5-surr			*478*	*ug/kg dry*	*753*		*63.4*	*60-140*		
Surrogate: p-Terphenyl-d14-surr		*S*	*359*	*ug/kg dry*	*753*		*47.7*	*60-140*		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2506 - EPA 200.3										
Blank (BGE2506-BLK1)				Prepared: 5/16/2023 Analyzed: 6/2/2023						
Antimony	<0.0996	U	0.0996	mg/kg wet						
Arsenic	<0.0498	U	0.0498	mg/kg wet						
Cadmium	<0.0996	U	0.0996	mg/kg wet						
Chromium	0.0342	J	0.299	mg/kg wet						
Copper	0.0292	J	0.0996	mg/kg wet						
Lead	0.0103	J	0.0498	mg/kg wet						
Nickel	0.0150	J	0.0996	mg/kg wet						
Selenium	<0.199	U	0.199	mg/kg wet						
Thallium	<0.0498	U	0.0498	mg/kg wet						
Blank (BGE2506-BLK3)				Prepared: 5/16/2023 Analyzed: 6/8/2023						
Zinc	1.34		0.199	mg/kg wet						
Blank (BGE2506-BLK4)				Prepared: 5/16/2023 Analyzed: 6/8/2023						
Beryllium	<0.0199	U	0.0199	mg/kg wet						
LCS (BGE2506-BS1)				Prepared: 5/16/2023 Analyzed: 6/2/2023						
Antimony	9.72		0.0956	mg/kg wet	9.56		102	85-115		
Arsenic	4.85		0.0478	mg/kg wet	4.78		102	85-115		
Cadmium	9.43		0.0956	mg/kg wet	9.56		98.6	85-115		
Chromium	28.1		0.287	mg/kg wet	28.7		97.9	85-115		
Copper	9.45		0.0956	mg/kg wet	9.56		98.9	85-115		
Lead	4.94		0.0478	mg/kg wet	4.78		103	85-115		
Nickel	9.31		0.0956	mg/kg wet	9.56		97.4	85-115		
Thallium	4.83		0.0478	mg/kg wet	4.78		101	85-115		
LCS (BGE2506-BS3)				Prepared: 5/16/2023 Analyzed: 6/8/2023						
Zinc	20.5		0.191	mg/kg wet	19.1		107	85-115		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2506 - EPA 200.3 (Continued)										
LCS (BGE2506-BS4)					Prepared: 5/16/2023 Analyzed: 6/8/2023					
Beryllium	2.10		0.0191	mg/kg wet	1.91		110	85-115		
Selenium	20.7		0.191	mg/kg wet	19.1		108	85-115		
Duplicate (BGE2506-DUP1)		**Source: 23E2848-01**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Antimony	<0.189	U	0.189	mg/kg dry		<0.189				20
Arsenic	9.81		0.0943	mg/kg dry		10.4			5.51	20
Cadmium	0.376		0.189	mg/kg dry		0.385			2.24	20
Chromium	0.506	J	0.566	mg/kg dry		0.455			10.5	20
Copper	11.0		0.189	mg/kg dry		10.9			0.865	20
Lead	0.241		0.0943	mg/kg dry		0.251			4.16	20
Nickel	3.24		0.189	mg/kg dry		3.25			0.201	20
Selenium	1.40		0.377	mg/kg dry		1.43			2.17	20
Thallium	0.00377	J	0.0943	mg/kg dry		0.00341			10.1	20
Duplicate (BGE2506-DUP2)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Cadmium	0.386		0.179	mg/kg dry		0.402			4.13	20
Thallium	0.00286	J	0.0893	mg/kg dry		0.00304			6.06	20
Duplicate (BGE2506-DUP4)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Antimony	<0.179	U	0.179	mg/kg dry		<0.179				20
Arsenic	10.5		0.0893	mg/kg dry		11.1			5.39	20
Chromium	0.327	J	0.536	mg/kg dry		0.371			12.4	20
Copper	11.8		0.179	mg/kg dry		12.7			7.35	20
Lead	0.371		0.0893	mg/kg dry		0.414			10.9	20
Nickel	2.82		0.179	mg/kg dry		3.05			7.69	20
Duplicate (BGE2506-DUP5)		**Source: 23E2848-01**			Prepared: 5/16/2023 Analyzed: 6/8/2023					
Zinc	115		3.77	mg/kg dry		106			7.98	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2506 - EPA 200.3 (Continued)										
Duplicate (BGE2506-DUP6)		**Source: 23E2848-11**		Prepared: 5/16/2023 Analyzed: 6/8/2023						
Beryllium	0.0113	J	0.0357	mg/kg dry		0.0107			4.88	20
Selenium	1.51		0.357	mg/kg dry		1.62			6.94	20
Duplicate (BGE2506-DUP7)		**Source: 23E2848-01**		Prepared: 5/16/2023 Analyzed: 6/8/2023						
Beryllium	0.0140	J	0.0377	mg/kg dry		0.0116			18.9	20
Zinc	108		1.89	mg/kg dry		106			1.82	20
MDL Check (BGE2506-MRL1)				Prepared: 5/16/2023 Analyzed: 6/2/2023						
Antimony	0.0506	J	0.102	mg/kg wet	0.0509		99.4			
Arsenic	0.00163	J	0.0509	mg/kg wet	0.00509		32.0			
Cadmium	0.00570	J	0.102	mg/kg wet	0.00509		112			
Chromium	0.0303	J	0.305	mg/kg wet	0.0153		199			
Copper	0.0360	J	0.102	mg/kg wet	0.0102		354			
Lead	0.00611	J	0.0509	mg/kg wet	0.00509		120			
Nickel	0.0162	J	0.102	mg/kg wet	0.00509		318			
Selenium	0.116	J	0.204	mg/kg wet	0.102		114			
Thallium	0.00295	J	0.0509	mg/kg wet	0.00255		116			
MDL Check (BGE2506-MRL3)				Prepared: 5/16/2023 Analyzed: 6/8/2023						
Zinc	0.184	J	0.204	mg/kg wet	0.102		180			
MDL Check (BGE2506-MRL4)				Prepared: 5/16/2023 Analyzed: 6/8/2023						
Beryllium	0.00132	J	0.0204	mg/kg wet	0.00102		130			
Matrix Spike (BGE2506-MS1)		**Source: 23E2848-01**		Prepared: 5/16/2023 Analyzed: 6/2/2023						
Antimony	18.3		0.189	mg/kg dry	18.9	<0.189	96.6	75-125		
Arsenic	18.4		0.473	mg/kg dry	9.47	10.4	84.6	75-125		
Cadmium	18.6		0.189	mg/kg dry	18.9	0.385	96.2	75-125		
Chromium	56.1		0.568	mg/kg dry	56.8	0.455	98.0	75-125		
Copper	28.2		0.189	mg/kg dry	18.9	10.9	91.6	75-125		
Lead	9.60		0.0947	mg/kg dry	9.47	0.251	98.8	75-125		
Nickel	21.1		0.189	mg/kg dry	18.9	3.25	94.4	75-125		
Thallium	8.83		0.0947	mg/kg dry	9.47	0.00341	93.2	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2506 - EPA 200.3 (Continued)										
Matrix Spike (BGE2506-MS2)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Cadmium	16.7		0.179	mg/kg dry	17.9	0.402	91.1	75-125		
Thallium	7.73		0.0897	mg/kg dry	8.97	0.00304	86.2	75-125		
Matrix Spike (BGE2506-MS4)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/2/2023					
Antimony	17.1		0.179	mg/kg dry	17.9	<0.179	95.3	75-125		
Arsenic	17.2	J1	0.448	mg/kg dry	8.97	11.1	68.3	75-125		
Chromium	51.0		0.538	mg/kg dry	53.8	0.371	94.0	75-125		
Copper	27.3		0.179	mg/kg dry	17.9	12.7	81.6	75-125		
Lead	8.46		0.0897	mg/kg dry	8.97	0.414	89.7	75-125		
Nickel	19.1		0.179	mg/kg dry	17.9	3.05	89.3	75-125		
Matrix Spike (BGE2506-MS5)		**Source: 23E2848-01**			Prepared: 5/16/2023 Analyzed: 6/8/2023					
Beryllium	4.08		0.0379	mg/kg dry	3.79	0.0116	107	75-125		
Selenium	51.0	J1	0.379	mg/kg dry	37.9	1.43	131	75-125		
Zinc	157	J1	1.89	mg/kg dry	37.9	106	133	75-125		
Matrix Spike (BGE2506-MS6)		**Source: 23E2848-11**			Prepared: 5/16/2023 Analyzed: 6/8/2023					
Beryllium	3.63		0.0359	mg/kg dry	3.59	0.0107	101	75-125		
Selenium	48.1	J1	0.359	mg/kg dry	35.9	1.62	130	75-125		
Zinc	136		1.79	mg/kg dry	35.9	103	92.2	75-125		
Batch: BGE2507 - EPA 200.3										
Blank (BGE2507-BLK1)					Prepared: 5/16/2023 Analyzed: 6/6/2023					
Antimony	<0.101	U	0.101	mg/kg wet						
Arsenic	<0.0503	U	0.0503	mg/kg wet						
Cadmium	<0.101	U	0.101	mg/kg wet						
Chromium	0.0140	J	0.302	mg/kg wet						
Copper	0.0256	J	0.101	mg/kg wet						
Lead	<0.0503	U	0.0503	mg/kg wet						
Nickel	0.00573	J	0.101	mg/kg wet						
Selenium	<0.201	U	0.201	mg/kg wet						
Thallium	<0.0503	U	0.0503	mg/kg wet						
Zinc	<0.201	U	0.201	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2507 - EPA 200.3 (Continued)										
Blank (BGE2507-BLK2)					Prepared: 5/16/2023 Analyzed: 6/7/2023					
Beryllium	<0.0201	U	0.0201	mg/kg wet						
LCS (BGE2507-BS1)					Prepared: 5/16/2023 Analyzed: 6/6/2023					
Antimony	10.2		0.0952	mg/kg wet	9.52		107	85-115		
Arsenic	4.87		0.0476	mg/kg wet	4.76		102	85-115		
Cadmium	9.47		0.0952	mg/kg wet	9.52		99.4	85-115		
Chromium	28.1		0.286	mg/kg wet	28.6		98.4	85-115		
Copper	10.1		0.0952	mg/kg wet	9.52		106	85-115		
Lead	4.77		0.0476	mg/kg wet	4.76		100	85-115		
Nickel	9.33		0.0952	mg/kg wet	9.52		97.9	85-115		
Selenium	19.7		0.190	mg/kg wet	19.0		103	85-115		
Thallium	4.80		0.0476	mg/kg wet	4.76		101	85-115		
Zinc	19.6		0.190	mg/kg wet	19.0		103	85-115		
LCS (BGE2507-BS2)					Prepared: 5/16/2023 Analyzed: 6/7/2023					
Beryllium	2.19		0.0190	mg/kg wet	1.90		115	85-115		
Duplicate (BGE2507-DUP1)			**Source: 23E2848-20**		Prepared: 5/16/2023 Analyzed: 6/6/2023					
Antimony	0.0168	J	0.144	mg/kg dry		0.0170			1.29	20
Arsenic	14.6		0.359	mg/kg dry		14.8			1.19	20
Cadmium	0.208		0.144	mg/kg dry		0.216			3.66	20
Chromium	0.935		0.431	mg/kg dry		0.830			11.8	20
Copper	8.03		0.144	mg/kg dry		8.59			6.73	20
Lead	0.642		0.0718	mg/kg dry		0.674			4.82	20
Nickel	1.24		0.144	mg/kg dry		1.23			0.447	20
Selenium	2.14		0.287	mg/kg dry		2.15			0.227	20
Thallium	0.00258	J	0.0718	mg/kg dry		0.00243			6.11	20
Zinc	172	J1	1.44	mg/kg dry		360			70.9	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2507 - EPA 200.3 (Continued)										
Duplicate (BGE2507-DUP2)		**Source: 23E2848-30**		Prepared: 5/16/2023 Analyzed: 6/7/2023						
Antimony	0.0246	J	0.143	mg/kg dry		0.0228			7.40	20
Arsenic	13.2		0.715	mg/kg dry		14.0			5.46	20
Beryllium	0.00415	J	0.0286	mg/kg dry		0.00440			5.87	20
Cadmium	0.176		0.143	mg/kg dry		0.179			1.85	20
Chromium	1.08		0.429	mg/kg dry		1.08			0.0321	20
Copper	18.3		0.143	mg/kg dry		19.5			6.09	20
Lead	0.805		0.0715	mg/kg dry		0.882			9.11	20
Nickel	1.21		0.143	mg/kg dry		1.29			7.12	20
Selenium	2.05	J1	0.286	mg/kg dry		1.66			21.3	20
Thallium	0.00200	J	0.0715	mg/kg dry		0.00199			0.797	20
Zinc	58.0	J1	2.86	mg/kg dry		177			101	20
Duplicate (BGE2507-DUP3)		**Source: 23E2848-20**		Prepared: 5/16/2023 Analyzed: 6/7/2023						
Beryllium	0.00689	J	0.0287	mg/kg dry		0.00658			4.66	20
MDL Check (BGE2507-MRL1)				Prepared: 5/16/2023 Analyzed: 6/6/2023						
Antimony	0.0571	J	0.0990	mg/kg wet	0.0495		115			
Arsenic	<0.0495	U	0.0495	mg/kg wet	0.00495					
Cadmium	0.00634	J	0.0990	mg/kg wet	0.00495		128			
Chromium	0.0550	J	0.297	mg/kg wet	0.0149		370			
Copper	0.0366	J	0.0990	mg/kg wet	0.00990		370			
Lead	0.00762	J	0.0495	mg/kg wet	0.00495		154			
Nickel	0.0146	J	0.0990	mg/kg wet	0.00495		294			
Selenium	0.102	J	0.198	mg/kg wet	0.0990		103			
Thallium	0.00485	J	0.0495	mg/kg wet	0.00248		196			
Zinc	0.128	J	0.198	mg/kg wet	0.0990		129			
MDL Check (BGE2507-MRL2)				Prepared: 5/16/2023 Analyzed: 6/7/2023						
Beryllium	0.00158	J	0.0198	mg/kg wet	0.000990		160			

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2507 - EPA 200.3 (Continued)										
Matrix Spike (BGE2507-MS1)		**Source: 23E2848-20**		Prepared: 5/16/2023 Analyzed: 6/6/2023						
Antimony	15.4		0.143	mg/kg dry	14.3	0.0170	107	75-125		
Arsenic	22.2		0.358	mg/kg dry	7.15	14.8	104	75-125		
Cadmium	14.7		0.143	mg/kg dry	14.3	0.216	101	75-125		
Chromium	44.0		0.429	mg/kg dry	42.9	0.830	101	75-125		
Copper	21.5		0.143	mg/kg dry	14.3	8.59	89.9	75-125		
Lead	7.50		0.0715	mg/kg dry	7.15	0.674	95.5	75-125		
Nickel	15.0		0.143	mg/kg dry	14.3	1.23	96.0	75-125		
Selenium	39.1	J1	0.286	mg/kg dry	28.6	2.15	129	75-125		
Thallium	6.92		0.0715	mg/kg dry	7.15	0.00243	96.7	75-125		
Zinc	90.4	J1	1.43	mg/kg dry	28.6	360	NR	75-125		
Matrix Spike (BGE2507-MS2)		**Source: 23E2848-30**		Prepared: 5/16/2023 Analyzed: 6/7/2023						
Antimony	15.1		0.142	mg/kg dry	14.2	0.0228	106	75-125		
Arsenic	20.7		0.356	mg/kg dry	7.12	14.0	94.5	75-125		
Beryllium	3.31		0.0285	mg/kg dry	2.85	0.00440	116	75-125		
Cadmium	15.3		0.142	mg/kg dry	14.2	0.179	106	75-125		
Chromium	48.3		0.427	mg/kg dry	42.7	1.08	110	75-125		
Copper	34.9		0.712	mg/kg dry	14.2	19.5	108	75-125		
Lead	8.04		0.0712	mg/kg dry	7.12	0.882	101	75-125		
Nickel	16.1		0.142	mg/kg dry	14.2	1.29	104	75-125		
Selenium	40.8	J1	0.285	mg/kg dry	28.5	1.66	137	75-125		
Thallium	7.12		0.0712	mg/kg dry	7.12	0.00199	100	75-125		
Zinc	197	J1	1.42	mg/kg dry	28.5	177	70.5	75-125		
Matrix Spike (BGE2507-MS3)		**Source: 23E2848-20**		Prepared: 5/16/2023 Analyzed: 6/7/2023						
Beryllium	3.31		0.0286	mg/kg dry	2.86	0.00658	116	75-125		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE3654 - SW-7471										
MDL Check (BGE3654-MRL1)					Prepared & Analyzed: 6/7/2023					
Mercury	0.0107	J	0.0196	mg/kg wet	0.00979		109			
Matrix Spike (BGE3654-MS1)		**Source: 23E2848-12**			Prepared & Analyzed: 6/7/2023					
Mercury	1.14		0.0922	mg/kg dry	1.15	<0.0922	99.1	80-120		
Matrix Spike (BGE3654-MS2)		**Source: 23E2848-13**			Prepared & Analyzed: 6/7/2023					
Mercury	1.13		0.0904	mg/kg dry	1.13	<0.0904	99.8	80-120		
Matrix Spike Dup (BGE3654-MSD1)		**Source: 23E2848-12**			Prepared & Analyzed: 6/7/2023					
Mercury	1.09		0.0878	mg/kg dry	1.10	<0.0878	99.0	80-120	4.96	20
Matrix Spike Dup (BGE3654-MSD2)		**Source: 23E2848-13**			Prepared & Analyzed: 6/7/2023					
Mercury	1.15		0.0926	mg/kg dry	1.16	<0.0926	99.6	80-120	2.21	20
Batch: BGE3655 - SW-7471										
MDL Check (BGE3655-MRL1)					Prepared & Analyzed: 6/8/2023					
Mercury	0.00988	J	0.0200	mg/kg wet	0.00998		99.0			
Matrix Spike (BGE3655-MS1)		**Source: 23E2848-22**			Prepared & Analyzed: 6/8/2023					
Mercury	0.923		0.0735	mg/kg dry	0.919	<0.0735	100	80-120		
Matrix Spike (BGE3655-MS2)		**Source: 23E2848-23**			Prepared & Analyzed: 6/8/2023					
Mercury	0.824		0.0674	mg/kg dry	0.843	<0.0674	97.8	80-120		
Matrix Spike Dup (BGE3655-MSD1)		**Source: 23E2848-22**			Prepared & Analyzed: 6/8/2023					
Mercury	0.966		0.0747	mg/kg dry	0.934	<0.0747	103	80-120	4.54	20

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE3655 - SW-7471 (Continued)										
Matrix Spike Dup (BGE3655-MSD2)		**Source: 23E2848-23**			Prepared & Analyzed: 6/8/2023					
Mercury	0.899		0.0725	mg/kg dry	0.906	<0.0725	99.2	80-120	8.69	20
Batch: BGF0506 - EPA 200.3										
Blank (BGF0506-BLK1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	<0.0505	U	0.0505	mg/kg wet						
LCS (BGF0506-BS1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	1.79	J1	0.0467	mg/kg wet	4.67		38.4	85-115		
Duplicate (BGF0506-DUP1)		**Source: 23E2848-01RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.154		0.0951	mg/kg dry		0.158			2.92	20
Duplicate (BGF0506-DUP2)		**Source: 23E2848-11RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.135		0.0889	mg/kg dry		0.139			2.91	20
MDL Check (BGF0506-MRL1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.00216	J	0.0490	mg/kg wet	0.00245		88.0			
Matrix Spike (BGF0506-MS1)		**Source: 23E2848-01RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	5.24	J1	0.0943	mg/kg dry	9.43	0.158	53.9	75-125		
Matrix Spike (BGF0506-MS2)		**Source: 23E2848-11RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	3.38	J1	0.0872	mg/kg dry	8.72	0.139	37.2	75-125		
Batch: BGF0507 - EPA 200.3										
Blank (BGF0507-BLK1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	<0.0500	U	0.0500	mg/kg wet						

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGF0507 - EPA 200.3 (Continued)										
LCS (BGF0507-BS1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	2.22	J1	0.0505	mg/kg wet	5.05		43.9	85-115		
Duplicate (BGF0507-DUP1)		**Source: 23E2848-21RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.124		0.0789	mg/kg dry		0.109			13.4	20
Duplicate (BGF0507-DUP2)		**Source: 23E2848-32RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.138		0.0934	mg/kg dry		0.132			3.84	20
MDL Check (BGF0507-MRL1)					Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	0.00263	J	0.0505	mg/kg wet	0.00253		104			
Matrix Spike (BGF0507-MS1)		**Source: 23E2848-21RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	6.69		0.0820	mg/kg dry	8.20	0.109	80.3	75-125		
Matrix Spike (BGF0507-MS2)		**Source: 23E2848-32RE1**			Prepared: 6/5/2023 Analyzed: 6/9/2023					
Silver	5.28	J1	0.0930	mg/kg dry	9.30	0.132	55.3	75-125		
Batch: SGF0026 - BGE2506										
Interference Check A (SGF0026-IFA1)					Prepared & Analyzed: 6/2/2023					
Antimony	0.149			ug/L				70-130		
Arsenic	0.126			ug/L				70-130		
Cadmium	0.384			ug/L				70-130		
Chromium	3.42			ug/L				70-130		
Copper	0.164			ug/L				70-130		
Lead	0.0720			ug/L				70-130		
Nickel	0.595			ug/L				70-130		
Selenium	0.195			ug/L				70-130		
Thallium	0.00800			ug/L				70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SGF0026 - BGE2506 (Continued)										
Interference Check B (SGF0026-IFB1)					Prepared & Analyzed: 6/2/2023					
Antimony	96.9			ug/L	100		96.9	70-130		
Arsenic	49.6			ug/L	50.0		99.2	70-130		
Cadmium	94.8			ug/L	100		94.8	70-130		
Chromium	287			ug/L	300		95.8	70-130		
Copper	89.9			ug/L	100		89.9	70-130		
Lead	45.5			ug/L	50.0		91.0	70-130		
Nickel	89.7			ug/L	100		89.7	70-130		
Selenium	198			ug/L	200		99.1	70-130		
Thallium	46.5			ug/L	50.0		93.0	70-130		
Batch: SGF0034 - BGE2506										
Interference Check A (SGF0034-IFA1)					Prepared & Analyzed: 6/2/2023					
Antimony	0.139			ug/L				70-130		
Arsenic	0.106			ug/L				70-130		
Chromium	3.26			ug/L				70-130		
Copper	0.117			ug/L				70-130		
Lead	0.0640			ug/L				70-130		
Nickel	0.574			ug/L				70-130		
Interference Check B (SGF0034-IFB1)					Prepared & Analyzed: 6/2/2023					
Antimony	94.4			ug/L	100		94.4	70-130		
Arsenic	49.5			ug/L	50.0		99.0	70-130		
Chromium	287			ug/L	300		95.6	70-130		
Copper	86.8			ug/L	100		86.8	70-130		
Lead	46.6			ug/L	50.0		93.1	70-130		
Nickel	88.0			ug/L	100		88.0	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SGF0074 - BGE2507										
Interference Check A (SGF0074-IFA1)					Prepared & Analyzed: 6/6/2023					
Antimony	0.215			ug/L				70-130		
Arsenic	0.125			ug/L				70-130		
Cadmium	0.410			ug/L				70-130		
Chromium	3.67			ug/L				70-130		
Copper	0.296			ug/L				70-130		
Lead	0.0900			ug/L				70-130		
Nickel	0.644			ug/L				70-130		
Selenium	0.186			ug/L				70-130		
Thallium	0.0320			ug/L				70-130		
Zinc	0.144			ug/L				70-130		
Interference Check B (SGF0074-IFB1)					Prepared & Analyzed: 6/6/2023					
Antimony	104			ug/L	100		104	70-130		
Arsenic	52.0			ug/L	50.0		104	70-130		
Cadmium	99.9			ug/L	100		99.9	70-130		
Chromium	295			ug/L	300		98.3	70-130		
Copper	98.9			ug/L	100		98.9	70-130		
Lead	45.0			ug/L	50.0		89.9	70-130		
Nickel	92.5			ug/L	100		92.5	70-130		
Selenium	213			ug/L	200		106	70-130		
Thallium	48.2			ug/L	50.0		96.4	70-130		
Zinc	192			ug/L	200		96.2	70-130		
Batch: SGF0091 - BGE2507										
Interference Check A (SGF0091-IFA1)					Prepared & Analyzed: 6/7/2023					
Antimony	0.159			ug/L				70-130		
Arsenic	0.103			ug/L				70-130		
Beryllium	0.00200			ug/L				70-130		
Cadmium	0.367			ug/L				70-130		
Chromium	3.29			ug/L				70-130		
Copper	0.144			ug/L				70-130		
Lead	0.0700			ug/L				70-130		
Nickel	0.582			ug/L				70-130		
Selenium	0.249			ug/L				70-130		
Thallium	0.0160			ug/L				70-130		
Zinc	1.26			ug/L				70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SGF0091 - BGE2507 (Continued)										
Interference Check B (SGF0091-IFB1)					Prepared & Analyzed: 6/7/2023					
Antimony	103			ug/L	100		103	70-130		
Arsenic	52.0			ug/L	50.0		104	70-130		
Beryllium	18.5			ug/L	20.0		92.6	70-130		
Cadmium	98.9			ug/L	100		98.9	70-130		
Chromium	295			ug/L	300		98.4	70-130		
Copper	96.1			ug/L	100		96.1	70-130		
Lead	46.1			ug/L	50.0		92.2	70-130		
Nickel	93.3			ug/L	100		93.3	70-130		
Selenium	213			ug/L	200		107	70-130		
Thallium	46.8			ug/L	50.0		93.5	70-130		
Zinc	193			ug/L	200		96.3	70-130		
Batch: SGF0122 - BGE2506										
Interference Check A (SGF0122-IFA1)					Prepared & Analyzed: 6/8/2023					
Arsenic	0.0990			ug/L				70-130		
Beryllium	0.00800			ug/L				70-130		
Chromium	3.28			ug/L				70-130		
Copper	0.338			ug/L				70-130		
Nickel	0.573			ug/L				70-130		
Selenium	0.185			ug/L				70-130		
Zinc	0.665			ug/L				70-130		
Interference Check B (SGF0122-IFB1)					Prepared & Analyzed: 6/8/2023					
Arsenic	51.2			ug/L	50.0		102	70-130		
Beryllium	18.1			ug/L	20.0		90.6	70-130		
Chromium	286			ug/L	300		95.3	70-130		
Copper	92.8			ug/L	100		92.8	70-130		
Nickel	90.9			ug/L	100		90.9	70-130		
Selenium	208			ug/L	200		104	70-130		
Zinc	189			ug/L	200		94.7	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

Metals, Total (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: SGF0142 - BGF0506										
Interference Check A (SGF0142-IFA1)					Prepared & Analyzed: 6/9/2023					
Silver	0.00700			ug/L				70-130		
Interference Check B (SGF0142-IFB1)					Prepared & Analyzed: 6/9/2023					
Silver	45.6			ug/L	50.0		91.3	70-130		
Batch: SGF0149 - BGF0506										
Interference Check A (SGF0149-IFA1)					Prepared & Analyzed: 6/9/2023					
Silver	0.00800			ug/L				70-130		
Interference Check B (SGF0149-IFB1)					Prepared & Analyzed: 6/9/2023					
Silver	46.5			ug/L	50.0		93.0	70-130		
Batch: SGF0246 - BGE2506										
Interference Check A (SGF0246-IFA1)					Prepared & Analyzed: 6/15/2023					
Arsenic	0.0830			ug/L				70-130		
Interference Check B (SGF0246-IFB1)					Prepared & Analyzed: 6/15/2023					
Arsenic	52.1			ug/L	50.0		104	70-130		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Quality Control
(Continued)

General Chemistry

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BGE2233 - Percent Solids										
Blank (BGE2233-BLK1)					Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	<0.100	U	0.100	%						
Duplicate (BGE2233-DUP1)		**Source: 23E2848-01**			Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	10.4		0.100	%		10.6			1.47	10
Duplicate (BGE2233-DUP2)		**Source: 23E2848-36**			Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	14.0		0.100	%		13.9			0.908	10
Reference (BGE2233-SRM1)					Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	0.369		0.100	%	0.350		105	78.9-118		
Batch: BGE2234 - Percent Solids										
Blank (BGE2234-BLK1)					Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	<0.100	U	0.100	%						
Duplicate (BGE2234-DUP1)		**Source: 23E2848-03**			Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	9.17		0.100	%		9.19			0.209	10
Duplicate (BGE2234-DUP2)		**Source: 23E2848-10**			Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	9.70		0.100	%		9.80			1.07	10
Reference (BGE2234-SRM1)					Prepared: 5/12/2023 Analyzed: 5/15/2023					
% Solids	0.377		0.100	%	0.350		108	78.9-118		

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Sample Condition Checklist

Work Order: 23E2848

Check Points	
No	Custody Seals
Yes	Containers Intact
Yes	COC/Labels Agree
Yes	Received On Ice
Yes	Appropriate Containers
Yes	Appropriate Sample Volume
No	Coolers Intact
Yes	Samples Accepted

130 S. Trade Center Parkway, Conroe TX 77385
Tel: (936) 321-6060
Email: lab@nwdls.com
www. NWDLS.com
TCEQ T104704238-23-39

Terracon_Houston	Project: PCCA CDP TISSUE CHEM	
11555 Clay Road	Project Number:	**Reported:**
Houston, TX 77043	Project Manager: Gregg Pawlak	06/16/2023 11:07

Term and Qualifier Definitions

Item	Definition
A	Detection limit elevated due to abundance of non-target analyte.
B	Analyte was found in the associated method blank.
J	Estimated value - The reported value is between the detection limit and reporting limit.
J1	Estimated value - The reported value is outside the established quality control criteria for accuracy and/or precision.
S	The surrogate recovery was outside the established laboratory recovery limit.
U	Non-detected compound.
V	Analyte was detected in both sample and method blank.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated
*	A = Accredited, N = Not Accredited or Accreditation not available
DF	Dilution Factor - the factor applied to the reported data due to sample preparation, dilution, or moisture content
MDL	Method Detection Limit - The minimum concentration of a substance (or analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. Based on standard deviation of replicate spiked samples take through all steps of the analytical procedure following 40 CFR Part 136 Appendix B.
SDL	Sample Detection Limit - The minimum concentration of a substance (analyte) that can be measured and reported with 99% confidence that the analyte concentration is greater than zero. The SDL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MDL = SDL.
MRL	Method Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The MRL is at or above the lowest calibration standard.
LRL	Laboratory Reporting Limit - Analyte concentration that corresponds to the lowest level lab reports with confidence in accuracy of quantitation and without qualification (i.e. J-flagged). The LRL is an adjusted limit thus sample specific and accounts for preparation weights and volumes, dilutions, and moisture content of soil/sediments. If there are no sample specific parameters, the MRL = LRL.

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**	**Schedule Comments:**

Sample ID	Collection Point	Date/Time Begin	Date/Time Sampled	Sample Type	Container	Analysis/Preservation	Field Results
23E2848-01	MM-CDP-06-1		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-02	MM-CDP-06-2		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:** **Schedule Comments:**

23E2848-03	MM-CDP-06-3		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20(<-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-04	MM-CDP-06-4		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20(<-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**	**Schedule Comments:**

23E2848-05	MM-CDP-06-5		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.: <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-06	MM-CDP-07-1		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.: <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX1001 4°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**						**Schedule Comments:**
23E2848-07	MM-CDP-07-2		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS 2 <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.8 <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 200 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-08	MM-CDP-07-3		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS 2 <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.8 <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 200 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-09	MM-CDP-07-4		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-10	MM-CDP-07-5		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-11	MM-REF-1		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-12	MM-REF-2		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-13	MM-REF-3		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 4°C TS-2540 G <-20°C	
23E2848-14	MM-REF-4		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 4°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-15	MM-REF-5		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-16	MM-CDP-PRETEST-1		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-17	MM-CDP-PRETEST-2		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-18	MM-CDP-PRETEST-3		4-1-23 1100	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-19	NV-CDP-06-1		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20(<-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-20	NV-CDP-06-2		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20(<-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-21	NV-CDP-06-3		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-22	NV-CDP-06-4		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS ; <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-23	NV-CDP-06-5		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C TS-2540 G <-20°C	
23E2848-24	NV-CDP-07-1		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-25	NV-CDP-07-2		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-26	NV-CDP-07-3		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-27	NV-CDP-07-4		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.: <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-28	NV-CDP-07-5		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 20(<-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.: <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**	**Schedule Comments:**

23E2848-29	NV-REF-1		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX1001 4°C TS-2540 G <-20°C	
23E2848-30	NV-REF-2		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX1001 4°C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name**: PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-31	NV-REF-3		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-32	NV-REF-4		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 20(<-20°C Beryllium KED ICPMS 2(<-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200.(<-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com

TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**

Schedule Comments:

23E2848-33	NV-REF-5		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-34	NV-CDP-PRETEST-1		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name** : PCCA CDP TISSUE CHEM **Project Comments:**	**Schedule Comments:**

23E2848-35	NV-CDP-PRETEST-2		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	
23E2848-36	NV-CDP-PRETEST-3		4-1-23 1300	T Composite	A Glass 250mL w/ Teflon-lined Lid	Antimony KED ICPMS 2 <-20°C Arsenic KED ICPMS 200 <-20°C Beryllium KED ICPMS 2 <-20°C Cadmium KED ICPMS 2 <-20°C Chromium KED ICPMS : <-20°C Copper KED ICPMS 200 <-20°C Hg-7471 <-20°C Lead KED ICPMS 200.8 <-20°C Nickel KED ICPMS 200. <-20°C Selenium KED ICPMS 2 <-20°C Silver KED ICPMS 200.8 <-20°C Thallium KED ICPMS 20 <-20°C Zinc KED ICPMS 200.8 <-20°C SVOA-8270 <-20°C TPH-1005 <-20°C Sub_Organotins-TX10014 °C TS-2540 G <-20°C	

CHAIN OF CUSTODY RECORD

North Water District Laboratory Services
130 S. Trade Center Pkwy, Conroe Tx 77385
(936) 321-6060 - lab@nwdls.com
TCEQ T104704238-23-39

23E2848

(Continued)

Terracon_Houston Gregg Pawlak 11555 Clay Road Houston, TX 77043 Phone: (713) 690-8989	**Project Name :** PCCA CDP TISSUE CHEM **Project Comments:**	**Schedule Comments:**

Field Remarks:		**Preservation: (Circle and Write ID)** H2SO4 HNO3 NaOH Other:		
Sampler (Signature)	Relinquished By: (Signature)	Date/Time 5/10/23 15:00	Received By: (Signature)	Date/Time
Print Name: Thermo Gray	Relinquished By: (Signature)	Date/Time	Received By: (Signature)	Date/Time
Affiliation: TDX Lab	Relinquished To Lab By: (Signature)	Date/Time	Received for Laboratory By: (Signature)	Date/Time 5/10/23 16:00

Custody Seal : Yes / No | COC Labels Agree: Yes / No | Appropriate Volume: Yes / No | Received on Ice: Yes / No | Temperature: °C

Container Intact : Yes / No | Appropriate Containers: Yes / No | Coolers Intact: Yes / No | Samples Accepted: Yes / No | Thermometer ID:

Anamar

eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Monica Martin
North Water District Laboratory Services
8725 Fawn Trail
Conroe, Texas 77385

Generated 6/5/2023 10:58:58 AM

JOB DESCRIPTION

General Project

JOB NUMBER

860-49144-1

Eurofins Houston
4145 Greenbriar Dr
Stafford TX 77477

See page two for job notes and contact information.


my EOL

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
6/5/2023 10:58:58 AM

Authorized for release by
Travis Richter, Project Manager
Travis.Richter@et.eurofinsus.com
(281)794-7216

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 7
Client Sample Results 11
Surrogate Summary 27
QC Sample Results 29
QC Association Summary 35
Lab Chronicle 41
Certification Summary 50
Method Summary 51
Sample Summary 52
Chain of Custody 53
Receipt Checklists 71

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
F1	MS and/or MSD recovery exceeds control limits.
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
H3	Sample was received and analyzed past holding time. This does not meet regulatory requirements.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
H3	Sample was received and analyzed past holding time. This does not meet regulatory requirements.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 860-49144-1

Laboratory: Eurofins Houston

Narrative

Job Narrative
860-49144-1

Receipt
The samples were received on 5/16/2023 10:36 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 6.6°C

GC/MS Semi VOA
Method Organotins_SIM: The following samples were prepared outside of preparation holding time due to : 23E2848-06 (860-49144-6), 23E2848-07 (860-49144-7), 23E2848-08 (860-49144-8), 23E2848-09 (860-49144-9), 23E2848-10 (860-49144-10), 23E2848-11 (860-49144-11), 23E2848-12 (860-49144-12), 23E2848-12 (860-49144-12[MS]), 23E2848-13 (860-49144-13), 23E2848-14 (860-49144-14), 23E2848-15 (860-49144-15), 23E2848-16 (860-49144-16), 23E2848-17 (860-49144-17), 23E2848-18 (860-49144-18), 23E2848-24 (860-49144-24), 23E2848-25 (860-49144-25), 23E2848-26 (860-49144-26), 23E2848-27 (860-49144-27), 23E2848-28 (860-49144-28), 23E2848-29 (860-49144-29) and 23E2848-30 (860-49144-30).

Method Organotins_SIM: Surrogate recovery for the following samples were outside the upper control limit: 23E2848-07 (860-49144-7), 23E2848-08 (860-49144-8), 23E2848-09 (860-49144-9) and 23E2848-16 (860-49144-16). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

Method Organotins_SIM: Surrogate recovery for the following samples were outside control limits: 23E2848-27 (860-49144-27), 23E2848-28 (860-49144-28), 23E2848-29 (860-49144-29) and 23E2848-30 (860-49144-30). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method Organotins_SIM: The following samples were prepared outside of preparation holding time: 23E2848-31 (860-49144-31), 23E2848-32 (860-49144-32), 23E2848-33 (860-49144-33), 23E2848-34 (860-49144-34), 23E2848-35 (860-49144-35) and 23E2848-36 (860-49144-36).

Method Organotins_SIM: The laboratory control sample and/or the laboratory control sample duplicate (LCS/LCSD) for preparation batch 570-330477 and analytical batch 570-333269 recovered outside control limits for the following analyte(s): Monobutyltin. Monobutyltin has been identified as a poor performing analyte when analyzed using this method; therefore, re-extraction/re-analysis was not performed.

Method Organotins_SIM: Surrogate recovery for the following sample was outside the upper control limit: 23E2848-31 (860-49144-31). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

Method Organotins_SIM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-330405 and analytical batch 570-332399 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method Organotins_SIM: Surrogate recovery for the following samples were outside the upper control limit: 23E2848-11 (860-49144-11), 23E2848-17 (860-49144-17) and 23E2848-18 (860-49144-18). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA
Method TX_1005: Sample <8g23E2848-02 (860-49144-2), 23E2848-03 (860-49144-3), 23E2848-04 (860-49144-4), 23E2848-05 (860-49144-5), 23E2848-06 (860-49144-6), 23E2848-07 (860-49144-7), 23E2848-08 (860-49144-8), 23E2848-10 (860-49144-10), 23E2848-13 (860-49144-13), 23E2848-14 (860-49144-14), 23E2848-15 (860-49144-15) and 23E2848-19 (860-49144-19)

Method TX_1005: Sample >10g23E2848-09 (860-49144-9), 23E2848-11 (860-49144-11), 23E2848-16 (860-49144-16), 23E2848-17 (860-49144-17) and 23E2848-18 (860-49144-18)

Method TX_1005: The following samples were received outside of holding time: 23E2848-02 (860-49144-2), 23E2848-03 (860-49144-3),

Job ID: 860-49144-1 (Continued)

Laboratory: Eurofins Houston (Continued)

23E2848-04 (860-49144-4), 23E2848-05 (860-49144-5), 23E2848-06 (860-49144-6), 23E2848-07 (860-49144-7), 23E2848-08 (860-49144-8) and 23E2848-09 (860-49144-9).

Method TX_1005: Sample <8g23E2848-01 (860-49144-1), 23E2848-01 (860-49144-1[MS]), 23E2848-01 (860-49144-1[MSD]), 23E2848-20 (860-49144-20), 23E2848-21 (860-49144-21), 23E2848-22 (860-49144-22), 23E2848-23 (860-49144-23), 23E2848-24 (860-49144-24), 23E2848-26 (860-49144-26), 23E2848-27 (860-49144-27), 23E2848-29 (860-49144-29), 23E2848-30 (860-49144-30), 23E2848-31 (860-49144-31), 23E2848-32 (860-49144-32) and 23E2848-33 (860-49144-33)

Method TX_1005: Sample >10g23E2848-25 (860-49144-25), 23E2848-28 (860-49144-28), 23E2848-34 (860-49144-34), 23E2848-35 (860-49144-35) and 23E2848-36 (860-49144-36)

Method TX_1005: The following samples were received outside of holding time: 23E2848-01 (860-49144-1), 23E2848-20 (860-49144-20), 23E2848-21 (860-49144-21), 23E2848-22 (860-49144-22), 23E2848-23 (860-49144-23), 23E2848-24 (860-49144-24), 23E2848-25 (860-49144-25), 23E2848-26 (860-49144-26), 23E2848-27 (860-49144-27), 23E2848-28 (860-49144-28), 23E2848-29 (860-49144-29), 23E2848-30 (860-49144-30), 23E2848-31 (860-49144-31), 23E2848-32 (860-49144-32), 23E2848-33 (860-49144-33), 23E2848-34 (860-49144-34), 23E2848-35 (860-49144-35), 23E2848-36 (860-49144-36), (860-49141-A-42-A), (860-49141-A-42-B MS) and (860-49141-A-42-C MSD).

Method TX_1005: The following samples were received outside of holding time: 23E2848-10 (860-49144-10), 23E2848-11 (860-49144-11), 23E2848-13 (860-49144-13), 23E2848-14 (860-49144-14), 23E2848-15 (860-49144-15), 23E2848-16 (860-49144-16), 23E2848-17 (860-49144-17), 23E2848-18 (860-49144-18) and 23E2848-19 (860-49144-19).

Method TX_1005: Sample <8g23E2848-12 (860-49144-12) and 23E2848-12 (860-49144-12[MSD])

Method TX_1005: Sample >10g23E2848-12 (860-49144-12[MS])

Method TX_1005: The following samples were received outside of holding time: 23E2848-01 (860-49144-1), 23E2848-01 (860-49144-1[MS]), 23E2848-01 (860-49144-1[MSD]), 23E2848-12 (860-49144-12), 23E2848-12 (860-49144-12[MS]), 23E2848-12 (860-49144-12[MSD]), 23E2848-24 (860-49144-24), 23E2848-26 (860-49144-26), 23E2848-27 (860-49144-27) and 23E2848-28 (860-49144-28).

Method TX_1005: The following samples were received outside of holding time: 23E2848-20 (860-49144-20), 23E2848-21 (860-49144-21), 23E2848-22 (860-49144-22), 23E2848-23 (860-49144-23), 23E2848-25 (860-49144-25), 23E2848-29 (860-49144-29), 23E2848-30 (860-49144-30), 23E2848-31 (860-49144-31), 23E2848-32 (860-49144-32), 23E2848-34 (860-49144-34), 23E2848-35 (860-49144-35) and 23E2848-36 (860-49144-36).

Method TX_1005: The sample size used in the preparation of the matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 860-104923 and analytical batch 860-104842 was outside the 10% difference. As the relative percent difference (RPD) calculation is based upon the MS/MSD concentration as opposed to the MS/MSD percent recovery, elevated %RPD values were obtained.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Client Sample ID: 23E2848-01 — Lab Sample ID: 860-49144-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	533	H F1 H3	98.0	41.4	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	63.5	J H H3	98.0	41.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	597		98.0	41.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-02 — Lab Sample ID: 860-49144-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	43.8	J H H3	98.6	41.6	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	43.8	J	98.6	41.6	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-03 — Lab Sample ID: 860-49144-3

No Detections.

Client Sample ID: 23E2848-04 — Lab Sample ID: 860-49144-4

No Detections.

Client Sample ID: 23E2848-05 — Lab Sample ID: 860-49144-5

No Detections.

Client Sample ID: 23E2848-06 — Lab Sample ID: 860-49144-6

No Detections.

Client Sample ID: 23E2848-07 — Lab Sample ID: 860-49144-7

No Detections.

Client Sample ID: 23E2848-08 — Lab Sample ID: 860-49144-8

No Detections.

Client Sample ID: 23E2848-09 — Lab Sample ID: 860-49144-9

No Detections.

Client Sample ID: 23E2848-10 — Lab Sample ID: 860-49144-10

No Detections.

Client Sample ID: 23E2848-11 — Lab Sample ID: 860-49144-11

No Detections.

Client Sample ID: 23E2848-12 — Lab Sample ID: 860-49144-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	47.2	J H F2 H3	98.8	41.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	47.2	J	98.8	41.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-13 — Lab Sample ID: 860-49144-13

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Houston

Detection Summary

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Client Sample ID: 23E2848-14 — Lab Sample ID: 860-49144-14

No Detections.

Client Sample ID: 23E2848-15 — Lab Sample ID: 860-49144-15

No Detections.

Client Sample ID: 23E2848-16 — Lab Sample ID: 860-49144-16

No Detections.

Client Sample ID: 23E2848-17 — Lab Sample ID: 860-49144-17

No Detections.

Client Sample ID: 23E2848-18 — Lab Sample ID: 860-49144-18

No Detections.

Client Sample ID: 23E2848-19 — Lab Sample ID: 860-49144-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	81.6	J H H3	91.2	38.5	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	81.6	J	91.2	38.5	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-20 — Lab Sample ID: 860-49144-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	2180	H H3	91.7	38.7	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	527	H H3	91.7	38.7	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	2710		91.7	38.7	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-21 — Lab Sample ID: 860-49144-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	2390	H H3	97.5	41.1	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	646	H H3	97.5	41.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	3040		97.5	41.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-22 — Lab Sample ID: 860-49144-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	2170	H H3	97.1	41.0	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	522	H H3	97.1	41.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	2690		97.1	41.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-23 — Lab Sample ID: 860-49144-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	2210	H H3	95.6	40.3	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	486	H H3	95.6	40.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	2700		95.6	40.3	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Project/Site: General Project

Job ID: 860-49144-1

Client Sample ID: 23E2848-24 — Lab Sample ID: 860-49144-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dibutyltin	1.98	J	2.94	1.25	ug/Kg	1		Organotins SIM	Total/NA
>C12-C28 Range Hydrocarbons	466	H H3	97.3	41.1	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	111	H H3	97.3	41.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	577		97.3	41.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-25 — Lab Sample ID: 860-49144-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	44.2	H H3	24.7	10.4	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	16.6	J H H3	24.7	10.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	60.8		24.7	10.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-26 — Lab Sample ID: 860-49144-26

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	281	H H3	99.8	42.1	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	106	H H3	99.8	42.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	387		99.8	42.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-27 — Lab Sample ID: 860-49144-27

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	400	H H3	97.1	41.0	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	78.9	J H H3	97.1	41.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	479		97.1	41.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-28 — Lab Sample ID: 860-49144-28

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	35.6	H H3	24.7	10.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	35.6		24.7	10.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-29 — Lab Sample ID: 860-49144-29

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	2680	H H3	92.4	39.0	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	381	H H3	92.4	39.0	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	3060		92.4	39.0	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-30 — Lab Sample ID: 860-49144-30

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	2170	H H3	95.6	40.3	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	297	H H3	95.6	40.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	2470		95.6	40.3	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: North Water District Laboratory Services
Project/Site: General Project

Job ID: 860-49144-1

Client Sample ID: 23E2848-31 — Lab Sample ID: 860-49144-31

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	2660	H H3	92.6	39.1	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	393	H H3	92.6	39.1	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	3050		92.6	39.1	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-32 — Lab Sample ID: 860-49144-32

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	1740	H H3	95.2	40.2	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	219	H H3	95.2	40.2	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	1960		95.2	40.2	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-33 — Lab Sample ID: 860-49144-33

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	1990	H H3	97.8	41.3	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	298	H H3	97.8	41.3	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	2290		97.8	41.3	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-34 — Lab Sample ID: 860-49144-34

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	394	H H3	25.0	10.5	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	54.9	H H3	25.0	10.5	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	449		25.0	10.5	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-35 — Lab Sample ID: 860-49144-35

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	97.5	H H3	24.7	10.4	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	28.2	H H3	24.7	10.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	126		24.7	10.4	mg/Kg	1		TX 1005	Total/NA

Client Sample ID: 23E2848-36 — Lab Sample ID: 860-49144-36

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
>C12-C28 Range Hydrocarbons	50.3	H H3	24.7	10.4	mg/Kg	1		TX 1005	Total/NA
>C28-C35 Range Hydrocarbons	17.9	J H H3	24.7	10.4	mg/Kg	1		TX 1005	Total/NA
Total Petroleum Hydrocarbons (C6-C35)	68.2		24.7	10.4	mg/Kg	1		TX 1005	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: 23E2848-01
Lab Sample ID: 860-49144-1

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.4	U H H3	98.0	41.4	mg/Kg		05/24/23 15:28	05/25/23 14:10	1
>C12-C28 Range Hydrocarbons	**533**	**H F1 H3**	98.0	41.4	mg/Kg		05/24/23 15:28	05/25/23 14:10	1
>C28-C35 Range Hydrocarbons	**63.5**	**J H H3**	98.0	41.4	mg/Kg		05/24/23 15:28	05/25/23 14:10	1
Total Petroleum Hydrocarbons (C6-C35)	**597**		98.0	41.4	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*112*		*70 - 130*	*05/24/23 15:28*	*05/25/23 14:10*	*1*
o-Terphenyl (Surr)	*108*		*70 - 130*	*05/24/23 15:28*	*05/25/23 14:10*	*1*

Client Sample ID: 23E2848-02
Lab Sample ID: 860-49144-2

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.6	U H H3	98.6	41.6	mg/Kg		05/23/23 15:00	05/24/23 01:05	1
>C12-C28 Range Hydrocarbons	**43.8**	**J H H3**	98.6	41.6	mg/Kg		05/23/23 15:00	05/24/23 01:05	1
>C28-C35 Range Hydrocarbons	<41.6	U H H3	98.6	41.6	mg/Kg		05/23/23 15:00	05/24/23 01:05	1
Total Petroleum Hydrocarbons (C6-C35)	**43.8**	**J**	98.6	41.6	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*94*		*70 - 130*	*05/23/23 15:00*	*05/24/23 01:05*	*1*
o-Terphenyl (Surr)	*97*		*70 - 130*	*05/23/23 15:00*	*05/24/23 01:05*	*1*

Client Sample ID: 23E2848-03
Lab Sample ID: 860-49144-3

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		05/23/23 15:00	05/24/23 01:24	1
>C12-C28 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		05/23/23 15:00	05/24/23 01:24	1
>C28-C35 Range Hydrocarbons	<41.2	U H H3	97.7	41.2	mg/Kg		05/23/23 15:00	05/24/23 01:24	1
Total Petroleum Hydrocarbons (C6-C35)	<41.2	U	97.7	41.2	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*88*		*70 - 130*	*05/23/23 15:00*	*05/24/23 01:24*	*1*
o-Terphenyl (Surr)	*93*		*70 - 130*	*05/23/23 15:00*	*05/24/23 01:24*	*1*

Client Sample ID: 23E2848-04
Lab Sample ID: 860-49144-4

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.0	U H H3	92.4	39.0	mg/Kg		05/23/23 15:00	05/24/23 01:44	1
>C12-C28 Range Hydrocarbons	<39.0	U H H3	92.4	39.0	mg/Kg		05/23/23 15:00	05/24/23 01:44	1
>C28-C35 Range Hydrocarbons	<39.0	U H H3	92.4	39.0	mg/Kg		05/23/23 15:00	05/24/23 01:44	1
Total Petroleum Hydrocarbons (C6-C35)	<39.0	U	92.4	39.0	mg/Kg			05/24/23 10:12	1

Client Sample ID: 23E2848-04
Lab Sample ID: 860-49144-4

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*87*		*70 - 130*	*05/23/23 15:00*	*05/24/23 01:44*	*1*
o-Terphenyl (Surr)	*90*		*70 - 130*	*05/23/23 15:00*	*05/24/23 01:44*	*1*

Client Sample ID: 23E2848-05
Lab Sample ID: 860-49144-5

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.1	U H H3	92.8	39.1	mg/Kg		05/23/23 15:00	05/24/23 02:23	1
>C12-C28 Range Hydrocarbons	<39.1	U H H3	92.8	39.1	mg/Kg		05/23/23 15:00	05/24/23 02:23	1
>C28-C35 Range Hydrocarbons	<39.1	U H H3	92.8	39.1	mg/Kg		05/23/23 15:00	05/24/23 02:23	1
Total Petroleum Hydrocarbons (C6-C35)	<39.1	U	92.8	39.1	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*83*		*70 - 130*	*05/23/23 15:00*	*05/24/23 02:23*	*1*
o-Terphenyl (Surr)	*86*		*70 - 130*	*05/23/23 15:00*	*05/24/23 02:23*	*1*

Client Sample ID: 23E2848-06
Lab Sample ID: 860-49144-6

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.62	U H H3	3.00	1.62	ug/Kg		05/19/23 11:07	05/26/23 12:12	1
Tributyltin	<1.39	U H H3	3.00	1.39	ug/Kg		05/19/23 11:07	05/26/23 12:12	1
Dibutyltin	<1.27	U H H3	3.00	1.27	ug/Kg		05/19/23 11:07	05/26/23 12:12	1
Monobutyltin	<0.536	U H H3	3.00	0.536	ug/Kg		05/19/23 11:07	05/26/23 12:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*105*		*39 - 150*	*05/19/23 11:07*	*05/26/23 12:12*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.1	U H H3	97.5	41.1	mg/Kg		05/23/23 15:01	05/24/23 02:43	1
>C12-C28 Range Hydrocarbons	<41.1	U H H3	97.5	41.1	mg/Kg		05/23/23 15:01	05/24/23 02:43	1
>C28-C35 Range Hydrocarbons	<41.1	U H H3	97.5	41.1	mg/Kg		05/23/23 15:01	05/24/23 02:43	1
Total Petroleum Hydrocarbons (C6-C35)	<41.1	U	97.5	41.1	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*85*		*70 - 130*	*05/23/23 15:01*	*05/24/23 02:43*	*1*
o-Terphenyl (Surr)	*89*		*70 - 130*	*05/23/23 15:01*	*05/24/23 02:43*	*1*

Client Sample ID: 23E2848-07
Lab Sample ID: 860-49144-7

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.62	U H H3	3.00	1.62	ug/Kg		05/19/23 11:07	05/26/23 12:30	1
Tributyltin	<1.39	U H H3	3.00	1.39	ug/Kg		05/19/23 11:07	05/26/23 12:30	1

Client Sample ID: 23E2848-07
Lab Sample ID: 860-49144-7

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<1.27	U H H3	3.00	1.27	ug/Kg		05/19/23 11:07	05/26/23 12:30	1
Monobutyltin	<0.536	U H H3	3.00	0.536	ug/Kg		05/19/23 11:07	05/26/23 12:30	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*168*	*S1+*	*39 - 150*	*05/19/23 11:07*	*05/26/23 12:30*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		05/23/23 15:01	05/24/23 03:02	1
>C12-C28 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		05/23/23 15:01	05/24/23 03:02	1
>C28-C35 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		05/23/23 15:01	05/24/23 03:02	1
Total Petroleum Hydrocarbons (C6-C35)	<41.5	U	98.4	41.5	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*83*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:02*	*1*
o-Terphenyl (Surr)	*85*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:02*	*1*

Client Sample ID: 23E2848-08
Lab Sample ID: 860-49144-8

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.62	U H H3	3.00	1.62	ug/Kg		05/19/23 11:07	05/26/23 12:49	1
Tributyltin	<1.39	U H H3	3.00	1.39	ug/Kg		05/19/23 11:07	05/26/23 12:49	1
Dibutyltin	<1.27	U H H3	3.00	1.27	ug/Kg		05/19/23 11:07	05/26/23 12:49	1
Monobutyltin	<0.536	U H H3	3.00	0.536	ug/Kg		05/19/23 11:07	05/26/23 12:49	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*169*	*S1+*	*39 - 150*	*05/19/23 11:07*	*05/26/23 12:49*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<37.2	U H H3	88.2	37.2	mg/Kg		05/23/23 15:01	05/24/23 03:22	1
>C12-C28 Range Hydrocarbons	<37.2	U H H3	88.2	37.2	mg/Kg		05/23/23 15:01	05/24/23 03:22	1
>C28-C35 Range Hydrocarbons	<37.2	U H H3	88.2	37.2	mg/Kg		05/23/23 15:01	05/24/23 03:22	1
Total Petroleum Hydrocarbons (C6-C35)	<37.2	U	88.2	37.2	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*83*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:22*	*1*
o-Terphenyl (Surr)	*86*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:22*	*1*

Client Sample ID: 23E2848-09
Lab Sample ID: 860-49144-9

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<3.24	U H H3	6.00	3.24	ug/Kg		05/19/23 11:07	05/26/23 13:07	1
Tributyltin	<2.78	U H H3	6.00	2.78	ug/Kg		05/19/23 11:07	05/26/23 13:07	1

Client Sample ID: 23E2848-09
Lab Sample ID: 860-49144-9

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<2.54	U H H3	6.00	2.54	ug/Kg		05/19/23 11:07	05/26/23 13:07	1
Monobutyltin	<1.07	U H H3	6.00	1.07	ug/Kg		05/19/23 11:07	05/26/23 13:07	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*225*	*S1+*	*39 - 150*	*05/19/23 11:07*	*05/26/23 13:07*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<10.4	U H H3	24.7	10.4	mg/Kg		05/23/23 15:01	05/24/23 03:41	1
>C12-C28 Range Hydrocarbons	<10.4	U H H3	24.7	10.4	mg/Kg		05/23/23 15:01	05/24/23 03:41	1
>C28-C35 Range Hydrocarbons	<10.4	U H H3	24.7	10.4	mg/Kg		05/23/23 15:01	05/24/23 03:41	1
Total Petroleum Hydrocarbons (C6-C35)	<10.4	U	24.7	10.4	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*93*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:41*	*1*
o-Terphenyl (Surr)	*98*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:41*	*1*

Client Sample ID: 23E2848-10
Lab Sample ID: 860-49144-10

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.59	U H H3	2.94	1.59	ug/Kg		05/19/23 11:07	05/26/23 13:26	1
Tributyltin	<1.36	U H H3	2.94	1.36	ug/Kg		05/19/23 11:07	05/26/23 13:26	1
Dibutyltin	<1.25	U H H3	2.94	1.25	ug/Kg		05/19/23 11:07	05/26/23 13:26	1
Monobutyltin	<0.525	U H H3	2.94	0.525	ug/Kg		05/19/23 11:07	05/26/23 13:26	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*121*		*39 - 150*	*05/19/23 11:07*	*05/26/23 13:26*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		05/23/23 15:01	05/24/23 04:20	1
>C12-C28 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		05/23/23 15:01	05/24/23 04:20	1
>C28-C35 Range Hydrocarbons	<41.5	U H H3	98.4	41.5	mg/Kg		05/23/23 15:01	05/24/23 04:20	1
Total Petroleum Hydrocarbons (C6-C35)	<41.5	U	98.4	41.5	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*87*		*70 - 130*	*05/23/23 15:01*	*05/24/23 04:20*	*1*
o-Terphenyl (Surr)	*91*		*70 - 130*	*05/23/23 15:01*	*05/24/23 04:20*	*1*

Client Sample ID: 23E2848-11
Lab Sample ID: 860-49144-11

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<3.17	U H H3	5.88	3.17	ug/Kg		05/19/23 11:07	05/26/23 13:44	1
Tributyltin	<2.73	U H H3	5.88	2.73	ug/Kg		05/19/23 11:07	05/26/23 13:44	1

Client Sample ID: 23E2848-11
Lab Sample ID: 860-49144-11

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<2.49	U H H3	5.88	2.49	ug/Kg		05/19/23 11:07	05/26/23 13:44	1
Monobutyltin	<1.05	U H H3	5.88	1.05	ug/Kg		05/19/23 11:07	05/26/23 13:44	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*183*	*S1+*	*39 - 150*	*05/19/23 11:07*	*05/26/23 13:44*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<10.5	U H H3	24.8	10.5	mg/Kg		05/23/23 15:01	05/24/23 01:24	1
>C12-C28 Range Hydrocarbons	<10.5	U H H3	24.8	10.5	mg/Kg		05/23/23 15:01	05/24/23 01:24	1
>C28-C35 Range Hydrocarbons	<10.5	U H H3	24.8	10.5	mg/Kg		05/23/23 15:01	05/24/23 01:24	1
Total Petroleum Hydrocarbons (C6-C35)	<10.5	U	24.8	10.5	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*90*		*70 - 130*	*05/23/23 15:01*	*05/24/23 01:24*	*1*
o-Terphenyl (Surr)	*96*		*70 - 130*	*05/23/23 15:01*	*05/24/23 01:24*	*1*

Client Sample ID: 23E2848-12
Lab Sample ID: 860-49144-12

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.60	U H H3	2.97	1.60	ug/Kg		05/19/23 11:07	05/26/23 19:37	1
Tributyltin	<1.38	U H H3	2.97	1.38	ug/Kg		05/19/23 11:07	05/26/23 19:37	1
Dibutyltin	<1.26	U H H3	2.97	1.26	ug/Kg		05/19/23 11:07	05/26/23 19:37	1
Monobutyltin	<0.531	U H H3 F1	2.97	0.531	ug/Kg		05/19/23 11:07	05/26/23 19:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*112*		*39 - 150*	*05/19/23 11:07*	*05/26/23 19:37*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.7	U H F2 H3	98.8	41.7	mg/Kg		05/25/23 16:34	05/26/23 01:14	1
>C12-C28 Range Hydrocarbons	**47.2**	**J H F2 H3**	98.8	41.7	mg/Kg		05/25/23 16:34	05/26/23 01:14	1
>C28-C35 Range Hydrocarbons	<41.7	U H H3	98.8	41.7	mg/Kg		05/25/23 16:34	05/26/23 01:14	1
Total Petroleum Hydrocarbons (C6-C35)	**47.2**	**J**	98.8	41.7	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*92*		*70 - 130*	*05/25/23 16:34*	*05/26/23 01:14*	*1*
o-Terphenyl (Surr)	*96*		*70 - 130*	*05/25/23 16:34*	*05/26/23 01:14*	*1*

Client Sample ID: 23E2848-13
Lab Sample ID: 860-49144-13

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.62	U H H3	3.00	1.62	ug/Kg		05/19/23 11:07	05/26/23 14:02	1
Tributyltin	<1.39	U H H3	3.00	1.39	ug/Kg		05/19/23 11:07	05/26/23 14:02	1

Client Sample ID: 23E2848-13
Lab Sample ID: 860-49144-13

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<1.27	U H H3	3.00	1.27	ug/Kg		05/19/23 11:07	05/26/23 14:02	1
Monobutyltin	<0.536	U H H3	3.00	0.536	ug/Kg		05/19/23 11:07	05/26/23 14:02	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*120*		*39 - 150*	*05/19/23 11:07*	*05/26/23 14:02*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		05/23/23 15:01	05/24/23 01:44	1
>C12-C28 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		05/23/23 15:01	05/24/23 01:44	1
>C28-C35 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		05/23/23 15:01	05/24/23 01:44	1
Total Petroleum Hydrocarbons (C6-C35)	<41.0	U	97.1	41.0	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*87*		*70 - 130*	*05/23/23 15:01*	*05/24/23 01:44*	*1*
o-Terphenyl (Surr)	*90*		*70 - 130*	*05/23/23 15:01*	*05/24/23 01:44*	*1*

Client Sample ID: 23E2848-14
Lab Sample ID: 860-49144-14

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.62	U H H3	3.00	1.62	ug/Kg		05/19/23 11:07	05/26/23 14:21	1
Tributyltin	<1.39	U H H3	3.00	1.39	ug/Kg		05/19/23 11:07	05/26/23 14:21	1
Dibutyltin	<1.27	U H H3	3.00	1.27	ug/Kg		05/19/23 11:07	05/26/23 14:21	1
Monobutyltin	<0.536	U H H3	3.00	0.536	ug/Kg		05/19/23 11:07	05/26/23 14:21	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*143*		*39 - 150*	*05/19/23 11:07*	*05/26/23 14:21*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.3	U H H3	95.6	40.3	mg/Kg		05/23/23 15:01	05/24/23 02:03	1
>C12-C28 Range Hydrocarbons	<40.3	U H H3	95.6	40.3	mg/Kg		05/23/23 15:01	05/24/23 02:03	1
>C28-C35 Range Hydrocarbons	<40.3	U H H3	95.6	40.3	mg/Kg		05/23/23 15:01	05/24/23 02:03	1
Total Petroleum Hydrocarbons (C6-C35)	<40.3	U	95.6	40.3	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*89*		*70 - 130*	*05/23/23 15:01*	*05/24/23 02:03*	*1*
o-Terphenyl (Surr)	*94*		*70 - 130*	*05/23/23 15:01*	*05/24/23 02:03*	*1*

Client Sample ID: 23E2848-15
Lab Sample ID: 860-49144-15

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.62	U H H3	3.00	1.62	ug/Kg		05/19/23 11:07	05/26/23 14:40	1
Tributyltin	<1.39	U H H3	3.00	1.39	ug/Kg		05/19/23 11:07	05/26/23 14:40	1

Client Sample ID: 23E2848-15
Lab Sample ID: 860-49144-15

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<1.27	U H H3	3.00	1.27	ug/Kg		05/19/23 11:07	05/26/23 14:40	1
Monobutyltin	<0.536	U H H3	3.00	0.536	ug/Kg		05/19/23 11:07	05/26/23 14:40	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*75*		*39 - 150*	*05/19/23 11:07*	*05/26/23 14:40*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.7	U H H3	94.2	39.7	mg/Kg		05/23/23 15:01	05/24/23 02:43	1
>C12-C28 Range Hydrocarbons	<39.7	U H H3	94.2	39.7	mg/Kg		05/23/23 15:01	05/24/23 02:43	1
>C28-C35 Range Hydrocarbons	<39.7	U H H3	94.2	39.7	mg/Kg		05/23/23 15:01	05/24/23 02:43	1
Total Petroleum Hydrocarbons (C6-C35)	<39.7	U	94.2	39.7	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*86*		*70 - 130*	*05/23/23 15:01*	*05/24/23 02:43*	*1*
o-Terphenyl (Surr)	*90*		*70 - 130*	*05/23/23 15:01*	*05/24/23 02:43*	*1*

Client Sample ID: 23E2848-16
Lab Sample ID: 860-49144-16

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<3.24	U H H3	6.00	3.24	ug/Kg		05/19/23 11:07	05/26/23 14:58	1
Tributyltin	<2.78	U H H3	6.00	2.78	ug/Kg		05/19/23 11:07	05/26/23 14:58	1
Dibutyltin	<2.54	U H H3	6.00	2.54	ug/Kg		05/19/23 11:07	05/26/23 14:58	1
Monobutyltin	<1.07	U H H3	6.00	1.07	ug/Kg		05/19/23 11:07	05/26/23 14:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*172*	*S1+*	*39 - 150*	*05/19/23 11:07*	*05/26/23 14:58*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<10.3	U H H3	24.5	10.3	mg/Kg		05/23/23 15:01	05/24/23 03:02	1
>C12-C28 Range Hydrocarbons	<10.3	U H H3	24.5	10.3	mg/Kg		05/23/23 15:01	05/24/23 03:02	1
>C28-C35 Range Hydrocarbons	<10.3	U H H3	24.5	10.3	mg/Kg		05/23/23 15:01	05/24/23 03:02	1
Total Petroleum Hydrocarbons (C6-C35)	<10.3	U	24.5	10.3	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*94*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:02*	*1*
o-Terphenyl (Surr)	*99*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:02*	*1*

Client Sample ID: 23E2848-17
Lab Sample ID: 860-49144-17

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<3.37	U H H3	6.25	3.37	ug/Kg		05/19/23 11:07	05/26/23 15:17	1
Tributyltin	<2.90	U H H3	6.25	2.90	ug/Kg		05/19/23 11:07	05/26/23 15:17	1

Client Sample ID: 23E2848-17
Lab Sample ID: 860-49144-17

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<2.65	U H H3	6.25	2.65	ug/Kg		05/19/23 11:07	05/26/23 15:17	1
Monobutyltin	<1.12	U H H3	6.25	1.12	ug/Kg		05/19/23 11:07	05/26/23 15:17	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*229*	*S1+*	*39 - 150*	*05/19/23 11:07*	*05/26/23 15:17*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<10.3	U H H3	24.4	10.3	mg/Kg		05/23/23 15:01	05/24/23 03:22	1
>C12-C28 Range Hydrocarbons	<10.3	U H H3	24.4	10.3	mg/Kg		05/23/23 15:01	05/24/23 03:22	1
>C28-C35 Range Hydrocarbons	<10.3	U H H3	24.4	10.3	mg/Kg		05/23/23 15:01	05/24/23 03:22	1
Total Petroleum Hydrocarbons (C6-C35)	<10.3	U	24.4	10.3	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*88*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:22*	*1*
o-Terphenyl (Surr)	*91*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:22*	*1*

Client Sample ID: 23E2848-18
Lab Sample ID: 860-49144-18

Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<3.30	U H H3	6.12	3.30	ug/Kg		05/19/23 11:07	05/26/23 15:35	1
Tributyltin	<2.84	U H H3	6.12	2.84	ug/Kg		05/19/23 11:07	05/26/23 15:35	1
Dibutyltin	<2.60	U H H3	6.12	2.60	ug/Kg		05/19/23 11:07	05/26/23 15:35	1
Monobutyltin	<1.09	U H H3	6.12	1.09	ug/Kg		05/19/23 11:07	05/26/23 15:35	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*217*	*S1+*	*39 - 150*	*05/19/23 11:07*	*05/26/23 15:35*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<10.5	U H H3	24.8	10.5	mg/Kg		05/23/23 15:01	05/24/23 03:41	1
>C12-C28 Range Hydrocarbons	<10.5	U H H3	24.8	10.5	mg/Kg		05/23/23 15:01	05/24/23 03:41	1
>C28-C35 Range Hydrocarbons	<10.5	U H H3	24.8	10.5	mg/Kg		05/23/23 15:01	05/24/23 03:41	1
Total Petroleum Hydrocarbons (C6-C35)	<10.5	U	24.8	10.5	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*85*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:41*	*1*
o-Terphenyl (Surr)	*87*		*70 - 130*	*05/23/23 15:01*	*05/24/23 03:41*	*1*

Client Sample ID: 23E2848-19
Lab Sample ID: 860-49144-19

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.5	U H H3	91.2	38.5	mg/Kg		05/23/23 15:01	05/24/23 04:01	1
>C12-C28 Range Hydrocarbons	**81.6**	**J H H3**	91.2	38.5	mg/Kg		05/23/23 15:01	05/24/23 04:01	1

Client Sample ID: 23E2848-19
Lab Sample ID: 860-49144-19

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
>C28-C35 Range Hydrocarbons	<38.5	U H H3	91.2	38.5	mg/Kg		05/23/23 15:01	05/24/23 04:01	1
Total Petroleum Hydrocarbons (C6-C35)	**81.6**	**J**	91.2	38.5	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*85*		*70 - 130*	*05/23/23 15:01*	*05/24/23 04:01*	*1*
o-Terphenyl (Surr)	*86*		*70 - 130*	*05/23/23 15:01*	*05/24/23 04:01*	*1*

Client Sample ID: 23E2848-20
Lab Sample ID: 860-49144-20

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<38.7	U H H3	91.7	38.7	mg/Kg		05/24/23 15:28	05/26/23 04:15	1
>C12-C28 Range Hydrocarbons	**2180**	**H H3**	91.7	38.7	mg/Kg		05/24/23 15:28	05/26/23 04:15	1
>C28-C35 Range Hydrocarbons	**527**	**H H3**	91.7	38.7	mg/Kg		05/24/23 15:28	05/26/23 04:15	1
Total Petroleum Hydrocarbons (C6-C35)	**2710**		91.7	38.7	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*100*		*70 - 130*	*05/24/23 15:28*	*05/26/23 04:15*	*1*
o-Terphenyl (Surr)	*106*		*70 - 130*	*05/24/23 15:28*	*05/26/23 04:15*	*1*

Client Sample ID: 23E2848-21
Lab Sample ID: 860-49144-21

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.1	U H H3	97.5	41.1	mg/Kg		05/24/23 15:28	05/26/23 04:35	1
>C12-C28 Range Hydrocarbons	**2390**	**H H3**	97.5	41.1	mg/Kg		05/24/23 15:28	05/26/23 04:35	1
>C28-C35 Range Hydrocarbons	**646**	**H H3**	97.5	41.1	mg/Kg		05/24/23 15:28	05/26/23 04:35	1
Total Petroleum Hydrocarbons (C6-C35)	**3040**		97.5	41.1	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*99*		*70 - 130*	*05/24/23 15:28*	*05/26/23 04:35*	*1*
o-Terphenyl (Surr)	*123*		*70 - 130*	*05/24/23 15:28*	*05/26/23 04:35*	*1*

Client Sample ID: 23E2848-22
Lab Sample ID: 860-49144-22

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		05/24/23 15:28	05/26/23 04:55	1
>C12-C28 Range Hydrocarbons	**2170**	**H H3**	97.1	41.0	mg/Kg		05/24/23 15:28	05/26/23 04:55	1
>C28-C35 Range Hydrocarbons	**522**	**H H3**	97.1	41.0	mg/Kg		05/24/23 15:28	05/26/23 04:55	1
Total Petroleum Hydrocarbons (C6-C35)	**2690**		97.1	41.0	mg/Kg			05/24/23 10:12	1

Client Sample ID: 23E2848-22
Lab Sample ID: 860-49144-22

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*100*		*70 - 130*	*05/24/23 15:28*	*05/26/23 04:55*	*1*
o-Terphenyl (Surr)	*118*		*70 - 130*	*05/24/23 15:28*	*05/26/23 04:55*	*1*

Client Sample ID: 23E2848-23
Lab Sample ID: 860-49144-23

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.3	U H H3	95.6	40.3	mg/Kg		05/24/23 15:28	05/26/23 05:15	1
>C12-C28 Range Hydrocarbons	**2210**	**H H3**	95.6	40.3	mg/Kg		05/24/23 15:28	05/26/23 05:15	1
>C28-C35 Range Hydrocarbons	**486**	**H H3**	95.6	40.3	mg/Kg		05/24/23 15:28	05/26/23 05:15	1
Total Petroleum Hydrocarbons (C6-C35)	**2700**		95.6	40.3	mg/Kg			05/24/23 10:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*103*		*70 - 130*	*05/24/23 15:28*	*05/26/23 05:15*	*1*
o-Terphenyl (Surr)	*107*		*70 - 130*	*05/24/23 15:28*	*05/26/23 05:15*	*1*

Client Sample ID: 23E2848-24
Lab Sample ID: 860-49144-24

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.59	U	2.94	1.59	ug/Kg		05/19/23 11:07	06/02/23 21:03	1
Tributyltin	<1.36	U	2.94	1.36	ug/Kg		05/19/23 11:07	06/02/23 21:03	1
Dibutyltin	**1.98**	**J**	2.94	1.25	ug/Kg		05/19/23 11:07	06/02/23 21:03	1
Monobutyltin	<0.525	U	2.94	0.525	ug/Kg		05/19/23 11:07	06/02/23 21:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tripentyltin	*126*		*39 - 150*	*05/19/23 11:07*	*06/02/23 21:03*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.1	U H H3	97.3	41.1	mg/Kg		05/24/23 15:28	05/25/23 16:11	1
>C12-C28 Range Hydrocarbons	**466**	**H H3**	97.3	41.1	mg/Kg		05/24/23 15:28	05/25/23 16:11	1
>C28-C35 Range Hydrocarbons	**111**	**H H3**	97.3	41.1	mg/Kg		05/24/23 15:28	05/25/23 16:11	1
Total Petroleum Hydrocarbons (C6-C35)	**577**		97.3	41.1	mg/Kg			05/24/23 10:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	*110*		*70 - 130*	*05/24/23 15:28*	*05/25/23 16:11*	*1*
o-Terphenyl (Surr)	*107*		*70 - 130*	*05/24/23 15:28*	*05/25/23 16:11*	*1*

Client Sample ID: 23E2848-25
Lab Sample ID: 860-49144-25

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<3.37	U H H3	6.25	3.37	ug/Kg		05/19/23 11:07	05/26/23 16:12	1
Tributyltin	<2.90	U H H3	6.25	2.90	ug/Kg		05/19/23 11:07	05/26/23 16:12	1

Client Sample ID: 23E2848-25
Lab Sample ID: 860-49144-25

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<2.65	U H H3	6.25	2.65	ug/Kg		05/19/23 11:07	05/26/23 16:12	1
Monobutyltin	<1.12	U H H3	6.25	1.12	ug/Kg		05/19/23 11:07	05/26/23 16:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*60*		*39 - 150*	*05/19/23 11:07*	*05/26/23 16:12*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<10.4	U H H3	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 13:50	1
>C12-C28 Range Hydrocarbons	**44.2**	**H H3**	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 13:50	1
>C28-C35 Range Hydrocarbons	**16.6**	**J H H3**	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 13:50	1
Total Petroleum Hydrocarbons (C6-C35)	**60.8**		24.7	10.4	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*107*		*70 - 130*	*05/24/23 15:28*	*05/25/23 13:50*	*1*
o-Terphenyl (Surr)	*115*		*70 - 130*	*05/24/23 15:28*	*05/25/23 13:50*	*1*

Client Sample ID: 23E2848-26
Lab Sample ID: 860-49144-26

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.57	U H H3	2.91	1.57	ug/Kg		05/19/23 11:07	05/26/23 16:31	1
Tributyltin	<1.35	U H H3	2.91	1.35	ug/Kg		05/19/23 11:07	05/26/23 16:31	1
Dibutyltin	<1.23	U H H3	2.91	1.23	ug/Kg		05/19/23 11:07	05/26/23 16:31	1
Monobutyltin	<0.520	U H H3	2.91	0.520	ug/Kg		05/19/23 11:07	05/26/23 16:31	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*47*		*39 - 150*	*05/19/23 11:07*	*05/26/23 16:31*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<42.1	U H H3	99.8	42.1	mg/Kg		05/24/23 15:28	05/25/23 13:50	1
>C12-C28 Range Hydrocarbons	**281**	**H H3**	99.8	42.1	mg/Kg		05/24/23 15:28	05/25/23 13:50	1
>C28-C35 Range Hydrocarbons	**106**	**H H3**	99.8	42.1	mg/Kg		05/24/23 15:28	05/25/23 13:50	1
Total Petroleum Hydrocarbons (C6-C35)	**387**		99.8	42.1	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*108*		*70 - 130*	*05/24/23 15:28*	*05/25/23 13:50*	*1*
o-Terphenyl (Surr)	*114*		*70 - 130*	*05/24/23 15:28*	*05/25/23 13:50*	*1*

Client Sample ID: 23E2848-27
Lab Sample ID: 860-49144-27

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.60	U H H3	2.97	1.60	ug/Kg		05/19/23 11:07	05/26/23 16:49	1
Tributyltin	<1.38	U H H3	2.97	1.38	ug/Kg		05/19/23 11:07	05/26/23 16:49	1

Client Sample ID: 23E2848-27
Lab Sample ID: 860-49144-27

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<1.26	U H H3	2.97	1.26	ug/Kg		05/19/23 11:07	05/26/23 16:49	1
Monobutyltin	<0.531	U H H3	2.97	0.531	ug/Kg		05/19/23 11:07	05/26/23 16:49	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*29*	*S1-*	*39 - 150*	*05/19/23 11:07*	*05/26/23 16:49*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.0	U H H3	97.1	41.0	mg/Kg		05/24/23 15:28	05/25/23 15:11	1
>C12-C28 Range Hydrocarbons	**400**	**H H3**	97.1	41.0	mg/Kg		05/24/23 15:28	05/25/23 15:11	1
>C28-C35 Range Hydrocarbons	**78.9**	**J H H3**	97.1	41.0	mg/Kg		05/24/23 15:28	05/25/23 15:11	1
Total Petroleum Hydrocarbons (C6-C35)	**479**		97.1	41.0	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*106*		*70 - 130*	*05/24/23 15:28*	*05/25/23 15:11*	*1*
o-Terphenyl (Surr)	*103*		*70 - 130*	*05/24/23 15:28*	*05/25/23 15:11*	*1*

Client Sample ID: 23E2848-28
Lab Sample ID: 860-49144-28

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<3.37	U H H3	6.25	3.37	ug/Kg		05/19/23 11:07	05/26/23 17:08	1
Tributyltin	<2.90	U H H3	6.25	2.90	ug/Kg		05/19/23 11:07	05/26/23 17:08	1
Dibutyltin	<2.65	U H H3	6.25	2.65	ug/Kg		05/19/23 11:07	05/26/23 17:08	1
Monobutyltin	<1.12	U H H3	6.25	1.12	ug/Kg		05/19/23 11:07	05/26/23 17:08	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*28*	*S1-*	*39 - 150*	*05/19/23 11:07*	*05/26/23 17:08*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<10.4	U H H3	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 15:31	1
>C12-C28 Range Hydrocarbons	**35.6**	**H H3**	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 15:31	1
>C28-C35 Range Hydrocarbons	<10.4	U H H3	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 15:31	1
Total Petroleum Hydrocarbons (C6-C35)	**35.6**		24.7	10.4	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*111*		*70 - 130*	*05/24/23 15:28*	*05/25/23 15:31*	*1*
o-Terphenyl (Surr)	*111*		*70 - 130*	*05/24/23 15:28*	*05/25/23 15:31*	*1*

Client Sample ID: 23E2848-29
Lab Sample ID: 860-49144-29

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.60	U H H3	2.97	1.60	ug/Kg		05/19/23 11:07	05/26/23 17:26	1
Tributyltin	<1.38	U H H3	2.97	1.38	ug/Kg		05/19/23 11:07	05/26/23 17:26	1

Client Sample ID: 23E2848-29
Lab Sample ID: 860-49144-29

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<1.26	U H H3	2.97	1.26	ug/Kg		05/19/23 11:07	05/26/23 17:26	1
Monobutyltin	<0.531	U H H3	2.97	0.531	ug/Kg		05/19/23 11:07	05/26/23 17:26	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*20*	*S1-*	*39 - 150*	*05/19/23 11:07*	*05/26/23 17:26*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.0	U H H3	92.4	39.0	mg/Kg		05/24/23 15:28	05/25/23 14:30	1
>C12-C28 Range Hydrocarbons	**2680**	**H H3**	92.4	39.0	mg/Kg		05/24/23 15:28	05/25/23 14:30	1
>C28-C35 Range Hydrocarbons	**381**	**H H3**	92.4	39.0	mg/Kg		05/24/23 15:28	05/25/23 14:30	1
Total Petroleum Hydrocarbons (C6-C35)	**3060**		92.4	39.0	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*109*		*70 - 130*	*05/24/23 15:28*	*05/25/23 14:30*	*1*
o-Terphenyl (Surr)	*107*		*70 - 130*	*05/24/23 15:28*	*05/25/23 14:30*	*1*

Client Sample ID: 23E2848-30
Lab Sample ID: 860-49144-30

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.60	U H H3	2.97	1.60	ug/Kg		05/19/23 11:07	05/26/23 17:45	1
Tributyltin	<1.38	U H H3	2.97	1.38	ug/Kg		05/19/23 11:07	05/26/23 17:45	1
Dibutyltin	<1.26	U H H3	2.97	1.26	ug/Kg		05/19/23 11:07	05/26/23 17:45	1
Monobutyltin	<0.531	U H H3	2.97	0.531	ug/Kg		05/19/23 11:07	05/26/23 17:45	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*23*	*S1-*	*39 - 150*	*05/19/23 11:07*	*05/26/23 17:45*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.3	U H H3	95.6	40.3	mg/Kg		05/24/23 15:28	05/25/23 14:50	1
>C12-C28 Range Hydrocarbons	**2170**	**H H3**	95.6	40.3	mg/Kg		05/24/23 15:28	05/25/23 14:50	1
>C28-C35 Range Hydrocarbons	**297**	**H H3**	95.6	40.3	mg/Kg		05/24/23 15:28	05/25/23 14:50	1
Total Petroleum Hydrocarbons (C6-C35)	**2470**		95.6	40.3	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*106*		*70 - 130*	*05/24/23 15:28*	*05/25/23 14:50*	*1*
o-Terphenyl (Surr)	*111*		*70 - 130*	*05/24/23 15:28*	*05/25/23 14:50*	*1*

Client Sample ID: 23E2848-31
Lab Sample ID: 860-49144-31

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.60	U H H3	2.97	1.60	ug/Kg		05/22/23 13:49	05/31/23 14:15	1
Tributyltin	<1.38	U H H3	2.97	1.38	ug/Kg		05/22/23 13:49	05/31/23 14:15	1

Client Sample ID: 23E2848-31
Lab Sample ID: 860-49144-31

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<1.26	U H H3	2.97	1.26	ug/Kg		05/22/23 13:49	05/31/23 14:15	1
Monobutyltin	<0.531	U H *- H3	2.97	0.531	ug/Kg		05/22/23 13:49	05/31/23 14:15	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*164*	*S1+*	*39 - 150*	*05/22/23 13:49*	*05/31/23 14:15*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<39.1	U H H3	92.6	39.1	mg/Kg		05/24/23 15:28	05/25/23 15:11	1
>C12-C28 Range Hydrocarbons	**2660**	**H H3**	92.6	39.1	mg/Kg		05/24/23 15:28	05/25/23 15:11	1
>C28-C35 Range Hydrocarbons	**393**	**H H3**	92.6	39.1	mg/Kg		05/24/23 15:28	05/25/23 15:11	1
Total Petroleum Hydrocarbons (C6-C35)	**3050**		92.6	39.1	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*108*		*70 - 130*	*05/24/23 15:28*	*05/25/23 15:11*	*1*
o-Terphenyl (Surr)	*114*		*70 - 130*	*05/24/23 15:28*	*05/25/23 15:11*	*1*

Client Sample ID: 23E2848-32
Lab Sample ID: 860-49144-32

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.62	U H H3	3.00	1.62	ug/Kg		05/22/23 13:49	05/31/23 14:33	1
Tributyltin	<1.39	U H H3	3.00	1.39	ug/Kg		05/22/23 13:49	05/31/23 14:33	1
Dibutyltin	<1.27	U H H3	3.00	1.27	ug/Kg		05/22/23 13:49	05/31/23 14:33	1
Monobutyltin	<0.536	U H *- H3	3.00	0.536	ug/Kg		05/22/23 13:49	05/31/23 14:33	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*54*		*39 - 150*	*05/22/23 13:49*	*05/31/23 14:33*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<40.2	U H H3	95.2	40.2	mg/Kg		05/24/23 15:28	05/25/23 14:10	1
>C12-C28 Range Hydrocarbons	**1740**	**H H3**	95.2	40.2	mg/Kg		05/24/23 15:28	05/25/23 14:10	1
>C28-C35 Range Hydrocarbons	**219**	**H H3**	95.2	40.2	mg/Kg		05/24/23 15:28	05/25/23 14:10	1
Total Petroleum Hydrocarbons (C6-C35)	**1960**		95.2	40.2	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*105*		*70 - 130*	*05/24/23 15:28*	*05/25/23 14:10*	*1*
o-Terphenyl (Surr)	*110*		*70 - 130*	*05/24/23 15:28*	*05/25/23 14:10*	*1*

Client Sample ID: 23E2848-33
Lab Sample ID: 860-49144-33

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.60	U H H3	2.97	1.60	ug/Kg		05/22/23 13:49	05/31/23 14:52	1
Tributyltin	<1.38	U H H3	2.97	1.38	ug/Kg		05/22/23 13:49	05/31/23 14:52	1

Client Sample ID: 23E2848-33
Lab Sample ID: 860-49144-33

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<1.26	U H H3	2.97	1.26	ug/Kg		05/22/23 13:49	05/31/23 14:52	1
Monobutyltin	<0.531	U H *- H3	2.97	0.531	ug/Kg		05/22/23 13:49	05/31/23 14:52	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*72*		*39 - 150*	*05/22/23 13:49*	*05/31/23 14:52*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<41.3	U H H3	97.8	41.3	mg/Kg		05/24/23 15:28	05/25/23 03:50	1
>C12-C28 Range Hydrocarbons	**1990**	**H H3**	97.8	41.3	mg/Kg		05/24/23 15:28	05/25/23 03:50	1
>C28-C35 Range Hydrocarbons	**298**	**H H3**	97.8	41.3	mg/Kg		05/24/23 15:28	05/25/23 03:50	1
Total Petroleum Hydrocarbons (C6-C35)	**2290**		97.8	41.3	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*107*		*70 - 130*	*05/24/23 15:28*	*05/25/23 03:50*	*1*
o-Terphenyl (Surr)	*105*		*70 - 130*	*05/24/23 15:28*	*05/25/23 03:50*	*1*

Client Sample ID: 23E2848-34
Lab Sample ID: 860-49144-34

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<3.37	U H H3	6.25	3.37	ug/Kg		05/22/23 13:49	05/31/23 15:10	1
Tributyltin	<2.90	U H H3	6.25	2.90	ug/Kg		05/22/23 13:49	05/31/23 15:10	1
Dibutyltin	<2.65	U H H3	6.25	2.65	ug/Kg		05/22/23 13:49	05/31/23 15:10	1
Monobutyltin	<1.12	U H *- H3	6.25	1.12	ug/Kg		05/22/23 13:49	05/31/23 15:10	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*64*		*39 - 150*	*05/22/23 13:49*	*05/31/23 15:10*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<10.5	U H H3	25.0	10.5	mg/Kg		05/24/23 15:28	05/26/23 05:35	1
>C12-C28 Range Hydrocarbons	**394**	**H H3**	25.0	10.5	mg/Kg		05/24/23 15:28	05/26/23 05:35	1
>C28-C35 Range Hydrocarbons	**54.9**	**H H3**	25.0	10.5	mg/Kg		05/24/23 15:28	05/26/23 05:35	1
Total Petroleum Hydrocarbons (C6-C35)	**449**		25.0	10.5	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*100*		*70 - 130*	*05/24/23 15:28*	*05/26/23 05:35*	*1*
o-Terphenyl (Surr)	*107*		*70 - 130*	*05/24/23 15:28*	*05/26/23 05:35*	*1*

Client Sample ID: 23E2848-35
Lab Sample ID: 860-49144-35

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<3.24	U H H3	6.00	3.24	ug/Kg		05/22/23 13:49	05/31/23 15:29	1
Tributyltin	<2.78	U H H3	6.00	2.78	ug/Kg		05/22/23 13:49	05/31/23 15:29	1

Client Sample ID: 23E2848-35
Lab Sample ID: 860-49144-35

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibutyltin	<2.54	U H H3	6.00	2.54	ug/Kg		05/22/23 13:49	05/31/23 15:29	1
Monobutyltin	<1.07	U H *- H3	6.00	1.07	ug/Kg		05/22/23 13:49	05/31/23 15:29	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*79*		*39 - 150*	*05/22/23 13:49*	*05/31/23 15:29*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<10.4	U H H3	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 13:10	1
>C12-C28 Range Hydrocarbons	**97.5**	**H H3**	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 13:10	1
>C28-C35 Range Hydrocarbons	**28.2**	**H H3**	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 13:10	1
Total Petroleum Hydrocarbons (C6-C35)	**126**		24.7	10.4	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*106*		*70 - 130*	*05/24/23 15:28*	*05/25/23 13:10*	*1*
o-Terphenyl (Surr)	*114*		*70 - 130*	*05/24/23 15:28*	*05/25/23 13:10*	*1*

Client Sample ID: 23E2848-36
Lab Sample ID: 860-49144-36

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Method: Lab SOP Organotins SIM - Organotins (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<3.37	U H H3	6.25	3.37	ug/Kg		05/22/23 13:49	05/31/23 15:47	1
Tributyltin	<2.90	U H H3	6.25	2.90	ug/Kg		05/22/23 13:49	05/31/23 15:47	1
Dibutyltin	<2.65	U H H3	6.25	2.65	ug/Kg		05/22/23 13:49	05/31/23 15:47	1
Monobutyltin	<1.12	U H *- H3	6.25	1.12	ug/Kg		05/22/23 13:49	05/31/23 15:47	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*97*		*39 - 150*	*05/22/23 13:49*	*05/31/23 15:47*	*1*

Method: TCEQ TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<10.4	U H H3	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 13:30	1
>C12-C28 Range Hydrocarbons	**50.3**	**H H3**	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 13:30	1
>C28-C35 Range Hydrocarbons	**17.9**	**J H H3**	24.7	10.4	mg/Kg		05/24/23 15:28	05/25/23 13:30	1
Total Petroleum Hydrocarbons (C6-C35)	**68.2**		24.7	10.4	mg/Kg			05/24/23 10:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*109*		*70 - 130*	*05/24/23 15:28*	*05/25/23 13:30*	*1*
o-Terphenyl (Surr)	*117*		*70 - 130*	*05/24/23 15:28*	*05/25/23 13:30*	*1*

Surrogate Summary

Client: North Water District Laboratory Services
Project/Site: General Project

Job ID: 860-49144-1

Method: Organotins SIM - Organotins (GC/MS SIM)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)						
		TPTT						
Lab Sample ID	Client Sample ID	(39-150)						
860-49144-6	23E2848-06	105						
860-49144-7	23E2848-07	168 S1+						
860-49144-8	23E2848-08	169 S1+						
860-49144-9	23E2848-09	225 S1+						
860-49144-10	23E2848-10	121						
860-49144-11	23E2848-11	183 S1+						
860-49144-12	23E2848-12	112						
860-49144-12 MS	23E2848-12	147						
860-49144-12 MSD	23E2848-12	169 S1+						
860-49144-13	23E2848-13	120						
860-49144-14	23E2848-14	143						
860-49144-15	23E2848-15	75						
860-49144-16	23E2848-16	172 S1+						
860-49144-17	23E2848-17	229 S1+						
860-49144-18	23E2848-18	217 S1+						
860-49144-24	23E2848-24	126						
860-49144-25	23E2848-25	60						
860-49144-26	23E2848-26	47						
860-49144-27	23E2848-27	29 S1-						
860-49144-28	23E2848-28	28 S1-						
860-49144-29	23E2848-29	20 S1-						
860-49144-30	23E2848-30	23 S1-						
860-49144-31	23E2848-31	164 S1+						
860-49144-32	23E2848-32	54						
860-49144-33	23E2848-33	72						
860-49144-34	23E2848-34	64						
860-49144-35	23E2848-35	79						
860-49144-36	23E2848-36	97						
LCS 570-330405/2-A	Lab Control Sample	102						
LCS 570-330477/2-A	Lab Control Sample	101						
LCSD 570-330405/3-A	Lab Control Sample Dup	100						
LCSD 570-330477/3-A	Lab Control Sample Dup	107						
MB 570-330405/1-A	Method Blank	85						
MB 570-330477/1-A	Method Blank	76						

Surrogate Legend

TPTT = Tripentyltin

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)						
		1CO	OTPH					
Lab Sample ID	Client Sample ID	(70-130)	(70-130)					
860-49144-1	23E2848-01	112	108					
860-49144-1 MS	23E2848-01	110	115					
860-49144-1 MSD	23E2848-01	106	111					
860-49144-2	23E2848-02	94	97					
860-49144-3	23E2848-03	88	93					
860-49144-4	23E2848-04	87	90					

Surrogate Summary

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Matrix: Solid
Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)									
		1CO	OTPH								
Lab Sample ID	Client Sample ID	(70-130)	(70-130)								
860-49144-5	23E2848-05	83	86								
860-49144-6	23E2848-06	85	89								
860-49144-7	23E2848-07	83	85								
860-49144-8	23E2848-08	83	86								
860-49144-9	23E2848-09	93	98								
860-49144-10	23E2848-10	87	91								
860-49144-11	23E2848-11	90	96								
860-49144-12	23E2848-12	92	96								
860-49144-12 MS	23E2848-12	91	99								
860-49144-12 MSD	23E2848-12	91	96								
860-49144-13	23E2848-13	87	90								
860-49144-14	23E2848-14	89	94								
860-49144-15	23E2848-15	86	90								
860-49144-16	23E2848-16	94	99								
860-49144-17	23E2848-17	88	91								
860-49144-18	23E2848-18	85	87								
860-49144-19	23E2848-19	85	86								
860-49144-20	23E2848-20	100	106								
860-49144-21	23E2848-21	99	123								
860-49144-22	23E2848-22	100	118								
860-49144-23	23E2848-23	103	107								
860-49144-24	23E2848-24	110	107								
860-49144-25	23E2848-25	107	115								
860-49144-26	23E2848-26	108	114								
860-49144-27	23E2848-27	106	103								
860-49144-28	23E2848-28	111	111								
860-49144-29	23E2848-29	109	107								
860-49144-30	23E2848-30	106	111								
860-49144-31	23E2848-31	108	114								
860-49144-32	23E2848-32	105	110								
860-49144-33	23E2848-33	107	105								
860-49144-34	23E2848-34	100	107								
860-49144-35	23E2848-35	106	114								
860-49144-36	23E2848-36	109	117								
LCS 860-104498/2-A	Lab Control Sample	92	105								
LCS 860-104716/2-A	Lab Control Sample	106	116								
LCS 860-104923/2-A	Lab Control Sample	93	99								
LCSD 860-104498/3-A	Lab Control Sample Dup	93	100								
LCSD 860-104716/3-A	Lab Control Sample Dup	107	118								
LCSD 860-104923/3-A	Lab Control Sample Dup	89	96								
MB 860-104498/1-A	Method Blank	98	105								
MB 860-104716/1-A	Method Blank	109	118								
MB 860-104923/1-A	Method Blank	93	99								

Surrogate Legend

1CO = 1-Chlorooctane (Surr)

OTPH = o-Terphenyl (Surr)

Method: Organotins SIM - Organotins (GC/MS SIM)

Lab Sample ID: MB 570-330405/1-A
Matrix: Solid
Analysis Batch: 332399

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 330405

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.62	U	3.00	1.62	ug/Kg		05/19/23 11:07	05/26/23 18:04	1
Tributyltin	<1.39	U	3.00	1.39	ug/Kg		05/19/23 11:07	05/26/23 18:04	1
Dibutyltin	<1.27	U	3.00	1.27	ug/Kg		05/19/23 11:07	05/26/23 18:04	1
Monobutyltin	<0.536	U	3.00	0.536	ug/Kg		05/19/23 11:07	05/26/23 18:04	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*85*		*39 - 150*	*05/19/23 11:07*	*05/26/23 18:04*	*1*

Lab Sample ID: LCS 570-330405/2-A
Matrix: Solid
Analysis Batch: 333761

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 330405

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Tetrabutyltin			20.0	22.74		ug/Kg		114	10 - 153		
Tributyltin			20.0	18.71		ug/Kg		94	10 - 126		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Tripentyltin	*102*		*39 - 150*

Lab Sample ID: LCSD 570-330405/3-A
Matrix: Solid
Analysis Batch: 333761

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 330405

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Tetrabutyltin			20.0	22.13		ug/Kg		111	10 - 153	3	30
Tributyltin			20.0	18.47		ug/Kg		92	10 - 126	1	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Tripentyltin	*100*		*39 - 150*

Lab Sample ID: 860-49144-12 MS
Matrix: Solid
Analysis Batch: 332399

Client Sample ID: 23E2848-12
Prep Type: Total/NA
Prep Batch: 330405

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Tetrabutyltin	<1.60	U H H3	19.6	24.18	H H3	ug/Kg		123	10 - 140		
Tributyltin	<1.38	U H H3	19.6	20.24	H H3	ug/Kg		103	10 - 135		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
Tripentyltin	*147*		*39 - 150*

Lab Sample ID: 860-49144-12 MSD
Matrix: Solid
Analysis Batch: 332399

Client Sample ID: 23E2848-12
Prep Type: Total/NA
Prep Batch: 330405

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Tetrabutyltin	<1.60	U H H3	19.8	21.36	H H3	ug/Kg		108	10 - 140	12	40

Method: Organotins SIM - Organotins (GC/MS SIM) (Continued)

Lab Sample ID: 860-49144-12 MSD
Matrix: Solid
Analysis Batch: 332399

Client Sample ID: 23E2848-12
Prep Type: Total/NA
Prep Batch: 330405

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Tributyltin	<1.38	U H H3	19.8	19.11	H H3	ug/Kg		97	10 - 135	6	40

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
Tripentyltin	*169*	*S1+*	*39 - 150*

Lab Sample ID: MB 570-330477/1-A
Matrix: Solid
Analysis Batch: 333269

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 330477

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrabutyltin	<1.62	U	3.00	1.62	ug/Kg		05/22/23 13:49	05/31/23 17:02	1
Tributyltin	<1.39	U	3.00	1.39	ug/Kg		05/22/23 13:49	05/31/23 17:02	1
Dibutyltin	<1.27	U	3.00	1.27	ug/Kg		05/22/23 13:49	05/31/23 17:02	1
Monobutyltin	<0.536	U	3.00	0.536	ug/Kg		05/22/23 13:49	05/31/23 17:02	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Tripentyltin	*76*		*39 - 150*	*05/22/23 13:49*	*05/31/23 17:02*	*1*

Lab Sample ID: LCS 570-330477/2-A
Matrix: Solid
Analysis Batch: 333269

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 330477

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Tetrabutyltin			20.0	22.49		ug/Kg		112	10 - 153		
Tributyltin			20.0	18.77		ug/Kg		94	10 - 126		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Tripentyltin	*101*		*39 - 150*

Lab Sample ID: LCSD 570-330477/3-A
Matrix: Solid
Analysis Batch: 333269

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 330477

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Tetrabutyltin			20.0	23.04		ug/Kg		115	10 - 153	2	30
Tributyltin			20.0	19.08		ug/Kg		95	10 - 126	2	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Tripentyltin	*107*		*39 - 150*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Lab Sample ID: MB 860-104498/1-A
Matrix: Solid
Analysis Batch: 104641

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 104498

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		05/23/23 15:00	05/24/23 14:59	1

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: MB 860-104498/1-A
Matrix: Solid
Analysis Batch: 104641

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 104498

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
>C12-C28 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		05/23/23 15:00	05/24/23 14:59	1
>C28-C35 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		05/23/23 15:00	05/24/23 14:59	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*98*		*70 - 130*	*05/23/23 15:00*	*05/24/23 14:59*	*1*
o-Terphenyl (Surr)	*105*		*70 - 130*	*05/23/23 15:00*	*05/24/23 14:59*	*1*

Lab Sample ID: LCS 860-104498/2-A
Matrix: Solid
Analysis Batch: 104643

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 104498

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons			996	966.5		mg/Kg		97	75 - 125		
>C12-C28 Range Hydrocarbons			998	1090		mg/Kg		109	75 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*92*		*70 - 130*
o-Terphenyl (Surr)	*105*		*70 - 130*

Lab Sample ID: LCSD 860-104498/3-A
Matrix: Solid
Analysis Batch: 104643

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 104498

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons			996	985.8		mg/Kg		99	75 - 125	2	20
>C12-C28 Range Hydrocarbons			998	1060		mg/Kg		106	75 - 125	3	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*93*		*70 - 130*
o-Terphenyl (Surr)	*100*		*70 - 130*

Lab Sample ID: MB 860-104716/1-A
Matrix: Solid
Analysis Batch: 104641

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 104716

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		05/24/23 15:28	05/24/23 20:50	1
>C12-C28 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		05/24/23 15:28	05/24/23 20:50	1
>C28-C35 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		05/24/23 15:28	05/24/23 20:50	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*109*		*70 - 130*	*05/24/23 15:28*	*05/24/23 20:50*	*1*
o-Terphenyl (Surr)	*118*		*70 - 130*	*05/24/23 15:28*	*05/24/23 20:50*	*1*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: LCS 860-104716/2-A
Matrix: Solid
Analysis Batch: 104641

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 104716

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons			996	1091		mg/Kg		110	75 - 125		
>C12-C28 Range Hydrocarbons			998	1140		mg/Kg		114	75 - 125		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*106*		*70 - 130*
o-Terphenyl (Surr)	*116*		*70 - 130*

Lab Sample ID: LCSD 860-104716/3-A
Matrix: Solid
Analysis Batch: 104641

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 104716

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons			996	1091		mg/Kg		109	75 - 125	0	20
>C12-C28 Range Hydrocarbons			998	1157		mg/Kg		116	75 - 125	2	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*107*		*70 - 130*
o-Terphenyl (Surr)	*118*		*70 - 130*

Lab Sample ID: 860-49144-1 MS
Matrix: Solid
Analysis Batch: 104842

Client Sample ID: 23E2848-01
Prep Type: Total/NA
Prep Batch: 104716

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
C6-C12 Range Hydrocarbons	<41.4	U H H3	1800	2036	H H3	mg/Kg		113	75 - 125		
>C12-C28 Range Hydrocarbons	533	H F1 H3	1810	2725	H H3	mg/Kg		121	75 - 125		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*110*		*70 - 130*
o-Terphenyl (Surr)	*115*		*70 - 130*

Lab Sample ID: 860-49144-1 MSD
Matrix: Solid
Analysis Batch: 104842

Client Sample ID: 23E2848-01
Prep Type: Total/NA
Prep Batch: 104716

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	<41.4	U H H3	1940	2159	H H3	mg/Kg		111	75 - 125	6	20
>C12-C28 Range Hydrocarbons	533	H F1 H3	1950	3112	H H3 F1	mg/Kg		133	75 - 125	13	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*106*		*70 - 130*
o-Terphenyl (Surr)	*111*		*70 - 130*

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: MB 860-104923/1-A
Matrix: Solid
Analysis Batch: 104842

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 104923

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		05/25/23 16:34	05/26/23 00:54	1
>C12-C28 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		05/25/23 16:34	05/26/23 00:54	1
>C28-C35 Range Hydrocarbons	<21.1	U	50.0	21.1	mg/Kg		05/25/23 16:34	05/26/23 00:54	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1-Chlorooctane (Surr)	*93*		*70 - 130*	*05/25/23 16:34*	*05/26/23 00:54*	*1*
o-Terphenyl (Surr)	*99*		*70 - 130*	*05/25/23 16:34*	*05/26/23 00:54*	*1*

Lab Sample ID: LCS 860-104923/2-A
Matrix: Solid
Analysis Batch: 104842

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 104923

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C6-C12 Range Hydrocarbons	996	1021		mg/Kg		103	75 - 125
>C12-C28 Range Hydrocarbons	998	1077		mg/Kg		108	75 - 125

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*93*		*70 - 130*
o-Terphenyl (Surr)	*99*		*70 - 130*

Lab Sample ID: LCSD 860-104923/3-A
Matrix: Solid
Analysis Batch: 104842

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 104923

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	996	1007		mg/Kg		101	75 - 125	1	20
>C12-C28 Range Hydrocarbons	998	1059		mg/Kg		106	75 - 125	2	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*89*		*70 - 130*
o-Terphenyl (Surr)	*96*		*70 - 130*

Lab Sample ID: 860-49144-12 MS
Matrix: Solid
Analysis Batch: 104842

Client Sample ID: 23E2848-12
Prep Type: Total/NA
Prep Batch: 104923

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
C6-C12 Range Hydrocarbons	<41.7	U H F2 H3	490	500.5	H H3	mg/Kg		102	75 - 125
>C12-C28 Range Hydrocarbons	47.2	J H F2 H3	491	541.0	H H3	mg/Kg		101	75 - 125

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
1-Chlorooctane (Surr)	*91*		*70 - 130*
o-Terphenyl (Surr)	*99*		*70 - 130*

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC) (Continued)

Lab Sample ID: 860-49144-12 MSD
Client Sample ID: 23E2848-12
Matrix: Solid
Prep Type: Total/NA
Analysis Batch: 104842
Prep Batch: 104923

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C6-C12 Range Hydrocarbons	<41.7	U H F2 H3	1880	1939	H H3 F2	mg/Kg		103	75 - 125	118	20
>C12-C28 Range Hydrocarbons	47.2	J H F2 H3	1880	2076	H H3 F2	mg/Kg		108	75 - 125	117	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1-Chlorooctane (Surr)	*91*		*70 - 130*
o-Terphenyl (Surr)	*96*		*70 - 130*

GC/MS Semi VOA

Prep Batch: 330405

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-6	23E2848-06	Total/NA	Solid	Organotin Prep	
860-49144-7	23E2848-07	Total/NA	Solid	Organotin Prep	
860-49144-8	23E2848-08	Total/NA	Solid	Organotin Prep	
860-49144-9	23E2848-09	Total/NA	Solid	Organotin Prep	
860-49144-10	23E2848-10	Total/NA	Solid	Organotin Prep	
860-49144-11	23E2848-11	Total/NA	Solid	Organotin Prep	
860-49144-12	23E2848-12	Total/NA	Solid	Organotin Prep	
860-49144-13	23E2848-13	Total/NA	Solid	Organotin Prep	
860-49144-14	23E2848-14	Total/NA	Solid	Organotin Prep	
860-49144-15	23E2848-15	Total/NA	Solid	Organotin Prep	
860-49144-16	23E2848-16	Total/NA	Solid	Organotin Prep	
860-49144-17	23E2848-17	Total/NA	Solid	Organotin Prep	
860-49144-18	23E2848-18	Total/NA	Solid	Organotin Prep	
860-49144-24	23E2848-24	Total/NA	Solid	Organotin Prep	
860-49144-25	23E2848-25	Total/NA	Solid	Organotin Prep	
860-49144-26	23E2848-26	Total/NA	Solid	Organotin Prep	
860-49144-27	23E2848-27	Total/NA	Solid	Organotin Prep	
860-49144-28	23E2848-28	Total/NA	Solid	Organotin Prep	
860-49144-29	23E2848-29	Total/NA	Solid	Organotin Prep	
860-49144-30	23E2848-30	Total/NA	Solid	Organotin Prep	
MB 570-330405/1-A	Method Blank	Total/NA	Solid	Organotin Prep	
LCS 570-330405/2-A	Lab Control Sample	Total/NA	Solid	Organotin Prep	
LCSD 570-330405/3-A	Lab Control Sample Dup	Total/NA	Solid	Organotin Prep	
860-49144-12 MS	23E2848-12	Total/NA	Solid	Organotin Prep	
860-49144-12 MSD	23E2848-12	Total/NA	Solid	Organotin Prep	

Prep Batch: 330477

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-31	23E2848-31	Total/NA	Solid	Organotin Prep	
860-49144-32	23E2848-32	Total/NA	Solid	Organotin Prep	
860-49144-33	23E2848-33	Total/NA	Solid	Organotin Prep	
860-49144-34	23E2848-34	Total/NA	Solid	Organotin Prep	
860-49144-35	23E2848-35	Total/NA	Solid	Organotin Prep	
860-49144-36	23E2848-36	Total/NA	Solid	Organotin Prep	
MB 570-330477/1-A	Method Blank	Total/NA	Solid	Organotin Prep	
LCS 570-330477/2-A	Lab Control Sample	Total/NA	Solid	Organotin Prep	
LCSD 570-330477/3-A	Lab Control Sample Dup	Total/NA	Solid	Organotin Prep	

Analysis Batch: 332399

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-6	23E2848-06	Total/NA	Solid	Organotins SIM	330405
860-49144-7	23E2848-07	Total/NA	Solid	Organotins SIM	330405
860-49144-8	23E2848-08	Total/NA	Solid	Organotins SIM	330405
860-49144-9	23E2848-09	Total/NA	Solid	Organotins SIM	330405
860-49144-10	23E2848-10	Total/NA	Solid	Organotins SIM	330405
860-49144-11	23E2848-11	Total/NA	Solid	Organotins SIM	330405
860-49144-12	23E2848-12	Total/NA	Solid	Organotins SIM	330405
860-49144-13	23E2848-13	Total/NA	Solid	Organotins SIM	330405
860-49144-14	23E2848-14	Total/NA	Solid	Organotins SIM	330405
860-49144-15	23E2848-15	Total/NA	Solid	Organotins SIM	330405
860-49144-16	23E2848-16	Total/NA	Solid	Organotins SIM	330405

GC/MS Semi VOA (Continued)

Analysis Batch: 332399 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-17	23E2848-17	Total/NA	Solid	Organotins SIM	330405
860-49144-18	23E2848-18	Total/NA	Solid	Organotins SIM	330405
860-49144-25	23E2848-25	Total/NA	Solid	Organotins SIM	330405
860-49144-26	23E2848-26	Total/NA	Solid	Organotins SIM	330405
860-49144-27	23E2848-27	Total/NA	Solid	Organotins SIM	330405
860-49144-28	23E2848-28	Total/NA	Solid	Organotins SIM	330405
860-49144-29	23E2848-29	Total/NA	Solid	Organotins SIM	330405
860-49144-30	23E2848-30	Total/NA	Solid	Organotins SIM	330405
MB 570-330405/1-A	Method Blank	Total/NA	Solid	Organotins SIM	330405
860-49144-12 MS	23E2848-12	Total/NA	Solid	Organotins SIM	330405
860-49144-12 MSD	23E2848-12	Total/NA	Solid	Organotins SIM	330405

Analysis Batch: 333269

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-31	23E2848-31	Total/NA	Solid	Organotins SIM	330477
860-49144-32	23E2848-32	Total/NA	Solid	Organotins SIM	330477
860-49144-33	23E2848-33	Total/NA	Solid	Organotins SIM	330477
860-49144-34	23E2848-34	Total/NA	Solid	Organotins SIM	330477
860-49144-35	23E2848-35	Total/NA	Solid	Organotins SIM	330477
860-49144-36	23E2848-36	Total/NA	Solid	Organotins SIM	330477
MB 570-330477/1-A	Method Blank	Total/NA	Solid	Organotins SIM	330477
LCS 570-330477/2-A	Lab Control Sample	Total/NA	Solid	Organotins SIM	330477
LCSD 570-330477/3-A	Lab Control Sample Dup	Total/NA	Solid	Organotins SIM	330477

Analysis Batch: 333761

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 570-330405/2-A	Lab Control Sample	Total/NA	Solid	Organotins SIM	330405
LCSD 570-330405/3-A	Lab Control Sample Dup	Total/NA	Solid	Organotins SIM	330405

Analysis Batch: 334018

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-24	23E2848-24	Total/NA	Solid	Organotins SIM	330405

GC Semi VOA

Analysis Batch: 104312

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-1	23E2848-01	Total/NA	Solid	TX 1005	
860-49144-2	23E2848-02	Total/NA	Solid	TX 1005	
860-49144-3	23E2848-03	Total/NA	Solid	TX 1005	
860-49144-4	23E2848-04	Total/NA	Solid	TX 1005	
860-49144-5	23E2848-05	Total/NA	Solid	TX 1005	
860-49144-6	23E2848-06	Total/NA	Solid	TX 1005	
860-49144-7	23E2848-07	Total/NA	Solid	TX 1005	
860-49144-8	23E2848-08	Total/NA	Solid	TX 1005	
860-49144-9	23E2848-09	Total/NA	Solid	TX 1005	
860-49144-10	23E2848-10	Total/NA	Solid	TX 1005	
860-49144-11	23E2848-11	Total/NA	Solid	TX 1005	
860-49144-12	23E2848-12	Total/NA	Solid	TX 1005	
860-49144-13	23E2848-13	Total/NA	Solid	TX 1005	
860-49144-14	23E2848-14	Total/NA	Solid	TX 1005	

GC Semi VOA (Continued)

Analysis Batch: 104312 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-15	23E2848-15	Total/NA	Solid	TX 1005	
860-49144-16	23E2848-16	Total/NA	Solid	TX 1005	
860-49144-17	23E2848-17	Total/NA	Solid	TX 1005	
860-49144-18	23E2848-18	Total/NA	Solid	TX 1005	
860-49144-19	23E2848-19	Total/NA	Solid	TX 1005	
860-49144-20	23E2848-20	Total/NA	Solid	TX 1005	
860-49144-21	23E2848-21	Total/NA	Solid	TX 1005	
860-49144-22	23E2848-22	Total/NA	Solid	TX 1005	
860-49144-23	23E2848-23	Total/NA	Solid	TX 1005	
860-49144-24	23E2848-24	Total/NA	Solid	TX 1005	
860-49144-25	23E2848-25	Total/NA	Solid	TX 1005	
860-49144-26	23E2848-26	Total/NA	Solid	TX 1005	
860-49144-27	23E2848-27	Total/NA	Solid	TX 1005	
860-49144-28	23E2848-28	Total/NA	Solid	TX 1005	
860-49144-29	23E2848-29	Total/NA	Solid	TX 1005	
860-49144-30	23E2848-30	Total/NA	Solid	TX 1005	
860-49144-31	23E2848-31	Total/NA	Solid	TX 1005	
860-49144-32	23E2848-32	Total/NA	Solid	TX 1005	
860-49144-33	23E2848-33	Total/NA	Solid	TX 1005	
860-49144-34	23E2848-34	Total/NA	Solid	TX 1005	
860-49144-35	23E2848-35	Total/NA	Solid	TX 1005	
860-49144-36	23E2848-36	Total/NA	Solid	TX 1005	

Analysis Batch: 104456

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-2	23E2848-02	Total/NA	Solid	TX 1005	104498
860-49144-3	23E2848-03	Total/NA	Solid	TX 1005	104498
860-49144-4	23E2848-04	Total/NA	Solid	TX 1005	104498
860-49144-5	23E2848-05	Total/NA	Solid	TX 1005	104498
860-49144-6	23E2848-06	Total/NA	Solid	TX 1005	104498
860-49144-7	23E2848-07	Total/NA	Solid	TX 1005	104498
860-49144-8	23E2848-08	Total/NA	Solid	TX 1005	104498
860-49144-9	23E2848-09	Total/NA	Solid	TX 1005	104498

Analysis Batch: 104460

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-10	23E2848-10	Total/NA	Solid	TX 1005	104498
860-49144-11	23E2848-11	Total/NA	Solid	TX 1005	104498
860-49144-13	23E2848-13	Total/NA	Solid	TX 1005	104498
860-49144-14	23E2848-14	Total/NA	Solid	TX 1005	104498
860-49144-15	23E2848-15	Total/NA	Solid	TX 1005	104498
860-49144-16	23E2848-16	Total/NA	Solid	TX 1005	104498
860-49144-17	23E2848-17	Total/NA	Solid	TX 1005	104498
860-49144-18	23E2848-18	Total/NA	Solid	TX 1005	104498
860-49144-19	23E2848-19	Total/NA	Solid	TX 1005	104498

Prep Batch: 104498

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-2	23E2848-02	Total/NA	Solid	TX_1005_S_Prep	
860-49144-3	23E2848-03	Total/NA	Solid	TX_1005_S_Prep	

GC Semi VOA (Continued)

Prep Batch: 104498 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-4	23E2848-04	Total/NA	Solid	TX_1005_S_Prep	
860-49144-5	23E2848-05	Total/NA	Solid	TX_1005_S_Prep	
860-49144-6	23E2848-06	Total/NA	Solid	TX_1005_S_Prep	
860-49144-7	23E2848-07	Total/NA	Solid	TX_1005_S_Prep	
860-49144-8	23E2848-08	Total/NA	Solid	TX_1005_S_Prep	
860-49144-9	23E2848-09	Total/NA	Solid	TX_1005_S_Prep	
860-49144-10	23E2848-10	Total/NA	Solid	TX_1005_S_Prep	
860-49144-11	23E2848-11	Total/NA	Solid	TX_1005_S_Prep	
860-49144-13	23E2848-13	Total/NA	Solid	TX_1005_S_Prep	
860-49144-14	23E2848-14	Total/NA	Solid	TX_1005_S_Prep	
860-49144-15	23E2848-15	Total/NA	Solid	TX_1005_S_Prep	
860-49144-16	23E2848-16	Total/NA	Solid	TX_1005_S_Prep	
860-49144-17	23E2848-17	Total/NA	Solid	TX_1005_S_Prep	
860-49144-18	23E2848-18	Total/NA	Solid	TX_1005_S_Prep	
860-49144-19	23E2848-19	Total/NA	Solid	TX_1005_S_Prep	
MB 860-104498/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-104498/2-A	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	
LCSD 860-104498/3-A	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	

Analysis Batch: 104641

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 860-104498/1-A	Method Blank	Total/NA	Solid	TX 1005	104498
MB 860-104716/1-A	Method Blank	Total/NA	Solid	TX 1005	104716
LCS 860-104716/2-A	Lab Control Sample	Total/NA	Solid	TX 1005	104716
LCSD 860-104716/3-A	Lab Control Sample Dup	Total/NA	Solid	TX 1005	104716

Analysis Batch: 104643

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-33	23E2848-33	Total/NA	Solid	TX 1005	104716
LCS 860-104498/2-A	Lab Control Sample	Total/NA	Solid	TX 1005	104498
LCSD 860-104498/3-A	Lab Control Sample Dup	Total/NA	Solid	TX 1005	104498

Prep Batch: 104716

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-1	23E2848-01	Total/NA	Solid	TX_1005_S_Prep	
860-49144-20	23E2848-20	Total/NA	Solid	TX_1005_S_Prep	

GC Semi VOA (Continued)

Prep Batch: 104716 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-21	23E2848-21	Total/NA	Solid	TX_1005_S_Prep	
860-49144-22	23E2848-22	Total/NA	Solid	TX_1005_S_Prep	
860-49144-23	23E2848-23	Total/NA	Solid	TX_1005_S_Prep	
860-49144-24	23E2848-24	Total/NA	Solid	TX_1005_S_Prep	
860-49144-25	23E2848-25	Total/NA	Solid	TX_1005_S_Prep	
860-49144-26	23E2848-26	Total/NA	Solid	TX_1005_S_Prep	
860-49144-27	23E2848-27	Total/NA	Solid	TX_1005_S_Prep	
860-49144-28	23E2848-28	Total/NA	Solid	TX_1005_S_Prep	
860-49144-29	23E2848-29	Total/NA	Solid	TX_1005_S_Prep	
860-49144-30	23E2848-30	Total/NA	Solid	TX_1005_S_Prep	
860-49144-31	23E2848-31	Total/NA	Solid	TX_1005_S_Prep	
860-49144-32	23E2848-32	Total/NA	Solid	TX_1005_S_Prep	
860-49144-33	23E2848-33	Total/NA	Solid	TX_1005_S_Prep	
860-49144-34	23E2848-34	Total/NA	Solid	TX_1005_S_Prep	
860-49144-35	23E2848-35	Total/NA	Solid	TX_1005_S_Prep	
860-49144-36	23E2848-36	Total/NA	Solid	TX_1005_S_Prep	
MB 860-104716/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-104716/2-A	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	
LCSD 860-104716/3-A	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	
860-49144-1 MS	23E2848-01	Total/NA	Solid	TX_1005_S_Prep	
860-49144-1 MSD	23E2848-01	Total/NA	Solid	TX_1005_S_Prep	

Analysis Batch: 104842

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-1	23E2848-01	Total/NA	Solid	TX 1005	104716
860-49144-12	23E2848-12	Total/NA	Solid	TX 1005	104923
860-49144-24	23E2848-24	Total/NA	Solid	TX 1005	104716
860-49144-26	23E2848-26	Total/NA	Solid	TX 1005	104716
860-49144-27	23E2848-27	Total/NA	Solid	TX 1005	104716
860-49144-28	23E2848-28	Total/NA	Solid	TX 1005	104716
MB 860-104923/1-A	Method Blank	Total/NA	Solid	TX 1005	104923
LCS 860-104923/2-A	Lab Control Sample	Total/NA	Solid	TX 1005	104923
LCSD 860-104923/3-A	Lab Control Sample Dup	Total/NA	Solid	TX 1005	104923
860-49144-1 MS	23E2848-01	Total/NA	Solid	TX 1005	104716
860-49144-1 MSD	23E2848-01	Total/NA	Solid	TX 1005	104716

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

GC Semi VOA (Continued)

Analysis Batch: 104842 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-12 MS	23E2848-12	Total/NA	Solid	TX 1005	104923
860-49144-12 MSD	23E2848-12	Total/NA	Solid	TX 1005	104923

Analysis Batch: 104844

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-20	23E2848-20	Total/NA	Solid	TX 1005	104716
860-49144-21	23E2848-21	Total/NA	Solid	TX 1005	104716
860-49144-22	23E2848-22	Total/NA	Solid	TX 1005	104716
860-49144-23	23E2848-23	Total/NA	Solid	TX 1005	104716
860-49144-25	23E2848-25	Total/NA	Solid	TX 1005	104716
860-49144-29	23E2848-29	Total/NA	Solid	TX 1005	104716
860-49144-30	23E2848-30	Total/NA	Solid	TX 1005	104716
860-49144-31	23E2848-31	Total/NA	Solid	TX 1005	104716
860-49144-32	23E2848-32	Total/NA	Solid	TX 1005	104716
860-49144-34	23E2848-34	Total/NA	Solid	TX 1005	104716
860-49144-35	23E2848-35	Total/NA	Solid	TX 1005	104716
860-49144-36	23E2848-36	Total/NA	Solid	TX 1005	104716

Prep Batch: 104923

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-49144-12	23E2848-12	Total/NA	Solid	TX_1005_S_Prep	
MB 860-104923/1-A	Method Blank	Total/NA	Solid	TX_1005_S_Prep	
LCS 860-104923/2-A	Lab Control Sample	Total/NA	Solid	TX_1005_S_Prep	
LCSD 860-104923/3-A	Lab Control Sample Dup	Total/NA	Solid	TX_1005_S_Prep	
860-49144-12 MS	23E2848-12	Total/NA	Solid	TX_1005_S_Prep	
860-49144-12 MSD	23E2848-12	Total/NA	Solid	TX_1005_S_Prep	

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Client Sample ID: 23E2848-01
Lab Sample ID: 860-49144-1
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.10 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104842	05/25/23 14:10	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-02
Lab Sample ID: 860-49144-2
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.07 g	10 mL	104498	05/23/23 15:00	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104456	05/24/23 01:05	ELJ	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-03
Lab Sample ID: 860-49144-3
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.12 g	10 mL	104498	05/23/23 15:00	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104456	05/24/23 01:24	ELJ	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-04
Lab Sample ID: 860-49144-4
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.41 g	10 mL	104498	05/23/23 15:00	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104456	05/24/23 01:44	ELJ	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-05
Lab Sample ID: 860-49144-5
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.39 g	10 mL	104498	05/23/23 15:00	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104456	05/24/23 02:23	ELJ	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Client Sample ID: 23E2848-06
Lab Sample ID: 860-49144-6
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.0 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 12:12	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.13 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104456	05/24/23 02:43	ELJ	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-07
Lab Sample ID: 860-49144-7
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.0 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 12:30	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.08 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104456	05/24/23 03:02	ELJ	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-08
Lab Sample ID: 860-49144-8
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.0 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 12:49	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.67 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104456	05/24/23 03:22	ELJ	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-09
Lab Sample ID: 860-49144-9
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			5.0 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 13:07	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			20.26 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104456	05/24/23 03:41	ELJ	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Client Sample ID: 23E2848-10
Lab Sample ID: 860-49144-10
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.2 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 13:26	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.08 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104460	05/24/23 04:20	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-11
Lab Sample ID: 860-49144-11
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			5.1 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 13:44	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			20.17 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104460	05/24/23 01:24	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-12
Lab Sample ID: 860-49144-12
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.1 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 19:37	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.06 g	10 mL	104923	05/25/23 16:34	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104842	05/26/23 01:14	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-13
Lab Sample ID: 860-49144-13
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.0 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 14:02	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.15 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104460	05/24/23 01:44	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Client Sample ID: 23E2848-14
Lab Sample ID: 860-49144-14
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.0 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 14:21	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.23 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104460	05/24/23 02:03	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-15
Lab Sample ID: 860-49144-15
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.0 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 14:40	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.31 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104460	05/24/23 02:43	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-16
Lab Sample ID: 860-49144-16
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			5.0 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 14:58	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			20.41 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104460	05/24/23 03:02	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-17
Lab Sample ID: 860-49144-17
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			4.8 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 15:17	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			20.48 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104460	05/24/23 03:22	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Client Sample ID: 23E2848-18
Lab Sample ID: 860-49144-18
Date Collected: 04/01/23 11:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			4.9 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 15:35	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			20.14 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104460	05/24/23 03:41	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-19
Lab Sample ID: 860-49144-19
Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.48 g	10 mL	104498	05/23/23 15:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104460	05/24/23 04:01	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-20
Lab Sample ID: 860-49144-20
Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.45 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/26/23 04:15	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-21
Lab Sample ID: 860-49144-21
Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.13 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/26/23 04:35	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-22
Lab Sample ID: 860-49144-22
Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.15 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/26/23 04:55	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-23
Lab Sample ID: 860-49144-23

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.23 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/26/23 05:15	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-24
Lab Sample ID: 860-49144-24

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.2 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	334018	06/02/23 21:03	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.14 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104842	05/25/23 16:11	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-25
Lab Sample ID: 860-49144-25

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			4.8 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 16:12	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			20.28 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/25/23 13:50	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-26
Lab Sample ID: 860-49144-26

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.3 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 16:31	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.01 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104842	05/25/23 13:50	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-27
Lab Sample ID: 860-49144-27

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.1 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 16:49	ULLI	EET CAL 4

Client Sample ID: 23E2848-27
Lab Sample ID: 860-49144-27

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.15 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104842	05/25/23 15:11	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-28
Lab Sample ID: 860-49144-28

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			4.8 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 17:08	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			20.23 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104842	05/25/23 15:31	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-29
Lab Sample ID: 860-49144-29

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.1 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 17:26	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.41 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/25/23 14:30	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-30
Lab Sample ID: 860-49144-30

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.1 g	1 mL	330405	05/19/23 11:07	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	332399	05/26/23 17:45	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.23 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/25/23 14:50	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-31
Lab Sample ID: 860-49144-31

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.1 g	1 mL	330477	05/22/23 13:49	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	333269	05/31/23 14:15	ULLI	EET CAL 4

Client Sample ID: 23E2848-31
Lab Sample ID: 860-49144-31

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			5.40 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/25/23 15:11	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-32
Lab Sample ID: 860-49144-32

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.0 g	1 mL	330477	05/22/23 13:49	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	333269	05/31/23 14:33	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.25 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/25/23 14:10	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-33
Lab Sample ID: 860-49144-33

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			10.1 g	1 mL	330477	05/22/23 13:49	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	333269	05/31/23 14:52	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			5.11 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104643	05/25/23 03:50	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-34
Lab Sample ID: 860-49144-34

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			4.8 g	1 mL	330477	05/22/23 13:49	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	333269	05/31/23 15:10	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			20.03 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/26/23 05:35	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-35
Lab Sample ID: 860-49144-35

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			5.0 g	1 mL	330477	05/22/23 13:49	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	333269	05/31/23 15:29	ULLI	EET CAL 4

Lab Chronicle

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Client Sample ID: 23E2848-35
Lab Sample ID: 860-49144-35

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	TX_1005_S_Prep			20.26 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/25/23 13:10	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Client Sample ID: 23E2848-36
Lab Sample ID: 860-49144-36

Date Collected: 04/01/23 13:00
Matrix: Solid
Date Received: 05/16/23 10:36

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Organotin Prep			4.8 g	1 mL	330477	05/22/23 13:49	UWEZ	EET CAL 4
Total/NA	Analysis	Organotins SIM		1	1 mL	1 mL	333269	05/31/23 15:47	ULLI	EET CAL 4
Total/NA	Prep	TX_1005_S_Prep			20.23 g	10 mL	104716	05/24/23 15:28	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104844	05/25/23 13:30	MCA	EET HOU
Total/NA	Analysis	TX 1005		1			104312	05/24/23 10:12	CZT	EET HOU

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Laboratory: Eurofins Houston

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704215-23-50	06-30-23

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arizona	State	AZ0830	11-16-23
California	Los Angeles County Sanitation Districts	10109	07-31-23
California	SCAQMD LAP	17LA0919	11-30-23
California	State	3082	07-31-24
Kansas	NELAP	E-10420	07-31-23
Nevada	State	CA00111	07-31-24
Oregon	NELAP	4175	02-02-24
USDA	US Federal Programs	P330-22-00059	05-24-23 *
Washington	State	C916-18	10-11-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: North Water District Laboratory Services
Project/Site: General Project

Job ID: 860-49144-1

Method	Method Description	Protocol	Laboratory
Organotins SIM	Organotins (GC/MS SIM)	Lab SOP	EET CAL 4
TX 1005	Texas - Total Petroleum Hydrocarbon (GC)	TCEQ	EET HOU
Organotin Prep	Extraction (Organotins)	None	EET CAL 4
TX_1005_S_Prep	Extraction - Texas Total petroleum Hyrdocarbons	TCEQ	EET HOU

Protocol References:

Lab SOP = Laboratory Standard Operating Procedure

None = None

TCEQ = Texas Commission of Environmental Quality

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary

Client: North Water District Laboratory Services
Job ID: 860-49144-1
Project/Site: General Project

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
860-49144-1	23E2848-01	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-2	23E2848-02	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-3	23E2848-03	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-4	23E2848-04	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-5	23E2848-05	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-6	23E2848-06	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-7	23E2848-07	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-8	23E2848-08	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-9	23E2848-09	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-10	23E2848-10	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-11	23E2848-11	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-12	23E2848-12	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-13	23E2848-13	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-14	23E2848-14	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-15	23E2848-15	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-16	23E2848-16	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-17	23E2848-17	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-18	23E2848-18	Solid	04/01/23 11:00	05/16/23 10:36
860-49144-19	23E2848-19	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-20	23E2848-20	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-21	23E2848-21	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-22	23E2848-22	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-23	23E2848-23	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-24	23E2848-24	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-25	23E2848-25	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-26	23E2848-26	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-27	23E2848-27	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-28	23E2848-28	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-29	23E2848-29	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-30	23E2848-30	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-31	23E2848-31	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-32	23E2848-32	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-33	23E2848-33	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-34	23E2848-34	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-35	23E2848-35	Solid	04/01/23 13:00	05/16/23 10:36
860-49144-36	23E2848-36	Solid	04/01/23 13:00	05/16/23 10:36

NWDLS

SUBCONTRACT ORDER

6/5/2023

Sending Laboratory:

North Water District Laboratory Services, Inc
130 South Trade Center Parkway
Conroe, TX 77385
Phone 936-321-6060
Fax 936-321-6061

Project Manager Monica O. Martin

Subcontracted Laboratory:

Eurofins Xenco_Subcontract
4145 Greenbriar Drive
Stafford, TX 77477
Phone (281) 240-4200
Fax

Temp: 7.0 IR ID:HOU-343
C/F -0.4
Corrected Temp: 6.6

Work Order: 23E2848

Analysis	Due	Expires	Comments
Sample ID: 23E2848-01 ***Tissue Sampled: 04/01/2023 11:00***			
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-02 ***Tissue Sampled: 04/01/2023 11:00***			
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-03 ***Tissue Sampled: 04/01/2023 11:00***			
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH) C6-C35			
Containers Supplied			
Sample ID: 23E2848-04 ***Tissue Sampled: 04/01/2023 11:00***			
TPH 1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			



NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 23E2848 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23E2848-05 ***Tissue Sampled: 04/01/2023 11:00***			
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-06 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH 1005	05/24/2023	04/15/2023 11 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-07 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH) C6-C35			
Containers Supplied			
Sample ID: 23E2848-08 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 23E2848 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23E2848-09 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-10 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-11 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-12 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 23E2848 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23E2848-13 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-14 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-15 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH 1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-16 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 23E2848 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23E2848-17 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH-1005	05/24/2023	04/15/2023 11 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-18 ***Tissue Sampled: 04/01/2023 11:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 11 00	
TPH 1005	05/24/2023	04/15/2023 11 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-19 ***Tissue Sampled: 04/01/2023 13:00***			
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH) C6-C35			
Containers Supplied			
Sample ID: 23E2848-20 ***Tissue Sampled: 04/01/2023 13:00***			
TPH 1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH) C6-C35			
Containers Supplied			
Sample ID: 23E2848-21 ***Tissue Sampled: 04/01/2023 13:00***			
TPH 1005	05/24/2023	04/15/2023 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			

NWDLS

SUBCONTRACT ORDER
(Continued)

6/5/2023

Work Order: 23E2848 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23E2848-22 ***Tissue Sampled: 04/01/2023 13:00***			
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-23 ***Tissue Sampled: 04/01/2023 13:00***			
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied.			
Sample ID: 23E2848-24 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-25 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 23E2848 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23E2848-26 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH 1005	05/24/2023	04/15/2023 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH) C6-C35			
Containers Supplied			
Sample ID: 23E2848-27 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH 1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-28 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-29 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 23E2848 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23E2848-30 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH 1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-31 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH 1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-32 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH) C6-C35			
Containers Supplied			
Sample ID: 23E2848-33 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			

NWDLS

SUBCONTRACT ORDER
(Continued)

Work Order: 23E2848 (Continued)

Analysis	Due	Expires	Comments
Sample ID: 23E2848-34 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-35 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s)			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH), C6-C35			
Containers Supplied			
Sample ID: 23E2848-36 ***Tissue Sampled: 04/01/2023 13:00***			
Sub_Organotins-TX1001	05/24/2023	04/15/2023 13 00	
TPH-1005	05/24/2023	04/15/2023 13 00	
Analyte(s).			
1-Chlorooctadecane-surr	1-Chlorooctane-surr		o-Terphenyl-surr
Total Petroleum Hydrocarbons (TPH) C6-C35			
Containers Supplied			

Released By — Date: 5/15/23

Received By — Date: 5/5/23 14:39

Analyst/Date/Scale ID	BMD/05·15·23/TZ103524	
Project Name	PCCA HI TISSUE CHEM PCCA CDP TISSUE CHEM	
Test:	OCP PCB TPH SVOA LIPIDS (OC-10) HERB OPP	
Batch ID		
Sample Number	Sample ID	Sample Weight (g)
1	23E2845-42 MS	20 01
2	-42 MSD	20.04
3	-42 "P"	20.42
4	-01	20 46
5	-02	20·37
6	-03	20 22
7	-04	17.75 ①
8	-05	20.48
9	-41	20 28
10	-43	20 16
11	-44	20 37
12	-45	20 33
13	23E2848-06	20.03
14	-07	20 08
15	-08	20.53
16	-09	20.26
17	-10	20.27
18	-11	20.17
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

Analyst/Date/Scale ID	BMD/05 15 23/TZ103524	
Project Name.	PCCA CDP TISSUE CHEM	
Test:	OCP PCB TPH SVOA LIPIDS (OC-10) HERB OPP	
Batch ID		
Sample Number	Sample ID	Sample Weight (g)
1	23E2848-12 MS	20 35
2	-12 MSD	20 17
3	-12 "P"	20 11
4	-13	20.23
5	-14	20 15
6	-15	20 53
7	-16	20.41
8	-17	20.48
9	-18	20 14
10	-24	20 47
11	-25	20.28
12	-26	20.37
13	-27	20.09
14	-28	20 23
15	-29	20.09
16	-30	20.09
17	-31	20 33
18	-32	20 01
19	-33	20 02
20	-34	20 03
21	-35	20.26
22	-36	20.23
23		
24		
25		
26		
27		
28		

Comments ① NOT ENOUGH REMAINS FOR 20g OF SAMPLE BMD 05 15 23

6/5/2023

Analyst/Date/Scale ID	BMD/05 12-23/T2103515	
Project Name	PCCA HI TISSUE CHEM 5	
Test:	OCP PCB (TPH) SVOA LIPIDS HERB OPP	
Batch ID		
Sample Number	Sample ID	Sample Weight (g)
1	23E2845-01 MS	5 50
2	-01 MSD	5.19
3	-01 "p"	5.51
4	-02	5.14
5	-03	5.12
6	-04	5.16
7	-05	5.03
8	-16	5 10
9	-17	5.32
10	-18	5 49
11	-19	5.19
12	-20	5.25
13	-31	5 10
14	-32	5.11
15	-33	5 18
16	-34	5 07
17	-35	5 21
18	-41	5.40
19	-42	5 38
20	-43	5.39
21	-44	5 57
22	-45	5.31
23		
24		
25		
26		
27		
28		

Analyst/Date/Scale ID	BMD/05 12-23/T2103515	
Project Name.	PCCA HI TISSUE CHEM 4	
Test:	OCP PCB (TPH) SVOA LIPIDS HERB OPP	
Batch ID		
Sample Number	Sample ID	Sample Weight (g)
1	23E2845-07 MS ①	5 00
2	-07 MSD	5 12
3	-07 "p"	5 12
4	-06	5 25
5	-08	5 27
6	-09	5.08
7	-10	5.30
8	-26	5 15
9	-27	5 10
10	-28	5.23
11	-29	5.48
12	-30	5 16
13	-46	5.33
14	-47	5 44
15	-48	5 55
16	-49	5 45
17	-50	5.10
18	-66	5 35
19	-67	5.59
20	-68	5 47
21	-69	5 29
22	-70	5.37
23		
24		
25		
26		
27		
28		

① IL BMD 05 12 23 (23E2845-07)

Comments

Analyst/Date/Scale ID	BMD/05 12 23/ T2103515	
Project Name:	PCCA HI TISSUE CHEM 6	
Test:	OCP PCB (TPH) SVOA LIPIDS HERB OPP	
Batch ID		
Sample Number	Sample ID	Sample Weight (g)
1	23E2845-37 MS	5 07
2	-37MSD	5.23
3	-37 "p"	5.19
4	-36	5.15
5	-38	5.23
6	-39	5.04
7	-40	5.16
8	-56	5.28
9	-57	5 51
10	-58	5.47
11	-59	5.52
12	-60	5.57
13	-71	5.12
14	-72	5 46
15	-73	5.26
16	-74	5 13
17	-75	5.26
18	-76	5.35
19	-77	5 29
20	-78	5 16
21	-79	5 09
22	-80	5 30
23		
24		
25		
26		
27		
28		

Analyst/Date/Scale ID	BMD/05 12 23/ T2103515	
Project Name:	PCCA ① HI ~~GPP~~ TISSUE CHEM 3	
Test:	OCP PCB (TPH) SVOA LIPIDS HERB OPP	
Batch ID		
Sample Number	Sample ID	Sample Weight (g)
1	23E2845-12 MS	5.01
2	-12 MSD	5.04
3	-12 "p"	5.02
4	-11	5.24
5	-13	5.07
6	-14	5 22
7	-15	5.02
8	-21	5 19
9	-22	5 15
10	-23	5 32
11	-24	5 10
12	-25	5 02
13	-51	5 37
14	-52	5 46
15	-53	5 54
16	-54	5 39
17	-55	5 38
18	-61	5 21
19	-62	5 18
20	-63	5.02
21	-64	5 51
22	-65	5.43
23		
24		
25		
26		
27		
28		

Comments

① IE BMD 05.12.23 [PCCA HI TISSUE CHEM]

Analyst/Date/Scale ID	BMD 05 12/23/TZ103515 2	
Project Name	PCCA CDP TISSUE CHEM	
Test:	OCP PCB (TPH) SVOA LIPIDS HERB OPP	
Batch ID		
Sample Number	Sample ID	Sample Weight (g)
1	23E2848-01 MS	5.53
2	-01 MSD	5 13
3	-01 4P"	5.10
4	-02	5 07
5	-03	5 12
6	-04	5 41
7	-05	5 39
8	-06	5 13
9	-07	5 08
10	-08	5 67
11	-09	5 14
12	-10	5.08
13	-19	5.48
14	-20	5 45
15	-21	5 13
16	-22	5 15
17	-23	5 23
18	-24	5 14
19	-25	5.16
20	-26	5 01
21	-27	5 15
22	-28	5.06
23		
24		
25		
26		
27		
28		

Analyst/Date/Scale ID	BMD 05 12 23/TZ103515 1	
Project Name	PCCA CDP TISSUE CHEM	
Test:	OCP PCB (TPH) SVOA LIPIDS HERB OPP	
Batch ID		
Sample Number	Sample ID	Sample Weight (g)
1	23E2848-12 MS	5 25
2	-12 MSD	5 30
3	-12 4P"	5 06
4	-11	5 33
5	-13	5 15
6	-14	5 23
7	-15	5.31
8	-16	5.69
9	-17	5 06
10	-18	5.08
11	-29 ①	5 41
12	-30	5.23
13	-31	5.40
14	-32	5 25
15	-33	5 11
16	-34	5.07
17	-35	5 14
18	-36	5.07
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

① IC BMD 05 12.23 (23E2848-29)

Comments



After printing this label:
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx will not be responsible for any claim in excess of $100 per package, whether the result of loss, damage, delay, non-delivery,misdelivery,or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim.Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental,consequential, or special is limited to the greater of $100 or the authorized declared value. Recovery cannot exceed actual documented loss.Maximum for items of extraordinary value is $1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



Eurofins Houston
4145 Greenbriar Dr
Stafford, TX 77477
Phone: 281-240-4200

Chain of Custody Record

eurofins | Em

Loc: 860
49144

Client Information (Sub Contract Lab)	Sampler:	Lab PM: Richter, Travis W	Carrier Tracking No(s):	COC No: 860-25042.1
Client Contact: Shipping/Receiving	Phone:	E-Mail: Travis.Richter@et.eurofinsus.com	State of Origin: Texas	Page: Page 1 of 4
Company: Eurofins Environment Testing Southwest,		Accreditations Required (See note): NELAP - Texas		Job #: 860-49144-1
Address: 2841 Dow Avenue, Suite 100, ,	Due Date Requested: 5/30/2023			Preservation Codes:
City: Tustin	TAT Requested (days):			A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - H, N - N, O - A, P - N, Q - N, R - N, S - H, T - T, U - A, V - M, W - I, Y - T, Z - o, Other:
State, Zip: CA, 92780				
Phone: 714-895-5494(Tel)	PO #:			
Email:	WO #:			
Project Name: General Project	Project #: 86003488			
Site:	SSOW#:			

Analysis Requested

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Organotins_SIM/OrgTin_S_P Organotins (GC/MS SIM)	Total Number of containers	Special Instructions/Note:
			Preservation Code:						
23E2848-06 (860-49144-6)	4/1/23	11:00 Central		Solid			X	1	
23E2848-07 (860-49144-7)	4/1/23	11:00 Central		Solid			X	1	
23E2848-08 (860-49144-8)	4/1/23	11:00 Central		Solid			X	1	
23E2848-09 (860-49144-9)	4/1/23	11:00 Central		Solid			X	1	
23E2848-10 (860-49144-10)	4/1/23	11:00 Central		Solid			X	1	
23E2848-11 (860-49144-11)	4/1/23	11:00 Central		Solid			X	1	
23E2848-12 (860-49144-12)	4/1/23	11:00 Central		Solid			X	1	
23E2848-12 (860-49144-12MS)	4/1/23	11:00 Central	MS	Solid			X	1	
23E2848-12 (860-49144-12MSD)	4/1/23	11:00 Central	MSD	Solid			X	1	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

Possible Hazard Identification	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Unconfirmed	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
S Cook	5/16/23 17:43	ET		5/17/23 9:35	IEC
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: 2.1 / 2.3 SCG

Ver: 06/08/2021

860-49144 Chain of Custody

Eurofins Houston
4145 Greenbriar Dr
Stafford, TX 77477
Phone: 281-240-4200

Chain of Custody Record

eurofins | Environment Testing

Client Information (Sub Contract Lab)	Sampler:	Lab PM: Richter, Travis W	Carrier Tracking No(s):	COC No: 860-25042.2
Client Contact: Shipping/Receiving	Phone:	E-Mail: Travis.Richter@et.eurofinsus.com	State of Origin: Texas	Page: Page 2 of 4
Company: Eurofins Environment Testing Southwest,		Accreditations Required (See note): NELAP - Texas		Job #: 860-49144-1
Address: 2841 Dow Avenue, Suite 100, ,	Due Date Requested: 5/30/2023			
City: Tustin	TAT Requested (days):			
State, Zip: CA, 92780				
Phone: 714-895-5494(Tel)	PO #:			
Email:	WO #:			
Project Name: General Project	Project #: 86003488			
Site:	SSOW#:			

Analysis Requested

Preservation Codes:

A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Y - Trizma, Z - other (specify)

Other:

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Organotins_SIM/OrgTin_S_P Organotins (GC/MS SIM)	Total Number of containers	Special Instructions/Note:
			Preservation Code:						
23E2848-13 (860-49144-13)	4/1/23	11:00 Central		Solid			X	1	
23E2848-14 (860-49144-14)	4/1/23	11:00 Central		Solid			X	1	
23E2848-15 (860-49144-15)	4/1/23	11:00 Central		Solid			X	1	
23E2848-16 (860-49144-16)	4/1/23	11:00 Central		Solid			X	1	
23E2848-17 (860-49144-17)	4/1/23	11:00 Central		Solid			X	1	
23E2848-18 (860-49144-18)	4/1/23	11:00 Central		Solid			X	1	
23E2848-24 (860-49144-24)	4/1/23	13:00 Central		Solid			X	1	
23E2848-25 (860-49144-25)	4/1/23	13:00 Central		Solid			X	1	
23E2848-26 (860-49144-26)	4/1/23	13:00 Central		Solid			X	1	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

Possible Hazard Identification	*Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)*
Unconfirmed	☐ *Return To Client* ☐ *Disposal By Lab* ☐ *Archive For* _____ *Months*
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
1	S. Couch	5/16/23 1743	ET		5/17/23 9:35	EEC
2	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
3	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: 2-1 / 2-3 SC6

Ver: 06/08/2021

Eurofins Houston
4145 Greenbriar Dr
Stafford, TX 77477
Phone: 281-240-4200

Chain of Custody Record

eurofins | Environment Testing

Client Information (Sub Contract Lab)	Sampler:	Lab PM: Richter, Travis W	Carrier Tracking No(s):	COC No: 860-25042.3
Client Contact: Shipping/Receiving	Phone:	E-Mail: Travis.Richter@et.eurofinsus.com	State of Origin: Texas	Page: Page 3 of 4
Company: Eurofins Environment Testing Southwest,		Accreditations Required (See note): NELAP - Texas		Job #: 860-49144-1
Address: 2841 Dow Avenue, Suite 100, ,	Due Date Requested: 5/30/2023			
City: Tustin	TAT Requested (days):			
State, Zip: CA, 92780				
Phone: 714-895-5494(Tel)	PO #:			
Email:	WO #:			
Project Name: General Project	Project #: 86003488			
Site:	SSOW#:			

Analysis Requested

Preservation Codes:

A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Y - Trizma, Z - other (specify)

Other:

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Organotins_SIM/OrgTin_S_P Organotins (GC/MS SIM)	Total Number of containers	Special Instructions/Note:
			Preservation Code:						
23E2848-27 (860-49144-27)	4/1/23	13:00 Central		Solid			X	1	
23E2848-28 (860-49144-28)	4/1/23	13:00 Central		Solid			X	1	
23E2848-29 (860-49144-29)	4/1/23	13:00 Central		Solid			X	1	
23E2848-30 (860-49144-30)	4/1/23	13:00 Central		Solid			X	1	
23E2848-31 (860-49144-31)	4/1/23	13:00 Central		Solid			X	1	
23E2848-32 (860-49144-32)	4/1/23	13:00 Central		Solid			X	1	
23E2848-33 (860-49144-33)	4/1/23	13:00 Central		Solid			X	1	
23E2848-34 (860-49144-34)	4/1/23	13:00 Central		Solid			X	1	
23E2848-35 (860-49144-35)	4/1/23	13:00 Central		Solid			X	1	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

Possible Hazard Identification	*Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)*
Unconfirmed	☐ *Return To Client* ☐ *Disposal By Lab* ☐ *Archive For* _____ *Months*
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
[signature]	5/16/23 17:43	ET	[signature]	5/17/23 9:35	BC
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: 2.1/2.3 SCC

Ver: 06/08/2021

Eurofins Houston
4145 Greenbriar Dr
Stafford, TX 77477
Phone: 281-240-4200

Chain of Custody Record

eurofins | Environment Testing

Client Information (Sub Contract Lab)	Sampler:	Lab PM: Richter, Travis W	Carrier Tracking No(s):	COC No: 860-25042.4
Client Contact: Shipping/Receiving	Phone:	E-Mail: Travis.Richter@et.eurofinsus.com	State of Origin: Texas	Page: Page 4 of 4
Company: Eurofins Environment Testing Southwest,		Accreditations Required (See note): NELAP - Texas		Job #: 860-49144-1
Address: 2841 Dow Avenue, Suite 100, ,	Due Date Requested: 5/30/2023			
City: Tustin	TAT Requested (days):			
State, Zip: CA, 92780				
Phone: 714-895-5494(Tel)	PO #:			
Email:	WO #:			
Project Name: General Project	Project #: 86003488			
Site:	SSOW#:			

Analysis Requested

Preservation Codes:

A - HCL
B - NaOH
C - Zn Acetate
D - Nitric Acid
E - NaHSO4
F - MeOH
G - Amchlor
H - Ascorbic Acid
I - Ice
J - DI Water
K - EDTA
L - EDA
M - Hexane
N - None
O - AsNaO2
P - Na2O4S
Q - Na2SO3
R - Na2S2O3
S - H2SO4
T - TSP Dodecahydrate
U - Acetone
V - MCAA
W - pH 4-5
Y - Trizma
Z - other (specify)
Other:

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Organotins_SIM/OrgTin_S_P Organotins (GC/MS SIM)	Total Number of containers	Special Instructions/Note:
			Preservation Code:						
23E2848-36 (860-49144-36)	4/1/23	13:00 Central		Solid			X	1	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

Possible Hazard Identification	*Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)*
Unconfirmed	☐ *Return To Client* ☐ *Disposal By Lab* ☐ *Archive For* _____ *Months*
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
S. Couch	5/16/23 17:43	ET		5/17/23 9:35	TEC
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: 2.1/2.3 SC6

Ver: 06/08/2021

Login Sample Receipt Checklist

Client: North Water District Laboratory Services

Job Number: 860-49144-1

Login Number: 49144

List Source: Eurofins Houston

List Number: 1

Creator: Coch, Stephanie

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	False	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

Login Sample Receipt Checklist

Client: North Water District Laboratory Services

Job Number: 860-49144-1

Login Number: 49144
List Number: 2
Creator: Khana, Piyush

List Source: Eurofins Calscience
List Creation: 05/17/23 06:09 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	2127816
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.3
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

APPENDIX F

STATISTICAL CALCULATIONS

Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	CD-DW-AV	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Cadmium, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.3600	0.3680	0.3700	0.3630	0.3560
CDP-DMMU-09	0.3820	0.3950	0.3880	0.3830	0.3840

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.3634	0.0000	0.3634	0.3560	0.3700	1.576	5			
CDP-DMMU-09	0.3864	0.0361	0.3864	0.3820	0.3950	1.377	5	6.579	1.860	0.0065

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.94622		0.842		0.43389	-0.9369
F-Test indicates equal variances (p = 0.89)	1.15901		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	0.0065	0	0.00132	3.1E-05	1.7E-04	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	CD-DW-AV	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Cadmium, mg/kg				


Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.3600	0.3680	0.3700	0.3630	0.3560
CDP-DMMU-09	0.3820	0.3950	0.3880	0.3830	0.3840

			Transform: Reciprocal						1-Tailed	
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.3634	0.0000	2.7523	2.7027	2.8090	1.578	5			
CDP-DMMU-09	0.3864	0.0361	2.5884	2.5316	2.6178	1.361	5	6.555	1.860	0.0465

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.94366	0.842	-0.2938	-0.9832
F-Test indicates equal variances (p = 0.69)	1.51983	23.1539		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	-0.006	0	0.0672	0.00156	1.8E-04	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	Pb-DW-AV	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Lead, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.6730	0.6090	0.5830	0.6650	0.7380
CDP-DMMU-09	0.6440	0.6660	0.8090	0.7660	0.7790

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.6536	0.0000	0.6536	0.5830	0.7380	9.244	5			
CDP-DMMU-09	0.7328	0.2286	0.7328	0.6440	0.8090	9.979	5	1.867	1.860	0.0789

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.9177		0.842		-0.138	-1.5928
F-Test indicates equal variances (p = 0.72)	1.4648		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	0.07889	0	0.01568	0.0045	0.09887	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	Pb-DW-AV	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Lead, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.6730	0.6090	0.5830	0.6650	0.7380
CDP-DMMU-09	0.6440	0.6660	0.8090	0.7660	0.7790

			Transform: Reciprocal					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.6536	0.0000	1.5404	1.3550	1.7153	9.157	5			
CDP-DMMU-09	0.7328	0.2286	1.3759	1.2361	1.5528	10.283	5	1.841	1.860	0.1661

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.9038		0.842		0.20362	-1.6068
F-Test indicates equal variances (p = 1.00)	1.00606		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates no significant differences	-0.0632	0	0.06763	0.01996	0.10291	1, 8
Treatments vs CDP-REF						

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	Ni-DW-AV	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Nickel, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	1.7100	1.6100	1.4600	1.5400	1.5000
CDP-DMMU-09	2.2600	2.2800	2.2200	2.2500	2.1700

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	1.5640	0.0000	1.5640	1.4600	1.7100	6.307	5			
CDP-DMMU-09	2.2360	-1.1915	2.2360	2.1700	2.2800	1.913	5	13.976	1.860	0.0894

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.95853		0.842		0.61052	0.75478
F-Test indicates equal variances (p = 0.13)	5.31694		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	0.08941	0	1.12896	0.00578	6.7E-07	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	Ni-DW-AV	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Nickel, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	1.7100	1.6100	1.4600	1.5400	1.5000
CDP-DMMU-09	2.2600	2.2800	2.2200	2.2500	2.1700

			Transform: Reciprocal						1-Tailed	
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	1.5640	0.0000	0.6414	0.5848	0.6849	6.144	5			
CDP-DMMU-09	2.2360	-1.1915	0.4474	0.4386	0.4608	1.936	5	10.752	1.860	0.0336

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.95914		0.842		-0.6309	1.69174
F-Test indicates equal variances (p = 0.01)	20.6991		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	-0.0775	0	0.0941	0.00081	4.9E-06	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	Zn-DW-AV	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Zinc, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	100.00	235.00	76.70	523.00	80.20
CDP-DMMU-09	189.00	500.00	819.00	214.00	264.00


			Transform: Untransformed					Rank	1-Tailed
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical
CDP-REF	202.98	0.0000	202.98	76.70	523.00	93.820	5		
CDP-DMMU-09	397.20	-0.9616	397.20	189.00	819.00	66.982	5	21.00	19.00

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.83474	0.842	1.15691	0.11222
F-Test indicates equal variances (p = 0.53)	1.95179	23.1539		

Hypothesis Test (1-tail, 0.05)

Wilcoxon Two-Sample Test indicates no significant differences
Treatments vs CDP-REF

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:	Test ID: Zn-DW-AV	Sample ID:	CDP
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments: Zinc, mg/kg			

Conc-mg/Kg	1	2	3	4	5
CDP-REF	100.00	235.00	76.70	523.00	80.20
CDP-DMMU-09	189.00	500.00	819.00	214.00	264.00

			Transform: Reciprocal					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	202.98	0.0000	0.0083	0.0019	0.0130	59.952	5			
CDP-DMMU-09	397.20	-0.9616	0.0034	0.0012	0.0053	51.140	5	2.088	1.860	0.0044

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.96063		0.842		-0.499	-0.375
F-Test indicates equal variances (p = 0.06)	8.28531		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	-41.448	0	6.1E-05	1.4E-05	0.0702	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:	Test ID: TPH-DW-AV	Sample ID:	CDP
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Total Petroleum Hydrocarbons, mg/kg		


Conc-mg/Kg	1	2	3	4	5
CDP-REF	5547	7846	4441	436	3766
CDP-DMMU-08	4633	4219	5748	5372	4554

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	4407.2	0.0000	4407.2	436	7846	61.418	5			
CDP-DMMU-08	4905.2	-0.1130	4905.2	4219	5748	12.880	5	0.401	1.860	2311.52

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.90333	0.842	-0.446	2.90208
F-Test indicates equal variances (p = 0.02)	18.3569	23.1539		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs CDP-REF	2311.52	0	620010	3862965	0.69918	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	B2P-DW-AV	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Bis-2-etylhexyl phthalate, umg/kg				

Conc-ppb	1	2	3	4	5
CDP-REF	22.90	25.40	23.00	23.90	22.20
CDP-DMMU-08	18.20	284.00	293.00	231.00	18.20

			Transform: Reciprocal					1-Tailed		
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	23.48	0.0000	0.0427	0.0394	0.0450	5.088	5			
CDP-DMMU-08	168.88	-6.4680	0.0242	0.0034	0.0549	115.723	5	1.467	2.132	0.0268

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.84992		0.842		0.67726	-0.2622
F-Test indicates unequal variances (p = 2.12E-04)	166.702		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Heteroscedastic t Test indicates no significant differences	-9.0402	0	0.00085	0.0004	0.18059	1, 8
Treatments vs CDP-REF						

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	B2P-DW-AV	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Bis-2-etylhexyl phthalate, umg/kg				


Conc-ppb	1	2	3	4	5
CDP-REF	22.90	25.40	23.00	23.90	22.20
CDP-DMMU-08	18.20	284.00	293.00	231.00	18.20

			Transform: Untransformed					1-Tailed		
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	23.48	0.0000	23.480	22.200	25.400	5.246	5			
CDP-DMMU-08	168.88	-6.4680	168.880	18.200	293.000	82.648	5	2.329	2.132	133.076

Auxiliary Tests	Statistic	Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.86141	0.842		-0.5455	-0.0929
F-Test indicates unequal variances (p = 3.64E-08)	12842.2	23.1539			

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Heteroscedastic t Test indicates significant differences Treatments vs CDP-REF	133.076	0	52852.9	9741.53	0.04822	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	DBP-DW-AV	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Di-n-Butyl phthalate, umg/kg				


Conc-ppb	1	2	3	4	5
CDP-REF	17.50	26.70	44.30	132.00	270.00
CDP-DMMU-09	241.00	58.20	251.00	162.00	331.00

			Transform: Untransformed					1-Tailed		
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	98.10	0.0000	98.100	17.500	270.000	108.345	5			
CDP-DMMU-09	208.64	-1.1384	208.640	58.200	331.000	49.475	5	1.668	1.860	123.214

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.95795	0.842	0.36186	-0.4495
F-Test indicates equal variances (p = 0.96)	1.06022	23.1539		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs CDP-REF	123.214	0	30547.7	10976.1	0.13382	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:	Test ID: TP-DW-AV	Sample ID:	CDP
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	AV

Comments: Total Phenols, umg/kg

Conc-ppb	1	2	3	4	5
CDP-REF	888	344	319	290	305
CDP-08	895	855	999	936	1160
CDP-09	1030	1120	1200	1660	1100


			Transform: Untransformed					Rank	1-Tailed
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical
CDP-REF	429.2	0.0000	429.2	290	888	59.936	5		
*CDP-08	969	-1.2606	969	855	1160	12.313	5	16.00	18.00
*CDP-09	1222	-1.8515	1222	1030	1660	20.641	5	15.00	18.00

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.74155	0.881	1.66988	1.75604
Bartlett's Test indicates equal variances (p = 0.33)	2.20778	9.21035		

Hypothesis Test (1-tail, 0.05)

Steel's Many-One Rank Test indicates significant differences
Treatments vs CDP-REF

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:	Test ID: TP-DW-AV	Sample ID:	CDP
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	AV

Comments: Total Phenols, umg/kg

Conc-ppb	1	2	3	4	5
CDP-REF	888	344	319	290	305
CDP-08	895	855	999	936	1160
CDP-09	1030	1120	1200	1660	1100


			Transform: Reciprocal					Rank	1-Tailed
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical
CDP-REF	429.2	0.0000	0.0028	0.0011	0.0034	34.008	5		
*CDP-08	969	-1.2606	0.0010	0.0009	0.0012	11.407	5	16.00	18.00
*CDP-09	1222	-1.8515	0.0008	0.0006	0.0010	16.924	5	15.00	18.00

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.72039	0.881	-2.4515	8.3515
Bartlett's Test indicates unequal variances (p = 1.95E-04)	17.0843	9.21035		

Hypothesis Test (1-tail, 0.05)

Steel's Many-One Rank Test indicates significant differences
Treatments vs CDP-REF

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	CD-DW-MM	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Cadmium, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.5580	0.5150	0.4860	0.6020	0.5580
CDP-DMMU-08	0.6040	0.6180	0.5690	0.5590	0.6140

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.5438	0.0000	0.5438	0.4860	0.6020	8.204	5			
CDP-DMMU-08	0.5928	0.1074	0.5928	0.5590	0.6180	4.557	5	2.101	1.860	0.0434

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.94628		0.842		-0.1298	-0.5082
F-Test indicates equal variances (p = 0.35)	2.72742		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	0.04337	0	0.006	0.00136	0.06884	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	CD-DW-MM	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Cadmium, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.5580	0.5150	0.4860	0.6020	0.5580
CDP-DMMU-08	0.6040	0.6180	0.5690	0.5590	0.6140

			Transform: Reciprocal						1-Tailed	
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.5438	0.0000	1.8489	1.6611	2.0576	8.286	5			
CDP-DMMU-08	0.5928	0.1074	1.6898	1.6181	1.7889	4.626	5	2.069	1.860	0.1430

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.93623		0.842		0.32639	-0.0536
F-Test indicates equal variances (p = 0.22)	3.8409		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	-0.0388	0	0.06335	0.01479	0.07229	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	Ni-DW-MM	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Nickel, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	2.8100	3.4400	3.9200	3.4000	3.2400
CDP-DMMU-08	3.5200	3.4800	4.0600	3.4000	3.2400

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	3.3620	0.0000	3.3620	2.8100	3.9200	11.884	5			
CDP-DMMU-08	3.5400	-0.0754	3.5400	3.2400	4.0600	8.753	5	0.787	1.860	0.4205

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.92924		0.842		0.41674	0.25452
F-Test indicates equal variances (p = 0.63)	1.66271		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates no significant differences Treatments vs CDP-REF	0.42046	0	0.07921	0.12781	0.45383	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	ZN-DW-MM	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Zinc, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	109.00	113.00	126.00	134.00	132.00
CDP-DMMU-08	124.00	129.00	128.00	121.00	135.00

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	122.80	0.0000	122.80	109.00	134.00	9.166	5			
CDP-DMMU-08	127.40	-0.0378	127.40	121.00	135.00	4.176	5	0.826	1.860	10.35

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.96385		0.842		-0.2942	-0.9522
F-Test indicates equal variances (p = 0.18)	4.47703		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates no significant differences	10.3535	0	52.9	77.5	0.43265	1, 8
Treatments vs CDP-REF						

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:	Test ID: TPH-DW-MM	Sample ID:	CDP
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Total Petroleum Hydrocarbons, mg/kg		


Conc-mg/Kg	1	2	3	4	5
CDP-REF	712	445	411	428	423
CDP-DMMU-08	1526	703	2376	904	823
CDP-DMMU-09	1839	1240	1269	831	1825

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	483.8	0.0000	483.80	411.00	712.00	26.488	5			
CDP-DMMU-08	1266.4	-1.6210	1266.40	703.00	2376.00	55.048	5	2.585	2.110	638.78
CDP-DMMU-09	1400.8	-1.8993	1400.80	831.00	1839.00	30.702	5	3.029	2.110	638.78

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.92045	0.881	0.99441	1.51715
Bartlett's Test indicates equal variances (p = 0.02)	7.55206	9.21035		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test indicates significant differences Treatments vs CDP-REF	638.778	0	1226179	229126	0.02181	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:	Test ID: TPH-DW-MM	Sample ID:	CDP
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Total Petroleum Hydrocarbons, mg/kg		


Conc-mg/Kg	1	2	3	4	5
CDP-REF	712	445	411	428	423
CDP-DMMU-08	1526	703	2376	904	823
CDP-DMMU-09	1839	1240	1269	831	1825

			Transform: Reciprocal					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	483.8	0.0000	0.0022	0.0014	0.0024	19.746	5			
CDP-DMMU-08	1266.4	-1.6210	0.0010	0.0004	0.0014	42.889	5	5.013	2.110	0.0005
CDP-DMMU-09	1400.8	-1.8993	0.0008	0.0005	0.0012	34.591	5	5.795	2.110	0.0005

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.93417	0.881	-0.8037	0.05617
Bartlett's Test indicates equal variances (p = 0.66)	0.84363	9.21035		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test indicates significant differences Treatments vs CDP-REF	-87.542	0	2.8E-06	1.4E-07	1.6E-04	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	B2P-DW-MM	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Bis(2-ethylhexyl)phthalate, umg/kg				

Conc-ppb	1	2	3	4	5
CDP-REF	22.90	25.40	23.00	23.90	22.20
CDP-08	42.60	81.10	69.80	46.70	103.00
CDP-09	81.00	37.20	53.80	54.70	285.00


			Transform: Untransformed					Rank	1-Tailed
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical
CDP-REF	23.48	0.0000	23.480	22.200	25.400	5.246	5		
*CDP-08	68.64	-2.0089	68.640	42.600	103.000	36.398	5	15.00	18.00
*CDP-09	102.34	-3.5080	102.340	37.200	285.000	100.944	5	15.00	18.00

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.71969	0.881	2.51662	8.29803
Bartlett's Test indicates unequal variances (p = 1.99E-07)	30.8619	9.21035		

Hypothesis Test (1-tail, 0.05)

Steel's Many-One Rank Test indicates significant differences
Treatments vs CDP-REF

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	B2P-DW-MM	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Bis(2-ethylhexyl)phthalate, umg/kg				


Conc-ppb	1	2	3	4	5
CDP-REF	22.90	25.40	23.00	23.90	22.20
CDP-08	42.60	81.10	69.80	46.70	103.00
CDP-09	81.00	37.20	53.80	54.70	285.00

			Transform: Reciprocal					1-Tailed		
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	23.48	0.0000	0.0427	0.0394	0.0450	5.088	5			
*CDP-08	68.64	-2.0089	0.0163	0.0097	0.0235	36.496	5	6.755	2.110	0.0083
*CDP-09	102.34	-3.5080	0.0159	0.0035	0.0269	54.365	5	6.839	2.110	0.0083

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.98333	0.881	-0.2036	0.73279
Bartlett's Test indicates equal variances (p = 0.07)	5.42212	9.21035		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test indicates significant differences Treatments vs CDP-REF	-3.7974	0	0.00118	3.8E-05	1.9E-05	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	DBP-DW-MM	Sample ID:	CDP
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Di-n-Butyl phthalate, umg/kg				


Conc-ppb	1	2	3	4	5
CDP-REF	22.90	25.40	23.00	77.20	76.60
CDP-08	204.00	55.40	51.60	213.00	49.00
CDP-09	327.00	65.10	182.00	50.60	73.90

			Transform: Untransformed					1-Tailed		
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	45.02	0.0000	45.020	22.900	77.200	64.683	5			
CDP-08	114.60	-1.5806	114.600	49.000	213.000	74.876	5	1.288	2.110	113.984
CDP-09	139.72	-2.1513	139.720	50.600	327.000	83.699	5	1.753	2.110	113.984

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.89237	0.881	1.03314	0.59512
Bartlett's Test indicates equal variances (p = 0.07)	5.45262	9.21035		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test indicates no significant differences Treatments vs CDP-REF	113.984	0	12033.7	7295.67	0.23288	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:	Test ID: TP-DW-MM	Sample ID:	CDP
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria


Comments: Total Phenols, umg/kg

Conc-ppb	1	2	3	4	5
CDP-REF	652.00	594.00	456.00	572.00	537.00
CDP-08	678.00	749.00	718.00	792.00	720.00
CDP-09	872.00	750.00	736.00	1030.00	763.00

			Transform: Untransformed					1-Tailed		
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	562.20	0.0000	562.20	456.00	652.00	12.914	5			
*CDP-08	731.40	-0.3015	731.40	678.00	792.00	5.778	5	3.094	2.110	115.39
*CDP-09	830.20	-0.4775	830.20	736.00	1030.00	14.934	5	4.901	2.110	115.39

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.93946		0.881		0.96542	1.45569
Bartlett's Test indicates equal variances (p = 0.15)	3.81805		9.21035			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Dunnett's Test indicates significant differences Treatments vs CDP-REF	115.387	0	91845.1	7476.4	0.00125	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:	Test ID: TP-DW-MM	Sample ID:	CDP
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria

Comments: Total Phenols, umg/kg


Conc-ppb	1	2	3	4	5
CDP-REF	652.00	594.00	456.00	572.00	537.00
CDP-08	678.00	749.00	718.00	792.00	720.00
CDP-09	872.00	750.00	736.00	1030.00	763.00

			Transform: Reciprocal					1-Tailed		
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	562.20	0.0000	0.0018	0.0015	0.0022	13.728	5			
*CDP-08	731.40	-0.3015	0.0014	0.0013	0.0015	5.724	5	3.862	2.110	0.0002
*CDP-09	830.20	-0.4775	0.0012	0.0010	0.0014	13.401	5	5.170	2.110	0.0002

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.9522	0.881	0.46182	1.27096
Bartlett's Test indicates equal variances (p = 0.13)	4.03396	9.21035		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test indicates significant differences Treatments vs CDP-REF	-64.293	0	4.5E-07	3.1E-08	6.4E-04	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	CD-DW-AV	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Cadmium, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.1820	0.1790	0.2120	0.2030	0.1650
CDP-DMMU-06	0.2100	0.2160	0.1850	0.2180	0.1690
CDP-DMMU-07	0.2150	0.2120	0.2120	0.1940	0.1770

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.1882	0.0000	0.1882	0.1650	0.2120	10.105	5			
CDP-DMMU-06	0.1996	0.0140	0.1996	0.1690	0.2180	10.819	5	0.945	2.110	0.0255
CDP-DMMU-07	0.2020	0.0170	0.2020	0.1770	0.2150	8.051	5	1.143	2.110	0.0255

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.91083		0.881		-0.4292	-1.2526
Bartlett's Test indicates equal variances (p = 0.87)	0.28566		9.21035			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Dunnett's Test indicates no significant differences Treatments vs CDP-REF	0.02547	0	0.00027	0.00036	0.49487	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	HG-DW-AV	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Mercury, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.0322	0.0354	0.0374	0.0450	0.0333
CDP-DMMU-06	0.0396	0.0352	0.0391	0.0377	0.0345

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.0367	0.0000	0.0367	0.0322	0.0450	13.833	5			
CDP-DMMU-06	0.0372	0.0006	0.0372	0.0345	0.0396	6.143	5	0.225	1.860	0.0046

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.91238		0.842		1.20827	1.98371
F-Test indicates equal variances (p = 0.15)	4.92022		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates no significant differences	0.00463	0	7.8E-07	1.5E-05	0.82754	1, 8
Treatments vs CDP-REF						

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	Sel-DW-AV	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Selenium, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	2.0800	1.6600	1.9000	2.2600	1.7900
CDP-DMMU-07	2.2800	1.9500	2.2500	2.1600	2.3200

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	1.9380	0.0000	1.9380	1.6600	2.2600	12.224	5			
CDP-DMMU-07	2.1920	-0.2708	2.1920	1.9500	2.3200	6.731	5	2.035	1.860	0.2321

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.96676		0.842		0.0051	-0.4451
F-Test indicates equal variances (p = 0.38)	2.57786		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	0.23209	0	0.16129	0.03894	0.07626	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	Sel-DW-AV	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Selenium, mg/kg				


Conc-mg/Kg	1	2	3	4	5
CDP-REF	2.0800	1.6600	1.9000	2.2600	1.7900
CDP-DMMU-07	2.2800	1.9500	2.2500	2.1600	2.3200

			Transform: Reciprocal					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	1.9380	0.0000	0.5221	0.4425	0.6024	12.057	5			
CDP-DMMU-07	2.1920	-0.2708	0.4580	0.4310	0.5128	7.174	5	2.020	1.860	0.0591

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.98186	0.842	0.1651	-0.1566
F-Test indicates equal variances (p = 0.24)	3.67171	23.1539		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	-0.1946	0	0.01029	0.00252	0.07803	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	Zn-DW-AV	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Zinc, mg/kg				


Conc-mg/Kg	1	2	3	4	5
CDP-REF	56.90	177.00	146.00	64.10	59.30
CDP-DMMU-06	62.10	360.00	57.40	59.90	239.00
CDP-DMMU-07	68.10	137.00	71.50	63.70	240.00

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	100.66	0.0000	100.660	56.900	177.000	56.298	5			
CDP-DMMU-06	155.68	-0.5521	155.680	57.400	360.000	88.703	5	0.901	2.110	128.895
CDP-DMMU-07	116.06	-0.1545	116.060	63.700	240.000	65.090	5	0.252	2.110	128.895

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.88905	0.881	0.96424	0.26
Bartlett's Test indicates equal variances (p = 0.22)	3.03485	9.21035		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test indicates no significant differences Treatments vs CDP-REF	128.895	0	4028.42	9329.29	0.65904	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	B2P-DW-AV	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Bis(2-ethylhexyl)Phthalate, umg/kg				

Conc-ppb	1	2	3	4	5
CDP-REF	25.500	38.500	173.000	74.700	15.700
CDP-DMMU-07	27.800	47.600	31.600	16.900	32.100


			Transform: Untransformed					Rank	1-Tailed
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical
CDP-REF	65.480	0.0000	65.480	15.700	173.000	97.936	5		
CDP-DMMU-07	31.200	0.5316	31.200	16.900	47.600	35.328	5	30.00	19.00

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.83042	0.842	1.76665	4.47416
F-Test indicates unequal variances (p = 4.85E-03)	33.849	23.1539		

Hypothesis Test (1-tail, 0.05)

Wilcoxon Two-Sample Test indicates no significant differences
Treatments vs CDP-REF

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	B2P-DW-AV	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	AV
Comments:	Bis(2-ethylhexyl)Phthalate, umg/kg				

Conc-ppb	1	2	3	4	5
CDP-REF	25.500	38.500	173.000	74.700	15.700
CDP-DMMU-07	27.800	47.600	31.600	16.900	32.100

			Transform: Reciprocal					1-Tailed		
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	65.480	0.0000	0.0296	0.0058	0.0637	77.350	5			
CDP-DMMU-07	31.200	0.5316	0.0358	0.0210	0.0592	39.611	5	-0.513	1.860	0.0224

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.93538		0.842		0.76788	0.06304
F-Test indicates equal variances (p = 0.38)	2.61008		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates no significant differences Treatments vs CDP-REF	-14.545	0	9.5E-05	0.00036	0.62181	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	Ber-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Beryllium, mg/kg				


Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.0107	0.0136	0.0137	0.0142	0.0109
CDP-DMMU-06	0.0116	0.0148	0.0180	0.0114	0.0132
CDP-DMMU-07	0.0132	0.0161	0.0141	0.0128	0.0115

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.0126	0.0000	0.0126	0.0107	0.0142	13.299	5			
CDP-DMMU-06	0.0138	0.0012	0.0138	0.0114	0.0180	19.712	5	0.891	2.110	0.0028
CDP-DMMU-07	0.0135	0.0009	0.0135	0.0115	0.0161	12.627	5	0.695	2.110	0.0028

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.93463	0.881	0.59366	-0.1794
Bartlett's Test indicates equal variances (p = 0.56)	1.15698	9.21035		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test indicates no significant differences Treatments vs CDP-REF	0.00279	0	1.9E-06	4.4E-06	0.65475	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	CAD-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Cadmium, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.4020	0.4730	0.4320	0.4350	0.4270
CDP-DMMU-07	0.4430	0.6880	0.5240	0.5260	0.5610

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.4338	0.0000	0.4338	0.4020	0.4730	5.876	5			
CDP-DMMU-07	0.5484	0.2024	0.5484	0.4430	0.6880	16.272	5	2.761	1.860	0.0772

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.88873		0.842		0.91109	3.21536
F-Test indicates equal variances (p = 0.03)	12.2569		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	0.07718	0	0.03283	0.00431	0.02463	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	CAD-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Cadmium, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.4020	0.4730	0.4320	0.4350	0.4270
CDP-DMMU-07	0.4430	0.6880	0.5240	0.5260	0.5610

			Transform: Reciprocal					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.4338	0.0000	2.3115	2.1142	2.4876	5.765	5			
CDP-DMMU-07	0.5484	0.2024	1.8606	1.4535	2.2573	15.511	5	3.172	1.860	0.2644

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.94719		0.842		-0.1094	1.58692
F-Test indicates equal variances (p = 0.16)	4.69009		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	-0.0444	0	0.50824	0.05052	0.01316	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	CHR-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Chromium, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.3710	0.2880	0.2350	0.3390	0.2500
CDP-DMMU-06	0.4550	0.3170	0.3720	0.3580	0.2850

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.2966	0.0000	0.2966	0.2350	0.3710	19.495	5			
CDP-DMMU-06	0.3574	0.0864	0.3574	0.2850	0.4550	18.032	5	1.570	1.860	0.0720

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.94655		0.842		0.4621	-0.9199
F-Test indicates equal variances (p = 0.84)	1.24228		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates no significant differences	0.072	0	0.00924	0.00375	0.15501	1, 8
Treatments vs CDP-REF						

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	CU-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Copper, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	12.700	11.600	9.340	10.900	11.100
CDP-DMMU-07	11.300	13.600	10.800	11.700	13.400

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	11.128	0.0000	11.128	9.340	12.700	10.954	5			
CDP-DMMU-07	12.160	-0.1019	12.160	10.800	13.600	10.412	5	1.313	1.860	1.462

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.94744		0.842		-0.0082	-1.2061
F-Test indicates equal variances (p = 0.94)	1.07879		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates no significant differences Treatments vs CDP-REF	1.46159	0	2.66256	1.54446	0.2256	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	PB-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Lead, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.4140	0.3610	0.3010	0.3460	0.3650
*CDP-DMMU-07	0.4150	0.4720	0.3740	0.4440	0.4410

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.3574	0.0000	0.3574	0.3010	0.4140	11.353	5			
*CDP-DMMU-07	0.4292	0.1117	0.4292	0.3740	0.4720	8.591	5	2.928	1.860	0.0456

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.93995		0.842		-0.247	-0.2858
F-Test indicates equal variances (p = 0.86)	1.21078		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	0.04559	0	0.01289	0.0015	0.01905	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	PB-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Lead, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.4140	0.3610	0.3010	0.3460	0.3650
*CDP-DMMU-07	0.4150	0.4720	0.3740	0.4440	0.4410

			Transform: Reciprocal					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.3574	0.0000	2.8275	2.4155	3.3223	11.589	5			
*CDP-DMMU-07	0.4292	0.1117	2.3444	2.1186	2.6738	9.001	5	2.772	1.860	0.3241

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.94062		0.842		0.58408	0.60813
F-Test indicates equal variances (p = 0.41)	2.41129		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates significant differences Treatments vs CDP-REF	-0.0364	0	0.58361	0.07595	0.02422	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	Sel-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Selenium, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	1.6200	1.8300	1.5900	1.6900	1.5200
CDP-DMMU-07	1.5800	1.9000	1.7400	1.6400	1.7100

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	1.6500	0.0000	1.6500	1.5200	1.8300	7.132	5			
CDP-DMMU-07	1.7140	-0.0985	1.7140	1.5800	1.9000	7.069	5	0.847	1.860	0.1405

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.90652		0.842		0.69034	-0.4007
F-Test indicates equal variances (p = 0.96)	1.05993		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates no significant differences	0.14047	0	0.01024	0.01426	0.42147	1, 8
Treatments vs CDP-REF						

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	Tha-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Thallium, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.0030	0.0032	0.0023	0.0029	0.0028
CDP-DMMU-06	0.0034	0.0038	0.0061	0.0032	0.0033
CDP-DMMU-07	0.0053	0.0048	0.0040	0.0041	0.0036


			Transform: Untransformed					Rank	1-Tailed
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical
CDP-REF	0.0028	0.0000	0.0028	0.0023	0.0032	12.485	5		
CDP-DMMU-06	0.0040	0.0011	0.0040	0.0032	0.0061	30.185	5	15.00	18.00
CDP-DMMU-07	0.0044	0.0015	0.0044	0.0036	0.0053	15.015	5	15.00	18.00

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.84859	0.881	1.65289	3.43367
Bartlett's Test indicates equal variances (p = 0.09)	4.78774	9.21035		

Hypothesis Test (1-tail, 0.05)

Steel's Many-One Rank Test indicates significant differences
Treatments vs CDP-REF

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	Tha-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Thallium, mg/kg				


Conc-mg/Kg	1	2	3	4	5
CDP-REF	0.0030	0.0032	0.0023	0.0029	0.0028
CDP-DMMU-06	0.0034	0.0038	0.0061	0.0032	0.0033
CDP-DMMU-07	0.0053	0.0048	0.0040	0.0041	0.0036

			Transform: Reciprocal					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	0.0028	0.0000	358.15	315.46	444.44	14.151	5			
CDP-DMMU-06	0.0040	0.0011	266.34	164.74	308.64	22.432	5	2.945	2.110	65.78
CDP-DMMU-07	0.0044	0.0015	232.89	190.48	274.73	14.572	5	4.018	2.110	65.78

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.97678	0.881	-0.328	0.7559
Bartlett's Test indicates equal variances (p = 0.58)	1.10352	9.21035		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test indicates significant differences Treatments vs CDP-REF	-0.0004	0	21031.3	2429.92	0.00471	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	ZN-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Zinc, mg/kg				

Conc-mg/Kg	1	2	3	4	5
CDP-REF	103.00	116.00	107.00	113.00	109.00
CDP-DMMU-06	106.00	114.00	133.00	94.90	107.00
CDP-DMMU-07	105.00	134.00	112.00	119.00	116.00

			Transform: Untransformed					1-Tailed		
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	109.60	0.0000	109.60	103.00	116.00	4.634	5			
CDP-DMMU-06	110.98	-0.0127	110.98	94.90	133.00	12.689	5	0.205	2.110	14.20
CDP-DMMU-07	117.20	-0.0700	117.20	105.00	134.00	9.178	5	1.129	2.110	14.20

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.94004		0.881		0.78796	1.00173
Bartlett's Test indicates equal variances (p = 0.20)	3.23311		9.21035			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Dunnett's Test indicates no significant differences Treatments vs CDP-REF	14.2025	0	81.9607	113.267	0.505	2, 12

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:	Test ID: TPH-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Total Petroleum Hydrocabons, mg/kg		

Conc-mg/Kg	1	2	3	4	5
CDP-REF	94	437.037	390	388	371
CDP-DMMU-06	5632.08	421.154	448	371	359


			Transform: Untransformed					Rank	1-Tailed
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical
CDP-REF	336.007	0.0000	336.01	94.00	437.04	40.920	5		
CDP-DMMU-06	1446.25	-3.3141	1446.25	359.00	5632.08	161.814	5	23.50	19.00

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.65136	0.842	2.50064	7.06876
F-Test indicates unequal variances (p = 7.08E-05)	289.705	23.1539		

Hypothesis Test (1-tail, 0.05)

Wilcoxon Two-Sample Test indicates no significant differences
Treatments vs CDP-REF

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:	Test ID: TPH-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Total Petroleum Hydrocabons, mg/kg		

Conc-mg/Kg	1	2	3	4	5
CDP-REF	94	437.037	390	388	371
CDP-DMMU-06	5632.08	421.154	448	371	359

			Transform: Reciprocal					Rank	1-Tailed
Conc-mg/Kg	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical
CDP-REF	336.007	0.0000	0.0042	0.0023	0.0106	87.382	5		
CDP-DMMU-06	1446.25	-3.3141	0.0021	0.0002	0.0028	52.246	5	23.50	19.00


Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.72152	0.842	2.15802	5.42351
F-Test indicates equal variances (p = 0.04)	11.4448	23.1539		

Hypothesis Test (1-tail, 0.05)

Wilcoxon Two-Sample Test indicates no significant differences

Treatments vs CDP-REF

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	B2P-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Bis(2-ethylhexyl)phthalate, umg/kg				

Conc-ppb	1	2	3	4	5
CDP-REF	3.6900	5.3900	22.2000	7.9600	2.3600
CDP-DMMU-07	3.9000	6.5500	4.4300	2.4700	4.5400


			Transform: Untransformed					Rank	1-Tailed
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical
CDP-REF	8.3200	0.0000	8.3200	2.3600	22.2000	96.590	5		
CDP-DMMU-07	4.3780	0.5385	4.3780	2.4700	6.5500	33.522	5	30.00	19.00

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.79103	0.842	2.01289	5.32293
F-Test indicates unequal variances (p = 6.12E-03)	29.9841	23.1539		

Hypothesis Test (1-tail, 0.05)

Wilcoxon Two-Sample Test indicates no significant differences
Treatments vs CDP-REF

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:	Test ID: B2P-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:	Lab ID: NWDLS	Sample Type:	MARINE SED
Sample Date:	Protocol: EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Bis(2-ethylhexyl)phthalate, umg/kg		


Conc-ppb	1	2	3	4	5
CDP-REF	3.6900	5.3900	22.2000	7.9600	2.3600
CDP-DMMU-07	3.9000	6.5500	4.4300	2.4700	4.5400

			Transform: Reciprocal					1-Tailed		
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	8.3200	0.0000	0.2102	0.0450	0.4237	69.080	5			
CDP-DMMU-07	4.3780	0.5385	0.2520	0.1527	0.4049	37.094	5	-0.541	1.860	0.1436

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.94613	0.842	0.67201	0.05111
F-Test indicates equal variances (p = 0.41)	2.41296	23.1539		

Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences Treatments vs CDP-REF	-1.9312	0	0.00437	0.01491	0.60306	1, 8

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)


Start Date:		Test ID:	DBP-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Di-n-Butyl phthalate, umg/kg				

Conc-ppb	1	2	3	4	5
CDP-REF	5.5600	3.2500	4.4100	5.3400	4.6000
CDP-DMMU-07	4.1400	7.0500	3.5800	9.0200	4.0700

			Transform: Untransformed					1-Tailed		
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	4.6320	0.0000	4.6320	3.2500	5.5600	19.676	5			
CDP-DMMU-07	5.5720	-0.2588	5.5720	3.5800	9.0200	42.421	5	0.830	1.860	2.1067

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.92443		0.842		0.82158	0.37686
F-Test indicates equal variances (p = 0.09)	6.72586		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates no significant differences	2.10674	0	2.209	3.20882	0.43076	1, 8
Treatments vs CDP-REF						

Dose-Response Plot



Evaluation of Dredge Materials for Bioaccumulation-Bioaccumulation (Dry Wt)

Start Date:		Test ID:	TP-DW-MM	Sample ID:	PCCA CDP Inshore
End Date:		Lab ID:	NWDLS	Sample Type:	MARINE SED
Sample Date:		Protocol:	EPADM91-EPA 503/8-91/001	Test Species:	MM-Mercenaria mercenaria
Comments:	Total Phenols, umg/kg				

Conc-ppb	1	2	3	4	5
CDP-REF	50.700	52.800	58.300	97.300	92.700
CDP-DMMU-07	86.300	83.900	52.900	71.100	74.200

			Transform: Untransformed						1-Tailed	
Conc-ppb	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
CDP-REF	70.360	0.0000	70.360	50.700	97.300	32.294	5			
CDP-DMMU-07	73.680	-0.0479	73.680	52.900	86.300	17.986	5	0.282	1.860	21.875

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.92223		0.842		0.2581	-1.4214
F-Test indicates equal variances (p = 0.32)	2.93994		23.1539			
Hypothesis Test (1-tail, 0.05)	**MSDu**	**MSDp**	**MSB**	**MSE**	**F-Prob**	**df**
Homoscedastic t Test indicates no significant differences	21.8748	0	27.556	345.95	0.78493	1, 8
Treatments vs CDP-REF						

Dose-Response Plot

